

EFFORTLESS BRILLIANCE

Discover the **DEFINITION** of simplicity









DCP-L3551CDW

HL-L3210CW







Cost-saving

Productivity Connectivity



Enhanced Connectivity, Greater Convenience



Wired and Wireless Sharing

Effortlessly share your Brother machine with multiple users on your network via its built-in Ethernet and Wi-Fi*.



Fuss-free Connectivity

Connect directly from your mobile devices for fuss-free printing or scanning of documents, presentations or emails. In addition, accomplish print and scan jobs seamlessly with innovative features such as Brother Cloud Apps**,

WebConnect** and Cloud capabilities*.



USB Direct Print

Insert your USB flash drive into the integrated USB reader on the MFC-L3750CDW for fast and direct prints and scans.

















Remarkable **Productivity**



Fast Print and Scan Speeds#

Boost your productivity with fast print speeds of up to 24ppm** and scan speeds of up to 27ipm**.



Comprehensive Paper Handling

With the 250 sheet default paper tray, the need for frequent paper reloading is reduced.

In addition, the manual feed slot can handle a greater variety of papers up to 163gsm for your printing convenience.



Seamless Scanning

The 50 sheet Auto Document Feeder scans multi-page documents in a single pass, cutting down on scan times.



Built for Multi-Tasking

Brother machines are equipped with multi-tasking capabilities so you can skip ahead to the next task even before your current print job is complete.



Shortcut Your Everyday Tasks

Streamline your work process with easy-to-program shortcuts for your most common tasks on the user-friendly 9.3cm LCD touchscreen of the MFC-L3750CDW.

^{*} Selected models only

^{**} MFC-L3750CDW only



A Proud Legacy of Uncompromising Reliability

Over A Hundred Years of Customer Satisfaction

Even with over a century of customer satisfaction under our belt, we aren't taking anything for granted. All Brother machines have undergone rigorous tests and trials to ensure that they will last for years to come. By bringing together traditional Japanese values of quality, service, and integrity with the latest in technological innovation, you can always count on Brother to take your office productivity further.



An Award-Winning Track Record

For 5 years in a row, Brother has won PCmag's prestigious Business Choice Award. We have also won PCmag's Readers' Choice Award for an unprecedented 9 years in a row, scoring the highest in overall satisfaction and reliability.



Peace of Mind. Guaranteed.

When you purchase a Brother printer or multi-function centre and our genuine inks or toners, we'll support you every step of the way with our FREE 3-year warranty commitment. YOU DO NOT NEED TO REGISTER YOUR PRODUCT, our warranty is automatic when you purchase your Brother device. To keep your Brother machine running in optimal condition we recommend using only Brother Genuine Consumables, this will ensure you automatically enjoy our exclusive 3-year warranty.











Note Column Printer with Winders Connectivity China Printer (1979, Sean, Automatic 2-stands Column Printer (1979, Sean, Automatic 2-stands Column Printer) Printer Column Printer (1970, Sean, Sean, Automatic 2-stands Printer) Printer Column Printer (1970, Sean, Sean, Sean, Automatic 2-stands Printer) Printer Printer (1970, Sean,		HL-L3210CW	DCP-L3551CDW	MFC-L3750CDW
Processor Marie Correct & \$0.2000 First State ABMANE 1 3204417	Key Functions	Colour Printer with Wireless Connectivity		
Pint Sealer Autorean Dispose	PRINT FUNCTIONS			
Prote Features				
Protect Protection Protect Protection Networks Protection	Print Speed (A4/Letter)			
View by Time (Frem Sleep) Less than 28 sec	Print Features	- Poster Printing, Header-Footer Printing, Watermark Printing (Windows (Host-Based/PCLXL))		
First Print Out Time (Ready)	Print Resolution		600 x 600 dpi, 2,400 dpi (600 x 2,400) quality	
Copy Speed 25% - 400% in 15% increments 25% - 400% in 15% - 400% in 15% increments 25% - 400% in 15% - 400	Warm Up Time (From Sleep)	Less than 28 sec	Less than 28 sec	Less than 24 sec
Copy Speed	, ,,,	Less than 14 sec (Mono/Colour)	Less than 15.5 sec (Mono/Colour)	Less than 14 sec (Mono/Colour)
ReductionChallargement (%)				
Copy Features		-	·	
Nin 1	- ' '	-		
Scan Speed (Mono/Colour)* 27721 mm (A4); 2922 pm (LTF)		-	· · · · · · · · · · · · · · · · · · ·	·
Part		-	N in 1	N in 1
Seath Speed (Mortio-Usboury -	SCAN FUNCTIONS			
Resolution (Optical)	Scan Speed (Mono/Colour)*	_		
Paper Pape	, , , ,			
Auto Deskew, ShareProint (Firm & CC4), Email, Image, OCR, File, FTR Network (Windows only)				
Image, OCR, File, FTP, Network (Windows only) Image, OCR, File, FTP, Network (Windows All Care on the Control of Control of the Control of Control	nesolution (interpolated)	-		19,≥00 api
Modem Speed -	Scan Features	-		Image, OCR, File, FTP, Direct USB, Network
Send (Windows, Mac (FasShare Software by Brother), Linux (LPR) (Linux (LPR) (LPR) (LPR) (Linux (LPR) (LPR) (LPR) (Linux (LPR)	FAX FUNCTIONS			
PC Fax (Send/Receive)	Modem Speed		-	33,600bps (Fax)
Out of Paper Reception	PC Fax (Send/Receive)	-		Brother), Linux (LPR / CUPS PC-FAX Send
Dut of Paper Reception	Speed Dial / Group Dial		-	200 locations / 20 groups
Paper Manual Feed Sict / MP Tray 250 sheets				<u> </u>
Paper Input Tray			-	
Manual Feed Slot / MP Tray	PAPER HANDLING			
Auto Document Feeder				
Paper Output		1 sheet		
Media Weights / Manual Feed Stot 60 to 163g/m² Media Sizes / Standard Tray A4, Letter, A5, A5 (Long Edge), A6, Executive, Legal, Folio CONNECTIVY Interface USB, Wireless and Wifi Direct Hi-Speed 2.0, 10Base-T/100Base-TX, IEEE 802.11b/g/n (Wireless), IEEE 802.11g/n (Wi-Fi Direct) Front USB Direct Print - Yes Mobile Solutions Brother iPrint&Scan, Google Cloud Print, AirPrint, Mopria®, Windows Mobile Printing Yes Brother Apps / WebConnect - - Yes OF IEEB Street Apps / WebConnect - PCL6, BR-Script3, PDF Version 1.7, XPS Version 1.0 Display 16 characters x 1 line 16 characters x 2 lines 9.3cm Colour LCD Touchscreen Windows: Server 2008, Server 2008, Server 2008, R2, 7 SP1, 8, 8.1. Server 2012, R2 cross 2012, R2 (Network only), 2 Server 2012, R2 cross 2012, R2 (Network only), 2 Server 2012, R2 cross 2012, R2 (Network only), 2 Server 2012, R2 cross 2012, R2 (Network only), 2 Server 2012, R2 cross 2012, R2 (Network only), 2 Server 2012, R2 (Network only), 2 Server 2012, R2 cross 2012, R2 (Network only), 2 Server 2012, R2 cross 2012, R2 (Network only), 2 Server 2012, R2 cross 2012, R2 (Network only), 2 Server 2012, R2 cross 2012, R2 (Network only), 2 Server 2012, R2 cross 2012, R2 (Network only), 2 Server 2012, R2 cross 2012, R2 (Network only), 2 Server 2012, R2 cross 2012, R2 (Network only), 2 Server 2012, R2 cross 2		-		heets
Media Sizes / Standard Tray	' '			
CONNECTIVITY		<u> </u>		
Interface	•	A4, Letter, A5, A5 (Long Edge), A6, Executive, Legal, Folio		
Front USB Direct Print		LICE Window and Wife Direct	Hi Creed O.O. 10Page T/100Page TV IEEE 00	0.11h /a/a (Missiana) IEEE 000.11a/a (Mi Ei Dissat)
Brother Printa Scan, Google Cloud Print, AirPrint, Mopria®, Windows Mobile Printing		USB, Wireless and Wifi Direct	HI-Speed 2.0, TUBase-1/TUUBase-1X, IEEE 80	7
## Provided		Death of Di	-	
Memory 256MB 512MB 512			nt&Scan, Google Cloud Print, AirPrint, Mopria®, Windo	
Memory 256MB PCL6, BR-Script3, PDF Version 1.7, XPS Version 1.0		<u>-</u>	-	Yes / Yes
PCL6, BR-Script3, PDF Version 1.0		055117		DIATE.
Display	,	256MB		
Windows: Server 2008, Server 2008 R2, 7 SP1, 8, 8.1, Server 2012 R2, 10, Server 2016 (Network only), Server 2016 (Network only), Server 2016 (Network only), Server 2016 (Network only), Mac: macOS v10.11.6, 10.12.x, 10.13.x (Download only), Linux: CUPS, LPD/LPRng (16 ahayaat		
Windows: Server 2008, Server 2008 R2, 7 SP1, 8, 8.1, \$P1, 19, 8.1, \$P1, 19, 19, 19, 19, 1	Dispiay	To characters X T line	To characters X 2 lines	
Security Features Setting Lock, Secure Function Lock Version 3.0* Energy Star Yes Power Consumption (Printing / Deep Sleep) Approx. 390W / 1.0W Approx. 400W / 1.2W Approx. 430W / 1.2W Power Source 220-240 V; AC 50Hz Noise Level LpAm = 45 dB (A) LpAm = 46 dB(A) LpAm = 48 dB(A) SUPPLIES Inbox Toner Yield* BK: Approx. 1,000 pages; CMY: Approx. 1,000 pages each High Yield Toner TN-277BK: Approx. 3,000 pages; TN277CMY: Approx. 2,300 pages each Drum Unit (DR-273CL (C/M/Y/BK)) Approx. 18,000 pages DIMENSIONS & WEIGHT 410 x 461 x 252 mm 410 x 475 x 414 mm 410 x 475 x 414 mm	. ,	8, 8.1, Server 2012, Server 2012 R2, 10, Server 2016, Mac: macOS v10.11.6, 10.12.x, 10.13.x (Download only), Linux: CUPS, LPD/LPRng (x86/x64 environment)		R2 (Network only), 7 SP1, 8, 8.1, Server 2012 (Network only), Server 2012 R2 (Network only), 10, Server 2016 (Network only), Mac: macOS v10.11.6, 10.12.x, 10.13.x (Download only), Linux: CUPS, LPD/LPRng (x86/x64 environment)
Power Consumption (Printing / Deep Sleep)		3 / 2 2		
Power Consumption (Printing / Deep Sleep) Approx. 390W / 1.0W Approx. 400W / 1.2W Approx. 400W / 1.2W Approx. 430W / 1.2W Approx. 450Hz LpAm = 48 dB(A) SUPPLIES Inbox Toner Yield* BK: Approx. 1,000 pages; CMY: Approx. 1,000 pages each TN-277BK: Approx. 3,000 pages; TN277CMY: Approx. 2,300 pages each Drum Unit (DR-273CL (C/M/Y/BK)) Approx. 18,000 pages DIMENSIONS & WEIGHT Dimensions (W x D X H) 410 x 461 x 252 mm 410 x 475 x 414 mm		* :		
(Printing / Deep' Sleep) Approx. 390W / 1.0W Approx. 400W / 1.2W Approx. 430W / 1.2W Power Source 220-240 V; AC 50Hz Noise Level LpAm = 45 dB (A) LpAm = 46 dB(A) LpAm = 48 dB(A) SUPPLIES BK: Approx. 1,000 pages; CMY: Approx. 1,000 pages each High Yield Toner TN-277BK: Approx. 3,000 pages; TN277CMY: Approx. 2,300 pages each Drum Unit (DR-273CL (C/M/Y/BK)) Approx. 18,000 pages DIMENSIONS & WEIGHT 410 x 461 x 252 mm 410 x 475 x 414 mm 410 x 475 x 414 mm			Yes	
Noise Level LpAm = 45 dB (A) LpAm = 46 dB(A) LpAm = 48 dB(A) SUPPLIES Inbox Toner Yield* BK: Approx. 1,000 pages; CMY: Approx. 1,000 pages each High Yield Toner TN-277BK: Approx. 3,000 pages; TN277CMY: Approx. 2,300 pages each Drum Unit (DR-273CL (C/M/Y/BK)) Approx. 18,000 pages DIMENSIONS & WEIGHT Dimensions (W x D X H) 410 x 461 x 252 mm 410 x 475 x 414 mm 410 x 475 x 414 mm	(Printing / Deep Sleep)	Approx. 390W / 1.0W		Approx. 430W / 1.2W
SUPPLIES Inbox Toner Yield* BK: Approx. 1,000 pages; CMY: Approx. 1,000 pages each High Yield Toner TN-277BK: Approx. 3,000 pages; TN277CMY: Approx. 2,300 pages each Drum Unit (DR-273CL (C/M/Y/BK)) Approx. 18,000 pages DIMENSIONS & WEIGHT 410 x 461 x 252 mm 410 x 475 x 414 mm 410 x 475 x 414 mm		I pAm = 45 dD (A)		InAm = 40 dP/A)
BK: Approx. 1,000 pages; CMY: Approx. 1,000 pages each		цратт = 45 db (A)	LPAM = 46 aB(A)	LPAM = 48 aB(A)
High Yield Toner TN-277BK: Approx. 3,000 pages; TN277CMY: Approx. 2,300 pages each Drum Unit (DR-273CL (C/M/Y/BK)) Approx. 18,000 pages DIMENSIONS & WEIGHT Dimensions (W x D X H) 410 x 461 x 252 mm 410 x 475 x 414 mm 410 x 475 x 414 mm			DIA Annua 1 000 name 011/4 1 1 1 1 2 2	2 222
Drum Unit (DR-273CL (C/M/Y/BK)) Approx. 18,000 pages DIMENSIONS & WEIGHT 410 x 461 x 252 mm 410 x 475 x 414 mm 410 x 475 x 414 mm		TN 077		
DIMENSIONS & WEIGHT Dimensions (W x D X H) 410 x 461 x 252 mm 410 x 475 x 414 mm 410 x 475 x 414 mm	<u> </u>	11N-2//1		payes eaun
Dimensions (W x D X H) 410 x 461 x 252 mm 410 x 475 x 414 mm 410 x 475 x 414 mm			Approx. 18,000 pages	
		440 404 050	440 475 444	440 475 111
	Dimensions (W X D X H)	4 IU X 46 I X 252 MM	4 IU X 4/5 X 414 MM	4 IU X 4/5 X 414 mm

^{*} In accordance with ISO/IEC 17991 ^ For Windows by download only # Up to 100 registerable users * In accordance with ISO/IEC 19798





96 Sovereign Drive, Route 21 Corporate Park, Irene Tel: +27 (0) 12 - 345 5332 Fax: +27 (0) 12 - 345 3886







