


1

# MAINTENANCE

24-53 : **PUMPS** Floor / CO<sub>2</sub> / Mini  
54-65 : **STANDS** Repair / Storage  
66-97 : **TOOLS** Shop / Mini





Whatever the bike, whatever the situation, we've got the pump you need.

PUMP TECHNOLOGIES & FEATURES

1 SMARTHEAD™

The original and most popular all-valve solution. No internal parts to change, just press it on a Presta or Schrader valve and start pumping. Available as a thumblock or threadlock.

2 TWINHEAD™ THUMBLOCK


The TwinHead™ makes filling tires simple. Just select the appropriate head, press it on the Presta or Schrader valve and start pumping.

3 THREE-STAGE™ AIR DELIVERY SYSTEM

Topeak's innovative 2 barrel, 3-stage design with top mounted selector provides high volume and high pressure to fill MTB, road bike and track tires in record time up to an astounding 260 psi / 18 bar.

4 PRESSURE GAUGE

Easy-to-read chronograph inspired pressure gauge with PSI and Bar Index.



5 HYBRID ROCKET™

Mini pump, CO2 inflator, or both? HybridRocket technology combines the reliability of a mini pump with the rapid tire filling ability of a CO2 inflator in a single, lightweight unit.

6 DUAL-ACTION™ AIR DELIVERY SYSTEM

The Dual-Action air delivery system provides airflow to the tire on both the push and pull strokes delivering twice the air volume.

7 PRESSURE-RITE™ AIR ISOLATION VALVE SYSTEM

A unique internal check valve on our shock pumps isolates the pump from the suspension fork or rear shock preventing air pressure loss during removal of the pump head.

8 MORPH™

Featuring T-handle, fold out foot pad and flexible hose – makes a mini pump act like a floor pump providing more volume and higher pressures faster than any other type of mini pump.



Transformer Series



Transformer X  
Art no. TTF-X01  
Page 28



Transformer XX  
Art no. TTF-XX01  
Page 28



Transformer RX  
Art no. TTF-RX01  
Page 29



Transformer XX Stand  
Art no. TTF-SD01  
Page 29

Floor Pumps - SmartHead™



JoeBlow™ Ace  
Art no. TJB-ACE  
Page 30



JoeBlow™ X.O.  
Art no. TJB-X0  
Page 30

Floor Pumps - TwinHead™



JoeBlow™ Sport II  
Art no. TJB-S5  
Page 34



JoeBlow™ Max HP  
Art no. TJB-M2B,  
TJB-M2R, TJB-M2W  
Page 34



JoeBlow™ Max II  
Art no. TJB-M1  
Page 35

Floor Pumps - Upgrade Kits



SmartHead™ Thread-  
Lock Upgrade kit  
Art no. TSL-01  
Page 35



SmartHead™  
Upgrade kit  
Art no. TSH-01  
Page 35



TwinHead™  
Upgrade kit  
Art no. TTH-01  
Page 35

Frame Fit Road Pumps



Road MasterBlaster™  
Art no.  
TRMB4349 (Small)  
TRMB4954 (Medium)  
TRMB5459 (Large)  
TRMB5964 (X-Large)  
Page 40



Speed  
MasterBlaster™  
Art no. TSMB-1  
Page 41

Pocket Rocket Road Pumps



Pocket Rocket DX II  
Art no. TPMB-DX2  
Page 41



Pocket Rocket  
Art no. TPMB-1  
Page 41

Micro Rocket Road Pumps



Micro Rocket CB  
Art no. TMR-CB  
Page 42



Micro Rocket AL  
Art no. TMR-AL  
Page 42

Single Action MTB Pumps



Mountain  
MasterBlaster™  
Art no. TMTMB-1B  
Page 44



Peak DX II  
Art no. TPD-3B,  
TPD-3S, TPD-3W  
Page 45



Peakini II  
Art no. TPKN-2  
Page 45

Dual-Action MTB Pumps



Mini Dual DXG  
Art no. TMD-2G  
Page 46



Mini Dual DX  
Art no. TMD-2  
Page 47



Mini Dual G  
Art no. TMMB-2G  
Page 47

Air Shock MTB Pumps



Shock'N Roll  
Art no. TSNR-1  
Page 50



PocketShock DXG  
Art no. TPSMB-DX  
Page 51



MicroShock  
Art no. TMS-1  
Page 51

Pump Gauges



SmartGauge D2  
Art no. TSG-02  
Page 52



Shuttle™ Gauge  
Art no. TSUTG-02  
Page 52

Floor Pumps - TwinHead™



JoeBlow™ Pro  
Art no. TJB-PRO2  
Page 31



JoeBlow™ Turbo  
Art no. TJB-TB0  
Page 31



JoeBlow™ Race  
Art no.  
TJB-RC1B, TJB-RC1BU,  
TJB-RC1R, TJB-RC1W,  
Page 32



JoeBlow™ Sprint  
Art no. TJB-SPT  
Page 32



JoeBlow™ FAT  
Art no.  
TJB-FAT-1B, TJB-FAT-1W  
Page 33



JoeBlow™ Mountain  
Art no. TJB-MT1  
Page 33

CO<sub>2</sub> Pumps / Inflators



HybridRocket HP  
Art no. THR-HP1S  
Page 36



HybridRocket RX  
Art no. THR-RX1G  
Page 36



AirBooster Race  
Pod X  
Art no. TAB-RPX  
Page 37



CO2-Bra CO<sub>2</sub>  
Inflator  
Art no. TCBR-1  
Page 37



AirBooster  
Art no. TAB-1  
Page 38



Micro AirBooster  
Art no. TMB-1  
Page 38

RaceRocket Road Pumps



Micro Rocket ALT  
Art no. TMR-ALT  
Page 42



RaceRocket HPX  
Art no.  
TRR-HPX1B, TRR-HPX1S  
Page 43



RaceRocket HPC  
Art no. TRR-HPCB1B  
Page 43

RaceRocket MTB Pumps



RaceRocket HP  
Art no. TRR-HP1B,  
TRR-HP1GD, TRR-HP1S  
Page 43



RaceRocket  
Art no. TRR-1B  
TRR-1DB, TRR-1GD,  
TRR-1S, TRR-1R  
Page 44



RaceRocket MT  
Art no. TRR-MT1B  
TRR-MT1GD, TRR-MT1S  
Page 44

Morph MTB Pumps



Mini Dual  
Art no. TMMB-2  
Page 47



Road Morph™ G  
Art no. TRP-3G  
Page 48



Mini Morph™  
Art no. TMM-1  
Page 48



Mountain Morph™  
Art no. TMP-2  
Page 48



Turbo Morph™ G  
Art no. TTM-DG  
Page 49



Mega Morph™  
Art no. TMGM-1B  
Page 49

Valve Adapters



Pressure-Rite  
Shock Adapter  
Art no. TSA-01  
Page 53



Pressure-Rite  
Schrader Valve  
Adapter  
Art no. TSV-01  
Page 53



Pressure-Rite  
Presta Valve  
Adapter  
Art no. TFV-03  
Page 53



Presta Valve  
Extender XL  
Art no. TFV-02  
Page 53



Presta Valve  
Extender  
Art no. TFV-01  
Page 53


Pump Rebuild Kit



Topeak Pump  
Rebuild Kit  
Art no. PK-PBOX-2  
Page 53



TRANSFORMER™ SERIES FEATURES



Adjustable hooks



Foldable hooks & legs



120 cm (47") extra long hose



SmartHead™ w/ air release button



Unique easy to read gauge



Ball / bladder needles & Dunlop valve adapter



TRANSFORMER™ X

Portable bike stand / floor pump combo for maintenance and storage of your bike. An extra-long pump hose reaches the front wheel easily. It features adjustable hooks allowing quick positioning to fit chainstays / seatstays and provide rear wheel lift. This compact and dual function design stand / pump is the perfect assistant for your bike storage and repair / maintenance needs.

<b>HEAD</b> SmartHead™	<b>PRESSURE TUNING</b> Air release button	<b>SIZE</b> 15.2 x 28 x 74 cm / 6" x 11" x 29.1" (Folded)
<b>BARREL</b> Aluminum	<b>HANDLE</b> Oversize	31.4 x 36.2 x 74 cm / 12.4" x 14.3" x 29.1" (Open)
<b>GAUGE</b> Top center bar mount, Analog	<b>MAX WEIGHT CAPACITY</b> 25 kg / 55 lb	<b>WEIGHT</b> 2 kg / 4.41 lb
<b>CAPACITY</b> 160 psi / 11 bar	<b>ADDED FEATURES</b> Dunlop valve adapter Ball / bladder Heads Hose dock	<b>ART NO.</b> TTF-X01
<b>HOSE</b> X-long		

TRANSFORMER™ XX

Portable and detachable bike stand / floor pump combo for maintenance and storage of your bike. It can be joined for more stability or separated to use individually. It features adjustable hooks allowing quick positioning to fit chainstays / seatstays and provide rear wheel lift. This dual function design stand/pump is the perfect assistant for your bike storage and repair/ maintenance needs.

<b>HEAD</b> SmartHead™	<b>PRESSURE TUNING</b> Air release button	<b>SIZE</b> 15.9 x 28 x 74 cm / 6.3" x 11" x 29.1" (Folded)
<b>BARREL</b> Aluminum	<b>HANDLE</b> Oversize	32 x 36.6 x 74 cm / 12.6" x 14.4" x 29.1" (Open)
<b>GAUGE</b> Top center bar mount, Analog	<b>MAX WEIGHT CAPACITY</b> 25 kg / 55 lb	<b>WEIGHT</b> 2.21 kg / 4.87 lb
<b>CAPACITY</b> 160 psi / 11 bar	<b>ADDED FEATURES</b> Dunlop valve adapter Ball / bladder heads Hose dock	<b>ART NO.</b> TTF-XX01
<b>HOSE</b> X-long		

new

TRANSFORMER™ RX

The innovative, highly portable dual function bike stand / floor pump is designed for cyclists who travel to races, enjoy cycling vacations or just want the most compact floor pump to store in their race bag or car trunk.

<b>HEAD</b> Presta / Schrader / Dunlop valves	<b>ADDED FEATURES</b> Dunlop valve adapter Fold-out foot pad Flexible / extendable hose Ball / bladder heads Carry bag
<b>BARREL</b> Butted aluminum	
<b>GAUGE</b> Flip-out analog	
<b>CAPACITY</b> 160 psi / 11 bar	
<b>THUMB LOCK</b> Plastic	
<b>HANDLE</b> T-type plastic / Kraton	
<b>MAX WEIGHT CAPACITY</b> 20 kg / 44 lb	



Flip-out gauge & T-handle



Carry bag included




Ball / bladder needles & Dunlop valve adapters fit neatly in holder



TRANSFORMER™ XX STAND

Portable bike stand with foldable hooks and legs is perfect for storage and easy portability. Adjustable seat-chainstay stand for proper fit on different bikes.

<b>ATTACHMENTS</b> Seat-chainstay	<b>SIZE</b> 9.4 x 8.1 x 67 cm / 3.7" x 3.2" x 26.3" (Folded)
<b>FOLDING</b> Yes	25.6 x 36.6 x 67 cm / 10" x 14.4" x 26.3" (Open)
<b>MATERIAL</b> 6061 T6 tubes	
<b>MAX WEIGHT CAPACITY</b> 25 kg / 55 lb	<b>WEIGHT</b> 610 g / 1.34 lb
	<b>ART NO.</b> TTF-SD01







## JOEBLOW™ ACE

Features an innovative three-stage design that achieves both high pressure and high volume in record time. Stage one opens both barrels for big volume to reach 60 psi with 30% less effort than standard floor pumps. Stage two uses the main barrel only for pressures up to 120 psi while stage three engages the small barrel to achieve an amazing 260 psi.

<b>HEAD</b> SmartHead™	<b>BASE</b> Aluminum / Rubber
<b>BARREL</b> Anodized aluminum	<b>ADDED FEATURES</b> Dunlop valve adapter Presta valve adapter Ball / bladder heads Hose dock
<b>GAUGE</b> Base mount analog	
<b>CAPACITY</b> 260 psi / 18 bar	<b>SIZE</b> 26 x 18.5 x 74 cm / 10.2" x 7.3" x 29.1"
<b>HOSE</b> X-long	<b>WEIGHT</b> 2.4 kg / 5.29 lb
<b>PRESSURE TUNING</b> Air release button	<b>ART NO.</b> TJB-ACE
<b>HANDLE</b> Oversize padded	



topeak.com /  
technology



SmartHead™ w /  
built-in air release  
button



Choose inflation mode  
w / top mounted  
3-stage selector



Stage 1: 0-60 psi  
Stage 2: 60-120 psi  
Stage 3: 120-260 psi



Hose dock helps  
protect hose while  
not in use



Ball / bladder  
needles & Dunlop  
valve adapters fit  
neatly in holder

## JOEBLOW™ X.O.

An elegant yet modern representation of the classic floor pump, the JoeBlow X.O.'s construction – from its wide stable base to its smoothly shaped handle – is precisely machined and beautifully polished aluminum alloy.

<b>HEAD</b> SmartHead™ ThreadLock	<b>HANDLE / BASE</b> Highly polished aluminum
<b>BARREL</b> Highly polished aluminum	<b>ADDED FEATURES</b> Dunlop valve adapter Ball / bladder heads Hose dock
<b>GAUGE</b> Oversized base mount analog	<b>SIZE</b> 18.8 x 26.6 x 74 cm / 7.4" x 10.5" x 29.1"
<b>CAPACITY</b> 200 psi / 14 bar	<b>WEIGHT</b> 1.69 kg / 3.72 lb
<b>HOSE</b> X-long braided metal	<b>ART NO.</b> TJB-XO



topeak.com /  
topeak tv



SmartHead™  
ThreadLock



Oversized  
magnifying glass  
gauge



Hose / head dock



Ball / bladder  
needles & Dunlop  
valve adapters fit  
neatly in holder



## JOEBLOW™ PRO

Outstanding performance and super durability make JoeBlow™ Pro a great seller. Perfect for shop or home use.

<b>HEAD</b> SmartHead™	<b>BASE</b> Aluminum / Rubber
<b>BARREL</b> Polished aluminum	<b>ADDED FEATURES</b> Dunlop valve adapter Ball / bladder heads Handle lock Hose dock
<b>GAUGE</b> Top mount analog	
<b>CAPACITY</b> 160 psi / 11 bar	<b>SIZE</b> 11.9 x 25 x 73.4 cm / 4.7" x 9.8" x 28.9"
<b>HOSE</b> X-long	<b>WEIGHT</b> 1.35 kg / 2.98 lb
<b>PRESSURE TUNING</b> Air release button	<b>ART NO.</b> TJB-PRO2
<b>HANDLE</b> Oversize padded	



SmartHead™



Air release button



Handle lock



Hose dock



Ball / bladder  
needles & Dunlop  
valve adapters fit  
neatly in holder



## JOEBLOW™ TURBO

Easy to read top mounted analog gauge, an extra long hose and SmartHead™ make this one terrific pump.

<b>HEAD</b> SmartHead™	<b>BASE</b> Steel / Rubber
<b>BARREL</b> Stain aluminum	<b>ADDED FEATURES</b> Dunlop valve adapter Ball / bladder heads Handle lock Hose dock
<b>GAUGE</b> Top mount analog	
<b>CAPACITY</b> 160 psi / 11 bar	<b>SIZE</b> 14.2 x 25 x 73.4 cm / 5.6" x 9.8" x 28.9"
<b>HOSE</b> X-long	<b>WEIGHT</b> 1.45 kg / 3.20 lb
<b>PRESSURE TUNING</b> Air release button	<b>ART NO.</b> TJB-TBO
<b>HANDLE</b> Oversize padded	



SmartHead™



Air release button



Handle lock



Hose dock



Ball / bladder  
needles & Dunlop  
valve adapters fit  
neatly in holder





### JOEBLOW™ RACE

SmartHead™ with air release button allows fine-tuning of air pressure. Stable, wide tri-foot base with thinner steel barrel for easier pump up to 200 psi / 14 bar. 120 cm (47 in) extra long hose for easy access to front and rear tire or while the bike on workstand.

<b>HEAD</b> SmartHead™ w / selector button & air release button	<b>BASE</b> Composite Tri-foot
<b>BARREL</b> Painted steel	<b>ADDED FEATURES</b> Dunlop valve adapter Ball / bladder heads Hose dock
<b>GAUGE</b> Top mount analog	<b>SIZE</b> 19.3 x 26 x 67.5 cm / 7.6" x 10.2" x 26.6"
<b>CAPACITY</b> 200 psi / 14 bar	<b>WEIGHT</b> 1.4 kg / 3.09 lb
<b>HOSE</b> X-long	<b>ART NO.</b> TJB-RC1B (Black) TJB-RC1BU (Blue) TJB-RC1R (Red) TJB-RC1W (White)
<b>HANDLE</b> Oversize	



SmartHead™ w/ selector button & air release button



Unique easy to read gauge



Narrow barrel for ultra high pressure



120 cm (47") extra long hose



Ball / bladder needles & Dunlop valve adapters fit neatly in holder

### JOEBLOW™ SPRINT

The great performance of a JoeBlow series pump in a more affordable package. Includes the easy-to-use TwinHead™.

<b>HEAD</b> TwinHead™, Presta / Schrader / Dunlop	<b>BASE</b> Hardened Steel
<b>BARREL</b> Satin aluminum	<b>ADDED FEATURES</b> Ball / bladder heads Handle lock Hose dock
<b>GAUGE</b> Top mount analog	<b>SIZE</b> 13.7 x 25 x 73.4 cm / 5.4" x 9.8" x 28.9"
<b>CAPACITY</b> 160 psi / 11 bar	<b>WEIGHT</b> 1.25 kg / 2.76 lb
<b>HOSE</b> X-long	<b>ART NO.</b> TJB-SPT
<b>PRESSURE TUNING</b> Air release button	
<b>HANDLE</b> Oversize padded	



TwinHead™



Air release button



Handle lock



Hose dock



Ball & bladder needles fit neatly in holder



new

### JOEBLOW™ FAT

The first floor pump exclusively designed for low pressure fat tire bikes. Massive oversized barrel is 1.5 times larger than standard floor pumps and delivers big air volume to fill fat tire bikes quickly. Low pressure gauge with pressure release button on hose head allows to adjust tire pressure accurately.

<b>HEAD</b> TwinHead™ w/ air release button	<b>BASE</b> Composite
<b>BARREL</b> Painted steel	<b>ADDED FEATURES</b> Ball / bladder heads Hose dock
<b>GAUGE</b> Base mount analog	<b>SIZE</b> 17 x 23 x 69 cm / 6.7" x 9.1" x 27.1"
<b>CAPACITY</b> 30 psi / 2 bar	<b>WEIGHT</b> 1.8 kg / 3.97 lb
<b>HOSE</b> X-long	<b>ART NO.</b> TJB-FAT-1B (Black) TJB-FAT-1W (White)
<b>HANDLE</b> Oversize padded	



TwinHead™ w/ air release button



Unique easy to read gauge



Oversized barrel ø 44.4 mm



Ball & bladder needles fit neatly in holder

### JOEBLOW™ MOUNTAIN

This unique mountain bike specific floor pump features a super-sized steel barrel designed to deliver the higher volume required of large off-road tires and an extra sensitive, base mounted analog gauge with air release button to help dial in the exact pressure.

<b>HEAD</b> TwinHead™ w/ air release button	<b>BASE</b> Composite
<b>BARREL</b> Painted steel	<b>ADDED FEATURES</b> Ball / bladder heads Hose dock
<b>GAUGE</b> Base mount analog	<b>SIZE</b> 17 x 23 x 69 cm / 6.7" x 9.1" x 27.1"
<b>CAPACITY</b> 75 psi / 5 bar	<b>WEIGHT</b> 1.74 kg / 3.84 lb
<b>HOSE</b> X-long	<b>ART NO.</b> TJB-MT1
<b>HANDLE</b> Oversize padded	



topeak.com / topeak\_tv



TwinHead™ w/ air release button



Unique easy to read gauge



Oversized barrel ø 44.4 mm



Ball & bladder needles fit neatly in holder





## JOEBLOW™ SPORT II

The JoeBlow™ Sport has set the standard for affordable performance. The fast selling sport is a shop favorite.

<b>HEAD</b> TwinHead™, Presta / Schrader / Dunlop	<b>BASE</b> Hardened steel
<b>BARREL</b> Painted steel	<b>ADDED FEATURES</b> Ball / bladder heads Hose dock
<b>GAUGE</b> Middle mount analog	<b>SIZE</b> 13.7 x 25 x 67.5 cm / 5.4" x 9.8" x 26.6"
<b>CAPACITY</b> 160 psi / 11 bar	<b>WEIGHT</b> 1.4 kg / 3.09 lb
<b>HOSE</b> X-long 360 pivot	<b>ART NO.</b> TJB-S5
<b>HANDLE</b> Oversize padded	



tpeak.com /  
technology



## JOEBLOW™ MAX HP

An affordable floor pump with features you'd expect find on more expensive pumps. Double-sided TwinHead™ fits all valve types and its heavy duty construction will provide years of service. Enjoy huge pumping power, quality and durability at a more affordable price.


<b>HEAD</b> TwinHead™, Presta / Schrader / Dunlop	<b>BASE</b> Composite
<b>BARREL</b> Painted steel	<b>ADDED FEATURES</b> Ball / bladder heads Hose dock
<b>GAUGE</b> Middle mount analog	<b>SIZE</b> 12.7 x 24 x 67.5 cm / 5.0" x 9.4" x 26.6"
<b>CAPACITY</b> 160 psi / 11 bar	<b>WEIGHT</b> 1.39 kg / 3.06 lb
<b>HOSE</b> X-long	<b>ART NO.</b> TJB-M2B (Black) TJB-M2R (Red) TJB-M2W (White)
<b>HANDLE</b> Oversize padded	



## JOEBLOW™ MAX II

An entry level leader with features you will find on more expensive pumps. Topeak quality and durability in a more affordable price point.

<b>HEAD</b> TwinHead™, Presta / Schrader / Dunlop	<b>BASE</b> Composite
<b>BARREL</b> Painted steel	<b>ADDED FEATURES</b> Ball / bladder heads Hose dock
<b>GAUGE</b> Mid mount analog	<b>SIZE</b> 12.7 x 24 x 67.5 cm / 5.0" x 9.4" x 26.6"
<b>CAPACITY</b> 120 psi / 8 bar	<b>WEIGHT</b> 1.6 kg / 3.53 lb
<b>HOSE</b> X-long	<b>ART NO.</b> TJB-M1
<b>HANDLE</b> Oversize padded	



## SMARTHEAD™ THREADLOCK UPGRADE KIT

This incredibly compact CNC aluminum piece threads directly to Presta or Schrader Valve with no need to change internal parts or use extra adapters. Fits most rubber pump hoses. For Topeak JoeBlow™ Ace, JoeBlow Mountian, JoeBlow Sport II, JoeBlow Max II and JoeBlow Max HP.

<b>WEIGHT</b> 34 g / 1.12 oz	<b>ART NO.</b> TSL -01
---------------------------------	---------------------------



## SMARTHEAD™ UPGRADE KIT

Upgrade any existing pump to the SmartHead™ pump head. Includes extra long hose and mounting hardware.

<b>SIZE</b> 106 x 2.9 x 5 cm / 41.7" x 1.1" x 1.9"	<b>WEIGHT</b> 140 g / 4.93 oz	<b>ART NO.</b> TSH-01
--	----------------------------------	--------------------------



TwinHead™



Hose dock



Ball & bladder  
needles fit neatly  
in holder




## TWINHEAD™ UPGRADE KIT

Upgrade any pump to the TwinHead™ pump head. Includes extra long hose and mounting hardware.

<b>SIZE</b> 106 x 4.5 x 5.3 cm / 41.7" x 1.8" x 2.1"	<b>WEIGHT</b> 160 g / 5.63 oz	<b>ART NO.</b> TTH-01
--	----------------------------------	--------------------------






## HYBRIDROCKET HP FEATURES



1 » SmartHead™ ThreadLock  
2 » Integrated dust cap

3 » Extendable hose  
4 » CO<sub>2</sub> inflation head with air regulator

5 » Insulating cover  
6 » 16g CO<sub>2</sub> cartridge



Use as a CO<sub>2</sub> inflator

Use as a mini pump

Detachable mounting bracket



topeak.com /  
topeak tv



reddot design award  
winner 2011

## HYBRIDROCKET HP

Road mini pump, CO<sub>2</sub> inflator, or both. The choice is yours! HybridRocket technology combines the reliability of a mini pump with the rapid tire filling ability of a CO<sub>2</sub> inflator in a single unit. Designed for the high performance road rider, the HybridRocket HP lets you quickly rejoin the group after fixing a flat. The mini-sized pump and integrated CO<sub>2</sub> inflator lets you choose between pumping, inflating with CO<sub>2</sub> or a combination of both.

**HEAD**  
SmartHead™  
ThreadLock w/  
integrated dust cap

**BARREL**  
CNC aluminum

**HANDLE**  
Aluminum / Kraton

**CAPACITY**  
160 psi / 11 bar

**ADDED FEATURE**  
1 threaded 16g CO<sub>2</sub> cartridge\*  
Dust caps  
Detachable mounting bracket  
(Art no. THR-HP1S-C)

**SIZE**  
19 x 3.9 x 2.35 cm /  
7.5" x 1.5" x 0.9"

**WEIGHT**  
97 g / 3.41 oz

**ART NO.**  
THR-HP1S



\* Use only Topeak 16g CO<sub>2</sub> cartridges.



## HYBRIDROCKET RX

The smallest in the HybridRocket Series, the HybridRocket RX lets you quickly rejoin the group after fixing a flat. The micro-sized pump and integrated CO<sub>2</sub> inflator lets you choose between pumping, inflating with CO<sub>2</sub> or a combination of both. Its butted aluminum barrel is optimized for high pressure and inflates up to 160 psi / 11 bar.

**HEAD**  
Presta valve w/  
integrated dust cap

**BARREL**  
Butted aluminum

**THUMB LOCK**  
Aluminum

**HANDLE**  
Plastic / Kraton

**CAPACITY**  
160 psi / 11 bar

**ADDED FEATURE**  
1 threaded 16g CO<sub>2</sub> cartridge\*  
Dust caps  
Detachable mounting bracket  
(Art no. THR-RX1G-C)

**SIZE**  
16.8 x 3.5 x 2.3 cm /  
6.6" x 1.4" x 0.9"

**WEIGHT**  
80 g / 2.82 oz

**ART NO.**  
THR-RX1G



\* Use only Topeak 16g CO<sub>2</sub> cartridges.



## AIRBOOSTER RACE POD X

The AirBooster Race Pod X is a compact and completely self-contained tire inflation kit featuring an AirBooster CO<sub>2</sub> inflator, two tire levers, two 16g CO<sub>2</sub> cartridges, mounting module with strap. The unique mounting module straps to the aero or round tube, and provides lightning fast access to the AirBooster inflator, extra CO<sub>2</sub> cartridge and tire levers. The perfect CO<sub>2</sub> tire repair solution for racing, endurance or triathlon events.

**HEAD**  
Presta / Schrader w/  
integrated dust cap  
Push to inflate

**INFLATOR**  
CNC aluminum

**TIRE LEVERS**  
Engineering grade  
plastic

**ADDED FEATURES**  
2 threaded 16g CO<sub>2</sub> cartridges  
Mount Module for aero or round tube

Compartment for  
tire levers and CO<sub>2</sub> cartridges\*

**SIZE**  
10 x 6 x 12.3 cm /  
3.9" x 2.4" x 4.8"

**WEIGHT**  
198 g / 6.97 oz  
(w / Mount)

**ART NO.**  
TAB-RPX



Inflation kit



Specially designed  
for triathlon



Attaches to  
seatpost with  
mounting strap  
\* Inner tube not  
include



\* Use only Topeak 16g CO<sub>2</sub> cartridges.



## CO2-BRA CO<sub>2</sub> INFLATOR

The pocket-sized CO2-Bra inflator features an easy-to-grip ergonomic handle and flip-up thumb lever for precise inflation control. An integrated pressure indicator shows green when cartridge is properly inserted and full, then turns red as cartridge is nearing depletion. A safety ring prevents accidental cartridge puncture during transport and stores in handle when inflator is in use.

**HEAD**  
Presta / Schrader w/  
integrated dust cap

**HANDLE**  
Plastic

**ADDED FEATURES**  
1 threaded 16g CO<sub>2</sub> cartridge\*  
Pressure indicator  
Centerline mount bracket

**SIZE**  
7.5 x 4.3 x 4.8 cm /  
2.9" x 1.7" x 1.9"  
(w/o CO<sub>2</sub> Cartridge)

**WEIGHT**  
68 g / 2.39 oz  
(w/o CO<sub>2</sub> Cartridge)

**ART NO.**  
TCBR-1



reddot design award  
winner 2009



Safety ring



Pressure indicator  
shows status



Centerline mount  
bracket



\* Use only Topeak CO<sub>2</sub> cartridges.





## AIRBOOSTER

The AirBooster is an incredibly small, lightweight and easy to use CO<sub>2</sub> inflator. Precision CNC machined from solid aluminum, the angled head AirBooster fits Presta and Schrader valves and its special design allows the user to adjust the flow while filling the tire. Double-ended design allows cartridge storage.

<b>HEAD</b> Presta / Schrader w/ integrated dust cap Push to inflate	<b>SIZE</b> 4.4 x 3.7 x 1.5 cm / 1.7" x 1.4" x 0.6" (w/o CO <sub>2</sub> Cartridge)
<b>MATERIAL</b> CNC aluminum	<b>WEIGHT</b> 22.5 g / 0.79 oz (w/o CO <sub>2</sub> Cartridge)
<b>ADDED FEATURES</b> Double-ended design allows cartridge storage 1 threaded 16g CO <sub>2</sub> cartridge	<b>ART NO.</b> TAB-1



\* Use only Topeak CO<sub>2</sub> cartridges.



Engagement side



Storage side



Push to inflate

## MICRO AIRBOOSTER

The Micro AirBooster is an incredibly small, lightweight and easy to use CO<sub>2</sub> inflator. Precision CNC machined from solid aluminum, the Micro AirBooster fits Presta and Schrader valves and its special design allows the user to adjust the flow while filling the tire.

<b>HEAD</b> Presta / Schrader Push to inflate	<b>SIZE</b> 4.6 x 2.2 x 2.2 cm / 1.8" x 0.9" x 0.9" (w/o CO <sub>2</sub> Cartridge)
<b>MATERIAL</b> CNC aluminum	<b>WEIGHT</b> 15.5 g / 0.55 oz (w/o CO <sub>2</sub> Cartridge)
<b>ADDED FEATURE</b> 1 threaded 16g CO <sub>2</sub> cartridge	<b>ART NO.</b> TMB-1



\* Use only Topeak CO<sub>2</sub> cartridges.



1 threaded 16g CO<sub>2</sub> cartridge included



Push to inflate

## THREADED 16G CO<sub>2</sub> CARTRIDGE

For Topeak HybridRocket series, CO2-Bra and AirBooster CO<sub>2</sub> Inflators series.

**ART NO.**  
TCOT-2 (2 pcs)



## THREADED 16G CO<sub>2</sub> CARTRIDGE

For Topeak HybridRocket series, CO2-Bra and AirBooster CO<sub>2</sub> Inflators series.

**ART NO.**  
TCOT-5 (5 pcs)



## THREADED 25G CO<sub>2</sub> CARTRIDGE

For Topeak HybridRocket MT and AirBooster CO<sub>2</sub> Inflators series.

**ART NO.**  
TC025-2 (2 pcs)






## ROAD MASTERBLASTER™

A modern take on the classic frame-fit pump. Long machine-cut aluminum barrel inflates road tires quickly, comes in 4 sizes to fit most road frames.

<b>HEAD</b> Presta / Schrader / Dunlop w/ integrated dust cap	<b>FRAME SIZE FIT</b> S : 43-49 cm / 16.9"-19.3" M : 49-54 cm / 19.3"-21.3" L : 54-59 cm / 21.3"-23.2" XL : 59-64 cm / 23.2"-25.2"
<b>BARREL</b> Butted aluminum	<b>WEIGHT</b> 208 g / 7.32 oz 229 g / 8.06 oz 250 g / 8.80 oz 270 g / 9.50 oz
<b>THUMB LOCK</b> Aluminum	<b>ART NO.</b> TRMB4349 (Small) TRMB4954 (Medium) TRMB5459 (Large) TRMB5964 (X-Large)
<b>HANDLE</b> Plastic	
<b>CAPACITY</b> 160 psi / 11 bar	
<b>ADDED FEATURES</b> Kraton head Mounting strap	



Spring loaded handle unlocks & expands to fit between frame tubes and locks for pumping efficiency



Integrated dust cap keeps head clean and ready to use



Soft Kraton head and plastic handle for increased grip



Side mount bracket for Pocket Rocket series and Speed MasterBlaster™ (Art No. TPMB-2C-1)

## POCKET ROCKET DX II

A sleek and updated design makes this pocket sized pump a first choice for long road rides. This durable mini pump features a padded Kraton handle for comfort and its efficient and smooth pump action fills high pressure road tires to 160 psi / 11 bar. Satin finish aluminum body is butted for light weight. Easily fits in jersey pocket or clips to bike with included bracket.

**HEAD**  
Presta / Schrader / Dunlop w/ integrated dust cap

**THUMB LOCK**  
Aluminum

**HANDLE**  
Plastic / Kraton

**BARREL**  
Butted aluminum

**CAPACITY**  
160 psi / 11 bar

**ADDED FEATURES**  
Side mount bracket

**SIZE**  
22.1 x 3.8 x 2.7 cm / 8.7" x 1.5" x 1.1"

**WEIGHT**  
115 g / 4.05 oz

**ART NO**  
TPMB-DX2



## POCKET ROCKET

Lightweight mini pump with alloy barrel for roadies. Soft Kraton head and plastic handle for increased grip and comfort while pumping. Efficient design pumps to 160 psi.

**HEAD**  
Presta / Schrader / Dunlop w/ integrated dust cap

**THUMB LOCK**  
Aluminum

**HANDLE**  
Plastic

**BARREL**  
Butted aluminum

**CAPACITY**  
160 psi / 11 bar

**ADDED FEATURES**  
Kraton head  
Side mount bracket

**SIZE**  
22.2 x 4.2 x 2.5 cm / 8.7" x 1.7" x 1.0"

**WEIGHT**  
115 g / 4.05 oz

**ART NO.**  
TPMB-1



## SPEED MASTERBLASTER™

Longer machine-cut aluminum barrel (longer version of Pocket Rocket) that can pump more air per stroke. Soft Kraton head and plastic handle for increased grip and comfort while pumping.

**HEAD**  
Presta / Schrader / Dunlop w/ integrated dust cap

**THUMB LOCK**  
Aluminum

**HANDLE**  
Plastic

**BARREL**  
Butted aluminum

**CAPACITY**  
160 psi / 11 bar

**ADDED FEATURES**  
Kraton head  
Side mount bracket

**SIZE**  
35 x 4.2 x 2.5 cm / 13.8" x 1.6" x 1.0"


**WEIGHT**  
140 g / 4.93 oz

**ART NO.**  
TSMB-1





## MICRO ROCKET SERIES FEATURES



reddot design award  
winner 2006

### MICRO ROCKET CB

For weight-obsessed roadies, here's 55 grams of pocket-sized pumping punch. Carbon handle and barrel sheath for light weight, high pressure design pumps to 160 psi.

<b>HEAD</b> Presta valve w/ integrated dust cap	<b>HANDLE</b> Locking carbon	<b>ADDED FEATURE</b> Side mount bracket	<b>WEIGHT</b> 55 g / 1.94 oz
<b>BARREL</b> Carbon sheath	<b>CAPACITY</b> 160 psi / 11 bar	<b>SIZE</b> 16 x 2.4 x 2.1 cm / 6.3" x 0.9" x 0.8"	<b>ART NO.</b> TMR-CB



### MICRO ROCKET AL

Aluminum barrel weighs a paltry 65 g. Slips easily into a jersey pocket, high pressure design pumps to 160 psi.

<b>HEAD</b> Presta valve w/ integrated dust cap	<b>HANDLE</b> Locking CNC aluminum	<b>ADDED FEATURE</b> Side mount bracket	<b>WEIGHT</b> 65 g / 2.29 oz
<b>BARREL</b> CNC aluminum	<b>CAPACITY</b> 160 psi / 11 bar	<b>SIZE</b> 16 x 2.4 x 2.1 cm / 6.3" x 0.9" x 0.8"	<b>ART NO.</b> TMR-AL




### MICRO ROCKET ALT

All aluminum version, T-handle locks in place to prevent accidental opening, pump head fits Presta valves only. Slips easily into a jersey pocket, high pressure design pumps to 160 psi.

<b>HEAD</b> Presta valve w/ integrated dust cap	<b>HANDLE</b> Locking CNC aluminum	<b>ADDED FEATURE</b> Side mount bracket	<b>WEIGHT</b> 78 g / 2.75 oz
<b>BARREL</b> CNC aluminum	<b>CAPACITY</b> 160 psi / 11 bar	<b>SIZE</b> 20 x 2.4 x 2.1 cm / 7.9" x 0.9" x 0.8"	<b>ART NO.</b> TMR-ALT



## RACEROCKET SERIES FEATURES



### RACEROCKET HPX

Our longest and slimmest version in the RaceRocket series this all aluminum pump fills high pressure road tires fast. This elegant mini pump features an all aluminum body, head and pump handle and is designed with a narrow barrel diameter and longer stroke to handle higher pressures with ease. An extendable hose with SmartHead™ ThreadLock fills Presta and Schrader valves with ease and helps take stress off the valve stem when filling the tire. Its efficient and smooth action inflates tires to 160 psi / 11 bar.

<b>HEAD</b> SmartHead™ ThreadLock w/ integrated dust cap	<b>CAPACITY</b> 160 psi / 11 bar	<b>WEIGHT</b> 109 g / 3.84 oz
<b>BARREL</b> CNC aluminum	<b>ADDED FEATURE</b> Side mount bracket	<b>ART NO.</b> TRR-HPX1B (Black) TRR-HPX1S (Silver)
<b>HANDLE</b> Aluminum / Kraton	<b>SIZE</b> 25 x 2.6 x 2.1 cm / 9.8" x 1.0" x 0.8"	



SMARTHEAD™



### RACEROCKET HPC

Compact, ultra-light carbon road pump fills high pressure tires fast. Extendable hose with SmartHead™ ThreadLock fills Presta and Schrader valves with ease. Anti-slip surface in pump handle provides excellent grip while pumping.

<b>HEAD</b> SmartHead™ ThreadLock w/ integrated dust cap	<b>HANDLE</b> Carbon with Anti-slip Surface	<b>ADDED FEATURE</b> Side mount bracket	<b>WEIGHT</b> 69 g / 2.43 oz
<b>BARREL</b> Carbon	<b>CAPACITY</b> 160 psi / 11 bar	<b>SIZE</b> 18 x 2.6 x 2.1 cm / 7.1" x 1.0" x 0.8"	<b>ART NO.</b> TRR-HPCB1B



SMARTHEAD™



### RACEROCKET HP


A slightly shorter version of the RaceRocket HP that easily fits in your jersey pocket. This elegant mini pump features an all aluminum body, head and pump handle and is designed with a narrow barrel diameter that handles higher pressures with ease. An extendable hose with SmartHead™ ThreadLock fills Presta and Schrader valves with ease and helps take stress off the valve stem when filling the tire. Its efficient and smooth action inflates tires to 160 psi / 11 bar.

<b>HEAD</b> SmartHead™ ThreadLock w/ integrated dust cap	<b>CAPACITY</b> 160 psi / 11 bar	<b>WEIGHT</b> 82 g / 2.89 oz
<b>BARREL</b> CNC aluminum	<b>ADDED FEATURE</b> Side mount bracket	<b>ART NO.</b> TRR-HP1B (Black) TRR-HP1GD (Gold) TRR-HP1S (Silver)
<b>HANDLE</b> Aluminum / Kraton	<b>SIZE</b> 18 x 2.6 x 2.1 cm / 7.1" x 1.0" x 0.8"	



SMARTHEAD™





reddot design award  
winner 2006

## RACEROCKET

Designed to meet the demands of a professional racing and training schedule this elegant and sleek mini pump features a full aluminum body, head and pump handle. An extendable hose helps take stress off the valve stem and the dependable single action stroke fills tires fast. The RaceRocket's compact size easily fits in a jersey pocket and its low weight is welcome on long training rides and endurance races.

**HEAD**  
SmartHead™  
ThreadLock w/  
integrated dust cap

**BARREL**  
CNC aluminum

**HANDLE**  
Aluminum / Kraton

**CAPACITY**  
120 psi / 8 bar

**ADDED FEATURE**  
Side mount bracket  
(Art No. TRR-1C)

**SIZE**  
18 x 3.6 x 2.5 cm /  
7.1" x 1.4" x 1"

**WEIGHT**  
85 g / 2.99 oz

**ART NO.**  
TRR-1B (Black)  
TRR-1DB (Dark Blue)\*  
TRR-1GD (Gold)  
TRR-1S (Silver)  
TRR-1R (Red)

\* Blue color not available  
in the USA



## RACEROCKET MT

Our fattest version in the RaceRocket series this all aluminum mountain pump gets big volume tires up to pressure fast. This elegant little mini pump features a full aluminum body, head and pump handle and is designed with an increased barrel diameter to push more air per stroke. An extendable hose with SmartHead™ ThreadLock fills Presta and Schrader valves with ease and helps take stress off the valve stem when filling the tire. Its efficient and smooth action inflates tires to 90 psi / 6 bar. Compact in size it easily fits in a jersey pocket or saddle bag and with a low weight of only 114g the RaceRocket MT is never a burden to carry into the backwoods.

**HEAD**  
SmartHead™  
ThreadLock w/  
integrated dust cap

**BARREL**  
CNC aluminum

**HANDLE**  
Aluminum / Kraton

**CAPACITY**  
90 psi / 6 bar

**ADDED FEATURE**  
Side mount bracket  
(Art No. TRR-MT1C)

**SIZE**  
19.6 x 3.7 x 3.3 cm /  
7.7" x 1.4" x 1.3"

**WEIGHT**  
114 g / 4.01 oz

**ART NO.**  
TRR-MT1B (Black)  
TRR-MT1GD (Gold)  
TRR-MT1S (Silver)



## MOUNTAIN MASTERBLASTER™

A mountain specific mini pump featuring a lightweight, oversized CNC aluminum barrel. Efficient single action stroke delivers high volume quickly and a folding T-handle provides excellent grip and comfort while pumping.

**HEAD**  
Presta / Schrader /  
Dunlop w/ integrated  
dust cap

**BARREL**  
CNC aluminum

**THUMB LOCK**  
Aluminum

**HANDLE**  
T-type plastic

**CAPACITY**  
90 psi / 6 bar

**ADDED FEATURE**  
Side mount bracket  
(Art No. TMTB-1C)


**SIZE**  
29.5 x 4.6 x 2.7 cm /  
11.6" x 1.8" x 1.1"

**WEIGHT**  
120 g / 4.22 oz

**ART NO.**  
TMTMB-1B



## SINGLE ACTION MTB PUMPS FEATURES



1 » Integrated dust cap  
2 » Thumb lock lever

3 » T-handle



Integrated  
dust cap



T-handle



Side mount  
bracket



## PEAK DX II

SmartHead™ works with Presta and Schrader valves without swapping parts. Folding T-handle with Kraton grip provides better leverage and comfort while pumping.

**HEAD**  
SmartHead™ w/  
integrated dust cap

**BARREL**  
Butted aluminum

**THUMB LOCK**  
Aluminum

**HANDLE**  
T-type plastic / Kraton

**CAPACITY**  
90 psi / 6 bar

**ADDED FEATURE**  
Side mount bracket  
(Art No. TPD-2C)

**SIZE**  
25 x 5.9 x 3.2 cm /  
9.8" x 2.3" x 1.3"

**WEIGHT**  
155 g / 5.46 oz

**ART NO.**  
TPD-3B (Black)  
TPD-3S (Silver)  
TPD-3W (White)



## PEAKINI II

A light weight and high efficient single action pump with a T-handle.

**HEAD**  
Presta / Schrader /  
Dunlop w/ integrated  
dust cap

**BARREL**  
Plastic

**THUMB LOCK**  
Plastic

**HANDLE**  
T-type plastic

**CAPACITY**  
90 psi / 6 bar

**ADDED FEATURE**  
Side mount bracket  
(Art No. TMTB-1C)

**SIZE**  
27.5 x 5 x 3.2 cm /  
10.8" x 2" x 1.3"

**WEIGHT**  
132 g / 4.65 oz

**ART NO.**  
TPKN-2







## MINI DUAL DXG

SmartHead™ works with Presta and Schrader valves without swapping parts. Dual action doubles volume with each stroke. Built-in in-line gauge for perfect inflation every time.

<b>HEAD</b> SmartHead™	<b>ADDED FEATURES</b> Dual action pumping head Side mount bracket (Art no. TMD-2GC)
<b>BARREL</b> Aluminum	
<b>GAUGE</b> In-line gauge	<b>SIZE</b> 24.5 x 4.7 x 3.2 cm / 9.6" x 1.9" x 1.3"
<b>THUMB LOCK</b> Aluminum	<b>WEIGHT</b> 170 g / 5.98 oz
<b>HANDLE</b> Plastic / Kraton	<b>ART NO.</b> TMD-2G
<b>CAPACITY</b> 120 psi / 8 bar	



topeak.com / topeak tv



Features an in-line gauge for perfect inflation



Soft Kraton head and plastic handle for increased grip



Side mount bracket



## MINI DUAL DX

SmartHead™ works with Presta and Schrader valves without swapping parts. Dual action doubles volume with each stroke.

<b>HEAD</b> SmartHead™	<b>HANDLE</b> Plastic / Kraton	<b>ADDED FEATURES</b> Dual action pumping head Side mount bracket (Art No. TMD-2C)	<b>WEIGHT</b> 150 g / 5.28 oz
<b>BARREL</b> Aluminum	<b>CAPACITY</b> 120 psi / 8 bar	<b>ART NO.</b> TMD-2	
<b>THUMB LOCK</b> Aluminum		<b>SIZE</b> 23.1 x 4.7 x 3.2 cm / 9.1" x 1.9" x 1.3"	



## MINI DUAL G

A powerful multi purpose dual action mini pump includes an in-line gauge.

<b>HEAD</b> Presta / Schrader / Dunlop w/ integrated dust cap	<b>GAUGE</b> In-line gauge	<b>ADDED FEATURES</b> Dual action pumping head Side mount bracket (Art No. TMMB-2C)	<b>WEIGHT</b> 158 g / 5.56 oz
<b>BARREL</b> Aluminum	<b>HANDLE</b> Plastic / Kraton	<b>ART NO.</b> TMMB-2G	
<b>THUMB LOCK</b> Plastic	<b>CAPACITY</b> 120 psi / 8 bar	<b>SIZE</b> 27.4 x 3.8 x 1.8 cm / 10.8" x 1.5" x 0.7"	




## MINI DUAL

A powerful mini pump for all the ways you ride. Dual action pumping fills tires fast.

<b>HEAD</b> Presta / Schrader / Dunlop w/ integrated dust cap	<b>THUMB LOCK</b> Plastic	<b>ADDED FEATURES</b> Dual action pumping head Side mount bracket (Art No. TMMB-2C)	<b>WEIGHT</b> 148 g / 5.21 oz
<b>BARREL</b> Aluminum	<b>HANDLE</b> Plastic / Kraton	<b>ART NO.</b> TMMB-2	
	<b>CAPACITY</b> 120 psi / 8 bar	<b>SIZE</b> 27.4 x 3.8 x 1.8 cm / 10.8" x 1.5" x 0.7"	



## MORPH SERIES FEATURES



- 1 » T-handle  
2 » Thumb lock lever
- 3 » Flexible hose  
4 » Fold-out foot pad



topeak.com /  
technology



T-handle



Flexible hose



Fold-out foot pad



Centerline  
mount  
bracket



### ROAD MORPH™ G

Morph technology in a road pump. Extra long barrel gives huge performance. Includes in-line gauge for perfect inflation every time.

**HEAD**  
Presta / Schrader /  
Dunlop valves

**BARREL**  
Butted aluminum

**GAUGE**  
In-line gauge  
Reads 140 psi / 9.6 bar

**THUMB LOCK**  
Plastic

**HANDLE**  
T-type plastic / Kraton

**CAPACITY**  
160 psi / 11 bar

**ADDED FEATURES**  
Fold-out foot pad

Flexible hose  
Centerline mount  
bracket  
(Art No. TRP-3C)

**SIZE**  
35 x 5.7 x 2.8 cm /  
13.8" x 2.2" x 1.1"

**WEIGHT**  
220 g / 7.74 oz

**ART NO.**  
TRP-3G



### MINI MORPH™

The smallest Morph is still big on features. Fills both fat and skinny tires with ease, fold out foot pad for hassle-free inflation.

**HEAD**  
Presta / Schrader /  
Dunlop valves

**BARREL**  
Butted aluminum

**THUMB LOCK**  
Plastic

**HANDLE**  
T-type plastic / Kraton


**CAPACITY**  
160 psi / 11 bar

**ADDED FEATURES**  
Fold-out foot pad  
Flexible hose  
Centerline mount  
bracket  
(Art No. TRP-3C)

**SIZE**  
26 x 5 x 2.8 cm /  
10.2" x 2.0" x 1.1"

**WEIGHT**  
170 g / 5.98 oz

**ART NO.**  
TMM-1



### MOUNTAIN MORPH™

Like bringing your floor pump on the trail. High volume barrel fills fat tires fast while fold out foot pad and flexible hose make inflation a snap.

**HEAD**  
Presta / Schrader /  
Dunlop valves

**BARREL**  
Butted aluminum

**THUMB LOCK**  
Plastic

**HANDLE**  
T-type plastic / Kraton

**CAPACITY**  
160 psi / 11 bar

**ADDED FEATURES**  
Fold-out foot pad  
Flexible hose  
Centerline mount  
bracket  
(Art No. TMP-2C-1)

**SIZE**  
35 x 5.8 x 3 cm /  
13.8" x 2.3" x 1.2"

**WEIGHT**  
250 g / 8.80 oz

**ART NO.**  
TMP-2



### TURBO MORPH™ G

Same great features as the original Mountain Morph plus a cool dial gauge for perfect inflation every time.

**HEAD**  
Presta / Schrader /  
Dunlop valves

**BARREL**  
Butted aluminum

**GAUGE**  
Flip-out analog

**THUMB LOCK**  
Plastic

**HANDLE**  
T-type plastic / Kraton

**CAPACITY**  
160 psi / 11 bar

**ADDED FEATURES**  
Fold-out foot pad

Flexible hose  
Centerline mount  
bracket  
(Art No. TMP-2C-1)

**SIZE**  
35 x 5.8 x 3 cm /  
13.8" x 2.3" x 1.2"

**WEIGHT**  
280 g / 9.86 oz

**ART NO.**  
TTM-DG



### MEGA MORPH™

A highly portable folding floor pump designed to withstand the travel schedule of a World Cup race team. Mega Morph features a robust aluminum barrel and compact padded T-handle for smooth, efficient, pumping power. A top-mounted flip-down gauge makes reading pressure easy and the fold-out foot pad provides excellent stability. The SmartHead™ automatically adjusts to fit Presta and Schrader valves.

**HEAD**  
SmartHead™ w/ air release  
button

**BARREL**  
Anodized aluminum

**GAUGE**  
Flip-out analog

**THUMB LOCK**  
Aluminum

**HANDLE**  
T-type plastic / Kraton

**CAPACITY**  
160 psi / 11 bar

**BASE**  
Foldable Composite

**ADDED FEATURES**  
Dunlop valve adapter  
Ball / bladder heads  
Hose dock  
Gauge lock  
Handle lock  
Carry bag

**SIZE**  
67.8 x 8.4 x 6 cm /  
26.7" x 3.3" x 2.4"

**WEIGHT**  
1.1 kg / 2.42 lb

**ART NO.**  
TMGM-1B



topeak.com /  
topeak tv



reddot design award  
best of the best winner 2010



SmartHead™ with air release fits Presta and Schrader valves



Easy to read, top mounted flip-out analog gauge



Included carry bag for storage or travel



Ball / bladder needles and Dunlop valve adapter are included and fit neatly in their own holder



SMARTHEAD™



## SHOCK'N ROLL

Fill tires, suspension forks and shock units with the same pump! The Shock 'n Roll features an innovative Two-Stage pressure selector that lets you choose high pressure for filling suspension forks and shock units or low pressure for filling mountain bike tires. A flexible hose with SmartHead™ ThreadLock accepts Presta and Schrader valves and takes stress off the valve stem while pumping.

**HEAD**  
SmartHead™ ThreadLock

**BARREL**  
CNC aluminum

**GAUGE**  
Analog (0-300 psi)

**PRESSURE TUNING**  
Air release button

**HANDLE**  
CNC aluminum

**CAPACITY**  
300 psi / 20.7 bar

**ADDED FEATURES**  
2 Stage high / low  
Rotating hose  
Side mount bracket

**SIZE**  
25 x 4.8 x 3.9 cm /  
9.8" x 1.9" x 1.5"

**WEIGHT**  
270 g / 9.50 oz

**ART NO.**  
TSNR-1

  | **SMARTHEAD™**



Analog gauge with carbon-faced dial reads to 300 psi



Air release button for precise inflation control (works with Schrader valve only)



Dual function pump fills most mountain bike tires



Dual function pump fills most air suspension forks and air shock units



topeak.com /  
topeak tv



## POCKETSHOCK DXG

A precision fork and shock pump with a carbonfaced dial gauge for accurate inflation. A bleeder valve and Pressure-Rite™ connector makes setting proper pressures easy and eliminates air loss when disconnecting.

**HEAD**  
Pressure-Rite shock valve

**BARREL**  
Aluminum

**GAUGE**  
Analog

**PRESSURE TUNING**  
Air release button

**HANDLE**  
Plastic / Kraton

**CAPACITY**  
300 psi / 20.7 bar

**ADDED FEATURE**  
Rotating hose

**SIZE**  
21.5 x 4.3 x 4.5 cm /  
8.5" x 1.7" x 1.8"

**WEIGHT**  
170 g / 5.98 oz

**ART NO.**  
TPSMB-DX

  | **PRESSURE-RITE™**



## MICROSHOCK

The lightest, most compact suspension pump in the World. Optimized length and tube diameter handles high pressures and pumps to 300 psi with ease. Slim profile and compact size fits easily in a jersey pocket or pack.

**HEAD**  
Pressure-Rite shock valve

**BARREL**  
Butted aluminum

**HANDLE**  
Locking plastic

**CAPACITY**  
300 psi / 20.7 bar

**ADDED FEATURE**  
Side mount bracket  
(Art No. TPSMB-1C)

**SIZE**  
21 x 2 x 2 cm /  
8.3" x 0.8" x 0.8"

**WEIGHT**  
48 g / 1.69 oz

**ART NO.**  
TMS-1

 | **PRESSURE-RITE™**



### SMARTGAUGE D2

The second-generation digital gauge features a rotating SmartHead™ and works seamlessly with Presta and Schrader valves without changing parts. Precision digital gauge reads up to 250 psi / 17 bar and is designed for use with tires, suspension forks and rear shock units. LCD display can be programmed to show pressure in psi, bar, or kg / cm².

<b>HEAD</b> SmartHead™	<b>CAPACITY</b> Reads 250 psi / 17 bar
<b>GAUGE</b> Digital - psi, bar, kg / cm²	<b>ADDED FEATURES</b> Rotating head
<b>BATTERY</b> CR2032 x 1 (included)	<b>SIZE</b> 10.2 x 4.5 x 3.5 cm / 4" x 1.8" x 1.4"
<b>PRESSURE TUNING</b> Air release button	<b>WEIGHT</b> 65 g / 2.29 oz
<b>BODY</b> Engineering grade plastic	<b>ART NO.</b> TSG-02



SmartHead™ rotates 180 degrees



Air release button for fine tuning pressure



### SHUTTLE™ GAUGE

Versatile mini-gauge attaches to pump or can be used alone. Gauge face rotates 360° and reads to 300 psi for use with tires, forks or shocks. Works with Presta and Schrader valves and features a precision bleeder valve and Pressure-Rite anti-air loss connector.

<b>HEAD</b> Presta adapter / Schrader	<b>SIZE</b> 7.6 x 8.2 x 2.5 cm/ 3.0" x 3.2" x 1.0
<b>GAUGE</b> Reads 300 psi / 20.7 bar	<b>WEIGHT</b> 120 g / 4.22 oz
<b>ADDED FEATURES</b> Rotating gauge Pressure-Rite head	<b>ART NO.</b> TSUTG-02 (w/ case)



Rotatable gauge



Use with pump



Use alone



Carry case included



### PRSSURE-RITE SHOCK ADAPTER

A Schrader valve adapter allows using the JoeBlow™ Ace floor pump for quickly pumping forks and rear shocks. Built-in air release knob allows fine tuning air pressure.


<b>BODY</b> Brass	<b>SIZE</b> 3.2 x 1.1 x 4.2 cm / 1.3" x 0.4" x 1.7"
<b>PRESSURE TUNING</b> Yes	<b>WEIGHT</b> 23 g / 0.81 oz
<b>CHECK VALVE</b> Yes	<b>ART NO.</b> TSA-01



### PRESTA VALVE EXTENDER XL

Precision machined from aircraft grade aluminum, this extra long presta valve extender fits deep-dish and carbon rims from 60 mm - 90 mm. O-ring seal ensures a leak-free fit.

<b>BODY</b> Machined aircraft aluminum alloy	<b>WEIGHT</b> 6.4 g / 0.23 oz
<b>SIZE</b> 7.5 x 0.7 x 0.7 cm / 3" x 0.28" x 0.28"	<b>ART NO.</b> TFV-02



### PRSSURE-RITE SCHRADER VALVE ADAPTER

Internal check valve isolates pump from shock ensuring accurate pressure during removal. Compact design is ideal for rear shock or small wheels with hard to reach valves.


<b>BODY</b> Brass	<b>SIZE</b> 2.5 x 1 x 3.8 cm / 1.0" x 0.4" x 1.5"
<b>CHECK VALVE</b> Yes	<b>WEIGHT</b> 15 g / 0.53 oz
	<b>ART NO.</b> TSV-01



### PRESTA VALVE EXTENDER

Precision machined aircraft aluminum Presta Valve Extender with leak-free o-ring seal.

<b>BODY</b> Machined aircraft aluminum alloy	<b>WEIGHT</b> 3.4 g / 0.12 oz
<b>SIZE</b> 4.3 x 0.7 x 0.7 cm / 1.7" x 0.28" x 0.28"	<b>ART NO.</b> TFV-01



### PRSSURE-RITE PRESTA VALVE ADAPTER

An anti-air loss Presta valve connector perfect for disc wheels and other valves. Ensures accurate pressure even during removal.

<b>BODY</b> Brass	<b>SIZE</b> 2.3 x 1.1 x 3.9 cm / 0.9" x 0.4" x 1.5"
<b>CHECK VALVE</b> Yes	<b>WEIGHT</b> 16 g / 0.56 oz
	<b>ART NO.</b> TFV-03



### TOPEAK PUMP REBUILD KIT

A complete rebuild kit of plunger o-rings and pump head parts for Topeak floor pumps and mini pumps.

<b>ART NO.</b>	RK-PBOX-2
----------------	-----------






1



2



3

# Repair. Regroup. Recommit.

## STAND TECHNOLOGIES & FEATURES

### 1 360° ROTATION

360° Rotation provides more options when working. Indexed clamp resists twisting once tightened and rotates 360° to provide excellent access while tuning the bike.

### 2 INTEGRATED WEIGHT SCALE

Integrated digital weight scale available on the PrepStand™ Pro lets you weigh small parts as well as a complete bike.

### 3 NON-MARRING RUBBER JAWS

All of our workstands feature non-marring rubber jaws to protect your frames finish and easily clamps to any tube on the bike and works with a variety of tube shapes.

### 4 DUALMOUNT

The PrepStand™ Race features a DualMount fork mount to secure road forks and 15 to 20 mm mountain bike thru-axles for greater versatility in the workshop.



4



5



6



7

Topeak repair stands boast the latest technology, whether it's 360° rotation, integrated weight scales, rubber jaws, a superwide base or the dual mount feature. It's all so you can get back to what you love best, spinning those pedals.

### 5 SUPER WIDE TRIPOD BASE

Super wide tripod bases create a very stable platform regardless of working surface and can be adjusted to fit the workspace. Rubber feet help keep base stationary and adds stability while working on your bike.

### 6 COATED HOOKS

Coated hooks protect the bikes finish and adjust up to 30° from horizontal to fit a variety of frame configurations quickly and securely. Lower bike cradle doubles as a repair stand for light duty repairs.

### 7 ULTRA COMPACT

The FlashStand™ Slim is the ultra-portable, lightweight, foldable stand that allows you to display your road bike without a conventional kickstand. And it's slim enough to easily slip into a jersey pocket for portability.

Repair Stands



**PrepStand™ Pro**  
Art no. TW001  
Page 58



**PrepStand™ Elite**  
Art no. TW002  
Page 59



**PrepStand™ Race**  
Art no. TW013  
Page 59

Storage Stands



**Dual-Touch™ Bike Stand**  
Art no. TW004  
Page 62



**TwoUp TuneUp**  
Art no. TW010  
Page 63



**OneUp Bike Holder**  
Art no. TW009  
Page 64

PrepStand™ Accessories



**Upgrade Kit**  
Art no. TW001-SP01  
Page 60



**Tool Tray**  
Art no. TW001-SP02  
Page 60



**Handlebar Stabilizer**  
Art no. TW001-SP03  
Page 60



**PrepStand™ Max**  
Art no. TW008  
Page 59



**RideUp Stand**  
Art no. TW012  
Page 60



**FlashStand™**  
Art no. TW006  
Page 60

Storage Stands



**LineUp™ Stand**  
Art no. TW014B, TW014  
Page 61



**FlashStand™ Fat**  
Art no. TW007  
Page 61



**FlashStand™ Slim**  
Art no. TW011  
Page 61

Storage Stands Accessories



**Dual-Touch™ Xtender**  
Art no. TW004-SP04  
Page 63



**The Third Hook**  
For Dual-Touch Bike Stand  
Art no. TW004-SP01 (Upper)  
TW004-SP02 (Lower)  
Page 63



**The Third Hook**  
For TwoUp TuneUp  
Art no. TW010-SP02 (Upper)  
TW010-SP03 (Lower)  
Page 63



**Handlebar Stabilizer**  
For Dual-Touch & TwoUp  
TuneUp Stands  
Art no. TW004-SP03  
Page 63

Bike Covers



**Bike Cover**  
Art no. TBC001 (Road), TBC002 (26" MTB / 700C), TBC003 (27.5" / 29" MTB)  
Page 65







## PREPSTAND™ PRO

A pro level workstand with a built-in digital weight scale. Stable tripod design folds down small for travel or use at the races.


<b>CLAMP HEAD</b> Non-marring rubber jaws 360° rotation Digital weight scale	<b>MAX WEIGHT CAPACITY</b> 25 kg / 55 lb
<b>CLAMP HEIGHT</b> 122 cm to 183 cm (48" - 72")	<b>ADDED FEATURES</b> Carry bag Rubber base feet
<b>CLAMP OPENING</b> 1.9 cm to 4.5 cm (0.75" - 1.8")	<b>SIZE</b> 17.8 x 117 cm / 7.0" x 46.0" (Folded)
<b>FOLDING</b> Two QR clamps	<b>WEIGHT</b> 6.2 kg / 13.67 lb
<b>BASE</b> HD folding 6061 T6 tubes	<b>ART NO.</b> TW001
<b>MATERIAL</b> 6061 T6 tubes	




Built-in Digital Weight Scale weighs in both kg / lb (Art No. TWSC01)




Clamp rotates 360°




Non-marring rubber jaws clamp to any tube on the bike



Precision QR clamps provide quick height adjustments



Stable tripod base folds for storage or transport



Precision QR clamps provide quick height adjustments



## PREPSTAND™ ELITE

Same features as the PrepStand™ Pro but with a closable small parts bin in place of the digital weight scale.

<b>CLAMP HEAD</b> Non-marring rubber jaws 360° rotation Digital weight scale	<b>MAX WEIGHT CAPACITY</b> 25 kg / 55 lb
<b>CLAMP HEIGHT</b> 122 cm to 183 cm (48" - 72")	<b>ADDED FEATURES</b> Carry bag Rubber base feet
<b>CLAMP OPENING</b> 1.9 cm to 4.5 cm (0.75" - 1.8")	<b>SIZE</b> 17.8 x 117 cm / 7.0" x 46.0" (Folded)
<b>FOLDING</b> Two QR clamps	<b>WEIGHT</b> 6 kg / 13.23 lb
<b>BASE</b> HD folding 6061 T6 tubes	<b>ART NO.</b> TW002
<b>MATERIAL</b> 6061 T6 tubes	

## PREPSTAND™ RACE

A professional quality race workstand that securely holds a complete bike or frame and fork in a bottom bracket cradle without clamping the individual frame tubes. The perfect workstand for frames with ultra-light tubes and seatpost or for bikes with non-traditional frame shapes that are difficult to clamp. DualMount accepts both Thru-Axel and QR type fork dropouts and can attach to either fork or rear dropouts.

<b>CLAMP</b> Accepts quick-release fork 15 or 20 mm thru-axle fork or rear dropout	<b>MAX WEIGHT CAPACITY</b> 25 kg / 55 lb
<b>CLAMP HEIGHT</b> 80 cm to 163 cm (31.5" - 53.5")	<b>ADDED FEATURES</b> Carry bag Rubber base feet Front wheel hook
<b>FOLDING</b> Two QR clamps	<b>SIZE</b> 22 x 20 x 95.5 cm / 8.7" x 7.9" x 37.6" (Folded)
<b>BASE</b> HD folding 6061 T6 tubes	<b>WEIGHT</b> 4.5 kg / 9.92 lb
<b>MATERIAL</b> 6061 T6 tubes	<b>ART NO.</b> TW013

## PREPSTAND™ MAX

A lightweight, folding stand for home use. Hard rubber jaws hold bottom bracket securely and front wheel hook adds stability when working on bike.


<b>CLAMP HEAD</b> Hard rubber jaws	<b>MAX WEIGHT CAPACITY</b> 25 kg / 55 lb
<b>BB CLAMP HEIGHT</b> 80 cm to 108 cm / (31.5" - 42.5")	<b>ADDED FEATURES</b> Carry bag Rubber base feet Front wheel hook
<b>CLAMP OPENING</b> Attaches to bottom bracket	<b>SIZE</b> 20 x 12 x 95 cm / 7.9" x 4.7" x 37.4" (Folded)
<b>FOLDING</b> QR clamps	<b>WEIGHT</b> 2.4 kg / 5.29 lb
<b>BASE</b> HD folding 6061 T6 tubes	<b>ART NO.</b> TW008
<b>MATERIAL</b> 6061 T6 tubes	



UPGRADE KIT

Small tray for weighing small parts plus a hook for weighing wheels and other odd shaped items.

<b>MATERIAL</b> Engineering grade plastic	<b>WEIGHT</b> 125 g / 4.40 oz
<b>SIZE</b> 12 x 12 x 26.5 cm / 4.7" x 4.7" x 10.4"	<b>ART NO.</b> TW001-SP01



TOOL TRAY

A handy holder for tools, lubes and small parts. For use with PrepStand™ Pro, Elite and Race.

<b>MATERIAL</b> Engineering grade plastic	<b>WEIGHT</b> 700 g / 1.54 lb
<b>SIZE</b> 25.9 x 30.5 x 6.6 cm / 10.2" x 12.0" x 2.6"	<b>ART NO.</b> TW001-SP02



HANDLEBAR STABILIZER

Holds handlebar, forks and front wheel secure while working on bike. Adjustable length to fit most bikes.

<b>MATERIAL</b> Aluminum / Plastic	<b>WEIGHT</b> 100 g / 3.52 oz
<b>SIZE</b> 34 x 9.4 x 10 cm / 13.4" x 3.7" x 3.9"	<b>ART NO.</b> TW001-SP03



RIDEUP STAND

A dual-purpose display and tune-up stand designed to support a cyclists weight while pedaling, allowing the testing of drive train adjustments and repairs. For use with all bicycles with wheel size 26" - 29" MTB, including 700c, this heavy duty stand holds the rear wheel aloft to allow routine maintenance such as derailleur adjustments, chain lubing or simply to hold the bike securely for storage and display. Sturdy tubular steel frame provides a solid platform and folds down flat for storage when not in use.

<b>CLAMP</b> Speed knob quick release clamp	<b>SIZE</b> 42 x 53 x 11 cm / 16.5" x 20.9" x 4.3" (Folded)
<b>CLAMP OPENING</b> Attaches rear axle or rear QR lever	46 x 50 (41) x 41.5 cm/ 18.1" x 19.7" (16.1") x 16.3" (Open)
<b>FOLDING</b> Yes	<b>WEIGHT</b> 3.52 kg / 7.76 lb
<b>MATERIAL</b> Tubular steel	<b>ART NO.</b> TW012

<b>MAX WEIGHT CAPACITY</b> (INCLUDING BIKE WEIGHT)
120 kg / 264.5 lb



Stable platform for storage and display



Stabilizes bike for adjusting drivetrain, brakes and more



FLASHSTAND™

The ultimate portable tune-up stand. Great for keeping in the car or for travel. You could even take it on a bike tour. It also comes with its own storage bag!

<b>CLAMP HEAD</b> Bottom bracket support Arm holds down tube	<b>ADDED FEATURE</b> Carry Bag
<b>FOLDING</b> Yes	<b>SIZE</b> 19 x 8 x 4.5 cm / 7.5" x 3.1" x 1.8" (Folded)
<b>MATERIAL</b> Aluminum / Plastic	50 x 22.5 cm / 19.7" x 8.9" (Open)
<b>MAX WEIGHT CAPACITY</b> 14 kg / 30.8 lb	<b>WEIGHT</b> 500 g / 1.10 lb
<b>MAX TIRE WIDTH</b> 5.7 cm / 2.25"	<b>ART NO.</b> TW006



Folds down small to fit in glove box or gear bag



Stabilizes bike for adjusting drivetrain, brakes and more



topeak.com / topeak.tv

LINEUP™ STAND

A lightweight, tubular folding stand for storing and displaying bicycles. A spring-loaded arm stabilizes the front or rear wheel and accepts wheel diameters from 20" to 29".

<b>ATTACHMENT</b> 20" to 29" size wheel	<b>SIZE</b> 43 x 14 x 9.3 cm / 16.9" x 5.5" x 3.7" (Folded)
<b>FOLDING</b> Yes	37.2 x 35 x 45.8 cm / 14.6" x 13.8" x 18" (Open)
<b>MATERIAL</b> Aluminum / Plastic	<b>WEIGHT</b> 1.5 kg / 3.3 lb
<b>MAX WEIGHT CAPACITY</b> 20 kg / 44 lb	<b>ART NO.</b> TW014B (Black) TW014 (Silver)
<b>MAX TIRE WIDTH</b> 5.7 cm / 2.25"	



Stabilizing arm holds wheel securely



Works for 20" - 29" size wheels



FLASHSTAND™ SLIM

For the enthusiast who wants to stand or display their prized road bike without a conventional kickstand. FlashStand™ Slim unfolds to slip easily over the crankarm to hold bikes upright on smooth, flat surfaces. Fits 700c road bikes with crankarm dimension: ≤ 35 x 14 x 80 mm ( L x D x H ). When folded FlashStand™ Slim easily slips into a jersey pocket for portability.

<b>CLAMP OPENING</b> Road bike cranks	<b>SIZE</b> 14.5 x 4 x 2.2 cm / 5.7" x 1.6" x 0.9" (Folded)
<b>FOLDING</b> Yes	14.5 x 15 x 11 cm / 5.7" x 5.9" x 4.3" (Open)
<b>MATERIAL</b> Aluminum / Polymer	<b>WEIGHT</b> 138 g / 4.86 oz
<b>MAX WEIGHT CAPACITY</b> 14 kg / 30.8 lb	<b>ART NO.</b> TW011
<b>ADDED FEATURE</b> Carry Bag	



Folds down small enough to fit in a jersey pocket



Fits 700c road bikes with crankarm dimension : ≤ 35 x 14 x 80 mm ( L x D x H )



FLASHSTAND™ FAT

Designed to work with wider MTB crankarms, FlashStand™ FAT slips over non-drive side mountain bike crankarm to hold mountain bikes upright on hard flat surfaces for display or storage.

<b>CLAMP OPENING</b> Mountain bike cranks	<b>SIZE</b> 9.6 x 3 x 15.7 cm / 3.8" x 1.2" x 6.2" (Folded)
<b>FOLDING</b> Yes	19.8 x 13.6 x 16.6 cm / 7.8" x 5.3" x 6.5" (Open)
<b>MATERIAL</b> Aluminum / Engineering grade plastic	<b>WEIGHT</b> 276 g / 9.72 oz
<b>MAX WEIGHT CAPACITY</b> 20 kg / 44 lb	<b>ART NO.</b> TW007



Sturdy aluminum and polymer construction is durable



Works with most 26" MTB bikes







## DUAL-TOUCH™ BIKE STAND

An elegant solution for storing your bikes. Looks great in the house or in the garage. Includes two bike mounts, holds up to four with optional mounts.

**ATTACHMENTS**  
2 bike mounts included (maximum holds 4 bikes)  
30 degree adjustment  
QR for height adjustment  
Up to 320 cm

**FOLDING**  
QR clamps

**BASE**  
QR rubber covered foot

**MATERIAL**  
6061 T6 tubes

**MAX WEIGHT CAPACITY**  
18 kg / 39.7 lb (Per Hook)  
72 kg / 158.7 lb (Per Stand)

**ADDED FEATURES**  
Optional Third Hooks (upper & lower)  
Optional Handlebar Stabilizer

**SIZE**  
44 x 18 x 320 cm /  
17.3" x 7.1" x 126" (Open)  
190 cm / 74.8" (Folded)

**WEIGHT**  
5 kg / 11.02 lb

**ART NO.**  
TW004



Large knob adjusts quickly & securely



Adjusts 30° from horizontal fitting sloping top tubes



QR locking stepper foot secures Dual-Touch™ Bike Stand



Optional Handlebar Stabilizer keeps front wheel from turning



topeak.com /  
topeak tv



## TWOUP TUNEUP BIKE STAND

Multi-bike storage system is solid enough to serve as a light duty portable work stand. Constructed of aluminum tubing, the center pillar extends to almost seven feet while tripod base provides a stable base. Can store up to four bikes with optional bike hangers (two hangers included).

**ATTACHMENTS**  
2 bike mounts included (maximum holds 4 bikes)  
30 degree adjustment  
QR for height adjustment

**FOLDING**  
Two QR clamps

**BASE**  
HD folding 6061 T6 tubes

**MATERIAL**  
6061 T6 tubes

**MAX WEIGHT CAPACITY**  
18 kg / 39.7 lb (Per Hook)  
72 kg / 158.7 lb (Per Stand)

**SIZE**  
44 x 34 x 214 cm /  
17.3" 13.4" x 84.3"  
90 cm / 35.4" (Base Diameter)

**WEIGHT**  
5.5 kg / 12.13 lb

**ART NO.**  
TW010



Lower hook for storage or bike maintenance



topeak.com /  
topeak tv



## DUAL-TOUCH™ XTENDER

Extra extension tube to increase Dual-Touch Bike Stand installation height by 35 cm (1 ft 2 in) for rooms with high ceilings.

**MATERIAL**  
6061 T6 tubes

**SIZE**  
44 cm / 17.3"

**WEIGHT**  
270g / 9.50 oz


**ART NO.**  
TW004-SP04



## THE THIRD HOOK

For Dual-Touch™ Bike Stand.

**ART NO.** TW004-SP01 (Upper)  
TW004-SP02 (Lower)



## THE THIRD HOOK

For TwoUp TuneUp Bike Stand.

**ART NO.** TW010-SP02 (Upper)  
TW010-SP03 (Lower)



## HANDLEBAR STABILIZER

Secures front wheel and handlebar when in Dual-Touch™ or TwoUp TuneUp Bike Stand.

**MATERIAL**  
Aluminum / Plastic

**SIZE**  
24.6 x 3.1 x 9.9 cm /  
9.7" x 1.2" x 3.9"

**WEIGHT**  
130 g / 4.58 oz

**ART NO.**  
TW004-SP03

# ONEUP BIKE HOLDER

Elegant and functional, the OneUp is the perfect bicycle storage solution for apartments and other small spaces. A molded rubber bar keeps the front wheel stationary preventing the bike from twisting. Includes all mounting hardware plus a molded rear wheel pad to prevent tire marks on the wall.

<b>ATTACHMENTS</b> 1 bike mount 2 hooks	<b>SIZE</b> 32 x 25 x 14 cm / 12.6" x 9.8" x 5.5"
<b>MATERIAL</b> Aluminum / Plastic	<b>WEIGHT</b> 700 g / 1.54 lb
<b>MAX TIRE WIDTH</b> 6 cm / 2.35"	<b>ART NO.</b> TW009
<b>MAX WEIGHT CAPACITY</b> 16 kg / 35 lb	



Molded rubber bar keeps bike from twisting



Rubber pads prevent tires from marking walls



2 extra hooks for hanging clothing, helmets or other accessories



# BIKE COVER 700C ROAD

Protect your road bike from the elements. Quickly folds to a compact size.

<b>MATERIAL</b> 190T nylon	<b>WEIGHT</b> 300 g / 10.56 oz
<b>SIZE</b> 170 x 50 x 100 cm / 66.9" x 19.7" x 39.4"	<b>ART NO.</b> TBC001



# BIKE COVER 26" WHEEL MTB / 700C TREKKING

Protect your 26" wheel mountain or 700c trekking bike from the elements. Quickly folds to a compact size.

<b>MATERIAL</b> 190T nylon	<b>WEIGHT</b> 300 g / 10.56 oz
<b>SIZE</b> 178 x 81.3 x 100 cm / 70.0" x 32" x 39.4"	<b>ART NO.</b> TBC002



# BIKE COVER 27.5" / 29" WHEEL MTB

Specifically designed to fit 29er mountain bikes. Protect your bike from the elements. Quickly folds to a compact size.

<b>MATERIAL</b> 190T nylon	<b>WEIGHT</b> 330 g / 11.62 oz
<b>SIZE</b> 200 x 81.3 x 105 cm / 78.7" x 32" x 41.3"	<b>ART NO.</b> TBC003







# Serious bike riders need serious maintenance.

## TOOLS TECHNOLOGIES & FEATURES

### 1 ULTRA PORTABLE

Our PrepStation and PrepBox allow you to conveniently take your precision, pro-level shop tools to a race, trail head or anywhere you want for on-site maintenance and repair.

### 2 BUILT TO LAST

Our tools are made with high quality, high strength materials designed to handle everyday abuse and provide longterm performance.

### 3 ALIEN™ SERIES

ALIEN Technology gives this series of multi-tools an unrivaled advantage in functionality and ease of use. The tools open to form two separate tool halves for more versatility when making repairs.

### 4 ULTRA COMPACT

From our award winning ALIEN™ Series to our compact Mini Pro Series to our innovative Ratchet Rocket™ Series, our goal is to fit the most functional tools into the smallest package. Every cyclist can find a tool to fit their needs.

### 5 ALL SPEED CHAIN TOOL

High quality chain tool for use with all multi-speed pin type chains, including Campagnolo® 11 speed hollow pin chains. The integrated chain hook holds links during assembly.

### 6 MADE FOR SINGLE SPEED

All-in-one tool designed specifically for single speed and fixed gear bikes. Includes 8 essential tools for any urban cyclist: 4 & 5 mm Allen bits, 15 mm box wrench, 14g & 15g spoke wrenches, 1 plastic & 1 metal tire levers, bottle opener, and mounts easily on your seat tube with included tool-free bolts.

PrepStation Mobile Tool Station



**PrepStation Pro**  
Art no. TPS-05  
Page 70



**PrepStation**  
Art no. TPS-03  
Page 70



**PrepBox**  
Art no. TPX-01  
Page 72



**PrepStaion Case Cover**  
Art no. TPS-01PB  
Page 73



**BucketSeat**  
Art no. TPS-SP46  
Page 73



**Magnetic Tool Tray**  
Art no. TPS-MT01  
Page 73

Screwdrivers & Wrenches



**Torx® Wrench Set**  
Art no. TPS-SP05  
Page 75



**1/2" Drive Extendable Ratchet**  
Art no. TPS-SP37  
Page 75



**7mm Spanner**  
Art no. TPS-SP43  
Page 76



**Chainring Nut Wrench**  
Art no. TPS-SP11  
Page 76



**Cartridge Bottom Bracket Tool**  
Art no. TPS-SP18  
Page 76



**Universal Crank Puller**  
Art no. TPS-SP19  
Page 77

Tire & Wheel Tools



**Chain Whip / Sprocket Remover**  
Art no. TPS-SP21  
Page 79



**FreeWheel Remover**  
Art no. TPS-SP39  
Page 79



**MultiSpoke Wrench**  
Art no. TPS-SP42  
Page 80



**DuoSpoke Wrench M7 / M9**  
Art no. TPS-SP15  
Page 80



**DuoSpoke Wrench DT / 6.0 MM**  
Art no. TPS-SP35  
Page 80



**DuoSpoke Wrench 13G / 4.3 MM**  
Art no. TPS-SP13  
Page 81

Torque Wrenches



**ComboTorq Wrench & Bit Set**  
Art no. TPS-SP07  
Page 83



**Torque 5**  
Art no. TT2532  
Page 83



**Torque 6**  
Art no. TT2533  
Page 83



**D-Torq Wrench DX**  
Art no. TT2531  
Page 84



**D-Torq Wrench**  
Art no. TT2530  
Page 85



**ALIEN™ III**  
Art no. TT2354  
Page 86

Mini Series



**Mini 18+**  
Art no. TT2518  
Page 89



**Mini 9**  
Art no. TT2409  
Page 90



**Mini 9 MT**  
Art no. TT2545  
Page 90



**Mini 6**  
Art no. TT2506  
Page 90

Tool Monster Series



**Tool Monster Air**  
Art no. TT2555  
Page 91



**Tool Monster**  
Art no. TT2554  
Page 91

Survival Gear Box



**Survival Gear Box**  
Art no. TT2543  
Page 95

MINI - Chain Tools



**Link 11 Folding Chain Tool**  
Art no. TT2548  
Page 95



**Super Chain Tool**  
Art no. TT1302  
Page 96



**Universal Chain Tool**  
Art no. TT1303  
Page 96

Tire Levers




**Shuttle™ Tire Lever 1.1**  
Art no. TTL001  
Page 96



**Shuttle™ Tire Lever 1.2**  
Art no. TTL002  
Page 97

Screwdrivers & Wrenches



**PrepStation Tool Tray with Lid**  
Art no. TPS-TT01  
Page 73



**PrepStation Tool Tray**  
Art no. TPS-TT02  
Page 73



**T-Handle DuoHex Wrench Set**  
Art no. TPS-SP01  
Page 74



**DuoHex Tool**  
Art no. TPS-SP02  
TPS-SP03, TPS-SP04  
Page 74



**DuoHex Wrench Set**  
Art no. TPS-SP40  
Page 74



**T25 DuoTorx® Wrench**  
Art no. TPS-SP34  
Page 75



**External Bottom Bracket Tool**  
Art no. TPS-SP38  
Page 77



**Pedal Wrench 15mm**  
Art no. TPS-SP20  
Page 77



**Cable & Housing Cutter**  
Art no. TPS-SP16  
Page 78



**Hydraulic Caliper Press**  
Art no. TPS-SP23  
Page 78



**RotorTru**  
Art no. TPS-SP24  
Page 78



**SuperSteel Tire Lever**  
Art no. TPS-SP10  
Page 79

Frame & Fork Tools



**DuoSpoke Wrench 14G / 15G**  
Art no. TPS-SP14  
Page 81



**Threadless Saw Guide**  
Art no. TPS-SP26  
Page 81



**HackSaw**  
Art no. TPS-SP47  
Page 81

SHOP - Chain Tools



**Chain Hook & Wear Indicator**  
Art no. TPS-SP09  
Page 82



**PowerLink Pliers**  
Art no. TPS-SP12  
Page 82



**All Speeds Chain Tool**  
Art no. TPS-SP41  
Page 82

Mini Series



**Mini 20 Pro**  
Art no. TT2536B, TT2536GD, TT2536S  
Page 87



**Mini 9 Pro CB**  
Art no. TT2552  
Page 88



**Mini 9 Pro**  
Art no. TT2551B, TT2551GD, TT2551S  
Page 88



**LumiTool 7**  
Art no. TT2549  
Page 89

Fixie / Urban



**Prep 25**  
Art no. TT2553  
Page 92



**Urban 8**  
Art no. TT2550  
Page 92

Ratchet Tools



**Ratchet Rocket**  
Art no. TT2520  
Page 93



**Ratchet Rocket Lite DX**  
Art no. TT2524  
Page 93

Folding Tools




**Hexus™ II**  
Art no. TT2538B  
Page 94



**X-Tool**  
Art no. TT2321B, TT2321S  
Page 94

Patch Kits



**Rescue Box**  
Art no. TRB01-B, TRB01-DB, TRB01-GD, TRB01-S, TRB01-R  
Page 97



**FlyPaper Glueless Patch Kit Counter Display Box**  
Art no. TGP03  
Page 97



**Rescue Box Counter Display Box**  
Art no. TRB02  
Page 97





new



PREPSTATION PRO

Easy moving trolley tool station with 5" wheels and seven tool compartments containing 55 professional shop quality bike tools. Wheel base can be easily pulled out to extend working base for better stability. Push button Lift Handle opens tool trays for quick and easy repairs.

- COMPARTMENTS**  
7 total, includes 5 tool trays and 2 component trays

**MATERIAL**  
Engineering grade plastic

**TOOLS**  
55 professional tools

**TOOL MATERIAL**  
Chrome vanadium steel / Hardened steel
- ADDED FEATURES**  
5" ball bearing wheels  
foldable handle  
Optional case cover

**SIZE**  
38 x 36.2 x 72.1 cm / 15" x 14.2" x 28.4" (Folded)

38 x 36.2 x 96.5 cm / 15" x 14.2" x 38" (Open)

**ART NO.**  
TPS-05 (w/ Tools)



Extended wheel base for better stability



Additional Tool Tray + Magnetic Tool Tray



7mm Spanner



BucketSeat



55 TOOLS / 85 FUNCTIONS

\* The chain tool is compatible with all multi-speed pin type chains, including Campagnolo® 11 speed hollow pin chains.



reddot design award winner 2013

PREPSTATION

Easy moving trolley tool station with 5" wheels and six tool compartments containing 52 professional shop quality bike tools. Wheel base can be easily pulled out to extend working base for better stability. Push button Lift Handle opens tool trays for quick and easy repairs.

- COMPARTMENTS**  
6 Total, includes 5 tool trays and 1 component tray

**MATERIAL**  
Engineering grade plastic

**TOOLS**  
52 professional tools

**TOOL MATERIAL**  
Chrome Vanadium Steel / Hardened Steel
- ADDED FEATURES**  
5" ball bearing wheels  
foldable handle  
Optional case cover


**SIZE**  
38 x 36.2 x 67.1 cm / 15" x 14.2" x 26.4" (Folded)

38 x 36.2 x 91.5 cm / 15" x 14.2" x 36" (Open)

**ART NO.**  
TPS-03 (w/ Tools)  
TPS-01CS (Case only)



Extended wheel base for better stability



52 TOOLS / 80 FUNCTIONS

\* The chain tool is compatible with all multi-speed pin type chains, including Campagnolo® 11 speed hollow pin chains.

PREPSTATION TOOLS



Spare parts tray



- DuoHex Tool (6 mm) TPS-SP02
- DuoHex Tool (8 mm) TPS-SP03
- DuoHex Tool (10 mm) TPS-SP04
- T-Handle DuoHex Wrench Set TPS-SP01



PocketShock DXG shock pump not included

- 8 / 10 mm Double Open End Spanner
- All Speeds Chain Tool TPS-SP41
- Chain Hook & Wear Indicator TPS-SP09
- ComboTorq Wrench & Bit Set TPS-SP07
- Quad Driver TPS-SP06
- Shuttle Lever Set
- Torx® Wrench Set TPS-SP05
- T25 DuoTorx® Wrench TPS-SP34



- Adjustable Spanner TPS-SP16
- Cable & Housing Cutter TPS-SP11
- Chaining Nut Wrench TPS-SP13
- DuoSpoke Wrench (13G / 4.3 mm) TPS-SP14
- DuoSpoke Wrench (14G / 1.5G) TPS-SP15
- DuoSpoke Wrench (M7 / M9) TPS-SP12
- Needle Nose Pliers
- PowerLink Pliers
- Side Cutting Pliers



- 1/2" Drive Extendable Ratchet TPS-SP37
- External Bottom Bracket Tool TPS-SP38
- Freewheel Remover TPS-SP39
- Cartridge Bottom Bracket Tool TPS-SP18
- Chain Whip / Sprocket Remover TPS-SP21
- Hydraulic Caliper Press TPS-SP23
- Pedal Wrench 15 mm TPS-SP20
- RotorTru TPS-SP24
- Universal Crank Puller TPS-SP19



- Half Round Rasp
- Rubber Mallet
- Sprocket Clean Brush
- Threadless Nut Setter TPS-SP25
- Threadless Saw Guide TPS-SP26



PREPBOX

36 professional shop quality bike tools fit neatly into a pro-level carrying case. Attachable carry bag for additional tools. Great for shop work, events or at-home bike maintenance.

<b>TOOLS</b> 36 professional tools	<b>ADDED FEATURE</b> Attachable carry bag	<b>ART NO.</b> TPX-01
<b>MATERIAL</b> Engineering grade plastic	<b>SIZE</b> 40.5 x 32 x 11.5 cm / 15.9" x 12.6" x 4.5"	
<b>TOOL MATERIAL</b> Chrome vanadium steel / Hardened steel	<b>WEIGHT</b> 4.63 kg / 10.21 lb (Case w/ tools) 320 g / 11.26 oz (Carry bag)	



Attachable carry bag for additional tools




Die cut foam inserts insure tool placement and security



Integrated pad and mesh covers to prevent tools from dislodging when PrepBox is opened

• ComboTorq Wrench & Bit Set	TPS-SP07	• 1/2" Drive Breaker Bar	
• DuoHex Wrench Set	TPS-SP40	• Chain Whip / Sprocket Remover	TPS-SP21
• Torx® Wrench Set	TPS-SP05	• Pedal Wrench 15 mm	TPS-SP20
• Cable & Housing Cutter	TPS-SP16	• External Bottom Bracket Tool	TPS-SP38
• All Speeds Chain Tool	TPS-SP41	• Sprocket Cleaning Brush	TPS-SP33
• 8 / 10 mm Double Open End Spanner	TPS-SP27	• Shuttle Lever Set (1 pc long / 2 pcs short)	
• Chain Hook & Wear Indicator	TPS-SP09	• Cartridge Bottom Bracket Tool	TPS-SP18
• MultiSpoke Wrench (13G / 14G / 15G / Shimano® 4.3 mm )	TPS-SP42	• Freewheel Remover	TPS-SP39
• Quad Driver	TPS-SP06	• Universal Crank Puller	TPS-SP19

36 TOOLS / 50 FUNCTIONS



\* The chain tool is compatible with all multi-speed pin type chains, including Campagnolo® 11 speed hollow pin chains.



PREPSTATION CASE COVER

Great for storage or transportation of PrepStation tool set.

<b>MATERIAL</b> 1000 denier nylon & EPE foam	<b>WEIGHT</b> 870 g / 1.92 lb
<b>SIZE</b> 40 x 34 x 61 cm / 15.7" x 13.4" x 24"	<b>ART NO.</b> TPS-01PB



Allows unlocking and extension of handle




Name card pocket



MAGNETIC TOOL TRAY

Magnetized tool tray securely holds spare metal parts. Compact size and carrying handle for added convenience.

<b>MATERIAL</b> Engineering grade plastic / Stainless steel / Magnet	<b>SIZE</b> 24.7 x 12.9 x 4 cm / 9.7" x 5.1" x 1.6
<b>MOUNT</b> Compatible w/ PrepStation Tool Tray	<b>WEIGHT</b> 780 g / 1.72 lb
	<b>ART NO.</b> TPS-MT01



Fits inside PrepStation Tool Tray



Fits inside optional PrepStation Tool Tray with Lid



new

BUCKETSEAT

Use as a water bucket or handy stool. Designed to fit into the bottom tray of PrepStation and PrepStation Pro.

<b>MATERIAL</b> Engineering grade plastic	<b>SIZE</b> 35.8 x 24.8 x 19 cm / 14.1" x 9.8" x 7.5"
<b>CAPACITY</b> 7 L / 7.4 qt	<b>WEIGHT</b> 800 g / 1.76 lb
<b>ADDED FEATURE</b> Carry handle	<b>ART NO.</b> TPS-SP46



Use as a handy stool



Fits into the bottom tray of PrepStation & PrepStation Pro



with Lid

PREPSTATION TOOL TRAY

A handy holder for tools and small parts. Clamps on upper extension of PrepStand™ Pro, Elite and Race.

<b>MATERIAL</b> Engineering grade plastic	37.6 x 32.2 x 5 cm / 14.8" x 12.7" x 2"
<b>MOUNT</b> ø38.1 mm Tube	<b>WEIGHT</b> 1.07 kg / 2.36 lb (w/ Lid) 666 g / 1.47 lb
<b>SIZE</b> 37.6 x 32.2 x 6.3 cm / 14.8" x 12.7" x 2.5" (w/ Lid)	<b>ART NO.</b> TPS-TT01 (w / Lid) TPS-TT02



Clamps on upper extension of PrepStand






### T-HANDLE DUOHEX WRENCH SET

6 pro quality, chrome vanadium steel hex wrenches. Single ball end on 4 / 5 / 6 mm wrenches for hard to reach and blind locations. Ergo padded handle for increased grip and comfort while handling.

<b>HEX WRENCHES</b> 2 / 2.5 / 3 / 4 / 5 / 6 mm	20 x 9.7 x 2 cm / 7.9" x 3.8" x 0.8" (5 / 6 mm)
<b>TOOL MATERIAL</b> SNCM-V steel / Chrome vanadium steel	<b>WEIGHT</b> 14 g / 0.49 oz (2 mm) 17 g / 0.60 oz (2.5 mm) 21 g / 0.74 oz (3 mm) 29 g / 1.02 oz (4 mm) 64 g / 2.25 oz (5 mm) 80 g / 2.82 oz (6 mm)
<b>HANDLE</b> Ergonomic plastic handle	<b>ART NO.</b> TPS-SP01
<b>SIZE</b> 14 x 7.8 x 1.6 cm / 5.5" x 3.1" x 0.6" (2 / 2.5 / 3 / 4 mm)	



Single ball end on 4 / 5 / 6 mm wrenches



### T25 DUOTORX® WRENCH

Pro quality, chrome vanadium steel T25 Torx® wrench. Ergo padded handle for increased grip and comfort while handling.

<b>TORX® WRENCH</b> T25	<b>SIZE</b> 14 x 7.8 x 1.6 cm / 5.5" x 3.1" x 0.6"
<b>TOOL MATERIAL</b> SNCM-V steel	<b>WEIGHT</b> 32 g / 1.13 oz
<b>HANDLE</b> Ergonomic plastic handle	<b>ART NO.</b> TPS-SP34



Flip up hanger for wall storage



### TORX® WRENCH SET

8 pro quality, chrome vanadium steel Torx® wrenches. Includes a foldable hanger for hanging the wrench set on wall for storage.

<b>TORX® WRENCHES</b> T7 / T9 / T10 / T15 / T20 / T25 / T27 / T30	<b>SIZE</b> 16.5 x 6.6 x 1.2 cm / 6.5" x 2.6" x 0.5"
<b>TOOL MATERIAL</b> SNCM-V steel	<b>WEIGHT</b> 130 g / 4.58 oz
	<b>ART NO.</b> TPS-SP05



Flip up hanger for wall storage



### 1/2" DRIVE EXTENDABLE RATCHET

1/2" drive, 72-tooth reversible ratchet for smooth operation. Extendable from 12-1/2" (32 cm) to 18" (46 cm) long with 6 locking positions for heavy torque operation. Heavy duty chrome vanadium steel construction for better wear resistance and tensile strength. TPR handle for comfort and better grip.

<b>TOOL MATERIAL</b> Chrome vanadium steel	<b>SIZE</b> 34 (48) x 4 x 4 cm / 13.4" (18.9") x1.6" x 1.6"
<b>HANDLE</b> Engineering grade plastic	<b>WEIGHT</b> 946 g / 2.09 lb
	<b>ART NO.</b> TPS-SP37



Reversing ratchet with thumb wheel action



Push down the knuckle to unlock and extend the ratchet tool





new

7MM SPANNER

Compact, handy with dual end 7mm Box / Open wrench for Shimano® hydraulic disc brake caliper bolt.

<b>BOX WRENCH</b> 7 mm	<b>SIZE</b> 11 x 1.7 x 0.7 cm / 4.3" x 0.7" x 0.3"
<b>OPEN WRENCH</b> 7 mm	<b>WEIGHT</b> 25 g / 0.88 oz
<b>TOOL MATERIAL</b> Chrome vanadium steel	<b>ART NO.</b> TPS-SP43



CHAINRING NUT WRENCH

Hardened steel tool that holds slotted chain ring nuts to prevent spinning when installing or removing chainring bolts. Fits most slotted chain ring nuts.

<b>BOX WRENCHES</b> 8 / 10 mm	<b>SIZE</b> 9 x 2.4 x 1.8 cm / 3.5" x 0.9" x 0.7"
<b>TOOL MATERIAL</b> Hardened steel	<b>WEIGHT</b> 19 g / 0.67 oz
<b>BODY</b> Rubber	<b>ART NO.</b> TPS-SP11



CARTRIDGE BOTTOM BRACKET TOOL

Shop grade tool for removal and installation of Shimano® and ISIS Drive® bottom bracket cups. Fits both 24 mm wrench and 1/2" socket for tool interface flexibility.

<b>TOOL MATERIAL</b> CrMo Steel	<b>WEIGHT</b> 102 g / 3.59 oz
<b>SIZE</b> ø3.2 x 5.3 cm / ø1.3" x 2.1"	<b>ART NO.</b> TPS-SP18



UNIVERSAL CRANK PULLER

This tool has a built-in rotating tip for square tapered crank arms and an additional rotating tip for ISIS Drive® and Octalink® crank arms.

<b>TOOL MATERIAL</b> Hardened steel	<b>WEIGHT</b> 88 g / 3.10 oz
<b>SIZE</b> ø2.2 x 6.4 cm / ø0.9" x 2.5"	<b>ART NO.</b> TPS-SP19





One built-in rotating tip and an additional rotating tip



EXTERNAL BOTTOM BRACKET TOOL

Engages the 16 notches of the external bearing cups. Small plastic tool engages the 8 internal splines of the crank arm adjustment cap and engages 16 notches of the external bearing cups for Shimano® BB 9000 for easy removal or installation.

<b>TOOL MATERIAL</b> CrMo steel / Engineering grade plastic	<b>WEIGHT</b> 137 g / 4.82 oz (2 pcs)
<b>SIZE</b> ø5.2 x 4 cm / ø2" x 1.6" (2 pcs)	<b>ART NO.</b> TPS-SP38



PEDAL WRENCH 15MM

15mm open end wrench tool for installation, removal and maintenance of pedals. Offset angle keeps knuckles away from crank arms and chainrings. Long padded handle for better leverage and comfortable use.

<b>OPEN WRENCH</b> 15 mm	<b>SIZE</b> 29 x 3.8 x 2 cm / 11.4" x 1.5" x 0.8"
<b>TOOL MATERIAL</b> Hardened steel	<b>WEIGHT</b> 260 g / 9.15 oz
<b>HANDLE</b> Engineering grade plastic	<b>ART NO.</b> TPS-SP20







### CABLE & HOUSING CUTTER

High quality, spring loaded, hardened steel cutter designed for cutting all types of bicycle cables and housing. With built-in cable and housing end ferrule crimper and housing re-former for easy installation of ferrules.

<b>TOOL MATERIAL</b>	<b>SIZE</b>
Hardened steel	18 x 6.4 x 2.6 cm / 7.1" x 2.5" x 1"
<b>HANDLE</b>	<b>WEIGHT</b>
Ergonomic plastic handle	174 g / 6.12 oz
	<b>ART NO.</b>
	TPS-SP16



Built-in cable & housing end ferrule crimper



Built-in housing re-former for easy installation of ferrules



### HYDRAULIC CALIPER PRESS

Hardened steel caliper pressing tool to push back pistons when replacing/aligning pads or bleeding hydraulic brake systems. Long padded handle for better leverage and comfortable use.

<b>TOOL MATERIAL</b>	<b>SIZE</b>
Hardened steel	23 x 3.6 x 1.5 cm / 9.1" x 1.4" x 0.6"
<b>HANDLE</b>	<b>WEIGHT</b>
Ergonomic plastic handle	195 g / 6.86 oz
	<b>ART NO.</b>
	TPS-SP23



### ROTORTRU

Ergonomically designed disc brake rotor truing tool. Long padded handle for better leverage and comfortable use.

<b>TOOL MATERIAL</b>	<b>SIZE</b>
Hardened steel	20 x 5.6 x 1.5 cm / 7.9" x 2.2" x 0.6"
<b>HANDLE</b>	<b>WEIGHT</b>
Ergonomic plastic handle	180 g / 6.34 oz
	<b>ART NO.</b>
	TPS-SP24



### SUPERSTEEL TIRE LEVER

Full metal tire levers to remove even the most stubborn tire. Built-in changeable plastic pad protects the rim from scratches. Hardened steel with plastic tip cover and extra length for added rim protection and more leverage.

<b>TOOL MATERIAL</b>	<b>WEIGHT</b>
CNC hardened steel / Hardened steel	125 g / 4.40 oz (per piece)
<b>SIZE</b>	<b>ART NO.</b>
20 x 2.5 x 1.4 cm / 7.9" x 1" x 0.55"	TPS-SP10



Built-in changeable plastic pad




Full metal tire levers



### CHAIN WHIP / SPROCKET REMOVER

Hardened steel chain whip for rear cassette locking and freewheel installation and removal. Long padded handle for better leverage and comfortable use .

<b>TOOL MATERIAL</b>	<b>WEIGHT</b>
Hardened steel	305 g / 10.74 oz
<b>SIZE</b>	<b>ART NO.</b>
29 x 3.5 x 1.5 cm / 11.4" x 1.4" x 0.6"	TPS-SP21



Hardened pins to keep the chain in place





### FREEWHEEL REMOVER

Fits Shimano®, SRAM® and other cassette lockrings. Fits Shimano® center lock disc brake lockrings.

<b>TOOL MATERIAL</b>	<b>WEIGHT</b>
Hardened steel	59 g / 2.08 oz
<b>SIZE</b>	<b>ART NO.</b>
ø2.4 x 4.4 cm / ø1" x 1.7"	TPS-S39





## MULTISPOKE WRENCH

Low profile high strength steel spoke wrench easily works on 13G (3.5 mm) / 1 4G (3.4 mm) / 15G (3.2 mm) and Shimano® (4.3 mm) wheel set nipples to adjust spoke tension and true wheelset. NC machined for precise dimensions.

<b>SPOKE WRENCHES</b> 13G / 14G / 15G / Shimano® 4.3 mm	<b>WEIGHT</b> 50 g / 1.76 oz
<b>TOOL MATERIAL</b> Hardened steel	<b>ART NO.</b> TPS-SP42

**SIZE**  
ø4 x 1.3 cm /  
ø1.6" x 0.5"



For 13G / 14G / 15G & Shimano® 4.3mm wheelsets



## DUOSPOKE WRENCH M7 / M9

Low Profile high strength steel spoke wrench easily works on Mavic® M7 or M9 wheelset nipples to adjust spoke tension and true wheelset. Multi-size aero spoke holder included.

<b>SPOKE WRENCHES</b> Mavic® M7 / M9	<b>WEIGHT</b> 68 g / 2.39 oz
<b>TOOL MATERIAL</b> CrMo steel	<b>ART NO.</b> TPS-SP15

**SIZE**  
5.3 x 3.8 x 2.3 cm /  
2.1" x 1.5" x 0.9"



Multi-size aero spoke holder (1.5 / 1.8 / 2.2 mm)



## DUOSPOKE WRENCH DT / 6.0 MM

Low Profile high strength steel spoke wrench easily works on DT (Torx®) or Campagnolo® (6.0 mm) spoke nipples to adjust tension and true wheelset. Multi-size aero spoke holder included.

<b>SPOKE WRENCHES</b> DT Swiss T20 / Campagnolo® 6.0 mm	<b>WEIGHT</b> 65 g / 2.30 oz
<b>TOOL MATERIAL</b> CrMo steel	<b>ART NO.</b> TPS-SP35

**SIZE**  
5.3 x 3.8 x 2.3 cm /  
2.1" x 1.5" x 0.9"



Multi-size aero spoke holder (0.9 / 1.1 / 1.2 mm)



13G / 4.3 mm



14G / 15G

## DUOSPOKE WRENCH 13G / 4.3 MM 14G / 15G

Low Profile high strength steel spoke wrench easily works on different wheelset nipples to adjust spoke tension and true wheelset.

<b>SPOKE WRENCHES</b> 13G (3.5 mm) / Shimano® 4.3 mm	<b>WEIGHT</b> 54 g / 1.97 oz
14G (3.4 mm) / 15G (3.2 mm)	<b>ART NO.</b> TPS-SP13 (13G / 4.3MM)
<b>TOOL MATERIAL</b> CrMo steel	TPS-SP14 (14G / 15G)

**SIZE**  
5.3 x 3.8 x 1.6 cm /  
2.1" x 1.5" x 0.6"




new

## THREADLESS SAW GUIDE

Threadless Saw Guide provides straight cut on steer tubes. Accommodates 1", 1-1/8" and 1-1/4" treadless steer tubes. Includes 2 mm Saw Guide Spacer for carbon saw blades.

<b>TOOL MATERIAL</b> Hardened steel	<b>WEIGHT</b> 257 g / 9.05 oz
<b>SIZE</b> 11 X 6.5 x 3.9 cm / 4.3" x 2.6" x 1.5"	<b>ART NO.</b> TPS-SP26



## HACKSAW

An adjustable frame for 10" and 12" blades feature aluminum die cast handles for accurate cutting. With 45 / 90 degree angle adjustments for ease of cutting and a 10" / 32 tooth per inch superior quality high speed steel blade, the HackSaw makes quick work of aluminum and carbon tubes leaving a clean and flat cut.

<b>TOOL MATERIAL</b> Aluminum / Steel	<b>SIZE</b> 35 x 17 x 2.5 cm / 13.8" x 6.7" x 1"
<b>SAW BLADE</b> HSS Bi-Metal 32T	<b>WEIGHT</b> 550 g / 1.21 lb
<b>ADDED FEATURE</b> Includes one 10" / 32T saw blade	<b>ART NO.</b> TPS-SP47



Features adjustable frame for 10" and 12" blades



45 / 90 degree cutting angle adjustment






### CHAIN HOOK & WEAR INDICATOR

Integrated chain hook holds links during assembly and chain wear indicator provides precise chain measurement for maintenance.

<b>TOOL MATERIAL</b>	<b>WEIGHT</b>
Hardened steel	9.6 g / 0.34 oz
<b>SIZE</b>	<b>ART NO.</b>
10.9 x 2.2 x 1.8 cm / 4.3" x 0.9" x 0.7"	TPS-SP09



### POWERLINK PLIERS

Spring loaded PowerLink pliers easily removes master links. Wire latch holds the handles together when not in use.

<b>TOOL MATERIAL</b>	<b>WEIGHT</b>
Hardened steel	122 g / 4.29 oz
<b>HANDLE</b>	<b>ART NO.</b>
Engineering grade plastic	TPS-SP12
<b>SIZE</b>	
17 x 5.5 x 1.4 cm / 6.7" x 2.2" x 0.6"	



### ALL SPEEDS CHAIN TOOL

High quality chain tool for use with all multi-speed pin type chains, including Campagnolo® 11 speed hollow pin chains. Integrated chain hook holds links during assembly.

<b>SPEED</b>	Secondary chain link fence
Multi-speed chain up to 11 speed	Chain pin breaker
<b>CHAIN HOOK</b>	<b>SIZE</b>
CrMo steel	8.6 x 2.8 x 12.8 cm / 3.4" x 1.1" x 5"
<b>TOOL MATERIAL</b>	<b>WEIGHT</b>
Hardened steel	314 g / 11.05 oz
<b>HANDLE</b>	<b>ART NO.</b>
Aluminum	TPS-SP41

**ADDED FEATURE**  
Rivet anvil of Campagnolo® hollow pin



Stopper for 11 speed hollow chain pin



Chain hook compartment



### COMBOTORQ WRENCH & BIT SET

Simple, easy to use torque wrench allows for correct tightening of bolts on frame and components to recommended torque values for safety and performance. Ergonomic handle for easily applying force to nuts and bolts to their required torque values. Torque Range: 3 - 12 N•m (2.21 - 8.85 lbf•ft).

<b>ALLEN BITS</b>	<b>SIZE</b>
3 / 4 / 5 / 6 mm	12.2 x 4.2 x 16.7 cm / 4.8" x 1.7" x 6.6"
<b>TORX® BITS</b>	<b>WEIGHT</b>
T25	133 g / 4.68 oz
<b>TOOL MATERIAL</b>	<b>ART NO.</b>
Hardened steel	TPS-SP07
<b>BODY</b>	
Engineering grade plastic	



Magnet insert holds tool bits securely



Torque Range: 3-12 N•m



new

### TORQUE 5

Preset 5 N•m (3.68 lbf•ft) torque wrench to prevent damage to lightweight bars, forks, or posts from over-tightening.

<b>ALLEN BITS</b>	<b>SIZE</b>
4 / 5 / 6 mm	8.9 X 2.3 X 6.6 cm / 3.5" x 0.9" x 2.6"
<b>TORX® BITS</b>	<b>WEIGHT</b>
T25	110 g / 3.87 oz
<b>TOOL MATERIAL</b>	<b>ART NO.</b>
Hardened steel	TT2532
<b>BODY</b>	
Hardened steel / Engineering grade plastic	



Magnet insert holds tool bits securely



new

### TORQUE 6

Preset 6 N•m (4.42 lbf•ft) torque wrench to prevent damage to lightweight bars, forks, or posts from over-tightening.

<b>ALLEN BITS</b>	<b>SIZE</b>
4 / 5 / 6 mm	8.9 X 2.3 X 6.6 cm / 3.5" x 0.9" x 2.6"
<b>TORX® BITS</b>	<b>WEIGHT</b>
T25	110 g / 3.87 oz
<b>TOOL MATERIAL</b>	<b>ART NO.</b>
Hardened steel	TT2533
<b>BODY</b>	
Hardened steel / Engineering grade plastic	



Magnet insert holds tool bits securely



D-TORQ WRENCH SERIES FEATURES



Reversing ratchet with thumb wheel action



Programmable for N•m, in•lb, ft•lb, kg•cm



With pre-set torque and over-tighten audible alarms



Comfortable slip-proof wrench handle



Accurate torque readings are critical for carbon parts



Torque Range: 4-80 N•m (D-Torq Wrench DX)



Torque Range: 1-20 N•m (D-Torq Wrench)



D-TORQ WRENCH DX

Features a reversible ratcheting head, standard 3/8" square drive, a box wrench for tool bits and can measure torque in 4 units including N•m, in•lb, ft•lb or kg•cm. The digital readout provides a visible display while there are also separate programmable audible warnings for your target torque value and another for over torque. Never strip threads again! Torque range: 4 - 80 N•m.

<b>FUNCTIONS</b> 21	<b>SOCKETS</b> 8 / 9 / 10 / 11 / 12 / 13 / 14 / 15 mm	<b>UNIT</b> 4 unit (N•m / in•lb / ft•lb / kg•cm)	<b>BATTERY LIFE</b> Approx 48 hr	<b>ADDED FEATURES</b> Track mode Pre-set torque valve Warning sound for over pre-set torque valve LCD display Auto off Hard shell case	<b>SIZE</b> 33.4 x 3.2 x 2.8 cm / 13.1" x 1.2" x 1.1"
<b>BITS</b> 3 / 4 / 5 / 6 / 8 / 10 mm Allen, T25 / T30 / T40 Torx®, #2 Phillips	<b>ADAPTER</b> 3/8" square drive adapter for use w/ bits	<b>BATTERY</b> AAA x 2 (included)	<b>TOOL MATERIAL</b> Hardened steel / Engineering grade plastic	<b>WEIGHT</b> 430 g / 15.13 oz	<b>ART NO.</b> TT2531



Hard shell case (D-Torq Wrench DX)



Hard shell case (D-Torq Wrench)



topeak.com/  
topeak tv



reddot design award  
winner 2009

D-TORQ WRENCH

Features a reversible ratcheting head, a box wrench for tool bits and can measure torque in 4 units including N•m, in•lb, ft•lb, or kg•cm. The digital readout provides a visible display while there are also separate programmable audible warnings for your target torque value and another for over torque. Never strip threads again. Torque range : 1 - 20 N•m.

<b>FUNCTION</b> 10	<b>SCREWDRIVER</b> #2 Phillips	<b>BATTERY LIFE</b> Approx 20 hr	<b>ADDED FEATURES</b> Pre-set torque valve Warning sound for over pre-set torque valve LCD display Auto off Hard shell case	<b>SIZE</b> 20.4 x 2.1 x 2.1 cm / 8" x 0.8" x 0.8"	<b>ART NO.</b> TT2530
<b>BITS</b> 2 / 2.5 / 3 / 4 / 5 / 6 mm Allen, T25 Torx®	<b>UNIT</b> 4 unit (N•m / in•lb / ft•lb / kg•cm)	<b>TOOL MATERIAL</b> Hardened steel / Engineering grade plastic	<b>WEIGHT</b> 153 g / 5.39 oz		
	<b>BATTERY</b> AAA x 1 (included)				





topeak.com /  
topeak.tv



reddot design award  
winner 2008

## ALiEN™ III

The evolution of the revolution! The ALiEN™ III features a stainless steel body for better strength and slimmer profile. Take-apart design allows easy access and full use of all tools. Includes self-tightening tools and a nylon bag.

<b>FUNCTIONS</b> 31	<b>SPACER</b> Engineering grade plastic
<b>ALLEN WRENCHES</b> 2-L / 2.5 / 3 / 4 / 5 / 6 / 8 / 10 mm	<b>TOOL MATERIAL</b> Chrome vanadium steel
<b>TORX® WRENCH</b> T25	<b>BODY</b> Pressed stainless frame / Engineering grade plastic
<b>BOX WRENCHES</b> 8 / 9 / 10 mm	<b>BAG</b> HD Nylon
<b>SPOKE WRENCHES</b> 14G / 15G / Mavic® M7 / Shimano®	<b>ADDED FEATURES</b> Secondary chain link fence Chain pin breaker Two chain pins compartment Tool lock
<b>CHAIN TOOL</b> CrMo steel	<b>SIZE</b> 8 x 4.5 x 4.5 cm / 3.1" x 1.8" x 1.8"
<b>CHAIN HOOK</b> Stainless steel wire	<b>WEIGHT</b> 272 g / 9.57 oz
<b>TIRE LEVERS</b> Super hard anodized	<b>ART NO.</b> TT2354
<b>SCREW DRIVERS</b> #2 Phillips / Flat head	
<b>SERRATED KNIFE / SAW</b> Stainless steel	
<b>BOTTLE OPENER</b> Hardened steel	

| 31 FUNCTIONS



ALiEN™ technology allows tool to separate



Includes its own durable carry bag



Stainless steel tool frame



Snap-out disc brake spacer prevents pad compression

\* The chain tool is compatible with all single and multi-speed pin type chains, except Campagnolo® 11 speed hollow pin chains.

## ALiEN™ II

The award winning, do-it-all tool. 31 function tool folds into a lightweight two piece body - the perfect cycling tool. Includes self-tightening tool and a nylon bag.

<b>FUNCTIONS</b> 31	<b>BOTTLE OPENER</b> Hardened steel
<b>ALLEN WRENCHES</b> 2-L / 2.5 / 3 / 4 / 5 / 6 / 8 / 10 mm	<b>TOOL MATERIAL</b> Chrome vanadium steel
<b>TORX® WRENCH</b> T25	<b>BODY</b> Engineering grade plastic
<b>BOX WRENCHES</b> 9 mm	<b>BAG</b> HD Nylon
<b>OPEN WRENCHES</b> 8 / 10 / 15 mm	<b>ADDED FEATURES</b> Secondary chain link fence Chain pin breaker Air release button Leverage added Two chain pins compartment Tool lock
<b>SPOKE WRENCHES</b> 14G / 15G	<b>SIZE</b> 8.6 x 4.3 x 4.1 cm / 3.4" x 1.7" x 1.6"
<b>CHAIN TOOL</b> CrMo steel	<b>WEIGHT</b> 290 g / 10.21 oz
<b>CHAIN HOOK</b> Stainless steel wire	<b>ART NO.</b> TT2353
<b>TIRE LEVERS</b> Two integrated in body	
<b>SCREW DRIVERS</b> #2 Phillips / Flat head	
<b>SERRATED KNIFE / SAW</b> Stainless steel	

| 31 FUNCTIONS



ALiEN™ technology allows tool to separate



Includes its own durable carry bag

\* The chain tool is compatible with all single and multi-speed pin type chains, except Campagnolo® 11 speed hollow pin chains.



## ALiEN™ XS

The most compact ALiEN™ XS tool. 20 function, high quality tool folds neatly into a compact two-piece body. Includes self-tightening tools.

<b>FUNCTIONS</b> 20	<b>TOOL MATERIAL</b> Chrome vanadium steel
<b>ALLEN WRENCHES</b> 2 / 2.5 / 3 / 4 / 5 / 6 / 8 mm	<b>BODY</b> Engineering grade plastic
<b>BOX WRENCHES</b> 8 / 9 / 10 mm	<b>ADDED FEATURES</b> Tool lock Two piece design Self-tightening tools
<b>SPOKE WRENCHES</b> Stainless steel 14G / 15G	<b>SIZE</b> 7.1 x 3.6 x 4.1 cm / 2.8" x 1.4" x 1.6"
<b>SCREW DRIVERS</b> #2 Phillips / Flat head	<b>WEIGHT</b> 170 g / 5.98 oz
<b>SERRATED KNIFE / SAW</b> Stainless steel	<b>ART NO.</b> TT2357
<b>BOTTLE OPENER</b> Hardened steel	

| 20 FUNCTIONS



ALiEN™ technology allows tool to separate



Includes self-tightening tools

## MINI 20 PRO

A precision full metal 23 function mini tool made to handle any road or trailside repair. T10 and T25 Torx wrenches simplify hydraulic disc brake work. Includes self-tightening tool and a neoprene bag.

<b>FUNCTION</b> 23	<b>TOOL MATERIAL</b> Chrome vanadium steel
<b>ALLEN WRENCHES</b> 2-L / 2.5 / 3 (2 pcs) / 4 / 5 / 6 / 8 / 10 mm	<b>BODY</b> Forged aluminum
<b>TORX® WRENCH</b> T10 / T25	<b>BAG</b> Neoprene
<b>SPOKE WRENCHES</b> 14G / 15G / Mavic® M7 / Shimano®	<b>ADDED FEATURES</b> Secondary chain link fence Chain pin breaker Self-tightening tool
<b>CHAIN TOOL</b> CrMo steel	<b>SIZE</b> 7.6 x 4.2 x 1.8 cm / 3" x 1.6" x 0.7"
<b>CHAIN HOOK</b> Stainless steel wire	<b>WEIGHT</b> 151 g / 5.31 oz
<b>TIRE LEVERS</b> Super hard anodized	<b>ART NO.</b> TT2536B (Black) TT2536GD (Gold) TT2536S (Silver)
<b>SCREW DRIVERS</b> #2 Phillips / Flat head	
<b>BOTTLE OPENER</b> Hardened steel with spoke holder	



| 23 FUNCTIONS



Smooth, machined profile



Chain tool stores inside body



T10 torx® wrench for hydraulic disc brake adjustment



Includes self-tightening tool : 3 mm Allen



Includes neoprene bag

\* The metal tire lever is designed for durability and for emergency use only



new

MINI 9 PRO CB

9 function pro quality tool folds into an ultra lightweight and rigid carbon fiber body. An additional removable folding tire lever stores inside the tool body for a streamlined profile. Perfect for long road rides or endurance mountain biking. Includes a neoprene bag.

<b>FUNCTIONS</b> 9	<b>BODY</b> Carbon fiber
<b>ALLEN WRENCHES</b> 2 / 2.5 / 3 / 4 / 5 mm	<b>BAG</b> Neoprene
<b>TORX® WRENCH</b> T25	<b>ADDED FEATURE</b> Air release button
<b>TIRE LEVERS</b> 1 hardened steel 1 foldable engineering grade plastic	<b>SIZE</b> 7.6 x 2.6 x 1.6 cm / 3" x 1" x 0.6"
<b>SCREW DRIVERS</b> #2 Phillips	<b>WEIGHT</b> 73 g / 2.57 oz
<b>TOOL MATERIAL</b> Chrome vanadium steel	<b>ART NO.</b> TT2552



9 FUNCTIONS



new

MINI 9 PRO

9 function pro quality tool folds in a sleek forged alloy body. An additional removable folding tire lever stores inside the tool body for a streamlined profile. Perfect for long road rides or endurance mountain biking. Includes a neoprene bag.

<b>FUNCTIONS</b> 9	<b>BODY</b> Forged aluminum
<b>ALLEN WRENCHES</b> 2 / 2.5 / 3 / 4 / 5 mm	<b>BAG</b> Neoprene
<b>TORX® WRENCH</b> T25	<b>ADDED FEATURE</b> Air release button
<b>TIRE LEVERS</b> 1 hardened steel 1 foldable engineering grade plastic	<b>SIZE</b> 7.6 x 2.6 x 1.6 cm / 3" x 1" x 0.6"
<b>SCREW DRIVERS</b> #2 Phillips	<b>WEIGHT</b> 73 g / 2.57 oz
<b>TOOL MATERIAL</b> Chrome vanadium steel	<b>ART NO.</b> TT2551B (Black) TT2551GD (Gold) TT2551S (Silver)



9 FUNCTIONS

\* The metal tire lever is designed for durability and for emergency use only



topeak.com /  
topeak tv



Hardened tools withstand years of hard usage



Precise tool surfaces provide smooth operation



Features a separate fold-out tire lever



Includes neoprene bag

\* The metal tire lever is designed for durability and for emergency use only




LUMITOOL 7

Ultra-light full metal 7 function compact wrench tool with one detachable super bright LED light cartridge for repairs in the dark. Includes a neoprene bag.

<b>FUNCTIONS</b> 7 + LED light	<b>TOOL MATERIAL</b> Chrome vanadium steel
<b>ALLEN WRENCHES</b> 2 / 2.5 / 3 / 4 / 5 / 6 mm	<b>BODY</b> Forged aluminum
<b>SCREW DRIVERS</b> #2 Phillips	<b>BAG</b> Neoprene
<b>LAMP</b> 1 super bright white LED	<b>SIZE</b> 7.6 x 2.6 x 1.6 cm / 3" x 1" x 0.6"
<b>BATTERY</b> CR1620 x 2 (included)	<b>WEIGHT</b> 72.4 g / 2.55 oz
<b>BURN TIME (APPROX)</b> 100 hr	<b>ART NO.</b> TT2549

8 FUNCTIONS



MINI 18+

The lightest 20 function mini tool. It packs in a compact, durable package with its own neoprene case. Includes a mini 4 mm Allen key for self-maintenance.

<b>FUNCTIONS</b> 20	<b>TOOL MATERIAL</b> Chrome vanadium steel
<b>ALLEN WRENCHES</b> 2 / 2-L / 2.5 / 3 / 4 (2 pcs) / 5 / 6 / 8 mm	<b>BODY</b> Forged aluminum
<b>TORX® WRENCH</b> T25	<b>BAG</b> Neoprene
<b>SPOKE WRENCHES</b> 14g / 15g	<b>ADDED FEATURES</b> Secondary chain link fence Pad spreader Chain pin breaker Self-tightening tool
<b>CHAIN TOOL</b> CrMo steel	<b>SIZE</b> 8.2 x 4.3 x 2 cm / 3.2" x 1.7" x 0.8"
<b>SCREW DRIVERS</b> #2 Phillips / Flat head	<b>WEIGHT</b> 185 g / 6.51 oz
<b>TIRE LEVER</b> Super hard anodized aluminum	<b>ART NO.</b> TT2518
<b>BOTTLE OPENER</b> Steel	

20 FUNCTIONS



High strength forged alloy body resists torque



Integrated super hard anodized tire lever



Pad spreader for disc brakes & better leverage



Includes neoprene bag

\* The metal tire lever is designed for durability and for emergency use only

\* The chain tool is compatible with all single and multi-speed pin type chains, except Campagnolo® 11 speed hollow pin chains.



High-strength forged alloy body resists torque



Detachable super bright LED light cartridge



Engage / release button



Includes neoprene bag



Tool-free replacement LED light cartridge available when battery expires (Art no. TRK-T072)





MINI 9

Big things from a small package. The Mini 9 is durable, super lightweight and comes with its own neoprene bag.

<b>FUNCTIONS</b> 9	<b>BAG</b> Neoprene
<b>ALLEN WRENCHES</b> 2 / 2.5 / 3 / 4 / 5 / 6 / 8 mm	<b>SIZE</b> 6.6 x 3.1 x 2 cm / 2.6" x 1.2" x 0.8"
<b>TORX® WRENCH</b> T25	<b>WEIGHT</b> 92 g / 3.24 oz
<b>SCREW DRIVER</b> #2 Phillips	<b>ART NO.</b> TT2409
<b>TOOL MATERIAL</b> Chrome vanadium steel	



Ultra light and compact for the minimalist roadie



Includes neoprene bag

 | 9 FUNCTIONS

MINI 9 MT

A sleek, super-light folding tool that features 2 / 3 / 4 / 5 / 6mm Allen wrenches, Phillips head, T10, T15 and T25 Torx wrenches for precise adjustment and hydraulic disc brake work.

<b>FUNCTIONS</b> 9	<b>BAG</b> Neoprene
<b>ALLEN WRENCHES</b> 2 / 3 / 4 / 5 / 6 mm	<b>SIZE</b> 6.6 x 3.3 x 2.1 cm / 2.6" x 1.3" x 0.8"
<b>TORX® WRENCHES</b> T10 / T15 / T25	<b>WEIGHT</b> 92 g / 3.24 oz
<b>SCREW DRIVER</b> #2 Phillips	<b>ART NO.</b> TT2545
<b>TOOL MATERIAL</b> Chrome vanadium steel	



Ultra light and compact for the mountain bikers



Includes neoprene bag

 | 9 FUNCTIONS

MINI 6

Ultra lightweight performer. The Mini 6 has the essential tools needed in a micro-sized package.

<b>FUNCTIONS</b> 6	<b>BAG</b> None
<b>ALLEN WRENCHES</b> 2 / 3 / 4 / 5 / 6 mm	<b>SIZE</b> 6.6 x 2.8 x 1.8 / 2.6"x 1.1" x 0.7"
<b>SCREW DRIVER</b> #2 Phillips	<b>WEIGHT</b> 73 g / 2.57 oz
<b>TOOL MATERIAL</b> Chrome vanadium steel	<b>ART NO.</b> TT2506



Ultra light and compact for the minimalist roadie



Includes neoprene bag

 | 6 FUNCTIONS

new

TOOL MONSTER AIR

Mini tool with CO<sub>2</sub> inflator. Unique articulating two-piece design for added leverage and ease of use and storage. CO<sub>2</sub> inflator head fits Presta and Schrader valves and accepts 16 g / 25 g CO<sub>2</sub> cartridges.

<b>FUNCTIONS</b> 19	<b>CO<sub>2</sub> INFLATOR</b> 6061 CNC aluminum
<b>ALLEN BITS</b> 1.5 / 2 / 2.5 / 3 / 4 / 5 / 6 (2 pcs) / 8 (2 pcs) mm	<b>INFLATOR HEAD</b> Presta / Schrader
<b>TORX® BITS</b> T10 / T25	<b>TOOL MATERIAL</b> Stainless steel
<b>BOX WRENCHES</b> 8 (2 pcs) / 9 mm	<b>ADDED FEATURES</b> Leverage added Chain pin breaker
<b>OPEN WRENCH</b> 15 mm	<b>SIZE</b> 10.6 x 4.7 x 1.5 cm / 4.2" x 1.9" x 0.6"
<b>SPOKE WRENCHES</b> 14G / 15G	<b>WEIGHT</b> 170 g / 5.98 oz
<b>SCREW DRIVERS</b> #2 Phillips	<b>ART NO.</b> TT2555

   | 19 FUNCTIONS



Two-piece design



Tool strap holds tools together securely



Accepts 16 g / 25 g CO<sub>2</sub> cartridges



Articulating two-piece design for added leverage



Unique articulating design on hex tool is easy to use and store with its palm size



new

TOOL MONSTER

Mini tool with high quality chain tool for use with pin type multi-speed chains, including 11 speed hollow pin chains. Unique articulating two-piece design for added leverage and ease of use and storage.

<b>FUNCTIONS</b> 22	<b>CHAIN HOOK</b> Hardened steel wire
<b>ALLEN BITS</b> 1.5 / 2 / 2.5 / 3 / 4 / 5 / 6 & 8 (2 pcs) mm	<b>TOOL MATERIAL</b> Stainless steel
<b>TORX® BITS</b> T10 / T25	<b>ADDED FEATURES</b> Rivet anvil of Campagnolo® hollow pin Secondary chain link fence Leverage added Chain pin breaker
<b>BOX WRENCHES</b> 8 (2 pcs) / 9 mm	<b>SIZE</b> 11 x 5 x 1.7 cm / 4.3" x 2" x 0.7"
<b>OPEN WRENCH</b> 15 mm	<b>WEIGHT</b> 178 g / 6.26 oz
<b>SPOKE WRENCHES</b> 14G / 15G	<b>ART NO.</b> TT2554
<b>SCREW DRIVERS</b> #2 Phillips	
<b>CHAIN TOOL</b> Multi-speed chain up to 11 speed Stainless steel	

   | 22 FUNCTIONS



Two-piece design



Tool strap holds tools together securely



For use with pin type multi-speed chains



Articulating two-piece design for added leverage



Adjusts axle nut with 15 mm open wrench




new

## PREP 25

28 function, pro quality, multi-tool with high strength stainless steel body for heavy duty use and corrosion resistance. Built-in plastic pad on tire lever end protects rims from scratches. Includes carry bag to mount to top tube with ease.

<b>FUNCTIONS</b> 28	<b>TOOL MATERIAL</b> Hardened steel bits
<b>ALLEN BITS</b> 1.5 / 2 / 2.5 / 3 / 4 / 5 / 6 / 8 mm	<b>BODY</b> Stainless steel
<b>TORX® BITS</b> T10 / T15 / T25 / T30	<b>BAG</b> Nylon
<b>BOX WRENCHES</b> 8 & 10 mm (2 pcs) / 15 mm	<b>ADDED FEATURES</b> Secondary chain link fence Chain pin breaker Leverage added Magnetic bit holder Patch Compartment Bit Compartment
<b>SPOKE WRENCHES</b> 14G / 15G	<b>SIZE</b> 16.2 x 3.1 x 1.4 cm / 6.4" x 1.2" x 0.6" (Tool) 17.5 x 7.5 x 1.8 cm 6.9" x 3" x 0.7" (Bag)
<b>CHAIN TOOL</b> CrMo steel	<b>WEIGHT</b> 367 g / 12.92 oz
<b>SCREW DRIVERS</b> #2 Phillips / #6 Flat head	<b>ART NO.</b> TT2553
<b>TIRE LEVERS</b> 1 metal / 1 plastic	
<b>BOTTLE OPENER</b> CrMo steel	
<b>MOUNT</b> Top tube	

 | 28 FUNCTIONS



## URBAN 8

Handy 8 function multi-tool designed for urban/ single speed bike with nut type hubs. High strength stainless steel body for heavy duty use and corrosion resistance. Built-in plastic pad on tire lever end protects rims from scratches. Tool mounts easily to frame bottle cage mounts with included tool-free bolts.

<b>FUNCTIONS</b> 8	<b>TOOL MATERIAL</b> Hardened steel bits
<b>ALLEN BITS</b> 4 / 5 mm	<b>BODY</b> Stainless steel
<b>BOX WRENCH</b> 15 mm	<b>ADDED FEATURES</b> Magnetic bit holder
<b>SPOKE WRENCHES</b> 14G / 15G	<b>SIZE</b> 16.2 x 3.1 x 1.4 cm / 6.4" x 1.2" x 0.6"
<b>TIRE LEVERS</b> 1 metal / 1 plastic	<b>WEIGHT</b> 132 g / 4.65 oz
<b>BOTTLE OPENER</b> CrMo steel	<b>ART NO.</b> TT2550

 | 8 FUNCTIONS



 topeak.com / topeak tv



reddot design award winner 2008

## RATCHET ROCKET™

Make adjustments and repairs with the speed of a formula 1 pit crew. A reversible ratchet driver with 15 function tool in a compact water resistant case that provides quick and easy action.

<b>FUNCTIONS</b> 15	<b>STORAGE BOX</b> Engineering grade polymer / Thermoplastic
<b>ALLEN BITS</b> 2 / 2.5 / 3 / 4 / 5 / 6 mm	<b>ADDED FEATURES</b> Secondary chain link fence Chain pin breaker Magnetic bit holder QR clamp water bottle boss mount (included) Band clamp mount (F55-L)(included) Optional stem cap mount (F66) Storage case
<b>TORX® BIT</b> T25	<b>SIZE</b> 10.8 x 5.6 x 3.2 cm / 4.3" x 2.2" x 1.3"
<b>BOX WRENCH</b> 8 mm	<b>WEIGHT</b> 192 g / 6.76 oz (w/ Storage Box)
<b>CHAIN TOOL</b> CrMo steel	<b>ART NO.</b> TT2520
<b>SCREW DRIVERS</b> #2 Phillips	
<b>TIRE LEVERS</b> 2 hard anodized aluminum levers*	
<b>TOOL MATERIAL</b> Hardened steel bits	
<b>RATCHET TOOL MATERIAL</b> Chrome vanadium steel	

\* The metal tire levers are designed for durability and for emergency use only.

\* The chain tool is compatible with all single and multi-speed pin type chains, except Campagnolo® 11 speed hollow pin chains.

 | 15 FUNCTIONS



new

## RATCHET ROCKET™ LITE DX

Features a fine tooth ratchet mechanism with reverse lever and thumb wheel for quick rotation and control in tight spots and includes hardened steel tools in 2, 2.5, 3, 4, 5, 6 and 8 mm hex, T10, T25 Torx and #2 Phillips bits, 2 plastic tire levers and magnetic bit holder.

<b>FUNCTIONS</b> 15	<b>BAG</b> Nylon
<b>ALLEN BITS</b> 2 / 2.5 / 3 / 4 / 5 / 6 / 8 mm	<b>ADDED FEATURES</b> Leverage added Magnetic bit holder Patch Compartment
<b>TORX® BITS</b> T10 / T25	<b>SIZE</b> 12 x 6.3 x 2.5 cm / 4.7" x 2.5" x 1"
<b>SCREW DRIVERS</b> #2 Phillips	<b>WEIGHT</b> 155 g / 5.46 oz
<b>TIRE LEVERS</b> 2 plastic	<b>ART NO.</b> TT2524
<b>TOOL MATERIAL</b> Hardened steel bits	
<b>RATCHET TOOL MATERIAL</b> Chrome vanadium steel	

 | 15 FUNCTIONS



Packs neatly into a tiny nylon case



Glueless patch compartment



Reversing ratchet with thumb wheel action



Magnetic holder secures bits and adds leverage





reddot design award  
winner 2002

## HEXUS™ II

An award winning 18 function multi-tool with integrated CrMo chain tool and two modular tire levers that snap on the sides. An excellent choice for road or mountain. Includes self-tightening tool.

<b>FUNCTIONS</b> 18	<b>TOOL MATERIAL</b> Chrome vanadium steel
<b>ALLEN WRENCHES</b> 2 / 2.5 / 3 / 4 (2 pcs) / 5 / 6 / 8 mm	<b>BODY</b> Engineering grade plastic
<b>TORX® BIT</b> T25	<b>ADDED FEATURES</b> Secondary chain link fence Air release button Self-tightening tool
<b>SPOKE WRENCHES</b> 14G / 15G	<b>SIZE</b> 9.5 x 4.4 x 2.6 cm / 3.7" x 1.7" x 1"
<b>CHAIN TOOL</b> CrMo steel	<b>WEIGHT</b> 167 g / 5.88 oz
<b>CHAIN HOOK</b> Steel wire	<b>ART NO.</b> TT2538B
<b>SCREW DRIVERS</b> #2 Phillips / Flat head	
<b>TIRE LEVERS</b> 2 engineering grade plastic levers	

   | **18 FUNCTIONS**



Sides of Hexus body remove for use as tire levers



Smooth tool surfaces prevent snagging on jersey pocket



Includes T25 Torx® bit for disc brake repairs




\* The chain tool is compatible with all single and multi-speed pin type chains, except Campagnolo® 11 speed hollow pin chains.

## X-TOOL

For the minimalist. 10 function tool folds neatly inside handle. Includes self-tightening tool.

<b>FUNCTIONS</b> 10	<b>BODY</b> Engineering grade plastic
<b>ALLEN WRENCHES</b> 2 / 2.5 / 3 / 4 (2 pcs) / 5 / 6 / 8 mm	<b>ADDED FEATURE</b> Self-tightening tool
<b>TORX® WRENCH</b> T25	<b>SIZE</b> 9.7 x 2.8 x 1.8 cm / 3.8" x 1.1" x 0.7"
<b>SCREW DRIVER</b> #2 Phillips	<b>WEIGHT</b> 115 g / 4.05 oz
<b>TOOL MATERIAL</b> Chrome vanadium steel	<b>ART NO.</b> TT2321B (Black) TT2321S (Silver)



   | **10 FUNCTIONS**



Robust body and hardened steel tools



Small detachable Allen wrench for two-handed fixes



## SURVIVAL GEAR BOX

30 function multi-tool packed into a custom protective case that mounts to any round tube or seatpost (ø25 mm - ø33 mm) with a secure quick release strap.

<b>FUNCTIONS</b> 30	<b>DISC BRAKE SPACER</b> Engineering grade plastic
<b>ALLEN WRENCHES</b> 1.5 / 2 / 2.5 / 3 / 4 / 5 / 6 mm	<b>TOOL MATERIAL</b> Chrome vanadium steel
<b>SOCKET HEX</b> 8 mm	<b>ADDED FEATURES</b> Secondary chain link fence Chain pin breaker Air release button Sand paper Mini hammer 2 Chain pins & 2 links compartment Self-tightening tool
<b>TORX® WRENCHES</b> T15 / T25	<b>SIZE</b> 10 x 4.6 x 3.5 cm / 3.9" x 1.8" x 1.4"
<b>OPEN WRENCHES</b> 8 / 10 mm	<b>WEIGHT</b> 233 g / 8.20 oz (w/ Clip)
<b>SPOKE WRENCHES</b> 14G / 15G / Mavic® M7 / Shimano® Compatible	<b>ART NO.</b> TT2543
<b>CHAIN TOOL</b> CrMo steel	
<b>CHAIN HOOK</b> Stainless steel wire	
<b>SCREW DRIVER</b> #2 Phillips	
<b>TIRE REPAIR</b> Glueless Patch	
<b>TIRE LEVERS</b> 2 engineering grade plastic levers	

   | **30 FUNCTIONS**



23 function multi-tool



Chain pin breaker



Disc brake spacer



Chain pins & links compartment



All tools pack into a protective plastic case

\* Chain pins & links are not included.



## LINK 11 FOLDING CHAIN TOOL

Compact high quality metal chain tool for use with pin type multi-speed chains, including Campagnolo® 11 speed.

<b>FUNCTIONS</b> 6	<b>ADDED FEATURE</b> Rivet anvil of Campagnolo® hollow pin
<b>SPEED</b> Multi-speed chain up to 11 speed	<b>Secondary chain link fence</b> Chain pin breaker
<b>CHAIN TOOL</b> CrMo steel	<b>SIZE</b> 7.5 x 1.6 x 2.3 cm / 3" x 0.6" x 0.9"
<b>CHAIN HOOK</b> Hardened steel	<b>WEIGHT</b> 93 g / 3.27 oz
<b>ALLEN WRENCH</b> 4 mm	<b>ART NO.</b> TT2548
<b>BODY</b> Stainless	

\* The chain tool is compatible with all multi-speed pin type chains, including Campagnolo® 11 speed hollow pin chains.

    | **6 FUNCTIONS**



A reversible ratchet driver with 10 tools



Compact & foldable chain tool



Rivet Anvil for use with Campagnolo® Chains



Integrated chain hook holds links during assembly



## SUPER CHAIN TOOL

High quality chain tool for use with all single speed and most multi-speed chains, including 10 speed hollow pin chains. Contains 5 and 6 mm Allen wrenches, and chain hook.

<b>FUNCTIONS</b> 7	<b>ADDED FEATURE</b> Secondary chain link fence Chain pin breaker Chain pin holder
<b>ALLEN WRENCHES</b> 5 / 6 mm	
<b>CHAIN TOOL</b> CrMo steel	<b>SIZE</b> 7.6 x 4 x 1.9 cm / 3.0" x 1.6" x 0.7"
<b>CHAIN HOOK</b> Steel wire	<b>WEIGHT</b> 65 g / 2.29 oz
<b>TOOL MATERIAL</b> Hardened steel	<b>ART NO.</b> TT1302
<b>BODY</b> Hardened steel	



Chain pin holder (Chain pin not included)



Integrated chain hook holds links during assembly

\* The chain tool is compatible with all single and multi-speed pin type chains, except Campagnolo® 11 speed hollow pin chains.



7 FUNCTIONS



## UNIVERSAL CHAIN TOOL

An excellent value in a basic do-it-all chain tool. Compatible with all single speed and most multi-speed chains, including 10 speed hollow pin chains.

<b>FUNCTIONS</b> 6	Chain pin breaker Mini hammer Chain pin compartment
<b>CHAIN TOOL</b> CrMo steel	
<b>CHAIN HOOK</b> Stainless steel wire	<b>SIZE</b> 8.3 x 4.3 x 1.5 cm / 3.3" x 1.7" x 0.6"
<b>TOOL MATERIAL</b> Hardened steel	<b>WEIGHT</b> 82 g / 2.89 oz
<b>ADDED FEATURE</b> Secondary chain link fence	<b>ART NO.</b> TT1303



Chain pin breaker



Chain pin compartment (Chain pins not included)

\* The chain tool is compatible with all single and multi-speed pin type chains, except Campagnolo® 11 speed hollow pin chains.



6 FUNCTIONS



## SHUTTLE™ LEVER 1.1

A professional tire lever made from engineering grade plastic. Rigid, strong and durable.

<b>TIRE LEVERS</b> Engineering grade plastic	<b>WEIGHT</b> 28 g / 0.99 oz
<b>SIZE</b> 10.8 x 2.4 x 2.35 cm / 4.3" x 0.9" x 0.9"	<b>ART NO.</b> TTL001



Levers fit together to form a more compact shape



## SHUTTLE™ LEVER 1.2

Made from high strength matrix polymer and engineering grade reinforced plastic. Rigid, strong and durable.

<b>TIRE LEVERS</b> Engineering grade plastic	<b>WEIGHT</b> 45 g / 1.58 oz
<b>SIZE</b> 15 x 2.6 x 1.65 cm / 5.9" x 1.0" x 0.6"	<b>ART NO.</b> TTL002




Ergonomic shape fits comfortably in hand



## RESCUE BOX

A professional glueless patch kit enclosed in a compact aluminum, water resistant case. Robust case features a clip-in compartment for removable chain link and pins and includes 6 FlyPaper glueless patches. Keep your repair items organized and ready to go.

<b>CONTENTS</b> 6 patches, 1 abrasive sheet	<b>WEIGHT</b> 18 g / 0.63 oz
<b>STORAGE BOX</b> Aluminum / Engineering grade plastic	<b>ART NO.</b> TRB01-B (Black) TRB01-DB (Dark Blue)* TRB01-GD (Gold) TRB01-R (Red) TRB01-S (Silver)
<b>SIZE</b> 6 x 3.6 x 1.2 cm / 2.4" x 1.4" x 0.5"	*Blue color not available in the USA



Keeps chain links & pins organized (Chain pins & links not included)



Includes 6 patches & 1 abrasive sheet



## FLYPAPER GLUELESS PATCH KIT COUNTER DISPLAY BOX 20 CASES

6 Patches and 1 abrasive sheet fit in a compact case.

<b>SIZE</b> 17.5 x 9.7 x 3.2 cm / 6.9" x 3.8" x 1.3"	<b>ART NO.</b> TGP03 (20 cases)
--	------------------------------------



## RESCUE BOX COUNTER DISPLAY BOX 16 CASES

6 FlyPaper patches and 1 abrasive sheet fit in a compact water resistant case.

<b>SIZE</b> 22 x 17 x 6 cm / 8.7" x 6.7" x 2.4"	<b>ART NO.</b> TRB02 (16 Cases)
---	------------------------------------

\*Blue color not available in the USA