

Enterprise Network Video Recorder



Enterprise-grade, 3U network video recorder with (16) 2.5/3.5" HDD bays that can provide storage for 70 4K cameras or 140 2K cameras, 210 HD cameras.

Mechanical

Dimensions	481.4 x 480 x 132 mm (19 x 18.9 x 5.2")
Weight	15.8 kg (34.8 lb)
Enclosure material	SGCC steel
Mount material	SGCC steel

Hardware

Management interface	Ethernet In-Band
Networking interface	(1) 1/2.5/5/10 GbE RJ45 port (2) 1/10 GbE SFP+ ports
Power method	Swappable dual AC power adapter, 12V, 45A
Power supply	AC/DC, internal, 550W
Supported voltage range	100–240V AC
Max. power consumption	410W
Max. power budget for Drives	310W
ESD/EMP protection	Air: ± 12kV, contact: ± 8kV
Button	Factory reset
Ambient operating temperature	-5 to 40° C (23 to 104° F)
Ambient operating humidity	5 to 95% noncondensing
Certifications	FCC, CE, IC

LEDs

System	(1) Power: blue/white Flashing white: bootup in progress Flashing blue: firmware upgrading Steady white: factory defaults, awaiting adoption Steady blue: device is adopted
Ethernet	Green: link/activity
SFP+	Green: link/activity
HDD	White: disk detected Amber: disk error

FCC/IC - Required Statement:
https://dl.ui.com/compliance/FCC_IC_required_statement_2023-01-10.pdf



