
# **Fast Wireless Charging Holder**


Instructions




Please read the instructions carefull

before using

## What is included:





Parameters:

### Features:

- Fast charging with 15W output.
- Custom made magnet array, precisely compatible for all Qi compatible devices
- 360 degree rotation for your optimal viewing angle.
- Package includes a high efficient Type C charging cable.

### Product specification:

Alagnetic Charging Head:		
Voltage	5V / 2A 9V / 2A	
Output	5W / 7.5W / 10W / 15W (Max)	
harging frequency	115K-205KHz	Note: The sticky metal ring does not stick well to textured,
nduction Distance	1-3mm	
		□ I   I   I   I   I   I   I   I   I   I


ar Charger:		
Input	DC12-24V	
USB Output	5V/3A 9V/2.1A 12V/1.5A	

### Instructions:

leather or liquid silicone phone cases.

#### Work for most phones and cases

- 1. For iPhone 12 series and newer attach to magnetic mount directly or with MagSafe case.
- 2. For non-MagSafe compatible devices or cases, stick the magnetic ring to center of the back of the case.



to the back of the charging

1. Peel off the protective film

Stick it onto the dashboard,

then assemble the suction

cup to the disc and engage

from the adhesive disc.

Suction Lock Lever.




Instructions:

3. Use two cable ties to secure the charging cable to the base support bar.



4. Stick five cable manager holders along the dashboard to secure the charging cable.



5. Plug the other end into the car charger, then insert it into the car's cigarette lighter socket.



6. Put your phone on the holder. It will start charging automatically.

- 1. Use the product as directed in the instructions.
- 2. Do not disassemble the product or expose it to fire or water to prevent leaks from electrical short circuits.
- 3. Avoid using the wireless charger in hightemperature, humid, or corrosive environments to prevent circuit damage and leaks.
- 4. Keep the wireless charger away from cards with magnetic stripes or chips (e.g., ID or credit cards) to avoid demagnetization.
- 5. Maintain a minimum distance of 20 cm between the wireless charger and implantable medical devices (e.g., pacemakers or cochlear implants) to prevent potential interference.
- 6. Store the wireless charger safely and keep it out of reach of children to avoid accidents.

The pictures only supplies the reference, please take the actual product as the standard.

# FCC Statement

FCC WARNING: This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

can radiate radio frequency energy and, if not installed and

used in accordance with the instructions, may cause harmful

interference to radio communications. However, there is no

guarantee that interference will not occur in a particular

installation.

- Reorient or relocate the receiving antenna.
  - Increase the separation between the equipment and -- Connect the equipment into an outlet on a circuit different
  - from that to which the receiver is connected. - Consult the dealer or an experienced radio / TV technician

The equipment complies with FCC Radiation exposure limit set forth for an uncontrolled environment. The equipment should be installed and operated with a minimum distance of 20cm between the product and your body.