55 mm

Declaration Of Conformity

Declaration Of Commitmey

Hereby,WENZHOU NOVA NEW ENERGY CO.,LTD declares
that the radio equipment type ZSS-KB-TH-LF/
ZSS-KB-TH-LY is in compliance with Directive
2014/53/EU,2014/30/EU, 2011/65/EU.
The full text of the EU declaration of conformity is available
at the following internet address:
https://www.moestech.com/blogs/news/zss-kb-th

Control your home with your voice

Devices are compatible with Amazon Alexa and Google Home supported functionalities.
Please see our step-by-step guide on: https://www.moestech.com/blogs/news/smart-device-linked-voice-speaker

Trouble shooting

If you have problems installing or operating your device, please review its product data sheet: https://www.moestech.com/blogs/news/zss-kb-th

WARRANTY INSTRUCTIONS

WARRANTY INSTRUCTIONS

Dear Sir or Madam, thank you for purchasing the product. We hope you'll enjoy using it.

The warranty for the products in the warranty card is hereby granted as follows.
As a condition of using the warranty, you must comply with the following terms and procedures:

1. Products are covered by a 24-month warranty, effective from the date of purchase of the covered product by a retail customer.

2. In order to exercise warranty rights, the purchaser must present: a) Warranty card, b) Proof of purchase (WAT invoice, financial receipt or other document confirming the actual date of purchase), unless the purchase date of the product comes from the warranty card.

3. If product quality problems occur within 24 months from the date of receipt, please prepare the product and packaging and go to the place or store where you purchased it to apply for after-sales maintenance. If the product is damaged due to personal reasons, a certain

maintenance fee will be charged.

4. We recommend that you properly protect the goods when delivering them to the guarantor – for this purpose, we recommend that you use the original packaging with padding to ensure safe transportation. If you choose to use replacement packaging, we recommend that you ensure that the product is adequately protected from diamage during shipping. We recommend that you place an appropriate sticker on your packaging indicating the product's susceptibility to impact, such as "Warning Glass".

5. Reported defects covered by the warranty will be considered immediately and no later than 14 days from the date of delivery of the goods to the Guarantor.

6. After checking and determining the legality of the warranty claim, the Guarantor's services will repair the product within a reasonable time, not exceeding 30 days from the date of delivery of the goods to the Guarantor. However, if hard—to—find spare parts are required, this deadline may extend the time it takes to deliver the part from the manufacturer's factory.

7. The warranty does not include the performance of

maintenance and similar operations specified in the user manual, and users are obliged to do it themselves.

8. If defects occur due to natural wear and tear during use, the warranty does not cover it.

9. The warranty does not cover:

a) Mechanical damage caused by the user's fault and product defects caused by such damage.

b) Damage caused by improper use of the product.

10. The rights under the guarantee will expire in the following circumstances:

a) Remove the warranty seal from the product.

b) Remove the serial number from the product.

c) Take action to eliminate physical defects in the product outside of authorized service.

outside of authorized service.
d) Use non-original parts and consumables

RECYCLING INFORMATION

All products marked with the symbol for separate collection of waste electrical and electronic equipment (WEEE Directive 2012/19 / EU) must be disposed of separately from unsorted municipal waste. To protect your health and the environment, this equipment must be disposed of at designated collection points for electrical and electronic equipment designated by the government or local authorities. Correct disposal and recycling will help prevent potential negative consequences for the environment and human health. To find out where these collection points are and how they work, contact the installer or your local authority.





FCC Statement

Federal Communication Commission Interference Statement

Statement
This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- measures:

 Reorient or relocate the receiving antenna.

 Increase the separation between the equipment and
- receiver.

 Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

 Consult the dealer or an experienced radio/TV technician

FCC Caution:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Non-modification Statement: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.

WARRANTY CARD

Product Information

Product Type Purchase Date Dealer Information Customer's Name

Customer Address Maintenance Records

Failure date	Cause Of Issue	Fault Content	Principal

Thank you for your support and purchase at we Moes, we are always here for your complete satisfaction, just feel free to share your great shopping experience with us.



If you have any other need, please do not hesitate to contact us first, we will try to meet your demand.







d @moes_smart @ @moes_smart @ www.moes.net





EC REP E-CrossStu-GmbH Mainzer Landstr. 69 ,60329 Frankfurt am Main

Tel: +4969332967674 Made in China Manufacturer

WENZHOU NOVA NEW ENERGY CO.,LTD Address: Power Science and Technology Innovation Center, NO.238, Wei 11 Road, Yueqing Economic Development Zone,

Yueqing, Zhejiang, China Tel: +86-577-57186815

EA17

ZSS-KB-TH-MS-DJ02 EX9ls ()



MORES WITH GOOGLE Assi

Sensor Zigbee Temperature Humidity Instruction Manual

БүиТ 🖰

YOOM

- Bitte scennen Sie den QR-Code, um das deutsche Handbuch, das Installationsvideo und die Funktion seinführung zu erhalten
 Escanee ei Godigo QR pare obtener ei manuel en espeñol, ei video de installación y la introducción de la función
 Veuillez scenner le code QR pour obtenir le manuel en français, la video dinstallation et l'Introduction des fonctions
 Orceawayêre QR-Log, urtoda nonyeuts pywoennome:
 BEQBO по установке и описа.
 - видео по установке и описание функций Scansionare il codice QR per ottenere il manuale in italiano, il video di installazione e la guida alle funzionalita. Video di i nstallazione e funzionalita
 - patronalite display of the construction of
 - من فضلك قم بمسح رمز الاستجابة السريعه(QR-code)،اللحد دليل المستخدم باللغة العربية وفيديو التثبيت ووصف للوظائف



Table Place Mode

Temperature Humidity Sensor on the table to use






Hanging Mode

Temperature Humidity Sensor ishung on a nail

Wall-mounting Mode

Peel of the wall sticker release paper and stick one side of the wall sticker to the adhesive area on the back of the product; after removing the other side of the release paper, stick the product on the indoor wall.



Maintenance and Care

Battery Replacement

Open the back cover from the bottom of the body, put a model CR2032 positive button battery up into the battery compartment, and then squeeze it hard against the clasp and snap the back cover closed.

Maintenance

Avoid washing the product with water, and avoid scrubbing with acid and alkaline detergent.


Packing list

Temperature Humidity Sensor×1 Product manual×1 Wall sticker×1

Product Introduction Zigbee Temperature Humidity Sensor can sense the temperature of surrounging environment and humidity changes in real time, actively report to the user side, at the same time.


combined with other products to achieve a multifunctional smart home scenario.











Preparation for use 1.Download MOES App on App store or scan the QR code





MOES App is upgraded as much more compatibility than Tuya Smart/Smart Life App, functional well for scene controlled by Siri, widget and scene recommendations as the fully new customized service.

(Note: Tuya Smart/Smart Life App still works, but MOES App is highly recommended)

2.Registration or Log in

- Download "MOES" Application.
 Enter the Register/Login Interface, tap "Register" to create an account by entering your phone number to get verification code and "Set pessword. Choose "Log in" if you already have a MOES account.
- 1. Please pull out the insulator in the Zigbee Hygrometer for normal power on state.
- · 2. Click the ZigBee gateway for device adding. Note: Make sure you have successfully connected one Zigbee gateway hub.

. 3. Confirm the device is in



4. Click "Add subdevice" and the "LED already blink" for device searching

5. After the device has been successfully added, click "DONE" for next step

6. Click the device to enjoy its intelligent control for



Product Specifications ZSS-KB-TH-LF/ZSS-KB-TH-LY

Product Name	Zigbee Temperature Humidity Sensor	
Battery specification	CR2032 button cell	
Wireless protocol	Zigbee	
Temperature measurement range	-10°C~50°C	
Humidity measurement range	0%-99%RH	
Working voltage	DC2.4V-3V	
Product size	ф60×16.7mm/16.7×60×60mm	
Screen size	ф46.5mm/46.5×46.5mm	
Product net weight	42g/49.5g	
Frequency Band	2.400~2.484GHz	
Maximum Radio Transmit Power	<+15dBm	

