



HP DeskJet 2810e All-in-One printer

Merk : HP

Productfamilie: DeskJet

Artikelcode: 588Q0B

Productnaam : DeskJet 2810e
All-in-One printer



- Scans naar pdf
 - Printen, kopiëren, scannen
 - Printsnelheden tot 7,5 ppm (zwart) en 5,5 ppm (kleur)
 - Tot 1200 x 1200 dpi gerenderd
- DeskJet 2810e All-in-One printer

HP DeskJet 2810e All-in-One printer. Printtechnologie: Thermische inkjet, Printen: Afdrukken in kleur, Maximale resolutie: 4800 x 1200 DPI, Printsnelheid (kleur, standaard, A4/US Letter): 5,5 ppm. Kopiëren: Kopiëren in kleur, Maximale kopieerresolutie: 300 x 300 DPI. Scannen: Scannen in kleur, Optische scanresolutie: 1200 x 1200 DPI. Duplex functies: Printen. Maximale ISO A-series papierformaat: A4. Wifi. Kleur van het product: Wit

Printing		Performance	
Duplex printing mode	Manual	Internal memory *	64 MB
Print resolution colour	4800 x 1200 DPI	Built-in processor	✓
Print resolution black	1200 x 1200 DPI	Processor frequency	1000 MHz
Print technology *	Thermal inkjet	Sound power level (printing)	6.1 dB
Printing *	Colour printing	Design	
Duplex printing *	✓	Product colour *	White
Maximum resolution *	4800 x 1200 DPI	Colour name	White
Print speed (black, normal quality, A4/US Letter) *	7.5 ppm	Market positioning *	Home & office
Print speed (colour, normal quality, A4/US Letter)	5.5 ppm	Built-in display *	✓
Print speed (black, draft quality, A4/US Letter)	20 ppm	Display	LCD
Print speed (colour, draft quality, A4/US Letter)	16 ppm	Control type	Buttons
Print speed (ISO/IEC 24734) black	7.5 ppm	Power	
Print speed (ISO/IEC 24734) colour	5.5 ppm	Power consumption (ready)	2.8 W
Time to first page (black, normal)	15 s	Power consumption (sleep)	1.4 W
Time to first page (colour, normal)	19 s	Power consumption (off)	0.3 W
Print margin top (min)	3 mm	AC input voltage	100 - 240 V
Print margin bottom (min)	1.27 cm	AC input frequency	50/60 Hz
Print margin left (min)	3 mm	Brand-specific features	
Print margin right (min)	3 mm	HP GTIN (EAN/UPC)	196337820081
Copying		System requirements	
Duplex copying *	✓	Windows operating systems supported	Windows 11, Windows 10
Copying *	Colour copying	Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 13.0 Ventura, Mac OS X 11.0 Big Sur, Mac OS X 10.14 Mojave, Mac OS X 12.0 Monterey
Maximum copy resolution *	300 x 300 DPI	Other operating systems supported	ChromeOS
Copy speed (black, draft, A4)	20 cpm	Operational conditions	
Copy speed (colour, draft, A4)	16 cpm	Operating relative humidity (H-H)	15 - 80%
Maximum number of copies	9 copies	Storage temperature (T-T)	-40 - 60 °C
Scanning		Operating temperature (T-T)	5 - 40 °C
Scanning *	Colour scanning	Non-operating relative humidity (non-condensing)	5 - 90%
Optical scanning resolution *	1200 x 1200 DPI	Operating altitude	0 - 3000 m
Scan drivers	TWAIN	Non-operating altitude	0 - 4500 m
TWAIN version	2.4	Fax	
Faxing *		✗	
Features		Recommended duty cycle	
		50 - 100 pages per month	

Features		Certificates	
Maximum duty cycle *	1000 pages per month	Certification	EN 55032:2015+A11:2020 CLASS B, IEC 61000-4-2:2008, IEC 61000-4-2:2008, IEC 61000-4-3:2020, IEC 61000-4-4:2012, IEC 61000-4-5:2014+A1:2017, IEC 61000-4-6:2013, IEC 61000-4-8:2009, IEC 61000-4-11:2004+A1:2017, EN 301 489-1 V2.2.3, EN 301 489-17 V3.2.4, FCC CFR 47 PART 15, ICES-003, ISSUE 7
Duplex functions *	Print		
Number of print cartridges *	2		
Printing colours *	Black, Cyan, Magenta, Yellow		
Page description languages	URF, PCLm, PCL 3 GUI		
All-In-One-multitasking	✓		
Country of origin	China		
Replacement cartridges	HP 305 Black Original Ink Cartridge (~120 pages yield) 3YM61AE; HP 305XL Black High-Yield Original Ink Cartridge (~240 pages yield) 3YM62AE; HP 305 Tri-Color Original Ink Cartridge (~100 pages yield) 3YM60AE; HP 305XL Tri-Color High-Yield Original Ink Cartridge (~200 pages yield) 3YM63AE; Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies		
HP segment	Home		
Input & output capacity		Sustainability	
Total number of input trays *	1	Sustainability compliance	✓
Total input capacity *	60 sheets	Sustainability certificates	Post-Consumer Recycled Plastic
Total output capacity *	25 sheets	Carbon footprint	
Maximum number of input trays	1	Total carbon footprint (kg of CO2e)	40
Maximum input capacity	60 sheets	Carbon emissions, manufacturing (kg of CO2e)	34
Maximum output capacity	25 sheets	Carbon emissions, logistics (kg of CO2e)	2
		Carbon emissions, end-of-life (kg of CO2e)	3
		Total carbon emissions, w/o use phase (kg of CO2e)	4
Paper handling		Weight & dimensions	
Maximum ISO A-series paper size *	A4	Width	425 mm
Maximum print size	209.9 x 349.6 mm	Depth	304 mm
Paper tray media types *	Envelopes, Photo paper, Plain paper	Height	154 mm
ISO A-series sizes (A0...A9) *	A4, A6	Weight	3.42 kg
ISO B-series sizes (B0...B9)	B5	Packaging data	
Envelopes sizes	B5, DL	Package width	475 mm
Photo paper sizes	10x15 cm	Package depth	191 mm
Photo paper sizes (imperial)	4x6,5x7,8x10	Package height	354 mm
Custom media width	76 - 215 mm	Package weight	4.58 kg
Custom media length	127 - 355 mm	Packaging content	
Paper tray media weight	60 - 300 g/m²	Cartridge(s) included	✓
Ports & interfaces		Included cartridge capacity (black)	100 pages
Direct printing *	✗	Included cartridge capacity (CMY)	50 pages
USB port	✓	Cables included	AC
USB 2.0 ports quantity	1	Bundled software	HP Printer Software, available online
Network		Logistics data	
Wi-Fi *	✓	Harmonized System (HS) code	8443310000
Ethernet LAN *	✗	Pallet gross weight	351 g
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Layers per pallet	6 pc(s)
Mobile printing technologies	Apple AirPrint, Mopria Print Service	Products per pallet	72 pc(s)
Performance		Technical details	
Maximum internal memory	64 MB	Master (outer) cases per pallet layer 12 pc(s) General Product Safety Regulation (GPSR) URL https://support.hp.com/gb-en/product/setup-user-guides/hp-deskjet-2800e-all-in-one-printer-series/model/2101372277?sku=588Q0B	
		Other features	
		Number of users	3 user(s)
		Pallet dimensions (W x D x H)	1200 x 1000 x 2261 mm
		Recommended system requirements	Windows 10, 11, : 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, Internet connection, Internet Explorer.
		Flash memory	24 MB
		Number of print heads	2
		Manufacturer warranty	One-year limited warranty. For more info please visit us at http://support.hp.com



0196337820081




196337820081



0196337820074



196337820074



0196337820050



196337820050

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.