

PHONES

Analog Speaker Cab Emulator



Made in USA

Copyrights & Trademarks

© Copyright Hagerman Amplification 2021. All rights reserved. No part of this document may be photocopied, reproduced, or translated to another language without prior written consent.

Disclaimer

The information contained in this document is subject to change without notice. Hagerman Amplification shall not be liable for errors contained herein or for consequential damages in connection with the furnishing, performance, or use of this material.

Warranty

Hagerman Amplification warrants this product free of defects in materials and workmanship for a period of 10 years (90 days tubes and footswitch). If you discover a defect, Hagerman Amplification will, at its option, repair or replace the product at no charge to you provided you return it during the warranty period, transportation charges prepaid to Hagerman Amplification. This warranty does not apply if the product has been damaged by negligence, accident, abuse or misuse or misapplication, has been damaged because it has been improperly connected to other equipment or has been modified without the express written permission of Hagerman Amplification. This warranty is limited to the replacement or repair of this product and not to damage to equipment of other manufacturers. Any applicable implied warranties, including warranty of merchantability, are limited in duration to a period of the express warranty as provided herein beginning with the original date of purchase and no warranties, whether express or implied shall apply to the product thereafter. Under no circumstances shall Hagerman Amplification be liable for any loss, direct, indirect, incidental, special, or consequential damage arising out of or in connection with the use of this product.

Hagerman Amplification

PO Box 61911 Honolulu, HI 96839 808-383-2704 www.hagamps.com

Description

PHONES is an all-analog speaker cabinet emulator with headphone output and adjustable treble resonance. Use this pedal for practice at home, cranking as loud as you want.

Specifications

Item	Specification
Bypass	Buffered
Output Swing	4Vrms
Distortion	0.03%
Controls	Volume, Tone
Size	5.4" x 2.4" x 2.1"
Input Power	9V to 12V @ 20mA

