



COMPATIBILITY CHARTS

**DUCTLESS
SYSTEMS**
Featuring Puron Advance

TABLE OF CONTENTS

SINGLE ZONE DUCTLESS

Compatibility Single Zone – Infinity Heat Pumps (37MPRAQ/37MAHAQ/37MBHAQ)	2
Compatibility Single Zone – Performance® Series Heat Pump (37MARAQ/37MBRAQ)	3
Compatibility Single Zone – Comfort® Series (37MHRAQ/37MHRAC)	4
Compatibility Crossover Heat Pumps (37MUHAQ/37MURAQ)	7

MULTI-ZONE DUCTLESS

Compatibility Multi-zone (37MGHAQ / 37MGRAQ)	5,6
--	-----

CONTROLS / ACCESSORIES DUCTLESS

Compatibility Ductless Controls	8
Compatibility Ductless Accessories	9



COMPATIBILITY CHARTS

DUCTLESS
SYSTEMS
Featuring Puron Advance

Compatibility Single Zone – Infinity Heat Pumps (37MPRAQ/37MAHAQ/37MBHAQ)

INFINITY INDOOR UNIT		INFINITY HEAT PUMP OUTDOOR UNIT			
		37MPRAQ06AA3	37MPRAQ09AA3	37MPRAQ12AA3	37MPRAQ18AA3
High Wall Infinity	45MPHAQ06XA3	•			
	45MPHAQ09XA3		•		
	45MPHAQ12XA3			•	
	45MPHAQ18XA3				•

Compatibility Single Zone – Infinity Heat Pump (37MAHAQ)

PERFORMANCE INDOOR UNIT		INFINITY® SINGLE ZONE HEAT PUMP OUTDOOR UNIT								
		37MAHAQ06AA3	37MAHAQ09AA3	37MAHAQ12AA3	37MAHAQ18AA3	37MAHAQ24AA3	37MAHAQ33AA3	37MBHAQ36AA3	37MBHAQ48AA3	37MBHAQ58AA3
High Wall Performance	45MAHAQ12XA1									
	45MAHAQ06XA3	•								
	45MAHAQ09XA3		•							
	45MAHAQ12XA3			•						
	45MAHAQ18XA3				•					
	45MAHAQ24XA3					•				
	45MAHAQ30XA3									
	45MAHAQ33XA3						•			
4-Way Cassette	45MAHAQ36XA3									
	45MBCAQ12XA3		•	•						
	45MBCAQ18XA3				•					
	45MBCAQ24XA3					•				
	45MBCAQ36XA3						•			
1-way cassette	45MBCAQ48XA3							•		
	45MCCAQ06XA3	•								
	45MCCAQ12XA3		•							
Floor Console	45MCCAQ18XA3			•	•					
	45MBFAQ09XA3		•							
	45MBFAQ12XA3			•						
Underceiling Console	45MBFAQ16XA3				•					
	45MCFAQ18XA3				•					
	45MCFAQ24XA3					•				
	45MCFAQ36XA3							•		
	45MCFAQ48XA3								•	
Low Static Ducted	45MCFAQ58XA3									•
	45MBDAQ06XA3	•								
	45MBDAQ12XA3		•							
	45MBDAQ12XA3			•						
High Static Ducted	45MBDAQ18XA3				•					
	45MBDAQ12XH3		•							
	45MBDAQ12XH3			•						
	45MBDAQ18XH3				•					
	45MBDAQ24XH3					•				
	45MBDAQ36XH3							•		
	45MBDAQ48XH3								•	
Air Handler	45MBDAQ58XH3									•
	45MBAAQ18XB3				•					
	45MBAAQ24XB3					•				
	45MBAAQ30XB3									
	45MBAAQ36XB3						•			
	45MBAAQ36XA3							•		
	45MBAAQ48XA3								•	
	45MBAAQ60XA3									•



COMPATIBILITY CHARTS

DUCTLESS
SYSTEMS
Featuring Puron Advance

Compatibility Single Zone – Performance® Series Heat Pump (37MARAQ/37MBRAQ)

PERFORMANCE INDOOR UNIT		PERFORMANCE SINGLE ZONE HEAT PUMP OUTDOOR UNIT									
		37MARAQ12AA1	37MARAQ09AA3	37MARAQ12AA3	37MARAQ18AA3	37MARAQ24AA3	37MARAQ30AA3	37MARAQ36AA3	37MBRAQ36AA3	37MBRAQ48AA3	37MBRAQ58AA3
High Wall	45MAHAQ12XA1	•									
	45MAHAQ06XA3										
	45MAHAQ09XA3		•								
	45MAHAQ12XA3			•							
	45MAHAQ18XA3				•						
	45MAHAQ24XA3					•					
	45MAHAQ30XA3						•				
	45MAHAQ33XA3										
4-Way Cassette	45MAHAQ36XA3							•			
	45MBCAQ12XA3		•	•							
	45MBCAQ18XA3				•						
	45MBCAQ24XA3					•					
	45MBCAQ36XA3								•		
1-Way cassette	45MBCAQ48XA3									•	
	45MCCAQ06XA3										
	45MCCAQ12XA3		•								
Floor Console	45MCCAQ18XA3			•	•						
	45MBFAQ09XA3		•								
	45MBFAQ12XA3			•							
Underceiling Console	45MBFAQ16XA3				•						
	45MCFAQ18XA3				•						
	45MCFAQ24XA3					•					
	45MCFAQ36XA3								•		
	45MCFAQ48XA3									•	
Low Static Ducted	45MCFAQ58XA3										•
	45MBDAQ06XA3										
	45MBDAQ12XA3		•								
	45MBDAQ12XA3			•							
	45MBDAQ18XA3				•						
High Static Ducted	45MBDAQ12XH3		•								
	45MBDAQ12XH3			•							
	45MBDAQ18XH3				•						
	45MBDAQ24XH3					•					
	45MBDAQ36XH3								•		
	45MBDAQ48XH3									•	
	45MBDAQ58XH3										•
Air Handler	45MBAAQ18XB3				•						
	45MBAAQ24XB3					•					
	45MBAAQ30XB3						•				
	45MBAAQ36XB3							•			
	45MBAAQ36XA3								•		
	45MBAAQ48XA3									•	
	45MBAAQ60XA3										•



COMPATIBILITY CHARTS

**DUCTLESS
SYSTEMS**
Featuring Puron Advance

Compatibility Single Zone – Comfort® Series (37MHRAQ/37MHRAC)

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT							
		37MHRAQ09AA1	37MHRAQ12AA1	37MHRAQ09AA3	37MHRAQ12AA3	37MHRAQ18AA3	37MHRAQ24AA3	37MHRAQ30AA3	37MHRAQ36AA3
High Wall Comfort	45MHHAQ09XC1	•							
	45MHHAQ12XC1		•						
	45MHHAQ09XC3			•					
	45MHHAQ12XC3				•				
	45MHHAQ18XC3					•			
	45MHHAQ24XC3						•		
	45MHHAQ30XC3							•	
	45MHHAQ36XC3								•

Compatibility Single Zone 37MHRAC Cooling Only Outdoor Unit - Comfort Series

INDOOR UNIT		OUTDOOR UNIT (Cooling Only)				
		37MHRAC12AA1	37MHRAC09AA3	37MHRAC12AA3	37MHRAC18AA3	37MHRAC24AA3
High Wall	45MHHAC12XC1	•				
	45MHHAC09XC3		•			
	45MHHAC12XC3			•		
	45MHHAC18XC3				•	
	45MHHAC24XC3					•



COMPATIBILITY CHARTS

**DUCTLESS
SYSTEMS**
Featuring Puron Advance

Compatibility Multi-zone – Infinity Series

INDOOR UNIT		MULTIZONE HEAT PUMP OUTDOOR UNIT					37MGHAQ55FA3
		37MGHAQ18CA3	37MGHAQ24DA3	37MGHAQ30EA3	37MGHAQ36EA3	37MGHAQ48FA3	
High Wall Infinity*	45MPHAQ06XA3	•	•	•	•	•	•
	45MPHAQ09XA3	•	•	•	•	•	•
	45MPHAQ12XA3	•	•	•	•	•	•
	45MPHAQ18XA3	•	•	•	•	•	•
High Wall Performance	45MAHAQ06XA3	•	•	•	•	•	•
	45MAHAQ09XA3	•	•	•	•	•	•
	45MAHAQ12XA3	•	•	•	•	•	•
	45MAHAQ18XA3	•	•	•	•	•	•
	45MAHAQ24XA3	•	•	•	•	•	•
	45MAHAQ30XA3		•	•	•	•	•
4-Way Cassette	45MBCAQ12XA3	•	•	•	•	•	•
	45MBCAQ12XA3	•	•	•	•	•	•
	45MBCAQ18XA3	•	•	•	•	•	•
	45MBCAQ24XA3	•	•	•	•	•	•
1-way cassette	45MCCAQ06XA3	•	•	•	•	•	•
	45MCCAQ12XA3	•	•	•	•	•	•
	45MCCAQ18XA3	•	•	•	•	•	•
Floor Console	45MBFAQ09XA3	•	•	•	•	•	•
	45MBFAQ12XA3	•	•	•	•	•	•
	45MBFAQ16XA3	•	•	•	•	•	•
Underceiling Console	45MCFAQ18XA3	•	•	•	•	•	•
	45MCFAQ24XA3	•	•	•	•	•	•
Low Static Ducted	45MBDAQ06XA3	•	•	•	•	•	•
	45MBDAQ12XA3	•	•	•	•	•	•
	45MBDAQ12XA3	•	•	•	•	•	•
	45MBDAQ18XA3	•	•	•	•	•	•
High Static Ducted	45MBDAQ12XH3	•	•	•	•	•	•
	45MBDAQ12XH3	•	•	•	•	•	•
	45MBDAQ18XH3	•	•	•	•	•	•
	45MBDAQ24XH3	•	•	•	•	•	•
Air Handler	45MBAAQ18XB3	•	•	•	•	•	•
	45MBAAQ24XB3	•	•	•	•	•	•
	45MBAAQ30XB3		•	•	•	•	•
	45MBAAQ36XB3			•	•	•	•
For high tier 6K/9K/12K high wall indoor units, they are considered as 18K unit in the multi-zone combination. (Same chassis with mid tier 18K High wall)							
For high tier 18K high wall indoor units, they are considered as 24K unit in the multi-zone combination. (Same chassis size with mid tier 24K High wall)							
Up to 2 AHUs can be used for the following combinations only: 18+18, 18+24, 18+30, 18+36, 24+24, 24+30, 24+36. In the case that 2 AHU units are selected, no other units may be connected to the outdoor unit, regardless of remaining ports or capacity availability.							
When a 30k or 36k AHU is utilized with a Multi-Zone ODU, 500 grams (17.6 Oz) of additional refrigerant should be added to the system							



COMPATIBILITY CHARTS

**DUCTLESS
SYSTEMS**
Featuring Puron Advance

Compatibility Multizone 37MGRAQ Heat Pump - Performance Series

INDOOR UNIT		MULTIZONE HEAT PUMP OUTDOOR UNIT					
		37MGRAQ18CA3	37MGRAQ24DA3	37MGRAQ30EA3	37MGRAQ36EA3	37MGRAQ48FA3	37MGRAQ55FA3
High Wall Infinity	45MPHAQ06XA3		•	•	•	•	•
	45MPHAQ09XA3		•	•	•	•	•
	45MPHAQ12XA3		•	•	•	•	•
	45MPHAQ18XA3		•	•	•	•	•
High Wall Performance	45MAHAQ06XA3		•	•	•	•	•
	45MAHAQ09XA3	•	•	•	•	•	•
	45MAHAQ12XA3	•	•	•	•	•	•
	45MAHAQ18XA3	•	•	•	•	•	•
	45MAHAQ24XA3		•	•	•	•	•
	45MAHAQ30XA3			•	•	•	•
	45MAHAQ33XA3					•	•
4-way Cassette	45MBCAQ12XA3	•	•	•	•	•	•
	45MBCAQ12XA3	•	•	•	•	•	•
	45MBCAQ18XA3	•	•	•	•	•	•
	45MBCAQ24XA3		•	•	•	•	•
1-way cassette	45MCCAQ06XA3	•	•	•	•	•	•
	45MCCAQ12XA3	•	•	•	•	•	•
	45MCCAQ18XA3	•	•	•	•	•	•
Floor Console	45MBFAQ09XA3	•	•	•	•	•	•
	45MBFAQ12XA3	•	•	•	•	•	•
	45MBFAQ16XA3	•	•	•	•	•	•
Underceiling Console	45MCFAQ18XA3	•	•	•	•	•	•
	45MCFAQ24XA3		•	•	•	•	•
Low Static Ducted	45MBDAQ06XA3	•	•	•	•	•	•
	45MBDAQ12XA3	•	•	•	•	•	•
	45MBDAQ12XA3	•	•	•	•	•	•
	45MBDAQ18XA3	•	•	•	•	•	•
High Static Ducted	45MBDAQ12XH3	•	•	•	•	•	•
	45MBDAQ12XH3	•	•	•	•	•	•
	45MBDAQ18XH3		•	•	•	•	•
	45MBDAQ24XH3		•	•	•	•	•
Air Handler	45MBAAQ18XB3	•	•	•	•	•	•
	45MBAAQ24XB3	•	•	•	•	•	•
	45MBAAQ30XB3			•	•	•	•
	45MBAAQ36XB3					•	•
For high tier 6K/9K/12K high wall indoor units, they are considered as 18K unit in the multi-zone combination. (Same chassis with mid tier 18K High wall)							
For high tier 18K high wall indoor units, they are considered as 24K unit in the multi-zone combination. (Same chassis size with mid tier 24K High wall)							
Up to 2 AHUs can be used for the following combinations only: 18+18, 18+24, 18+30, 18+36, 24+24, 24+30, 24+36. In the case that 2 AHU units are selected, no other units may be connected to the outdoor unit, regardless of remaining ports or capacity availability.							
When a 30k or 36k AHU is utilized with a Multi-Zone ODU, 500 grams (17.6 Oz) of additional refrigerant should be added to the system							



COMPATIBILITY CHARTS

DUCTLESS
SYSTEMS
Featuring Puron Advance

Compatibility Crossover Heat Pumps (37MUHAQ/37MURAQ)

INDOOR UNIT		PERFORMANCE SINGLE ZONE HEAT PUMP OUTDOOR UNIT					
		37MUHAQ18AA3	37MUHAQ24AA3	37MUHAQ30AA3	37MUHAQ36AA3	37MUHAQ48AA3	37MUHAQ60AA3
Air Handler - Performance	45MUHAQ24XX3	•					
	45MUHAQ24XX3		•				
	45MUHAQ36XX3			•			
	45MUHAQ36XX3				•		
	45MUHAQ60XX3					•	
	45MUHAQ60XX3						•
Air Handler - Comfort	45MUAAQ18XX3	•					
	45MUAAQ24XX3		•				
	45MUAAQ30XX3			•			
	45MUAAQ36XX3				•		
	45MUAAQ48XX3					•	
	45MUAAQ60XX3						•

INDOOR UNIT		COMFORT SINGLE ZONE HEAT PUMP OUTDOOR UNIT					
		37MURAQ18AA3	37MURAQ24AA3	37MURAQ30AA3	37MURAQ36AA3	37MURAQ48AA3	37MURAQ60AA3
Air Handler - Comfort	45MUAAQ18XX3	•					
	45MUAAQ24XX3		•				
	45MUAAQ30XX3			•			
	45MUAAQ36XX3				•		
	45MUAAQ48XX3					•	
	45MUAAQ60XX3						•



COMPATIBILITY CHARTS

DUCTLESS
SYSTEMS
Featuring Puron Advance

Compatibility Ductless Controls

	Indoor unit type		HIGH WALL					CASSETTE		DUCTED	CONSOLE		AIR HANDLER		
	Indoor Family Name	Unit Type	**45MPHA	**45MAHA	**45MHHAQ	**45MHAC	**D5MVHA	45MBCA	45MCCA	45MBDA	45MBFA	45MCFA	45MBAA	45MUAA	45MUHA
WIRED CONTROLLERS	KSACN1201AAA	Single Zone & Multi-zone	•	•	•	•	•	•	•	•	•	•			
	KSACN1401AAA (In built Wi-Fi)	Single Zone & Multi-zone	•	•	•	•		•	•	•	•	•	•	•	•
WIFI KIT	KSAIF0701AAA	Single Zone & Multi-zone	•	•	•	•	•	•	•		•		•	•	•
24V MINI INTERFACE	KSAIC0601230	Single Zone & Multi-zone	•	•	•	•	•	•	•	•	•	•			

*24V Mini is powered by 5V/12 Voltage, It is backward compatible with R410A

	Indoor unit type		HIGH WALL					CASSETTE		DUCTED	CONSOLE	AIR HANDLER	
	Indoor Family Name	Unit Type	40MPHB	40MAHB	40MHHAQ	40MHAC	DHMOVHA	40MBC(A)Q	40MCCA	40MBDA/Q	40MBF(Q)A	40MUAA	40MBAB
WIRED CONTROLLERS	KSACN1201AAA	Single Zone & Multi-zone	•	•	•	•	•	•	•	•	•		
	KSACN1401AAA (In built Wi-Fi)	Single Zone & Multi-zone						•	•	•		•	•
WIFI KIT	KSAIF0701AAA	Single Zone & Multi-zone	•	•	•	•		•	•			•	•
24V MINI INTERFACE	KSAIC0601230	Single Zone & Multi-zone						•	•	•	• ***		

Notes:

Compatible	•
Not Compatible	

Puron Advance

**Only these Puron Advance ductless models are compatible with the Puron ductless Wi-Fi Kit (KSAIF0601AAA) - All other Puron ductless Wi-Fi Kits are not compatible with the Puron Advance ductless product line
Puron ductless wired controllers are not compatible with the Puron Advance ductless product line
24V Mini Interface is not compatible with Puron Advance Air Handlers

R410A Models

***24V Mini Interface is compatible with Puron ductless model Ceiling/Floor Consoles sizes 18K and over
24V Mini Interface is compatible with Puron ductless Cassettes and Ducted models but not compatible with Puron ductless High Walls, Puron 12K Floor Console, and Puron Air Handlers



COMPATIBILITY CHARTS

**DUCTLESS
SYSTEMS**
Featuring Puron Advance

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT (AHU2, AHU3)						
		45MUAAQ18XX3	45MUAAQ24XX3	45MUAAQ30XX3	45MUAAQ36XX3		45MUAAQ48XX3	45MUAAQ60XX3
		45MBAAQ18XB3	45MBAAQ24XB3	45MBAAQ30XB3	45MBAAQ36XB3	45MBAAQ36XA3	45MBAAQ48XA3	45MBAAQ60XA3
C Heaters	EHKMC05KN	•	•	•	•	•		
	EHKMC08KN	•	•	•	•	•	•	
	EHKMC10KN	•	•	•	•	•	•	•
	EHKMC15KN		•	•	•	•	•	•
	EHKMC20KN				•	•	•	•
	EHKMC25KN							•

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT (AHU4)		
		45MUHAQ24XX3	45MUHAQ36XX3	45MUHAQ60XX3
D Heaters	EHKMD05KN	•	•	
	EHKMD08KN	•	•	
	EHKMD10KN	•	•	•
	EHKMD15KN	•	•	•
	EHKMD20KN		•	•
	EHKMD25KN			•

Cassette Panel	Model# R410	Model# R454B
9K-18K	40MBCQ01XXX3	45MBCQ01XXX3
24K-48K	40MBCQ02XXX4	45MBCQ02XXX4

***R410A 9K-18K Cassette Panel will not be compatible with R454B Cassette Panel.**