





Quick Start Guide




F11 PRO


Download App














Unfold the handle









Select an Open Flight










- Press and hold the button until the Aircraft plays startup sound.
- Short-press to power on the Transmitter.

Pair the Transmitter with the Aircraft








• Push up the left stick and the Transmitter plays a sound "di".

- Push down the left stick and the Transmitter plays another sound "di".
- **⚠** Once successfully paired, white light will stay on.

Connect to Wi-Fi

• Connect the mobile device to the Aircraft's Wi-Fi and enter the App operation page. Please refer to user manual (page 31) for more details.






Tap "CONTROLS" icon

Calibrate the Compass



• Rotate the aircraft horizontally 360°. (About 1-2 turns)




• Rotate the aircraft vertically 360°. (About 1-2 turns)

Calibrate the Gyroscope

• Push joysticks to 11 & 1 o'clock position. (About 2 seconds) A level ground

Start the Motors


• Push joysticks to 5 & 7 o'clock position.



Take off

• Push up the left stick or press the "Auto Takeoff" button.







NEW TO FLYING DRONES?



CONTACT US FOR MORE TECH SUPPORT

☑ Rukodrone@gmail.com

S +1 (949) 394 - 4635 (Available from 6pm to 3am PDT)

Printed in China.

Common Problems and Solutions

Question	Reason	Solutions	
	Weak GPS signal	Turn on the Aircraft in an open area with strong GPS signal	
	The red light stays on	The Aircraft has low battery. Please charge the battery in time	
The motors cannot be started	The pink light stays on	The compass is not calibrated. Please refer to the "Calibration Before Flight" section of the user manual	
	The left and right joystick are in place	Push the left and right joysticks simultaneously to 5 o'clock and 7 o'clock for 2 seconds	
	Flying too low, affected by Aircraft airflow	Please fly the Aircraft above 9.84ft(3 meters)	
Unstable flight	The gyroscope is not calibrated	Place the Aircraft on a horizontal surface and conduct gyroscope/horizontal calibration. Please refer to the "Calibration Before Flight" section of the user manual	
Unstable flight	The propellers become deformed and incomplete	Replace the propellers with new ones	
	GPS signal is unstable. Flying near buildings and in obstructed places	Please fly the Aircraft in an open area free of obstacles within the circle of radius 32.81 ft(10 meters)	
	The Transmitter signal is interfered or the Aircraft exceeds the range of remote control	Please fly the Aircraft outdoors without interference, and ensure that it is within a controllable range	
Out of control, spinning around on its own, abnormal sound	Compass interference	Please manually land the drone in time and calibrate the compass. Please make sure to fly away from the buildings, trees, power lines, and signal towers	
	The propellers become deformed and incomplete	Replace the propellers with new ones	
The camera cannot be adjusted up and down	There are obstacles between the camera and the ground. When the Aircraft is turned on,	Restart the drone and ensure that there is enough space under the camera	
up and down	the camera swings down for self-checking and the camera got stuck on obstacles	Recalibrate the gyroscope, and the camera will recheck itself as well	
The camera will not point directly forward	This is the unique design of the camera, not a malfunction	Prevent propellers from affecting photography. Adjust the angle of the camera and let it point straight ahead to acquire best shooting experience	
	The Aircraft is out of Wi-Fi range	Fly the Aircraft within the range of the Wi-Fi	
	WiFi image transmission signal interference	Fly the Aircraft in an unobstructed open area free of buildings, high-voltage wires and signal towers	
Video freezes, image transmission distance is short	The transmitter and the mobile phone are not pointed at the direction of the drone	Point the Transmitter and the mobile device at the flying direction of the Aircraft to maintain the strongest signal connection	
	Phone performance freezes	Close unused apps running in the background to maintain the best performance of the phone	

Question	Reason	Solutions		
	The phone is not connected to Wi-Fi	Connect your mobile device to the Wi-Fi: Ruko*****		
App does not display the	The phone version is too low	Android 6.0 and above, IOS 10.02 and above		
interface	When connecting to the	Set the Wi-Fi correctly		
	drone's WiFi, the network is not set or set incorrectly	Turn the phone to airplane mode		
	VPN switch is turned on	Turn off the VPN switch		
Phone cannot connect to Wi-Fi	It is the first time to connect your phone to the Wi-Fi	Try connecting a few more times or restart the phone		
The WiFi name is not displayed	The phone is a single band phone	Use the dual band devices that support both 2.4 GHz and 5 GHz/5.8 GHz		
in the list	WiFi has not been activated	Wait for about 30 seconds after turning on the Aircraft and keep refreshing the Wi-Fi list while the Wi-Fi is activated		
CDC simulia wash	Turning on the drone indoors	GPS signals cannot be found indoors. Please search for GPS signals in an open place outdoors		
GPS signal is weak	Under the tree, next to the building, in an obstructed place	Please stay away from obstacles for more than 32.81 feet(10 meters), and search for GPS signals in an open area		
Unable to return home, drifting and flying away	GPS signal was turned off during the flight	Please don't turn off GPS suddenly during outdoor flight. Switch back to GPS mode in time		
The Transmitter does not charge / App always says the Transmitter has low battery	The phone cannot connect to the Transmitter due to the wrong sequence for turning equipment on	The correct sequence is: Turn the Aircraft on first, then turn on the Transmitter. Next push the left stick up and down to pair the Transmitter with the Aircraft. Connect your mobile device to Wi-Fi in the end		
The Aircraft cannot be paired with the Transmitter	Pairing the Transmitter with the Aircraft without unlocking the Transmitter	Correct pairing steps: 1. Turn on the Aircraft. 2. Turn on the Transmitter: push the left joystick to 12 o'clock position, and then push it down to 6 o'clock position to unlock the Transmitter and pair it with the Aircraft. Lights of the Aircraft turn pink if the Transmitter is successfully paired with the Aircraft		
Cannot charge battery/Cannot	Using inferior charger or charging on the computer with unstable voltage output	Use a mobile USB charger that ensures constant stable voltage output(5V) and amperage output(2-3A)		
fully charge battery	Using inferior charging cables	Please use the original factory charging cable to charge		
	Flying in windy weather	Flying in windy weather will accelerate power loss		
Short battery life	Flying in cold weather	In low temperatures, the chemical reaction of the lithium battery is slowed down and the energy cannot be fully released		
The product has slight marks	We tested all Aircraft before shipping	In order to give you the best experience, we tested functions of all Aircraft before shipping. Therefore, it is inevitable that there will be slight traces. However, it can be guaranteed that all Aircraft are 100% brand new		

