

DEALER WHOLESALE CATALOG


MODEL 1X65-LUA 159CC

ZONGSHEN

OHV

Used by MTD

Cast Iron Cylinder Sleeve,
Bolt-On Recoil Start,
7/8" Dia. x 1.812"
Keyed Crankshaft,
D/T 3/8-24,
Heavy Flywheel,
Fixed Speed 3500
RPM +/- 100,
Manual Choke,
Rocker Stop Switch,
Fuel Tank Shutoff,
Carbon Cannister Fuel Cap,
Muffler w/Guard



DIM WT 47 LBS

► 524 TO SELL

(Photos Actual Engine)

MODEL EX400-DS6100 404CC

SUBARU

OHC - 14 HP Class

12V Electric Start,
200W Alternator,
1" Dia. x 3-1/2" Crankshaft,
Full Keyway,
D/T 3/8-24,
Convertible Throttle,
Remote Choke,
Less Air Cleaner,
NO Gas Tank,
NO Muffler



H WT 85 LBS


(Photos Actual Engine)

MODEL 15T202-0915 250CC

BRIGGS & STRATTON

1150 Series - 11.50 Gross Torque OHV

Bolt-on Recoil Start,
For MTD Chipper/Shredder,
7/8" Dia. x 2.717 Taper Crankshaft
#817167, Keyway,
D/T 3/8-24,
Manual Throttle,
Choke & Stop,
Lo-Tone Muffler w/Guard,
Not for Sale in California



H DIM WT 63 LBS

► 210 TO SELL

(Photo Not Exact Engine)



Table of Contents

Zongshen, Subaru Engine.....	1
Briggs & Stratton Horizontal Shaft Engines.....	7,15
Briggs & Stratton Vertical Shaft Lawn Mower Engines.....	1,8
Briggs & Stratton Vertical Shaft Rider Engines.....	8-10
LCT Engines.....	11
Kohler Engines.....	12
MTD Engines.....	12
Kawasaki Engines.....	12
Tecumseh Engines.....	12
Transaxles, Transmissions & Hydraulics.....	13-14
Engine Bargain Center.....	15
Replacement Grass Bags.....	16
Lawnmower Decks.....	17
Wire Baskets.....	17
Rotary Blade Grinders.....	18-22
Seats - New.....	23-31
Seats - Factory Seconds.....	31-32
Shop Products.....	33
Belts.....	34-36
Wheels & Tires.....	37-48
Mufflers.....	49
Miscellaneous Parts.....	50-51,53
Harnesses.....	52
Hardware.....	54

BRIGGS & STRATTON ENGINES — VANGUARD

HORIZONTAL SHAFT

MODEL 356447-0080 18 HP BRIGGS & STRATTON Twin OHV

Cast Iron Cylinder Sleeve,
12V Electric Start,
16AMP Alternator
1" Dia. x 3" Keyed Crankshaft,
D/T 3/8-24, Fuel Pump,
Convertible Throttle, Key Panel,
NO Tank, NO Muffler,
Individual Factory Box,
California Tier III Compliant



H WT 95 LBS

(Photo Not Exact Engine)

MODEL 386447-0090 23 HP BRIGGS & STRATTON Twin OHV

Cast Iron Cylinder Sleeve,
12V Electric Start,
16AMP Alternator,
1" Dia. x 3" Keyed Crankshaft,
D/T 3/8-24, Convertable Throttle,
Key Panel, Oil Cooler, Fuel Pump,
NO Tank, NO Muffler,
Individual Factory Box,
California Tier III Compliant



H WT 105 LBS

(Photo Actual Engine)

MODEL 386447-0444 BRIGGS & STRATTON Twin OHV - 23 HP

Cast Iron Cylinder Sleeve,
Recoil & 12V Electric Start,
16AMP Alternator,
1-1/8" Dia. x 4" Keyed Crankshaft,
D/T 7/16-20, Convertable Throttle,
Key Panel, Oil Cooler, Fuel Pump,
NO Tank, NO Muffler,
Individual Factory Box,
California Tier III Compliant




H WT 94 LBS

(Photo Actual Engine)

MODEL 385442-0255 627CC BRIGGS & STRATTON Twin OHV - 21 Gross HP

Recoil Start,
1" Dia. x 3" Crankshaft,
Dual Ball Bearing, D/T 3/8-24,
5" Round Muffler w/Heat Shield,
Cyclonic Air Filter,
Equip. for Remote Throttle Only,
Convertible Choke,
Rocker On/Off Switch, Oil Filter,
Oil Cooler, Fuel Pump, NO Tank,
Individual Factory Box




H WT 105 LBS
8 TO SELL

(Photo Actual Engine)

MODEL 386447-0238 23 HP BRIGGS & STRATTON Twin OHV

Cast Iron Cylinder Sleeve,
12V Electric Start,
16AMP Alternator,
1" Dia. x 3" Keyed Crankshaft,
D/T 3/8-24, Stub Shaft,
ADJ Fixed Speed,
Manual Friction Panel,
Remote Manual Choke,
5" Round Muffler,
Starter Motor Side Outlet,
Fuel Tank, Fuel Pump,
Individual Factory Box



H WT 105 LBS
14 TO SELL

(Photo Actual Engine)

MODEL 386447-0448 627CC BRIGGS & STRATTON Twin OHV - 23 HP

Solenoid Carburetor Shutdown,
Cast Iron Cylinder Sleeve,
Recoil & 12V Electric Start,
16AMP Alternator,
1" Dia. x 3" Keyed Crankshaft,
D/T 3/8-24, Manual Friction,
Push/Pull Manual Choke,
Oil Filter, Oil Cooler,
Oil Pressure Switch,
Fuel Pump, NO Muffler,
Individual Factory Box



H WT 98 LBS

(Photo Actual Engine)

BRIGGS & STRATTON ENGINES

VERTICAL SHAFT

25MM RECOIL START - OHV

MODEL 115P02-0002 175CC

BRIGGS & STRATTON

775 Professional Series - OHV

Recoil Start, 25mm Dia. x 3.156" Keyed Crankshaft, D/T 3/8-24, Fixed Speed, 3200 +/- 100 RPM, ReadyStart, Performance Muffler w/Stamped Guard, Compliance Positive Stop, Check 'n' Add Series

V DIM WT 47 LBS
▶ 332 TO SELL

(Photo Actual Engine)



SINGLE CYLINDER

MODEL 21R707-0130 344CC

BRIGGS & STRATTON

Intek - 10.5 Gross HP

Cast Iron Sleeve, Recoil & 12V Electric Start, 16AMP Alternator, 1" Dia. x 3.157" Keyed Crankshaft, D/T 7/16-20, Choke-A-Matic, Equip. for Remote, Remote Stop Switch, Fuel Pump, Performance Muffler, Gas Tank



V DIM WT 80 LBS

(Photo Actual Engine)



TWIN CYLINDER

MODEL 40N877-0004 656CC

BRIGGS & STRATTON

INTEK - 7200 Series - Twin OHV
20 Gross HP

Solenoid Carburetor Shutdown, Cast Iron Sleeve, 12V Electric Start, Dual Circuit Alternator, 1" Dia. x 3.16" Dynamically Balanced Keyed Crankshaft, D/T 7/16-20, Fuel Pump, Choke-A-Matic, **Oil Filter**, NO Muffler, NO Gas Tank

V WT 90 LBS
▶ 61 TO SELL

(Photo Actual Engine)



RECOIL START 7/8" - OHV

MODEL 121P02-0003 190CC

BRIGGS & STRATTON

875 exSeries - OHV

8.75 Gross Torque

Heavy Flywheel, Recoil Start, Start/Stop Switch, 7/8" Dia. x 1.812" Keyed Crankshaft, D/T 3/8-24, Fixed Speed, 3800 +/- 100 RPM, ReadyStart, Performance Muffler w/Stamped Guard, Non-Compliance, Check 'n' Add Series

Ideal Pressure Washer/Log Splitter Replacement Engine

V DIM WT 47 LBS
▶ 203 TO SELL

(Photo Actual Engine)



MODEL 31R977-0054 500CC

BRIGGS & STRATTON

INTEK - OHV - 17.5 Gross HP

Solenoid Carburetor Shutdown, Cast Iron Sleeve, 12V Electric Start, 9AMP Alternator, 1" Dia. x 3.157" Keyed Crankshaft, D/T 7/16-20, **Oil Filter**, Fuel Pump, Choke-A-Matic, NO Muffler, NO Gas Tank

V DIM WT 80 LBS

(Photo Actual Engine)



MODEL 40N877-0015 656CC

BRIGGS & STRATTON

INTEK - Twin OHV - 20 Gross HP

Solenoid Carburetor Shutdown, Cast Iron Sleeve, 12V Electric Start, Dual Alternator, 1" Dia. x 3.16" Dynamically Balanced Keyed Crankshaft, D/T 7/16-20, ReadyStart, **Oil Filter**, Fuel Pump, NO Muffler, NO Gas Tank

V WT 90 LBS
▶ 44 TO SELL

(Photo Not Exact Engine)



SINGLE CYLINDER

MODEL 21R707-0143 344CC

BRIGGS & STRATTON

POWERBUILT - OHV - 10.5 Gross HP

Cast Iron Cylinder Sleeve, 12V Electric Start, Anti-Vibration System, 9AMP Alternator, 1" Dia. x 3.157" PTO Crankshaft, 1/4" Keyway, D/T 7/16-20, Remote Choke, Fuel Pump, Square Lo-Tone Muffler w/Wire Guard (No Hardware), Gas Tank

Trim Ring & Muffler Guard Shipped Loose

V DIM WT 80 LBS

(Photo Actual Engine)



MODEL 33R877-0029 540CC

BRIGGS & STRATTON

INTEK - OHV - 19 Gross HP

Solenoid Carburetor Shutdown, Cast Iron Sleeve, 12V Electric Start, 9AMP Alternator, 1" Dia. x 3.157" Keyed Crankshaft, D/T 7/16-20, Choke-A-Matic, **Oil Filter**, Fuel Pump, Performance Muffler, NO Gas Tank

V WT 85 LBS

(Photo Actual Engine)



MODEL 40N877-0046 656CC

BRIGGS & STRATTON

INTEK - Twin OHV - 20 Gross HP

Solenoid Carburetor Shutdown, Cast Iron Sleeve, 12V Electric Start, Dual Circuit Alternator, 1" Dia. x 3.16" Dynamically Balanced Keyed Crankshaft, D/T 7/16-20, **Oil Filter**, Choke-A-Matic, Fuel Pump, NO Muffler, NO Gas Tank,
Not for Sale in California

V WT 90 LBS
▶ 25 TO SELL

(Photo Not Exact Engine)



BRIGGS & STRATTON ENGINES

TWIN CYLINDER

MODEL 40N877-0059 656CC

BRIGGS & STRATTON

INTEK - Twin OHV - 20 Gross HP

Solenoid Carburetor Shutdown,
Cast Iron Sleeve, 12V Electric Start,
Dual Alternator, 1" Dia. x 3.16"
Dynamically Balanced Keyed
Crankshaft, D/T 7/16-20, **Oil Filter**,
Choke-A-Matic, Fuel Pump,
NO Muffler, NO Gas Tank

V WT 90 LBS
▶ 23 TO SELL



(Photo Not Exact Engine)

MODEL 44U677-0006 724CC

BRIGGS & STRATTON

Professional Series - Twin OHV
22 Gross HP

Solenoid Carburetor Shutdown,
Cast Iron Sleeve, 12V HD Electric
Start, 16AMP Alternator, 1" Dia. x 3.16"
Dynamically Balanced Keyed
Crankshaft, D/T 7/16-20, Fuel Pump,
Remote Choke, **Premium Oil Filter**,
NO Muffler, NO Gas Tank

V WT 90 LBS



(Photo Actual Engine)

MODEL 44N877-0007 724CC

BRIGGS & STRATTON

INTEK - Twin OHV - 24 Gross HP

Solenoid Carburetor Shutdown,
Cast Iron Sleeve, 12V Electric Start,
9AMP Alternator, 1" Dia. x 3.16"
Dynamically Balanced Keyed
Crankshaft, D/T 7/16-20, **Oil Filter**,
Choke-A-Matic, Fuel Pump,
NO Muffler, NO Gas Tank

Used by
MTD

V WT 90 LBS



(Photo Not Exact Engine)

MODEL 44N677-0045 724CC

BRIGGS & STRATTON

INTEK - Twin OHV - 22 Gross HP

Solenoid Carburetor Shutdown,
Cast Iron Sleeve, 12V Electric Start,
9AMP Alternator, 1" Dia. x 3.16"
Dynamically Balanced Keyed
Crankshaft, D/T 7/16-20, **Oil Filter**,
Choke-A-Matic, Fuel Pump,
NO Muffler, NO Gas Tank

V WT 90 LBS



(Photo Actual Engine)

MODEL 44U677-0018 724CC

BRIGGS & STRATTON

Professional 8240 Series - Twin OHV

Solenoid Carburetor Shutdown,
Cast Iron Sleeve, 12V Electric Start,
16AMP Alternator, 1" Dia. x 3.16"
Dynamically Balanced Keyed
Crankshaft, D/T 7/16-20,
Fuel Pump, Electronic Fuel Mgmt.,
Husqvarna Oil Filter,
NO Muffler, NO Gas Tank,
Not for Sale in California

V WT 90 LBS
▶ 1 TO SELL



(Photo Not Exact Engine)

MODEL 44U877-0007 724CC

BRIGGS & STRATTON

Professional Series - Twin OHV
24 Gross HP

Cast Iron Cylinder Sleeve,
12V Electric Start, 16AMP Alternator,
1-1/8" Dia. x 4.29" Dynamically
Balanced Keyed Crankshaft,
D/T 7/16-20, ReadyStart,
Premium Oil Filter, Fuel Pump,
NO Muffler, NO Gas Tank

V WT 90 LBS
▶ 26 TO SELL



(Photo Not Exact Engine)

MODEL 44N677-0048 724CC

BRIGGS & STRATTON

INTEK - Twin OHV - 22 Gross HP

Solenoid Carburetor Shutdown,
Cast Iron Sleeve, 12V Electric Start,
Dual Alternator, 1" Dia. x 3.16"
Dynamically Balanced Keyed
Crankshaft, D/T 7/16-20,
Choke-A-Matic, **Oil Filter**, Fuel Pump,
NO Muffler, NO Gas Tank,
Not for Sale in California

V WT 90 LBS
▶ 2 TO SELL



(Photo Not Exact Engine)

MODEL 44N877-0005 724CC

BRIGGS & STRATTON

INTEK - Twin OHV - 24 Gross HP

Solenoid Carburetor Shutdown,
Cast Iron Sleeve, 12V Electric Start,
16AMP Alternator, 1.125" Dia. x 4.29"
Dynamically Balanced Keyed
Crankshaft, D/T 7/16-20, ReadyStart,
Oil Filter, Fuel Pump,
NO Muffler, NO Gas Tank

V WT 88 LBS



(Photo Not Exact Engine)

MODEL 44U877-0024 724CC

BRIGGS & STRATTON

Professional Series - Twin OHV
24 Gross HP

Solenoid Carburetor Shutdown,
Cast Iron Sleeve, 12V HD Electric
Start, 9AMP Alternator, 1" Dia. x 3.16"
Dynamically Balanced Keyed
Crankshaft, D/T 7/16-20, Fuel Pump,
ReadyStart, **Premium Oil Filter**,
NO Muffler, NO Gas Tank

V WT 90 LBS
▶ 5 TO SELL



(Photo Not Exact Engine)

BRIGGS & STRATTON ENGINES

TWIN CYLINDER

MODEL 44S977-0005 724CC

BRIGGS & STRATTON

Professional Series - Twin OHV
25 Gross HP

Solenoid Carburetor Shutdown,
Cast Iron Sleeve,
12V HD Electric Start,
9AMP Alternator,
1" Dia. x 3.16" Dynamically
Balanced Keyed Crankshaft,
D/T 7/16-20, Fuel Pump,
Choke-A-Matic, **Oil Filter**,
NO Muffler, NO Gas Tank

V WT 90 LBS
5 TO SELL



(Photo Not Exact Engine)

VANGUARD

MODEL 356777-0154 570CC

BRIGGS & STRATTON

Twin OHV - 18 Gross HP

Cast Iron Sleeve,
12V Electric Start,
16AMP Alternator,
1" Dia. x 3.19" Keyed Crankshaft,
D/T 7/16-20, Remote Choke,
Fuel Pump, **Oil Filter**,
NO Muffler, NO Gas Tank

V WT 98 LBS



(Photo Actual Engine)

TWIN CYLINDER COMMERCIAL TURF



Commercial Turf
Series "V" Twins



Specifically designed for zero-turn mowers
and high-debris applications that endure
extended use in extreme conditions, these
rugged engines are built to get the job
done day in and day out.

The Commercial Series V-Twin engine is
designed with our patented 5-Step Debris
Management System and cyclonic air filter
that keeps harmful debris out.

In addition to the longer air filter
replacement interval, the Commercial
Series V-Twin engine includes tool-less
covers, debris inspection ports and
drop-in air filters with a spring-loaded snap
to make maintenance faster and easier.

MODEL 40T877-0007 656CC

BRIGGS & STRATTON

Commercial Series - OHV - 20 Gross HP

Cast Iron Sleeve, Recoil & 12V HD
Electric Start, 16AMP Alternator,
1.125" Dia. x 4.29" Crankshaft,
1/4" Keyway, D/T 7/16-20,
Cyclonic Air Cleaner, Remote Choke,
Premium Oil Filter, Fuel Pump,
NO Muffler, NO Tank

V WT 92 LBS
21 TO SELL



(Photo Actual Engine)

MODEL 44T777-0008 724CC

BRIGGS & STRATTON

Commercial Turf - OHV - 23 Gross HP

Solenoid Carburetor Shutdown,
Cast Iron Sleeve, 12V Electric Start,
9AMP Alternator, 1" Dia. x 3-5/32"
Keyed Crankshaft, D/T 7/16-20,
Remote Choke, **Low Oil Shutdown**,
Oil Filter, Fuel Pump,
NO Muffler, NO Gas Tank

V WT 100 LBS



(Photo Actual Engine)

MODEL 44C677-0006 724CC

BRIGGS & STRATTON

8240 Commercial Turf Series - Twin OHV

Cast Iron Sleeve,
12V HD Electric Start,
16AMP Alternator, 1" Dia. x 3.16"
Keyed Crankshaft PTO, D/T 7/16-20,
Cyclonic Air Cleaner, Remote Choke,
Husqvarna Oil Filter, Fuel Pump,
NO Muffler, NO Gas Tank,
Not for Sale in California

V WT 94 LBS
11 TO SELL



(Photo Not Exact Engine)

MODEL 44T977-0021 724CC

BRIGGS & STRATTON

INTEK - Commercial Series - Twin OHV
25 Gross HP

Cast Iron Sleeve,
12V HD Electric Start,
9AMP Alternator, 1" Dia. x 3.16"
Keyed Crankshaft PTO, D/T 7/16-20,
Cyclonic Air Filter, **Premium Oil Filter**,
Fuel Pump, Remote Choke,
NO Muffler, NO Gas Tank,
Not for Sale in California

V WT 94 LBS
130 TO SELL



(Photo Actual Engine)

MODEL 44T977-0028 724CC

BRIGGS & STRATTON

Commercial Series - OHV - 25 Gross HP

Cast Iron Cylinder Sleeve,
12V HD Electric Start,
16AMP Alternator,
1" Dia. x 3.16 Keyed Crankshaft PTO,
D/T 7/16-20, 3350 +/- 100 RPM,
Cyclonic Air Cleaner, Remote Choke,
Oil Filter, Fuel Pump,
NO Muffler, NO Gas Tank

V WT 94 LBS
248 TO SELL



(Photo Not Exact Engine)

LCT ENGINES

Order PLMHK-14650124E 208CC

LCT

OHV - 6.5 HP Class

Cast Iron Sleeve, Recoil & 110V Electric Start, 3/4" Dia. x 2-7/16" Crankshaft, Full Keyway, D/T 5/16-24, Manual Choke, Convertable Throttle, Fuel Shutoff Valve, Muffler w/Guard, Metal Gas Tank,

For Sale in U.S. & Canada

H DIM WT 64 LBS
▶ 198 TO SELL



(Photo Actual Engine)

COMMERCIAL SERIES

Order PLMHK-14400124PB 136CC

LCT

CMXX Comm Series - OHV - 4 HP Class

Cast Iron Sleeve, Recoil Start, 3/4" Dia. x 2-7/16" Crankshaft, Full Keyway, D/T 5/16-24, 3600 +/- 50 RPM, Manual Choke, Convertable Throttle, Fuel Shutoff, On/Off Switch, Muffler w/Guard, Metal Gas Tank, 50 State Compliant

H DIM WT 60 LBS
▶ 47 TO SELL



(Photo Actual Engine)

(Great Utility Replacement Engine)

SNOW BLOWER ENGINES

Order PW3HK-1840018E 136CC

LCT

Storm Force™ Series - OHV - 4 HP Class

Cast Iron Sleeve, Recoil & 110V Electric Start, 3/4" Dia. x 2-7/16" Keyed Crankshaft, D/T 3/8-24, Primer, Manual Choke, Fixed Speed, Dual Ball Bearings, Key Switch, Muffler w/Guard, NO Gas Tank, 50 State Compliant

H DIM WT 63 LBS
▶ 50 TO SELL



(Photo Not Actual Engine)

Order PW3HK-1850018PAB 179CC

LCT

Storm Force™ Series - OHV - 5 HP Class

Cast Iron Sleeve, Recoil Start, 3/4" Dia. x 2-7/16" Keyed Crankshaft, D/T 3/8-24, Primer, Manual Choke, Dual Ball Bearings, Fixed Speed, Key Switch, Muffler w/Guard, NO Gas Tank, For Sale in 50 States, Canada & EU

H DIM WT 63 LBS
▶ 231 TO SELL



(Photo Actual Engine)

(Used by Husqvarna SSST)

Order PW3HK-1850018Y 179CC

LCT

Storm Force™ Series - OHV - 5 HP Class

Cast Iron Sleeve, Recoil & 230V Electric Start, 3/4" Dia. x 2-7/16" Keyed Crankshaft, D/T 3/8-24, Primer, Manual Choke, Fixed Speed, Dual Ball Bearings, Key Switch, Low Temp Muffler, NO Gas Tank, European Compliant

H DIM WT 63 LBS
▶ 34 TO SELL



(Photo Not Actual Engine)

(Used by Husqvarna)

Order PW3HK-1865018P 208CC

LCT

Storm Force Series - OHV - 6.5 HP Class

Cast Iron Sleeve, Recoil Start, 3/4" Dia. x 2-7/16" Keyed Crankshaft, D/T 5/16-24, Primer, Manual Choke, Dual Ball Bearings, Fixed Speed, Key Switch, Low Temp Muffler, NO Gas Tank, European Compliant

H DIM WT 63 LBS
▶ 95 TO SELL



(Photo Not Actual Engine)

(Used by Husqvarna)

REPLACEMENT ENGINES FOR SNOW BLOWERS.

Order PW2HK-19850781DY 291CC

LCT

Storm Force Series - OHV - 8.5 HP Class

Cast Iron Sleeve, Recoil & 230V Electric Start, Dual Alternator, 1" Dia. x 3.48" Keyed Crankshaft, D/T 3/8-24, Primer, Manual Choke, Fixed Speed, Dual Ball Bearings, Key Switch, Muffler w/Guard, Metal Gas Tank, U.S. & European Compliant

H DIM WT 80 LBS
▶ 206 TO SELL



(Photo Actual Engine)

(Used by Husqvarna)

Order PW4HK-19850781DE 291CC

LCT

Snow King Series - OHV - 8.5 HP Class

Cast Iron Sleeve, Recoil & 110V Electric Start, 60W AC Alternator, 1" Dia. x 3.48" Keyed Crankshaft, D/T 3/8-24, Primer, Manual Choke, Fixed Speed, Dual Ball Bearings, Key Switch, Muffler w/Guard, Metal Gas Tank, U.S. & European Compliant

H DIM WT 80 LBS
▶ 120 TO SELL



(Photo Actual Engine)

(Used by Husqvarna)

KOHLER ENGINES

VERTICAL SHAFT

MODEL ZT720-3016 725CC

KOHLER

Confidant Series - 21 HP

Recoil Start,
15AMP Unregulated Alternator,
1" Dia. x 3-5/32" Keyed Crankshaft,
D/T 7/16-20, Remote Choke,
Oil Filter, Fuel Pump



V WT 95 LBS
3 TO SELL

(Photo Actual Engine)

HORIZONTAL SHAFT

MODEL CH440-3203 429CC

KOHLER

Command Pro - 14 HP

Used by MTD

Recoil Start, ON/OFF Switch,
1" Dia. x 4" Tapered Crankshaft 17 014 190,
1 Woodruff Slot, D/T 3/8-24,
Spark Arrestor Muffler w/Guard,
Manual Choke & Convertible Throttle,
Gas Tank, Quad Clean Cyclonic Air Filter,
Fuel Shut Off, **Low Oil Shut Down**



H WT 90 LBS
85 TO SELL

(Photo Actual Engine)

TECUMSEH GENERATOR ENGINES Used by Coleman Powermate


MODEL LH358XA-159493 10HP

TECUMSEH

Cast Iron Sleeve, Bolt-on Recoil,
1" Stepped to 7/8" (J609) Ext 6
(4.33") Taper Crankshaft,
D/T 5/16-24, Fixed Speed,
3750 +/- 150 RPM, **Low Oil Shutdown**,
Lighted Stop Switch, NO Tank,
Not for Sale in California

H DIM WT 63 LBS

(Photos Actual Engine)




MODEL EZT740-3023 747CC

KOHLER

Confidant EFI Series - OHV
25 Gross HP

Cast Iron Cylinder Sleeve,
12V Solenoid Shift Electric Start,
15AMP Alternator, 1" x 3-5/32" Crankshaft,
Full Keyway, DT 7/16-20, Fuel Pump,
Remote Oil Filter, NO Tank, NO Muffler



EFI

V WT 110 LBS
3 TO SELL

(Photo Not Exact Engine)

MTD ENGINES

MODEL 1P70MC 173CC

MTD

Recoil Start, No Shroud,
7/8" Dia. x 3-5/32" Crankshaft,
Full Keyway, D/T 3/8-24,
Fixed Speed, Remote Choke,
Muffler w/Guard, Gas Tank

V DIM WT 48 LBS
3 TO SELL



(Photo Actual Engine)

MODEL OH318EA-222712 11HP


TECUMSEH

OHV

Cast Iron Cylinder Sleeve,
Bolt-on Recoil, 1-3/8" Stepped to 7/8"
(J609) Ext 6 (4.33") Taper Crankshaft,
D/T 5/16-24, Fixed Speed,
3750 +/- 150 RPM, **Low Oil Shutdown**,
Lighted Stop Switch, NO Tank

H DIM WT 63 LBS

(Photos Actual Engine)



MODEL ECV850-3013 826CC

KOHLER

Command Pro EFI - Twin OHV - 27 HP

Electronic Fuel Injection,
Cast Iron Cylinder Sleeve,
12V Electric Start, 15AMP Alternator,
1-1/8" Dia. x 4-5/16" Keyed Crankshaft,
D/T 7/16-20, **Oil Filter, Oil Sentry**,
Fuel Pump, Cannister Air Cleaner,
NO Tank, NO Muffler



EFI

V DIM WT 150 LBS
27 TO SELL

(Photo Not Exact Engine)

KAWASAKI ENGINES

MODEL FX850V-AS49R 852CC

KAWASAKI

Twin OHV - 29.5 HP

12V Solenoid Shift Electric Start,
Electronic Fuel Injection,
30AMP Alternator,
1-1/8" Dia. x 4-9/32" Keyed Crankshaft,
D/T 7/16-20, Cannister Air Filter,
Oil Filter, Oil Cooler, Low Oil Shutdown,
NO Muffler, NO Tank

V WT 150 LBS
140 TO SELL




EFI

(Photo Not Exact Engine)

TRANSAXLES & TRANSMISSIONS

Order **618-06075**

Tuff Torq® Hydrostatic Transaxle
Model K62 #7A632084840



Used by MTD


(Photos Actual)

Shipping WT 60 LBS

▶ **235 TO SELL**

Order **437814**

Tuff Torq® Hydrostatic Transaxle
Model K57R #7A646084020



Used by Husqvarna


(Photo Actual)

Shipping WT 41 LBS

▶ **82 TO SELL**

Order **T2-BDBE-1X2B-18X1**

HydroGear Hydrostatic Transaxle
Model T2



Used by Husqvarna
P/N: 587392201


(Photos Actual)

Shipping WT 37 LBS

▶ **63 TO SELL**

Order **T2-CDBE-5X1A-18C1**

HydroGear Hydrostatic Transaxle
Model T2



Used by Husqvarna
P/N: 581115602

(Photos Actual)


Shipping WT 37 LBS

▶ **49 TO SELL**

TRANSMISSIONS & HYDRAULICS

Order **918-04006**

Self Propel Transmission



Used by MTD / Cub Cadet / Troy Bilt

Shipping DIM WT 15 LBS

▶ **4 TO SELL**

(Photos Actual)

MODEL **DUP10E**

Tuff Torq Hydraulic Pump



Used by John Deere P/N: AM136028

Used by Husqvarna P/N: 521976001


WT 20 LBS

▶ **365 TO SELL**

(Photo Actual)

Order **T826-398C**

Front Differential w/ Electric Clutch



Used by Ariens / Gravely 4x4 UTV's

WT 22 LBS

▶ **17 TO SELL**

(Photos Actual)

Order **52711800**

PTO Clutch Kit

1" I.D. Warner
Clutch #5215151,
Attached Spindle
& 4L600 Belt



Used by Ariens / Gravely

WT 26 LBS

▶ **35 TO SELL**

(Photo Actual)

Order **04323500**

Warner Linear Actuator

Max Rating: 1200lbs Dynamic,
3000lbs Static,
4" Stroke Length,
12V DC Motor,
#K2XG10-12V-04R90



Used by Ariens / Gravely

WT 15 LBS

▶ **24 TO SELL**

(Photo Actual)

Order **586344501**

Rear Bagger for 30" Rider

Rear Twin Bagger
w/side chute & 30"
blade and mounting bracket



Used by Husqvarna

TRUCK FREIGHT ONLY

WT 55 LBS

▶ **122 TO SELL**

ENGINE BARGAIN CENTER

Photos may not be exact.

These engines have been discounted and classified into the following categories:

TO = TAKE OFF - taken off products while still at the factory
AI = AS IS - new with minor parts broken/missing, scratches, etc.
UAI = USED AS IS - condition like AI, but shows some run time
NC = NOT COMPLETE - condition like AI engine, but missing some parts, good engines for parts - NO electric starters included

UNC = USED NOT COMPLETE - NC but Used condition
UTO = USED TAKE OFF - TO but Used condition
RTO = ROUGH TAKE OFF - removed from damaged factory products
J = JUNK - parts missing, scratched, broken, etc. - some usable - NO electric starters included

Qty	Engine Model	H=Horizontal V=Vertical	Crankshaft Size Dia. x Length	Fuel Pump Y/N/NA	Alternator	LB WT
-----	--------------	----------------------------	----------------------------------	---------------------	------------	----------

BRIGGS & STRATTON Take Off

TO = Take Off Engines

1	TO8P502-0047	V	7/8 X 1.812	NA	NA	46
2	TO104M02-0221	V	7/8 X 2.992 Taper	NA	NA	47

BRIGGS & STRATTON As Is

AI = As Is Engines

3	AI21R707-0015	V	1 X 3-5/32	NA	DUAL	80
1	AI21R707-0103	V	1 X 3-5/32	NA	DUAL	80
2	AI21R707-0115	V	1 X 3-5/32	NA	DUAL	80
2	AI21R707-0126	V	1 X 3-5/32	NA	DUAL	80
1	AI40N877-0004	V	1 X 3-5/32	Y	DUAL	90
1	AI44S977-0035	V	1 X 3-5/32	Y	16AMP	90

MODEL NC126302-0970 205CC

BRIGGS & STRATTON


800 Series - 8 Gross Torque - OHV

Bolt-On Recoil Start,
 Special MTD Chipper / Shredder,
 7/8" Dia. x 2.71" Tapered Crankshaft,
 Keyway, D/T 3/8-24, Manual Stop,
 Manual Throttle & Choke,
 Lo-Tone Muffler w/ Guard,
 Missing Blower Housing



H WT
 2 TO SELL

(Photo Actual Engine)



Datsun 36V ForkTruck

Used / As Is

- Model CYB02-000262
- 5000# Capacity
- Truck Weight 6680#
- Needs Brake Work & Less Battery

Ships Truck
 Freight Only



KOHLER As Is

AI = As Is Engines


1	AIEZT740-3023	V	1 X 3-5/32	Y	15 AMP	110
1	AIEZT720-3016	V	1 X 3-5/32	Y	Recoil / 15 AMP	95

FANTASTIC SPECIALS

A manufacturer of engine powered floor buffers converted gasoline engines to propane.

Order **198-004**

Walbro LMF Kawasaki 15004-0823



No Throttle
Shaft/Butterfly

Used on FS481V

WT 1 LBS

▶ **1171 TO SELL**

Limit 50 per Customer

Order **198-004A**

Same Model w/Butterfly

(Photos Actual Item)

WT 1 LBS

▶ **285 TO SELL**

Nikki 266 Series & Nikki 300 Series

Model 266-C04

▶ **539 TO SELL**

Order 198-008

(Photos Actual Item)

WT 1 LBS



Model 300-023

▶ **32 TO SELL**

Order 198-007A

Model 300-024

▶ **16 TO SELL**

Order 198-009



Model 266-C03

▶ **54 TO SELL**

Order 198-001A

REPLACEMENT GRASS BAGS

Order **438583**

Grass Bag

Black Plastic,
Used by Husqvarna



DIM WT 10 LBS

▶ **65 TO SELL**

Order **580953402**

Grass Bag

Black Plastic,
Used by Husqvarna,
Models: HU725AWD,
HU800AWD, LC365AWD,
HU800AWDX/BBC,
and others



DIM WT 10 LBS

▶ **7437 TO SELL**

Order **580953406**

Grass Bag

Gray Plastic,
Used by Husqvarna,
Model: LC153V



DIM WT 10 LBS

▶ **817 TO SELL**

Order **581002904**

Grass Bag

Gray Plastic,
Used by Husqvarna,
Model: LC153S



DIM WT 10 LBS

▶ **41 TO SELL**

Order **581002905**

Grass Bag

Black Plastic



DIM WT 10 LBS

▶ **460 TO SELL**

LAWNMOWER DECKS

Order **443257**



Husqvarna 21" Side & Rear
Discharge Mower Deck

DIM WT 45 LBS
▶ **36 TO SELL**

Order **581708302**



Husqvarna 20" Side Discharge
Push Mower Deck

DIM WT 45 LBS
▶ **11 TO SELL**

Order **588610219**



Husqvarna 21" Rear
Discharge Mower Deck

DIM WT 74 LBS
▶ **10 TO SELL**

Order **WB28**

Used Collapsible Small Wire Baskets

Good for display or storage
Height: 24"
Front to Back: 28"
Side to Side: 21"

Ships Truck
Freight Only

Fold Down 1/2 Door

(Actual Photo)



WT 40 LBS
▶ **143 TO SELL**

Order **795329**

Shroud

Used on B&S 126L
or Equivalent Engines

B&S #795089
NO Hardware

DIM WT 6 LBS
▶ **786 TO SELL**



Order **796340**

Shroud

Used on B&S 126M
or Equivalent Engines

B&S #796706
& #790703
NO Hardware

DIM WT 6 LBS
▶ **506 TO SELL**



Order **WB43**

Used Collapsible Wire Baskets

Good for display or storage
43" x 43" x 43"

Ships Truck
Freight Only



Fold Down 1/2 Door



(Actual Photos)

WT 110 LBS
▶ **353 TO SELL**

Order **02463600**

Headlight Assembly

Rubber Coated Bulb 1141,
12V DC / 18.4 Watt,
Used by Ariens/Gravely

WT 8 LBS
▶ **382 TO SELL**



ROTARY BLADE GRINDERS

RBG-712

EASE OF
OPERATION

UNLIMITED
SHARPENING
DEPTH

WHEEL NEVER
REQUIRES
DRESSING



RBG-712


REDUCES
GRINDING
TIME

STANDARD
AND REVERSE
BLADES

ELIMINATES
GRINDING
WHEEL DUST

Sharpening lawnmower blades is no longer complicated with the RBG 712 Blade Grinder. In fact, it has never been easier. Now you can restore your blades to a factory flat edge using our preset blade guide to maintain the proper angle for the best cut and edge life.

By replacing traditional grinding wheels, the RBG 712 will reduce your work time while eliminating grinding wheel dust and wheel dressing. Our unique design will allow you to grind any length of cutting edge required for both standard (right-hand) and reverse (left-hand) rotation flat blades. And with the addition of our optional grit collector, you can maintain a cleaner and safer shop while sharpening your blades.



SPECIFICATIONS

	WEIGHT	WIDTH	DEPTH	HEIGHT	MOTOR	POWER	RPM	DISC	SHARPEN DEPTH
RBG 712	48 LBS	17"	11.5" 20"	11" 13.5"	1/2 H.P.	110 AC	1725	7X5/8"	NO LIMIT

RBG712 Grinder

▶ WT 48 LBS

RBG125 Shelf Stand

▶ DIM WT 123 LBS

RBG940 Grit Collector

▶ WT 10 LBS

RBG780 Fast Grind Disc

▶ WT 2 LBS

ROTARY BLADE GRINDERS

RBG-934

3/4 H.P. MOTOR
FAN COOLED

CONTINUOUS
DUTY
UNLIMITED
SHARPENING
DEPTH

WHEEL NEVER
REQUIRES
DRESSING



RBG-934

EASE OF
OPERATION

REDUCES
GRINDING TIME

STANDARD
AND REVERSE
BLADES

ELIMINATES
GRINDING
WHEEL DUST

The RBG 712 made grinding lawnmower blades simpler and safer than ever before. Now the RBG 934 brings more power and more speed to your shop while providing all the benefits of the RBG 712.

Featuring a 3/4 H.P., continuous duty, fan-cooled motor, the RBG 934 is ready to meet your commercial needs — and with a larger 9" disc wheel, your sharpening time will decrease even more than before. Designed to sharpen any length of standard or reverse rotation straight blades, this grinder will give you a factory flat edge using our preset blade guide to maintain the proper angle for the best cut and edge life.



SPECIFICATIONS

	WEIGHT	WIDTH	DEPTH	HEIGHT	MOTOR	POWER	RPM	DISC	SHARPEN DEPTH
RBG 934	59 LBS	20"	14.5" 22.75"	13" 15"	3/4 H.P. Continuous Duty	110 AC	1725	9X5/8"	NO LIMIT

RBG934 Grinder

▶ DIM WT 85 LBS

RBG125 Shelf Stand

▶ DIM WT 123 LBS

RBG940 Grit Collector

▶ WT 10 LBS

RBG981 Fast Grind Disc

▶ WT 5 LBS

ROTARY BLADE GRINDERS

R.B.G. Grinders offer the most complete line of blade grinders, accessories, and grinding wheels available.

Designed exclusively for your grinding needs. R.B.G. Grinders are fast and easy to use.


Designed to sharpen both right and left hand blades to O.E.M. specifications for angle (bevel) by simply turning the handle located on top of the machine. Turn it up for longer bevel and down for shorter bevel.

This specially designed adjustment allows you to use the grinding wheel right down to the very last.

All electrical components are enclosed and have a grounded circuit for operators protection.

WARRANTY

RBG GRINDERS ARE WARRANTED FOR A PERIOD OF (1) YEAR AGAINST DEFECTIVE MATERIAL AND WORKMANSHIP. WARRANTY IS VOID IF NEGLECTED OR ABUSED OR IF THIS UNIT HAS BEEN ALTERED IN ANY WAY WITHOUT FACTORY APPROVAL. THE FACTORY RESERVES THE RIGHT TO CHANGE DESIGN & ALTER SPECS, WITHOUT OBLIGATION TO MACHINES SHIPPED PRIOR TO CHANGES. WE DO NOT WARRANT WHEELS. EACH GRINDER IS TESTED BEFORE BEING SHIPPED. THIS IS TO MINIMIZE THE POSSIBILITY OF RECEIVING A DEFECTIVE UNIT.



Model **BG-121**

The standard BG-121 is designed to be the most affordable Blade Grinder available. All BG Grinders feature a totally enclosed Standard Duty Motor which requires an arbor to mount the RBG Grinding Wheel. All BG and RBG

Grinders have a specially designed reversing switch which allows you to grind both right and left hand blades to a fine hollow grind. All BG and RBG

Grinders have quick guard removal for easy wheel replacement.

Equipped with 8" Ruby Wheel.

► WT 56 LBS

COMMERCIAL GRINDERS



Model **RBG-3410-C**

The RBG-3410-C Commercial Blade Grinder is designed to sharpen Standard Blades as well as Commercial Blades. The 10" premium Grade Ceramic Wheel, extra large frame and work table easily accommodates the extra wide bevels found on commercial blades. The 3410-C comes with a Commercial Duty 3/4 H.P. Bell Front Motor designed exclusively for RBG Grinders

► WT 85 LBS



Model **RBG-1012-C**

Designed to sharpen "all blades": Bush Hog Type, Commercial, as well as Standard Blades. The 1012-C comes with a totally sealed 1 H.P. Commercial Duty Motor and features a 12" Ceramic Wheel. The extra large frame and work table are manufactured from 3/16" formed steel. If your shop requires an extra hard working Commercial Duty Blade Grinder, the RBG-1012-C is manufactured for your needs.

► WT 142 LBS

ROTARY BLADE GRINDERS

DUAL PURPOSE BLADE GRINDER / BLADE CLEANER

SPECIAL PACKAGE OFFER

UPGRADE SPECIAL!


(You get all the necessary items for total sharpening performance.)

UPGRADE SPECIAL!

PROFESSIONAL \ COMMERCIAL MODELS

PRO GRINDER 3410C-SS

- 10" Ceramic Wheel
- 9.3" Sharpening Depth
- Powerful 3/4 H.P. Motor giving 4516.6 SFPM
- Sealed Bell Front on 3/4 H.P. Motor
- Heavy Duty Shelf Stand
- Grit Collector Switches from right to left side
- Mulcher Blade Adaptor allows you to sharpen blades of irregular shapes
- Diamond Wheel Dresser



▶ WT 210 LBS

PRO GRINDER 1012C-SS

- 12" Ceramic Wheel
- 10.5" Sharpening Depth
- Powerful 1 H.P. Motor giving 5423.4 SFPM
- Sealed Bell Front on 1 H.P. Motor
- Shelf Stand
- 2 Grit Collectors
- Mulcher Blade Adaptor allows you to sharpen blades of irregular shapes
- Diamond Wheel Dresser
- NO U.P.S. - TRUCK ONLY



▶ WT 315 LBS

STEEL STAND Order RBG-120

- Fits Models BG-121 & RBG3410-C
- 14 Gauge
- L: 22"
- H: 38"
- W: 19"



▶ WT 100 LBS

STAND Order RBG-130


- Fits Model RBG-1021-C
- 11 Gauge
- L: 26"
- H: 38"
- W: 36"



▶ WT 130 LBS

DUST CONTROL STAND Order RBG-220


- Fits Model RBG 3410-C
- 14 Gauge
- L: 22"
- H: 38"
- W: 30"



▶ WT 151 LBS

DUST CONTROL STAND Order RBG-330

- Vacuum Assisted Unit For Model RBG 1012-C
- 11 Gauge
- L: 26"
- H: 38"
- W: 36"



▶ WT 181 LBS

GRINDING WHEELS

Abrasive Wheels are produced in a wide range of specifications to perform in a wide range of grinding applications.



RBG
Ruby Wheels



RBG
Ceramic Wheels

RUBY WHEEL Ruby - Aluminum Oxide Grinding Wheel

Rich ruby red in color, these wheels are much harder and extra tough, designed for their performance qualities to sharpen quicker while reducing burn

ORDER	SIZE	FITS	WT	TYPE
RBG1208	8"	BG-121	6 LBS	Ruby
RBG1210	10"	RBG3410C	10 LBS	Ruby
RBG10112	12"	RBG1012-C	12 LBS	Ruby


CERAMIC WHEEL Ceramic - Aluminum Oxide Grinding Wheel

These are blue in color and exhibit micro fracture ability, excellent on very difficult to grind applications, these have the highest level of quality and maximum product performance

ORDER	SIZE	FITS	WT	TYPE
RBG2208	8"	BG-121	6 LBS	Ceramic
RBG2210	10"	RBG-3410-C	9 LBS	Ceramic
RBG10124	12"	RBG1012-C	9 LBS	Ceramic

RBG Light Kit**Order****RBG10070**

This light kit is an excellent way to light up the work area. This unit is used on ALL models.

RBG Diamond Tip Dressers

5 LBS

Tip Dressers are a fast and easy method for truing the surface of the Grinding Wheel. RBG Diamond Dressers increase wheel life and performance for a smoother operation.

ORDER	FITS
-------	------

RBG-1341	BG121
----------	-------

RBG-10043	RBG-2191-DP RBG-3410-C RBG-1012C
-----------	--

RBG Mulching Plate

2 LBS



Designed to convert RBG Grinders from Standard Blade Grinder to Mulching Blade Grinders.

ORDER	FITS
-------	------

RBG1245	BG-121
---------	--------

RBG1691	RBG-3410-C
---------	------------

RBG10075	RBG1012-C
----------	-----------

RBG Grit Collector

5 LBS



Can be ordered for ANY model. Catch/Collect those little steel shavings and waste in these handy collectors.

ORDER	FITS
-------	------

RBG940	RBG-712 & RBG-934
--------	----------------------

RBG1240	BG-121
---------	--------

RBG3440	RBG-3410-C
---------	------------

RBG10044	RBG-1012-C
----------	------------

Upgrade your RBG grinder to sharpen mulching blades. Make the RBG712 or RBG934 a more versatile machine by adding our new upgrade kits. With the addition of a secondary wheel and grinding platform, you can sharpen curved mulching blades along with your standard straight and high lift mower blades.

DIM WT 18 LBS

Order

RBG 712-50
RBG 934-50

RBG 785 Replacement 7" Flap Wheel for Upgrade Kit



712-50 UpGrade Kit



934-50 UpGrade Kit



934-50 UpGrade Kit Mounted

MULTI SEAT SHIPPING OFFER

The United Parcel & FedEx Dimensional weight calculations have an impact.

Due to the irregular shape of a seat, shipping cost is based on the box size and not the actual weight — resulting in a higher shipping price than some seats actually cost! In an effort to minimize the per seat shipping costs, we've designed some multi-pack shipping options for your convenience!



DIM WT
Use 81 LBS

Multi-pack of 2
TS28/TS38
(17"-19" back)
Can mix or match
the above part #'s



DIM WT
Use 81 LBS

Multi-pack of 3
TS25/TS35
(13"-16" back)
Can mix or match
the above part #'s



DIM WT
Use 75 LBS

Multi-pack of 4
TS24/TS34
(11"-12" back)
Can mix or match
the above part #'s



DIM WT
Use 67 LBS

Multi-pack of 4
TS23/TS33
(9"-10" back)
Can mix or match
the above part #'s

FACTORY NEW

RIDER SEAT



DIM WT
USE 48 LBS

(Special Channel Slide Mount)

► 3 TO SELL

Order 436611X428
Dark Gray, Plastic, W: 19" L: 18" H: 14"

RIDER SEAT



DIM WT
USE 23 LBS

► 186 TO SELL

Order S933002AR
Black, NO Logo, 3-Bolt Mounts,
Back Center Mount Recessed,
W: 17" L: 16" H: 9"

RIDER SEAT



DIM WT
USE 23 LBS

► 10 TO SELL

Order S933004AB
Gray, NO Logo, 4-Bolt Mounts,
Mounting Holes Recessed,
W: 17-1/2" L: 15" H: 9-1/2"

RIDER SEAT




DIM WT
USE 23 LBS

► 39 TO SELL

Order S93319639
Black, NO Logo, 3-Hole Mounts,
Back Central Hole Recessed,
W: 17-1/2" L: 15" H: 9"

RIDER SEAT



DIM WT
USE 23 LBS

► 34 TO SELL

Order TS23-00
Black, NO Logo, 2 Sets of 4-Hole
Mounts, W: 19" L: 16" H: 9"

RIDER SEAT



DIM WT
USE 23 LBS

► 52 TO SELL

Order TS23-14211
NO Logo, Black, 4-Bolt Mounts
W: 17-1/2" L: 15-1/2" H: 8-1/2"

FACTORY NEW

RIDER SEAT



► 7 TO SELL

Order **TS33-00001**

NO Logo, Black, 4-Bolt Mounts
W: 17-1/2" L: 15-1/2" H: 9"

RIDER SEAT



► 27 TO SELL

Order **TS33-00003**

NO Logo, Gray, 4-Bolt Mounts
W: 17" L: 15-1/2" H: 9"

RIDER SEAT



► 157 TO SELL

Order **TS33-00004**

Black, NO Logo, 4-Bolt Mounts
W: 17" L: 15" H: 9"

RIDER SEAT



► 99 TO SELL

Order **TS33-III**

Yellow, NO Logo, 4-Bolt Mounts,
Drain Hole, Mounting Holes Recessed
W: 17-1/2" L: 15" H: 9"

RIDER SEAT



► 32 TO SELL

Order **S934006AB**

Black, NO Logo, 4-Bolt Mounts,
4-Hole Mounts Recessed
W: 17-1/2" L: 17" H: 12"

RIDER SEAT



► 703 TO SELL

Order **S934006AR**

Black, NO Logo, 3-Bolt Mounts,
3rd Mount Hole Recessed
W: 17-1/2" L: 18" H: 11-1/2"

RIDER SEAT



► 2 TO SELL

Order **S934007AB**

Black, NO Logo, 4-Bolt Mounts
W: 17" L: 17-1/2" H: 11-1/2"

RIDER SEAT



► 35 TO SELL

Order **S934014AB**

Black, 4-Bolt Mounts, Drain Hole
W: 17" L: 18" H: 11-1/2"

RIDER SEAT



► 15 TO SELL

Order **S9340183AR**

NO Logo, Black, 3-Bolt Mounts
W: 17" L: 17-1/2" H: 12"

RIDER SEAT



► 4 TO SELL

Order **TS24-16257**

Black, 4-Bolt Mounts
W: 17-1/2" L: 17" H: 11-1/2"

RIDER SEAT



► 5 TO SELL

Order **TS34-00003**

NO Logo, Black, 4-Bolt Mounts
W: 17-1/2" L: 17-1/2" H: 11-1/2"

RIDER SEAT



► 162 TO SELL

Order **TS34-00004**

NO Logo, Black, 4-Bolt Mounts
W: 17" L: 17" H: 11-1/2"

FACTORY NEW

RIDER SEAT



▶ 10 TO SELL

Order **TS34-00005**

NO Logo, Black, 4-Bolt Mounts
W: 17-1/2" L: 17" H: 11-1/2"

RIDER SEAT



▶ 74 TO SELL

Order **TS34-31183**

Black, 3-Bolt Mounts
W: 17" L: 18" H: 11-1/2"

RIDER SEAT



▶ 9 TO SELL

Order **S935001AB**

NO Logo, Black, 4-Bolt Mounts
W: 18" L: 21" H: 15"

RIDER SEAT



▶ 4 TO SELL

Order **S935004AR**

Black, 3-Bolt Mounts
W: 17-1/2" L: 17" H: 15-1/2"

RIDER SEAT



▶ 17 TO SELL

Order **S935006AR**

Black, 3-Bolt Mounts
W: 17-1/2" L: 17" H: 15-1/2"

RIDER SEAT



▶ 22 TO SELL

Order **S935007AR**

NO Logo, Black, 3-Bolt Mounts, 3rd
Hole Recessed, W: 18" L: 21" H: 15"

RIDER SEAT



▶ 10 TO SELL

Order **S935009AB**

Craftsman Logo, Black, 3-Bolt Mounts
W: 18" L: 21" H: 15-1/2"

RIDER SEAT



▶ 9 TO SELL

Order **S935012AB**

Black, NO Logo, 4-Bolt Mounts
W: 18" L: 19" H: 15"

RIDER SEAT



▶ 9 TO SELL

Order **S935020AB**

Gray, NO Logo, 4-Bolt Mounts,
Drain Hole, W: 18" L: 20" H: 15-1/2"

RIDER SEAT



▶ 159 TO SELL

Order **S935021AB**

Black, Drain Hole, 4-Bolt Mounts
W: 18" L: 17" H: 15-1/2"

RIDER SEAT



▶ 1 TO SELL

Order **S935022AB**

NO Logo, Gray, 4-Bolt Mounts,
Drain Hole, W: 18" L: 21" H: 15"

RIDER SEAT



▶ 73 TO SELL

Order **S935024AB**

Black, Drain Hole, 4-Bolt Mounts
W: 18" L: 17" H: 15-1/2"

FACTORY NEW

RIDER SEAT



▶ 2 TO SELL

Order **S935024AB-ND**

Black, NO Logo, 4-Bolt Mounts
W: 18-1/2" L: 20" H: 15"

RIDER SEAT



▶ 3 TO SELL

Order **S935028BB**

NO Logo, Black, 4-Bolt Mounts,
Drain Hole, W: 18" L: 21" H: 15-1/2"

RIDER SEAT



▶ 4 TO SELL

Order **S935033AR**

Black, 3-Bolt Mounts
W: 18" L: 21" H: 15"

RIDER SEAT



▶ 53 TO SELL

Order **S935036AR**

Craftsman Logo, Black, 3-Bolt Mounts
W: 17-1/2" L: 17" H: 15-1/2"

RIDER SEAT



▶ 62 TO SELL

Order **S935047AB**

Kubota Logo, Black, 4-Bolt Mounts
W: 18" L: 20" H: 15"

RIDER SEAT



▶ 3 TO SELL

Order **TS25-BLACK**

Black, 4-Bolt Mounts, Drain Hole
W: 17" L: 20" H: 15"

RIDER SEAT



▶ 2 TO SELL

Order **TS25-Black-MM**

Black, NO Logo, 2 Sets of 4-Hole
Mounts, D/T for Optional Armrests,
W: 18" L: 19-1/2" H: 15-1/2"

RIDER SEAT



▶ 8 TO SELL

Order **TS25-Black-OM**

Black, NO Logo, 4-Bolt Mounts
W: 18" L: 20" H: 15"

RIDER SEAT



▶ 24 TO SELL

Order **TS25-00002**

NO Logo, Black, 2-Bolt Front Mounts,
Drain Hole, W: 18" L: 20-1/2" H: 15"

RIDER SEAT



▶ 40 TO SELL

Order **TS25-00003**

NO Logo, Gray, 2-Bolt Front Mounts,
Drain Hole, W: 18" L: 20-1/2" H: 15"

RIDER SEAT



▶ 14 TO SELL

Order **TS25-00004**

NO Logo, Gray, 4-Bolt Mounts
W: 18" L: 20-1/2" H: 15"

RIDER SEAT



▶ 16 TO SELL

Order **TS25-00010**

NO Logo, Black, 2-Bolt Front Mount
W: 18" L: 20-1/2" H: 15"

FACTORY NEW

RIDER SEAT



▶ 10 TO SELL

Order **TS25-00099**

Black, NO Logo, 2-Bolt Mounts
W: 18" L: 20" H: 15"

RIDER SEAT



▶ 26 TO SELL

Order **TS25-01111**

Black, NO Logo, 4-Bolt Mounts,
D/T for Optional Armrests
W: 18" L: 20" H: 15"

RIDER SEAT



▶ 35 TO SELL

Order **TS25-17067**

Black, NO Logo, 4-Hole Mounts
W: 18" L: 20" H: 15-1/2"

RIDER SEAT



▶ 406 TO SELL

Order **TS25-17200**

Yellow, 4-Bolt Mounts
W: 18" L: 20-1/4" H: 15"

RIDER SEAT



▶ 41 TO SELL

Order **TS35-00002**

NO Logo, Gray, 4-Bolt Mounts
W: 18" L: 20-1/2" H: 15"

RIDER SEAT



▶ 1 TO SELL

Order **TS35-00022**

Black, NO Logo, 4-Hole Mounts
W: 18" L: 19" H: 15-1/2"

RIDER SEAT



▶ 29 TO SELL

Order **TS35-00023**

NO Logo, Black, 4-Bolt Mounts
W: 18" L: 20-1/2" H: 15"

RIDER SEAT



▶ 106 TO SELL

Order **TS35-00024**

NO Logo, Black, 4-Bolt Mounts
W: 18" L: 20-1/2" H: 15"

RIDER SEAT



▶ 1 TO SELL

Order **TS35-00025**

NO Logo, Charcoal Gray,
4-Bolt Mounts, W: 18" L: 20" H: 15"

RIDER SEAT



▶ 51 TO SELL

Order **TS35-19017**

Black, 3-Bolt Mounts
W: 18" L: 20-1/2" H: 15"

RIDER SEAT



▶ 21 TO SELL

Order **TS35-19421**

Fits John Deere D130 Rider Matches
P/N GY21210, 4-Bolt Mounts
W: 17-3/4" L: 21-1/2" H: 15"

RIDER SEAT



▶ 408 TO SELL

Order **TS35-19643**

Black, Logo, 3-Bolt Mounts
W: 17-1/2" L: 20-1/2" H: 15-1/2"

FACTORY NEW

RIDER SEAT



▶ 155 TO SELL

Order **TS35-30184**

Black, 3-Bolt Mounts
W: 18" L: 21" H: 15-1/4"

RIDER SEAT



▶ 12 TO SELL

Order **TS35-30208**

Black, Drain Hole, 4-Bolt Mounts
W: 18" L: 20-1/2" H: 15"

RIDER SEAT



▶ 1 TO SELL

Order **TS35-30233**

Black, Drain Hole, 4-Bolt Mounts
W: 17-1/2" L: 21" H: 15"

RIDER SEAT



▶ 11 TO SELL

Order **TS35-30870**

Black, Drain Hole, 4-Bolt Mounts
W: 17" L: 21" H: 15"

RIDER SEAT



▶ 28 TO SELL

Order **TS35-31180**

Black, 3-Bolt Mounts
W: 17-1/2" L: 17" H: 15-1/2"

RIDER SEAT



▶ 1 TO SELL

Order **TS35-31339**

Black, 4-Bolt Mounts
W: 18" L: 20" H: 15-1/2"

DELUXE RIDER SEAT



▶ 266 TO SELL

Order **596751601**

2-Tone Gray/Black, Snapper Logo,
4-Hole Mounts, Seat Switch,
W: 17-1/2" L: 20-1/2" H: 15-1/2"

CUB CADET SEAT



▶ 11 TO SELL

Order **TS45-31257**

Black, 3-Bolt Mounts
W: 19" L: 19" H: 16"

RIDER SEAT



▶ 21 TO SELL

Order **S910603AR**

Yellow, NO Logo, 4-Bolt Mounts,
Drain Hole, W: 19" L: 20" H: 16-1/2"

RIDER SEAT



▶ 65 TO SELL

Order **TS28-00001**

NO Logo, Gray, 4-Bolt Front Mounts,
Drain Hole, W: 18" L: 20" H: 18-1/2"

RIDER SEAT



▶ 9 TO SELL

Order **TS28-00002**

NO Logo, Black, 4-Bolt Front Mounts,
Drain Hole, W: 18" L: 20" H: 18-1/2"

RIDER SEAT



▶ 3 TO SELL

Order **TS28-00003**

NO Logo, Dark Gray,
4-Bolt Front Mounts, Drain Hole,
W: 18" L: 20" H: 18-1/2"

FACTORY NEW

RIDER SEAT



► 8 TO SELL

Order **TS28-00004**

NO Logo, Yellow, 4-Bolt Mounts,
Drain Hole, W: 18" L: 21" H: 19"

RIDER SEAT



► 4 TO SELL

Order **TS28-00006**

NO Logo, Gray, 4-Bolt Mounts,
Drain Hole, D/T for Optional Arm
Rest, W: 18" L: 21" H: 19"

RIDER SEAT



► 21 TO SELL

Order **TS28-00008**

NO Logo, Gray, 4-Bolt Mounts,
D/T for Optional Arm Rests
W: 18" L: 21" H: 19"

RIDER SEAT



► 51 TO SELL

Order **TS28-00009**

NO Logo, Yellow, 4-Bolt Mounts,
Drain Hole, W: 18" L: 21" H: 19"

RIDER SEAT



► 59 TO SELL

Order **TS28-00010**

NO Logo, Gray, 4-Bolt Front Mounts,
W: 18" L: 21" H: 19"

RIDER SEAT



► 2 TO SELL

Order **TS28-00012**

NO Logo, Charcoal Gray, 4-Bolt Front
Mounts, W: 18" L: 20-1/2" H: 18-1/2"

RIDER SEAT



► 1 TO SELL

Order **TS28-00088**

Gray, NO Logo, 4-Bolt Front Mounts,
Drain Hole, W: 18" L: 21" H: 19"

RIDER SEAT



► 39 TO SELL

Order **TS28-17746**

Logo, Black, 4-Bolt Mounts
W: 17-1/2" L: 21" H: 19"

RIDER SEAT



► 3 TO SELL

Order **TS38-00001**

NO Logo, Black, 4-Bolt Mounts
W: 18" L: 21" H: 18-1/2"

RIDER SEAT



► 9 TO SELL

Order **TS38-00002**

NO Logo, Brown Gray, 4-Bolt Mounts
W: 18" L: 21" H: 18-1/2"

RIDER SEAT



► 61 TO SELL

Order **TS38-30305**

NO Logo, Black, Drain Hole, 4-Bolt
Mounts, W: 17-1/2" L: 21" H: 18-1/2"

RIDER SEAT



► 136 TO SELL

Order **TS38-30648**

NO Logo, Black, 4-Bolt Mounts
W: 18" L: 21" H: 18-1/2"

FACTORY NEW

RIDER SEAT



► 3 TO SELL

Order **TS38-30730AR**

NO Logo, Black, 4-Bolt Mounts
W: 18" L: 21" H: 19"

RIDER SEAT



► 34 TO SELL

Order **TS38-30871**

NO Logo, Black, 4-Bolt Mounts,
Drain Hole, W: 18-1/2" L: 21" H: 19"

RIDER SEAT



► 92 TO SELL

Order **TS38-31289**

NO Logo, Gray, 4-Bolt Mounts
W: 18" L: 21" H: 19"

RIDER SEAT



► 53 TO SELL

Order **TS38-31342**

NO Logo, Black, 4-Bolt Mounts
W: 18" L: 21" H: 19"

RIDER SEAT



► 21 TO SELL

Order **TS38-30730**

NO Logo, Black, 4-Bolt Mounts
W: 17-1/2" L: 21" H: 18-1/2"

RIDER SEAT



Order **285317536**

Yellow, F/B 5" & S/S 6"
Steel Pan w/Mount Pattern,
Reinforcement Bracket for
Opt. Armrests (not incl.)
W: 18.44" L: 21.81" H: 19.28"
Replaces **AM140435 / AM136647**

DELUXE RIDER SEAT



► 285 TO SELL

Order **590873404**

2-Tone w/Marigold Stitches,
Husqvarna Logo,
4-Hole Mounts, Seat Switch
W: 17" L: 23" H: 19-1/2"

DELUXE RIDER SEAT



► 500 CARTONS TO SELL

Order **590337302**

2-Tone w/Marigold Stitches,
Husqvarna Logo, 2-Hole Front
Mounts, Arm Rest, Seat Switch
W: 19-1/2" L: 21-1/2" H: 21-1/2"

ADJUSTABLE TRACK SEAT



► 25 CARTONS TO SELL

Order **582460201**

2-Tone w/Marigold Stitches,
Husqvarna Logo, 4-Bolt Mounts,
Adj. Track, Armrests, Seat Belt,
Safety Connection in Seat
W: 24" L: 24" H: 21-1/2"

FACTORY NEW

Order 436611

Comfort Seat Back



DIM WT 13 LBS
▶ 3527 TO SELL (Used by Husqvarna)

Black, Plastic
W: 19-1/2" H: 9-1/2" Bolt: 5/16-18

Order 9797

Armrest Replacement Kit



WT 1 LBS
▶ 7 TO SELL

Fits big pin on TS25-15992B Seat
10-3/4" x 2-1/2" x 1-3/4"

Order 49-001

Armrest Replacement Kit




(Mounting Holes)

WT 7 LBS
▶ 542 PAIRS TO SELL

Fits Milsco XA Series Seats

FACTORY SECONDS



TS Series Seat Sizing:

The diagrams above show the method of measurement used on the **TS Series** deluxe rider seats. Because of the soft sides on the seat and backrest, it may be difficult to get the exact measurement of the seat in this manner.

This is the method used by the manufacturer, and their size listings come from this method.

RIDER SEAT



▶ 3 TO SELL Factory Seconds

Order S933007AB-S

NO Logo, Black, 4-Bolt Mounts
W: 17-1/2" L: 16" H: 9-1/2"

RIDER SEAT



▶ 1 TO SELL Factory Seconds

Order TS23-16527

Black, Drain Hole, 4-Bolt Mounts
W: 17" L: 15" H: 9"

RIDER SEAT



▶ 68 TO SELL Factory Seconds

Order TS33-19620

Black, Logo, 3-Bolt Mounts
W: 16-1/2" L: 16-3/4" H: 9"

RIDER SEAT



▶ 121 TO SELL Factory Seconds

Order TS34-18978

Black, NO Logo, 3-Bolt Mounts
W: 16-1/2" L: 17-1/2" H: 11-1/2"

RIDER SEAT



▶ 27 TO SELL Factory Seconds

Order TS34-18983

Black, 3-Bolt Mounts
W: 17-1/2" L: 17-1/2" H: 11-3/4"

RIDER SEAT



▶ 116 TO SELL Factory Seconds

Order TS34-19639

Black, Velour, Logo, 3-Bolt Mounts
W: 17" L: 18" H: 11-3/4"

RIDER SEAT



(Third mount hole recessed)

▶ 2 TO SELL Factory Seconds

Order TS34-19639A

Black, Velour, Logo, 3-Bolt Mounts
W: 17" L: 18" H: 11-1/2"

FACTORY SECONDS

RIDER SEAT



DIM WT
USE 34 LBS

► 3 TO SELL

Factory Seconds

Order **TS34-19961**

Black, Logo, 3-Bolt Mounts
W: 17-1/2" L: 18" H: 12"

RIDER SEAT



DIM WT
USE 54 LBS

Factory Seconds

► 10 TO SELL

Order **S935003AR**

NO Logo, Black, 3-Bolt Mounts
W: 18" L: 21" H: 15-1/2"

RIDER SEAT



DIM WT
USE 54 LBS

Factory Seconds

► 17 TO SELL

Order **S935014AB**

Black, 4-Bolt Mounts
W: 18" L: 21" H: 15"

RIDER SEAT



DIM WT
USE 54 LBS

► 3 TO SELL

Factory Seconds

Order **S935043AE**

Black, 4-Bolt Mounts, Drain Hole
W: 18" L: 21" H: 15"

RIDER SEAT



DIM WT
USE 54 LBS

Factory Seconds

► 4 TO SELL

Order **TS25-00005**

NO Logo, Black,
4-Bolt Mounts
W: 17-1/2" L: 19-1/2" H: 15"

RIDER SEAT



DIM WT
USE 54 LBS

Factory Seconds

► 65 TO SELL

Order **TS25-19888**

NO Logo, Black,
4-Bolt Mounts, Drain Hole
W: 17 L: 20" H: 15"

RIDER SEAT



DIM WT
USE 54 LBS

► 28 TO SELL

Factory Seconds

Order **TS35-30225**

Black, 4-Bolt Mounts, Drain Hole
W: 18" L: 20" H: 15-1/2"

RIDER SEAT



DIM WT
USE 64 LBS

Factory Seconds

► 80 TO SELL

Order **TS28-00011**

NO Logo, Black,
4-Bolt Front Mounts,
W: 18" L: 20-1/2" H: 18-1/2"

RIDER SEAT



DIM WT
USE 67 LBS

Factory Seconds

► 96 TO SELL

Order **TS38-BLACK**

NO Logo, Black, 4-Bolt Mounts
W: 17-1/2" L: 20-1/2" H: 18-1/2"

RIDER SEAT



DIM WT
USE 54 LBS

► 4 TO SELL

Factory Seconds

Order **TS35-30275A**

Black, 4-Bolt Mounts, Drain Hole
W: 17-1/2" L: 21-1/2" H: 15"

SHOP PRODUCTS

Order 490-000-C052 Advanced Fuel Treatment

Concentrated Formula.
1oz treats 5 gallons of gasoline
12 - 12oz bottles per case

(Photo Actual)

WT 11 LBS
▶ **136 Cases TO SELL**
(12 per Case)



Order 490-000-0054 All-In-One Fuel Treatment & Cleaner

For 2 & 4 Cycle Engines.
12 - 10oz bottles per case

(Photo Actual)

WT 10 LBS
▶ **261 Cases TO SELL**
(12 per Case)



Order 22001 Sta-Bil Fogging Oil

For 2 & 4 Cycle Engines.
Spray to prevent rust & corrosion.
6 - 12oz aerosol cans per case

(Photo Actual)

DIM WT 10 LBS
▶ **68 Cases TO SELL**
(6 per Case)



Order 30313 Gold Eagle 303 UV Protectant

Originally engineered for aerospace
& aviation applications.
Restores lustre & shine.
6 - 32oz bottles per case

(Photo Actual)

DIM WT 18 LBS
▶ **183 Cases TO SELL**
(6 per Case)



Order 5122616 Trushield Fuel Treatment & Stabilizer

For 2 & 4 Cycle Engines.
Helps prevent damage related to ethanol.
12 - 12oz bottles per case

(Photo Actual)

DIM WT 18 LBS
▶ **520 Cases TO SELL (12 per Case)**



Order 490-325-0022 Tire Science Tire & Tube Sealant

Seals punctures up to 1/8" instantly.
6 - 16oz bottles per case

(Photo Actual)

DIM WT 9 LBS
▶ **312 Cases TO SELL (6 per Case)**



Order 80Z_STA-BIL Sta-Bil Fuel Stabilizer 8oz

(Photo Actual)

DIM WT 9 LBS
▶ **28 Cases TO SELL (12 per Case)**



BELTS

V-BELT SELECTION TABLE

3L BELT 3/8" Wide

ORDER	O.D.	P/N	WIDTH	CODE	QTY
35-199	35"	341067	3/8"	3L350	5475
45-114	39"	981249	3/8"	3L390	182
132-113	39-1/2"	322350	3/8"	3L3950	142
308367	39-1/2"		3/8"	3L3950	187
132-115	43"	53307	3/8"	3L430	50

4L BELT 1/2" Wide

ORDER	O.D.	P/N	WIDTH	CODE	QTY
37-65	27-1/2"	1911323	1/2"	4L2750	786
132-134	37"	585437	1/2"	4L370	360
158-004	42"	642	1/2"	4L420	1433
45-115	43"	032-001	1/2"	4L430	1724
37-58	52-1/2"	1917579	1/2"	4L5250	1861
132-122	73"	305698	1/2"	4L730	251
132-50	74-1/2"	320534	1/2"	4L745	81
138420	87"		1/2"	4L870	2

SILVERSTREAK/FREDERICK/OREGON

75-038 4L405 1

HUSQVARNA BELTS

ORDER	O.D.	P/N	WIDTH	CODE	QTY
	32.5"	581605901	1/2"	4L325	162
	91"	581270501	1/2"	4L910	236
199-004	104"	532444286	1/2"	4L104	113
199-034	118"	574173003	1/2"	4L118	150
199-025	152"	577029302	5/8"	5L152	112
199-027	204"	522860201	5/8"	5L204	211

Order **6A153G**
Dayton Belt B32



WT 2 LBS

▶ 33 TO SELL

Order **189922** EHPNA, 3/8" x 34"

▶ 5593 TO SELL

Order **43-045** DAYCO 4779, 1/2" x 27-1/2"

102 TO SELL

MURRAY BELTS



ORDER	BELT CODE	QTY
7769206	2L3575	333
37X127	3L2575	95
37X100	3L340	1360
7769207	3L340	773
37X119	3L370	1881
37X124	3L3775	1493
740259	3L410	13
37X73	3L440	1
7769208	4L2675	1710
49581	4L3725	178
37X24	4L590	3
37X115	5L340	717
58170	5L750	638

SEARS CRAFTSMAN V-BELTS



Premium Quality

NOTCHED

P/N	SIZE	QTY
STD434240	AX24	74
STD434250	AX25	24
STD434260	AX26	976
STD434510	AX51	67

REGULAR

P/N	SIZE	QTY
140218	4L840	4

BELT ASSORTMENTS

Order **BA25-3L** 3/8" WIDE V-BELT ASSORTMENT

▶ 5 TO SELL

Order **BA25-4L** 1/2" WIDE V-BELT ASSORTMENT

▶ 4 TO SELL

Order **BA25-5L** 5/8" WIDE V-BELT ASSORTMENT

▶ 3 TO SELL

DAYCO STANDARD UTILITY BELTS

PART	CODE	QTY	PART	CODE	QTY
6R585	2L230	1	16R865	5L340	2
9R380	3L150	2	16R965	5L380	3
9R535	3L210	4	16R990	5L390	2
9R585	3L230	2	16R1450	5L570	1
9R660	3L260	2	16R1500	5L590	2
9R760	3L300	2	16R1550	5L610	2
9R865	3L340	1	16R1700	5L670	2
9R890	3L350	1	16R1755	5L690	2
9R915	3L360	2	16R1805	5L710	2
9R1015	3L400	2	16R1855	5L730	1
9R1040	3L410	1	16R1955	5L770	2
9R1090	3L430	1	16R2060	5L810	2
9R1120	3L440	1	16R2080	5L820	1
9R1195	3L470	4	16R2110	5L830	1
9R1220	3L480	2	16R2160	5L850	1
9R1295	3L510	1	DAYCO PREMIUM UTILITY BELTS		
9R1320	3L520	2	PART	CODE	QTY
9R1345	3L530	1	9RL405	L316	4
9R1370	3L540	1	9RL430	L317	4
9R1450	3L570	1	9RL455	L318	3
9R1475	3L580	1	9RL485	L319	1
9R1500	3L590	1	9RL510	L320	2
9R1525	3L600	1	9RL535	L321	2
9R1755	3L690	1	9RL560	L322	3
9R1805	3L710	2	9RL585	L323	2
9R1880	3L740	2	9RL610	L324	1
9R1905	3L750	1	9RL635	L325	2
13R430	4L170	2	9RL660	L326	1
13R660	4L260	1	9RL685	L327	1
13R865	4L340	1	9RL735	L329	2
13R1065	4L420	1	9RL785	L331	1
13R1450	4L570	2	9RL815	L332	4
13R1575	4L620	1	9RL840	L333	3
13R1625	4L640	1	9RL865	L334	6
13R1855	4L730	1	9RL915	L336	2
13R1905	4L750	2	9RL965	L338	4
13R1930	4L760	1	9RL990	L339	3
13R2060	4L810	2	9RL1015	L340	3
13R2130	4L840	1	9RL1040	L341	4
13R2160	4L850	1	9RL1065	L342	4
16R610	5L240	1	9RL1090	L343	4
16R660	5L260	2	9RL1120	L344	3
16R710	5L280	2	9RL1145	L345	2
16R785	5L310	2	9RL1170	L346	2
16R815	5L320	2	9RL1220	L348	4
16R840	5L330	2			

DAYCO PREMIUM UTILITY BELTS

PART	CODE	QTY	PART	CODE	QTY
9RL1245	L349	4	16RL735	L529	4
9RL1270	L350	4	16RL760	L530	3
9RL1295	L351	2	16RL785	L531	4
9RL1550	L361	4	16RL815	L532	1
13RL455	L418	4	16RL840	L533	4
13RL485	L419	1	16RL865	L534	2
13RL510	L420	4	16RL890	L535	1
13RL535	L421	2	16RL915	L536	3
13RL560	L422	4	16RL940	L537	6
13RL585	L423	4	16RL990	L539	4
13RL610	L424	1	16RL1015	L540	3
13RL635	L425	3	16RL1040	L541	3
13RL660	L426	4	16RL1065	L542	3
13RL710	L428	3	16RL1090	L543	4
13RL1015	L440	2	16RL1120	L544	4
13RL1170	L446	4	16RL1145	L545	4
13RL1195	L447	1	16RL1170	L546	4
13RL1220	L448	2	16RL1195	L547	4
13RL1245	L449	4	16RL1220	L548	2
13RL1295	L451	2	16RL1345	L553	4
13RL1345	L453	4	16RL1370	L554	4
13RL1420	L456	4	16RL1600	L563	4
13RL1475	L458	1	16RL1650	L565	4
13RL1500	L459	3	16RL1855	L573	4
13RL1525	L460	1	16RL1905	L575	2
13RL1575	L462	3	16RL1955	L577	4
13RL1625	L464	7	16RL2010	L579	1
13RL1675	L466	3	16RL2060	L581	3
13RL1755	L469	5	16RL2110	L583	3
13RL1805	L471	4	16RL2160	L585	1
13RL1830	L472	4	16RL2210	L587	4
13RL1855	L473	3	16RL2390	L594	1
13RL1880	L474	3	SPECIALTY BELTS		
13RL1905	L475	3	PART	DESC	QTY
13RL1980	L478	3	AX21	23" x 1/2" Cogged	1
13RL2010	L479	4	AX22	24" x 1/2" Cogged	1
16RL610	L524	2	AA75	77" x 1/2" Double V	2
16RL635	L525	4	265-199	74" x 1/2" Double V	1
16RL660	L526	4			
16RL685	L527	4			
16RL710	L528	5			

PNEUMATIC WHEEL ASSEMBLIES

Order **44-014**
12 x 5.00 - 4 NHS

CARLISLE
Turf Pro,
2-Ply w/Tube,
Keyed Metal
Offset Hub:
3/4" I.D. x 4 - 7/8"



WT 7 LBS
7 TO SELL

Order **53-007**
5.30/4.50 - 6 NHS

KENDA
White,
4-Ply Stud Tread,
w/Zerk on Front,
Hub: 3/4" I.D. x 3"
Max 38 PSI



DIM WT 17 LBS
175 TO SELL

Order **428268**
13 x 5.00 - 6 NHS

Silver,
2-Ply Tubed,
Keyed Metal
Offset Hub:
3/4" I.D. x 2-3/8"
Max 30 PSI



DIM WT 8 LBS
1178 TO SELL

Order **436552x421**
13 x 5.00 - 6 NHS

Marigold,
2-Ply Tubed,
Zerk on Back,
Metal Offset Hub:
3/4" I.D. x 3"
Max 30 PSI



DIM WT 8 LBS
4952 TO SELL

Order **581420702x421**
13 x 5.00 - 6 NHS

Marigold,
2-Ply Tubed,
Keyed Metal Hub:
3/4" I.D. x 2-1/2"
Max 30 PSI



DIM WT 8 LBS
2907 TO SELL

Order **518031**
15 x 6.00 - 6 NHS

CARLISLE
Ribbed Tread,
4-Ply Tubeless,
Tire Only, Max
30 PSI



DIM WT 17 LBS
14 TO SELL

Order **436553x421**
16 x 6.50 - 8 NHS

Marigold,
2-Ply Tubed,
Keyed Offset Hub:
3/4" I.D. x 3"
Max 30 PSI



DIM WT 17 LBS
5490 TO SELL

Order **421276x613**
16 x 6.50 - 8 NHS

CARLISLE
Turf Saver, Grey,
2-Ply Tubeless,
Keyway, Offset Hub:
3/4" I.D. x 3-1/2"
Max 12 PSI
Stored in damp conditions - some rust



DIM WT 17 LBS
9 TO SELL

Order **448761**
16 x 6.50 - 8 NHS

CARLISLE
Turf Saver, Black,
2-Ply Tubeless,
Metal Offset Hub:
3/4" I.D. x 3-1/2"
Keyway,
Max 12 PSI



DIM WT 17 LBS
75 TO SELL

Order **448771**
16 x 6.50 - 8 NHS

CARLISLE
Turf Saver, Green,
2-Ply Tubeless,
Steel Wheel
Offset Hub:
3/4" I.D. x 3-1/2"
Keyway, Max 12 PSI



DIM WT 17 LBS
5 TO SELL

Order **448791**
16 x 6.50 - 8 NHS

CARLISLE
Turf Saver, White,
2-Ply Tubeless,
Metal Offset Hub:
3/4" I.D. x 3-1/2"
Keyway, Max 12 PSI



DIM WT 18 LBS
46 TO SELL

Order **466601**
16 x 6.50 - 8 NHS

KENDA
Turf Saver, Marigold,
2-Ply Tubeless,
Keyed Hub:
3/4" I.D. x 3-1/2"
Max 12 PSI



V DIM WT 17 LBS
47 TO SELL

PNEUMATIC WHEEL ASSEMBLIES

Order **07100512**

18 x 6.50 - 8 NHS

KENDA

Super Turf, Grey,
2-Ply Tubeless,
Keyed Offset Hub:
3/4" x 3-3/4"
Max PSI 14



V DIM WT 21 LBS
37 TO SELL

Order **596328304**

18 x 6.50 - 8 NHS

CARLISLE

Turf Master, Gray,
2-Ply Tubeless,
MTD Offset Hub:
1" I.D. x 3-1/2"
Max 14 PSI



DIM WT 21 LBS
7 TO SELL

Order **596328306**

18 x 6.50 - 8 NHS

CARLISLE

Turf Master, Marigold,
2-Ply Tubeless,
MTD Offset Hub:
1" I.D. x 3-1/2"
Max 14 PSI



DIM WT 21 LBS
10 TO SELL

Order **335361 / 431398x624**

18 x 8.50 - 8 NHS

CARLISLE Turf Saver, White,
2-Ply Tubeless, Keyed Metal Offset Hub:
3/4" I.D. x 3-1/2", Max 10 PSI



335361
DIM WT 26 LBS
52 TO SELL



431398X624
DIM WT 26 LBS
11 TO SELL

Order **431398x421**

18 x 8.50 - 8 NHS

CARLISLE

Turf Saver, Marigold,
2-Ply Tubeless,
Keyed Metal
Offset Hub:
3/4" I.D. x 3-1/2"
Max 10 PSI



DIM WT 21 LBS
88 TO SELL

Order **448871**

18 x 8.50 - 8 NHS

CARLISLE

Turf, Gray,
2-Ply Tubeless,
Keyed Offset Hub:
3/4" I.D. x 3-1/2"
Max 10 PSI



DIM WT 26 LBS
27 TO SELL

Order **448931**

18 x 8.50 - 8 NHS

CARLISLE

Turf Saver II, White,
2-Ply Tubeless,
Metal Offset Hub:
3/4" I.D. x 3-1/2"
Keyway, Max 10 PSI



DIM WT 26 LBS
151 TO SELL

Order **469761**

18 x 8.50 - 8 NHS

CARLISLE

Turf Saver, Gray,
2-Ply Tubeless,
Metal Offset Hub:
3/4" Dia. x 3-1/2"
Keyway, Max 10 PSI



DIM WT 26 LBS
26 TO SELL

Order **466681**

18 x 9.50 - 8 NHS

CARLISLE

Turf Saver, Marigold,
2-Ply Tubeless,
Metal Offset
Keyed Hub:
3/4" I.D. x 3-1/2"
Max 12 PSI



DIM WT 31 LBS
352 TO SELL

Order **449171**

18 x 9.50 - 8 NHS

CARLISLE

Turf Saver, Black,
2-Ply Tubeless,
Keyed Offset Hub:
3/4" I.D. x 3-1/2"
Max 12 PSI



DIM WT 31 LBS
86 TO SELL

Order **449181**

18 x 9.50 - 8 NHS

Turf, Green,

2-Ply Tubeless,
Keyed Offset Hub:
3/4" I.D. x 3-1/2"
Max 12 PSI



DIM WT 31 LBS
63 TO SELL

Order **449201**

18 x 9.50 - 8 NHS

CARLISLE

Turf Saver LT, White,
2-Ply Tubeless,
Keyed Offset Hub:
3/4" I.D. x 3-1/2"
Max 12 PSI



DIM WT 32 LBS
128 TO SELL

PNEUMATIC WHEEL ASSEMBLIES

Order **305761**
20 x 8.00 - 8 NHS

CARLISLE
Turf Saver, Gray,
2-Ply Tubeless,
Metal Offset Hub:
3/4" I.D. x 3-1/2"
Keyway, Max 10 PSI



▶ DIM WT 32 LBS
7 TO SELL

Order **431400x421 / 431400x431**
20 x 8.00 - 8 NHS

CARLISLE
Turf Saver, **2-Ply Tubeless**, Keyed Metal
Offset Hub: 3/4" I.D. x 3-1/2", Max 10 PSI



431400X421

Marigold

▶ DIM WT 31 LBS
65 TO SELL



431400X431

Black

▶ DIM WT 29 LBS
8 TO SELL

Order **441131 / 138467x613**
20 x 8.00 - 8 NHS

CARLISLE
Turf Saver, Gray, **2-Ply Tubeless**, Keyed
Metal Offset Hub: 3/4" I.D. x 3-1/2", Max 10 PSI



441131

▶ DIM WT 32 LBS
3133 TO SELL



138467X613

▶ DIM WT 32 LBS
25 TO SELL

Order **447431**
20 x 8.00 - 8 NHS

CARLISLE
Turf Saver, Black,
2-Ply Tubeless,
Metal Offset Hub:
3/4" I.D. x 3-1/2"
Keyway, Max 10 PSI



▶ DIM WT 40 LBS
210 TO SELL

Order **449271**
20 x 8.00 - 8 NHS

CARLISLE
Turf Saver, Black,
2-Ply Tubeless,
Metal Offset Hub:
3/4" I.D. x 3-1/2"
Keyway, Max 10 PSI



▶ DIM WT 38 LBS
60 TO SELL

Order **449281**
20 x 8.00 - 8 NHS

CARLISLE
Turf Saver, Green,
2-Ply Tubeless,
Keyed Offset Hub:
3/4" I.D. x 3-1/2"
Max 10 PSI



▶ DIM WT 40 LBS
54 TO SELL

Order **449301**
20 x 8.00 - 8 NHS

CARLISLE
Turf Saver, White,
2-Ply Tubeless,
Keyed Offset Hub:
3/4" I.D. x 3-1/2"
Max 10 PSI



▶ DIM WT 29 LBS
266 TO SELL

Order **453911**
20 x 8.00 - 8 NHS

CARLISLE
Turf Saver, Marigold,
2-Ply Tubeless,
Offset Hub:
3/4" x 3-1/2"
Keyway, Max 10 PSI



▶ DIM WT 31 LBS
851 TO SELL

Order **449311**
20 x 8.00 - 8 NHS

CARLISLE
Turf Saver, Gray,
2-Ply Tubeless,
Offset Metal Hub:
3/4" Dia. x 3-1/2"
Keyway, Max 10 PSI



▶ DIM WT 31 LBS
35 TO SELL

Order **431401x431**
20 x 10.00 - 8 NHS

CARLISLE
Turf Saver, Black,
2-Ply Tubeless,
Keyed Hub:
3/4" I.D. x 3-1/2"
Max 10 PSI



▶ DIM WT 34 LBS
54 TO SELL

Order **442311**
20 x 10 - 8 NHS

CARLISLE
Turf Saver, Gray,
2-Ply Tubeless,
Offset Hub:
3/4" x 3-1/2"
Max 10 PSI



▶ DIM WT 31 LBS
318 TO SELL

Order **469161**
20 x 10.00 - 8 NHS

CARLISLE
Turf Saver, Marigold,
2-Ply Tubeless,
Metal Offset Hub:
3/4" I.D. x 3-1/2"
Keyway, Max 10 PSI



▶ DIM WT 42 LBS
189 TO SELL

PNEUMATIC WHEEL ASSEMBLIES

Order **00259000**
18 x 6.50 - 8 NHS

CARLISLE
Snow Tire, Grey,
4-Ply Tubeless,
Offset Hub:
4 Hole Lug Mount,
Max PSI 28



▶ V DIM WT 19 LBS
7 TO SELL

Order **357221**
18 x 9.50 - 8 NHS

CARLISLE
Turf Saver LT, Cream,
2-Ply Tubeless,
Offset Metal Hub:
4-Hole Lug Mount,
Max 12 PSI



▶ DIM WT 31 LBS
23 TO SELL

Order **47758**
18 x 8.50 - 10 NHS

CARLISLE
MultiTrac C/S, Gray,
4-Ply Tubeless,
Metal Hub:
4 Hole Lug Mount,
Max 22 PSI



▶ DIM WT 26 LBS
43 TO SELL

Order **47972**
18 x 8.50 - 10 NHS

CARLISLE
Multi Trac Turf, Yellow,
4-Ply Tubeless,
Metal Offset Hub:
4-Hole Lug Mount,
Max 22 PSI



▶ DIM WT 32 LBS
3 TO SELL

Order **46909**
18 x 10.50 - 10 NHS

CARLISLE
Smooth Tread, Yellow,
2-Ply Tubeless,
Metal Offset Hub:
4-Hole Lug Mount,
Max 12 PSI



▶ DIM WT 32 LBS
9 TO SELL

Order **47781**
18 x 10.50 - 10 NHS

CARLISLE
Multi Trac C/S, Yellow,
4-Ply Tubeless,
Offset Metal Hub:
4-Hole Lug Mount,
Max 20 PSI



▶ DIM WT 31 LBS
9 TO SELL

Order **47718**
20 x 8.00 - 10 NHS

CARLISLE
Turf Saver, Black,
4-Ply Tubeless,
Metal Hub:
4-Hole Lug Mount,
Max 24 PSI



▶ DIM WT 33 LBS
64 TO SELL

Order **47395**
20 x 10.00 - 8 NHS

CARLISLE
All Trail II, Gray,
4-Ply Tubeless,
Metal Hub:
4-Hole Lug Mount,
Max 22 PSI



▶ DIM WT 35 LBS
20 TO SELL

Order **47443**
20 x 10.00 - 8 NHS

CARLISLE
Turf Master, Yellow,
4-Ply Tubeless,
Metal Hub:
4-Hole Lug Mount,
Max 22 PSI



▶ DIM WT 35 LBS
40 TO SELL

Order **486191**
20 x 10.00 - 10 NHS

CARLISLE
Turf Smart, Gray,
4-Ply Tubeless,
Metal Offset Hub:
4-Hole Lug Mount,
Max 22 PSI



▶ DIM WT 40 LBS
114 TO SELL

Order **61494**
20 x 10.00 - 10 NHS

CARLISLE
Multi Trac C/S, Yellow,
6-Ply Tubeless,
Offset Metal Hub:
4-Hole Lug Mount,
Max 32 PSI



▶ DIM WT 42 LBS
2 TO SELL

Order **36972**
22 x 9.50 - 12 NHS

CARLISLE
Turf Saver, Marigold,
2-Ply Tubeless,
Metal Offset Hub:
5 Hole Lug Mount,
Max 12 PSI



▶ DIM WT 42 LBS
21 TO SELL

PNEUMATIC WHEEL ASSEMBLIES

Order **401281x417**
22 x 9.50 - 12 NHS

CARLISLE

Turf Saver, Gray,
2-Ply Tubeless,
Offset Hub:
5 Hole Lug Mount,
Max 12 PSI



DIM WT 34 LBS
11 TO SELL

Order **44115**
22 x 9.50 - 12 NHS

CARLISLE

Turf Saver, Dark Gray,
2-Ply Tubeless,
Metal Offset Hub:
5-Hole Lug Mount,
Max 12 PSI



DIM WT 35 LBS
134 TO SELL

Order **47123**
22 x 9.50 - 12 NHS

CARLISLE

Turf Saver, Black,
4-Ply Tubeless,
Metal Offset Hub:
5 Hole Lug Mount,
Max 12 PSI



DIM WT 42 LBS
58 TO SELL

Order **522905001**
23 x 8.50 - 12 NHS

CARLISLE

Turf Master, Gray,
4-Ply Tubeless,
Metal Hub:
4 Hole Lug Mount,
Max 22 PSI



DIM WT 50 LBS
11 TO SELL

Order **07100817**
23 x 8.50 - 12 NHS

KENDA

Super Turf,
4-Ply Tubeless,
Metal Offset Hub:
4 Hole Lug Mount,
Max PSI 22



V DIM WT 35 LBS
6 TO SELL

Order **35364**
23 x 8.50 - 12 NHS

CARLISLE

MultiTrac C/S Turf,
Yellow,
4-Ply Tubeless,
Metal Hub:
4 Hole Lug Mount,
Max 22 PSI



DIM WT 35 LBS
30 TO SELL

Order **591081801**
23 x 9.50 - 12 NHS

KENDA

SuperTurf, Black,
4-Ply Tubeless,
Metal Offset Hub:
4 Hole Lug Mount,
Max 24 PSI



DIM WT 40 LBS
10 TO SELL

Order **00191228**
23 x 10.00 - 12 NHS

KENDA

Super Turf, Grey,
4-Ply Tubeless,
Metal Offset Hub:
5 Hole Lug Mount,
Max PSI 20



DIM WT 50 LBS
7 TO SELL

Order **15763**
23 x 10.50 - 12 NHS

CARLISLE

Turf Saver, Gray,
2-Ply Tubeless,
Metal Offset Hub:
5-Hole Lug Mount,
Max 10 PSI



DIM WT 50 LBS
7 TO SELL

Order **30010**
23 x 10.50 - 12 NHS

CARLISLE

Turf Saver, Marigold,
2-Ply Tubeless,
5 Hole Lug Mount,
Max PSI 10



DIM WT 50 LBS
555 TO SELL

Order **33353**
23 x 10.50 - 12 NHS

CARLISLE

Turf Trac R/S, Gray,
4-Ply Tubeless,
Metal Hub:
4-Hole Lug Mount,
Max 20 PSI



DIM WT 50 LBS
10 TO SELL

Order **33546**
23 x 10.50 - 12 NHS

CARLISLE

Turf Saver, White,
2-Ply Tubeless,
Metal Offset Hub:
5 Hole Lug Mount,
Max 10 PSI



DIM WT 50 LBS
43 TO SELL

PNEUMATIC WHEEL ASSEMBLIES

Order 33987
23 x 10.50 - 12 NHS

CARLISLE
Turf Master, Gray,
2-Ply Tubeless,
Metal Offset Hub,
5-Hole Lug Mount,
Max PSI 10



▶ DIM WT 50 LBS
177 TO SELL

Order 44118
23 x 10.50 - 12 NHS

CARLISLE
Turf Saver, Gray,
2-Ply Tubeless,
Metal Offset Hub:
5-Hole Lug Mount,
Max 10 PSI



▶ DIM WT 50 LBS
377 TO SELL

Order 47054
23 x 10.50 - 12 NHS

CARLISLE
Turf Master, Gray,
4-Ply Tubeless,
Metal Offset Hub:
4-Hole Lug Mount,
Max 20 PSI



▶ DIM WT 50 LBS
8 TO SELL

Order 48157
23 x 10.50 - 12 NHS

CARLISLE
Turf Master, Cream,
2-Ply Tubeless,
Metal Offset Hub:
4-Hole Lug Mount,
Max 10 PSI



▶ DIM WT 50 LBS
5 TO SELL

Order 140556x417
23 x 10.50 - 12 NHS

CARLISLE
Turf Saver, Gray,
2-Ply Tubeless,
Offset Hub:
5 Hole Lug Mount,
Max 10 PSI



▶ DIM WT 35 LBS
8 TO SELL

Order 169991x417 / 169991x428
23 x 10.5 - 12 NHS

CARLISLE
Turf, 2-Ply Tubeless, Metal Offset Hub:
5 Hole Lug Mount, Max 10 PSI



169991X417
Grey
DIM WT 52 LBS
▶ 446 TO SELL



169991X428
Black
DIM WT 52 LBS
▶ 4 TO SELL

Order 40162
24 x 9.50 - 12 NHS

CARLISLE
Turf Master, Cream,
4-Ply Tubeless,
Metal Hub: 4-Hole
Lug Mount,
Max 24 PSI



▶ DIM WT 59 LBS
13 TO SELL

Order 44010
24 x 12.00 - 12 NHS

CARLISLE
Turf Master, Gray,
2-Ply Tubeless,
Metal Offset Hub:
5 Hole Lug Mount,
Max 10 PSI



▶ DIM WT 59 LBS
2 TO SELL

Order 03959800
25 x 10.00 - 12 NHS

KENDA
Pathfinder, Black,
4-Ply Tubeless,
Metal Offset Hub,
4 Hole Lug Mount,
Max PSI 36



▶ V DIM WT 59 LBS
7 TO SELL

Order 47051
26 x 12.00 - 12 NHS

CARLISLE
Multi Trac C/S Turf, Gray,
4-Ply Tubeless, Metal Offset
Hub: 4 Hole Lug Mount,
Max PSI 20



▶ DIM WT 64 LBS
41 TO SELL

Order 47507
26 x 12.00 - 12 NHS

CARLISLE
Multi Trac C/S, Gray,
4-Ply Tubeless, Metal Offset
Hub: 5-Hole Lug Mount,
Max 20 PSI



▶ DIM WT 64 LBS
24 TO SELL

Order 560548
25 x 9.00 - 12 NHS

CARLISLE
Mud Terrain, 4-Ply Tubeless,
ATV+UTV, Tire Only, Max 16 PSI



▶ DIM WT 59 LBS
280 TO SELL

Order 6L0220
26 x 12.00 - 12 NHS

CARLISLE
Turf Smart, 4-Ply Tubeless,
Tire Only, Max 20 PSI



▶ DIM WT 64 LBS
16 TO SELL

PNEUMATIC SNOWBLOWER WHEELS

PAIRED WHEELS

Order 212-001 Pair
15 x 5.00 - 6 NHS

CARLISLE
Snow Xtrac, Marigold,
2-Ply Tubeless,
Metal Offset Hub:
1" I.D. x 5-3/4"
Pinhole, Max 20 PSI



DIM WT 24 LBS
▶ 37 PAIRS TO SELL

Order 212-005 Pair
15 x 5.00 - 6 NHS

CARLISLE
Snow Xtrac, Gray,
2-Ply Tubeless,
Metal Offset Hub:
3/4" Dia. x 4"
Holes for Pinning,
Max 20 PSI



DIM WT 15 LBS
▶ 83 PAIRS TO SELL

Order 212-002 Pair
4.80 - 8 NHS

CARLISLE
Snow Xtrac, Gray,
2-Ply Tubeless,
Metal Offset Hub:
1" I.D. x 3-11/16"
Slotted Back Axle,
Max 20 PSI



DIM WT 25 LBS
▶ 45 PAIRS TO SELL

Order 212-004 Pair
4.80 - 8 NHS

CARLISLE
Snow XTrac, Gray,
2-Ply Tubeless,
Metal Offset Hub:
1" Dia. x 3-11/16"
Slotted Back Axle,
Max 20 PSI



DIM WT 25 LBS
▶ 18 TO SELL

Order 165001
13 x 5.00 - 6 NHS

CARLISLE
Snow Super Lug, Gray,
2-Ply Tubeless,
Metal Hub: 3/4" Dia. x 4"
Holes for Pinning,
Max 20 PSI



DIM WT 8 LBS
▶ 62 TO SELL

Order 322131
13 x 5.00 - 6 NHS

CARLISLE
Snow Super Lug, Gray,
2-Ply Tubeless, Metal
Offset Hub: 3/4" Dia. x 4"
Holes for Pinning,
Max 20 PSI



DIM WT 8 LBS
▶ 108 TO SELL

Order 480661R
15 x 5.00 - 6 NHS

CARLISLE
Snow Xtrac, Marigold,
2-Ply Tubeless, Metal
Offset Hub: 1" I.D. x 5-3/4"
Pinhole,
Max 20 PSI

RH



DIM WT
15 LBS
▶ 242 TO SELL

Order 486721L
15 x 5.00 - 6 NHS

CARLISLE
Snow XTrac, Black,
2-Ply Tubeless,
Metal Offset Hub:
3/4" I.D. x 4-5/8"
Keyway,
Max 20 PSI

LH



DIM WT
15 LBS
▶ 26 TO SELL

Order 479631L
15 x 5.00 - 6 NHS

CARLISLE
Snow Xtrac, Gray,
2-Ply Tubeless, Metal
Offset Hub: 3/4" Dia. x 4"
Holes for Pinning,
Max 20 PSI



DIM WT
15 LBS
▶ 32 TO SELL

Order 1501731
4.80 - 8 NHS

DURO
Snow, Gray, 2-Ply Tubeless,
Metal Offset Hub:
7/8" Dia. x 6-1/8"



WT 11 LBS
▶ 9 TO SELL

Order 1501826
4.80 - 8 NHS

CARLISLE
X-Trac, White,
2-Ply Tubeless, Holes for
Pinning, Metal Offset Hub:
7/8" Dia. x 6-1/8"

RH



WT 12 LBS
▶ 3 TO SELL

Order 1502091
4.80 - 8 NHS

CARLISLE
X-Trac, White,
2-Ply Tubeless, Holes for
Pinning, Metal Offset Hub:
7/8" Dia. x 6-1/8"

LH



WT 12 LBS
▶ 251 TO SELL

PNEUMATIC SNOWBLOWER WHEELS

Order **302081**
4.80 - 8 NHS

CARLISLE
Snow Power Trac, Gray,
2-Ply Tubeless,
Metal Offset Hub:
3/4" Dia. x 4-5/8"
Holes for Pinning,
Max 20 PSI

DIM WT
13 LBS
▶ 216 TO SELL



Order **1732997**
4.80 - 8 NHS

CARLISLE
XTRAC, Gray,
2-Ply Tubeless,
Holes for Pinning,
Metal Offset Hub:
3/4" Dia. x 6-1/8"
Max 20 PSI

WT 12 LBS
▶ 1 TO SELL



Order **1751289**
4.80 - 8 NHS

AMERICANA
POLAR PRO,
Yellow, 2-Ply Tubeless,
Holes for Pinning,
Metal Offset Hub:
3/4" I.D. x 6-1/8"
Max 20 PSI

WT 13 LBS
▶ 40 TO SELL



Order **404517x418**
4.80 - 8 NHS

CARLISLE
XTRAC, Dark Gray,
2-Ply Tubeless,
Holes for Pinning,
Metal Offset Hub:
7/8" I.D. x 6"
Max 20 PSI

WT 12 LBS
▶ 21 TO SELL



Order **47-010**
4.80 - 8 NHS

RH

KENDA,
Gray, 2-Ply Tubeless,
Holes for Pinning,
Metal Offset Hub:
7/8" Dia. x 6-1/8"
Max 20 PSI

WT 12 LBS
▶ 6 TO SELL



Order **47-011**
4.80 - 8 NHS

LH

KENDA,
Gray, 2-Ply Tubeless,
Holes for Pinning,
Metal Offset Hub:
7/8" Dia. x 6-1/8"
Max 20 PSI

WT 12 LBS
▶ 6 TO SELL



Order **47-027**
4.80 - 8 NHS

RH

KENDA,
Yellow, 2-Ply Tubeless,
Metal Offset Hub:
7/8" Dia. x 6-1/8"
Holes for Pinning,
Max 20 PSI

WT 11 LBS
▶ 2 TO SELL



Order **47-028**
4.80 - 8 NHS

LH

CRAFTSMAN,
Yellow, 2-Ply Tubeless,
Metal Offset Hub:
7/8" Dia. x 6-1/8"
Holes for Pinning,
Max 20 PSI

WT 12 LBS
▶ 9 TO SELL



Order **47-029**
4.80 - 8 NHS

RH

CRAFTSMAN,
Yellow, 2-Ply Tubeless,
Metal Offset Hub:
7/8" Dia. x 6-1/8"
Holes for Pinning,
Max 20 PSI

WT 12 LBS
▶ 8 TO SELL



Order **47-034**
4.80 - 8 NHS

RH

KENDA,
Gray, 2-Ply Tubeless,
Metal Offset Hub:
7/8" Dia. x 6-1/8"
Holes for Pinning,
Max 20 PSI

WT 12 LBS
▶ 18 TO SELL



Order **47-035**
4.80 - 8 NHS

LH

KENDA,
Gray, 2-Ply Tubeless,
Holes for Pinning,
Metal Offset Hub:
7/8" Dia. x 6-1/8"
Max 20 PSI

WT 12 LBS
▶ 16 TO SELL



Order **179-011**
4.80 - 8 NHS

RH

KENDA,
Gray, 2-Ply Tubeless,
Slotted Back Axle,
Metal Offset Hub:
1" I.D. x 3-5/8"
Max 20 PSI

WT 11 LBS
▶ 1 TO SELL



Order **179-001**
4.80 - 8 NHS

LH

KENDA,
Gray, 2-Ply Tubeless,
Slotted Back Axle,
Metal Offset Hub:
1" I.D. x 3-5/8"
Max 20 PSI

WT 11 LBS
▶ 6 TO SELL



Order **179-002**
4.80 - 8 NHS

RH

KENDA,
Gray, 2-Ply Tubeless,
Slotted Back Axle,
Metal Offset Hub:
1" I.D. x 3-5/8"
Max 20 PSI

WT 11 LBS
▶ 2 TO SELL



Order **179-003**
4.80 - 8 NHS

LH

KENDA,
Black, 2-Ply Tubeless,
Holes for Pinning
Slotted Back Axle,
Metal Offset Hub:
1" I.D. x 3-5/8"
Max 20 PSI

WT 12 LBS
▶ 2 TO SELL




Order **179-004**
4.80 - 8 NHS

RH

KENDA,
Black, 2-Ply Tubeless,
Holes for Pinning
Slotted Back Axle,
Metal Offset Hub:
1" I.D. x 3-5/8"
Max 20 PSI

WT 12 LBS
▶ 1 TO SELL



PNEUMATIC SNOWBLOWER WHEELS

Order **187865x417**
4.80 - 8 NHS

RH

CARLISLE
XTRAC, Light Gray,
2-Ply Tubeless,
Holes for Pinning,
Metal Offset Hub:
1" I.D. x 5-1/2"
Max 20 PSI



WT 12 LBS
▶ 34 TO SELL

Order **306001**
4.80 - 8 NHS

RH

CARLISLE
Snow Power Trac, Gray,
2-Ply Tubeless,
Metal Offset Hub:
1" Dia. x 4-5/8"
Holes for Pinning,
Max 20 PSI



DIM WT
13 LBS
▶ 59 TO SELL

Order **339771**
4.80 - 8 NHS

LH

CARLISLE
XTrac Snow, Gray,
2-Ply Tubeless,
Metal Offset Hub:
1" I.D. x 5.7"
Holes for Pinning,
Max 20 PSI



DIM WT
13 LBS
▶ 39 TO SELL

Order **345631L**
4.80 - 8 NHS

LH

CARLISLE
XTrac Snow, Gray,
2-Ply Tubeless,
Metal Offset Hub:
1" I.D. x 3-11/16"
Slotted Back Axle,
Max 20 PSI



DIM WT
13 LBS
▶ 11 TO SELL

Order **345651L**
4.80 - 8 NHS

CARLISLE
Snow XTrac, Gray,
2-Ply Tubeless,
Metal Offset Hub:
1" Dia. x 3-11/16"
Slotted Back Axle,
Max 20 PSI



DIM WT
12 LBS
▶ 35 TO SELL

Order **432335**
4.80 - 8 NHS

LH

KENDA,
Dark Gray, **2-Ply Tubeless,**
Holes for Pinning,
Metal Offset Hub:
1" I.D. x 5-3/4"
Max 20 PSI



WT 12 LBS
▶ 35 TO SELL

Order **432335x417**
4.80 - 8 NHS

LH

KENDA
Snow, Light Gray,
2-Ply Tubeless,
Metal Offset Hub:
1" I.D. x 5-3/4"
Hole for Pinning,
Max 20 PSI



DIM WT
13 LBS
▶ 96 TO SELL

Order **432338x421**
4.80 - 8 NHS

RH

KENDA,
Yellow, **2-Ply Tubeless,**
Metal Offset Hub:
1" I.D. x 3-3/4"
Holes for Pinning,
Slotted Back Axle,
Max 20 PSI



WT 12 LBS
▶ 33 TO SELL

Order **432337x418**
4.80 - 8 NHS

LH

KENDA,
Dark Gray, **2-Ply Tubeless,**
Metal Offset Hub:
1" I.D. x 3-3/4"
Holes for Pinning,
Slotted in Back,
Max 20 PSI



WT 12 LBS
▶ 5 TO SELL

Order **432338**
4.80 - 8 NHS

RH

KENDA,
Dark Gray, **2-Ply Tubeless,**
Metal Offset Hub:
1" I.D. x 3-3/4"
Holes for Pinning,
Slotted in Back,
Max 20 PSI



WT 12 LBS
▶ 24 TO SELL

Order **437151R**
4.80 - 8 NHS

RH

CARLISLE
XTrac Snow, Black,
2-Ply Tubeless,
Metal Offset Hub:
1" I.D. x 3-11/16"
Slotted Back Axle,
Max 20 PSI



DIM WT
13 LBS
▶ 179 TO SELL

Order **439171L**
4.80 - 8 NHS

LH

CARLISLE
Snow XTrac, Black,
2-Ply Tubeless,
Metal Offset Hub:
1" I.D. x 3-11/16"
Slotted Back Axle,
Max 20 PSI



DIM WT
12 LBS
▶ 35 TO SELL

Order **532415336**
4.80 - 8 NHS

CARLISLE
Xtrac, Marigold,
2-Ply Tubeless,
Metal Offset Hub:
1" I.D. x 5-23/32"
Holes for Pinning



DIM WT
12 LBS
▶ 32 TO SELL

Order **166-056**
16 x 6.50 - 8 NHS

RH

KENDA,
Gray, **2-Ply Tubeless,**
Metal Offset Hub:
3/4" I.D. x 6-1/8"
Holes for Pinning,
Max 14 PSI



WT 13 LBS
▶ 3 TO SELL

Order **1733007**
16 x 6.50 - 8 NHS

LH

AMERICANA,
Polar Pro, Gray,
2-Ply Tubeless,
Metal Offset Hub:
3/4" I.D. x 6-1/8"
Holes for Pinning,
Max 14 PSI



WT 15 LBS
▶ 23 TO SELL

Order **1738084**
16 x 6.50 - 8 NHS

LH

KENDA,
Yellow, **2-Ply Tubeless,**
Metal Offset Hub:
3/4" I.D. x 5"
Holes for Pinning,
Max 14 PSI



WT 13 LBS
▶ 7 TO SELL

SEMI-PNEUMATIC MOWER WHEELS

Order **1750347**
16 x 6.50 - 8 NHS

AMERICANA **RH**
Arctic Pro, Gray,
2-Ply Tubeless,
Metal Offset Hub:
3/4" I.D. x 6-1/8"
Hole for Pinning,
Max 14 PSI

WT 15 LBS
▶ 2 TO SELL



Order **1753547**
16 x 6.50 - 8 NHS

KENDA, **LH**
Gray, **2-Ply Tubeless,**
Metal Offset Hub:
3/4" I.D. x 6-1/8"
Holes for Pinning,
Max 14 PSI

WT 14 LBS
▶ 22 TO SELL



Order **1754076**
16 x 6.50 - 8 NHS

KENDA, **RH**
Gray, **2-Ply Tubeless,**
Metal Offset Hub:
3/4" I.D. x 6-1/8"
Holes for Pinning,
Max 14 PSI

WT 14 LBS
▶ 3 TO SELL



Order **1754077**
16 x 6.50 - 8 NHS

AMERICANA **LH**
Polar Pro, Gray,
2-Ply Tubeless,
Metal Offset Hub:
3/4" I.D. x 6-1/8"
Holes for Pinning,
Max 14 PSI

WT 14 LBS
▶ 53 TO SELL



Order **432586**
16 x 6.50 - 8 NHS

KENDA, **LH**
Gray, **2-Ply Tubeless,**
Metal Offset Hub:
3/4" I.D. x 4"
Holes for Pinning,
Max 14 PSI

WT 14 LBS
▶ 3 TO SELL



Order **432587**
16 x 6.50 - 8 NHS

KENDA, **RH**
Gray, **2-Ply Tubeless,**
Metal Offset Hub:
3/4" I.D. x 4"
Holes for Pinning,
Max 14 PSI

WT 14 LBS
▶ 18 TO SELL



Order **1501901**
16 x 6.50 - 8 NHS

CRAFTSMAN **LH**
Snow Trac, Gray,
2-Ply Tubeless,
Metal Offset Hub:
7/8" Dia. x 6"

WT 14 LBS
▶ 25 TO SELL



Order **1502088**
16 x 6.50 - 8 NHS

CARLISLE, **RH**
Xtrac, White,
2-Ply Tubeless,
Offset Hub:
7/8" Dia. x 6-1/8"
Holes for Pinning

WT 14 LBS
▶ 46 TO SELL



Order **1736621**
16 x 6.50 - 8 NHS

KENDA, **RH**
Yellow, **2-Ply Tubeless,**
Metal Offset Hub:
7/8" I.D. x 6-1/8"
Holes for Pinning,
Max 14 PSI

WT 14 LBS
▶ 22 TO SELL



Order **1736622**
16 x 6.50 - 8 NHS

KENDA, **LH**
Yellow, **2-Ply Tubeless,**
Metal Offset Hub:
7/8" I.D. x 6-1/8"
Holes for Pinning,
Max 14 PSI

WT 14 LBS
▶ 4 TO SELL



Order **47-015**
16 x 6.50 - 8 NHS

KENDA, **RH**
Gray, **2-Ply Tubeless,**
Metal Offset Hub:
7/8" Dia. x 6-1/8"
Holes for Pinning,
Max 14 PSI

WT 13 LBS
▶ 5 TO SELL



Order **47-045**
16 x 6.50 - 8 NHS

KENDA, **LH**
Yellow, **2-Ply Tubeless,**
Metal Offset Hub:
7/8" Dia. x 5"
Holes for Pinning,
Max 14 PSI

WT 13 LBS
▶ 25 TO SELL



Order **7100006**
16 x 6.50 - 8 NHS

CARLISLE,
Gray, **2-Ply Tubeless,**
Metal Offset Hub:
7/8" I.D. x 6-11/16"
Holes for Pinning,
Max 14 PSI

WT 14 LBS
▶ 7 TO SELL



Order **1722598**
16 x 6.50 - 8 NHS

CARLISLE,
Gray, **2-Ply Tubeless,**
Metal Offset Hub:
1-1/8" I.D. x 4"
Holes for Pinning,
Max 14 PSI

WT 13 LBS
▶ 14 TO SELL



Order **1738083**
16 x 6.50 - 8 NHS

KENDA, **RH**
Yellow, **2-Ply Tubeless,**
Metal Offset Hub:
1-1/8" I.D. x 4"
Holes for Pinning,
Max 14 PSI

WT 13 LBS
▶ 37 TO SELL



Order **49-004**
16 x 6.50 - 8 NHS

ARCTIC PRO, **RH**
Gray, **2-Ply Tubeless,**
Metal Offset Hub:
1-1/8" I.D. x 4"
Holes for Pinning,
Max 14 PSI

WT 14 LBS
▶ 40 TO SELL



SEMI-PNEUMATIC MOWER WHEELS

Order **583716501**

7 x 1.5

Semi-Pneumatic Plastic Wheel

White, Offset Hub:
1/2" x 1-3/8"



WT 1 LBS

▶ 2688 TO SELL

Order **532197972**

8 x 1.75

Semi-Pneumatic Plastic Wheel

Gray, Offset Hub:
1/2" x 1-3/8"
Dual Ball Bearings



WT 1.3 LBS

▶ 1630 TO SELL

Order **581685504**

8 x 1.75

Semi-Pneumatic Plastic Wheel

White, Hub:
1/2" x 1-5/8"
Self Propelled Gear,
Sintered Iron Brushing



WT 1.6 LBS

▶ 511 TO SELL

Order **583716601**

8 x 1.75

Semi-Pneumatic Plastic Wheel

Yellow, Offset Hub:
1/2" x 1-3/8"



WT 1 LBS

▶ 4956 TO SELL

Order **583717501**

8 x 1.75

Semi-Pneumatic Plastic Wheel

Black, Offset Hub:
1/2" x 1-3/8"



WT 1.1 LBS

▶ 453 TO SELL

Order **583720301**

8 x 1.75

Semi-Pneumatic Plastic Wheel

Marigold, Offset Hub:
1/2" x 1-3/8"
Dual Ball Bearings



WT 1.3 LBS

▶ 2402 TO SELL

Order **583733701**

8 x 1.75

Semi-Pneumatic Plastic Wheel

Marigold, Offset Hub:
1/2" x 1-3/8,
Ball Bearings



WT 1.3 LBS

▶ 1844 TO SELL

Order **532750550**

8 x 2

Semi-Pneumatic Plastic Wheel

Gray, Offset Hub:
1/2" x 1-3/8,
Dual Ball Bearing



WT 2 LBS

▶ 1805 TO SELL

Order **166-012**

9 x 1.75

Semi-Pneumatic Plastic Wheel



Black, Self Propelled Gear,
Offset Hub: 3/4" I.D. x 1-5/8"

WT 3 LBS

▶ 26 TO SELL

Order **582972801**

9 x 2

Semi-Pneumatic Plastic Wheel

Gray, Offset Hub:
1/2" x 1-3/8"



WT 2.7 LBS

▶ 2260 TO SELL

Order **588154807**

11 x 1.75

Semi-Pneumatic Plastic Wheel

Dark Gray, Offset Hub:
1/2" x 1-23/32"



WT 1.9 LBS

▶ 1785 TO SELL

Order **431880X460**

12 x 1.75

Semi-Pneumatic Plastic Wheel

Gray, Hub:
1/2" x 1-3/4"



WT 3 LBS

▶ 7072 TO SELL

SEMI-PNEUMATIC MOWER WHEELS

Order **532433118**

12 x 1.75

Semi-Pneumatic Plastic Wheel

Marigold, Offset Hub:
1/2" x 1-23/32"



WT 2 LBS

▶ 4112 TO SELL

Order **581010302**

12 x 1.75

Semi-Pneumatic Plastic Wheel

Gray, Offset Hub:
1/2" x 1-23/32"
Dual Ball Bearing



WT 2 LBS

▶ 1341 TO SELL

Order **581010311**

12 x 1.75

Semi-Pneumatic Plastic Wheel

White, Offset Hub:
1/2" Dia. x 1-3/4"



WT 3 LBS

▶ 5148 TO SELL

Order **581010312**

12 x 1.75

Semi-Pneumatic Plastic Wheel

Marigold, Hub:
1/2" Dia. x 1-3/4"



WT 3 LBS

▶ 57 TO SELL

Order **532433105**

12 x 1.75

Semi-Pneumatic Plastic Wheel

White, Offset Hub:
1/2" x 1-23/32"
Dual Ball Bearing



WT 2.1 LBS

▶ 825 TO SELL

Order **581010323**

12 x 1.75

Semi-Pneumatic Plastic Wheel

Gray, Offset Hub:
1/2" I.D. x 1-1/2"



WT 2.1 LBS

▶ 28408 TO SELL

Order **581010326**

12 x 1.5

Semi-Pneumatic Plastic Wheel

Marigold, Offset Hub:
1/2" Dia. x 1-3/4"



WT 2 LBS

▶ 2228 TO SELL

Order **583717701**

12 x 1.75

Semi-Pneumatic Plastic Wheel

White, Offset Hub:
1/2" x 1-23/32"



WT 2 LBS

▶ 1944 TO SELL

Order **583736201**

12 x 1.75

Semi-Pneumatic Plastic Wheel

Marigold, Hub:
1/2" x 1-23/32"



WT 3 LBS

▶ 1791 TO SELL

Order **07100933**

20 x 1.75 NHS

Semi-Pneumatic Plastic Wheel

Black,
Solid Rubber,
Hub: 1-3/8" x 2-3/8"



DIM WT 17 LBS


▶ 4 TO SELL

MUFFLERS

Order 130-0676 Muffler

DIM WT 10 LBS
20 TO SELL (Photos Actual Item)

Fits Kohler Vertical Models, Pro Grade Confidant™, Command & 7000 Series, 725CC & 747CC Engines



Order 583901001 Muffler

WT 8 LBS
65 TO SELL (Photo Actual Item)

Fits Kohler Vertical Models Pro Grade Confidant™ Command and 7000 Series, 725CC & 747CC Engines



Order 501451201 Muffler

WT 8 LBS
84 TO SELL (Photo Actual Item)

Fits Kohler Vertical Models Pro Grade Confidant™ Command and 7000 Series, 725CC & 747CC Engines, NO O2 Sensor




Order 46-011 NS Muffler Kit

No Heat Shield

DIM WT 7 LBS
4 TO SELL


Fits Briggs Vanguard Horizontal Shaft 356400 Series



Order KAMK-731V-T Kawasaki Muffler

WT 14 LBS
17 TO SELL


No Hardware
Fits Kawasaki FD731V-AS08, Dimensions: 5-1/4" x 8-1/2" x 8-1/2"




Order 199-022 Muffler

WT 13 LBS
58 TO SELL (Photo Actual Item)

Fits Kubota Diesel Husqvarna #575244501



Order 54-007 Muffler Kit



DIM WT 24 LBS
1 TO SELL

Muffler, Guard & Manifold
Fits Briggs & Stratton 54/61 Series

Order 179758 Muffler

DIM WT 9 LBS
6710 TO SELL

Fits B&S 344CC Vertical OHV Single Cylinder Engines, Used by Husqvarna for Front Engine Riding Mowers



Order 137352 Muffler

DIM WT 9 LBS
1701 TO SELL


Fits B&S 500CC Vertical OHV Single Cylinder Engines, Used by Husqvarna for Front Engine Riding Mowers



Order 54-008 Muffler Guard


DIM WT 13 LBS
2 TO SELL

Fits Briggs & Stratton 54/61 Series, Used by OEM #841682




Order 585883001 Wire Muffler Guard

WT 1 LB
14357 TO SELL



MISC. PARTS - GAS TANKS

Order 199-006 Exhaust Manifold Tube



WT 1 LBS
1 TO SELL

Fits Single Cylinder Briggs & Stratton Husqvarna #176068

Order 199-007 Exhaust Manifold Tube



WT 1 LBS
745 TO SELL

Fits Single Cylinder Briggs & Stratton Husqvarna #181442

Order 199-005 Exhaust Manifold Tube



WT 1 LBS
506 TO SELL

Fits 603CC-726CC Kawasaki Left Side Husqvarna #184579

Order 590800701 Exhaust Manifold Tube



WT 1 LBS
4055 TO SELL

Fits Kohler 5400 Series Engines, Used by Husqvarna

Order 5275566 John Deere Special Kohler Oil Filter Removal Kit

317/318 replacements on models w/ 1" Dia. crankshaft and oil filter - simply remove the oil filter & install this Kohler kit and use engine



WT 2 LB
545 TO SELL

Order 25 755 24-S Kohler Air Filter Gauge Kit

Direct mounted, monitors vacuum inside air filter; indicates required changing or servicing; fits Courage & OHC Series w/ mounting clearance



WT 2 LB
37 TO SELL

Order 532437802 1.5 Gal. Plastic Gas Tank



DIM WT 17 LBS
407 TO SELL

Used by Husqvarna

Order 199-010 6 Gal. Black Plastic Gas Tank



DIM WT 50 LBS
79 TO SELL

Husqvarna #578998402

Order 199-013 6 Gal. Black Plastic Gas Tank



(Has Yellow Cap)

(Photo Actual Item)

DIM WT 50 LBS
12 TO SELL

Husqvarna #574433204

Order 48-009 Kohler Blower Housing

Fits Single Cylinder Command Engines



DIM WT 17 LBS
80 TO SELL

(Photo Actual Product)


Order 54-006 Kawasaki Rain Cap



DIM WT 3 LBS
12 TO SELL

Mfg. #11065-7025, Fits FX Series

Order NCDKFX Donaldson Air Filter Assembly



WT 12 LBS
70 TO SELL

(NC = NOT COMPLETE)

Missing Rain Cap & Mounting Brackets


MISC. PARTS

Order **585049101**
Clutch Spring



WT 1 LB
5260 TO SELL Bag of 10

Order **581593101**
Tension Spring



Bag of 10 WT 2 LBS
1300 TO SELL

Order **581493801**
Brake Engage Spring



WT 3 LBS
3360 TO SELL Bag of 10

Order **581438001**
Dual Engine Pulley



Large: 5-1/4 dia. x 1"
Small: 3-1/2 dia. x 1"

WT 3 LBS
4416 TO SELL Used by Husqvarna

Order **581437701**
6" Pulley



5/8" x 1" Keyed Hub

WT 1 LB
3894 TO SELL

Order **584444401**
6" Mandrel Pulley



Mandrel
Opening
1/2" pulley

WT 1 LB
4164 TO SELL

Order **48-010**
Thermostat Housing w/
New 82°C Thermostat

Used on Perkins
Model 402C-05



WT 1 LB
84 TO SELL

Order **203963**
Carbon Cannister



(Photo Actual Product)

WT 1 LB
176 TO SELL

*The Cap that thinks it's a
flashlight!*

- Ultra Bright, 10,000 MCD, Non-Halo, White LED's
- Top quality Cotton 6 panel twill hats with Patented LED lighting technology built into the brim of the hat
- 2-2032 Lithium Coin Cell Batteries
- 25 Hours of Battery Life



Order #
46 Black 4253B
3 Red 4208R
6 White 4277W

**CLOSE OUT
PRICING**

Order by the
stock number
shown above.

Order **5900**
UF Capacitor



(Photo Actual Product)

WT 3 LBS
29 TO SELL



Order **2182**
SawA Idler Module



Used by Volt Master

WT 2 LBS
55 TO SELL (Photo Actual Module)

HARNESSES

MODEL 04789300

Wiring Harness



Used by Gravely
Model PT400/PT460

DIM WT 18 LBS

▶ 137 TO SELL

MODEL 05149800

Jumper Harness



Used by Gravely

DIM WT 8 LBS

▶ 92 TO SELL

MODEL T833-349C

Main Wiring Harness



Used by Ariens 4x4 UTV's

DIM WT 12 LBS

▶ 11 TO SELL

MODEL 03798600

Wiring Harness



Used by Ariens

DIM WT 12 LBS

▶ 19 TO SELL

MODEL 03875900

Wiring Harness



Used by Ariens

DIM WT 12 LBS

▶ 15 TO SELL

MODEL 04237601

Wiring Harness




Used by Ariens

DIM WT 18 LBS

▶ 18 TO SELL

MODEL 04781900

Wiring Harness



Used by Ariens

DIM WT 8 LBS

▶ 96 TO SELL

MODEL 04825800

Walk-Behind Mower
Wiring Harness



Used by Ariens

DIM WT 8 LBS

▶ 295 TO SELL

MODEL D28061

Main Wiring Harness



Used by Great Dane Mowers

DIM WT 8 LBS

▶ 141 TO SELL

MODEL GDA10037

Wiring Harness



Used by Great Dane Mowers

DIM WT 12 LBS

▶ 40 TO SELL

MODEL 00181442

Wiring Harness



Used by Great Dane Mowers

DIM WT 6 LBS

▶ 65 TO SELL

MODEL 00200411

Wiring Harness



Used by Great Dane Mowers

DIM WT 8 LBS

▶ 99 TO SELL

MISC. PARTS

USED ON CUB CADET VOLUNTEER 4X4 UTILITY VEHICLES

MODEL 725-04806
65 Amp Alternator



▶ DIM WT 38 LBS
2 TO SELL

MODEL 651-05244
Diesel Fuel Tank

Equip. w/ Fuel
Level Sensor



▶ DIM WT 38 LBS
23 TO SELL

Order 436834
Battery Strap

Pkg. of 10

▶ WT 1 LB
390 TO SELL



MODEL 725-05199
Engine Wire Harness



▶ DIM WT 1 LBS
90 TO SELL

MODEL 619-04207
Clutch Housing



▶ DIM WT 15 LBS
45 TO SELL

Order 437857
20" Throttle Cable

Pkg. of 10

▶ WT 4 LBS
1950 TO SELL



MODEL 725-05203A
Main Wire Harness



▶ DIM WT 14 LBS
5 TO SELL

MODEL 751-10894
Upper Radiator Tube




▶ DIM WT 10 LBS
35 TO SELL

Order 585974901
20" Throttle Cable

Pkg. of 10

▶ DIM WT 22 LBS
200 TO SELL



MODEL 751-10994
Air Intake Hose



▶ WT 1 LBS
162 TO SELL


Order 155-019
Snow Engine Key
BRIGGS & STRATTON

Bag of 10

▶ WT 1 LB/bag
1551 BAGS TO SELL



Order 581531601
Brake Cable



▶ DIM WT 18 LBS
1440 TO SELL

Box of 10

HARDWARE

Order 209-005 M5 Nut



Approx. 100/bag #438122

WT 2 LBS/BAG
▶ 57 BAGS TO SELL

Order 209-003 Hex Jam Nut 3/8-16

Approx. 100/bag
#73350600



WT 2 LBS/BAG
▶ 6 BAGS TO SELL

Order 209-004 M5x0.8.9mm Hex Screw



Approx. 100/bag #M74350509

WT 2 LBS/BAG
▶ 30 BAGS TO SELL

Order 209-006 M12 Nut



Approx. 100/bag

WT 2 LBS/BAG
▶ 12 BAGS TO SELL

Round Head Slotted Bolts

3/16" Dia.
10 - 24
Thread



ORDER
31-72
5/8" LONG

100pcs 1000pcs

▶ 8300 TO SELL

Order 209-002 Nut/Bolt Combo



Phillips/Hex Head M5-.8x8mm,
Approx. 100 sets/bag
Used by Husqvarna #438122

WT 2 LBS/BAG
▶ 147 BAGS TO SELL

Order 76020208 Zinc Coated Chisel Point Cotter Pins


Approx.
1000/box
1/16" x 1/2"



WT 1 LB/BOX
▶ 33 BOXES TO SELL

Countersunk Machine Screws

1/4" - 20 Thread



ORDER
31-67
1-1/4" LONG

100pcs 1000pcs
2700 TO SELL


Order 192443 Hex Head Screws

Fits Vangaurd
Exhaust Manifold
Briggs #690297



10pcs / Bag
▶ 99 Bags TO SELL

Order 092-268 Hex / Flanged Head Shoulder Bolt, Star Washer & Nut Sets



Shoulder Bolt 1/2" Dia. Shoulder x
1-1/2" Overall Length 2-1/4" Threads
3/8-16" Star Washer 7/8" O.D.

4 Bolts, Washers, Nuts / Bag
▶ 172 Bags TO SELL

Order 40-23 Snap Rings



7/8" O.D. x 5/8" I.D.,
Wide Wall, Approx. 150/bag

WT 1 LB/BAG
▶ 4 BAGS TO SELL

Order 585920601 Serrated Bearing

I.D. 5/8" O.D. 1"
10pcs/Bag



WT 4 LBS/bag
▶ 142 Bags TO SELL