Super Sukkah Building Instructions






SAFETY WARNING - Please read before use

- 1. Your Sukkahmart Sukkah and / or Rain Roof is intended for use in a protected garden or yard. Do not install your Sukkah in an open area which is exposed to high winds which may blow your Sukkah over.
- 2. If you are installing a Sukkah in an open area, we recommend that you use the Super Sukkah ONLY.
- 3. Wherever you place your Sukkah, it is vital that you anchor your Sukkah down so that it cannot lift off the ground. If wind lifts the Sukkah off the ground, the Sukkah may collapse upon landing. This is especially important when using a Sukkah Roof.
- 4. You can weigh your Sukkah down, by placing sandbags or heavy objects on the bottom horizontal beam, or, for a Hard-Walled Sukkah on the anchoring brackets supplied. The Hard-Walled Sukkah also comes with adaptors which can be used to tie-down the Sukkah, or to fix the Sukkah to your house.

Super Sukkah 3 x 4m Assembly Parts



Quantity of items for a 3x4 Sukkah




Super Sukkah 3 x 4m Assembly Instructions



STEP 1

- Construct the frame as in the diagram.
- Begin by laying the base poles on the ground (No. 8 and No. 9). Join the base poles (No. 8 and No. 9) – they just click together.
- Attach the base corner joiners (No.10) and middle base joiners (No. 11) to the base poles.
- Affix the upright corner poles (No. 1) to the base joiners (No. 10). Then affix the upright joiner pole (No. 2) to the middle base joiner No. 11).
- Add the top corner and middle joiners (No. 12 and No. 13) to the corner and middle poles (No. 1 and No. 2).
- Join together the horizontal top poles (No. 3 and No. 4) and then connect these poles to the top corner joiners (No. 12) and top middle joiners (No.13).
- Join the horizontal middle poles (No. 6 and No. 7) together.
- Insert the horizontal middle poles (No. 5, No. 6 and No. 7) into the cavities on the upright poles (No. 1 and No. 2).
- You will now have the full frame standing on its own. It will not fall over.



Super Sukkah 3 x 4m Assembly Instructions




STEP 2

Unravel the material and place around your frame. Ensure that the door is in the correct position.

Fold and fasten the velcro around the top poles.

Do the same around the base poles. Fasten all the velcro strips around the middle poles.




STEP 3

Take the black straps and secure one around onecorner pole. Bring it around the pole and across to the next vertical pole and slip it through the grooves on the pole.

Continue around your sukkah and secure it aroundthe last corner pole with the velcro. Repeat this forall three straps.

Note: - Ensure that these straps are pulled taut.

This will make your sukkah kosher l'mehadrin.



Your sukkah is now complete!


For more help and instruction videos, visit our website: www.sukkahmart.co.uk.

You can now roll on your Permanent Schach and decorate your Sukkah!

Super Sukkah 2 x 3m Assembly Parts




Quantity of items for a 2x3 Sukkah



Super Sukkah 3 x 3m Assembly Parts



Quantity of items for a 3x3 Sukkah



Super Sukkah 3 x 6m Assembly Parts



Quantity of items for a 3x6 Sukkah

