


Cube Luxury Series CL5G Outdoor Sauna 63D" x 81W" x 83H"



Note: Please read manual before construction




Cube Luxury Series CL5G Outdoor Sauna 63D" x 81W" x 83H"

Rev: 1.0_6/2024



Tools needed



DET 1	x2	55.12" *A" *2"	
Article.		55.14	
K-SM100/1400			1)
DET 2	х4	51.18" +4" +2"	
Article.		2	
K-SM100/1300			5522
DET 3	x1	1,65	
Article. T-STL117/1600XLM0	1	63" • A 33"	
DET W	x2 kmpl	W2 • W1	
Article. MU-TRAPP		- W4	
DET 3	x64	63" *46" *1.65"	
Article. T-STL117/1600-01		63" * 416	
DET 3/H	x2	63" 46" 165"	
Article. T-STL117/1600-01X		63, 18	
DET Sb	x1		
Article. IC-TE-20-PR-12/15V		162 27 36 3	
DET Sa	x1	136 101	
Article. IC-TE-20-PR-12/15P		162	
DET Ta	x1	1773	
Article.		1563	
T-SL117/610UK1		- 2ª	
DET Tb	x1	*11	
Article.		24" -3.7	
T-TL94/610J		, A	


DET V	x4	a" • 1"	
Article.		158" *1200	
KI-VIN-25/40/40-ZN			
DET U1	x1	. 17	
	XI	137.1.1	
Article.		76.38" *3.7" *1.1"	
K-TL94/1940	-		
DET Y1			
DELTI	x1	11/2/11/11	
Article.			
T-IC-PTS-20/28-V	(.)		
DET Y2		17	
DET 12	x1	N/THE	
Article.	£.	10/2/2/77//	
T-IC-PTS-20/28-P		44277	
DET U2	DOM:	/7	
DL, 02	x1	71.11	
		12.83" -3.7" - 1.1"	
Article.	12	- ///	
K-TL94/1850		6/	
DET 6	x2		
		63" *232" *1.65"	
Article.		63, 12.31	
T-STL117/1600XL-01			
DET 6c/d/e/f	x1	A A A	X X 1"
	ASSESSED A		□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
Article.		3 /////////////////////////////////////	1 2/4"
142			1 3/16'
T-STL117/1600KO-01			() () () () ()
DET A1	x2		~72,5"
Article. MU-VIT1840-KLZN			
DET A2	1000200		
DEI ME	x2		~191.5"
Article.			
MU-VIT4860-KLZN			
DET G	x1	•	
	30,4133		
Article.	S .		
MU-VENT-100-PU			


DET F	х3		
Article.			
MU-VENT-100-ZN			
DET 10a		- nº	
DET TOU	x2	13" *1.73	
Article.		08" 1.11	
K-HP44/510XP	-	20.08" *1.73" *1.73"	
DET 11a		* 4	
DET TIU	x2	27 *1.13	
Article.		12"*1.12	
K-HP44/755XP		12	
DET 10c	12846	S=7:	
DET IOC	x1	173"	
Article.		1,13	
K-HP44/170	-	6.1	
DET 10	1339241-	(Uac	
DET 10	x1	16" *21.34" *2.84"	
		.134	
		16"	
Article.			
NORTH PROPERTY :	2007		
TL-LAMOD-1930-KAC	01		
DET 11	x1	33" *31.14" *2.84"	
		31.14"	
		13.23"	
Article.			
TL-LAMOD-1860-01			
DET 12	x1	"Ap	
	3865	132"*284"	
		23.62	
Article.			
		22	
TL-LAMOD-600-01			
DET 10b	х3	::: ::::::::::::::::::::::::::::::::::	
	1015000	11,427 -1,73" -1,73	
Article.		12, 27	
K-HP44/290		11.	
DET 14			
HO. 27 1 (120 (45)	x1	2.8AV	
		35"	
		16"	
	:	16"	
Article.		16"	
Article. TL-STMOD-1930-KAC	01	16"	


DET 21	х1		
		66.54" "23.23"	
Article.		6.54	
U-KL-6/17-PR		9	
DET 21c	x2	3, 1,13	
Article.		66.5A" *1.12	
K-HP44/1690			
DET 21d	x2	13	
Article.		71" *1.73"	
K-HP44/680		26.1	
DET 21a	x2	2" *0.71"	
Article.		c5.35" *1.73"	
K-HL44/1660			
DET 21b	x2	215	
Article.		*1.13**0.	
K-HL44/650		25.6	
DET 16	х1	24.88" *2 ⁴ 71" *1.1"	B 24.88" + 23.74" + 23.74" + 23.11" + 2
Article.		24.88	D 5° 24.21" + 22.16" +
TL-PIMOD-632-01			F C 31°
DET 15a	x1		
Article. TL-LAV90/630X		24.8" *3.55" *1.1"	
DET 15b	x1	0.513	7
Article. TL-LAV90/500XP-XL		19.68° • 2.76° • 1.1	
DET 15d	x1		
Article. TL-LAV42/330XP-XP		130 - 1.65	
DET 15c	x2	~	
Article. KI-LEK15		(D)	


Details list 5/5

DET 22	x2		>					
Article. T-STL-1600-XX		63.1.2						
Underlay felt	26 ′							
Article. KAT-AL								
DET N	x7							
Article. KAT-HAR-MUST								
DET O	x52							
Article. KAT-SIN-MUST			27					
DET 25a	x8	.1	1					
Article.		12-50)
MU-OL-IC-20-1								
DET 25b	x8	1536		_				
Article.				$\overline{}$				
MU-OL-IC-20-2			\$100					7227
Article. KI-KERL-12-RV4			Article. KI-USA-ICO-				H	M
C \ L=~9.85″			Bit PH2		K Y	I		
D E	×4		Torx bits	0 3	K %1x %	3/10 " X 2"	*/2*"×2%"	wannamana_
x8 x8			T10 T15 T20 T25	~320 >	20 x45	×40	X240	x70














Wooden back wall assembly








































Please be careful!!! Do not hit the glass with the screw.





ATTENTION! HEATER GUARD MAY NOT MEET THE SAFETY DISTANCES OF ALL HEATERS AND SHOULD NOT BE USED IF THE HEATER DOES NOT FIT!




If Your sauna heater is smaller, You can cut DET 15b to length from the non-tapered end to better fit your heater.


II







DET O



Cut

III

II

