



CHAMPION® SMALL ENGINE SPARK PLUGS



BOUGIES CHAMPION® POUR PETITS MOTEURS

2022

Find Your Part at ChampionAutoParts.com
Trouvez votre pièce à ChampionAutoParts.com



CHAMPION® PREMIUM SMALL ENGINE SPARK PLUGS BOUGIES CHAMPION® PREMIUM POUR PETITS MOTEURS

PREMIUM

OE replacement plug for lawn and garden, marine and similar small engine machines

- Optimized for small engine CDI systems (Capacitive Discharge Ignition)
- Resists fouling
- Superior corrosion resistance
- Improved fuel economy
- Reduced engine emissions


EASIER, CLEANER STARTS

Special low resistance "Q" inductive resistor delivers more spark energy to the fine-wire center electrode while providing superior suppression and protection against EMI (electromagnetic interference) and RFI (radio frequency interference).

Fine-wire center electrode creates sharp-focused spark for faster, more consistent starting.

RESISTS FOULING

Patented rib core nose fights fouling and provides an alternate spark path to ground under adverse conditions allowing the engine to fire, start and run when carbon contaminants are present.



PREMIUM

Bougie de rechange de l'équipement d'origine pour les machines à petits moteurs pour la pelouse et le jardin, les appareils maritimes et d'autres articles similaires

- Optimisé pour les systèmes d'allumage à décharge capacitive de petits moteurs (CDI)
- Résiste à l'encrassement
- Résistance supérieure à la corrosion
- Meilleure économie de carburant
- Émissions des moteurs réduites

DÉMARRAGES PLUS FACILES ET PLUS PROPRES

Une résistance inductive « Q » à faible résistance fournit plus d'énergie d'allumage à l'électrode centrale à fils fins, tout en fournissant une suppression et une protection supérieures contre les interférences électromagnétiques (EMI) et les interférences aux fréquences radioélectriques (RFI).

Une électrode centrale à fils fins crée un allumage des plus précis, pour un démarrage plus rapide et plus uniforme.

RÉSISTE À L'ENCRASSEMENT

Un nez central breveté combat l'encrassement et fournit une autre voie d'allumage à la masse dans des conditions défavorables, en permettant au moteur de s'allumer, de démarrer, et de fonctionner lorsque des contaminants au carbone sont présents.



Ribbed Core Nose
Nez central à nervures

Fine-Wire
Center Electrode
Électrode centrale
à fils fins



SMALL ENGINE SPARK PLUGS

Application Catalog

SMALL ENGINE APPLICATIONS RECOMMANDATIONS POUR PETITS MOTEURS APLICACIONES DE MOTORES PEQUEÑOS

	Power Equipment Engines Moteurs d'équipement motorisé Motores de equipos	1
	Lawn & Garden Equipment Pour équipement de pelouse et jardin Para motores de césped y jardín	53
	Chain Saws Scies à chaîne Sierras de cadenas	443
	Snow Removal Equipment Équipement de déneigement Equipos quitanieves	506
	Lighting Plants & Generators Groupes d'éclairage et générateurs Plantas de iluminación y generadores	528
	Pumps, Compressors & Refrigeration Units Pompes, Compresseurs et unités de réfrigération Bombas, compresores y unidades de refrigeración	561

PRODUCT INFORMATION RENSEIGNEMENTS SUR PRODUCTS/INFORMATION INFORMACIÓN SOBRE EL PRODUCTO

Plug Type Type de bougie Tipo de bujía	II
Champion Resistor Information Champion information de résistance Champion información de resistencia	VIII
Champion Resistor Matrix Champion matrice de résistances Champion matriz de resistencia	IX
Best Selling Spark Plug Potential Types des bougies les plus vendus Potencial de ser las bujías más vendidas	X
Shop Pack Part Numbers Nombres de partie de ensemble pour atelier Números de parte de paquete para taller	XIV
Technical Information Informations techniques Información técnica	603
Briggs & Stratton Quick Reference Référence rapide de Briggs & Stratton Referencia rápida de Briggs & Stratton	614
Competitive Interchange Table de renvois Referencia cruzada	615



PLUG TYPE



RC12PMCB3

First plug example

- R** Resistor
- C** M14 x 1.25 thread, 0.750" thread reach, gasketed seat, 5/8" hex
- 12** Heat range (automotive & small engine)
- P** Contains platinum in the center electrode
- M** Core Projection 0.0100" to 0.140"
- C** Contains copper in the ground electrode
- B** Fine wire rivet design (***Special design feature***)
- 3** Has a 0.030" electrode gap by design

R

C

12

RESISTOR

*	Description
K	Resistor -1k - 2k ohm
Q	Low resistance, inductive suppressor
R	Resistor - 3k ohm / 10k ohm
U	Internal auxillary air gap (booster gap)
X	Combined resistive / inductive suppression

If the very first character listed in the plug type number is NOT one of the characters listed above, the plug is a non-resistor type. (It does not contain a resistor).

SHELL DESIGN (THREAD, REACH, SEAT, HEX)

*	Thread	Reach	Seat	Hex
A	M12x1.25	0.750"	Gasket	5/8" or 18mm
C	M14x1.25	0.750"	Gasket	5/8"
CJ	M14x1.25	0.375"	Gasket	3/4" or 13/16"
D	M18x1.25	0.500"	Gasket	7/8"
DJ	M14x1.25	0.307"	Taper	5/8"
DZ	M10x1.0	0.500"	Taper	5/8"
F	M18x1.5	0.429"	Taper	13/16"
G	M10x1.0	0.750"	Gasket	5/8"
H	M14x1.25	0.438"	Gasket	13/16"
J	M14x1.25	0.375"	Gasket	13/16"
L	M14x1.25	0.500"	Gasket	13/16"
N	M14x1.25	0.750"	Gasket	13/16"
P	M12x1.25	0.500"	Gasket	11/16"
S	M14x1.25	0.689"	Taper	5/8"
V	M14x1.25	0.441"	Taper	5/8"
W	M22.2x1.5	0.625"	Gasket	15/16"
Y	M10x1.0	0.375"	Gasket	5/8"
Z	M10x1.0	0.500"	Gasket	5/8"

The tabulated values generally hold true for the more common plug types. Minor variations may arise from the tabulated values for the less common plug types.

HEAT RANGE / APPLICATION

HR	Application
1-25	Automotive & Small Engine
75-99	Industrial & Small Engine

Please note, within a given plug family, the plugs run hotter as the number gets higher. Generally, the industrial family's plugs run colder than automotive family's even though they have higher numbers.



RJ19LM

Second plug example


R Resistor

J M14x1.25 thread, 0.375" thread reach, gasketed seat, 13/16" hex

19 Heat range (automotive & small engine)

L
M LM = Lawn mower plug

If no special gap dimension is indicated, follow the application manufacturer's recommended gap setting when installing the spark plug.





TIPO DE BUJÍA



RC12PMCB3

Ejemplo de primera bujía

- R** Resistor
- C** Rosca M14 x 1.25 , alcance de la rosca de 0.750", asiento con junta, hex de 5/8"
- 12** Contiene platino en el electrodo central
- P** Proyección core de 0.0100" a 0.140"
- M** Proyección core de 0.0100" a 0.140"
- C** Contiene cobre en el electrodo de tierra
- B** Diseño de remache de alambre fino (**característica de diseño especial**)
- 3** Écartement de l'électrode réglé en conséquence à 0,030 po

R

C

12

RESISTOR

*	Descripción
K	Resistor -1k - 2k ohm
Q	Supresor inductor de baja resistencia
R	Resistor - 3k ohm / 10k ohm
U	Separación auxiliar interna (separación de refuerzo)
X	Supresión resistiva / inductora combinada

Si el primer carácter indicado en el número del tipo de bujía NO es uno de los caracteres indicados arriba, la bujía es del tipo sin resistor. (No contiene un resistor).

DISEÑO DEL CASCO (ROSCA, ALCANCE, ASIENTO, HEX)

*	Rosca	Alcance	Asiento	Hex
A	M12x1.25	0.750"	Junta	5/8" or 18mm
C	M14x1.25	0.750"	Junta	5/8"
CJ	M14x1.25	0.375"	Junta	3/4" or 13/16"
D	M18x1.25	0.500"	Junta	7/8"
DJ	M14x1.25	0.307"	Cónico	5/8"
DZ	M10x1.0	0.500"	Cónico	5/8"
F	M18x1.5	0.429"	Cónico	13/16"
G	M10x1.0	0.750"	Junta	5/8"
H	M14x1.25	0.438"	Junta	13/16"
J	M14x1.25	0.375"	Junta	13/16"
L	M14x1.25	0.500"	Junta	13/16"
N	M14x1.25	0.750"	Junta	13/16"
P	M12x1.25	0.500"	Junta	11/16"
S	M14x1.25	0.689"	Cónico	5/8"
V	M14x1.25	0.441"	Cónico	5/8"
W	M22.2x1.5	0.625"	Junta	15/16"
Y	M10x1.0	0.375"	Junta	5/8"
Z	M10x1.0	0.500"	Junta	5/8"

Los valores tabulados generalmente son ciertos para las puntas de de bujías más comunes. Pueden surgir variaciones menores de los valores tabulados para los tipos de bujías menos comunes.

GAMA TÉRMICA / APLICACIÓN

HR	Aplicación
1-25	Automotriz y motor pequeño
75-99	Industrial y motor pequeño

Observe que, en una familia de bujías dada, las bujías funcionan a mayor temperatura a medida que aumenta el número. Generalmente, las bujías de la familia industrial funcionan a temperaturas más bajas que la familia automotriz aun cuando tengan números mayores.


RJ19LM
Ejemplo de segunda bujía


R Resistor

J Rosca M14x1.25, alcance de rosca de 0.375", asiento con junta, tuerca hex de 13/16"

19 Gama térmica (automotriz y motor pequeño)

L
M LM = Bujía de cortacéspedes

Si no se indica una dimensión de separación especial, siga el ajuste de la separación recomendada del fabricante para la aplicación al instalar la bujía.



*** Algunas bujías tienen características de diseño especiales. Si el primer carácter después de la gama térmica (número) NO es una de las referencias de electrodos centrales, compruebe la matriz de características de diseño especial.



TYPE DE BOUGIE



RC12PMCB3

Premier exemple de bougie

- R** Résistance
- C** Filetage M14 x 1,25 à portée de 0,750 po, siège à joint, écrou à six pans 5/8 po
- 12** Gamme de températures (automobiles et petits moteurs)
- P** Électrode centrale avec platine
- M** Saillie du bec de 0,0100 à 0,140 po
- C** Électrode de masse avec cuivre
- B** Conception à pointe fine rivetée (**caractéristiques spéciales**)
- 3** Écartement de l'électrode réglé en conséquence à 0,030 po

R

C

12

RÉSISTANCE

*	Description
K	Résistance 1k - 2k ohm
Q	Antiparasite inductif à faible résistance
R	Résistance - 3k ohm / 10k ohm
U	Entrefer auxiliaire interne (amplificateur)
X	Antiparasite résistif / inductif combiné

Si le tout premier caractère du numéro de type de bougie N'EST PAS l'un de ceux figurant ci-dessus, la bougie est de type sans résistance. (Elle ne contient pas de résistance).

TYPE DE CULOT (FILETAGE, PORTÉE, SIÈGE, CULOT)

*	Filetage	Portée	Siège	Culot à six pans
A	M12x1.25	0.750"	Joint d'étanchéité	5/8" or 18mm
C	M14x1.25	0.750"	Joint d'étanchéité	5/8"
CJ	M14x1.25	0.375"	Joint d'étanchéité	3/4" or 13/16"
D	M18x1.25	0.500"	Joint d'étanchéité	7/8"
DJ	M14x1.25	0.307"	Conique	5/8"
DZ	M10x1.0	0.500"	Conique	5/8"
F	M18x1.5	0.429"	Conique	13/16"
G	M10x1.0	0.750"	Joint d'étanchéité	5/8"
H	M14x1.25	0.438"	Joint d'étanchéité	13/16"
J	M14x1.25	0.375"	Joint d'étanchéité	13/16"
L	M14x1.25	0.500"	Joint d'étanchéité	13/16"
N	M14x1.25	0.750"	Joint d'étanchéité	13/16"
P	M12x1.25	0.500"	Joint d'étanchéité	11/16"
S	M14x1.25	0.689"	Conique	5/8"
V	M14x1.25	0.441"	Conique	5/8"
W	M22.2x1.5	0.625"	Joint d'étanchéité	15/16"
Y	M10x1.0	0.375"	Joint d'étanchéité	5/8"
Z	M10x1.0	0.500"	Joint d'étanchéité	5/8"

Les valeurs tabulées sont généralement les mêmes pour les types de bougies les plus courants. Dans le cas de types de bougie moins courants, ces valeurs peuvent varier légèrement.

GAMME DE TEMPÉRATURES / APPLICATION

HR	Application
1-25	Automobiles et petits moteurs
75-99	Industriels et petits moteurs

Veuillez noter que dans une même gamme de bougies, plus le chiffre est élevé, plus la température de fonctionnement est élevée. En général, la température de fonctionnement des bougies industrielles est plus basse que celle des bougies d'automobile, et ce, même si les chiffres indiquant leur gamme de températures sont plus élevés.



RJ19LM

Deuxième exemple de bougie

R Résistance


J Filetage M14 x 1,25 à portée de 0,375, siège à joint, écrou à six pans 13/16 po

19 Gamme de températures (automobiles et petits moteurs)

L
M

LM = Bougie de tondeuses à gazon

Si aucune valeur d'écartement n'est indiquée, régler l'écartement conformément à la recommandation du constructeur de l'application au moment d'installer la bougie.



*** La conception de certaines bougies comporte des caractéristiques spéciales. Si le premier caractère qui suit le chiffre indiquant la gamme de température NE se trouve PAS dans les références de l'électrode centrale, consulter le tableau matriciel des caractéristiques spéciales.



Important Information regarding resistor plugs and proper plug selection



For more than 30 years, small engine manufacturers have come to rely on Champion resistor style spark plugs to protect against disruptive EMI and RFI emissions.

Electro-magnetic interference (EMI) and radio frequency interference (RFI) are two forms of high-frequency electrical energy. These violent bursts of energy are a natural occurrence created every time a spark plug fires. Left unchecked, these electronic emissions can upset the intended operation of sensitive nearby electronics (like cell phones, walkie-talkies and radios). In some cases, EMI/RFI emissions can even cause a noticeable decrease in engine performance.

Spark plug resistors are used to control these interfering emissions. Champion produced its first suppressed spark plug in 1931. Since then our engineers have designed a variety of resistor types in order to deliver the highest levels of EMI/RFI control.

“SAC-9” resistors are made of a proprietary blend of finely ground metal powders, each chosen for their specific resistive characteristics. All Champion plug types that begin with the letter “R” (RJ19LM for example) are built with the SAC-9 style resistor.

“Q” resistors use a small wire-wound component called an inductive suppressor. All Champion plug types that begin with the letter “Q” (QL76V for example) are built with this inductive suppressor.

“X” resistors use both “SAC-9” and “Q” resistor/suppressor technology. All Champion plug types that begin with the letter “X” (XC12YC for example) are built with this combined resistor/suppressor technology, providing the highest level of EMI/RFI protection.

NOTE: Many marine applications utilize Capacitive Discharge or “CD” style ignition systems. Because of how CD ignition systems work, resistance found in the spark plug can greatly diminish the performance of CD ignition systems. Champion “Q” inductive suppressors effectively manage RFI/EMI without hurting CD ignition performance because of its low resistance characteristics. Modern marine applications utilize a high amount of sensitive onboard electronics like depth finders, fish finders, GPS and ship to shore radios. Maximum protection against unwanted electrical interference should always be considered.

NOTE: Non-resistor spark plugs should NOT be used in any application where a resistor style spark plug has been required by the manufacturer.



CHAMPION RESISTOR MATRIX CHAMPION MATRICE DE RÉSISTANCES CHAMPION MATRIZ DE RESISTENCIA

Q Type	Boxed	Carded	Shop Pack	X Type	---
QL77JC4	828M	828-1	828S	---	---
QL78V	838M	838-1	838S	---	---
QL16V	876M	876-1	876S	---	---
QC12PEP	7712	---	---	---	---
QL78C	883/883M	883-1	883S	---	---
QL6VC	886/886M	886-1	---	---	---
QL76V	898/898M	898-1	---	---	---
QN19V	919	---	---	---	---
QL82YC	932/932M	932-1	932S	---	---
QL86C	933/933M	933-1	933S	---	---
QL82C	931M	931-1	931S	---	---
QL87YC	934M	934-1	934S	---	---
QL78YC	938M	938-1	938S	---	---
QL78YC6	939M	939-1	---	---	---
QL77CC	941M	941-1	---	---	---
QC12YC	946	946-1	---	XC12YC	---
QJ19LM	947	947-1	---	---	---
QC10PEP	958	---	---	---	---
QL77PP	943M	---	---	---	---
QC12GMC	950M	---	---	---	---
QC12PEPA	952M	---	---	---	---
QC12PEP	956M	---	956S	XC12PEPB	---

X Type	Boxed	Carded	Shop Pack	Q Type	---
XC10YC	988	---	---	---	---
XC12PEPB	955M	---	955S	QC12PEPB	---
XC12YC	982	---	---	QC12YC	---
XC92PYC	3980	---	---	---	---
XC92YC	980	---	---	---	---

R Type	Boxed	Carded	Shop Pack	Q Type	X Type
RA2HC	900	---	---	---	---
RA4HC	905	---	---	---	---
RA6HC	809	809C/809C2	---	---	---
RA8GHC	948	---	---	---	---
RA8HC	810	810C	810S	---	---
RC12PEPB	974	---	---	QC12PEPB	X12PEPB
RC12YC	71	71-1	71S	QC12YC	XC12YC
RC14YC4	985	---	---	---	---
RC7YC3	444	---	---	---	---
RCJ4	893	---	---	---	---

R Type	Boxed	Carded	Shop Pack	Q Type
RCJ6Y	852	852-1	---	---
RCJ7Y	859	859-1	859S	---
RCJ8	840	840C	---	---
RCJ8Y	863	863-1	863S	---
RDJ6J	870	---	---	---
RDJ7J	860	---	---	---
RDJ7Y	872	872-1	---	---
RDJ8J	865	---	---	---
RDZ19H	940	940-1	---	---
RDZ4H	979	979-1	---	---
REA6MC	990	---	---	---
REA8MCX	991	---	---	---
RG4YCX	992	---	---	---
RH10C	854	---	---	---
RH12	537	---	---	---
RH18Y	857	---	---	---
RH8C	538	---	---	---
RJ12C	592/592M	592-1/592C	592S	---
RJ17LM	856	856-1	856S	---
RJ19HX	973	973-1	---	---
RJ19LM	868	868-1	868S	QJ19LM
RJ19LMC	868LMC	868LMC-1	---	---
RJ8C	871	871-1	---	---
RL82C	874/874M	874-1	874S	QL82C
RL82YC	814	---	---	QL82YC
RL86C	830	---	---	QL86C
RL87YC	327	327C	---	QL87YC
RL95YC	929	929C	---	---
RN13LYC5	817	---	---	---
RN2C	818	818C	---	---
RN3C	880	880C	---	---
RN4C	104	---	---	---
RN4YC	904	---	---	---
RN57YCC	954	954C	---	---
RN5C	123	---	---	---
RS17YX	909	---	---	---
RV92YC	930	---	---	---
RV9YC	400	---	---	---
RY4C	978	978-1	---	---
RZ7C	965	965-1	---	---

BEST SELLING SPARK PLUGS
POTENTIAL TYPES DES BOUGIES LES PLUS VENDUS
POTENCIAL DE SER LAS BUJÍAS MÁS VENDIDAS



SALES RANK FOR SINGLE BLISTER PART NUMBERS

Unit Rank	Stock	Alphanumeric	As % of Unit Sales	Accumulative %
1	71-1	RC12YC	20%	20%
2	868-1	RJ19LM	14%	34%
3	861-1	J19LM	12%	46%
4	852-1	RCJ6Y	7%	53%
5	843-1	CJ8	6%	59%
6	828-1	QL77JC4	5%	63%
7	848-1	CJ8Y	5%	68%
8	853-1	CJ7Y	4%	71%
9	841-1	J8C	3%	74%
10	821-1	L77JC4	2%	76%
11	845-1	J17LM	2%	78%
12	847-1	DJ8J	2%	80%
13	849C	CJ6	2%	81%
14	810C	RA8HC	2%	83%
15	844-1	H10C	1%	84%
16	415-1	RN9YC	1%	86%
17	846-1	CJ14	1%	87%
18	938-1	QL78YC	1%	88%
19	855C	DJ7Y	1%	89%
20	973-1	RJ19HX	1%	90%
21	863-1	RCJ8Y	1%	91%
22	322-1	RN11YC4	1%	91%
23	827-1	L76V	1%	92%
24	917C	N11YC	1%	93%
25	431-1	RC14YC	1%	93%
26	850C	DJ7J	1%	94%
27	823-1	J6C	1%	94%
28	809C	RA6HC	0.43%	95%
29	859-1	RCJ7Y	0.37%	95%
30	840C	RCJ8	0.34%	96%

Unit Rank	Stock	Alphanumeric	As % of Unit Sales	Accumulative %
31	833-1	L78V	0.32%	96%
32	805C	N2C	0.32%	96%
33	851C	DJ6J	0.30%	96%
34	803C	N4C	0.30%	97%
35	979-1	RDZ4H	0.28%	97%
36	931-1	QL82C	0.25%	97%
37	801C	N3C	0.23%	98%
38	818C	RN2C	0.23%	98%
39	856-1	RJ17LM	0.23%	98%
40	872-1	RDJ7Y	0.21%	98%
41	946-1	QC12YC	0.19%	98%
42	825C	J4C	0.18%	99%
43	831-1	UL77V	0.17%	99%
44	592C	RJ12C	0.15%	99%
45	965-1	RZ7C	0.15%	99%
46	940-1	RDZ19H	0.13%	99%
47	941-1	QL77CC	0.13%	99%
48	592-1	RJ12C	0.10%	99%
49	807-1	L78C	0.10%	100%
50	306C	L86C	0.08%	100%
51	860-1	RDJ7J	0.07%	100%
52	858-1	CJ6Y	0.06%	100%
53	814-1	RL82YC	0.06%	100%
54	933-1	QL86C	0.05%	100%
55	25-1	RV17YC	0.04%	100%
56	929C	RL95YC	0.04%	100%
57	328-1	L82YC	0.04%	100%
58	932-1	QL82YC	0.03%	100%
59	954C	RN57YCC	0.02%	100%



BEST SELLING SPARK PLUGS

POTENTIAL TYPES DES BOUGIES LES PLUS VENDUS

POTENCIAL DE SER LAS BUJÍAS MÁS VENDIDAS

SALES RANK FOR CARTON PACK PART NUMBERS

Unit Rank	Stock	Alphanumeric	As % of Unit Sales	Accumulative %
1	71	RC12YC	38%	38%
2	810	RA8HC	7%	44%
3	868	RJ19LM	6%	50%
4	415	RN9YC	4%	54%
5	852	RCJ6Y	3%	58%
6	861	J19LM	3%	61%
7	859	RCJ7Y	3%	64%
8	322	RN11YC4	2%	66%
9	843	CJ8	2%	68%
10	809	RA6HC	2%	70%
11	863	RCJ8Y	2%	72%
12	841	J8C	2%	73%
13	982	XC12YC	2%	75%
14	844	H10C	2%	77%
15	808	Z9Y	1%	78%
16	988	XC10YC	1%	79%
17	123	RN5C	1%	80%
18	980	XC92YC	1%	81%
19	858	CJ6Y	1%	82%
20	848	CJ8Y	1%	83%
21	853	CJ7Y	1%	84%
22	104	RN4C	1%	85%
23	946	QC12YC	1%	86%
24	847	DJ8J	1%	86%
25	821	L77JC4	1%	87%
26	818	RN2C	1%	88%
27	120	N5C	1%	88%
28	823	J6C	0.49%	89%
29	909	RS17YX	0.48%	89%
30	965	RZ7C	0.46%	90%
31	512	H12	0.45%	90%
32	327	RL87YC	0.44%	91%
33	973	RJ19HX	0.39%	91%
34	929	RL95YC	0.39%	91%
35	954	RN57YCC	0.38%	92%
36	991	REA8MCX	0.35%	92%
37	306	L86C	0.33%	92%
38	842	UY6	0.32%	93%
39	880	RN3C	0.32%	93%
40	846	CJ14	0.31%	93%
41	975	REC10YC4	0.30%	94%
42	849	CJ6	0.28%	94%

Unit Rank	Stock	Alphanumeric	As % of Unit Sales	Accumulative %
43	825	J4C	0.28%	94%
44	830	RL86C	0.27%	95%
45	872	RDJ7Y	0.26%	95%
46	805	N2C	0.25%	95%
47	979	RDZ4H	0.25%	95%
48	811	L82C	0.24%	96%
49	803	N4C	0.23%	96%
50	332	RN7YC	0.23%	96%
51	871	RJ8C	0.22%	96%
52	312	L87YC	0.22%	96%
53	801	N3C	0.22%	97%
54	893	RCJ4	0.19%	97%
55	855	DJ7Y	0.19%	97%
56	940	RDZ19H	0.18%	97%
57	840	RCJ8	0.18%	97%
58	860	RDJ7J	0.18%	98%
59	592	RJ12C	0.18%	98%
60	856	RJ17LM	0.17%	98%
61	444	RC7YC3	0.17%	98%
62	985	RC14YC4	0.17%	98%
63	814	RL82YC	0.15%	98%
64	511	J11C	0.15%	99%
65	854	RH10C	0.15%	99%
66	845	J17LM	0.14%	99%
67	850	DJ7J	0.12%	99%
68	978	RY4C	0.10%	99%
69	898	QL76V	0.09%	99%
70	857	RH18Y	0.09%	99%
71	587	H8C	0.09%	99%
72	831	UL77V	0.09%	99%
73	977	RG6YC	0.09%	99%
74	851	DJ6J	0.08%	100%
75	807	L78C	0.08%	100%
76	400	RV9YC	0.08%	100%
77	328	L82YC	0.07%	100%
78	538	RH8C	0.05%	100%
79	806	L92YC	0.04%	100%
80	315	N6YC	0.04%	100%
81	905	RA4HC	0.03%	100%
82	824	UL18V	0.01%	100%
83	910	P10Y	0.01%	100%
84	883	QL78C	0.01%	100%

BEST SELLING SPARK PLUGS
POTENTIAL TYPES DES BOUGIES LES PLUS VENDUS
POTENCIAL DE SER LAS BUJÍAS MÁS VENDIDAS



SALES RANK FOR PREMIUM SMALL ENGINE PLUGS

Unit Rank	Stock	Alphanumeric	As % of Unit Sales	Accumulative %
1	71ECO	QC12YCX	36%	36%
2	861ECO	QJ19HX	22%	59%
3	852ECO	QCJ6HX	16%	74%
4	843ECO	QCJ7YX	10%	85%
5	415ECO	QN9YCX	5%	90%
6	847ECO	QDJ8HX	4%	94%
7	851ECO	QDJ6HX	3%	97%
8	810ECO	QA8HCX	2%	99%
9	846ECO	QCJ14HX	1%	99%
10	332ECO	QN7YCX	0%	100%
11	322ECO	QN10YCX	0%	100%

SALES RANK FOR SHOP PACK PART NUMBERS

Unit Rank	Stock	Alphanumeric	As % of Unit Sales	Accumulative %
1	71S	RC12YC	53%	53%
2	861S	J19LM	12%	65%
3	868S	RJ19LM	7%	72%
4	843S	CJ8	3%	75%
5	828S	QL77JC4	3%	78%
6	848S	CJ8Y	3%	81%
7	938S	QL78YC	2%	83%
8	431S	RC14YC	2%	85%
9	415S	RN9YC	2%	87%
10	810S	RA8HC	2%	89%
11	322S	RN11YC4	2%	90%
12	404S	RN12YC	1%	92%
13	821S	L77JC4	1.07%	93%
14	853S	CJ7Y	1.04%	94%
15	302S	N11YC	1.01%	95%
16	852S	RCJ6Y	0.92%	96%
17	401S	RS12YC	0.59%	96%
18	859S	RCJ7Y	0.48%	97%
19	18S	RV15YC4	0.44%	97%
20	405S	RN14YC	0.44%	98%
21	863S	RCJ8Y	0.43%	98%
22	841S	J8C	0.40%	98%
23	823S	J6C	0.27%	99%
24	858S	CJ6Y	0.19%	99%
25	931S	QL82C	0.14%	99%
26	825S	J4C	0.13%	99%
27	844S	H10C	0.13%	99%
28	846S	CJ14	0.13%	99%
29	847S	DJ8J	0.13%	100%
30	1035S	S55ZV	0.12%	100%
31	932S	QL82YC	0.11%	100%
32	845S	J17LM	0.11%	100%
33	592S	RJ12C	0.06%	100%



CHAMPION PREMIUM SMALL ENGINE SPARK PLUG INTERCHANGE
ÉCHANGE DE BOUGIES D'ALLUMAGE POUR PETIT MOTEUR CHAMPION PREMIUM
INTERCAMBIO DE BUJÍAS DE MOTOR PEQUEÑO CHAMPION PREMIUM

Premium Small Engine to Standard Small Engine Interchange

Stock Number	Plug Type	Stock Numbers Covered	Alphanumeric Covered
71ECO	QC12YCX	71, 71-1, 71S, 431, 431-1, 431S	RC12YC, RC14YC
843ECO	QCJ7YX	859, 859S, 853, 853-1, 853S, 863, 863-1, 863S, 840, 840C, 843, 843-1, 843S, 848, 848-1, 848S	RCJ7Y, CJ7Y, RCJ8Y, RCJ8, CJ8, CJ8Y
846ECO	QCJ14HX	846, 846-1, 846S	CJ14
852ECO	QCJ6HX	852, 852-1, 852S, 849, 849C, 972-1, 823, 823-1, 823S	RCJ6Y, CJ6, CJ6Y, QCJ6Y, J6C
861ECO	QJ19HX	868, 868-1, 868S, 861, 861-1, 861S, 856, 856-1, 856S, 845, 845-1, 845S	RJ19LM, J19LM, RJ17LM, J17LM, RJ19LMC, RJ2YLE, RJ2YXLE
322ECO	QN10YCX	322, 322-1	RN11YC4, N11YC4
847ECO	QDJ8HX	847, 847-1, 847S, 865	DJ8J, RDJ8J
851ECO	QDJ6HX	851, 851C, 850, 850C, 855, 855C, 860, 872, 872-1	DJ6J, DJ7J, DJ7Y, RDJ6J, RDJ7J, RDJ7Y
415ECO	QN9YCX	415, 415-1, 415S	RN9YC
332ECO	QN7YCX	332, 332-1	RN7YC, N7YC
810ECO	QA8HCX	810, 810C, 810S	RA8HC

Premium Small Engine Competitive Interchange

Stock Number	E3	NGK	Autolite	Torch
71ECO	E3.20	BKR5E	5924, 3924	K5RTC, K5RTC-11
843ECO	E3.12	BPMR6A, BPM6A	2984, 2976, 2986	L6RC, L6C
846ECO	E3.14	BM4A	265, 258	L4RC, L4C
852ECO	E3.12	BPMR7A, BPM7Y	2974	L7RTC
861ECO	E3.10	BR2LM, B2LM, BR4LM, B4LM	468, 458	BR2LM
322ECO	E3.22	BPR5ES, BPR5ES11	64, 4265	F5RF, F5RF-11
847ECO	E3.16	BPMR6F, BM6F	2956	N6RC, N6C
851ECO	E3.16	BM7F, BM6F, BPMR6F	2554	N6RTC
415ECO	E3.22	BPR6ES, BPR6ES11	4263	F6TC-11
332ECO	E3.34	BPR7ES	63	F7RTC
810ECO	E3.36	DPR6EA9, DPR7EA9	4164	D7RTC, D6RTC-9

SHOP PACK PART NUMBERS

NOMBRES DE PARTIE DE ENSEMBLE POUR ATELIER

NÚMEROS DE PARTE DE PAQUETE PARA TALLER



Attention Small Engine Service Professionals and Shop Owners

Did you know that Champion offers shop packs for many of our most popular small engines spark plugs?

From the widely used RJ19LM to the older CJ8, Champion shop packs have you covered!

Our Champion small engine shop packs contain our same great spark plugs that you trust, but they ship in an easy-to-store/easy-to-use 24-count foam container!

No matter what you are working on, Champion shop packs offer the spark plug that you need, when you need it, so you can order less and service more.

Carton 4-Pack Stock Number	OR	Single Blister Card Stock Number	24 Cnt. Shop Pack Stock Number
302	OR		302S
322	OR	322-1	322S
401	OR		401S
404	OR	404-1	404S
405	OR		405S
406	OR		406S
415	OR	415-1	415S
431	OR	431-1	431S
592	OR	592-1 or 592C	592S
71	OR	71-1	71S
810	OR	810C	810S
821	OR	821-1	821S
823	OR	823-1	823S
825	OR	825C	825S
828M	OR	828-1	828S
841	OR	841-1	841S
843	OR	843-1	843S
844	OR	844-1	844S
845	OR	845-1	845S
846	OR	846-1	846S
847	OR	847-1	847S
848	OR	848-1	848S
852	OR	852-1	852S
853	OR	853-1	853S
858	OR	858-1	858S
859	OR	859-1	859S
861	OR	861-1	861S
863	OR	863-1	863S
868	OR	868-1	868S
931M	OR	931-1	931S
932M	OR	932-1	932S
938M	OR	938-1	938S



POWER EQUIPMENT ENGINES
MOTEURS D'EQUIPEMENT MOTORISÉ
MOTORES DE EQUIPOS

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Acme Motori				
1 Cyl.; OHC				
11.0hp;ACT340	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9.0hp;ACT280	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1 Cyl.; Gas				
with 14mm Diameter Threads	830 / RL86C	933-1 / QL86C	---	0.030in
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
1 Cyl.; LPG				
with 18mm Diameter Threads	502 / D21	---	---	0.030in
BE Power Equipment				
BE-LS22TL6505GC; GC-Series; 4 Stroke; Horizontal; 9.8cid\160cc; 1 Cyl.; (Honda); OHC				
4.6hp;GC160	415 / RN9YC	300 / N9YC	415ECO	0.030in
BE-LS28TL65065GX; GX-Series; 4 Stroke; Horizontal; 12cid\196cc; 1 Cyl.; (Honda); OHV				
5.5hp;GX200	322 / RN11YC4	302 / N11YC	322ECO	0.030in
BE-LS34TL6509GX; GX-Series; 4 Stroke; Horizontal; 16.5cid\270cc; 1 Cyl.; (Honda); OHV				
9hp;GX270	415 / RN9YC	300 / N9YC	415ECO	0.030in
Briggs & Stratton				
1 Cyl.; L-HEAD				
10L802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
126T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
128L02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
128M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
92900	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10.0hp;19E400	431 / RC14YC	946 / QC12YC	71ECO	0.030in
10.0hp;19F400	431 / RC14YC	946 / QC12YC	71ECO	0.030in
10.0hp;19G400	431 / RC14YC	946 / QC12YC	71ECO	0.030in
10.0hp;242430	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10.0hp;254700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10.0hp;255700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10.0hp;256700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10.5hp;257700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11.0hp;251400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11.0hp;251700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11.0hp;253000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11.0hp;253400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11.0hp;255400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11.0hp;256400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11.0hp;258700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11.0hp;259700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp;281707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.0hp;280700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.0hp;281700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.0hp;300400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.0hp;301400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
13.0hp;28F700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
13.0hp;302400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
13.5hp;28R700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
14.0hp;320400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
15.0hp;325400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2.0hp;60100	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.0hp;80000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
1 Cyl.; L-HEAD				
3.0hp;80200	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.0hp;80300	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.0hp;81200	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.0hp;81300	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.0hp;90100	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.0hp;90200	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.0hp;92500	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.0hp;94500	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;09J902	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;100700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;90700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;91200	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;91700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;92200	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;92900	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;93200	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;93400;Top Tank Industrial Plus	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;93500	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;93900	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;95500	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;95900	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;96500	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;9G902	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.75hp;96900	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.75hp;98900	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.8hp;9C900	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.8hp;9D900	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp;110707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp;110708	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp;95212	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.0hp;100200	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.0hp;100900	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.0hp;10A900	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.0hp;10B900	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.0hp;10C900	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.0hp;110900	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.0hp;111000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.0hp;111900	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.0hp;112000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.0hp;113000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.0hp;113900	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.0hp;114000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.0hp;123000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.0hp;126T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.0hp;12K700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.0hp;143.994002	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.0hp;251700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.5hp;10H902	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.5hp;12L000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;130212	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;133412	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;135212	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.0hp;12U000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.0hp;130000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
1 Cyl.; L-HEAD				
5.0hp;131000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.0hp;132000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.0hp;133200	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.0hp;133400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.0hp;135200	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.0hp;136200	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.25hp;12B000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp;134400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp;137000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6.0hp;12H000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6.0hp;12J000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6.0hp;133700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6.0hp;135700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6.5hp;170700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7.0hp;170400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.0hp;190700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.0hp;191700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.0hp;193700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.0hp;200400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9.0hp;19A400	431 / RC14YC	946 / QC12YC	71ECO	0.030in
9.0hp;19B400	431 / RC14YC	946 / QC12YC	71ECO	0.030in
9.0hp;19C400	431 / RC14YC	946 / QC12YC	71ECO	0.030in
9.0hp;231400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9.0hp;233400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; L-HEAD; (1921-1949)				
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
1 Cyl.; L-HEAD; (1923-1935)				
PB;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
1 Cyl.; L-HEAD; (1925-1933)				
FH;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
FHl;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
Q;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
1 Cyl.; L-HEAD; (1929-1933)				
R;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
1 Cyl.; L-HEAD; (1929-1937)				
FJ-1-2;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
1 Cyl.; L-HEAD; (1930-1931)				
T;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
1 Cyl.; L-HEAD; (1930-1932)				
L;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
LA;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
LI;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
1 Cyl.; L-HEAD; (1930-1933)				
S;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
SMG;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
1 Cyl.; L-HEAD; (1930-1934)				
M;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
MB;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
MC;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
MF;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
MH;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
MJ;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
1 Cyl.; L-HEAD; (1931-1933)				
W;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
WA;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
1 Cyl.; L-HEAD; (1931-1940)				
Y;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
1 Cyl.; L-HEAD; (1931-1949)				
Z;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
ZH;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
ZHL;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
ZHLP;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
ZHR;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
ZL;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
ZLP;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
ZP;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
ZR-4;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
ZR-6;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
ZZ;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
ZZL;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
ZZLP;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
1 Cyl.; L-HEAD; (1933-1940)				
H;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
HM;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
K;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
KL;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
KLP;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
KM;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
KP;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
KR-4;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
1 Cyl.; L-HEAD; (1933-1940)				
KR-6;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
1 Cyl.; L-HEAD; (1933-1948)				
AH;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
AHL;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
AHLP;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
AHMT;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
AHP;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
AHR4;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
AHR6;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
AM;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
AMT;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
AP;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
AR-4;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
AR-6;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
1 Cyl.; L-HEAD; (1934-1948)				
BH;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
BHL;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
BHLP;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
BHP;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
BHR;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
BL;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
BLP;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
BLR;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
BM;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
BMG;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
BP;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
BR;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
BR-4;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
BR-6;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
ZZLP;with 18mm Diameter Threads	541 / RD16	541 / RD16	---	0.025in
1 Cyl.; L-HEAD; (1934-1949)				
ZZP;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
ZZR-4;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
1 Cyl.; L-HEAD; (1934-1949)				
ZZR-6;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
1 Cyl.; L-HEAD; (1936-1938)				
PC200;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
PCWM;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1936-1941)				
WM;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
WMI;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1937-1942)				
WBG;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1938-1940)				
PCWMB;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1938-1942)				
IBP;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1938-1944)				
PC300;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1938-1957)				
WI;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
WBP;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
WMB;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
WR;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1940-1945)				
U;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
UR;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1940-1949)				
I;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1940-1954)				
N;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
NP;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
NR;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
NS;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
NSPR;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1948-1962)				
9;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
9FB;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
9R;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
1 Cyl.; L-HEAD; (1948-1963)				
14;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
14FB;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
14R;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1949-1957)				
23;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
5S;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
6S;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
8;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
8B;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
8BFB;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
8BH;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
8BHA;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
8FB;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
8HF;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1950-1956)				
6H;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
6HF;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
6HS;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
6HSF;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1950-1957)				
5;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1952-1957)				
6;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
6AHS;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
6B;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
6BFB;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
6BH;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
6BHS;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
6BRG;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
6BS;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
6BSFB;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
6BSR;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
6FB;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
1 Cyl.; L-HEAD; (1956-1965)				
23A;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
23AFB;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
23AR;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1957-1965)				
19;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1958-1960)				
81500;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
81700;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1958-1964)				
60100;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
60300;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
60700;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
61100;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
80100;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
80300;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
80400;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
80500;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
80600;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
80700;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
80800;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
80900;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
81800;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1958-1965)				
140200;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
140300;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
140400;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
140700;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
141300;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
141400;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
141700;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
142200;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
142300;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
142400;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
142700;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in



POWER EQUIPMENT ENGINES
MOTEURS D'EQUIPEMENT MOTORISÉ
MOTORES DE EQUIPOS

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
1 Cyl.; L-HEAD; (1958-1965)				
143300;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
143400;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
143700;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
81400;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1958-1969)				
81100;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1958-1970)				
81300;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1959-1964)				
81900;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1960)				
81600;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1961-1963)				
23C;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
23CFB;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
23CR;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1961-1987)				
100200;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1962-1977)				
100900;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; L-HEAD; (1963-1965)				
19FB;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
19R;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
23FB;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
23R;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; OHV				
110000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
111P02	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12S605	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12S905	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15C104	946 / QC12YC	982 / XC12YC	71ECO	0.020in
212907	71 / RC12YC	946 / QC12YC	71ECO	0.030in
21R707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
10.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12.5hp;219977	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14.5hp;287700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15.5hp;28N700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16.0hp;28U700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16.5hp;28W700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5.0hp;126302	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5.0hp;126402	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
1 Cyl.; OHV				
5.5hp;126302	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6.0hp;97700	71 / RC12YC	946 / QC12YC	71ECO	0.020in
8.5hp;197700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2 Cyl.; OHV				
14.0hp;294777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
H2; L-HEAD				
12.5hp;404400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp;404700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
14hp;400400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
14hp;400700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
14hp;400707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
16hp;401400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
16hp;401700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
16hp;402400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
16hp;402700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
16hp;42B700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
16.5hp;40A700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
17hp;42C700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp;421400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp;421700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp;422400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp;422700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp;422707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18.5hp;42D700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
19hp;42A700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
19hp;42A707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
19hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
19hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
19.5hp;42E700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
19.5hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
19.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
19.5hp;47E700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
20hp;460700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
20hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
20.5hp;461700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
20.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
21hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
21hp;463707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; OHV				
407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18.5hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20.0hp;407677	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20.0hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20.5hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
21.0hp;407577	71 / RC12YC	946 / QC12YC	71ECO	0.030in
21.0hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
21.5hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22.0hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
140cc; 1 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
175cc; 1 Cyl.; OHV				
115P02-0015	71 / RC12YC	946 / QC12YC	71ECO	0.030in
190cc; 1 Cyl.; OHV				
122R;11.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
205cc; 1 Cyl.; OHV				
8hp;12T102	946 / QC12YC	982 / XC12YC	71ECO	0.030in
206cc; 1 Cyl.; OHV				
7.5hp;12C113	946 / QC12YC	982 / XC12YC	71ECO	0.020in
8hp;12E114	946 / QC12YC	982 / XC12YC	71ECO	0.020in
249cc; 1 Cyl.; OHV				
8.5hp;15A114	946 / QC12YC	982 / XC12YC	71ECO	0.020in
305cc; 1 Cyl.; OHV				
200000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
466cc; 1 Cyl.; OHV				
280000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
280H00	71 / RC12YC	946 / QC12YC	71ECO	0.030in
656cc; H2; L-HEAD				
15hp;402707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
16hp;402447	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
16hp;402707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11.39cid; 1 Cyl.; L-HEAD				
4.0hp;112202	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
11.57cid\190cc; 1 Cyl.; L-HEAD				
120000	868 / RJ19LM	861 / J19LM	861ECO	0.030in
11.58cid\190cc; 1 Cyl.; OHV				
12S902	71 / RC12YC	71 / RC12YC	71ECO	0.030in
12.57cid\206cc; 1 Cyl.; L-HEAD				
5hp;130202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;133402	868 / RJ19LM	861 / J19LM	861ECO	0.030in
12.69cid\208cc; 1 Cyl.; OHV				
130000;12.88 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13R2;12.88 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16.79cid; 1 Cyl.; L-HEAD				
8hp;190402	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
34.7cid\570cc; 2 Cyl.; OHV				
19hp;350445	71 / RC12YC	946 / QC12YC	71ECO	0.030in
44cid\724cc; V2; OHV				
24hp;445677	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7.75cid; 1 Cyl.				
3hp;80232	861 / J19LM	---	---	0.030in
7.75cid; 1 Cyl.; L-HEAD				
3hp;80202	871 / RJ8C	841 / J8C	---	0.030in
3hp;80232	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.64cid\140cc; 1 Cyl.; OHV				
3.75hp;09P702	71 / RC12YC	946 / QC12YC	71ECO	0.020in
9.02cid\147.8cc; 1 Cyl.; L-HEAD				
90000	868 / RJ19LM	861 / J19LM	861ECO	0.030in
3.5hp;09T702;4.75 ft.-lbs. Torque	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.75hp;90000	868 / RJ19LM	861 / J19LM	861ECO	0.030in
9.67cid\158.6cc; 1 Cyl.; L-HEAD				
3.75hp;100000	868 / RJ19LM	861 / J19LM	861ECO	0.030in
4.0hp;10D902	868 / RJ19LM	861 / J19LM	861ECO	0.030in
4.0hp;10J902	868 / RJ19LM	861 / J19LM	861ECO	0.030in
4.5hp;100000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.5hp;10L802	868 / RJ19LM	861 / J19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
9.95cid\163cc; 1 Cyl.; OHV				
100000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1000 Series; 223cc; 1 Cyl.; OHV				
10 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
100000; 9.67cid\158.6cc; 1 Cyl.; L-HEAD				
10T502	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.0hp;10J902	868 / RJ19LM	861 / J19LM	861ECO	0.030in
4.0hp;10L502	868 / RJ19LM	861 / J19LM	861ECO	0.030in
4.0hp;10T502	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.5hp;10H902	868 / RJ19LM	861 / J19LM	861ECO	0.030in
4.5hp;10L802	868 / RJ19LM	861 / J19LM	861ECO	0.030in
110000; 10.69cid\175cc; 1 Cyl.; OHV				
111P02	71 / RC12YC	946 / QC12YC	71ECO	0.020in
11P902	71 / RC12YC	946 / QC12YC	71ECO	0.020in
1150 Series; 250cc; 1 Cyl.; OHV				
11.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
150000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1150 Series; Polar Force; 250cc; 1 Cyl.; OHV				
11.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
120000; 11.57cid\190cc; 1 Cyl.; L-HEAD				
126L02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
126M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
126T02	868 / RJ19LM	868 / RJ19LM	861ECO	0.020in
6.75hp;125K02	868 / RJ19LM	861 / J19LM	861ECO	0.030in
120000; 11.57cid\190cc; 1 Cyl.; OHV				
121S12	71 / RC12YC	946 / QC12YC	71ECO	0.020in
12R502	71 / RC12YC	946 / QC12YC	71ECO	0.020in
12R505	71 / RC12YC	946 / QC12YC	71ECO	0.020in
12R512	71 / RC12YC	946 / QC12YC	71ECO	0.020in
12R602	71 / RC12YC	946 / QC12YC	71ECO	0.020in
12R605	71 / RC12YC	946 / QC12YC	71ECO	0.020in
12S512	71 / RC12YC	946 / QC12YC	71ECO	0.020in
12S612	71 / RC12YC	946 / QC12YC	71ECO	0.020in
7hp;129612	71 / RC12YC	946 / QC12YC	71ECO	0.020in
7hp;12G612	71 / RC12YC	946 / QC12YC	71ECO	0.020in
120000; 11.58cid\190cc; 1 Cyl.; OHV				
121S02	71 / RC12YC	3071 / RC12PYC	71ECO	0.020in
121S12	71 / RC12YC	3071 / RC12PYC	71ECO	0.020in
12S512	71 / RC12YC	3071 / RC12PYC	71ECO	0.020in
12S902	71 / RC12YC	946 / QC12YC	71ECO	0.020in
12S912	71 / RC12YC	946 / QC12YC	71ECO	0.020in
120000; 12.48cid\206cc; 1 Cyl.; OHV				
121012	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
12T412	71 / RC12YC	946 / QC12YC	71ECO	0.030in
120000; 15.22cid\249cc; 1 Cyl.; OHV				
150212	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
1450 Series; 305cc; 1 Cyl.; OHV				
14.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
150000; 15.22cid\250cc; 1 Cyl.; OHV				
15T212	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1550 Series; 342cc; 1 Cyl.; OHV				
210000	71 / RC12YC	946 / QC12YC	71ECO	0.030in



POWER EQUIPMENT ENGINES
MOTEURS D'ÉQUIPEMENT MOTORISÉ
MOTORES DE EQUIPOS

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
1650 Series; 305cc; 1 Cyl.; OHV				
16.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1650 Series; 342cc; 1 Cyl.; OHV				
210000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1650 Series; Polar Force; 342cc; 1 Cyl.; OHV				
16.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2 Stroke; 1 Cyl.				
3.0hp;62000	861 / J19LM	---	---	0.030in
5.0hp;95700	861 / J19LM	---	---	0.030in
5.0hp;96700	861 / J19LM	---	---	0.030in
2 Stroke; 1 Cyl.; L-HEAD				
3.0hp;62000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.0hp;95700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.0hp;96700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2100 Series; 420cc; 1 Cyl.; OHV				
21 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
250000;21 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2100 Series; Polar Force; 420cc; 1 Cyl.; OHV				
21 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
300 Series; 148cc; 1 Cyl.; L-HEAD				
4.5 ft.-lb. Torque	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
90000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 1 Cyl.; L-HEAD				
6.75 ft.-lb. Torque;After date code 11070100	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
Built after code date 110630X	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
Built before code date 11071XX	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
126L05	973 / RJ19HX	---	861ECO	0.030in
126M02	868 / RJ19LM	868 / RJ19LM	861ECO	0.020in
126T02	868 / RJ19LM	868 / RJ19LM	861ECO	0.030in
126T05	973 / RJ19HX	---	861ECO	0.030in
128M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
12hp;281707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp;283707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.0hp;283707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp;286707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp;289707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
13hp;28M707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
13.5hp;28R707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;126M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
5.0hp;124702	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.0hp;137202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp;134202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp;122H02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp;123K02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp;128H02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6.0hp;122H02	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
6.0hp;12Q802	868 / RJ19LM	861 / J19LM	861ECO	0.030in
6.5hp;123K02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp;190402	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 1 Cyl.; OHV				
103M02	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
4 Stroke; 1 Cyl.; OHV				
120602	71 / RC12YC	946 / QC12YC	71ECO	0.030in
121412	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12607	71 / RC12YC	946 / QC12YC	71ECO	0.030in
21M414	946 / QC12YC	982 / XC12YC	71ECO	0.030in
21P214	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
31E677	71 / RC12YC	946 / QC12YC	71ECO	0.030in
33M777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
10.5hp;20E114	946 / QC12YC	982 / XC12YC	71ECO	0.030in
11hp;15C103	946 / QC12YC	982 / XC12YC	71ECO	0.030in
12.5hp;219807	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13.5hp;21B807	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14hp;287707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14.5hp;287707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14.5hp;28U707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15.5hp;282H07	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15.5hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15.5hp;28U707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15.5hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16hp;28U707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16.0hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16.5hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16.5hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17.5hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17.5hp;31G777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17.5hp;31H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18.0hp;31G777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18.0hp;31H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18.0hp;31M777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18.0hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5.5hp;110402	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5.5hp;120402	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5.5hp;126302	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5.5hp;126402	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
6hp;120202	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6hp;120302	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6.0hp;110402	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6.0hp;120202	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6.0hp;121432	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6.0hp;126402	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
6.5hp;120302	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6.5hp;120402	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6.5hp;120412	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp;121302	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6.5hp;121402	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7hp;128605	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7.0hp;121302	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7.0hp;121402	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7.0hp;122002	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
4 Stroke; 1 Cyl.; OHV				
7.0hp;12F612	71 / RC12YC	3071 / RC12PYC	71ECO	0.020in
7.5hp;138432	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
9.5hp;20B414	946 / QC12YC	982 / XC12YC	71ECO	0.030in
4 Stroke; 2 Cyl.; OHV				
19.5hp;351777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4 Stroke; V2; OHV				
441777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
445577	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14hp;294447	71 / RC12YC	946 / QC12YC	71ECO	0.030in
19.5hp;350777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4 Stroke; 148cc; 1 Cyl.; L-HEAD				
5hp;9A413	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 163cc; 1 Cyl.; L-HEAD				
6.75 ft.-lb. Torque	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
100000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 163cc; 1 Cyl.; OHV				
100000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4 Stroke; 190cc; 1 Cyl.; L-HEAD				
120000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
120000;6.75 ft.-lb. Torque	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
120000;Built after code date 110630X	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
120000;Built before code date 11071XX	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
90000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp;120502;6.50 ft.-lbs. Torque	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 206cc; 1 Cyl.; OHV				
7hp;120412	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7.75hp;12C414;9.0 lbs.-ft. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
4 Stroke; 305cc; 1 Cyl.; OHV				
11hp;20C114	946 / QC12YC	982 / XC12YC	71ECO	0.030in
4 Stroke; 490cc; 1 Cyl.; OHV				
15.5hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16.0hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17.0hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17.5hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18.0hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4 Stroke; 11.5cid; 1 Cyl.; L-HEAD				
6.0hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 11.57cid\190cc; 1 Cyl.; L-HEAD				
126L02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp;126T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 12.48cid\206cc; 1 Cyl.; OHV				
6.5hp;121432	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7hp;120312	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7hp;121012	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4 Stroke; 12.57cid\206cc; 1 Cyl.; L-HEAD				
5hp;130202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;133402	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
4 Stroke; 12.57cid206cc; 1 Cyl.; L-HEAD				
5.0hp;3/8In Reach Spark Plugs	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.0hp;133202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.0hp;135202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.0hp;137202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 12.6cid; 1 Cyl.; L-HEAD				
5.5hp;128802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 13cid221cc; 1 Cyl.; L-HEAD				
5.5hp;134402	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 19cid311cc; 1 Cyl.; OHV				
9.0hp;19G402	431 / RC14YC	946 / QC12YC	71ECO	0.030in
4 Stroke; 20.9cid342cc; 1 Cyl.; OHV				
21M314;16.5 ft.-lbs. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
4 Stroke; 44cid724cc; V2; OHV				
21.5hp;445777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp;446777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;445777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;446777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4 Stroke; 9.0cid; 1 Cyl.; L-HEAD				
5.5hp;128802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 9.03cid148cc; 1 Cyl.; L-HEAD				
3.75hp;94202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 9.67cid158cc; 1 Cyl.; L-HEAD				
3.8hp;12E802	868 / RJ19LM	861 / J19LM	861ECO	0.030in
4 Stroke; 9.67cid158.6cc; 1 Cyl.; L-HEAD				
3.75hp;10D902	868 / RJ19LM	861 / J19LM	861ECO	0.030in
4 Stroke; Model 200000; 18.64cid305cc; 1 Cyl.; OHV				
204412	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7hp;204415	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4 Stroke; 550 Series; 1 Cyl.; L-HEAD				
4.0hp;10T802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 625 Series; 1 Cyl.; L-HEAD				
122T02	868 / RJ19LM	973 / RJ19HX	861ECO	0.030in
4 Stroke; 650 Series; 1 Cyl.; L-HEAD				
124T02	973 / RJ19HX	---	861ECO	0.030in
124T05	973 / RJ19HX	---	861ECO	0.030in
4 Stroke; 700 Series; 1 Cyl.; L-HEAD				
128L02	973 / RJ19HX	---	861ECO	0.030in
128L05	973 / RJ19HX	---	861ECO	0.030in
128T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
128T05	973 / RJ19HX	---	861ECO	0.030in
4 Stroke; 775 Series; 1 Cyl.; OHV				
111P05	71 / RC12YC	946 / QC12YC	71ECO	0.020in
4 Stroke; 800 Series; 1 Cyl.; OHV				
121002	71 / RC12YC	946 / QC12YC	71ECO	0.030in
126302	71 / RC12YC	946 / QC12YC	71ECO	0.030in
157102	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4 Stroke; 825 Series; 1 Cyl.; OHV				
126302	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4 Stroke; 850 Series; 1 Cyl.; OHV				
120202	71 / RC12YC	946 / QC12YC	71ECO	0.030in
157202	71 / RC12YC	946 / QC12YC	71ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
4 Stroke; 875 Series; 190cc; 1 Cyl.; OHV				
12S502	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12S505	71 / RC12YC	71 / RC12YC	71ECO	0.020in
4 Stroke; 900 Series; 1 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
121012	71 / RC12YC	946 / QC12YC	71ECO	0.030in
8hp;12T402	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4 Stroke; Horizontal; 250cc; 1 Cyl.; OHV				
15T202;11.5 ft.-lbs. Torque	71 / RC12YC	946 / QC12YC	---	0.030in
4 Stroke; Model 120000; 11.57cid; 1 Cyl.; L-HEAD				
5.5hp;128812	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; Model 210000; 20.85cid\342cc; 1 Cyl.; OHV				
11hp;210415	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4 Stroke; Professional Series; 305cc; 1 Cyl.; OHV				
21M114;13.5 ft.-lbs. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4 Stroke; Professional Series; 12.48cid\206cc; 1 Cyl.; OHV				
12D114;9 ft.-lbs. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
4 Stroke; Professional Series; 15.26cid\250cc; 1 Cyl.; OHV				
15C114;11.5 ft.-lbs. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
4 Stroke; Snow Series; 305cc; 1 Cyl.; OHV				
9.5hp;20A114	946 / QC12YC	982 / XC12YC	71ECO	0.030in
4 Stroke; Snow Series; 12.48cid\205cc; 1 Cyl.; OHV				
12A103;8 ft.-lbs. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
4 Stroke; Snow Series; 12.5cid\205cc; 1 Cyl.; OHV				
12A113;8 ft.-lbs. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
12D107;9.0 lbs.-ft. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
4 Stroke; Snow Series; 18.6cid\305cc; 1 Cyl.; OHV				
20M114;13.5 ft.-lbs. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
4 Stroke; Vertical; 7000 Series; 1 Cyl.; OHV				
31Q507	946 / QC12YC	---	---	0.030in
450 Series; 148cc; 1 Cyl.; L-HEAD				
4.5 ft.-lb. Torque	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
450e Series; 125cc; 1 Cyl.; OHV				
80000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
500 Series; 158cc; 1 Cyl.; L-HEAD				
2.95hp;100000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
500 Series; 9.67cid\158.6cc; 1 Cyl.; L-HEAD				
4.5hp;10T502;5 ft.-lb. Torque	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
500 Series Quattro; 158cc; 1 Cyl.; L-HEAD				
5 ft.-lb. Torque	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
500e Series; 140cc; 1 Cyl.; OHV				
90000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
550 Series; 1 Cyl.; L-HEAD				
10L802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10T702	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
550 Series; 127cc; 1 Cyl.; OHV				
5.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
550 XR Professional Series; Horizontal; 127cc; 1 Cyl.; OHV				
4hp;083132-0139-B1;5.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
550e (Silver) Series; 140cc; 1 Cyl.; OHV				
90000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
550e Series; 140cc; 1 Cyl.; OHV				
5.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
550ex (Gold) Series; 140cc; 1 Cyl.; OHV				
90000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
550ex Series; 140cc; 1 Cyl.; OHV				
5.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
90000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
625 Series; 150cc; 1 Cyl.; L-HEAD				
6.25 ft.-lb. Torque	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
625 Series; 190cc; 1 Cyl.; L-HEAD				
120000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
625ex Series; 150cc; 1 Cyl.; OHV				
6.25 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
625ex Series; Vertical; 163cc; 1 Cyl.; OHV				
100000;6.25 ft.-lb. Torque;After date code 11070100	71 / RC12YC	946 / QC12YC	71ECO	0.030in
650 Series; 163cc; 1 Cyl.; L-HEAD				
100000;6.5 ft.-lb. Torque	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
650 Series; 163cc; 1 Cyl.; OHV				
100000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
650 Series; 190cc; 1 Cyl.; L-HEAD				
120000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
650ex Series; 163cc; 1 Cyl.; OHV				
100000;6.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
650ex Series; Vertical; 163cc; 1 Cyl.; OHV				
100000;6.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
650exi; 163cc; 1 Cyl.; OHV				
100000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
675ex Series; 163cc; 1 Cyl.; OHV				
100000;6.75 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
675ex Series; Vertical; 163cc; 1 Cyl.; OHV				
100000;6.75 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
675exi; 163cc; 1 Cyl.; OHV				
100000;6.75 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
700 Series; 190cc; 1 Cyl.; L-HEAD				
120000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
700ex Series; Vertical; 163cc; 1 Cyl.; OHV				
100000;7 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
725 Series; 163cc; 1 Cyl.; L-HEAD				
7.25 ft.-lb. Torque	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
100000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
100000;7.25 ft.-lb. Torque	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
725 Series; 163cc; 1 Cyl.; OHV				
100000	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
725 Series; 190cc; 1 Cyl.; L-HEAD				
120000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
725 Series; Platinum Series; 190cc; 1 Cyl.; L-HEAD				
120000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
725ex Series; 163cc; 1 Cyl.; L-HEAD				
7.25 ft.-lb. Torque	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
725ex Series; 163cc; 1 Cyl.; OHV				
100000;7.25 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
725ex Series; Platinum Series; 163cc; 1 Cyl.; OHV				
100000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
725ex Series; Vertical; 163cc; 1 Cyl.; OHV				
100000;7.25 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
725exi; 163cc; 1 Cyl.; OHV				
100000;7.25 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
725exi Series; 163cc; 1 Cyl.; OHV				
100000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
775 Series; 175cc; 1 Cyl.; OHV				
7.75 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
775 Series; Platinum Series; 175cc; 1 Cyl.; OHV				
110000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
775 Series; Professional Series; 175cc; 1 Cyl.; OHV				
110000;7.75 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.020in
800 Series; 205cc; 1 Cyl.; OHV				
8 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
800 Series; Professional Series; 175cc; 1 Cyl.; OHV				
110000;8 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.020in
850 Series; 190cc; 1 Cyl.; OHV				
8.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
850 Series; Professional Series; 190cc; 1 Cyl.; OHV				
120000;8.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.020in
875 Series; 190cc; 1 Cyl.; OHV				
8.75 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
875 Series; Professional Series; 190cc; 1 Cyl.; OHV				
120000;8.75 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.020in
900 Series; 205cc; 1 Cyl.; OHV				
9 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
900 Series Polar Force; 205cc; 1 Cyl.; OHV				
9 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
90000; 9.02cid\147.8cc; 1 Cyl.; L-HEAD				
09T702	868 / RJ19LM	861 / J19LM	861ECO	0.030in
950 Series; 223cc; 1 Cyl.; OHV				
9.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
950 Series; Polar Force; 208cc; 1 Cyl.; OHV				
9.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
A Series; 1 Cyl.; L-HEAD; (1933-1948)				
A;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
B Series; 1 Cyl.; L-HEAD; (1934-1948)				
B;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
Classic; 450 Series; 148cc; 1 Cyl.; L-HEAD				
90000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Clean Power 37; 1 Cyl.; L-HEAD				
3.75hp;9B900	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Commercial Turf Series; 44cid724cc; V2; OHV				
22hp;440000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp;440000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp;440000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;440000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;44T900	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;44T977	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27hp;440000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Commercial Turf Series; 49cid810cc; V2; OHV				
26hp;490000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27hp;490000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27hp;49S800;w/EFM	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27hp;49T800;w/EFM	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Endurance Series; 175cc; 1 Cyl.; OHV				
7.75 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Endurance Series (Husqvarna); Vertical; 656cc; V2; OHV				
18.0hp	946 / QC12YC	980 / XC92YC	71ECO	0.030in
20.0hp	946 / QC12YC	980 / XC92YC	71ECO	0.030in
Endurance Series (Husqvarna); Vertical; 724cc; V2; OHV				
23.0hp	946 / QC12YC	980 / XC92YC	71ECO	0.030in
24.0hp	946 / QC12YC	980 / XC92YC	71ECO	0.030in
25.0hp	946 / QC12YC	980 / XC92YC	71ECO	0.030in
Endurance Series (Husqvarna); Vertical; 810cc; V2; OHV				
26.0hp	946 / QC12YC	980 / XC92YC	71ECO	0.030in
27.0hp	946 / QC12YC	980 / XC92YC	71ECO	0.030in
Europa; 1 Cyl.; OHV				
6.0hp;99700	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Extended Life Series (ELS); 1 Cyl.; OHV				
15.0hp;28AH00	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16.0hp;28BH00	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16.0hp;28CH00	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16.0hp;31J700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17.0hp;31K700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6.0hp;125300	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6.0hp;125400	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Extended Life Series (ELS); V2; OHV				
18.0hp;40F700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20.0hp;40G700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp;44K777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp;44M777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Extended Life Series (ELS); 500cc; 1 Cyl.; OHV				
310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Extended Life Series (ELS); 656cc; V2; OHV				
400000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22.0hp;40H700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Extended Life Series (ELS); 724cc; V2; OHV				
400000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Extended Life Series (ELS); 32.95cid540cc; 1 Cyl.; OHV				
330000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
21hp;331877	71 / RC12YC	946 / QC12YC	71ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
Extended Life Series (ELS); 44cid\724cc; V2; OHV				
26hp;445877	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp;446700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Extended Life Series (ELS); 49cid\810cc; V2; OHV				
490000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Fourc; 4 Stroke; 1 Cyl.				
0.75hp	872 / RDJ7Y	855 / DJ7Y	---	0.030in
Fourc; 4 Stroke; 1 Cyl.; L-HEAD				
0.75hp	---	---	851ECO	0.030in
Horizontal; 420cc; 1 Cyl.; OHV				
25N1;16.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
I/C; 1 Cyl.; OHV				
12.5hp;219802	71 / RC12YC	946 / QC12YC	71ECO	0.030in
19.5hp;31P677	71 / RC12YC	946 / QC12YC	71ECO	0.030in
I/C; 490cc; 1 Cyl.; OHV				
17.5hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
I/C 1450 Series; 305cc; 1 Cyl.; OHV				
200000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
I/C 825 Series; 205cc; 1 Cyl.; OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
I/C 850 Series; 205cc; 1 Cyl.; OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
I/C 875 Series; 205cc; 1 Cyl.; OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Instart; Vertical; 163cc; 1 Cyl.; OHV				
128M;7.25 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Instart; Vertical; 175cc; 1 Cyl.; OHV				
111P;7.75 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; OHV				
10.0hp;204400	71 / RC12YC	946 / QC12YC	71ECO	0.030in
10.0hp;205400	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16.5hp;310700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17.0hp;311700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17.0hp;312700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
19.5hp;31P677	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp;331777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5.5hp;110400	71 / RC12YC	946 / QC12YC	71ECO	0.020in
5.5hp;111400	71 / RC12YC	946 / QC12YC	71ECO	0.020in
5.5hp;113400	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp;110600	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp;111600	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp;120400	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp;120600	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp;121312	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp;121400	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp;121600	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp;122600	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp;123400	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
Intek; 1 Cyl.; OHV				
7.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
8.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; V2; OHV				
18.0hp;405700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
19.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20.0hp;406700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22.0hp;407700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 344cc; 1 Cyl.; OHV				
210000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 501cc; 1 Cyl.; OHV				
31P700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 656cc; V2; OHV				
22.0hp;40H700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 32.95cid\540cc; V2; OHV				
21.0hp;33R877;28 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
21.0hp;Model 330000;28 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 44cid\724cc; V2; OHV				
445500	71 / RC12YC	946 / QC12YC	71ECO	0.030in
44Q900	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;445700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp;44P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek XRD; 344cc; 1 Cyl.; OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek XRD; 500cc; 1 Cyl.; OHV				
19.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek XRD; 540cc; 1 Cyl.; OHV				
20.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
21.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek XRD; 656cc; V2; OHV				
18.0hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20.0hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
22.0hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Intek XRD; 724cc; V2; OHV				
23hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
24.0hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Intek XRD; Vertical; 344cc; 1 Cyl.; OHV				
10.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
11.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek XRD; Vertical; 500cc; 1 Cyl.; OHV				
13.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
19.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; Extended Life Series (ELS); 724cc; V2; OHV				
24hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Intek; I/C 1350 Series; 305cc; 1 Cyl.; OHV				
200000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; I/C 1450 Series; 305cc; 1 Cyl.; OHV				
200000	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
Intek; I/C 1500 Series; 342cc; 1 Cyl.; OHV				
210000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; I/C 1575 Series; 342cc; 1 Cyl.; OHV				
210000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; I/C 825 Series; 205cc; 1 Cyl.; OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; I/C 850 Series; 205cc; 1 Cyl.; OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; I/C 875 Series; 205cc; 1 Cyl.; OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; I/C 900 Series; 205cc; 1 Cyl.; OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; Model 21; 344cc; 1 Cyl.; OHV				
10.5hp;210000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
11.5hp;210000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; Model 31; 500cc; 1 Cyl.; OHV				
13.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; Model 33; 540cc; 1 Cyl.; OHV				
18.5hp;330000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
19.0hp;330000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; Model 40; 656cc; V2; OHV				
16.0hp;400000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18.0hp;400000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20.0hp;400000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; Model 44; 44cid\724cc; V2; OHV				
22hp;440000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp;440000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp;440000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; Professional Series; 40cid\656cc; V2; OHV				
18.0hp;400000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20.0hp;400000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LX; 500 Series; 158cc; 1 Cyl.; L-HEAD				
2.95hp;100000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Model 120000; 12.57cid\206cc; 1 Cyl.; OHV				
121012	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Model 120000; 34.7cid\570cc; 2 Cyl.; OHV				
18hp;350445	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Model 31; Professional Series; 500cc; 1 Cyl.; OHV				
15.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Model 33; Professional Series; 540cc; 1 Cyl.; OHV				
18.5hp;330000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
19.0hp;330000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
M-series; 206cc; 1 Cyl.				
Model Number 124332 8203-01	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Outboard; 1 Cyl.; OHV				
5.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Power Built; 1 Cyl.; OHV				
09P602	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
Power Built 1100 Series; 250cc; 1 Cyl.; OHV				
150000;11.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Power Built 1125 Series; 250cc; 1 Cyl.; OHV				
150000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Power Built 1350 Series; 305cc; 1 Cyl.; OHV				
200000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Power Built 1450 Series; 305cc; 1 Cyl.; OHV				
200000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Power Built 1500 Series; 342cc; 1 Cyl.; OHV				
210000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Power Built 1575 Series; 342cc; 1 Cyl.; OHV				
210000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Power Built 825 Series; 205cc; 1 Cyl.; OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Power Built 850 Series; 205cc; 1 Cyl.; OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Power Built 875 Series; 205cc; 1 Cyl.; OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Power Built 900 Series; 205cc; 1 Cyl.; OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Power Built Series; 1 Cyl.; OHV				
12.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Power Built Series; 344cc; 1 Cyl.; OHV				
10.5hp;210000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
11.5hp;210000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Power Built Series; 500cc; 1 Cyl.; OHV				
13.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
PowerBuilt; 1 Cyl.; OHV				
219707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
219807	71 / RC12YC	946 / QC12YC	71ECO	0.030in
10.5hp;12S905	71 / RC12YC	946 / QC12YC	71ECO	0.030in
10.5hp;215802	71 / RC12YC	946 / QC12YC	71ECO	0.030in
10.5hp;219707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional Series; V2; OHV				
26hp;726	71 / RC12YC	946 / QC12YC	71ECO	0.030in
28hp;728	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional Series; 175cc; 1 Cyl.; OHV				
110000;8 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Professional Series; 190cc; 1 Cyl.; OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Professional Series; 500cc; 1 Cyl.; OHV				
17.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
19.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional Series; 540cc; 1 Cyl.; OHV				
20.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
21.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional Series; 724cc; V2; OHV				
24.0hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
25.0hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in



POWER EQUIPMENT ENGINES
MOTEURS D'EQUIPEMENT MOTORISÉ
MOTORES DE EQUIPOS

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
Professional Series; 40cid\656cc; V2; OHV				
22hp;40H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional Series; 44cid\724cc; V2; OHV				
22hp;440000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp;44S600	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp;440000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp;44S700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp;440000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp;44M700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;440000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;44S700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;44S900	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp;44P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional Series; 49cid\810cc; V2; OHV				
26hp;490000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27hp;490000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
28hp;49M777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
30hp;49M800	71 / RC12YC	946 / QC12YC	71ECO	0.030in
30hp;49M877	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional Series 1000; 223cc; 1 Cyl.; OHV				
140000	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Professional Series 850; 190cc; 1 Cyl.; OHV				
110000	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Professional Series 950; 223cc; 1 Cyl.; OHV				
140000	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Professional Series Snow 1150; 250cc; 1 Cyl.; OHV				
11.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional Series Snow 1450; 305cc; 1 Cyl.; OHV				
14.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional Series Snow 1650; 342cc; 1 Cyl.; OHV				
16.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional Series Snow 2100; 420cc; 1 Cyl.; OHV				
21 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional Series, 850; Vertical; 190cc; 1 Cyl.; OHV				
121R;8.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional Series, 875; Vertical; 190cc; 1 Cyl.; OHV				
121S;8.75 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Q; 550 Series; 158cc; 1 Cyl.; L-HEAD				
2.95hp;100000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
QPT; Vertical; 163cc; 1 Cyl.; OHV				
110P;7.25 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
126M;6.75 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Quantum; 1 Cyl.; L-HEAD				
10.0hp;221400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10.0hp;222400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10.0hp;226400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10.0hp;243400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10.0hp;28A700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10.5hp;28B700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11.0hp;250400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11.0hp;252400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11.0hp;254400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11.0hp;28C700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
Quantum; 1 Cyl.; L-HEAD				
11.5hp;28D700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.0hp;282700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.0hp;283700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.0hp;284700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp;285700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp;286700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp;288700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp;289700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
13.0hp;28M700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
16.0hp;326400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;121000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;128800	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;12S700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;12S800	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.0hp;122000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.0hp;12E000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.0hp;12K800	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.0hp;12T000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.5hp;126800	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.5hp;127700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.5hp;127800	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.75hp;12A000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.75hp;12D000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.0hp;124000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.0hp;125700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.0hp;126700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.0hp;12F000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.0hp;12G000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.0hp;12P700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.0hp;12P800	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.25hp;12C000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp;129000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp;12M000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp;12R700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp;12R800	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6.0hp;120600	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6.0hp;121600	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6.0hp;12V000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6.0hp;12W000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7.0hp;171400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7.0hp;176400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.0hp;190400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.0hp;192400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.0hp;194400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.0hp;194700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.0hp;195400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.0hp;195700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.0hp;196400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.0hp;197400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.5hp;196700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Quantum; 625 Series; 1 Cyl.; L-HEAD				
3.49hp;Built after code date 110630X	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
3.49hp;Built before code date 11071XX	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
Quantum; 625 Series; 190cc; 1 Cyl.; L-HEAD				
3.49hp;120000;Built after code date 110630X	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
Quantum; 625 Series; Vertical; 190cc; 1 Cyl.; L-HEAD				
120000;6.25 ft.-lb. Torque;After date code 11070100	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
Quantum; 650 Series; 190cc; 1 Cyl.; L-HEAD				
120000;Built after code date 110630X	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
120000;Built before code date 11071XX	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Quantum; 650 Series; Vertical; 190cc; 1 Cyl.; L-HEAD				
120000;6.5 ft.-lb. Torque	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
Quantum; 700 Series; Vertical; 190cc; 1 Cyl.; L-HEAD				
120000;7 ft.-lb. Torque	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
Quantum; 725 Series; 1 Cyl.; L-HEAD				
Built after code date 110630X	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
Built before code date 11071XX	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Quantum; 725 Series; 190cc; 1 Cyl.; L-HEAD				
120000;Built after code date 110630X	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
120000;Built before code date 11071XX	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Quantum; 725 Series; Vertical; 190cc; 1 Cyl.; L-HEAD				
120000;7.25 ft.-lb. Torque	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
Quantum; Endurance Series, 725; 190cc; 1 Cyl.; L-HEAD				
120000;7.5 ft.-lb. Torque	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Quantum; Industrial Plus; 1 Cyl.; L-HEAD				
7.0hp;172400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Quattro 38; 1 Cyl.; L-HEAD				
3.75hp;9C900	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Quattro; 475 Series; 148cc; 1 Cyl.; L-HEAD				
90000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Quattro; 500 Series; 158cc; 1 Cyl.; L-HEAD				
2.95hp;100000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Quiet Model; 1 Cyl.; OHV				
14.0hp;28E700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Racing Engines; 206cc; 1 Cyl.; L-HEAD				
Raptor	973 / RJ19HX	---	861ECO	0.030in
Racing Engines; 305cc; 1 Cyl.				
Model 20	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Racing Engines; 12.48cid/206cc; 1 Cyl.				
124335 World Formula	309E / RG4HC	349 / RG4PHP	---	0.030in
Snow Series 1150; 250cc; 1 Cyl.; OHV				
150000;11.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Snow Series 1450; 305cc; 1 Cyl.; OHV				
200000;14.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
Snow Series 1650; 342cc; 1 Cyl.; OHV				
210000;16.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Snow Series 2100; 420cc; 1 Cyl.; OHV				
210000;21 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Snow Series 750; 163cc; 1 Cyl.; OHV				
100000;7.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Snow Series 800; 205cc; 1 Cyl.; OHV				
8 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Snow Series 900; 205cc; 1 Cyl.; OHV				
9 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Snow Series 950; 208cc; 1 Cyl.; OHV				
130000;9.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Sprint; 475 Series; 148cc; 1 Cyl.; L-HEAD				
90000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Sprint; 500 Series; 158cc; 1 Cyl.; L-HEAD				
2.95hp;100000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
SQ; 500 Series; 158cc; 1 Cyl.; L-HEAD				
2.95hp;100000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Utility Series 1150; 250cc; 1 Cyl.; OHV				
150000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Utility Series 1450; 305cc; 1 Cyl.; OHV				
200000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Utility Series 1650; 420cc; 1 Cyl.; OHV				
210000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Utility Series 2100; 420cc; 1 Cyl.; OHV				
210000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Utility Series 750; 163cc; 1 Cyl.; OHV				
100000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Utility Series 950; 208cc; 1 Cyl.; OHV				
130000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; OHV				
11.0hp;235400	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12.5hp;260700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13.0hp;245400	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14.0hp;261700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14.0hp;28P700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15.5hp;28S700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16hp;28Q700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2.4hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
4.0hp;85400	71 / RC12YC	946 / QC12YC	71ECO	0.020in
5.5hp;104700	71 / RC12YC	946 / QC12YC	71ECO	0.020in
5.5hp;115400	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.0hp;117400	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.0hp;122670	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7.5hp;138400	71 / RC12YC	946 / QC12YC	71ECO	0.020in
9.0hp;161400	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9.0hp;185400	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; OHV				
12.5hp;290400	431 / RC14YC	946 / QC12YC	71ECO	0.030in
12.5hp;290700	431 / RC14YC	946 / QC12YC	71ECO	0.030in
14.0hp;294400	431 / RC14YC	946 / QC12YC	71ECO	0.030in
14.0hp;294700	431 / RC14YC	946 / QC12YC	71ECO	0.030in



POWER EQUIPMENT ENGINES
MOTEURS D'EQUIPEMENT MOTORISÉ
MOTORES DE EQUIPOS

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
Vanguard; V2; OHV				
16hp;303400	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp;303700	431 / RC14YC	71 / RC12YC	71ECO	0.030in
18.0hp;350400	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18.0hp;350700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18.0hp;356700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20.0hp;351400	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20.0hp;351700	431 / RC14YC	946 / QC12YC	71ECO	0.030in
21.0hp;381400	431 / RC14YC	946 / QC12YC	71ECO	0.030in
21.0hp;381700	431 / RC14YC	946 / QC12YC	71ECO	0.030in
23.0hp;380400	431 / RC14YC	946 / QC12YC	71ECO	0.030in
23.0hp;380700	431 / RC14YC	946 / QC12YC	71ECO	0.030in
31.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 479cc; V2; OHV				
16hp;305442-0527-F1	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 810cc; V2; OHV				
24.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 29.3cid\480cc; V2; OHV				
14.0hp;290000;23.6 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14.0hp;295400;23.6 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16hp;305400;24.4 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16hp;Model 30000;24.4 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
32.0hp;300000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 34.8cid\570cc; V2; OHV				
18hp;350000;30 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp;356400;30 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp;358700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
32hp;350000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 38.3cid\627cc; V2; OHV				
386400	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20.0hp;380000;31.4 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20.0hp;385400;31.4 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
32.0hp;380000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 49cid\810cc; V2; OHV				
26hp;490000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 54.68cid\896cc; V2; OHV				
27.0hp;540000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 60.6cid\993cc; V2; OHV				
610000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
61E100	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; Commercial Series; 205cc; 1 Cyl.; OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; Commercial Series; 305cc; 1 Cyl.; OHV				
10.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
8.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; Commercial Series; 392cc; 1 Cyl.; OHV				
13.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
Vanguard; Commercial Series; 479cc; V2; OHV				
13.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; Commercial Series; 896cc; V2; OHV				
25.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
28.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
29.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
30.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
31.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
32.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; Commercial Series; 993cc; V2; OHV				
33.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
35.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
36.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
37.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; Commercial Series; 34.8cid\570cc; V2; OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; Commercial Series; 38.3cid\627cc; V2; OHV				
21.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23.0hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; Commercial Turf Series; 724cc; V2; OHV				
23.0hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
24.0hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
26.0hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
27.0hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vanguard; Commercial Turf Series; 810cc; V2; OHV				
28.0hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
30.0hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vanguard; EFI; 49cid\810cc; V2; OHV				
28hp;490000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; Liquid Cooled; 3 Cyl.; OHV				
26.5hp;585400	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27hp;473100	71 / RC12YC	946 / QC12YC	71ECO	0.030in
28hp;581400	71 / RC12YC	946 / QC12YC	71ECO	0.030in
28hp;582400	71 / RC12YC	946 / QC12YC	71ECO	0.030in
28hp;584400	71 / RC12YC	946 / QC12YC	71ECO	0.030in
31hp;580400	71 / RC12YC	946 / QC12YC	71ECO	0.030in
31hp;583400	71 / RC12YC	946 / QC12YC	71ECO	0.030in
31hp;586400	71 / RC12YC	946 / QC12YC	71ECO	0.030in
31hp;587400	71 / RC12YC	946 / QC12YC	71ECO	0.030in
31hp;588400	71 / RC12YC	946 / QC12YC	71ECO	0.030in
34hp;58A400	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; 44cid\724cc; V2; OHV				
24hp;44S8	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;44S9;6 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; 49cid\810cc; V2; OHV				
26hp;49S7	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XR1450 Professional Series; 306cc; 1 Cyl.; OHV				
19N137;14.5 ft.-lbs. Torque	71 / RC12YC	946 / QC12YC	---	0.030in
Briggs & Stratton Daihatsu				
Liquid Cooled; Vanguard; 42.5cid\697cc; 3 Cyl.; OHV				
23.5hp;DM700G	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton Daihatsu				
Liquid Cooled; Vanguard; 42.5cid/697cc; 3 Cyl.; LPG; OHV				
18hp;DM700P	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Liquid Cooled; Vanguard; 58.1cid/952cc; 3 Cyl.; OHV				
34hp;DM954G	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Liquid Cooled; Vanguard; 58.1cid/952cc; 3 Cyl.; Gas; OHV				
31hp;DM950G	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Liquid Cooled; Vanguard; 58.1cid/952cc; 3 Cyl.; LPG; OHV				
25hp;DM950P	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25.5hp;DM950P	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27hp;DM950P	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Chrysler Power Bee				
1 Cyl.				
10.0hp;82001	814 / RL82YC	931-1 / QL82C	---	0.030in
10.0hp;82002	814 / RL82YC	931-1 / QL82C	---	0.030in
10.0hp;82038	814 / RL82YC	931-1 / QL82C	---	0.030in
10.0hp;82039	814 / RL82YC	931-1 / QL82C	---	0.030in
2.0hp;50056	840 / RCJ8	843 / CJ8	843ECO	0.030in
3.0hp;51001	871 / RJ8C	841 / J8C	---	0.030in
3.3hp;50052	840 / RCJ8	843 / CJ8	843ECO	0.030in
3.3hp;50054	840 / RCJ8	843 / CJ8	843ECO	0.030in
4.0hp;58011	538 / RH8C	587 / H8C	---	0.030in
4.0hp;58021	871 / RJ8C	841 / J8C	---	0.030in
4.0hp;58037	871 / RJ8C	841 / J8C	---	0.030in
4.25hp;50000	840 / RCJ8	843 / CJ8	843ECO	0.030in
4.25hp;50002	840 / RCJ8	843 / CJ8	843ECO	0.030in
4.25hp;50004	840 / RCJ8	843 / CJ8	843ECO	0.030in
4.25hp;50006	840 / RCJ8	843 / CJ8	843ECO	0.030in
4.25hp;50012	840 / RCJ8	843 / CJ8	843ECO	0.030in
4.25hp;50014	840 / RCJ8	843 / CJ8	843ECO	0.030in
4.7hp;61010	814 / RL82YC	931-1 / QL82C	---	0.030in
5.5hp;61005	830 / RL86C	933-1 / QL86C	---	0.030in
5.5hp;61006	830 / RL86C	933-1 / QL86C	---	0.030in
6.2hp;82005	830 / RL86C	933-1 / QL86C	---	0.030in
6.2hp;82006	814 / RL82YC	931-1 / QL82C	---	0.030in
6.2hp;82009	830 / RL86C	933-1 / QL86C	---	0.030in
6.2hp;82017	830 / RL86C	933-1 / QL86C	---	0.030in
6.2hp;82019	830 / RL86C	933-1 / QL86C	---	0.030in
6.2hp;82021	830 / RL86C	933-1 / QL86C	---	0.030in
6.2hp;82023	830 / RL86C	933-1 / QL86C	---	0.030in
6.5hp;82008	830 / RL86C	933-1 / QL86C	---	0.030in
6.5hp;82010	830 / RL86C	933-1 / QL86C	---	0.030in
6.7hp;82007	830 / RL86C	933-1 / QL86C	---	0.030in
6.7hp;82011	830 / RL86C	933-1 / QL86C	---	0.030in
6.7hp;82029	830 / RL86C	933-1 / QL86C	---	0.030in
6.7hp;82031	830 / RL86C	933-1 / QL86C	---	0.030in
7.0hp;82003	814 / RL82YC	931-1 / QL82C	---	0.030in
7.0hp;82026	830 / RL86C	933-1 / QL86C	---	0.030in
7.0hp;82027	830 / RL86C	933-1 / QL86C	---	0.030in
7.0hp;82032	830 / RL86C	933-1 / QL86C	---	0.030in
7.0hp;82033	830 / RL86C	933-1 / QL86C	---	0.030in
7.0hp;82034	830 / RL86C	933-1 / QL86C	---	0.030in
7.0hp;82036	830 / RL86C	933-1 / QL86C	---	0.030in
7.5hp;61001	814 / RL82YC	931-1 / QL82C	---	0.030in
7.5hp;61002	814 / RL82YC	931-1 / QL82C	---	0.030in
8.0hp;61012	814 / RL82YC	931-1 / QL82C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Clinton				
1 Cyl.				
100	854 / RH10C	844 / H10C	---	0.025in
1200	871 / RJ8C	841 / J8C	---	0.025in
1600	854 / RH10C	844 / H10C	---	0.025in
1690	854 / RH10C	844 / H10C	---	0.025in
190	854 / RH10C	844 / H10C	---	0.025in
200	854 / RH10C	844 / H10C	---	0.025in
2100	854 / RH10C	844 / H10C	---	0.025in
2190	854 / RH10C	844 / H10C	---	0.025in
2500	854 / RH10C	844 / H10C	---	0.025in
2590	854 / RH10C	844 / H10C	---	0.025in
2790	854 / RH10C	844 / H10C	---	0.025in
3100	854 / RH10C	844 / H10C	---	0.025in
3190	854 / RH10C	844 / H10C	---	0.025in
400	854 / RH10C	844 / H10C	---	0.025in
401	854 / RH10C	844 / H10C	---	0.025in
402	854 / RH10C	844 / H10C	---	0.025in
403	854 / RH10C	844 / H10C	---	0.025in
404	854 / RH10C	844 / H10C	---	0.025in
405	854 / RH10C	844 / H10C	---	0.025in
406	854 / RH10C	844 / H10C	---	0.025in
407	854 / RH10C	844 / H10C	---	0.025in
408	854 / RH10C	844 / H10C	---	0.025in
409	854 / RH10C	844 / H10C	---	0.025in
410	854 / RH10C	844 / H10C	---	0.025in
4100	854 / RH10C	844 / H10C	---	0.025in
411	854 / RH10C	844 / H10C	---	0.025in
412;3/8in Reach Spark Plugs	871 / RJ8C	841 / J8C	---	0.025in
412;7/16in Reach Spark Plugs	854 / RH10C	844 / H10C	---	0.025in
413;3/8in Reach Spark Plugs	871 / RJ8C	841 / J8C	---	0.025in
414;7/16in Reach Spark Plugs	854 / RH10C	844 / H10C	---	0.025in
416;7/16in Reach Spark Plugs	854 / RH10C	844 / H10C	---	0.025in
418;7/16in Reach Spark Plugs	854 / RH10C	844 / H10C	---	0.025in
419	854 / RH10C	844 / H10C	---	0.025in
4190	854 / RH10C	844 / H10C	---	0.025in
420	854 / RH10C	844 / H10C	---	0.025in
422	854 / RH10C	844 / H10C	---	0.025in
429	854 / RH10C	844 / H10C	---	0.025in
431	854 / RH10C	844 / H10C	---	0.025in
492;3/8in Reach Spark Plugs	871 / RJ8C	841 / J8C	---	0.025in
494;3/8in Reach Spark Plugs	871 / RJ8C	841 / J8C	---	0.025in
500	592 / RJ12C	511 / J11C	---	0.025in
501	592 / RJ12C	511 / J11C	---	0.025in
502	840 / RCJ8	843 / CJ8	843ECO	0.025in
503	840 / RCJ8	843 / CJ8	843ECO	0.025in
A-1200	871 / RJ8C	841 / J8C	---	0.025in
A-1600	854 / RH10C	844 / H10C	---	0.025in
A-200	854 / RH10C	844 / H10C	---	0.025in
A-2100	854 / RH10C	844 / H10C	---	0.025in
A-2500	854 / RH10C	844 / H10C	---	0.025in
A-300	871 / RJ8C	841 / J8C	---	0.025in



POWER EQUIPMENT ENGINES
MOTEURS D'EQUIPEMENT MOTORISÉ
MOTORES DE EQUIPOS

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Clinton				
1 Cyl.				
A-400	592 / RJ12C	511 / J11C	---	0.025in
AV-3100	854 / RH10C	844 / H10C	---	0.025in
AVS-3100	854 / RH10C	844 / H10C	---	0.025in
AVS-400	854 / RH10C	844 / H10C	---	0.025in
AVS-4100	854 / RH10C	844 / H10C	---	0.025in
B-1290	871 / RJ8C	841 / J8C	---	0.025in
B-2500	854 / RH10C	844 / H10C	---	0.025in
BVS-400	854 / RH10C	844 / H10C	---	0.025in
C-700	871 / RJ8C	841 / J8C	---	0.025in
CVS-400	854 / RH10C	844 / H10C	---	0.025in
D-700	871 / RJ8C	841 / J8C	---	0.025in
E-65	871 / RJ8C	841 / J8C	---	0.035in
Model GK-590	592 / RJ12C	511 / J11C	---	0.025in
V-100	854 / RH10C	844 / H10C	---	0.025in
V-1000	871 / RJ8C	841 / J8C	---	0.025in
V-1100	871 / RJ8C	841 / J8C	---	0.025in
V-1200	871 / RJ8C	841 / J8C	---	0.025in
V-1290	871 / RJ8C	841 / J8C	---	0.025in
V-3100	854 / RH10C	844 / H10C	---	0.025in
VS-100	854 / RH10C	844 / H10C	---	0.025in
VS-1000	871 / RJ8C	841 / J8C	---	0.025in
VS-1100	871 / RJ8C	841 / J8C	---	0.025in
VS-1200	871 / RJ8C	841 / J8C	---	0.025in
VS-200	592 / RJ12C	511 / J11C	---	0.025in
VS-2100	854 / RH10C	844 / H10C	---	0.025in
VS-300	871 / RJ8C	841 / J8C	---	0.025in
VS-3100	854 / RH10C	844 / H10C	---	0.025in
VS-400	592 / RJ12C	511 / J11C	---	0.025in
VS-4100	854 / RH10C	844 / H10C	---	0.025in
VS-900	871 / RJ8C	841 / J8C	---	0.025in
2 Stroke; Alumalloy; 1 Cyl.				
Alumalloy 2-Cycle	592 / RJ12C	511 / J11C	---	0.025in
2 Stroke; Vertical; 1 Cyl.				
AV-200	854 / RH10C	844 / H10C	---	0.025in
AVS-200	854 / RH10C	844 / H10C	---	0.025in
4 Stroke; Horizontal; 1 Cyl.				
415;7/16in Reach Spark Plugs	854 / RH10C	844 / H10C	---	0.025in
417;7/16in Reach Spark Plugs	854 / RH10C	844 / H10C	---	0.025in
424;7/16in Reach Spark Plugs	854 / RH10C	844 / H10C	---	0.025in
426;7/16in Reach Spark Plugs	854 / RH10C	844 / H10C	---	0.025in
435;7/16in Reach Spark Plugs	854 / RH10C	844 / H10C	---	0.025in
437;7/16in Reach Spark Plugs	854 / RH10C	844 / H10C	---	0.025in
497;3/8in Reach Spark Plugs	871 / RJ8C	841 / J8C	---	0.025in
498;3/8in Reach Spark Plugs	871 / RJ8C	841 / J8C	---	0.025in
499;3/8in Reach Spark Plugs	871 / RJ8C	841 / J8C	---	0.025in
Alumalloy; 4 Stroke; 1 Cyl.				
Alumalloy 4	854 / RH10C	844 / H10C	---	0.025in
Clintalloy; 1 Cyl.				
Clintalloy	854 / RH10C	844 / H10C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Clinton				
Cycle Gem Series; 1 Cyl.				
	854 / RH10C	844 / H10C	---	0.025in
Long Life Series; 1 Cyl.				
	871 / RJ8C	841 / J8C	---	0.025in
Red Horse Series; 1 Cyl.				
	854 / RH10C	844 / H10C	---	0.025in
Craftsman				
1 Cyl.				
10hp;143.416032	871 / RJ8C	841 / J8C	---	0.030in
10hp;143.416072	871 / RJ8C	841 / J8C	---	0.030in
3.5hp;143.003508	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;143.974082	871 / RJ8C	841 / J8C	---	0.030in
6.5hp;143.016500	868 / RJ19LM	861 / J19LM	861ECO	0.030in
1 Cyl.; L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
143.988501	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp;143.414292	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
4hp;143.964006	868 / RJ19LM	861 / J19LM	861ECO	0.030in
4hp;143.964010	868 / RJ19LM	861 / J19LM	861ECO	0.030in
4hp;143.974006	868 / RJ19LM	861 / J19LM	861ECO	0.030in
4hp;143.974036	868 / RJ19LM	861 / J19LM	861ECO	0.030in
4hp;143.984008	868 / RJ19LM	861 / J19LM	861ECO	0.030in
4.5hp;143.424152	868 / RJ19LM	861 / J19LM	861ECO	0.030in
4.5hp;143.964500	868 / RJ19LM	861 / J19LM	861ECO	0.030in
4.5hp;143.964512	868 / RJ19LM	861 / J19LM	861ECO	0.030in
4.5hp;143.974500	868 / RJ19LM	861 / J19LM	861ECO	0.030in
4.5hp;143.984500	868 / RJ19LM	861 / J19LM	861ECO	0.030in
4.5hp;143.984510	868 / RJ19LM	861 / J19LM	861ECO	0.030in
5hp;143.045001	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;143.045003	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;143.965002	868 / RJ19LM	861 / J19LM	861ECO	0.030in
5hp;143.965006	868 / RJ19LM	861 / J19LM	861ECO	0.030in
5hp;143.965018	868 / RJ19LM	861 / J19LM	861ECO	0.030in
5hp;143.975030	868 / RJ19LM	861 / J19LM	861ECO	0.030in
5hp;143.975034	868 / RJ19LM	861 / J19LM	861ECO	0.030in
5hp;143.975038	868 / RJ19LM	861 / J19LM	861ECO	0.030in
5.5hp;143.975500	868 / RJ19LM	861 / J19LM	861ECO	0.030in
5.5hp;143.975504	868 / RJ19LM	861 / J19LM	861ECO	0.030in
5.5hp;143.975506	868 / RJ19LM	861 / J19LM	861ECO	0.030in
5.5hp;143.985500	868 / RJ19LM	861 / J19LM	861ECO	0.030in
5.5hp;143.985510	868 / RJ19LM	861 / J19LM	861ECO	0.030in
6hp;143.976000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp;143.986000	868 / RJ19LM	861 / J19LM	861ECO	0.030in
6hp;143.986002	868 / RJ19LM	861 / J19LM	861ECO	0.030in
6hp;143.986004	868 / RJ19LM	861 / J19LM	861ECO	0.030in
6hp;143.996002	868 / RJ19LM	861 / J19LM	861ECO	0.030in
6.75hp;143.006714	868 / RJ19LM	861 / J19LM	861ECO	0.030in
8hp;143.796132	871 / RJ8C	841 / J8C	---	0.030in
8.5hp;143.988501	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9hp;143.039001	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9hp;143.999005	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; OHV				
	415 / RN9YC	71 / RC12YC	415ECO	0.030in
3/4 inch spark plugs; 5/8 inch hex size	71 / RC12YC	946 / QC12YC	71ECO	
165-SUB-11	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
1 Cyl.; OHV				
170-T0B	415 / RN9YC	300 / N9YC	415ECO	0.030in
265-JU-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
265-JU-12	415 / RN9YC	300 / N9YC	415ECO	0.030in
265-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
265-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
265-SUA	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
270-SU-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
370-JU-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
370-JUA	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
370-JUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
478-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
483-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
483-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
490-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90HU	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
4P90JUA	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
PH-XT675-2044	---	---	810ECO	0.030in
ZS161-JWA	415 / RN9YC	300 / N9YC	415ECO	0.030in
ZS365-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
ZS365-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
ZS370-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
ZS490-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
17.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
6.5hp;123K02	868 / RJ19LM	861 / J19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
15C103	71 / RC12YC	946 / QC12YC	71ECO	0.020in
1 Cyl.; (Tecumseh); L-HEAD				
LH195SP	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
123cc; 1 Cyl.; OHV				
161-JWA-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
161-JWA-12	415 / RN9YC	300 / N9YC	415ECO	0.030in
158cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.8hp;10A902	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4.5hp;12F802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;12F802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
208cc; 1 Cyl.; OHV				
170-TU	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-V0B	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-VU	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-V0	415 / RN9YC	300 / N9YC	415ECO	0.030in
357cc; 1 Cyl.; OHV				
483-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
10cid\163cc; 1 Cyl.; L-HEAD				
3.5hp;143.003508	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp;143.004016	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp;143.994018	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp;143.994024	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10.49cid; 1 Cyl.				
4hp;143.804062	871 / RJ8C	841 / J8C	---	0.030in
11.4cid\187cc; 1 Cyl.; (Honda); OHC				
GCV190	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
11.5cid\185cc; 1 Cyl.; L-HEAD				
6hp;143.006006	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11.90cid\195cc; 1 Cyl.; L-HEAD				
6.75hp;143.006716	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12cid\185cc; 1 Cyl.; L-HEAD				
6.5hp;143.996514	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12cid\195cc; 1 Cyl.; L-HEAD				
6.5hp;143.996514	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.04cid\195cc; 1 Cyl.; L-HEAD				
5hp;143.424152	868 / RJ19LM	861 / J19LM	861ECO	0.030in
5hp;143.955000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.56cid; 1 Cyl.; L-HEAD				
6.5hp;143.986502	868 / RJ19LM	861 / J19LM	861ECO	0.030in
6.6hp;143.976608	868 / RJ19LM	861 / J19LM	861ECO	0.030in
6.6hp;143.976610	868 / RJ19LM	861 / J19LM	861ECO	0.030in
6.75hp;143.986700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.56cid; 1 Cyl.; OHV				
6.75hp;143.986704	104 / RN4C	803 / N4C	---	0.030in
15.04cid; 1 Cyl.				
7hp;143.977001	871 / RJ8C	841 / J8C	---	0.030in
19.43cid; 1 Cyl.				
9hp;143.979001	871 / RJ8C	841 / J8C	---	0.030in
9hp;143.979007	871 / RJ8C	841 / J8C	---	0.030in
9.06cid; 1 Cyl.; L-HEAD				
3hp;143.993001	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
110000; 10.69cid\175cc; 1 Cyl.; (Briggs & Stratton); OHV				
111P02	71 / RC12YC	946 / QC12YC	71ECO	0.020in
120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126L02	868 / RJ19LM	861 / J19LM	861ECO	0.030in
126M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp;122K02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp;126T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6.75hp;125K02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12R512	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.75hp;129602	71 / RC12YC	946 / QC12YC	71ECO	0.020in
120000; 11.58cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
124P02	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2 Stroke; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
2 Stroke; 1 Cyl.; L-HEAD				
8hp;143.948001	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Stroke; Snow King; 1 Cyl.; (Tecumseh)				
4hp;HSK840	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
4 Stroke; 1 Cyl.				
143.991200	104 / RN4C	803 / N4C	---	0.030in
143.993506	104 / RN4C	803 / N4C	---	0.030in
13.5hp;143.981300	102 / RJ6C	825 / J4C	---	0.030in
4 Stroke; 1 Cyl.; L-HEAD				
143.014502	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
143.426072	856 / RJ17LM	845 / J17LM	861ECO	0.030in
143.991004	856 / RJ17LM	845 / J17LM	861ECO	0.030in
10hp;143.696102	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
10hp;143.696102	871 / RJ8C	841 / J8C	---	0.030in



POWER EQUIPMENT ENGINES
MOTEURS D'EQUIPEMENT MOTORISÉ
MOTORES DE EQUIPOS

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
4 Stroke; 1 Cyl.; L-HEAD				
11hp;143.011101	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11hp;143.021101	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;143.754012	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
3.5hp;143.754012	871 / RJ8C	841 / J8C	---	0.030in
4hp;3/8In Reach Spark Plugs	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp;143.004008	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp;143.004018	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.5hp;143.014500	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.5hp;143.974506	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;143.015005	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp;143.005512	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp;143.015502	868 / RJ19LM	947 / QJ19LM	861ECO	0.045in
5.5hp;143.975514	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp;143.976006	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6.5hp;143.996512	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6.75hp;143.016720	868 / RJ19LM	947 / QJ19LM	861ECO	0.045in
6.75hp;143.016736	868 / RJ19LM	947 / QJ19LM	861ECO	0.045in
6.75hp;143.026704	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6.75hp;143.036706	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp;143.766152	871 / RJ8C	841 / J8C	---	0.030in
4 Stroke; 1 Cyl.; OHV				
12.5hp;143.011201	104 / RN4C	803 / N4C	---	0.030in
12.5hp;143.436092	104 / RN4C	803 / N4C	---	0.030in
16.5hp;143.951602	104 / RN4C	803 / N4C	---	0.030in
4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;12F802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
5.5hp;110602	71 / RC12YC	946 / QC12YC	71ECO	0.020in
5.5hp;120612	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6hp;120602	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6hp;120612	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6hp;121602	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp;120412	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp;121412	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6.5hp;138432	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6.75hp;128612	71 / RC12YC	946 / QC12YC	71ECO	0.020in
7hp;120412	71 / RC12YC	946 / QC12YC	71ECO	0.020in
7.5hp;138432	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9hp;185432	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4 Stroke; 1 Cyl.; (Tecumseh)				
6.25hp;143.006204	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9hp;LH318SP	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 1 Cyl.; (Tecumseh); OHV				
	104 / RN4C	803 / N4C	---	0.030in
4 Stroke; 171.9cc; 1 Cyl.; L-HEAD				
4hp;143.424352	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 172cc; 1 Cyl.; OHV				
6.5hp;143.026503	104 / RN4C	803 / N4C	---	0.030in
6.75hp;143.986714	104 / RN4C	803 / N4C	---	0.030in
4 Stroke; 172cc; 1 Cyl.; (Tecumseh); OHV				
6.75hp;143.986714	104 / RN4C	803 / N4C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
4 Stroke; 195cc; 1 Cyl.; OHV				
6hp;143.016005	104 / RN4C	803 / N4C	---	0.030in
6hp;143.986003	104 / RN4C	803 / N4C	---	0.030in
4 Stroke; 220cc; 1 Cyl.; (Briggs & Stratton); OHV				
7.8hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4 Stroke; 275cc; 1 Cyl.; SOHC				
ATV300	810 / RA8HC	7972 / RA8PHP	810ECO	0.026in
4 Stroke; 10cid; 1 Cyl.; L-HEAD				
3.8hp;143.023800	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 10cid\163cc; 1 Cyl.; L-HEAD				
4hp;143.004014	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 10.49cid; 1 Cyl.; L-HEAD				
4hp;143.434042	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp;143.804062	871 / RJ8C	841 / J8C	---	0.030in
4 Stroke; 11.5cid; 1 Cyl.; L-HEAD				
4hp;143.944006	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp;143.944010	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.5hp;143.954502	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.5hp;143.954506	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;143.434032	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;143.944006	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;143.955018	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp;3/8In Reach Spark Plugs	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp;143.975502	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 11.88cid; 1 Cyl.; OHV				
6hp;143.976001	104 / RN4C	803 / N4C	---	0.030in
6hp;143.985503	104 / RN4C	803 / N4C	---	0.030in
6hp;143.986001	104 / RN4C	803 / N4C	---	0.030in
4 Stroke; 12.0cid; 1 Cyl.; L-HEAD				
5.3hp;143.434332	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 12.04cid\195cc; 1 Cyl.; L-HEAD				
5hp;143.015001	856 / RJ17LM	845 / J17LM	861ECO	0.030in
5hp;143.434032	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;143.804072	871 / RJ8C	841 / J8C	---	0.030in
5hp;143.834012	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;143.955001	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;143.965003	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;143.975001	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;143.985003	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;143.995001	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 12.06cid; 1 Cyl.; L-HEAD				
5.5hp;143.945502	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 12.56cid; 1 Cyl.; L-HEAD				
6hp;143.956000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 12.56cid; 1 Cyl.; OHV				
6.75hp;143.986718	104 / RN4C	803 / N4C	---	0.030in
4 Stroke; 12.6cid; 1 Cyl.; L-HEAD				
5.5hp;143.945502	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp;143.945504	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp;143.956000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 12.6cid; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;128802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;133212	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
4 Stroke; 13.53cid; 1 Cyl.; (Tecumseh); L-HEAD				
5hp;HSSK50	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 19.3cid; 1 Cyl.; L-HEAD				
8hp;143.796202	856 / RJ17LM	845 / J17LM	861ECO	0.030in
4 Stroke; 19.34cid; 1 Cyl.; L-HEAD				
9hp;143.019003	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9hp;143.029003	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9hp;143.035005	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9hp;143.049001	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9hp;143.059013	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 19.43cid; 1 Cyl.; L-HEAD				
8hp;143.806082	871 / RJ8C	841 / J8C	---	0.030in
8hp;143.998001	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 21.82cid; 1 Cyl.; L-HEAD				
10hp;143.816012	871 / RJ8C	841 / J8C	---	0.030in
10hp;143.971001	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10hp;143.971003	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11hp;143.981001	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 9.0cid; 1 Cyl.; L-HEAD				
3.8hp;143.434312	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 9.06cid; 1 Cyl.; L-HEAD				
3.5hp;143.414232	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;143.424012	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;143.424052	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 9.52cid\156cc; 1 Cyl.; L-HEAD				
3.5hp	---	---	843ECO	0.030in
3.5hp;3/8In Reach Spark Plugs	840 / RCJ8	843 / CJ8	843ECO	0.030in
4 Stroke; Enduro; 1 Cyl.; (Tecumseh); OHV				
6hp;143.996005	104 / RN4C	803 / N4C	---	0.030in
4 Stroke; Model 120000; 11.57cid; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;128812	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;128812	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; Snow King; 1 Cyl.; (Tecumseh)				
9hp;LH318SA	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; Snow King; 1 Cyl.; (Tecumseh); L-HEAD				
5.5hp;LH195SP	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; Snow King; 1 Cyl.; (Tecumseh); OHV				
OH195SA	104 / RN4C	803 / N4C	---	0.030in
4 Stroke; Sprint; 12.6cid; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.75hp;98902	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; Vertical; 1 Cyl.; (Tecumseh)				
5.5hp;LEV120	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
550 Series; 9.67cid\158.6cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
10T702	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
752Z170-L0; 1 Cyl.; L-HEAD				
9hp;143.999003	868 / RJ19LM	861 / J19LM	861ECO	0.030in
752Z170-L0; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6.5hp;170L011	868 / RJ19LM	861 / J19LM	861ECO	0.030in
Command Pro; 4 Stroke; Vertical; 44cid\725cc; V2; (Kohler); OHV				
27hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Command Series; 4 Stroke; Horizontal; 398cc; 1 Cyl.; (Kohler); OHV				
13hp;CH13	71 / RC12YC	946 / QC12YC	71ECO	0.040in
GC-Series; Horizontal; 4 Stroke; 9.8cid\160cc; 1 Cyl.; (Honda); OHC				
5hp;GC160	415 / RN9YC	300 / N9YC	415ECO	0.030in
GCV-Series; 4 Stroke; Vertical; 135cc; 1 Cyl.; (Honda); OHC				
4.5hp;GCV135	415 / RN9YC	300 / N9YC	415ECO	0.030in
GCV-Series; Vertical; 1 Cyl.; (Honda); OHC				
5.5hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
Guardian I; 216.5cc; 1 Cyl.; (Generac); OHV				
7.8hp;GN-220	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Quantum; 4 Stroke; 11.5cid; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Snow King; 19.43cid; 1 Cyl.; (Tecumseh); L-HEAD				
8hp;HMSK80	856 / RJ17LM	845 / J17LM	861ECO	0.030in
Cub Cadet				
1 Cyl.; OHV				
161-V0	415 / RN9YC	300 / N9YC	415ECO	0.030in
161-VH	415 / RN9YC	300 / N9YC	415ECO	0.030in
161-VHA	415 / RN9YC	300 / N9YC	415ECO	0.030in
165-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
165-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
165-SUB-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
165-SUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-C0A	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-C0A-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-CU	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-DU	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-PU	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-T0	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-T0A	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-T0B	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-TU	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-V0A	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-V0B	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-VU	415 / RN9YC	300 / N9YC	415ECO	0.030in
178-L0	415 / RN9YC	300 / N9YC	415ECO	0.030in
178-L0-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
178-LU	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P61L0	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P61N0	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P61P0	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P650C0	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65B0B	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65B0C	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65BU	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65FU	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65FUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65LHA	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65M0	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65MC	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65N0	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65N0A	415 / RN9YC	300 / N9YC	415ECO	0.030in



POWER EQUIPMENT ENGINES
MOTEURS D'EQUIPEMENT MOTORISÉ
MOTORES DE EQUIPOS

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
1 Cyl.; OHV				
1P65NU	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65TG	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65TGA	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65TU	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P70C0	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P70COA	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P70COA-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P70FU	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P70FUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P70LOA	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P70M0	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P70MC	415 / RN9YC	300 / N9YC	415ECO	0.030in
1T65NUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1T65RUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65CU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65LU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65RU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
265-JU	415 / RN9YC	300 / N9YC	415ECO	0.030in
265-JU-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
265-JU-12	415 / RN9YC	300 / N9YC	415ECO	0.030in
265-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
265-SU-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
265-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-JU	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-JU-12	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-QU	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-SU-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-V0	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-VU	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-WU	415 / RN9YC	300 / N9YC	415ECO	0.030in
2P70M0	415 / RN9YC	300 / N9YC	415ECO	0.030in
2P70M0A	415 / RN9YC	300 / N9YC	415ECO	0.030in
2P70M0B	415 / RN9YC	300 / N9YC	415ECO	0.030in
2P70M0C	415 / RN9YC	300 / N9YC	415ECO	0.030in
2P70M0D	415 / RN9YC	300 / N9YC	415ECO	0.030in
2P70MU	415 / RN9YC	300 / N9YC	415ECO	0.030in
365-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
365-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
370-JU	415 / RN9YC	300 / N9YC	415ECO	0.030in
370-JU-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
370-JUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
370-QU	415 / RN9YC	300 / N9YC	415ECO	0.030in
370-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
370-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
370-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
370-SUB-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
370-SUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
375-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
478-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
478-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
478-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
478-SUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
483-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
483-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
1 Cyl.; OHV				
483-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
483-SUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
490-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
490-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
490-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
490-SUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
490-WU	415 / RN9YC	300 / N9YC	415ECO	0.030in
490-WUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90HU	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90HUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90HUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90JHA	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90JT	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90JU	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90JUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90JUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90JUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90M0	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90MU	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90MUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90MUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90MUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90MUD	415 / RN9YC	300 / N9YC	415ECO	0.030in
4X90HU	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P65M0	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P65M0A	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P65M0B	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P65M0C	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P65MU	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P70M0	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P70M0A	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P70M0B	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P70M0C	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P70ML	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P70MU	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P71MU	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P71RU	415 / RN9YC	300 / N9YC	415ECO	0.030in
5X65RU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
670-JUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
6X65RU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9X90HU	415 / RN9YC	300 / N9YC	415ECO	0.030in
123cc; 1 Cyl.; OHV				
161-JU	415 / RN9YC	300 / N9YC	415ECO	0.030in
161-JW	415 / RN9YC	300 / N9YC	415ECO	0.030in
161-JWA	415 / RN9YC	300 / N9YC	415ECO	0.030in
161-JWA-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
161-JWA-12	415 / RN9YC	300 / N9YC	415ECO	0.030in
261-JU	415 / RN9YC	300 / N9YC	415ECO	0.030in
261-JUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
132cc; 1 Cyl.; OHV				
1R61DT	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1R61NU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1R61NUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1R61RU	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
140cc; 1 Cyl.; OHV				
1T65DT	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1T65LH	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1T65NTA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1T65NTB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1T65NUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1T65PT	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1T65RS	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1T65RUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1T65RUC	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1T65TU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5T65RU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5T65RUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5T65RUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5T65VUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
149cc; 1 Cyl.; OHV				
5R65MU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
159cc; 1 Cyl.; OHV				
1X65CUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65CUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65CUC	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65LUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65PT	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65RH	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65TU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65TUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65VU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65VUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65VUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5X65MU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5X65MUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5X65MUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5X65MUC	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5X65VU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5X65VUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5X65VUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5X65VUC	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6X65MU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6X65MUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6X65MUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6X65QU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6X65QUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6X65RUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
7P71RU	415 / RN9YC	300 / N9YC	415ECO	0.030in
8X65MU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8X65MUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
BX65MU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
179cc; 1 Cyl.; OHV				
165-WU	415 / RN9YC	300 / N9YC	415ECO	0.030in
165-WUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
265-JUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
265-WU	415 / RN9YC	300 / N9YC	415ECO	0.030in
265-WUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
195cc; 1 Cyl.; OHV				
7P71RUA	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
196cc; 1 Cyl.; OHV				
1X70DT	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X70NT	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X70PT	322 / RN11YC4	302 / N11YC	322ECO	0.030in
2X70DT	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5X70AU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5X70MU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5X70MUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5X70MUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6X70MU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6X70MUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6X70MUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6X70MUC	322 / RN11YC4	302 / N11YC	322ECO	0.030in
7X70JU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
7X70JUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
208cc; 1 Cyl.; OHV				
170-AU	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-AUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-AUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-AUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-CUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-JU	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-L0	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-L0-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-LU	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-NU	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-PUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-THC	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-JUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-QUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-WUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-WUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-XU	415 / RN9YC	300 / N9YC	415ECO	0.030in
670-JU	415 / RN9YC	300 / N9YC	415ECO	0.030in
670-JUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
670-QUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
670-WU	415 / RN9YC	300 / N9YC	415ECO	0.030in
670-WUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
670-WUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
224cc; 1 Cyl.; OHV				
7X72RU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
243cc; 1 Cyl.; OHV				
375-QU	415 / RN9YC	300 / N9YC	415ECO	0.030in
675-QU	415 / RN9YC	300 / N9YC	415ECO	0.030in
675-QUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
675-WU	415 / RN9YC	300 / N9YC	415ECO	0.030in
675-WUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
675-WUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
272cc; 1 Cyl.; OHV				
175-CU	415 / RN9YC	300 / N9YC	415ECO	0.030in
675-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
277cc; 1 Cyl.; OHV				
678-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
278cc; 1 Cyl.; OHV				
678-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
357cc; 1 Cyl.; OHV				
683-WU	415 / RN9YC	300 / N9YC	415ECO	0.030in
683-WUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
683-WUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
983-WU	415 / RN9YC	300 / N9YC	415ECO	0.030in
382cc; 1 Cyl.; OHV				
7T84HW	415 / RN9YC	300 / N9YC	415ECO	0.030in
7T84JH	415 / RN9YC	300 / N9YC	415ECO	0.030in
7T84JU	415 / RN9YC	300 / N9YC	415ECO	0.030in
7T84JUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
7T84MU	415 / RN9YC	300 / N9YC	415ECO	0.030in
7T84MUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
420cc; 1 Cyl.; OHV				
4P90HUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90HUD	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90JUD	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90JUE	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90JUF	415 / RN9YC	300 / N9YC	415ECO	0.030in
690-WU	415 / RN9YC	300 / N9YC	415ECO	0.030in
690-WUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
690-WUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
690-WUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
439cc; 1 Cyl.; OHV				
7T90HU	415 / RN9YC	300 / N9YC	415ECO	0.030in
7T90HW	415 / RN9YC	300 / N9YC	415ECO	0.030in
7T90JU	415 / RN9YC	300 / N9YC	415ECO	0.030in
452cc; 1 Cyl.; OHV				
8P92ZU	415 / RN9YC	300 / N9YC	415ECO	0.030in
8P92ZUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
471cc; 1 Cyl.				
23.0hp	449 / RA7YC	9700 / RA7WYB	---	0.025in
547cc; 1 Cyl.; OHV				
4X90HUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
4X90HW	415 / RN9YC	300 / N9YC	415ECO	0.030in
8X90KU	415 / RN9YC	300 / N9YC	415ECO	0.030in
8X90KUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
8X90ZU	415 / RN9YC	300 / N9YC	415ECO	0.030in
8X90ZUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
9X90HUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
AX90HU	415 / RN9YC	300 / N9YC	415ECO	0.030in
AX90HUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
AX90HUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
AX90HUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
679cc; 2 Cyl.; OHV				
4Q78HU	415 / RN9YC	300 / N9YC	415ECO	0.030in
4Q78HUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
8Q78HU	415 / RN9YC	300 / N9YC	415ECO	0.030in
8Q78HUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
8Q78HUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
8Q78HUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
8Q78XU	415 / RN9YC	300 / N9YC	415ECO	0.030in
8Q78XUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
8Q78XUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
8Q78XUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
8Q78XWA	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
679cc; 2 Cyl.; OHV				
9Q78HU	415 / RN9YC	300 / N9YC	415ECO	0.030in
9Q78HUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
9Q78HUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
9Q78XU	415 / RN9YC	300 / N9YC	415ECO	0.030in
9Q78XUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
679cc; V2				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
79cc; 1 Cyl.; OHV				
1P51NUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P51RU	415 / RN9YC	300 / N9YC	415ECO	0.030in
99cc; 1 Cyl.; OHV				
1P57RT	415 / RN9YC	300 / N9YC	415ECO	0.030in
MTD/Zongshen; 123cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
MTD/Zongshen; 179cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
MTD/Zongshen; 195cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
MTD/Zongshen; 208cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
MTD/Zongshen; 243cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
MTD/Zongshen; 382cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
3.0hp;with 14mm Diameter Threads	415 / RN9YC	300 / N9YC	415ECO	0.030in
MTD/Zongshen; 4 Stroke; 243cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
MTD/Zongshen; 4 Stroke; 277cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.028in
MTD/Zongshen; 4 Stroke; 357cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.028in
MTD/Zongshen; 4 Stroke; 420cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.028in
MTD/Zongshen; Vertical; 159cc; 1 Cyl.; OHV				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
MTD/Zongshen; Vertical; 452cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Vertical; 547cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Cushman				
1 Cyl.				
With 0.5in Pipe Diameter Threads	425 / X	525 / 25	---	0.025in
with 14mm Diameter Threads	854 / RH10C	844 / H10C	---	0.025in
M6;Before 1956	541 / RD16	514 / D14	---	0.030in
M7;Before 1956	541 / RD16	514 / D14	---	0.030in
M8;Before 1956	541 / RD16	514 / D14	---	0.030in
M9;Before 1956	541 / RD16	514 / D14	---	0.030in
1 Cyl.; (1922-1945)				
Old Models;with 7/8in Diameter Threads	518 / W18	---	---	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ducar				
1 Cyl.				
5hp;DJP64F	415 / RN9YC	300 / N9YC	415ECO	0.030in
208cc; 1 Cyl.; OHV				
7hp;DJ170F	332 / RN7YC	315 / N6YC	332ECO	0.030in
4 Stroke; 150cc; 1 Cyl.				
DOV150	332 / RN7YC	315 / N6YC	332ECO	0.030in
4 Stroke; 173cc; 1 Cyl.				
6hp;DV173	332 / RN7YC	315 / N6YC	332ECO	0.030in
Eager 1				
1 Cyl.				
4.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
Exmark				
Quest E-Series; 452cc; V2				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Quest S-Series; 708cc; V2				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Fort				
1 Cyl.; (Fort/Briggs & Stratton); L-HEAD				
5.0hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.0hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tecumseh; 1 Cyl.				
3.5hp	871 / RJ8C	841 / J8C	---	0.030in
Generac				
1 Cyl.; OHV				
13hp;EHF00958	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7.8hp;EHC00955	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7.8hp;EHC04276	71 / RC12YC	946 / QC12YC	71ECO	0.030in
208cc; 1 Cyl.				
OK9552	415 / RN9YC	300 / N9YC	415ECO	0.030in
320cc; 1 Cyl.; OHV				
11hp;EHF00945	71 / RC12YC	946 / QC12YC	71ECO	0.030in
410cc; 1 Cyl.; OHV				
15hp;EHF00935	71 / RC12YC	946 / QC12YC	71ECO	0.030in
79cc; 1 Cyl.; OHV				
UP152	814 / RL82YC	932-1 / QL82YC	---	0.030in
11.9cid\196cc; 1 Cyl.; OHV				
G33;EPA3	415 / RN9YC	300 / N9YC	415ECO	0.030in
Guardian I; 216.5cc; 1 Cyl.; OHV				
7.8hp;GH-220	431 / RC14YC	946 / QC12YC	71ECO	0.030in
7.8hp;GN-220	431 / RC14YC	946 / QC12YC	71ECO	0.030in
7.8hp;GSH-220	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Guardian I; 407cc; 1 Cyl.; OHV				
15.0hp;GSH-410	431 / RC14YC	946 / QC12YC	71ECO	0.030in
15.0hp;GSV-410	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Guardian I; 763cc; V2; OHV				
27.0hp;GTH-760	431 / RC14YC	946 / QC12YC	71ECO	0.030in
27.0hp;GTV-760	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Guardian I; 992cc; V2; OHV				
32.0hp;GTH-990	431 / RC14YC	946 / QC12YC	71ECO	0.030in
32.0hp;GTV-990	431 / RC14YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Greyhound				
Horizontal; 196cc; 1 Cyl.; OHV				
6.5hp;66014	415 / RN9YC	300 / N9YC	415ECO	0.030in
6.5hp;66015	415 / RN9YC	300 / N9YC	415ECO	0.030in
Horizontal; 338cc; 1 Cyl.; OHV				
11.0hp;66492	415 / RN9YC	300 / N9YC	415ECO	0.030in
11.0hp;66524	415 / RN9YC	300 / N9YC	415ECO	0.030in
Horizontal; 389cc; 1 Cyl.; OHV				
13.0hp;66525	415 / RN9YC	300 / N9YC	415ECO	0.030in
13.0hp;66555	415 / RN9YC	300 / N9YC	415ECO	0.030in
Horizontal; 79cc; 1 Cyl.; OHV				
2.5hp;97964	327 / RL87YC	934-1 / QL87YC	---	0.030in
Vertical; 119cc; 1 Cyl.; OHV				
4.0hp;96155	830 / RL86C	933-1 / QL86C	---	0.030in
Vertical; 163cc; 1 Cyl.; OHV				
5.5hp;96156	830 / RL86C	933-1 / QL86C	---	0.030in
Hoffco				
All Model(s)				
Tecumseh	871 / RJ8C	841 / J8C	---	0.030in
AV52				
Power Products	840 / RCJ8	843 / CJ8	843ECO	0.030in
Honda				
4 Stroke; 1.3cid\22cc; 1 Cyl.; OHC				
GX22	808 / Z9Y	705 / P-RZ9HC	---	0.028in
4 Stroke; 1.5cid\25cc; 1 Cyl.; OHC				
GX25	965 / RZ7C	---	---	0.030in
4 Stroke; 1.5cid\25.0cc; 1 Cyl.; OHC				
	965 / RZ7C	---	---	0.030in
4 Stroke; 1.53cid\25cc; 1 Cyl.; OHC				
1.0hp;GX25NT	965 / RZ7C	---	---	0.026in
1.0hp;GX25T	965 / RZ7C	---	---	0.026in
4 Stroke; 1.9cid\31cc; 1 Cyl.; OHC				
GX31	808 / Z9Y	---	---	0.028in
4 Stroke; 2.18cid\35.8cc; 1 Cyl.; OHC				
1.3hp;GX35NT	965 / RZ7C	---	---	0.026in
1.3hp;GX35T	965 / RZ7C	---	---	0.026in
4 Stroke; 2.20cid\35.8cc; 1 Cyl.; OHC				
GX35	965 / RZ7C	---	---	0.030in
4 Stroke; 2.92cid\47.9cc; 1 Cyl.; OHC				
2.0hp;GX50NT	965 / RZ7C	---	---	0.026in
2.0hp;GX50T	965 / RZ7C	---	---	0.026in
4 Stroke; 2.99cid\49cc; 1 Cyl.; OHV				
2.5hp;GXH50	808 / Z9Y	705 / P-RZ9HC	---	0.026in
2.5hp;GXH50T	808 / Z9Y	705 / P-RZ9HC	---	0.026in
4 Stroke; 5.5cid\90cc; 1 Cyl.; L-HEAD				
2.2hp;GV100K1	846 / CJ14	---	846ECO	0.025in
4 Stroke; 7.38cid\121cc; 1 Cyl.; OHC				
3.7hp;GXR120	808 / Z9Y	705 / P-RZ9HC	---	0.026in
3.7hp;GXR120T	808 / Z9Y	705 / P-RZ9HC	---	0.026in
F-Series; 1 Cyl.				
F28	830 / RL86C	933-1 / QL86C	---	0.030in
F400	830 / RL86C	933-1 / QL86C	---	0.030in
GC-Series; 4 Stroke; Horizontal; 11.4cid\187cc; 1 Cyl.; OHC				
5.2hp;GC190	415 / RN9YC	300 / N9YC	415ECO	0.030in



POWER EQUIPMENT ENGINES
MOTEURS D'EQUIPEMENT MOTORISÉ
MOTORES DE EQUIPOS

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
GC-Series; 4 Stroke; Horizontal; 11.4cid\187cc; 1 Cyl.; OHC				
6hp;GC190A	415 / RN9YC	300 / N9YC	415ECO	0.030in
GC-Series; 4 Stroke; Horizontal; 8.2cid\135cc; 1 Cyl.; OHC				
4hp;GC135	415 / RN9YC	300 / N9YC	415ECO	0.030in
4hp;GC135E	415 / RN9YC	300 / N9YC	415ECO	0.030in
4hp;GC135-QHA	415 / RN9YC	300 / N9YC	415ECO	0.030in
GC-Series; 4 Stroke; Horizontal; 9.8cid\160cc; 1 Cyl.; OHC				
4.6hp;GC160	415 / RN9YC	300 / N9YC	415ECO	0.030in
4.6hp;GC160A	415 / RN9YC	300 / N9YC	415ECO	0.030in
4.6hp;GC160E	415 / RN9YC	300 / N9YC	415ECO	0.030in
4.6hp;GC160-QHA	415 / RN9YC	300 / N9YC	415ECO	0.030in
5hp;GC160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
5.5hp;GCV160-A1A	415 / RN9YC	300 / N9YC	415ECO	0.030in
GCV-Series; 4 Stroke; Vertical; V2; OHC				
16.0hp;GCV530	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GCV-Series; 4 Stroke; Vertical; 10.1cid\160cc; 1 Cyl.; OHV				
5.6hp;GCV170	404 / RN12YC	3405 / RN14PMC	---	0.030in
5.6hp;GCV170H	404 / RN12YC	3405 / RN14PMC	---	0.030in
GCV-Series; 4 Stroke; Vertical; 11.4cid\187cc; 1 Cyl.; OHC				
5.1hp;GCV190	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.1hp;GCV190A;8.3 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.1hp;GCV190A;8.3 ft.-lb. Torque;Pressure washer models	300 / N9YC	---	---	0.030in
5.1hp;GCV190A;Pressure washer models	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
GCV-Series; 4 Stroke; Vertical; 12.3cid\201cc; 1 Cyl.; OHV				
5.6hp;GCV200	404 / RN12YC	3405 / RN14PMC	---	0.030in
5.6hp;GCV200H	404 / RN12YC	3405 / RN14PMC	---	0.030in
GCV-Series; 4 Stroke; Vertical; 14.6cid\240cc; 1 Cyl.; L-HEAD				
6.5hp;GS65	830 / RL86C	933-1 / QL86C	---	0.030in
GCV-Series; 4 Stroke; Vertical; 32.3cid\530cc; V2; OHC				
14hp;GCV520;26.5 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
14hp;GCV520U;26.5 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
16hp;GCV530	322 / RN11YC4	302 / N11YC	322ECO	0.030in
16hp;GCV530U;26.5 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
16hp;GXV530	322 / RN11YC4	302 / N11YC	---	0.030in
GCV-Series; 4 Stroke; Vertical; 8.2cid\135cc; 1 Cyl.; OHC				
3.5hp;GCV135E	405 / RN14YC	3405 / RN14PMC	---	0.030in
4.5hp;GCV135	415 / RN9YC	300 / N9YC	415ECO	0.030in
4.5hp;GCV135A	415 / RN9YC	300 / N9YC	415ECO	0.030in
4.5hp;GCV135-A1A	415 / RN9YC	300 / N9YC	415ECO	0.030in
GCV-Series; 4 Stroke; Vertical; 8.8cid\145cc; 1 Cyl.; OHV				
4.2hp;GCV145	404 / RN12YC	3405 / RN14PMC	---	0.030in
4.2hp;GCV145H	404 / RN12YC	3405 / RN14PMC	---	0.030in
GCV-Series; 4 Stroke; Vertical; 9.8cid\160cc; 1 Cyl.; OHC				
GCV140;Non-Pressure Washer Applications	404 / RN12YC	3405 / RN14PMC	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
GCV-Series; 4 Stroke; Vertical; 9.8cid\160cc; 1 Cyl.; OHC				
GCV140;Pressure Washer Applications Only	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
4.4hp;GCV160	404 / RN12YC	415 / RN9YC	415ECO	0.030in
5.4hp;GCV160E	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp;GCV160A	415 / RN9YC	300 / N9YC	415ECO	0.030in
GCV-Series; 4 Stroke; Vertical; 9.8cid\160cc; 1 Cyl.; OHV				
GS160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
GP-Series; 4 Stroke; 11.4cid\196cc; 1 Cyl.; OHV				
5.6hp;GP200	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
5.6hp;GP200H	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
GP-Series; 4 Stroke; 9.9cid\163cc; 1 Cyl.; OHV				
4.8hp;GP160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
4.8hp;GP160H	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
G-Series; 4 Stroke; 1 Cyl.; L-HEAD				
3.5hp;G30	830 / RL86C	933-1 / QL86C	---	0.030in
6.8hp;G65;9.04 ft.-lb. Torque	830 / RL86C	933-1 / QL86C	---	0.026in
6.8hp;G65K2;9.04 ft.-lb. Torque	830 / RL86C	933-1 / QL86C	---	0.026in
8.0hp;G80;11.6 ft.-lb. Torque	830 / RL86C	933-1 / QL86C	---	0.026in
G-Series; 4 Stroke; 170cc; 1 Cyl.; L-HEAD				
4.0hp;G40	830 / RL86C	933-1 / QL86C	---	0.030in
G-Series; 4 Stroke; 171cc; 1 Cyl.; L-HEAD				
4.0hp;G41	830 / RL86C	933-1 / QL86C	---	0.030in
G-Series; 4 Stroke; 59cc; 1 Cyl.; L-HEAD				
G25	808 / Z9Y	705 / P-RZ9HC	---	0.030in
G-Series; 4 Stroke; 67cc; 1 Cyl.; L-HEAD				
G28	808 / Z9Y	705 / P-RZ9HC	---	0.030in
G-Series; 4 Stroke; 98cc; 1 Cyl.; L-HEAD				
2.5hp;G100K1	846 / CJ14	---	846ECO	0.026in
2.5hp;G100K2;3.3 ft.-lb. Torque	846 / CJ14	---	846ECO	0.026in
G-Series; 4 Stroke; 10.4cid\171cc; 1 Cyl.; L-HEAD				
4.5hp;G42	830 / RL86C	933-1 / QL86C	---	0.030in
G-Series; 4 Stroke; 11.4cid\187cc; 1 Cyl.; L-HEAD				
5hp;G50	830 / RL86C	933-1 / QL86C	---	0.030in
G-Series; 4 Stroke; 12cid\197cc; 1 Cyl.; L-HEAD				
5hp;G200;With CDI	929 / RL95YC	806 / L92YC	---	0.037in
5hp;G200;Without CDI	929 / RL95YC	806 / L92YC	---	0.026in
5hp;G200K1;With CDI	806 / L92YC	---	---	0.037in
5hp;G200K1;Without CDI	929 / RL95YC	806 / L92YC	---	0.026in
5hp;G200K2;With CDI	929 / RL95YC	806 / L92YC	---	0.037in
5hp;G200K2;Without CDI	806 / L92YC	---	---	0.026in
5hp;GK200;With CDI	929 / RL95YC	806 / L92YC	---	0.037in
5hp;GK200;Without CDI	929 / RL95YC	806 / L92YC	---	0.026in
G-Series; 4 Stroke; 16.6cid\272cc; 1 Cyl.; L-HEAD				
7hp;G300;1.5 ft.-lb. Torque;With CDI	929 / RL95YC	806 / L92YC	---	0.037in
G-Series; 4 Stroke; 24.8cid\406cc; 1 Cyl.; L-HEAD				
10hp;G400;2.3 ft.-lb. Torque;With CDI	929 / RL95YC	806 / L92YC	---	0.037in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
G-Series; 4 Stroke; 24.8cid\406cc; 1 Cyl.; L-HEAD				
10hp;G400;2.3 ft.-lb. Torque;Without CDI	929 / RL95YC	806 / L92YC	---	0.026in
G-Series; 4 Stroke; 6.0cid\98cc; 1 Cyl.; L-HEAD				
2.2hp;G100	846 / CJ14	---	846ECO	0.028in
G-Series; 4 Stroke; 8.8cid\144cc; 1 Cyl.; L-HEAD				
3.5hp;G150;With CDI	929 / RL95YC	806 / L92YC	---	0.037in
3.5hp;G150K1;With CDI	806 / L92YC	---	---	0.037in
3.5hp;G150K1;Without CDI	929 / RL95YC	806 / L92YC	---	0.026in
3.5hp;G35	830 / RL86C	933-1 / QL86C	---	0.030in
GS-Series; 4 Stroke; Horizontal; 11.4cid\187cc; 1 Cyl.; OHC				
5.2hp;GS190	415 / RN9YC	300 / N9YC	415ECO	0.030in
6hp;GS190A	415 / RN9YC	300 / N9YC	415ECO	0.030in
GSV-Series; 4 Stroke; 187cc; 1 Cyl.; OHC				
5.1hp;GSV190A;Non-Pressure Washer Equipment	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
5.1hp;GSV190A;Pressure Washers Only	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GSV-Series; 4 Stroke; Horizontal; 187cc; 1 Cyl.; OHC				
5.1hp;GSV190LA;8.3 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GSV-Series; Vertical; 11.4cid\187cc; 1 Cyl.; OHV				
5.1hp;GSV190	415 / RN9YC	300 / N9YC	415ECO	0.030in
GV-Series; 4 Stroke; Vertical; 1 Cyl.; L-HEAD				
2.2hp;GV100	846 / CJ14	---	846ECO	0.026in
3.5hp;GV150;After Serial Number 2029058 (CDI)	863 / RCJ8Y	848 / CJ8Y	843ECO	0.037in
3.5hp;GV150;After Serial Number 2029058 (Magnet)	840 / RCJ8	843 / CJ8	843ECO	0.037in
3.5hp;GV150;Before Serial Number 2029059 (CDI)	327 / RL87YC	934-1 / QL87YC	---	0.037in
3.5hp;GV150;Before Serial Number 2029059 (Magnet)	830 / RL86C	933-1 / QL86C	---	0.026in
GV-Series; 4 Stroke; Vertical; 12cid\197cc; 1 Cyl.; L-HEAD				
5hp;GV200;With CDI	863 / RCJ8Y	848 / CJ8Y	843ECO	0.037in
GV-Series; 4 Stroke; Vertical; 28.1cid\406cc; 1 Cyl.; L-HEAD				
11hp;GV400;With Breakerless	840 / RCJ8	843 / CJ8	---	0.026in
11hp;GV400;With CDI	863 / RCJ8Y	848 / CJ8Y	843ECO	0.037in
11hp;GV400K1;With Breakerless	840 / RCJ8	843 / CJ8	---	0.026in
11hp;GV400K1;With CDI	863 / RCJ8Y	848 / CJ8Y	843ECO	0.037in
GV-Series; 4 Stroke; Vertical; 28.1cid\406cc; 1 Cyl.; LPG; L-HEAD				
11hp;GV400	863 / RCJ8Y	848 / CJ8Y	843ECO	0.026in
11hp;GV400K1	863 / RCJ8Y	848 / CJ8Y	843ECO	0.026in
GV-Series; 4 Stroke; Vertical; 8.8cid\144cc; 1 Cyl.; L-HEAD				
3.5hp;GV35	830 / RL86C	306 / L86C	---	0.026in
GX-Series; 4 Stroke; 79.7cc; 1 Cyl.; OHV				
GX80D	705 / P-RZ9HC	---	---	0.026in
GX-Series; 4 Stroke; 23.7cid\389cc; 1 Cyl.				
13hp	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
GX-Series; 4 Stroke; Horizontal; 1 Cyl.; OHV				
15.0hp;GX440IU	444 / RC7YC3	3068 / RC7PYCB	---	0.032in
GX-Series; 4 Stroke; Horizontal; 12cid\196cc; 1 Cyl.; OHV				
5.5hp;GX200;9.1 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp;GX200D	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
5.5hp;GX200T2	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.6hp;GX200RT2	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.6hp;GX200UT2	415 / RN9YC	300 / N9YC	415ECO	0.030in
6.5hp;GX200T	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6.5hp;GX200U	415 / RN9YC	300 / N9YC	415ECO	0.030in
6.5hp;GX200UT	415 / RN9YC	300 / N9YC	415ECO	0.030in
GX-Series; 4 Stroke; Horizontal; 14.8cid\242cc; 1 Cyl.; OHV				
7.9hp;GX240	415 / RN9YC	300 / N9YC	415ECO	0.030in
8hp;GX240	415 / RN9YC	300 / N9YC	415ECO	0.030in
8hp;GX240K1;13.4 ft.-lb. Torque;EDS2, EDT2	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp;GX240K1;NON-EDS2 & EDT2	415 / RN9YC	300 / N9YC	415ECO	0.030in
8hp;GX240U1	415 / RN9YC	300 / N9YC	415ECO	0.030in
8.0hp;GX240U1	415 / RN9YC	300 / N9YC	415ECO	0.030in
GX-Series; 4 Stroke; Horizontal; 16.5cid\270cc; 1 Cyl.; OHV				
7.9hp;GX240R2	415 / RN9YC	300 / N9YC	415ECO	0.030in
7.9hp;GX240RT2	415 / RN9YC	300 / N9YC	415ECO	0.030in
7.9hp;GX240T	415 / RN9YC	300 / N9YC	415ECO	0.030in
7.9hp;GX240T2	415 / RN9YC	300 / N9YC	415ECO	0.030in
7.9hp;GX240U2	415 / RN9YC	300 / N9YC	415ECO	0.030in
7.9hp;GX240UT2	415 / RN9YC	300 / N9YC	415ECO	0.030in
8.4hp;GX270R2	415 / RN9YC	300 / N9YC	415ECO	0.030in
8.4hp;GX270RT2	415 / RN9YC	300 / N9YC	415ECO	0.030in
8.4hp;GX270T	415 / RN9YC	300 / N9YC	415ECO	0.030in
8.4hp;GX270U	415 / RN9YC	300 / N9YC	415ECO	0.030in
8.4hp;GX270U2	415 / RN9YC	300 / N9YC	415ECO	0.030in
8.4hp;GX270UT	415 / RN9YC	300 / N9YC	415ECO	0.030in
8.4hp;GX270UT2	415 / RN9YC	300 / N9YC	415ECO	0.030in
8.5hp;GX270;14.1 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
9hp;GX270;14.1 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
9hp;GX270H;All Types except VKK, VMT, VS4, VSD4	415 / RN9YC	300 / N9YC	415ECO	0.030in
9hp;GX270H;Types VKK, VMT, VS4, VSD4 Only	405 / RN14YC	3405 / RN14PMC	---	0.030in
9hp;GX270R	415 / RN9YC	300 / N9YC	415ECO	0.030in
9hp;GX270RT	415 / RN9YC	300 / N9YC	415ECO	0.030in
9hp;GX270T	415 / RN9YC	300 / N9YC	415ECO	0.030in
9hp;GX270U	415 / RN9YC	300 / N9YC	415ECO	0.030in
9hp;GX270UT	415 / RN9YC	300 / N9YC	415ECO	0.030in
GX-Series; 4 Stroke; Horizontal; 16.5cid\270cc; 1 Cyl.; LPG; OHV				
13.0hp;GX270	415 / RN9YC	300 / N9YC	415ECO	0.030in
9hp;GX270	415 / RN9YC	300 / N9YC	415ECO	0.030in
GX-Series; 4 Stroke; Horizontal; 20.6cid\337cc; 1 Cyl.; OHV				
10.7hp;GX340	415 / RN9YC	300 / N9YC	415ECO	0.030in



POWER EQUIPMENT ENGINES
MOTEURS D'EQUIPEMENT MOTORISÉ
MOTORES DE EQUIPOS

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
GX-Series; 4 Stroke; Horizontal; 20.6cid\337cc; 1 Cyl.; OHV				
10.7hp;GX340K1;19.5 ft.-lb. Torque;EDS2,EDT, EDT2,VC2 models	322 / RN11YC4	302 / N11YC	322ECO	0.030in
10.7hp;GX340K1;NON-EDS2,EDT,EDT2,VC2	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
10.7hp;GX340U1	415 / RN9YC	300 / N9YC	415ECO	0.030in
11hp;GX340	415 / RN9YC	300 / N9YC	415ECO	0.030in
11hp;GX340K1;19.5 ft.-lb. Torque;EDS2,EDT, EDT2,VC2 models	322 / RN11YC4	302 / N11YC	322ECO	0.030in
11hp;GX340K1;NON-EDS2,EDT,EDT2,VC2	415 / RN9YC	300 / N9YC	415ECO	0.030in
11hp;GX340U1	415 / RN9YC	300 / N9YC	415ECO	0.030in
GX-Series; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; OHV				
10.7hp;GX340R2	415 / RN9YC	300 / N9YC	415ECO	0.030in
10.7hp;GX340RT2	415 / RN9YC	300 / N9YC	415ECO	0.030in
10.7hp;GX340T2	415 / RN9YC	300 / N9YC	415ECO	0.030in
10.7hp;GX340U2	415 / RN9YC	300 / N9YC	415ECO	0.030in
10.7hp;GX340UT2	415 / RN9YC	300 / N9YC	415ECO	0.030in
11hp;GX390H1	415 / RN9YC	300 / N9YC	415ECO	0.030in
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
11.7hp;GX390K1;19.5 ft.-lb. Torque;EDD2/EDS2	322 / RN11YC4	302 / N11YC	322ECO	0.030in
11.7hp;GX390K1;NON-EDD2/EDS2	415 / RN9YC	300 / N9YC	415ECO	0.030in
11.7hp;GX390R2	415 / RN9YC	300 / N9YC	415ECO	0.030in
11.7hp;GX390RT2	415 / RN9YC	300 / N9YC	415ECO	0.030in
11.7hp;GX390T1;19.5 ft.-lb. Torque	322 / RN11YC4	---	322ECO	0.030in
11.7hp;GX390T2	415 / RN9YC	300 / N9YC	415ECO	0.030in
11.7hp;GX390U1	415 / RN9YC	300 / N9YC	415ECO	0.030in
11.7hp;GX390U2	415 / RN9YC	300 / N9YC	415ECO	0.030in
11.7hp;GX390UT1	415 / RN9YC	300 / N9YC	415ECO	0.030in
11.7hp;GX390UT2	415 / RN9YC	300 / N9YC	415ECO	0.030in
13hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
13hp;GX390K1;19.5 ft.-lb. Torque;EDD2/EDS2	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp;GX390K1;NON-EDD2/EDS2	415 / RN9YC	300 / N9YC	415ECO	0.030in
13hp;GX390T1;19.5 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp;GX390U1	415 / RN9YC	300 / N9YC	415ECO	0.030in
13hp;GX390UT1	415 / RN9YC	300 / N9YC	415ECO	0.030in
GX-Series; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; LPG; OHV				
11.7hp;GX390K1;19.5 ft.-lb. Torque;EDD2/EDS2	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp;GX390K1;19.5 ft.-lb. Torque;EDD2/EDS2	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GX-Series; 4 Stroke; Horizontal; 37.5cid\614cc; V2; OHV				
18hp;GX610	322 / RN11YC4	302 / N11YC	322ECO	0.030in
18hp;GX610K1	404 / RN12YC	---	---	0.030in
18hp;GX610U1	404 / RN12YC	---	---	0.030in
20hp;GX620	322 / RN11YC4	302 / N11YC	322ECO	0.030in
20hp;GX620K1	404 / RN12YC	---	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
GX-Series; 4 Stroke; Horizontal; 37.5cid\614cc; V2; OHV				
20hp;GX620U1	404 / RN12YC	---	---	0.030in
GX-Series; 4 Stroke; Horizontal; 40.9cid\670cc; V2; OHV				
24hp;GX670;From 2000	404 / RN12YC	---	---	0.028in
24hp;GX670;To 1999	415 / RN9YC	300 / N9YC	415ECO	0.030in
24hp;GX670U1	404 / RN12YC	---	---	0.028in
GX-Series; 4 Stroke; Horizontal; 41.97cid\688cc; V2; OHV				
21.1hp;GX630R;35.6 ft.-lb. Torque	71 / RC12YC	---	---	0.030in
21.8hp;GX660R	71 / RC12YC	---	---	0.030in
22.4hp;GX690	71 / RC12YC	---	---	0.030in
GX-Series; 4 Stroke; Horizontal; 6cid\98cc; 1 Cyl.; OHC				
3hp;GX100;with 10mm Diameter Threads	705 / P-RZ9HC	---	---	0.030in
3hp;GX100;with 14mm Diameter Threads	415 / RN9YC	300 / N9YC	415ECO	0.030in
3hp;GX100U;4.2 ft.-lb. Torque;with 10mm Diameter Threads	808 / Z9Y	705 / P-RZ9HC	---	0.026in
GX-Series; 4 Stroke; Horizontal; 6.5cid\107cc; 1 Cyl.; OHV				
3.5hp;GX110	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GX-Series; 4 Stroke; Horizontal; 7.2cid\118cc; 1 Cyl.; OHV				
11.7hp;GX390T1;19.5 ft.-lb. Torque	302 / N11YC	---	---	0.030in
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in
3.5hp;GX120RT2	405 / RN14YC	3405 / RN14PMC	---	0.030in
3.5hp;GX120T2	3405 / RN14PMC	---	---	0.030in
3.5hp;GX120T2;For Rammers Only	405 / RN14YC	3405 / RN14PMC	---	0.030in
3.5hp;GX120T2;Non-Rammer Use	415 / RN9YC	300 / N9YC	415ECO	0.030in
3.5hp;GX120UT1	415 / RN9YC	300 / N9YC	415ECO	0.030in
3.5hp;GX120UT2	415 / RN9YC	300 / N9YC	415ECO	0.030in
4hp;GX120K1	415 / RN9YC	300 / N9YC	415ECO	0.030in
4hp;GX120K1 AR;5.4 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
4hp;GX120T;5.4 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	
4hp;GX120T1;5.4 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp;GX120U1;5.4 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GX-Series; 4 Stroke; Horizontal; 8.8cid\144cc; 1 Cyl.; OHV				
5hp;GX140	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GX-Series; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
4.8hp;GX160K1J	404 / RN12YC	38 / N12YC	332ECO	0.030in
4.8hp;GX160K1VX	415 / RN9YC	300 / N9YC	415ECO	0.030in
4.8hp;GX160T2	415 / RN9YC	300 / N9YC	415ECO	0.030in
4.9hp;GX160UT2	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp;GX160H1	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp;GX160K1	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp;GX160K1 AR;8 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.028in
5.5hp;GX160T	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp;GX160T1	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp;GX160U1	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
GX-Series; 4 Stroke; Horizontal; Liquid Cooled; 21.9cid\359cc; 2 Cyl.; OHC				
13hp;GX360;19 ft.-lb. Torque;ES23, EX23	327 / RL87YC	934-1 / QL87YC	---	0.026in
13hp;GX360K1	327 / RL87YC	934-1 / QL87YC	---	0.039in
13hp;GX360K1;19 ft.-lb. Torque;DD, DD2, ED, SD	929 / RL95YC	806 / L92YC	---	0.026in
GX-Series; 4 Stroke; Horizontal; Liquid Cooled; 38.7cid\635cc; V2; OHC				
19.7hp;GX640	322 / RN11YC4	302 / N11YC	322ECO	0.040in
20.0hp;GX640	322 / RN11YC4	302 / N11YC	322ECO	0.040in
GXV-Series; 4 Stroke; Vertical; 1 Cyl.; OHV				
6.5hp;GXV200	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8.0hp;GXV240	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GXV-Series; 4 Stroke; Vertical; 16.5cid\270cc; 1 Cyl.; Gas; OHV				
8.5hp;GXV270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GXV-Series; 4 Stroke; Vertical; 16.5cid\270cc; 1 Cyl.; LPG; OHV				
8.5hp;GXV270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GXV-Series; 4 Stroke; Vertical; 20.6cid\337cc; 1 Cyl.; OHV				
11hp;GXV340;15.9 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GXV-Series; 4 Stroke; Vertical; 20.6cid\337cc; 1 Cyl.; Gas; OHV				
11hp;GXV340 K1	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GXV-Series; 4 Stroke; Vertical; 20.6cid\337cc; 1 Cyl.; LPG; OHV				
11hp;GXV340;15.9 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
11hp;GXV340 K1	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GXV-Series; 4 Stroke; Vertical; 23.7cid\389cc; 1 Cyl.; OHV				
13hp;GXV390;20.3 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp;GXV390A1;20.3 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp;GXV390T1;20.3 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp;GXV390U;20.3 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp;GXV390UA1;20.3 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GXV-Series; 4 Stroke; Vertical; 23.7cid\389cc; 1 Cyl.; Gas; OHV				
13hp;GXV390K1;20.3 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GXV-Series; 4 Stroke; Vertical; 23.7cid\389cc; 1 Cyl.; LPG; OHV				
13hp;GXV390K1;20.3 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GXV-Series; 4 Stroke; Vertical; 3.01cid\49.4cc; 1 Cyl.; OHV				
2.1hp;GXV50T	808 / Z9Y	705 / P-RZ9HC	---	0.026in
2.2hp;GXV50;2.1 ft.-lb. Torque	808 / Z9Y	705 / P-RZ9HC	---	0.026in
2.2hp;GXV50U;2.1 ft.-lb. Torque	808 / Z9Y	705 / P-RZ9HC	---	0.026in
GXV-Series; 4 Stroke; Vertical; 3.5cid\57.3cc; 1 Cyl.; OHV				
2hp;GXV57;2.4 ft.-lb. Torque	808 / Z9Y	705 / P-RZ9HC	---	0.026in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
GXV-Series; 4 Stroke; Vertical; 3.5cid\57.3cc; 1 Cyl.; OHV				
2hp;GXV57U;2.4 ft.-lb. Torque	808 / Z9Y	705 / P-RZ9HC	---	0.026in
GXV-Series; 4 Stroke; Vertical; 32.3cid\530cc; V2; OHC				
13.1hp;GXV520	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13.1hp;GXV520U;24.5 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
16hp;GXV530	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GXV-Series; 4 Stroke; Vertical; 37.5cid\614cc; V2; OHV				
18hp;GXV610K1;31.8 ft.-lb. Torque	404 / RN12YC	---	---	0.030in
18hp;GXV610U;31.8 ft.-lb. Torque	404 / RN12YC	---	---	0.030in
20hp;GXV620	322 / RN11YC4	302 / N11YC	322ECO	0.030in
20hp;GXV620K1;32.5 ft.-lb. Torque	404 / RN12YC	---	---	0.030in
20hp;GXV620U;32.5 ft.-lb. Torque	404 / RN12YC	---	---	0.030in
GXV-Series; 4 Stroke; Vertical; 37.5cid\614cc; V2; Gas; OHV				
18hp;GXV610;31.8 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GXV-Series; 4 Stroke; Vertical; 37.5cid\614cc; V2; LPG; OHV				
18hp;GXV610;31.8 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GXV-Series; 4 Stroke; Vertical; 40.9cid\670cc; V2; OHV				
20.8hp;GXV670	322 / RN11YC4	302 / N11YC	322ECO	0.030in
20.8hp;GXV670U;32.7 ft.-lb. Torque	404 / RN12YC	---	---	0.030in
GXV-Series; 4 Stroke; Vertical; 41.97cid\688cc; V2; OHV				
20.8hp;GXV630	71 / RC12YC	---	---	0.030in
21.5hp;GXV660	71 / RC12YC	---	---	0.030in
22.4hp;GXV690	71 / RC12YC	---	---	0.030in
GXV-Series; 4 Stroke; Vertical; 7.2cid\118cc; 1 Cyl.; OHV				
3.9hp;GXV120	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GXV-Series; 4 Stroke; Vertical; 8.2cid\135cc; 1 Cyl.; OHV				
5hp;GXV140	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp;GXV140K1	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GXV-Series; 4 Stroke; Vertical; 9.9cid\163cc; 1 Cyl.; OHV				
4.3hp;GXV160H2	405 / RN14YC	---	---	0.030in
4.3hp;GXV160UH2	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp;GXV160;7.96 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp;GXV160A;7.96 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp;GXV160K1;7.96 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp;GXV160U;7.96 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
iGX-Series; 4 Stroke; Horizontal; 16.5cid\270cc; 1 Cyl.; OHV				
7.9hp;iGX240	415 / RN9YC	300 / N9YC	415ECO	0.028in
iGX-Series; 4 Stroke; Horizontal; 20.6cid\337cc; 1 Cyl.; OHV				
10.7hp;iGX340	415 / RN9YC	300 / N9YC	415ECO	0.028in
iGX-Series; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; OHV				
11hp;iGX340	415 / RN9YC	7415 / RN9PYP	415ECO	0.028in
13hp;iGX390	415 / RN9YC	7415 / RN9PYP	415ECO	0.028in
GV100K1; 4 Stroke; 5.5cid\90cc; 1 Cyl.; L-HEAD				
2.2hp;GV100K1	846 / CJ14	---	846ECO	0.025in



POWER EQUIPMENT ENGINES
MOTEURS D'EQUIPEMENT MOTORISÉ
MOTORES DE EQUIPOS

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
iGX700; IGX-Series, 4 Stroke; 41.97cid\688cc; V2; OHV				
22.4hp;iGX700	404 / RN12YC	3405 / RN14PMC	---	0.030in
iGXV700; IGX-Series, 4 Stroke; 41.97cid\688cc; V2; OHV				
22.4hp;iGXV700	404 / RN12YC	3405 / RN14PMC	---	0.030in
iGXV800; IGX-Series, 4 Stroke; 47.52cid\779cc; V2; OHV				
22.4hp;iGXV800	404 / RN12YC	3405 / RN14PMC	---	0.030in
Husqvarna				
HH163MP; 4 Stroke; 163cc; 1 Cyl.; OHV				
4.6hp	332 / RN7YC	315 / N6YC	322ECO	0.030in
HH196MP; 4 Stroke; 196cc; 1 Cyl.; OHV				
5.5hp	332 / RN7YC	315 / N6YC	322ECO	0.030in
HH196OP; 4 Stroke; 196cc; 1 Cyl.; OHV				
5.5hp	332 / RN7YC	315 / N6YC	322ECO	0.030in
HH212OB; 4 Stroke; 212cc; 1 Cyl.; OHV				
7.4hp	332 / RN7YC	315 / N6YC	322ECO	0.030in
HH270MP; 4 Stroke; 270cc; 1 Cyl.; OHV				
8hp	332 / RN7YC	315 / N6YC	322ECO	0.030in
HH270OB; 4 Stroke; 270cc; 1 Cyl.; OHV				
8hp	332 / RN7YC	315 / N6YC	322ECO	0.030in
HH389MP; 4 Stroke; 389cc; 1 Cyl.; OHV				
11hp	332 / RN7YC	315 / N6YC	322ECO	0.030in
HH389OB; 4 Stroke; 389cc; 1 Cyl.; OHV				
11hp	332 / RN7YC	315 / N6YC	322ECO	0.030in
P524EFI; 4 Stroke; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
25.5hp;FX730V-EFI	405 / RN14YC	3405 / RN14PMC	---	0.030in
PZ6030CV; 4 Stroke; Vertical; 46cid\747cc; V2; (Kohler); OHV				
30hp;CV750	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Kawasaki				
675cc; V2; OHV				
FH661V	405 / RN14YC	3405 / RN14PMC	---	0.030in
726cc; V2; OHV				
23.5hp;GH735	405 / RN14YC	3405 / RN14PMC	---	0.030in
852cc; V2; OHV				
25.5hp;GH860V	405 / RN14YC	3405 / RN14PMC	---	0.030in
2 Stroke; 1 Cyl.				
0.6hp;TD18	840 / RCJ8	843 / CJ8	843ECO	0.030in
0.7hp;TG20	840 / RCJ8	843 / CJ8	843ECO	0.030in
0.8hp;TA22MX	840 / RCJ8	843 / CJ8	843ECO	0.030in
0.8hp;TD24	840 / RCJ8	843 / CJ8	843ECO	0.030in
0.8hp;TF22	840 / RCJ8	843 / CJ8	843ECO	0.030in
0.8hp;TG24	840 / RCJ8	843 / CJ8	843ECO	0.030in
1.0hp;KT10	893 / RCJ4	849 / CJ6	852ECO	0.030in
1.2hp;KT12	840 / RCJ8	843 / CJ8	843ECO	0.024in
1.2hp;KT12AD/J	840 / RCJ8	843 / CJ8	843ECO	0.030in
1.2hp;KT12K	893 / RCJ4	849 / CJ6	852ECO	0.024in
1.2hp;TA33	893 / RCJ4	849 / CJ6	852ECO	0.024in
1.2hp;TA33MX	893 / RCJ4	849 / CJ6	852ECO	0.030in
1.2hp;TD33	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kawasaki				
2 Stroke; 1 Cyl.				
1.2hp;TG33	893 / RCJ4	849 / CJ6	852ECO	0.030in
1.3hp;KT15	893 / RCJ4	849 / CJ6	852ECO	0.030in
1.3hp;KT15D	893 / RCJ4	849 / CJ6	852ECO	0.024in
1.3hp;KT15J	871 / RJ8C	841 / J8C	---	0.024in
1.3hp;KT15M	102 / RJ6C	823 / J6C	---	0.028in
1.3hp;TH23	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
1.5hp;KT17	893 / RCJ4	849 / CJ6	852ECO	0.024in
1.5hp;KT17J	893 / RCJ4	849 / CJ6	852ECO	0.030in
1.5hp;TH26	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
1.6hp;TG28	840 / RCJ8	843 / CJ8	843ECO	0.030in
1.65hp;TD40	840 / RCJ8	843 / CJ8	843ECO	0.030in
1.8hp;KT18	840 / RCJ8	843 / CJ8	843ECO	0.030in
1.8hp;KT18J	871 / RJ8C	841 / J8C	---	0.024in
1.8hp;KT18M	871 / RJ8C	841 / J8C	---	0.024in
2.1hp;KT30	871 / RJ8C	841 / J8C	---	0.030in
2.1hp;KT30G	871 / RJ8C	841 / J8C	---	0.024in
2.1hp;KT30J	871 / RJ8C	841 / J8C	---	0.024in
2.1hp;KT30M	871 / RJ8C	841 / J8C	---	0.024in
2.1hp;KT30N	871 / RJ8C	841 / J8C	---	0.024in
2.3hp;TA36	871 / RJ8C	841 / J8C	---	0.024in
2.3hp;TA36MX	102 / RJ6C	823 / J6C	---	0.030in
2.4hp;TE40-MX	840 / RCJ8	843 / CJ8	843ECO	0.030in
2.8hp;KT28	840 / RCJ8	843 / CJ8	843ECO	0.030in
2.8hp;KT28G	871 / RJ8C	841 / J8C	---	0.024in
2.8hp;KT28M	871 / RJ8C	841 / J8C	---	0.024in
2.8hp;KT28N	871 / RJ8C	841 / J8C	---	0.024in
2.9hp;TD48	840 / RCJ8	843 / CJ8	843ECO	0.030in
3.1hp;TA51	871 / RJ8C	841 / J8C	---	0.024in
3.1hp;TA51MX	840 / RCJ8	843 / CJ8	843ECO	0.030in
3.2hp;TEX45	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
3.7hp;TEX54	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
4.0hp;KT43	830 / RL86C	933-1 / QL86C	---	0.030in
5.0hp;DA	830 / RL86C	933-1 / QL86C	---	0.025in
5.0hp;FG200D	806 / L92YC	---	---	0.025in
6.0hp;FG270D	806 / L92YC	---	---	0.030in
7.5hp;FG300D	806 / L92YC	---	---	0.025in
2 Stroke; 151cc; 1 Cyl.				
3.6hp;FG150D	806 / L92YC	---	---	0.025in
2 Stroke; 28.1cc; 1 Cyl.				
TG28	840 / RCJ8	843 / CJ8	843ECO	0.028in
2 Stroke; Horizontal; 1 Cyl.				
2.4hp;KF24	830 / RL86C	933-1 / QL86C	---	0.025in
3.4hp;KF34	871 / RJ8C	841 / J8C	---	0.025in
5.0hp;KF52	830 / RL86C	933-1 / QL86C	---	0.024in
5.0hp;KF53	830 / RL86C	933-1 / QL86C	---	0.024in
5.0hp;KF53A	830 / RL86C	933-1 / QL86C	---	0.024in
5.0hp;KF53D	830 / RL86C	933-1 / QL86C	---	0.025in
6.5hp;KF64	871 / RJ8C	841 / J8C	---	0.030in
7.0hp;KF68	871 / RJ8C	841 / J8C	---	0.025in
8.1hp;KF81	871 / RJ8C	841 / J8C	---	0.030in
4 Stroke; 1 Cyl.; L-HEAD				
1.7hp;FA76D	840 / RCJ8	843 / CJ8	843ECO	0.025in
5.2hp;FA210D, R	840 / RCJ8	843 / CJ8	843ECO	0.025in
5.2hp;FA210V	840 / RCJ8	843 / CJ8	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kawasaki				
4 Stroke; 129cc; 1 Cyl.; L-HEAD				
3.1hp;FA130D	840 / RCJ8	843 / CJ8	843ECO	0.025in
4 Stroke; 460cc; 1 Cyl.; L-HEAD				
12.5hp;FB460V	846 / CJ14	---	846ECO	0.026in
4 Stroke; 472cc; V2				
FH491V	871 / RJ8C	841 / J8C	---	0.024in
4 Stroke; 726cc; V2; OHV				
FH730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
4 Stroke; 12.67cid207cc; 1 Cyl.				
5hp;FA210;3/8in Reach Spark Plugs	840 / RCJ8	843 / CJ8	843ECO	0.025in
4 Stroke; Horizontal; 1 Cyl.; OHV				
13.0hp;FE400D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13.0hp;FJ400D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4 Stroke; Horizontal; V2; OHV				
20hp;FD611D;After SN 027682 (Rev. C & D)	404 / RN12YC	---	---	0.026in
20hp;FD611D;After SN 254224	---	---	322ECO	0.026in
20hp;FD611V;After SN 027682 (Rev. C & D)	38 / N12YC	---	---	0.026in
20.0hp;FD611D;Before SN 254225	843 / CJ8	---	---	0.026in
4 Stroke; Horizontal; 124cc; 1 Cyl.; OHV				
4.0hp;FE120D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4 Stroke; Horizontal; 171cc; 1 Cyl.; OHV				
5.5hp;FE170D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4 Stroke; Horizontal; 249cc; 1 Cyl.; OHV				
8.0hp;FE250D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4 Stroke; Horizontal; 286cc; 1 Cyl.; OHV				
9.5hp;FE290D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4 Stroke; Horizontal; 351cc; 1 Cyl.; OHV				
11.5hp;FE350D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4 Stroke; Horizontal; 437cc; V2; OHV				
16hp;FD501D;After SN 105501	405 / RN14YC	3405 / RN14PMC	---	0.026in
16.0hp;FD501D;Before SN 105502	843 / CJ8	---	---	0.026in
4 Stroke; Horizontal; 98cc; 1 Cyl.; OHV				
3.0hp;FJ100D	830 / RL86C	933-1 / QL86C	---	0.026in
4 Stroke; Horizontal; 35.7cid585cc; V2; OHV				
20hp;FD611V;Before SN 027683 (Rev. A & B)	840 / RCJ8	---	843ECO	0.026in
4 Stroke; Horizontal; 41.19cid675cc; V2; OHV				
19.0hp;FH601D	405 / RN14YC	3405 / RN14PMC	---	0.030in
21hp;FH641D	405 / RN14YC	3405 / RN14PMC	---	0.030in
23hp;FH680D	405 / RN14YC	3405 / RN14PMC	---	0.030in
25.0hp;FH721D	405 / RN14YC	3405 / RN14PMC	---	0.030in
4 Stroke; Horizontal; 46.6cid764cc; V2; OHV				
22.5hp;FH741D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
28hp;FH770D	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kawasaki				
4 Stroke; Horizontal; Liquid Cooled; V2; OHV				
20hp;FD611D;Before SN 254225	840 / RCJ8	---	843ECO	0.026in
20.0hp;FD620V	840 / RCJ8	843 / CJ8	843ECO	0.040in
23.0hp;FH671D	405 / RN14YC	3405 / RN14PMC	---	0.030in
25.0hp;FH711D	404 / RN12YC	38 / N12YC	322ECO	0.025in
27.0hp;FH750D	404 / RN12YC	38 / N12YC	322ECO	0.025in
4 Stroke; Horizontal; Liquid Cooled; 617cc; V2; OHV				
20.0hp;FD620D;ES03 revisions only; Rev. E, H, J, K; 3/4" Reach Spark Plugs	405 / RN14YC	3405 / RN14PMC	---	0.030in
20.0hp;FD620D;Models S08, S14, S15, S16, S23; Rev. A, B, most of C; 3/8" Reach Spark Plugs	846 / CJ14	---	846ECO	0.026in
22.0hp;FD661D;Models S00, S01, S02 (Rev. A & B only); Models S03, S05 (Rev. A only); 3/8" Reach Spark Plugs	840 / RCJ8	843 / CJ8	843ECO	0.026in
22.0hp;FD661D;Rev. C, D, E; 3/4" Reach Spark Plugs	404 / RN12YC	38 / N12YC	322ECO	0.028in
4 Stroke; Horizontal; Liquid Cooled; 745cc; V2; OHV				
29.0hp;FD791D	405 / RN14YC	3405 / RN14PMC	---	0.030in
4 Stroke; Horizontal; Liquid Cooled; 26.67cid\437cc; V2; OHV				
16hp;FD501D;Before SN 105502	840 / RCJ8	---	843ECO	0.026in
4 Stroke; Horizontal; Liquid Cooled; 45.5cid\745cc; V2; OHV				
26.0hp;FD791D-DFI;40.5 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
4 Stroke; Horizontal; Liquid Cooled; DFI; 824cc; V2; OHV				
26.8hp;FD851D-DFI;43.5 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
4 Stroke; Horizontal; Liquid Cooled; DFI; 46.6cid\764cc; V2; OHV				
23.4hp;FH770D KAI;41.3 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.025in
4 Stroke; Vertical; 1 Cyl.; OHV				
11.9hp;FH411V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.028in
13.0hp;FC400V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13.0hp;FC401V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13.6hp;FH480V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.028in
4 Stroke; Vertical; V2; OHV				
25.0hp;FH741V	344 / RC9YC	3344 / RC9PYC	---	0.028in
4 Stroke; Vertical; 153cc; 1 Cyl.; OHV				
5.0hp;FC150V	415 / RN9YC	300 / N9YC	415ECO	0.030in
4 Stroke; Vertical; 179cc; 1 Cyl.; OHV				
4.5hp;FJ180V KAI	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6.0hp;FJ180V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4 Stroke; Vertical; 182cc; 1 Cyl.; OHV				
6.0hp;FC180V	404 / RN12YC	38 / N12YC	322ECO	0.025in
4 Stroke; Vertical; 286cc; 1 Cyl.; OHV				
9.0hp;FC290V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4 Stroke; Vertical; 423cc; 1 Cyl.; OHV				
14.0hp;FC420V	322 / RN11YC4	302 / N11YC	322ECO	0.030in



POWER EQUIPMENT ENGINES
MOTEURS D'EQUIPEMENT MOTORISÉ
MOTORES DE EQUIPOS

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kawasaki				
4 Stroke; Vertical; 431cc; V2; OHV				
15.0hp;FH430V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
4 Stroke; Vertical; 494cc; V2; OHV				
15.0hp;FH451V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
4 Stroke; Vertical; 535cc; 1 Cyl.; OHV				
17.0hp;FC540V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4 Stroke; Vertical; 585cc; V2; OHV				
17.0hp;FH541V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
19.0hp;FH580V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
19.0hp;FH580V KAI	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
4 Stroke; Vertical; 603cc; V2; OHV				
15.0hp;FS541V;31 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
15.1hp;FR541V;28.8 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
16.5hp;FX541V;32.1 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
18.0hp;FR600V;32.4 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
18.5hp;FS600V;32.5 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
19.0hp;FX600V;32.5 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
4 Stroke; Vertical; 726cc; V2; OHV				
20.5hp;FX651V;39 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
22hp;FS651V;39.4 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
22.0hp;FX691V;39.4 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
23.0hp;FS691V;39.9 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
24.0hp;FS730V;40 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
25.5hp;FS730V-EFI;40.3 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
4 Stroke; Vertical; 999cc; V2; OHV				
31.0hp;FX921V;54.3 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
35hp;FXT1000V	404 / RN12YC	38 / N12YC	322ECO	0.025in
4 Stroke; Vertical; 25.4cid\401cc; V2; OHV				
13.0hp;FJ400D;19.5 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4 Stroke; Vertical; 26.3cid\431cc; V2; OHV				
13hp;FH381V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
4 Stroke; Vertical; 30.1cid\493cc; V2; OHV				
17hp;FH500V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
18hp;FH531V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
4 Stroke; Vertical; 36.8cid\603cc; V2; OHV				
14.5hp;FS481V;30.9 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
15.5hp;FX481V;31.4 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
4 Stroke; Vertical; 41.19cid\675cc; V2; OHV				
19.0hp;FH601V	405 / RN14YC	3405 / RN14PMC	---	0.030in
21.0hp;FH641V	405 / RN14YC	3405 / RN14PMC	---	0.030in
23.0hp;FH680V	405 / RN14YC	3405 / RN14PMC	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kawasaki				
4 Stroke; Vertical; 41.19cid\675cc; V2; OHV				
25hp;FH721V	405 / RN14YC	3405 / RN14PMC	---	0.030in
26hp;FD731V	405 / RN14YC	3405 / RN14PMC	---	0.030in
4 Stroke; Vertical; 44.3cid\726cc; V2; OHV				
20hp;FT651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
21.5hp;FR651V;39.3 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
22hp;FT691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
23hp;FR691V;39.5 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
23.5hp;FX730V;39.9 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
24hp;FR730V;39.7 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
24hp;FT730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
25.5hp;FX730V-EFI;40.3 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
26hp;FT730V-EFI	405 / RN14YC	3405 / RN14PMC	---	0.030in
4 Stroke; Vertical; 52cid\852cc; V2; OHV				
24.5hp;FX751V;44.4 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
25.5hp;FX801V;44.6 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
27hp;FX850V;44.6 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
4 Stroke; Vertical; 61cid\999cc; V2; OHV				
28.9hp;FX921V-DFI;49.2 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
35hp;FX1000V;56 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4 Stroke; Vertical; DFI; 52cid\852cc; V2; OHV				
24.5hp;FX751V-DFI;45.7 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
25.5hp;FX801V-DFI;46.4 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
28.5hp;FX850V-DFI;40 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
4 Stroke; Vertical; DFI; 61cid\999cc; V2; OHV				
37hp;FX1000V-DFI;55.4 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4 Stroke; Vertical; Liquid Cooled; V2; OHV				
19.0hp;FD601V	404 / RN12YC	38 / N12YC	322ECO	0.025in
21.0hp;FD641V	404 / RN12YC	38 / N12YC	322ECO	0.025in
23.0hp;FD680V	405 / RN14YC	3405 / RN14PMC	---	0.030in
25.0hp;FD721V	404 / RN12YC	38 / N12YC	322ECO	0.025in
4 Stroke; Vertical; Liquid Cooled; 437cc; V2; OHV				
17.0hp;FD501V;To 1998 and Since 2002; Before SN 105534	846 / CJ14	---	846ECO	0.026in
4 Stroke; Vertical; Liquid Cooled; 437cc; V2; OHV; (1999-2001)				
17.0hp;FD501V;After Serial Number 105533	405 / RN14YC	3405 / RN14PMC	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kawasaki				
4 Stroke; Vertical; Liquid Cooled; 585cc; V2; OHV				
18.0hp;FD590V;Models S05 (All), S07 (All); S06 & S09 (Rev. A, B)	840 / RCJ8	843 / CJ8	843ECO	0.026in
18.0hp;FD590V;Models S06 & S09 (Rev. C, D)	405 / RN14YC	3405 / RN14PMC	---	0.030in
20hp;FD611D;After SN 027682 (Rev. C & D)	38 / N12YC	---	---	0.026in
20hp;FD611V;After SN 027682 (Rev. C & D)	404 / RN12YC	---	---	0.026in
20.0hp;FD611V;Before SN 027683 (Rev. A & B)	843 / CJ8	---	---	0.026in
4 Stroke; Vertical; Liquid Cooled; 26.67cid\437cc; V2; OHV				
14.5hp;FD440V	846 / CJ14	---	846ECO	0.026in
4 Stroke; Vertical; Liquid Cooled; 35.7cid\585cc; V2; OHV				
20hp;FD611V;After SN 254224	---	---	322ECO	0.026in
Vertical; 824cc; V2; LPG; OHV				
29hp;FX801V	404 / RN12YC	---	---	0.030in
Kioritz				
13.8cc; 1 Cyl.				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
14cc; 1 Cyl.				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
16cc; 1 Cyl.				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
20cc; 1 Cyl.				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
20.1cc; 1 Cyl.				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
21cc; 1 Cyl.				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
21.2cc; 1 Cyl.				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
24cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
28cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
30.1cc; 1 Cyl.				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
30.8cc; 1 Cyl.				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35.2cc; 1 Cyl.				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
39.7cc; 1 Cyl.				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
44.3cc; 1 Cyl.				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
49.9cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
55cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
78.6cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kipor				
4 Stroke; Horizontal; 168cc; 1 Cyl.; OHV				
GK170	415 / RN9YC	300 / N9YC	415ECO	0.030in
4 Stroke; Horizontal; 201cc; 1 Cyl.; OHV				
6.6hp;GK205	415 / RN9YC	300 / N9YC	415ECO	0.030in
4 Stroke; Horizontal; 398cc; 1 Cyl.; OHV				
GK400	415 / RN9YC	300 / N9YC	415ECO	0.030in
Kohler				
4 Stroke; 1 Cyl.; OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4 Stroke; V2; OHV				
22hp	71 / RC12YC	71 / RC12YC	71ECO	0.040in
4 Stroke; 674cc; V2; OHV				
22hp	71 / RC12YC	946 / QC12YC	---	0.030in
4 Stroke; 38cid/624cc; V2; OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
4 Stroke; Vertical; 6600 Series; 40.3cid/660cc; 1 Cyl.; OHV				
19hp;KT610;34.5 ft.-lb. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
5400 Series; 4 Stroke; 33cid/541cc; 1 Cyl.; OHV				
17hp;KS530	---	---	810ECO	0.030in
18hp;KS540	---	---	810ECO	0.030in
19hp;KS590	---	---	810ECO	0.030in
19.5hp;KS595	---	---	810ECO	0.030in
6600 Series; 4 Stroke; Vertical; 40.3cid/660cc; 1 Cyl.; OHV				
21hp;KT620;35.9 ft.-lb. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
7000 Series; 4 Stroke; Vertical; 44cid/725cc; V2; OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7000 Series; 4 Stroke; Vertical; 46cid/747cc; V2; OHV				
26hp;KT745	946 / QC12YC	982 / XC12YC	71ECO	0.030in
7000 Series; Vertical; 44.2cid/725cc; V2; OHV				
20hp;KT715	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7500 Series; 4 Stroke; Vertical; 45.6cid/747cc; V2; OHV				
25hp;EKT740;39.4 ft.-lb. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
27hp;EKT750;39.4 ft.-lb. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Aegis; 4 Stroke; Liquid Cooled; V2; OHV				
17hp;LV560	431 / RC14YC	946 / QC12YC	71ECO	0.040in
Aegis; 4 Stroke; Liquid Cooled; 674cc; V2; OHV				
24hp;LV680	431 / RC14YC	946 / QC12YC	71ECO	0.030in
25hp;LH685	431 / RC14YC	946 / QC12YC	71ECO	0.030in
26hp;LH690	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Aegis; 4 Stroke; Liquid Cooled; 747cc; V2; OHV				
27hp;LH750	431 / RC14YC	946 / QC12YC	71ECO	0.030in
28hp;LH755	431 / RC14YC	946 / QC12YC	71ECO	0.030in
30hp;ELH775	431 / RC14YC	946 / QC12YC	71ECO	0.030in
31hp;LH775	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Aegis; 4 Stroke; Liquid Cooled; 38cid/624cc; V2; OHV				
20hp;LV625	431 / RC14YC	946 / QC12YC	71ECO	0.030in



POWER EQUIPMENT ENGINES
MOTEURS D'EQUIPEMENT MOTORISÉ
MOTORES DE EQUIPOS

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kohler				
Aegis; 4 Stroke; Liquid Cooled; 38cid\624cc; V2; OHV				
22hp;LH630	431 / RC14YC	946 / QC12YC	71ECO	0.030in
22hp;LH640	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Aegis; 4 Stroke; Liquid Cooled; 41.1cid\674cc; V2; OHV				
23hp;LV675	431 / RC14YC	946 / QC12YC	71ECO	0.040in
Command Pro; 4 Stroke; Horizontal; 1 Cyl.; OHV				
13hp;CS13 Hydro	405 / RN14YC	3405 / RN14PMC	---	0.030in
Command Pro; 4 Stroke; Horizontal; V2; OHV				
19hp;CH620	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp;CH735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Horizontal; 123cc; 1 Cyl.; OHV				
4hp;CS4	405 / RN14YC	3405 / RN14PMC	---	0.030in
Command Pro; 4 Stroke; Horizontal; 171cc; 1 Cyl.; OHV				
6hp;CS6	405 / RN14YC	3405 / RN14PMC	---	0.030in
Command Pro; 4 Stroke; Horizontal; 180cc; 1 Cyl.; OHV				
6hp;XKE6	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Command Pro; 4 Stroke; Horizontal; 251cc; 1 Cyl.; OHV				
8.5hp;CS8.5	405 / RN14YC	3405 / RN14PMC	---	0.030in
Command Pro; 4 Stroke; Horizontal; 301cc; 1 Cyl.; OHV				
10hp;CS10	405 / RN14YC	3405 / RN14PMC	---	0.030in
8.5hp;CS8.5	405 / RN14YC	3405 / RN14PMC	---	0.030in
Command Pro; 4 Stroke; Horizontal; 357cc; 1 Cyl.; OHV				
12hp;CS12	405 / RN14YC	3405 / RN14PMC	---	0.030in
12.75hp;CS12.75	405 / RN14YC	3405 / RN14PMC	---	0.030in
Command Pro; 4 Stroke; Horizontal; 426cc; 1 Cyl.; OHV				
13hp;CH430	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Horizontal; 725cc; V2; OHV				
19.5hp;CH740NG;CD Fixed timing only;GCV530U	71 / RC12YC	946 / QC12YC	71ECO	0.020in
21.5hp;CH730LP	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp;CH740LP	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23.5hp;CH730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Horizontal; 999cc; V2; OHV				
37hp;CH1000	344 / RC9YC	3344 / RC9PYC	---	0.030in
Command Pro; 4 Stroke; Horizontal; 10.8cid\177cc; 1 Cyl.; OHV				
4.5hp;CH245;7.2 ft.-lb. Torque	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
5.5hp;CH255;8.3 ft.-lb. Torque	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
Command Pro; 4 Stroke; Horizontal; 12.7cid\208cc; 1 Cyl.; OHV				
6hp;CH260;10.4 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7hp;CH270;10.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Horizontal; 16.9cid\277cc; 1 Cyl.; OHV				
9.5hp;CH395;13.9 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kohler				
Command Pro; 4 Stroke; Horizontal; 26.2cid\429cc; 1 Cyl.; OHV				
14hp;CH440;22.7 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Horizontal; 38cid\624cc; V2; OHV				
19hp;CH621	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20.5hp;CH641	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Horizontal; 41.1cid\674cc; V2; OHV				
20.5hp;CH640;35.7 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22.5hp;CH680;36.8 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Horizontal; 42cid\694cc; V2; OHV				
19hp;ECH630;34.2 ft.-lb. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
21hp;ECH650;34.5 ft.-lb. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
23hp;ECH680	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Horizontal; 42.4cid\694cc; V2; OHV				
22.5hp;CH682;38.9 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Horizontal; 45.6cid\747cc; V2; OHV				
23hp;ECH730;38.1 ft.-lb. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
23.5hp;CH732;40.4 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;CH742;41.2 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;ECH740;38.8 ft.-lb. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
26.5hp;ECH749;40 ft.-lb. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
27hp;CH752;42.2 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Horizontal; 45.6cid\747cc; V2; Flex; OHV				
26.5hp;FCH749;40 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Horizontal; 45.6cid\747cc; V2; LPG; OHV				
23hp;PCH680;38 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;PCH740;39 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Horizontal; 61cid\999cc; V2; OHV				
35hp;CH980;54.3 ft.-lb. Torque	946 / QC12YC	988 / XC10YC	71ECO	0.030in
35hp;ECH940;56 ft.-lb. Torque	946 / QC12YC	988 / XC10YC	71ECO	0.030in
38hp;ECH980;58 ft.-lb. Torque	946 / QC12YC	988 / XC10YC	71ECO	0.030in
Command Pro; 4 Stroke; Vertical; 999cc; V2; OHV				
34hp;CV940	946 / QC12YC	988 / XC10YC	71ECO	0.030in
36hp;CV960	946 / QC12YC	988 / XC10YC	71ECO	0.030in
38hp;CV980	946 / QC12YC	988 / XC10YC	71ECO	0.030in
40hp;CV1000	946 / QC12YC	988 / XC10YC	71ECO	0.030in
Command Pro; 4 Stroke; Vertical; 42.4cid\694cc; V2; OHV				
19hp;ECV630	946 / QC12YC	982 / XC12YC	71ECO	0.030in
21hp;ECV650	946 / QC12YC	982 / XC12YC	71ECO	0.030in
22.5hp;CV682;39 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kohler				
Command Pro; 4 Stroke; Vertical; 42.4cid\694cc; V2; OHV				
23hp;ECV680	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Vertical; 44cid\725cc; V2; OHV				
26hp;CV26	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp;CV735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
28hp;CV745	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Vertical; 45.6cid\747cc; V2; OHV				
23hp;ECV730	946 / QC12YC	982 / XC12YC	71ECO	0.030in
23.5hp;CV732;40.3 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;CV742;40.8 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;ECV740	946 / QC12YC	982 / XC12YC	71ECO	0.030in
26.5hp;ECV749	946 / QC12YC	982 / XC12YC	71ECO	0.030in
27hp;CV752;41.2 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Vertical; 45.6cid\747cc; V2; Flex; OHV				
25hp;FCV740;39.9 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26.5hp;FCV749;40.9 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Vertical; 45.6cid\747cc; V2; LPG; OHV				
22hp;PCV680;36.7 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp;PCV740;37.3 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Vertical; 50.3cid\824cc; V2; OHV				
27hp;ECV850;46.5 ft.-lb. Torque	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
29hp;ECV860;47.3 ft.-lb. Torque	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
29hp;PCV860;47.7 ft.-lb. Torque	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
31hp;ECV870;49.1 ft.-lb. Torque	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
33hp;ECV880;50.2 ft.-lb. Torque	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
Command Pro; 4 Stroke; Vertical; 50.3cid\824cc; V2; LPG; OHV				
27hp;PCV850;45.2 ft.-lb. Torque	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
Command Pro; 4 Stroke; Vertical; 61cid\999cc; V2; OHV				
35hp;ECV940;50.9 ft.-lb. Torque	344 / RC9YC	988 / XC10YC	71ECO	0.030in
38hp;ECV980;53 ft.-lb. Torque	946 / QC12YC	988 / XC10YC	71ECO	0.030in
Command Pro; Vertical; V2; OHV				
30hp;CV747	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; 674cc; V2; OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; Horizontal; 1 Cyl.; OHV				
5.0hp;CH5	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Command Series; 4 Stroke; Horizontal; V2; OHV				
27hp;CH27	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Command Series; 4 Stroke; Horizontal; 180cc; 1 Cyl.; OHV				
6.0hp;CH6	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Command Series; 4 Stroke; Horizontal; 398cc; 1 Cyl.; OHV				
11.0hp;CH11	71 / RC12YC	946 / QC12YC	71ECO	0.040in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kohler				
Command Series; 4 Stroke; Horizontal; 398cc; 1 Cyl.; OHV				
12.5hp;CH12.5	71 / RC12YC	946 / QC12YC	71ECO	0.040in
13.0hp;CH13	71 / RC12YC	946 / QC12YC	71ECO	0.040in
14hp;CH14	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Command Series; 4 Stroke; Horizontal; 398cc; 1 Cyl.; LPG; OHV				
11.0hp;CH11	412 / RC12LYC	3436 / RC12PLC4	---	0.030in
13.0hp;CH13	412 / RC12LYC	3436 / RC12PLC4	---	0.040in
14hp;CH14	412 / RC12LYC	3436 / RC12PLC4	---	0.030in
Command Series; 4 Stroke; Horizontal; 426cc; 1 Cyl.; OHV				
15.0hp;CH15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
16hp;CH16	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; Horizontal; 674cc; V2; OHV				
22hp;CH23	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; Horizontal; 725cc; V2; OHV				
25hp;CH25	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;CH730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp;CH26	946 / QC12YC	982 / XC12YC	71ECO	0.030in
28hp;CH745	71 / RC12YC	946 / QC12YC	71ECO	0.030in
28hp;CH745	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Command Series; 4 Stroke; Horizontal; 747cc; V2; OHV				
30hp;CH750	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; Horizontal; 999cc; V2; OHV				
36hp;CH960	946 / QC12YC	988 / XC10YC	71ECO	0.030in
Command Series; 4 Stroke; Horizontal; 38cid\624cc; V2; OHV				
19hp;CH18	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp;CH20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp;CH22	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; Horizontal; 38cid\624cc; V2; LPG; OHV				
20hp;CH20	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Command Series; 4 Stroke; Horizontal; 44cid\725cc; V2; OHV				
25hp;CH740;39.2 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; Horizontal; 61.0cid\999cc; V2; OHV				
32.5hp;CH940;53.5 ft.-lb. Torque	946 / QC12YC	988 / XC10YC	71ECO	0.030in
Command Series; 4 Stroke; Vertical; V2; OHV				
22hp	71 / RC12YC	71 / RC12YC	71ECO	0.030in
Command Series; 4 Stroke; Vertical; 398cc; 1 Cyl.; OHV				
13.0hp;CV430	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Command Series; 4 Stroke; Vertical; 426cc; 1 Cyl.; OHV				
13.0hp;CV3	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15.0hp;CV450	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Command Series; 4 Stroke; Vertical; 674cc; V2; OHV				
22hp;CV24	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp;CV24	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; Vertical; 24.3cid\398cc; 1 Cyl.; OHV				
11hp;CV11	71 / RC12YC	946 / QC12YC	71ECO	0.040in
12.5hp;CV12.5	71 / RC12YC	946 / QC12YC	71ECO	0.040in
13hp;CV13	71 / RC12YC	946 / QC12YC	71ECO	0.040in
14hp;CV14	71 / RC12YC	946 / QC12YC	71ECO	0.040in



POWER EQUIPMENT ENGINES
MOTEURS D'EQUIPEMENT MOTORISÉ
MOTORES DE EQUIPOS

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kohler				
Command Series; 4 Stroke; Vertical; 24.3cid\398cc; 1 Cyl.; LPG; OHV				
11hp;CV11	412 / RC12LYC	3436 / RC12PLC4	---	0.030in
13hp;CV13	412 / RC12LYC	3436 / RC12PLC4	---	0.030in
14hp;CV14	412 / RC12LYC	3436 / RC12PLC4	---	0.030in
Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; OHV				
15.0hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
16hp;CV16	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16.5hp;CV16	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; Vertical; 27.9cid\460cc; 1 Cyl.; OHV				
16hp;CV460	71 / RC12YC	946 / QC12YC	71ECO	0.040in
16hp;CV461	71 / RC12YC	946 / QC12YC	71ECO	0.040in
16hp;CV465	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; OHV				
17hp;CV490	71 / RC12YC	946 / QC12YC	71ECO	0.040in
17hp;CV491	71 / RC12YC	946 / QC12YC	71ECO	0.040in
17hp;CV493	71 / RC12YC	946 / QC12YC	71ECO	0.040in
17.5hp;CV491	71 / RC12YC	946 / QC12YC	71ECO	0.040in
18hp;CV492	71 / RC12YC	946 / QC12YC	71ECO	0.040in
18hp;CV495	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Command Series; 4 Stroke; Vertical; 34cid\561cc; V2; OHV				
17hp;CV17	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; Vertical; 38cid\624cc; V2; OHV				
18hp;CV18	71 / RC12YC	946 / QC12YC	71ECO	0.030in
19hp;CV620	71 / RC12YC	946 / QC12YC	71ECO	0.030in
19hp;CV621	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
20hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp;CV624	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20.5hp;CV640	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
22hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp;CV22	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22.5hp;CV22	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp;CV22	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; Vertical; 41cid\674cc; V2; OHV				
20hp;CV675	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp;CV670	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22.5hp;CV680	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp;CV23	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp;CV674	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; Vertical; 44cid\725cc; V2; OHV				
25hp;CV25	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;CV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp;CV25	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp;CV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; Vertical; 46cid\747cc; V2; OHV				
30hp;CV750	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kohler				
Confidant EFI Series; Vertical; 44.2cid\725cc; V2; OHV				
20hp;EZT715;36.8 ft.-lb. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
22hp;EZT725;38.8 ft.-lb. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Confidant EFI Series; Vertical; 45.6cid\747cc; V2; OHV				
25hp;EZT740;40.9 ft.-lb. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
27hp;EZT750;42.4 ft.-lb. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Confidant; 4 Stroke; Vertical; 44cid\725cc; V2; OHV				
19hp;ZT710	71 / RC12YC	946 / QC12YC	71ECO	0.030in
21hp;ZT720	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Confidant; 4 Stroke; Vertical; 45.6cid\747cc; V2; OHV				
23hp;ZT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;ZT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage Pro; 4 Stroke; 44.2cid\725cc; V2; OHV				
20hp;SV810	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp;SV820	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;SV830	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27hp;SV840	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage; 4 Stroke; Vertical; 29.1cid\447cc; 1 Cyl.; OHV				
15hp;SV470;Spec. 00XX	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp;SV471;Spec. 00XX	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16hp;SV480;Spec. 00XX	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage; 4 Stroke; Vertical; 32.6cid\535cc; 1 Cyl.; OHV				
15hp;SV470;Spec. 01XX	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp;SV471;Spec. 01XX	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16hp;SV480;Spec. 01XX	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17hp;SV530;Spec. 00XX	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp;SV540;Spec. 00XX	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp;SV541;Spec. 00XX	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage; 4 Stroke; Vertical; 36.4cid\597cc; 1 Cyl.; OHV				
15hp;SV470;Spec. 02XX or Higher	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp;SV471;Spec. 02XX or Higher	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16hp;SV480;Spec. 02XX or Higher	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17hp;SV530;Spec. 02XX or Higher	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp;SV540;Spec. 02XX or Higher	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp;SV541;Spec. 02XX or Higher	71 / RC12YC	946 / QC12YC	71ECO	0.030in
19hp;SV590	71 / RC12YC	946 / QC12YC	71ECO	0.030in
19hp;SV591	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp;SV600	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp;SV600S	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp;SV601	71 / RC12YC	946 / QC12YC	71ECO	0.030in
21hp;SV610	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp;SV620	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kohler				
Courage; 4 Stroke; Vertical; 44.2cid\725cc; V2; OHV				
20hp;SV710	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp;SV715	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp;SV720	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp;SV725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;SV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp;SV735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp;SV735S	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27hp;SV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage; RH Series; Horizontal; 12cid\196cc; 1 Cyl.; OHV				
5.5hp;RH255;10.5 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6.5hp;RH265;10.7 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage; SH Series; Horizontal; 12cid\196cc; 1 Cyl.; OHV				
5.5hp;SH255;10 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6.5hp;SH265;10.2 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage; XT Series; 4 Stroke; Vertical; 1 Cyl.; OHV				
PH-XT675-2044	---	---	810ECO	0.030in
Courage; XT Series; 4 Stroke; Vertical; 10.6cid\173cc; 1 Cyl.; OHV				
XT173;8 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XT775;12mm Diameter Threads;7.75 ft.-lb. Torque	8815-1 / QA12HCC	810 / RA8HC	810ECO	0.030in
XT775;14mm Diameter Threads;7.75 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XT8;8 ft.-lb. Torque;with 12mm Diameter Threads	8815-1 / QA12HCC	810 / RA8HC	810ECO	0.030in
XT8;8 ft.-lb. Torque;with 14mm Diameter Threads	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4.5hp;XT-7;7 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4.5hp;XTR-7;7 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage; XT Series; 4 Stroke; Vertical; 9.1cid\149cc; 1 Cyl.; OHV				
XT6.5;6.5 ft.-lb. Torque	8815-1 / QA12HCC	810 / RA8HC	810ECO	0.030in
XT6.75;6.75 ft.-lb. Torque	8815-1 / QA12HCC	810 / RA8HC	810ECO	0.030in
XT675;6.75 ft.-lb. Torque	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
XTR-6;6 ft.-lb. Torque	8815-1 / QA12HCC	810 / RA8HC	810ECO	0.030in
3.5hp;XT-6;12mm Diameter Threads	8815-1 / QA12HCC	810 / RA8HC	810ECO	0.030in
3.5hp;XT-6;14mm Diameter Threads	71 / RC12YC	946 / QC12YC	71ECO	0.030in
3.5hp;XT650;6.5 ft.-lb. Torque	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
K-Series; 1 Cyl.				
K160	871 / RJ8C	841 / J8C	---	0.025in
K241AS	854 / RH10C	844 / H10C	---	0.025in
K301S	854 / RH10C	844 / H10C	---	0.025in
KV161	871 / RJ8C	841 / J8C	---	0.025in
10.0hp;K241	854 / RH10C	844 / H10C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kohler				
K-Series; 1 Cyl.				
12.0hp;K301	854 / RH10C	844 / H10C	---	0.025in
12.5hp;K330	871 / RJ8C	841 / J8C	---	0.025in
12.5hp;K331	871 / RJ8C	841 / J8C	---	0.025in
14hp;K321;Battery & Breakerless	854 / RH10C	844 / H10C	---	0.035in
14hp;K321;Magnet	854 / RH10C	844 / H10C	---	0.025in
16hp;K341;Battery & Breakerless	854 / RH10C	844 / H10C	---	0.035in
16hp;K341;Magnet	854 / RH10C	844 / H10C	---	0.025in
18hp;K361	854 / RH10C	844 / H10C	---	0.035in
2.7hp;K7	592 / RJ12C	511 / J11C	---	0.025in
20hp;K532	854 / RH10C	844 / H10C	---	0.025in
4.0hp;K12	592 / RJ12C	511 / J11C	---	0.025in
4.0hp;K90	871 / RJ8C	841 / J8C	---	0.025in
4.0hp;K91	871 / RJ8C	841 / J8C	---	0.025in
5.0hp;K121	871 / RJ8C	841 / J8C	---	0.025in
6.25hp;K141	871 / RJ8C	841 / J8C	---	0.025in
7.0hp;K161	871 / RJ8C	841 / J8C	---	0.025in
7.0hp;L161	871 / RJ8C	841 / J8C	---	0.025in
8.0hp;K181	871 / RJ8C	841 / J8C	---	0.025in
8.0hp;L181	871 / RJ8C	841 / J8C	---	0.025in
K-Series; 2 Cyl.				
17hp;KT17	25 / RV17YC	3018 / RV17PMC4	---	0.025in
18hp;K482	854 / RH10C	844 / H10C	---	0.025in
19hp;KT19	25 / RV17YC	3018 / RV17PMC4	---	0.025in
20hp;KT20	25 / RV17YC	3018 / RV17PMC4	---	0.025in
21hp;KT21	25 / RV17YC	3018 / RV17PMC4	---	0.025in
23hp;K582	854 / RH10C	844 / H10C	---	0.025in
25hp;KL25	415 / RN9YC	300 / N9YC	415ECO	0.031in
K-Series; 67.2cid\1101cc; 2 Cyl.; L-HEAD				
24hp;K660	871 / RJ8C	841 / J8C	---	0.025in
24hp;K662	840 / RCJ8	843 / CJ8	843ECO	0.025in
Kubota Engine; 694cc; V2; OHV				
22.5hp;GH680V	946 / QC12YC	982 / XC12YC	71ECO	0.030in
23.5hp;GH730V	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Kubota Engine; 747cc; V2; OHV				
25hp;GH740V	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Kubota Engine; 44.2cid\725cc; V2; OHV				
22hp;GH738V	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Magnum; Horizontal; 1 Cyl.				
10.0hp;M10	854 / RH10C	844 / H10C	---	0.025in
12.0hp;M12	854 / RH10C	844 / H10C	---	0.025in
14hp;M14	854 / RH10C	844 / H10C	---	0.025in
16hp;M16	854 / RH10C	844 / H10C	---	0.025in
8.0hp;M8	840 / RCJ8	843 / CJ8	843ECO	0.025in
8.0hp;M8;w/Extended Idle	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
Magnum; Horizontal; 2 Cyl.				
18hp;M18	25 / RV17YC	3018 / RV17PMC4	---	0.035in
20hp;M20	25 / RV17YC	3018 / RV17PMC4	---	0.035in



POWER EQUIPMENT ENGINES
MOTEURS D'EQUIPEMENT MOTORISÉ
MOTORES DE EQUIPOS

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kohler				
Magnum; Vertical; 2 Cyl.				
16hp;MV16	25 / RV17YC	3018 / RV17PMC4	---	0.025in
18hp;MV18	25 / RV17YC	3018 / RV17PMC4	---	0.025in
20hp;MV20	25 / RV17YC	3018 / RV17PMC4	---	0.025in
23hp;MV23	854 / RH10C	844 / H10C	---	0.035in
Triad; 4 Stroke; Horizontal; V2; OHC				
14hp;TH14	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Triad; 4 Stroke; Horizontal; 519cc; V2; OHC				
16hp;TH16	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Triad; 4 Stroke; Horizontal; 520cc; V2; OHC				
16hp;TH520	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Triad; 4 Stroke; Horizontal; 574cc; V2; OHC				
18hp;TH18	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp;TH575	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Triad; 4 Stroke; Horizontal; 653cc; V2; OHC				
16hp;TH650	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XTX Series; 4 Stroke; Vertical; 1 Cyl.				
XTX1100	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
XTX950	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
XTX Series; 4 Stroke; Vertical; 10.6cid\173cc; 1 Cyl.; OHV				
XTX775	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
XTX Series; 4 Stroke; Vertical; 9.1cid\149cc; 1 Cyl.; OHV				
XTX650;6.5 ft.-lb. Torque	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
XTX675	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
L600; 59.4cid; 4 Cyl.				
L600	871 / RJ8C	841 / J8C	---	0.025in
L654; 65cid; 4 Cyl.				
L654	871 / RJ8C	841 / J8C	---	0.025in
Komatsu Zenoau				
14.9cc; 1 Cyl.				
G1A	840 / RCJ8	843 / CJ8	843ECO	0.025in
G1A6	840 / RCJ8	843 / CJ8	843ECO	0.025in
17.2cc; 1 Cyl.				
G1E	840 / RCJ8	843 / CJ8	843ECO	0.025in
22.5cc; 1 Cyl.				
G2A	840 / RCJ8	843 / CJ8	843ECO	0.025in
G2A16	893 / RCJ4	849 / CJ6	852ECO	0.025in
G2C	893 / RCJ4	849 / CJ6	852ECO	0.025in
G2D	893 / RCJ4	849 / CJ6	852ECO	0.025in
G2D30	893 / RCJ4	849 / CJ6	852ECO	0.025in
25.4cc; 1 Cyl.				
G2E	840 / RCJ8	843 / CJ8	843ECO	0.025in
31.7cc; 1 Cyl.				
G3C	830 / RL86C	933-1 / QL86C	---	0.025in
G3C76	830 / RL86C	933-1 / QL86C	---	0.025in
G3D10	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
G3D20	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
37.4cc; 1 Cyl.				
G4C	830 / RL86C	933-1 / QL86C	---	0.025in
G4C63	830 / RL86C	933-1 / QL86C	---	0.025in
G4C76	830 / RL86C	933-1 / QL86C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Komatsu Zenoau				
52.5cc; 1 Cyl.				
G5C	871 / RJ8C	841 / J8C	---	0.025in
G5E	830 / RL86C	933-1 / QL86C	---	0.025in
G5E2	830 / RL86C	933-1 / QL86C	---	0.025in
2 Stroke; 25.4cc; 1 Cyl.				
GZ25N	978 / RY4C	---	---	0.026in
Kubota				
1 Cyl.				
13.0hp;GH400	806 / L92YC	---	---	0.028in
5.5hp;GH170-1	806 / L92YC	---	---	0.028in
8.0hp;GH250	806 / L92YC	---	---	0.028in
9.0hp;GH280	806 / L92YC	---	---	0.028in
3 Cyl.				
23.0hp;DF752-E	71 / RC12YC	946 / QC12YC	71ECO	0.030in
31hp;DF1005-E	71 / RC12YC	946 / QC12YC	71ECO	0.030in
31hp;WG1005-E	71 / RC12YC	946 / QC12YC	71ECO	0.030in
3 Cyl.; Gas				
21hp;WG650-B	71 / RC12YC	946 / QC12YC	71ECO	0.030in
3 Cyl.; LPG				
22.0hp;DF752-E	71 / RC12YC	946 / QC12YC	71ECO	0.020in
29.5hp;WG1005-E	71 / RC12YC	946 / QC12YC	71ECO	0.020in
31hp;DF1005-E	71 / RC12YC	946 / QC12YC	71ECO	0.020in
599cc; 3 Cyl.; Gas				
21hp;WG600-B	71 / RC12YC	946 / QC12YC	71ECO	0.030in
45.21cid\740cc; 3 Cyl.; Gas; OHV				
23.0hp;WG752-E	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24.0hp;WG750-B	985 / RC14YC4	3071 / RC12PYC	---	0.043in
24.5hp;WG750-B	71 / RC12YC	946 / QC12YC	71ECO	0.030in
45.21cid\740cc; 3 Cyl.; LPG; OHV				
22.0hp;WG752-E	71 / RC12YC	946 / QC12YC	71ECO	0.020in
58.7cid\962cc; 3 Cyl.; Gas				
32.4hp;WG972	431 / RC14YC	946 / QC12YC	71ECO	0.026in
4 Stroke; Vertical; Liquid Cooled; 45.21cid\740cc; 3 Cyl.; Gas; OHV				
24.5hp;WG752	985 / RC14YC4	3071 / RC12PYC	---	0.043in
4 Stroke; Vertical; Water Cooled; 962cc; 3 Cyl.; LPG; OHV				
31hp;DF972	431 / RC14YC	946 / QC12YC	71ECO	0.025in
air cooled; 624cc; 2 Cyl.				
20.0hp;GH630	71 / RC12YC	946 / QC12YC	71ECO	0.030in
air cooled; 768cc; V2				
22.0hp;KGZ770-M3	814 / RL82YC	932-1 / QL82YC	---	0.026in
27.0hp;KGZ770-M2	814 / RL82YC	932-1 / QL82YC	---	0.026in
Lauson				
1 Cyl.				
7/16in Reach Spark Plugs;with 14mm Diameter Threads	854 / RH10C	844 / H10C	---	0.030in
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.030in
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
H20	871 / RJ8C	841 / J8C	---	0.030in
H25	871 / RJ8C	841 / J8C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Lauson				
1 Cyl.				
H30	871 / RJ8C	841 / J8C	---	0.030in
H35	871 / RJ8C	841 / J8C	---	0.030in
H40	871 / RJ8C	841 / J8C	---	0.030in
H45	871 / RJ8C	841 / J8C	---	0.030in
H55	871 / RJ8C	841 / J8C	---	0.030in
HB35	871 / RJ8C	841 / J8C	---	0.030in
HB40	871 / RJ8C	841 / J8C	---	0.030in
HH130	814 / RL82YC	931-1 / QL82C	---	0.030in
HH140	814 / RL82YC	931-1 / QL82C	---	0.030in
HH150	814 / RL82YC	931-1 / QL82C	---	0.030in
HH160	814 / RL82YC	931-1 / QL82C	---	0.030in
HR35	871 / RJ8C	841 / J8C	---	0.030in
HR40	871 / RJ8C	841 / J8C	---	0.030in
LA;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
LF;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
LFR;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
LV22	854 / RH10C	844 / H10C	---	0.030in
LV25	854 / RH10C	844 / H10C	---	0.030in
LV30	854 / RH10C	844 / H10C	---	0.030in
LV35	854 / RH10C	844 / H10C	---	0.030in
LW;with 7/8in Diameter Threads	518 / W18	---	---	0.030in
RAY;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
UAS;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
V17	871 / RJ8C	841 / J8C	---	0.030in
V20	871 / RJ8C	841 / J8C	---	0.030in
V22	871 / RJ8C	841 / J8C	---	0.030in
V25	871 / RJ8C	841 / J8C	---	0.030in
V27	871 / RJ8C	841 / J8C	---	0.030in
V30	871 / RJ8C	841 / J8C	---	0.030in
V32	871 / RJ8C	841 / J8C	---	0.030in
V35	871 / RJ8C	841 / J8C	---	0.030in
V40	871 / RJ8C	841 / J8C	---	0.030in
V45	871 / RJ8C	841 / J8C	---	0.030in
V55	871 / RJ8C	841 / J8C	---	0.030in
VC40	871 / RJ8C	841 / J8C	---	0.030in
VX40	871 / RJ8C	841 / J8C	---	0.030in
W;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
WA;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
WBG;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
ZW;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
ZWR;with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
1 Cyl.; LPG				
with 14mm Diameter Threads	592 / RJ12C	871 / RJ8C	---	0.030in
with 18mm Diameter Threads	502 / D21	---	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
LCT				
136cc; 1 Cyl.				
4.0hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
179cc; 1 Cyl.				
5.0hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
208cc; 1 Cyl.; OHV				
PLMHK14600124P	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
6.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
900 Serieshp;PLMHK14600124P	415 / RN9YC	300 / N9YC	415ECO	0.030in
254cc; 1 Cyl.; OHV				
7.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
291cc; 1 Cyl.; OHV				
8.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
306cc; 1 Cyl.				
9.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
369cc; 1 Cyl.				
10.0hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
414cc; 1 Cyl.				
12.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
420cc; 1 Cyl.				
13.0hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
63cc; 1 Cyl.				
1.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
79cc; 1 Cyl.				
1.75hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
98cc; 1 Cyl.				
2.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Lehr-Craftsman				
4 Stroke; 25.4cc; 1 Cyl.; LPG; (Lehr)				
	978 / RY4C	---	---	0.020in
Lifan				
Predator; 4 Stroke; Horizontal; 212cc; 1 Cyl.; OHV				
68120	415 / RN9YC	300 / N9YC	415ECO	0.030in
68121	415 / RN9YC	300 / N9YC	415ECO	0.030in
Predator; 4 Stroke; Horizontal; 346cc; 1 Cyl.; OHV				
68136	415 / RN9YC	300 / N9YC	415ECO	0.030in
Predator; 4 Stroke; Horizontal; 420cc; 1 Cyl.; OHV				
68306	415 / RN9YC	300 / N9YC	415ECO	0.030in
Linamar				
LX Series; 1 Cyl.				
16.0hp	909 / RS17YX	---	---	0.025in
18.0hp	909 / RS17YX	---	---	0.025in
20.0hp	909 / RS17YX	---	---	0.025in
24hp	909 / RS17YX	---	---	0.025in
LXV Series; 1 Cyl.				
18.0hp	909 / RS17YX	---	---	0.025in
20.0hp	909 / RS17YX	---	---	0.025in
ZX Series; 1 Cyl.				
14.0hp	806 / L92YC	---	---	0.035in
ZXV Series; 1 Cyl.				
14.0hp	806 / L92YC	---	---	0.035in



POWER EQUIPMENT ENGINES
MOTEURS D'EQUIPEMENT MOTORISÉ
MOTORES DE EQUIPOS

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Maruyama				
AE Series Engines; 22.5cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
AE Series Engines; 25.4cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
AE Series Engines; 31.8cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
AE Series Engines; 41.5cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
AE Series Engines; 50.2cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
McCulloch				
1 Cyl.				
MC2106	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
MC2108	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
MC2109	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
MC2110	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
Minarelli				
1 Cyl.				
C2	830 / RL86C	933-1 / QL86C	---	0.030in
G1	814 / RL82YC	931-1 / QL82C	---	0.030in
P3A	814 / RL82YC	931-1 / QL82C	---	0.030in
P3N	814 / RL82YC	931-1 / QL82C	---	0.030in
P4	814 / RL82YC	931-1 / QL82C	---	0.030in
P4A	814 / RL82YC	931-1 / QL82C	---	0.030in
P4CS	104 / RN4C	803 / N4C	---	0.030in
P4R	104 / RN4C	803 / N4C	---	0.030in
P6	814 / RL82YC	931-1 / QL82C	---	0.030in
P6/80	814 / RL82YC	931-1 / QL82C	---	0.030in
P6CS	104 / RN4C	803 / N4C	---	0.030in
P6R	104 / RN4C	803 / N4C	---	0.030in
V1	830 / RL86C	933-1 / QL86C	---	0.030in
V1A	830 / RL86C	933-1 / QL86C	---	0.030in
V1K	830 / RL86C	933-1 / QL86C	---	0.030in
V2	830 / RL86C	933-1 / QL86C	---	0.030in
Mitsubishi				
1 Cyl.				
0.5hp;T50	840 / RCJ8	843 / CJ8	843ECO	0.030in
0.7hp;TM18	840 / RCJ8	843 / CJ8	843ECO	0.030in
0.8hp;T80	840 / RCJ8	843 / CJ8	843ECO	0.030in
0.8hp;TLE20FD	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.028in
0.8hp;TLE20VD	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.028in
0.94hp;TLE23FD	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.028in
1.0hp;TM21	840 / RCJ8	843 / CJ8	843ECO	0.030in
1.07hp;TLE26FD	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.028in
1.1hp;T110	840 / RCJ8	843 / CJ8	843ECO	0.030in
1.3hp;T130	840 / RCJ8	843 / CJ8	843ECO	0.030in
1.3hp;TLE33FD	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.028in
1.3hp;TM24	840 / RCJ8	843 / CJ8	843ECO	0.030in
1.4hp;T140	840 / RCJ8	843 / CJ8	843ECO	0.030in
1.7hp;T170	840 / RCJ8	843 / CJ8	843ECO	0.030in
1.7hp;TLE43FD	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.028in
1.7hp;TM33	840 / RCJ8	843 / CJ8	843ECO	0.030in
1.8hp;T180	840 / RCJ8	843 / CJ8	843ECO	0.030in
10.5hp;G1050	840 / RCJ8	843 / CJ8	843ECO	0.030in
12.0hp;G1200	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Mitsubishi				
1 Cyl.				
15.0hp;G1500	840 / RCJ8	843 / CJ8	843ECO	0.030in
2.0hp;T200	840 / RCJ8	843 / CJ8	843ECO	0.030in
2.2hp;G221	846 / CJ14	---	846ECO	0.030in
2.4hp;T240	840 / RCJ8	843 / CJ8	843ECO	0.030in
2.7hp;G270	840 / RCJ8	843 / CJ8	843ECO	0.028in
2.7hp;G271	840 / RCJ8	843 / CJ8	843ECO	0.030in
2.8hp;T280	840 / RCJ8	843 / CJ8	843ECO	0.030in
3.0hp;T300	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
3.4hp;T340	840 / RCJ8	843 / CJ8	843ECO	0.030in
3.5hp;G350	327 / RL87YC	934-1 / QL87YC	---	0.028in
3.5hp;G351	840 / RCJ8	843 / CJ8	843ECO	0.030in
3.5hp;T350	840 / RCJ8	843 / CJ8	843ECO	0.030in
4.0hp;G400	840 / RCJ8	843 / CJ8	843ECO	0.028in
4.0hp;G400PV	840 / RCJ8	843 / CJ8	843ECO	0.030in
4.0hp;T400PV	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
4.3hp;T430	840 / RCJ8	843 / CJ8	843ECO	0.030in
5.0hp;G510	806 / L92YC	---	---	0.028in
5.0hp;G511	840 / RCJ8	843 / CJ8	843ECO	0.030in
5.7hp;G711A	840 / RCJ8	843 / CJ8	843ECO	0.030in
7.0hp;G711	840 / RCJ8	843 / CJ8	843ECO	0.030in
9.0hp;G1050A	840 / RCJ8	843 / CJ8	843ECO	0.030in
9.0hp;G911	840 / RCJ8	843 / CJ8	843ECO	0.030in
1 Cyl.; OHV				
10.0hp;GM300	322 / RN11YC4	302 / N11YC	322ECO	0.030in
10.0hp;GM301	322 / RN11YC4	302 / N11YC	322ECO	0.030in
10.0hp;GM301PN	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13.0hp;GM401	322 / RN11YC4	302 / N11YC	322ECO	0.030in
2.4hp;GM82	327 / RL87YC	934-1 / QL87YC	---	0.028in
2.7hp;GM90	322 / RN11YC4	302 / N11YC	322ECO	0.030in
2.7hp;GM91	405 / RN14YC	3405 / RN14PMC	---	0.028in
4.0hp;GM130	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4.0hp;GM131	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4.0hp;GM132P	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4.5hp;GM150PV	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6.0hp;GM180	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6.0hp;GM181	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6.0hp;GM182P	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8.0hp;GM290	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8.0hp;GM291	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8.0hp;GM291PN	322 / RN11YC4	302 / N11YC	322ECO	0.030in
126cc; 1 Cyl.; OHV				
2.90hp;GT400;7.76 ft.-lb. Torque	830 / RL86C	933-1 / QL86C	---	0.028in
181cc; 1 Cyl.; OHV				
4.40hp;GT600;11.6 ft.-lb. Torque	830 / RL86C	933-1 / QL86C	---	0.028in
296cc; 1 Cyl.; OHV				
10hp;GT1000;19.3 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in
391cc; 1 Cyl.; OHV				
9.60hp;GT1300;26.5 ft.-lb. Torque	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Mitsubishi				
79.6cc; 1 Cyl.; OHV				
1.8hp;GT241;4.3 ft.-lb. Torque	830 / RL86C	933-1 / QL86C	---	0.028in
80cc; 1 Cyl.; OHV				
2.4hp;GM82	327 / RL87YC	312 / L87YC	---	0.030in
Moto Morini				
1 Cyl.				
4M	830 / RL86C	933-1 / QL86C	---	0.030in
6M	830 / RL86C	933-1 / QL86C	---	0.030in
FM6M	830 / RL86C	933-1 / QL86C	---	0.030in
M1	123 / RN5C	120 / N5C	---	0.030in
M101	123 / RN5C	120 / N5C	---	0.030in
MO	123 / RN5C	120 / N5C	---	0.030in
MO3	123 / RN5C	120 / N5C	---	0.030in
MO4	123 / RN5C	120 / N5C	---	0.030in
S5	830 / RL86C	933-1 / QL86C	---	0.030in
O & R				
1 Cyl.				
13A;Normal Service	846 / CJ14	---	846ECO	0.030in
13A;Severe Service	840 / RCJ8	843 / CJ8	843ECO	0.030in
13B;Normal Service	846 / CJ14	---	846ECO	0.030in
13B;Severe Service	840 / RCJ8	843 / CJ8	843ECO	0.030in
20A;Normal Service	840 / RCJ8	843 / CJ8	843ECO	0.030in
20A;Severe Service	893 / RCJ4	849 / CJ6	852ECO	0.030in
Compact 1	842 / UY6	---	---	0.030in
Onan				
1 Cyl.				
0.3TL-212R/1A	856 / RJ17LM	947 / QJ19LM	861ECO	0.025in
10JC	538 / RH8C	587 / H8C	---	0.025in
15JC	538 / RH8C	587 / H8C	---	0.025in
1B	541 / RD16	514 / D14	---	0.025in
5JB	538 / RH8C	587 / H8C	---	0.025in
AAE	538 / RH8C	587 / H8C	---	0.025in
AH	538 / RH8C	587 / H8C	---	0.025in
AK	538 / RH8C	587 / H8C	---	0.025in
B43E	909 / RS17YX	---	---	0.025in
B43G	909 / RS17YX	---	---	0.030in
B43M	857 / RH18Y	---	---	0.030in
B48E	909 / RS17YX	---	---	0.030in
B48G	909 / RS17YX	---	---	0.030in
B48M	857 / RH18Y	---	---	0.030in
BH	538 / RH8C	587 / H8C	---	0.025in
C48G	909 / RS17YX	---	---	0.030in
CK	538 / RH8C	587 / H8C	---	0.025in
CW	541 / RD16	514 / D14	---	0.025in
EC	22 / RF11YC	---	---	0.025in
ED	22 / RF11YC	---	---	0.025in
EF	22 / RF11YC	---	---	0.025in
EL	538 / RH8C	587 / H8C	---	0.025in
GO	871 / RJ8C	841 / J8C	---	0.025in
HC	541 / RD16	514 / D14	---	0.025in
HK	541 / RD16	514 / D14	---	0.025in
HN	541 / RD16	514 / D14	---	0.025in
HQ	541 / RD16	514 / D14	---	0.025in
HR	541 / RD16	514 / D14	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Onan				
1 Cyl.				
IC	102 / RJ6C	823 / J6C	---	0.025in
J120	538 / RH8C	587 / H8C	---	0.025in
J30	538 / RH8C	587 / H8C	---	0.025in
J60	538 / RH8C	587 / H8C	---	0.025in
JA	538 / RH8C	587 / H8C	---	0.025in
JB	538 / RH8C	587 / H8C	---	0.025in
JC	538 / RH8C	587 / H8C	---	0.025in
JT	541 / RD16	514 / D14	---	0.025in
KA	102 / RJ6C	823 / J6C	---	0.025in
KB	102 / RJ6C	823 / J6C	---	0.025in
KR	102 / RJ6C	823 / J6C	---	0.025in
LX990.T260G	909 / RS17YX	---	---	0.025in
MGO	871 / RJ8C	841 / J8C	---	0.025in
MH	538 / RH8C	587 / H8C	---	0.030in
MPG	102 / RJ6C	823 / J6C	---	0.025in
MTK	541 / RD16	514 / D14	---	0.025in
MUK	871 / RJ8C	841 / J8C	---	0.025in
N-52M	909 / RS17YX	---	---	0.030in
NB	538 / RH8C	587 / H8C	---	0.030in
OTC	102 / RJ6C	823 / J6C	---	0.025in
P248V	909 / RS17YX	---	---	0.025in
RJC	538 / RH8C	587 / H8C	---	0.025in
T260	909 / RS17YX	---	---	0.025in
V45	541 / RD16	514 / D14	---	0.025in
W4A	541 / RD16	514 / D14	---	0.025in
WAGS	541 / RD16	514 / D14	---	0.025in
WIB	871 / RJ8C	841 / J8C	---	0.025in
2 Cyl.				
BG	857 / RH18Y	---	---	0.025in
CCK	538 / RH8C	587 / H8C	---	0.025in
CCKA	538 / RH8C	587 / H8C	---	0.025in
CCKB	538 / RH8C	587 / H8C	---	0.025in
CCKRV	909 / RS17YX	---	---	0.025in
LK-LKB	538 / RH8C	587 / H8C	---	0.025in
MCCK	573 / XMJ20	---	---	0.025in
NHA	909 / RS17YX	---	---	0.025in
NHA-MS	123 / RN5C	120 / N5C	---	0.030in
NHB	909 / RS17YX	---	---	0.025in
NHB-MS	123 / RN5C	120 / N5C	---	0.030in
NHC	909 / RS17YX	---	---	0.025in
NHCV	909 / RS17YX	---	---	0.025in
NHE	909 / RS17YX	---	---	0.025in
NHP	123 / RN5C	120 / N5C	---	0.030in
P216G	909 / RS17YX	---	---	0.025in
P218G	909 / RS17YX	---	---	0.025in
P218V	909 / RS17YX	---	---	0.025in
P220G	909 / RS17YX	---	---	0.025in
P220V	909 / RS17YX	---	---	0.025in
P224G	909 / RS17YX	---	---	0.025in
P226G	909 / RS17YX	---	---	0.025in
P240V	909 / RS17YX	---	---	0.025in
RCCK	538 / RH8C	587 / H8C	---	0.025in
RCCK-MS	538 / RH8C	587 / H8C	---	0.030in
2 Cyl.; LPG				
NHP	123 / RN5C	120 / N5C	---	0.015in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Onan				
40.25cid; 2 Cyl.				
BF	909 / RS17YX	---	---	0.025in
8.5hp;BF	857 / RH18Y	---	---	0.025in
60.0cid; 2 Cyl.				
14hp;NH	538 / RH8C	587 / H8C	---	0.025in
Early Models; 2 Cyl.				
NHC-MS	123 / RN5C	120 / N5C	---	0.030in
Elite; 1 Cyl.; OHV				
12.5hp;E125H	806 / L92YC	---	---	0.035in
12.5hp;E125V	806 / L92YC	---	---	0.035in
14.0hp;E140H	806 / L92YC	---	---	0.035in
14.0hp;E140V	806 / L92YC	---	---	0.035in
Late '79 Onwards; 2 Cyl.				
NHC-MS	909 / RS17YX	---	---	0.025in
Performers; 2 Cyl.				
16.0hp;P216G	909 / RS17YX	---	---	0.025in
18.0hp;P218G	909 / RS17YX	---	---	0.025in
18.0hp;P218V	909 / RS17YX	---	---	0.025in
20.0hp;P220G	909 / RS17YX	---	---	0.025in
20.0hp;P220V	909 / RS17YX	---	---	0.025in
20.0hp;P240V	909 / RS17YX	---	---	0.025in
24.0hp;P224G	909 / RS17YX	---	---	0.025in
26.0hp;P226G	909 / RS17YX	---	---	0.025in
Power Bee				
Series 580; 1 Cyl.				
4.0hp	871 / RJ8C	841 / J8C	---	0.030in
Series 700; 1 Cyl.				
5.0hp	871 / RJ8C	841 / J8C	---	0.030in
Series 820; 1 Cyl.				
6.25hp	871 / RJ8C	841 / J8C	---	0.030in
8.0hp	871 / RJ8C	841 / J8C	---	0.030in
Power Products				
1 Cyl.				
200	871 / RJ8C	841 / J8C	---	0.030in
220	871 / RJ8C	841 / J8C	---	0.030in
226	871 / RJ8C	841 / J8C	---	0.030in
250	871 / RJ8C	841 / J8C	---	0.030in
300	871 / RJ8C	841 / J8C	---	0.030in
3000	871 / RJ8C	841 / J8C	---	0.030in
305	871 / RJ8C	841 / J8C	---	0.030in
315	871 / RJ8C	841 / J8C	---	0.030in
350	871 / RJ8C	841 / J8C	---	0.030in
360	871 / RJ8C	841 / J8C	---	0.030in
AH36	871 / RJ8C	841 / J8C	---	0.030in
AH36 Type 70	840 / RCJ8	843 / CJ8	843ECO	0.030in
AH44	840 / RCJ8	843 / CJ8	843ECO	0.030in
AH47	871 / RJ8C	841 / J8C	---	0.030in
AH48	840 / RCJ8	843 / CJ8	843ECO	0.030in
AH49	840 / RCJ8	843 / CJ8	843ECO	0.030in
AH52	871 / RJ8C	841 / J8C	---	0.030in
AH58	871 / RJ8C	841 / J8C	---	0.030in
AH80	871 / RJ8C	841 / J8C	---	0.030in
AH81	871 / RJ8C	841 / J8C	---	0.030in
AV36	871 / RJ8C	841 / J8C	---	0.030in
AV47	871 / RJ8C	841 / J8C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Power Products				
1 Cyl.				
AV51	871 / RJ8C	841 / J8C	---	0.030in
AV80	871 / RJ8C	841 / J8C	---	0.030in
H51	871 / RJ8C	841 / J8C	---	0.030in
H82	102 / RJ6C	823 / J6C	---	0.030in
Model 1000;After 1947	592 / RJ12C	511 / J11C	---	0.030in
V47	871 / RJ8C	841 / J8C	---	0.030in
V51	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (1946-1947)				
Model 1000	871 / RJ8C	841 / J8C	---	0.030in
Powermore				
4 Stroke; 9.7cid\159cc; 1 Cyl.				
1/2in Reach Spark Plugs	936M / L78YC	---	---	0.030in
MTD/Powermore; 170cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
MTD/Zongshen; Horizontal; 123cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
MTD/Zongshen; Horizontal; 179cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
MTD/Zongshen; Horizontal; 208cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
MTD/Zongshen; Horizontal; 243cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
MTD/Zongshen; Horizontal; 277cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
MTD/Zongshen; Horizontal; 357cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
MTD/Zongshen; Horizontal; 377cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
MTD/Zongshen; Vertical; 123cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
MTD/Zongshen; Vertical; 139cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
MTD/Zongshen; Vertical; 159cc; 1 Cyl.; OHV				
3/4in Reach Spark Plugs	322 / RN11YC4	302 / N11YC	322ECO	0.030in
MTD/Zongshen; Vertical; 420cc; 1 Cyl.; OHV				
4P90JUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90JUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
MTD/Zongshen; Vertical; 547cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.028in
Reo				
1 Cyl.				
GAS	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; LPG				
CNG	102 / RJ6C	823 / J6C	---	0.020in
LPG	102 / RJ6C	823 / J6C	---	0.020in
Robin				
295cc; 1 Cyl.				
EH29C	405 / RN14YC	3405 / RN14PMC	---	0.028in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Robin				
350cc; 1 Cyl.				
EH35C	404 / RN12YC	38 / N12YC	322ECO	0.025in
2 Stroke; 1 Cyl.				
EC01ER	840 / RCJ8	843 / CJ8	843ECO	0.025in
EC05-2;D, B	830 / RL86C	933-1 / QL86C	---	0.025in
EC07;D, B	830 / RL86C	933-1 / QL86C	---	0.025in
EC07-2;D, B	830 / RL86C	933-1 / QL86C	---	0.025in
EC10T	871 / RJ8C	841 / J8C	---	0.025in
EC22GR	840 / RCJ8	843 / CJ8	843ECO	0.025in
EC37-3;D, DS	830 / RL86C	933-1 / QL86C	---	0.025in
KB31B	592 / RJ12C	511 / J11C	---	0.025in
KB41A	592 / RJ12C	511 / J11C	---	0.025in
0.9hp;EC02ER	840 / RCJ8	843 / CJ8	843ECO	0.025in
1.0hp;E020G	840 / RCJ8	843 / CJ8	843ECO	0.025in
1.1hp;EC02EHR	840 / RCJ8	843 / CJ8	843ECO	0.025in
1.8hp;EC03ER	814 / RL82YC	931-1 / QL82C	---	0.025in
12.0hp;EC25;D, DS	830 / RL86C	933-1 / QL86C	---	0.025in
12.0hp;EC25-2D	806 / L92YC	---	---	0.025in
2.0hp;EC04ER	814 / RL82YC	931-1 / QL82C	---	0.025in
2.5hp;EC06;D, B	830 / RL86C	933-1 / QL86C	---	0.025in
3.3hp;EC08;D, B	814 / RL82YC	931-1 / QL82C	---	0.025in
4.0hp;EC10;D, B, H	592 / RJ12C	511 / J11C	---	0.025in
4.0hp;EC10V	592 / RJ12C	511 / J11C	---	0.025in
4.1hp;EC12D	840 / RCJ8	843 / CJ8	843ECO	0.025in
4.2hp;EC13V	840 / RCJ8	843 / CJ8	843ECO	0.025in
4 Stroke; 1 Cyl.; L-HEAD				
EY10;D, B	830 / RL86C	933-1 / QL86C	---	0.025in
EY12W	830 / RL86C	933-1 / QL86C	---	0.025in
EY13	830 / RL86C	933-1 / QL86C	---	0.025in
EY13-2;D, B	830 / RL86C	933-1 / QL86C	---	0.025in
EY14;D, B	830 / RL86C	933-1 / QL86C	---	0.025in
EY18	830 / RL86C	933-1 / QL86C	---	0.025in
EY18-2	830 / RL86C	933-1 / QL86C	---	0.025in
EY18-3;D, B	814 / RL82YC	931-1 / QL82C	---	0.025in
EY18W	830 / RL86C	933-1 / QL86C	---	0.025in
EY25;D, B	814 / RL82YC	931-1 / QL82C	---	0.025in
EY25W	830 / RL86C	933-1 / QL86C	---	0.025in
EY27-2;D, B	814 / RL82YC	931-1 / QL82C	---	0.025in
EY45V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
11.0hp;EY40;D, DS, B, BS	929 / RL95YC	806 / L92YC	---	0.025in
2.0hp;EY08;D, BN	846 / CJ14	---	846ECO	0.025in
3.5hp;EY15	830 / RL86C	933-1 / QL86C	---	0.025in
3.5hp;EY15-2;B	814 / RL82YC	931-1 / QL82C	---	0.025in
3.5hp;EY15-3	830 / RL86C	933-1 / QL86C	---	0.025in
5.0hp;EY20;D, DS, B, BS	830 / RL86C	933-1 / QL86C	---	0.025in
6.0hp;EY20V	830 / RL86C	933-1 / QL86C	---	0.025in
6.0hp;EY23;D, DS, B, BS	929 / RL95YC	806 / L92YC	---	0.025in
7.5hp;EY28;D, DS, B, BS	830 / RL86C	933-1 / QL86C	---	0.025in
7.8hp;EY44;D, DS, B, BS	830 / RL86C	933-1 / QL86C	---	0.025in
8.5hp;EY35;D, DS, B, BS	929 / RL95YC	806 / L92YC	---	0.025in
8.9hp;EY45V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Robin				
4 Stroke; 1 Cyl.; OHV				
EH11	415 / RN9YC	300 / N9YC	415ECO	0.030in
EH15	415 / RN9YC	300 / N9YC	415ECO	0.030in
EH21	415 / RN9YC	300 / N9YC	415ECO	0.030in
EH43V	415 / RN9YC	300 / N9YC	415ECO	0.025in
1.1hp;EH025	978 / RY4C	---	---	0.025in
1.6hp;EH035	978 / RY4C	---	---	0.025in
1.6hp;EH035V	978 / RY4C	---	---	0.025in
11.0hp;EH34	415 / RN9YC	7415 / RN9PYP	415ECO	0.025in
11.0hp;EH34;D, DS, B, BS	300 / N9YC	---	---	0.025in
11.0hp;EH34V	415 / RN9YC	7415 / RN9PYP	415ECO	0.025in
11.0hp;EH34V;V, VS	300 / N9YC	---	---	0.025in
11.5hp;EH36	415 / RN9YC	300 / N9YC	415ECO	0.025in
13.5hp;EH41	415 / RN9YC	300 / N9YC	415ECO	0.025in
4.0hp;EH12;D, DS, B, BS	104 / RN4C	---	---	0.025in
4.0hp;EH12-2	104 / RN4C	---	---	0.025in
6.0hp;EH17	327 / RL87YC	934-1 / QL87YC	---	0.025in
6.0hp;EH17-2	327 / RL87YC	934-1 / QL87YC	---	0.025in
6.0hp;EH18VX	830 / RL86C	933-1 / QL86C	---	0.025in
6.0hp;EH18VX-2	830 / RL86C	933-1 / QL86C	---	0.025in
8.5hp;EH25	327 / RL87YC	934-1 / QL87YC	---	0.025in
8.5hp;EH25-2	327 / RL87YC	934-1 / QL87YC	---	0.025in
9hp;EH30	415 / RN9YC	7415 / RN9PYP	415ECO	0.025in
9hp;EH30;V, VS, BS	415 / RN9YC	300 / N9YC	415ECO	0.025in
9hp;EH30V	415 / RN9YC	300 / N9YC	415ECO	0.025in
4 Stroke; 2 Cyl.; L-HEAD				
16.0hp;EY21	830 / RL86C	933-1 / QL86C	---	0.025in
4 Stroke; 126cc; 1 Cyl.; OHC				
4.5hp;EX13	830 / RL86C	933-1 / QL86C	---	0.025in
4 Stroke; 143cc; 1 Cyl.; L-HEAD				
EY15D	830 / RL86C	933-1 / QL86C	---	0.025in
4 Stroke; 183cc; 1 Cyl.; L-HEAD				
EY20D	830 / RL86C	933-1 / QL86C	---	0.025in
4 Stroke; 183cc; 1 Cyl.; OHV				
4.4hp;EH18	830 / RL86C	933-1 / QL86C	---	0.025in
4 Stroke; 273cc; 1 Cyl.; L-HEAD				
EY26D	327 / RL87YC	934-1 / QL87YC	---	0.025in
4 Stroke; 388cc; 1 Cyl.; L-HEAD				
EY40D	327 / RL87YC	934-1 / QL87YC	---	0.025in
4 Stroke; 86cc; 1 Cyl.; OHV				
2.4hp;EH09	840 / RCJ8	843 / CJ8	843ECO	0.025in
4 Stroke; 10.3cid\169cc; 1 Cyl.; OHC				
5.7hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in
4 Stroke; 12.9cid\211cc; 1 Cyl.; OHC				
7.0hp;EX21	830 / RL86C	933-1 / QL86C	---	0.025in
4 Stroke; 16.2cid\265cc; 1 Cyl.; OHC				
9.0hp;EX27;13.74 ft.-lb. Torque;Inc. FI, All Season models	830 / RL86C	933-1 / QL86C	---	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Robin				
4 Stroke; 39.9cid/653cc; V2; OHV				
22hp;EH65V	415 / RN9YC	300 / N9YC	415ECO	0.025in
4 Stroke; Horizontal; 39.9cid/653cc; V2; OHV				
18hp;EH63	415 / RN9YC	415 / RN9YC	415ECO	0.030in
18hp;EH63V	415 / RN9YC	300 / N9YC	415ECO	0.025in
20.5hp;EH64	415 / RN9YC	300 / N9YC	415ECO	0.025in
22hp;EH64;33.6 ft.-lb. Torque;For Welding Only	405 / RN14YC	3405 / RN14PMC	---	0.035in
22hp;EH65	415 / RN9YC	300 / N9YC	415ECO	0.030in
22hp;EH65;For Welding Only	405 / RN14YC	3405 / RN14PMC	---	0.035in
4 Stroke; Horizontal; 43.9cid/720cc; V2; OHV				
18.6hp;EH72D	415 / RN9YC	300 / N9YC	415ECO	0.031in
25hp;EH72	415 / RN9YC	300 / N9YC	415ECO	0.025in
25hp;EH72V	415 / RN9YC	300 / N9YC	415ECO	0.025in
4 Stroke; Slant Horizontal; 169cc; 1 Cyl.; OHC				
4.3hp;EX16	830 / RL86C	933-1 / QL86C	---	0.026in
4 Stroke; Water Cooled; 4 Cyl.				
EW182 D-L	415 / RN9YC	300 / N9YC	415ECO	0.030in
Sachs				
1 Cyl.				
SB130	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
SB140	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
SB151	814 / RL82YC	931-1 / QL82C	---	0.020in
ST151	814 / RL82YC	931-1 / QL82C	---	0.020in
ST-204	509 / D9	---	---	0.020in
ST251	509 / D9	---	---	0.020in
ST282	509 / D9	---	---	0.020in
ST-96	814 / RL82YC	931-1 / QL82C	---	0.020in
504 Series; 1 Cyl.				
	830 / RL86C	933-1 / QL86C	---	0.030in
505 Series; 1 Cyl.				
	830 / RL86C	933-1 / QL86C	---	0.030in
508 Series; 1 Cyl.				
	830 / RL86C	933-1 / QL86C	---	0.030in
STIHL				
Kombi Motor; 1 Cyl.				
KM55	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
KM85	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Kombi Motor; 36.3cc; 1 Cyl.				
1.9hp;KM130	965 / RZ7C	---	---	0.020in
Kombi Motor; 2 Stroke; 27.2cc; 1 Cyl.				
1.1hp;KM56	965 / RZ7C	---	---	0.020in
1.1hp;KM56 RC-E	965 / RZ7C	---	---	0.020in
Subaru				
1 Cyl.; OHV				
EC025	849 / CJ6	858 / CJ6Y	---	0.028in
EH092	846 / CJ14	---	846ECO	0.028in
EH100	846 / CJ14	---	846ECO	0.028in
EH122	104 / RN4C	803 / N4C	---	0.028in
EH172	830 / RL86C	---	---	0.028in
EH252	830 / RL86C	---	---	0.028in
EH300	830 / RL86C	---	---	0.028in
EH340	830 / RL86C	---	---	0.028in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Subaru				
1 Cyl.; OHV				
EH360	415 / RN9YC	300 / N9YC	415ECO	0.030in
EH410	415 / RN9YC	300 / N9YC	415ECO	0.030in
EK130	327 / RL87YC	312 / L87YC	---	0.028in
EK170	327 / RL87YC	312 / L87YC	---	0.028in
EK200	327 / RL87YC	312 / L87YC	---	0.028in
EK280	327 / RL87YC	312 / L87YC	---	0.028in
EK300	327 / RL87YC	312 / L87YC	---	0.028in
ER120	808 / Z9Y	705 / P-RZ9HC	---	0.028in
39.9cid/653cc; V2; OHV				
EH650	405 / RN14YC	3405 / RN14PMC	---	0.030in
43.9cid/720cc; V2; OHV				
EH720	415 / RN9YC	300 / N9YC	415ECO	0.030in
EH722	415 / RN9YC	300 / N9YC	415ECO	0.030in
4 Stroke; 189cc; 1 Cyl.; OHC				
5.5hp;EA190	327 / RL87YC	934-1 / QL87YC	---	0.026in
4 Stroke; 211cc; 1 Cyl.; OHC				
7.0hp;EX21D	830 / RL86C	933-1 / QL86C	---	0.026in
4 Stroke; 10.3cid/169cc; 1 Cyl.; OHC				
5.7hp;EX17D	830 / RL86C	933-1 / QL86C	---	0.026in
4 Stroke; Horizontal; 1 Cyl.; OHV				
5.7hp;SP17	830 / RL86C	933-1 / QL86C	---	0.025in
4 Stroke; Horizontal; 169cc; 1 Cyl.; OHC				
5.7hp;SP170	830 / RL86C	933-1 / QL86C	---	0.025in
4 Stroke; Horizontal; 211cc; 1 Cyl.; OHC				
7.0hp;SP210	830 / RL86C	933-1 / QL86C	---	0.025in
4 Stroke; Horizontal; 287cc; 1 Cyl.; OHC				
9.5hp;EX30	830 / RL86C	933-1 / QL86C	---	0.025in
9.5hp;EX30D	830 / RL86C	933-1 / QL86C	---	0.026in
4 Stroke; Horizontal; 404cc; 1 Cyl.; OHC				
12hp;EX35D	830 / RL86C	933-1 / QL86C	---	0.026in
12.0hp;EX35	830 / RL86C	933-1 / QL86C	---	0.025in
4 Stroke; Horizontal; 999cc; V2; OHV				
35.0hp;EH90	431 / RC14YC	946 / QC12YC	71ECO	0.043in
40.0hp;EH99	431 / RC14YC	946 / QC12YC	71ECO	0.043in
4 Stroke; Horizontal; 24.65cid/404cc; 1 Cyl.; OHC				
14hp;EX40;19.9 ft.-lb. Torque	830 / RL86C	933-1 / QL86C	---	0.025in
14hp;EX40D	830 / RL86C	933-1 / QL86C	---	0.026in
4 Stroke; Horizontal; 24.65cid/404cc; 1 Cyl.; OHV				
10hp;EX35D	830 / RL86C	933-1 / QL86C	---	0.025in
12hp;EX40D	830 / RL86C	---	---	0.025in
4 Stroke; Horizontal; 39.9cid/653cc; V2; OHC				
22hp;EH65D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4 Stroke; Horizontal; 43.9cid/720cc; V2; OHV				
25hp;EH72	404 / RN12YC	38 / N12YC	322ECO	0.030in
28hp;EH72	404 / RN12YC	38 / N12YC	322ECO	0.030in
4 Stroke; Vertical; 174cc; 1 Cyl.; OHC				
4.5hp;EA175V	814 / RL82YC	932-1 / QL82YC	---	0.026in
4 Stroke; Vertical; 189cc; 1 Cyl.; OHC				
5.5hp;EA190V	327 / RL87YC	934-1 / QL87YC	---	0.026in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Tanaka				
Pure Fire Engines; 1 Cyl.				
PF2600	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
Pure Fire Engines; 2 Stroke; 26cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
Pure Fire Engines; 2 Stroke; 40cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
Tas				
1 Cyl.				
D50G	102 / RJ6C	823 / J6C	---	0.030in
J37	102 / RJ6C	823 / J6C	---	0.030in
Q22	840 / RCJ8	843 / CJ8	843ECO	0.030in
QC22	840 / RCJ8	843 / CJ8	843ECO	0.030in
QEG300	840 / RCJ8	843 / CJ8	843ECO	0.030in
RE11	102 / RJ6C	823 / J6C	---	0.030in
T23	840 / RCJ8	843 / CJ8	843ECO	0.025in
T30	840 / RCJ8	843 / CJ8	843ECO	0.025in
T50	840 / RCJ8	843 / CJ8	843ECO	0.030in
16cc; 1 Cyl.				
0.8hp	893 / RCJ4	849 / CJ6	852ECO	0.030in
23cc; 1 Cyl.				
1.2hp	893 / RCJ4	849 / CJ6	852ECO	0.030in
30cc; 1 Cyl.				
1.6hp	893 / RCJ4	849 / CJ6	852ECO	0.030in
31cc; 1 Cyl.				
1.6hp	893 / RCJ4	849 / CJ6	852ECO	0.030in
37cc; 1 Cyl.				
2.0hp	893 / RCJ4	849 / CJ6	852ECO	0.030in
Tecumseh				
1 Cyl.; L-HEAD				
5hp;752Z170-L0	868 / RJ19LM	861 / J19LM	861ECO	0.030in
2 Stroke; 1 Cyl.				
2hp;TM049XA	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
2 Stroke; Horizontal; 1 Cyl.				
AH520	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
1.6hp;TCH200	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
2hp;TCH300	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
3hp;AH600	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
3hp;TH098SA	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
3.5hp;HXL35	871 / RJ8C	841 / J8C	---	0.030in
2 Stroke; Horizontal; 139cc; 1 Cyl.				
4.5hp;TH139SA	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
5hp;TH139SP	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
6.5hp;TH139SA	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
7hp;TH139SP	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
2 Stroke; Horizontal; 8.46cid\139cc; 1 Cyl.				
4.5hp;HXL840	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
2 Stroke; Horizontal; Snow King; 8.46cid\139cc; 1 Cyl.				
4hp;HSK840	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
4.5hp;HSK845	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
5hp;HSK850	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
2 Stroke; Snow King; 1 Cyl.				
2hp;HSK300	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
3hp;HSK600	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
3.5hp;HSK635	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Tecumseh				
2 Stroke; Snow King; 1 Cyl.				
6hp;HSK860	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp;HSK870	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Stroke; Vertical; 1 Cyl.				
AV125	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
AV85	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
MV100S	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
TVO85XA	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
1.6hp;TC200	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
2hp;TC300	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
3hp;AV520	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
3hp;TVO85XA	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
3.5hp;AV600	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
2 Stroke; Vertical; 6.0cid\98cc; 1 Cyl.				
3.25hp;TVS600	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
2 Stroke; Vertical; 8.46cid\139cc; 1 Cyl.				
4hp;TVS840	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;TVXL840	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 1 Cyl.				
TNT100	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
TNT120	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; 1 Cyl.; OHV				
Premier 45	104 / RN4C	---	---	0.030in
Premier 55	104 / RN4C	---	---	0.030in
4 Stroke; 12.04cid\197.34cc; 1 Cyl.; L-HEAD				
5hp;HSSK50	947 / QJ19LM	---	---	0.030in
4 Stroke; Horizontal; 1 Cyl.				
Spectra 37	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
10hp;HH100	871 / RJ8C	841 / J8C	---	0.030in
12hp;HH120	871 / RJ8C	841 / J8C	---	0.030in
13hp;HH130	814 / RL82YC	931-1 / QL82C	---	0.030in
14hp;HH140	814 / RL82YC	931-1 / QL82C	---	0.030in
15hp;HH150	814 / RL82YC	931-1 / QL82C	---	0.030in
16hp;HH160	814 / RL82YC	931-1 / QL82C	---	0.030in
2hp;H20	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2.2hp;H22	871 / RJ8C	841 / J8C	---	0.030in
2.5hp;H25	871 / RJ8C	841 / J8C	---	0.030in
3hp;HT30	871 / RJ8C	841 / J8C	---	0.030in
3.5hp;HT35	871 / RJ8C	841 / J8C	---	0.030in
4hp;HH40	871 / RJ8C	841 / J8C	---	0.030in
5hp;HH50	871 / RJ8C	841 / J8C	---	0.030in
6hp;HH60	871 / RJ8C	841 / J8C	---	0.030in
6hp;HSSK60	871 / RJ8C	841 / J8C	---	0.030in
6hp;OMH90	104 / RN4C	803 / N4C	---	0.030in
7hp;HH70	871 / RJ8C	841 / J8C	---	0.030in
7hp;HMXL70	871 / RJ8C	841 / J8C	---	0.030in
7hp;HSSK70	871 / RJ8C	841 / J8C	---	0.030in
8hp;HH80	871 / RJ8C	841 / J8C	---	0.030in
8hp;HHM80	871 / RJ8C	841 / J8C	---	0.030in
4 Stroke; Horizontal; 1 Cyl.; L-HEAD				
10hp;HM100	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
3hp;H30	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
3.5hp;H35	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
4hp;H40	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
4hp;HS40	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
5hp;H50	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in



POWER EQUIPMENT ENGINES
MOTEURS D'EQUIPEMENT MOTORISÉ
MOTORES DE EQUIPOS

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Tecumseh				
4 Stroke; Horizontal; 1 Cyl.; L-HEAD				
5hp;HS50	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
6hp;H60	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
7hp;H70	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
7hp;HM70	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
8hp;H80	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
8hp;HM80	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
8.5hp;HM85	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
9hp;HM90	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; Horizontal; 1 Cyl.; OHV				
10hp;OHM110	104 / RN4C	803 / N4C	---	0.030in
12hp;OH120	814 / RL82YC	931-1 / QL82C	---	0.030in
12hp;OHM120;Spec. #220000 to 223999	830 / RL86C	933-1 / QL86C	---	0.030in
12hp;OHM120;Spec. #224000 & Up	104 / RN4C	803 / N4C	---	0.030in
14hp;OH140	814 / RL82YC	931-1 / QL82C	---	0.030in
16hp;OH160	814 / RL82YC	931-1 / QL82C	---	0.030in
18hp;OH180	104 / RN4C	803 / N4C	---	0.030in
4.5hp;OHH45	104 / RN4C	803 / N4C	---	0.030in
5hp;OHH50	104 / RN4C	803 / N4C	---	0.030in
5.5hp;OHH55	104 / RN4C	803 / N4C	---	0.030in
6hp;OHH60	104 / RN4C	803 / N4C	---	0.030in
6.5hp;OHH65	104 / RN4C	803 / N4C	---	0.030in
9hp;OHM90	104 / RN4C	803 / N4C	---	0.030in
4 Stroke; Horizontal; 195cc; 1 Cyl.; OHV				
10hp;OH195EA	104 / RN4C	803 / N4C	---	0.030in
5hp;OH195EA	104 / RN4C	803 / N4C	---	0.030in
6hp;OH195EA	104 / RN4C	803 / N4C	---	0.030in
6.5hp;OH195EP	104 / RN4C	803 / N4C	---	0.030in
4 Stroke; Horizontal; 318cc; 1 Cyl.; OHV				
11hp;OH318EA	104 / RN4C	803 / N4C	---	0.030in
9hp;OH318EA	104 / RN4C	803 / N4C	---	0.030in
4 Stroke; Horizontal; Snow King; 1 Cyl.; L-HEAD				
10hp;HMSK100	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10.5hp;HMSK105	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11hp;HMSK110	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp;HMSK70	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp;HMSK80	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.5hp;HMSK85	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9hp;HMSK90	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; Horizontal; Snow King; 1 Cyl.; OHV				
10hp;OHSK100	104 / RN4C	803 / N4C	---	0.030in
11hp;OHSK110;Spec. #222999 & Below	830 / RL86C	933-1 / QL86C	---	0.030in
11hp;OHSK110;Spec. #223000 & Up	104 / RN4C	803 / N4C	---	0.030in
12hp;OHSK120;Spec #222999 & Below	830 / RL86C	933-1 / QL86C	---	0.030in
12hp;OHSK120;Spec. #223000 & Up	104 / RN4C	803 / N4C	---	0.030in
12hp;OHSK130;Spec #222999 & Below	830 / RL86C	933-1 / QL86C	---	0.030in
12hp;OHSK130;Spec. #223000 & Up	104 / RN4C	803 / N4C	---	0.030in
12.5hp;OHSK125	104 / RN4C	803 / N4C	---	0.030in
13hp;OHSK130;Spec. #222999 & Below	830 / RL86C	933-1 / QL86C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Tecumseh				
4 Stroke; Horizontal; Snow King; 1 Cyl.; OHV				
13hp;OHSK130;Spec. #223000 & Up	104 / RN4C	803 / N4C	---	0.030in
5hp;OHSK50	104 / RN4C	803 / N4C	---	0.030in
5.5hp;OHSK55	104 / RN4C	803 / N4C	---	0.030in
6hp;OHSK60	104 / RN4C	803 / N4C	---	0.030in
6.5hp;OHSK65	104 / RN4C	803 / N4C	---	0.030in
7hp;OHSK70	104 / RN4C	803 / N4C	---	0.030in
7.5hp;OHSK75	104 / RN4C	803 / N4C	---	0.030in
8hp;OHSK80	104 / RN4C	803 / N4C	---	0.030in
9hp;OHSK90	104 / RN4C	803 / N4C	---	0.030in
4 Stroke; Horizontal; Snow King; 195cc; 1 Cyl.; L-HEAD				
5hp;LH195SA	871 / RJ8C	841 / J8C	---	0.030in
5.5hp;LH195SP	871 / RJ8C	841 / J8C	---	0.030in
4 Stroke; Horizontal; Snow King; 195cc; 1 Cyl.; OHV				
OH195SA	104 / RN4C	803 / N4C	---	0.030in
OH195SP	104 / RN4C	803 / N4C	---	0.030in
6hp;OH195SA	104 / RN4C	803 / N4C	---	0.030in
7hp;OH195SA	104 / RN4C	803 / N4C	---	0.030in
7.5hp;OH195SP	104 / RN4C	803 / N4C	---	0.030in
4 Stroke; Horizontal; Snow King; 318cc; 1 Cyl.; L-HEAD				
8hp;LH318SA	871 / RJ8C	841 / J8C	---	0.030in
4 Stroke; Horizontal; Snow King; 318cc; 1 Cyl.; OHV				
11hp;OH318SA	104 / RN4C	803 / N4C	---	0.030in
4 Stroke; Horizontal; Snow King; 358cc; 1 Cyl.; L-HEAD				
10hp;LH358SA	871 / RJ8C	841 / J8C	---	0.030in
12hp;LH358SA	871 / RJ8C	841 / J8C	---	0.030in
13hp;LH358SA	871 / RJ8C	841 / J8C	---	0.030in
4 Stroke; Horizontal; Snow King; 358cc; 1 Cyl.; OHV				
OH358SA;Spec #222999 & Below	830 / RL86C	933-1 / QL86C	---	0.030in
OH358SA;Spec. #223000 & Up	104 / RN4C	803 / N4C	---	0.030in
4 Stroke; Snow King; 1 Cyl.				
3hp;HSK30	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;HSK35	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp;HSK40	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp;HSSK40	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;HSK50	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;HSSK50	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp;HSK60	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp;HSK70	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; Snow King; 12.04cid\197.34cc; 1 Cyl.; L-HEAD				
5hp;HSSK50	868 / RJ19LM	861 / J19LM	861ECO	0.030in
4 Stroke; Vertical; 1 Cyl.				
ECV105	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
ECV110	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
ECV120	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
LEV80	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
TVXL120	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
TVXL90	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10hp;TVM220	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
10hp;TVXL220	856 / RJ17LM	845 / J17LM	---	0.030in
10hp;VH100	871 / RJ8C	841 / J8C	---	0.030in
10hp;VKS100	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10hp;VM100	871 / RJ8C	841 / J8C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Tecumseh				
4 Stroke; Vertical; 1 Cyl.				
10.5hp;TVM220	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
2.5hp;LAV25	871 / RJ8C	841 / J8C	---	0.030in
3hp;LAV30	871 / RJ8C	841 / J8C	---	0.030in
3hp;TVS75	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;LAV35	871 / RJ8C	841 / J8C	---	0.030in
3.5hp;LEV100	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;TVS90	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.8hp;LEV100	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.8hp;TVS90	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.9hp;ECV100	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.9hp;TNT100	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.9hp;TNT120	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.9hp;TVS100	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp;LAV40	871 / RJ8C	841 / J8C	---	0.030in
4hp;TVS105	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp;TVS115	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp;TVS90	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp;TVXL105	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp;V40	871 / RJ8C	841 / J8C	---	0.030in
4hp;VH40	871 / RJ8C	841 / J8C	---	0.030in
4.5hp;LEV100	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.5hp;TVS115	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;LAV50	871 / RJ8C	841 / J8C	---	0.030in
5hp;LEV115	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;TVM125	871 / RJ8C	841 / J8C	---	0.030in
5hp;TVS115	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;TVXL115	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;V50	871 / RJ8C	841 / J8C	---	0.030in
5hp;VH50	871 / RJ8C	841 / J8C	---	0.030in
5.5hp;LEV115	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp;TVS115	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp;TVS120	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp;LEV115	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp;LEV120	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp;TVM140	871 / RJ8C	841 / J8C	---	0.030in
6hp;TVS120	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp;V60	871 / RJ8C	841 / J8C	---	0.030in
6hp;VH60	871 / RJ8C	841 / J8C	---	0.030in
7hp;TVM170	871 / RJ8C	841 / J8C	---	0.030in
7hp;TVXL170	871 / RJ8C	841 / J8C	---	0.030in
7hp;V70	871 / RJ8C	841 / J8C	---	0.030in
7hp;VH70	871 / RJ8C	841 / J8C	---	0.030in
7hp;VM70	871 / RJ8C	841 / J8C	---	0.030in
8hp;V80	871 / RJ8C	841 / J8C	---	0.030in
8hp;VH80	871 / RJ8C	841 / J8C	---	0.030in
8hp;VM80	871 / RJ8C	841 / J8C	---	0.030in
9.5hp;TVM220	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; Vertical; 1 Cyl.; L-HEAD				
LV148SA	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;LV148EA	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp;VLV40	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
4.24hp;LV148EA	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.5hp;LV148EA	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;VLV126	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;VLV50	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
5.5hp;VLV126	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Tecumseh				
4 Stroke; Vertical; 1 Cyl.; L-HEAD				
5.5hp;VLV55	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
6hp;VLV126	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp;VLV60	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
6.5hp;VLV126	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
6.5hp;VLV65	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
6.6hp;VLV66	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; Vertical; 1 Cyl.; OHV				
10hp;OHV100	104 / RN4C	803 / N4C	---	0.030in
10.5hp;OVRM105	104 / RN4C	803 / N4C	---	0.030in
11hp;OHV110	104 / RN4C	803 / N4C	---	0.030in
11.5hp;OHV115	104 / RN4C	803 / N4C	---	0.030in
12hp;OHV120	104 / RN4C	803 / N4C	---	0.030in
12hp;OVM120	830 / RL86C	933-1 / QL86C	---	0.030in
12hp;OVRM120	104 / RN4C	803 / N4C	---	0.030in
12hp;OVXL/C120;Spec. #202700 to 202999	830 / RL86C	933-1 / QL86C	---	0.030in
12hp;OVXL/C120;Spec. #203000 & Up	104 / RN4C	803 / N4C	---	0.030in
12hp;OVXL120;Spec. #202700 to 202999	830 / RL86C	933-1 / QL86C	---	0.030in
12hp;OVXL120;Spec. #202700, #223000 & Up	104 / RN4C	803 / N4C	---	0.030in
12.5hp;OHV125	104 / RN4C	803 / N4C	---	0.030in
12.5hp;OVXL125;Spec. #202700 to 202999	830 / RL86C	933-1 / QL86C	---	0.030in
12.5hp;OVXL125;Spec. #203000 & Up	104 / RN4C	803 / N4C	---	0.030in
13hp;OHV13	104 / RN4C	803 / N4C	---	0.030in
13hp;OHV130	104 / RN4C	803 / N4C	---	0.030in
13hp;OHV135	104 / RN4C	803 / N4C	---	0.030in
13.5hp;OHV13	104 / RN4C	803 / N4C	---	0.030in
13.5hp;OHV135	104 / RN4C	803 / N4C	---	0.030in
13.5hp;OV350EA	104 / RN4C	803 / N4C	---	0.030in
14hp;OHV14	104 / RN4C	803 / N4C	---	0.030in
14hp;OHV140	104 / RN4C	803 / N4C	---	0.030in
14hp;OV490EA	104 / RN4C	803 / N4C	---	0.030in
14.5hp;OHV145	104 / RN4C	803 / N4C	---	0.030in
15hp;OHV15	104 / RN4C	803 / N4C	---	0.030in
15hp;OHV150	104 / RN4C	803 / N4C	---	0.030in
15hp;OV490EA	104 / RN4C	803 / N4C	---	0.030in
15.5hp;OHV155	104 / RN4C	803 / N4C	---	0.030in
16hp;OHV16	104 / RN4C	803 / N4C	---	0.030in
16hp;OHV160	104 / RN4C	803 / N4C	---	0.030in
16hp;OHV170	104 / RN4C	803 / N4C	---	0.030in
16.5hp;OHV165	104 / RN4C	803 / N4C	---	0.030in
17hp;OHV160	104 / RN4C	803 / N4C	---	0.030in
17hp;OHV17	104 / RN4C	803 / N4C	---	0.030in
17hp;OHV170	104 / RN4C	803 / N4C	---	0.030in
17.5hp;OHV175	104 / RN4C	803 / N4C	---	0.030in
17.5hp;OV490EA	104 / RN4C	803 / N4C	---	0.030in
18hp;OV490EA	104 / RN4C	803 / N4C	---	0.030in
3.5hp;OVRM35	104 / RN4C	803 / N4C	---	0.030in
4hp;OVRM40	104 / RN4C	803 / N4C	---	0.030in
4.5hp;OVRM905	104 / RN4C	803 / N4C	---	0.030in
5hp;OVRM50	104 / RN4C	803 / N4C	---	0.030in
5.5hp;OVRM55	104 / RN4C	803 / N4C	---	0.030in
6hp;OVRM60	104 / RN4C	803 / N4C	---	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Tecumseh				
4 Stroke; Vertical; 1 Cyl.; OHV				
6.5hp;OVRM65	104 / RN4C	803 / N4C	---	0.030in
4 Stroke; Vertical; 2 Cyl.				
VTX691	104 / RN4C	803 / N4C	---	0.030in
4 Stroke; Vertical; 195cc; 1 Cyl.				
8hp;TVM195	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
8hp;TVXL195	856 / RJ17LM	845 / J17LM	861ECO	0.030in
8.5hp;TVM195	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
9hp;TVM195	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; Vertical; 195cc; 1 Cyl.; L-HEAD				
4.5hp;LV195	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;LV195EA	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp;LV195EA	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6.5hp;LV195EA	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6.75hp;LV195EA	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; Vertical; 195cc; 1 Cyl.; OHV				
7hp;OV195	104 / RN4C	803 / N4C	---	0.030in
7hp;OV195EA	104 / RN4C	803 / N4C	---	0.030in
4 Stroke; Vertical; 358cc; 1 Cyl.; OHV				
10hp;OV358EA	104 / RN4C	803 / N4C	---	0.030in
11hp;OV358EA	104 / RN4C	803 / N4C	---	0.030in
13hp;OV358EA	104 / RN4C	803 / N4C	---	0.030in
13.5hp;OV358EA	104 / RN4C	803 / N4C	---	0.030in
4 Stroke; Vertical; 691cc; 2 Cyl.; OHV				
18hp;OV691EA	104 / RN4C	803 / N4C	---	0.030in
21hp;OV691EA	104 / RN4C	803 / N4C	---	0.030in
23hp;OV691EA	104 / RN4C	803 / N4C	---	0.030in
23hp;OV691EP	104 / RN4C	803 / N4C	---	0.030in
25hp;OV691EP	104 / RN4C	803 / N4C	---	0.030in
4 Stroke; Vertical; Snow King; 1 Cyl.				
VSK100	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
VSK90	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4 Stroke; Vertical; Twin Long Block; 2 Cyl.				
TVT591	104 / RN4C	803 / N4C	---	0.030in
TVT691	104 / RN4C	803 / N4C	---	0.030in
Prism; 1 Cyl.				
	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
Troy-Bilt				
1 Cyl.; OHV				
161-VH	415 / RN9YC	300 / N9YC	415ECO	0.030in
165-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
165-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
165-SUB-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
165-SUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-C0A	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-C0A-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-CU	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-DU	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-PU	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-T0	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-T0A	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-T0B	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-TU	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-V0A	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
1 Cyl.; OHV				
170-V0B	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-VU	415 / RN9YC	300 / N9YC	415ECO	0.030in
178-L0	415 / RN9YC	300 / N9YC	415ECO	0.030in
178-L0-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
178-LU	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P61L0	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P61N0	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P61P0	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65B0B	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65B0C	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65BU	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65FU	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65FUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65LHA	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65M0	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65MC	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65N0	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65N0A	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65NU	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65TG	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65TGA	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P65TU	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P70C0	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P70COA	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P70COA-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P70FU	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P70FUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P70L0A	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P70M0	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P70MC	415 / RN9YC	300 / N9YC	415ECO	0.030in
1T65NUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1T65RUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65CU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65LU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65RU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
265-JU	415 / RN9YC	300 / N9YC	415ECO	0.030in
265-JU-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
265-JU-12	415 / RN9YC	300 / N9YC	415ECO	0.030in
265-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
265-SU-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
265-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-JU	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-JU-12	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-QU	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-SU-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-V0	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-VU	415 / RN9YC	300 / N9YC	415ECO	0.030in
2P70M0	415 / RN9YC	300 / N9YC	415ECO	0.030in
2P70M0A	415 / RN9YC	300 / N9YC	415ECO	0.030in
2P70M0B	415 / RN9YC	300 / N9YC	415ECO	0.030in
2P70M0C	415 / RN9YC	300 / N9YC	415ECO	0.030in
2P70M0D	415 / RN9YC	300 / N9YC	415ECO	0.030in
2P70MU	415 / RN9YC	300 / N9YC	415ECO	0.030in
365-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
1 Cyl.; OHV				
365-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
370-JU	415 / RN9YC	300 / N9YC	415ECO	0.030in
370-JU-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
370-JUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
370-QU	415 / RN9YC	300 / N9YC	415ECO	0.030in
370-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
370-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
370-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
370-SUB-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
370-SUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
375-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
478-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
478-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
478-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
478-SUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
483-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
483-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
483-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
483-SUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
490-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
490-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
490-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
490-SUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
490-WU	415 / RN9YC	300 / N9YC	415ECO	0.030in
490-WUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90HU	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90HUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90HUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90JHA	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90JT	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90JU	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90JUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90JUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90JUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90M0	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90MU	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90MUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90MUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90MUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90MUD	415 / RN9YC	300 / N9YC	415ECO	0.030in
4X90HU	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P65M0	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P65M0A	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P65M0B	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P65M0C	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P65MU	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P70M0	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P70M0A	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P70M0B	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P70M0C	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P70ML	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P70MU	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P71MU	415 / RN9YC	300 / N9YC	415ECO	0.030in
5P71RU	415 / RN9YC	300 / N9YC	415ECO	0.030in
5X65RU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6X65RU	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
1 Cyl.; OHV				
9X90HU	415 / RN9YC	300 / N9YC	415ECO	0.030in
123cc; 1 Cyl.; OHV				
161-JU	415 / RN9YC	300 / N9YC	415ECO	0.030in
161-JW	415 / RN9YC	300 / N9YC	415ECO	0.030in
161-JWA	415 / RN9YC	300 / N9YC	415ECO	0.030in
161-JWA-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
161-JWA-12	415 / RN9YC	300 / N9YC	415ECO	0.030in
261-JU	415 / RN9YC	300 / N9YC	415ECO	0.030in
261-JUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
132cc; 1 Cyl.; OHV				
1R61DT	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1R61NU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1R61NUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1R61RU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
140cc; 1 Cyl.; OHV				
1T65DT	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1T65LH	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1T65NTA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1T65NTB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1T65NUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1T65PT	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1T65RS	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1T65RUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1T65RUC	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1T65TU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5T65RU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5T65RUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5T65RUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5T65VUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
149cc; 1 Cyl.; OHV				
5R65MU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
159cc; 1 Cyl.; OHV				
1X65CUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65CUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65CUC	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65LUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65PT	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65RH	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65TU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65TUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65VU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65VUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X65VUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5X65MU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5X65MUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5X65MUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5X65MUC	322 / RN11YC4	404 / RN12YC	322ECO	0.030in
5X65VU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5X65VUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5X65VUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5X65VUC	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6X65MU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6X65MUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6X65MUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6X65QU	322 / RN11YC4	302 / N11YC	322ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
159cc; 1 Cyl.; OHV				
6X65QUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6X65RUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
7P71RU	415 / RN9YC	300 / N9YC	415ECO	0.030in
8X65MU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8X65MUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
BX65MU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Z5X65MUC	322 / RN11YC4	302 / N11YC	322ECO	0.030in
179cc; 1 Cyl.; OHV				
165-WU	415 / RN9YC	300 / N9YC	415ECO	0.030in
165-WUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
265-JUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
265-WU	415 / RN9YC	300 / N9YC	415ECO	0.030in
265-WUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
195cc; 1 Cyl.; OHV				
7P71RUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
196cc; 1 Cyl.; OHV				
1X70DT	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X70NT	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1X70PT	322 / RN11YC4	302 / N11YC	322ECO	0.030in
2X70DT	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5X70AU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5X70MU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5X70MUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5X70MUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6X70MU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6X70MUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6X70MUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6X70MUC	322 / RN11YC4	302 / N11YC	322ECO	0.030in
7X70JU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
7X70JUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
208cc; 1 Cyl.; OHV				
170-AU	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-AUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-AUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-AUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-CUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-JU	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-L0	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-L0-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-LU	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-NU	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-PUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-THC	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-JUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-QUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-WU	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-WUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
270-XU	415 / RN9YC	300 / N9YC	415ECO	0.030in
670-JU	415 / RN9YC	300 / N9YC	415ECO	0.030in
670-JUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
670-JUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
670-QUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
670-WU	415 / RN9YC	300 / N9YC	415ECO	0.030in
670-WUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
670-WUB	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
224cc; 1 Cyl.; OHV				
7X72RU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
243cc; 1 Cyl.; OHV				
375-QU	415 / RN9YC	300 / N9YC	415ECO	0.030in
675-QU	415 / RN9YC	300 / N9YC	415ECO	0.030in
675-QUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
675-WU	415 / RN9YC	300 / N9YC	415ECO	0.030in
675-WUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
675-WUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
272cc; 1 Cyl.; OHV				
175-CU	415 / RN9YC	300 / N9YC	415ECO	0.030in
675-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
277cc; 1 Cyl.; OHV				
678-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
278cc; 1 Cyl.; OHV				
678-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
357cc; 1 Cyl.; OHV				
683-WU	415 / RN9YC	300 / N9YC	415ECO	0.030in
683-WUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
683-WUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
983-WU	415 / RN9YC	300 / N9YC	415ECO	0.030in
382cc; 1 Cyl.; OHV				
7T84HW	415 / RN9YC	300 / N9YC	415ECO	0.030in
7T84JH	415 / RN9YC	300 / N9YC	415ECO	0.030in
7T84JU	415 / RN9YC	300 / N9YC	415ECO	0.030in
7T84JUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
7T84MU	415 / RN9YC	300 / N9YC	415ECO	0.030in
7T84MUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
420cc; 1 Cyl.; OHV				
4P90HUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90HUD	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90JUD	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90JUE	415 / RN9YC	300 / N9YC	415ECO	0.030in
4P90JUF	415 / RN9YC	300 / N9YC	415ECO	0.030in
690-WU	415 / RN9YC	300 / N9YC	415ECO	0.030in
690-WUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
690-WUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
690-WUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
439cc; 1 Cyl.; OHV				
7T90HU	415 / RN9YC	300 / N9YC	415ECO	0.030in
7T90HW	415 / RN9YC	300 / N9YC	415ECO	0.030in
7T90JU	415 / RN9YC	300 / N9YC	415ECO	0.030in
452cc; 1 Cyl.; OHV				
8P92ZU	415 / RN9YC	300 / N9YC	415ECO	0.030in
8P92ZUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
547cc; 1 Cyl.; OHV				
4X90HUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
4X90HW	415 / RN9YC	300 / N9YC	415ECO	0.030in
8X90KU	415 / RN9YC	300 / N9YC	415ECO	0.030in
8X90KUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
8X90ZU	415 / RN9YC	300 / N9YC	415ECO	0.030in
8X90ZUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
9X90HUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
AX90HU	415 / RN9YC	300 / N9YC	415ECO	0.030in
AX90HUA	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
547cc; 1 Cyl.; OHV				
AX90HUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
AX90HUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
679cc; 2 Cyl.; OHV				
4Q78HU	415 / RN9YC	300 / N9YC	415ECO	0.030in
4Q78HUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
8Q78HU	415 / RN9YC	300 / N9YC	415ECO	0.030in
8Q78HUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
8Q78HUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
8Q78HUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
8Q78XU	415 / RN9YC	300 / N9YC	415ECO	0.030in
8Q78XUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
8Q78XUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
8Q78XUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
8Q78XWA	415 / RN9YC	300 / N9YC	415ECO	0.030in
9Q78HU	415 / RN9YC	300 / N9YC	415ECO	0.030in
9Q78HUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
9Q78HUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
9Q78XU	415 / RN9YC	300 / N9YC	415ECO	0.030in
9Q78XUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
79cc; 1 Cyl.; OHV				
1P51NUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
1P51RU	415 / RN9YC	300 / N9YC	415ECO	0.030in
99cc; 1 Cyl.; OHV				
1P57RT	415 / RN9YC	300 / N9YC	415ECO	0.030in
U.S. Engines				
21/25 Series; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
35/41 Series; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Vigor				
1 Cyl.				
11.0hp;VG182F-A	880 / RN3C	801 / N3C	---	0.030in
11.0hp;VG182FD-A	880 / RN3C	801 / N3C	---	0.030in
13.0hp;VG188F-A	880 / RN3C	801 / N3C	---	0.030in
13.0hp;VG188FD-A	880 / RN3C	801 / N3C	---	0.030in
5.0hp;VG1P64FV	415 / RN9YC	300 / N9YC	415ECO	0.030in
8.0hp;VG173F-A	880 / RN3C	801 / N3C	---	0.030in
8.0hp;VG173FD-A	880 / RN3C	801 / N3C	---	0.030in
9.0hp;VG177F-A	880 / RN3C	801 / N3C	---	0.030in
9.0hp;VG177FD-A	880 / RN3C	801 / N3C	---	0.030in
Wis-Con Total Power				
154cid\2524cc; V4; (Wisconsin)				
37hp;VG4D	541 / RD16	516 / D16	---	0.025in
Continental "R" Series; 1 Cyl.				
35.0hp;R11	327 / RL87YC	934-1 / QL87YC	---	0.025in
47.0hp;R14	327 / RL87YC	934-1 / QL87YC	---	0.025in
Continental "TM/TMD" Series; 1 Cyl.				
33.7hp;TM13	415 / RN9YC	300 / N9YC	415ECO	0.025in
53.5hp;TM20	415 / RN9YC	300 / N9YC	415ECO	0.025in
72.0hp;TM27	415 / RN9YC	300 / N9YC	415ECO	0.025in
Continental "TM/TMD" Series; 1 Cyl.; LPG				
53.5hp;TM20	339 / RN6YC	315 / N6YC	---	0.015in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Wis-Con Total Power				
Continental "TM/TMD" Series; 1 Cyl.; LPG				
72.5hp;TM27	339 / RN6YC	315 / N6YC	---	0.015in
Wisconsin HDI Series; 1 Cyl.				
11.0hp;WE 400	806 / L92YC	---	---	0.025in
11.0hp;WE350	806 / L92YC	---	---	0.025in
3.0hp;WE 130	830 / RL86C	933-1 / QL86C	---	0.025in
5.0hp;WE 180	830 / RL86C	933-1 / QL86C	---	0.025in
8.0hp;WE 270	830 / RL86C	933-1 / QL86C	---	0.025in
Wisconsin Series; 1 Cyl.				
AHH	541 / RD16	516 / D16	---	0.025in
10.0hp;TRA-10D	541 / RD16	516 / D16	---	0.025in
10.0hp;TRA-A0D	541 / RD16	516 / D16	---	0.025in
10.5hp;S-10D	541 / RD16	516 / D16	---	0.025in
12.0hp;TRA-12D	541 / RD16	516 / D16	---	0.025in
12.5hp;AGND	502 / D21	---	---	0.025in
12.5hp;S-12D	541 / RD16	516 / D16	---	0.025in
14.0hp;S-14D	541 / RD16	516 / D16	---	0.025in
6.0hp;ACN	541 / RD16	516 / D16	---	0.025in
6.0hp;CAN	541 / RD16	516 / D16	---	0.025in
7.0hp;BKN	541 / RD16	516 / D16	---	0.025in
7.0hp;HS-7D	541 / RD16	516 / D16	---	0.025in
7.2hp;AFH	541 / RD16	516 / D16	---	0.025in
7.25hp;S-7D	541 / RD16	516 / D16	---	0.025in
8.0hp;HS-8D	541 / RD16	516 / D16	---	0.025in
8.2hp;AEN	541 / RD16	516 / D16	---	0.025in
8.25hp;S-8D	541 / RD16	516 / D16	---	0.025in
8.4hp;AGH	541 / RD16	516 / D16	---	0.025in
9.2hp;AENL	541 / RD16	516 / D16	---	0.025in
9.2hp;AENLD	541 / RD16	516 / D16	---	0.025in
Wisconsin Series; 2 Cyl.				
18.0hp;THD	541 / RD16	516 / D16	---	0.025in
18.0hp;THDM	541 / RD16	516 / D16	---	0.025in
18.0hp;THS	541 / RD16	516 / D16	---	0.025in
18.0hp;TJD	541 / RD16	516 / D16	---	0.025in
18.2hp;TJD	541 / RD16	516 / D16	---	0.025in
20.0hp;W2-880	541 / RD16	516 / D16	---	0.025in
26.0hp;W2-1250	541 / RD16	516 / D16	---	0.025in
Wisconsin Series; 4 Cyl.				
21.5hp;VE4D	541 / RD16	516 / D16	---	0.025in
25.0hp;VF4D	541 / RD16	516 / D16	---	0.025in
30.0hp;VH4D	541 / RD16	516 / D16	---	0.025in
30.0hp;VH4DM	541 / RD16	516 / D16	---	0.025in
35hp;W4-1770	541 / RD16	516 / D16	---	0.025in
60.5hp;V-461D	404 / RN12YC	38 / N12YC	322ECO	0.025in
65.0hp;V-465D	404 / RN12YC	38 / N12YC	322ECO	0.025in
65.9hp;V-468D	404 / RN12YC	38 / N12YC	322ECO	0.025in
Wisconsin				
1 Cyl.				
AENL	541 / RD16	516 / D16	---	0.030in
AENLD	541 / RD16	516 / D16	---	0.030in
AG	541 / RD16	516 / D16	---	0.030in
AGH	541 / RD16	516 / D16	---	0.030in
AGND	502 / D21	---	---	0.030in
2 Cyl.				
16.8hp;THD	541 / RD16	---	---	0.025in
18.2hp;TJD	541 / RD16	---	---	0.030in



POWER EQUIPMENT ENGINES
MOTEURS D'EQUIPEMENT MOTORISÉ
MOTORES DE EQUIPOS

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Wisconsin				
V4; OHV				
65hp;V465D	404 / RN12YC	38 / N12YC	322ECO	0.025in
Wisconsin-Robin				
Horizontal; 1 Cyl.				
1.8hp;W1-080	327 / RL87YC	934-1 / QL87YC	---	0.025in
10.5hp;EY44W	830 / RL86C	933-1 / QL86C	---	0.025in
11.0hp;W1-390	806 / L92YC	---	---	0.025in
16.2hp;EY21W	871 / RJ8C	841 / J8C	---	0.025in
22.5hp;ECO2R	893 / RCJ4	849 / CJ6	852ECO	0.025in
3.5hp;W1-145	830 / RL86C	933-1 / QL86C	---	0.025in
3.5hp;W1-150	327 / RL87YC	934-1 / QL87YC	---	0.025in
4.6hp;EY18-3W	830 / RL86C	933-1 / QL86C	---	0.025in
4.6hp;W1-185	830 / RL86C	933-1 / QL86C	---	0.025in
5.5hp;W1-230	806 / L92YC	---	---	0.025in
6.5hp;EY25W	830 / RL86C	933-1 / QL86C	---	0.025in
7.5hp;EY27W	830 / RL86C	933-1 / QL86C	---	0.025in
7.5hp;W1-280	327 / RL87YC	934-1 / QL87YC	---	0.025in
9.0hp;W1-340	541 / RD16	516 / D16	---	0.025in
Liquid Cooled; 2 Cyl.				
24hp;WL2-670	541 / RD16	516 / D16	---	0.025in
Liquid Cooled; 3 Cyl.				
33hp;WL3-1000	541 / RD16	516 / D16	---	0.025in
Sovereign Series; 1 Cyl.; OHV				
11.0hp;WO1-340	830 / RL86C	933-1 / QL86C	---	0.025in
11.0hp;WO1-340V	830 / RL86C	933-1 / QL86C	---	0.025in
13.5hp;WO1-430V	830 / RL86C	933-1 / QL86C	---	0.025in
16.0hp;WO2-510	830 / RL86C	933-1 / QL86C	---	0.025in
18.0hp;WO1-560	830 / RL86C	933-1 / QL86C	---	0.025in
3.3hp;WO1-115	830 / RL86C	933-1 / QL86C	---	0.025in
4.8hp;WO1-150	830 / RL86C	933-1 / QL86C	---	0.025in
7.0hp;WO1-210	830 / RL86C	933-1 / QL86C	---	0.025in
9.0hp;WO1-300	830 / RL86C	933-1 / QL86C	---	0.025in
9.0hp;WO1-300V	830 / RL86C	933-1 / QL86C	---	0.025in
Vertical; 1 Cyl.				
12.0hp;W1-450V	830 / RL86C	933-1 / QL86C	---	0.025in
12.0hp;WT1-450V	830 / RL86C	933-1 / QL86C	---	0.025in
4.0hp;W1-145V	830 / RL86C	933-1 / QL86C	---	0.025in
4.0hp;WT1-125V	830 / RL86C	933-1 / QL86C	---	0.025in
4.0hp;WT1-145V	830 / RL86C	933-1 / QL86C	---	0.025in
5.0hp;W1-185V	830 / RL86C	933-1 / QL86C	---	0.025in
5.0hp;WT1-185V	830 / RL86C	933-1 / QL86C	---	0.025in
Yamaha				
1 Cyl.				
MF150A	883 / QL78C	807 / L78C	---	0.028in
MF150S	883 / QL78C	807 / L78C	---	0.028in
MF180A	883 / QL78C	807 / L78C	---	0.028in
MF180AK	806 / L92YC	---	---	0.028in
MF180AR	883 / QL78C	807 / L78C	---	0.028in
MF180K	806 / L92YC	---	---	0.028in
MF180S	883 / QL78C	807 / L78C	---	0.028in
MF180SK	806 / L92YC	---	---	0.028in
MF180SR	883 / QL78C	807 / L78C	---	0.028in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Yamaha				
1 Cyl.				
MF260A	814 / RL82YC	932-1 / QL82YC	---	0.028in
MF260AK	806 / L92YC	---	---	0.028in
MF260AR	814 / RL82YC	932-1 / QL82YC	---	0.028in
MF260K	806 / L92YC	---	---	0.028in
MF260S	327 / RL87YC	934-1 / QL87YC	---	0.028in
MF410	814 / RL82YC	932-1 / QL82YC	---	0.028in
MF410S	814 / RL82YC	932-1 / QL82YC	---	0.028in
MF410SK	883 / QL78C	807 / L78C	---	0.028in
MF410SR	814 / RL82YC	932-1 / QL82YC	---	0.028in
MFS260	814 / RL82YC	932-1 / QL82YC	---	0.028in
MFS260K	806 / L92YC	---	---	0.028in
MFS260R	814 / RL82YC	932-1 / QL82YC	---	0.028in
MT110AA	883 / QL78C	807 / L78C	---	0.028in
MT110AR	883 / QL78C	807 / L78C	---	0.028in
MT110VL	883 / QL78C	807 / L78C	---	0.028in
MZ125R	405 / RN14YC	3405 / RN14PMC	---	0.030in
YP10G	814 / RL82YC	931-1 / QL82C	---	0.025in
123cc; 1 Cyl.				
2.8hp;MZ125	405 / RN14YC	3405 / RN14PMC	---	0.030in
358cc; 1 Cyl.; OHV				
11.7hp;MX360;25.4 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
402cc; 1 Cyl.; OHV				
12.6hp;MX400;28.7 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
79cc; 1 Cyl.				
3.1hp;MZ80	404 / RN12YC	38 / N12YC	322ECO	0.025in
4 Stroke; 171cc; 1 Cyl.; OHV				
4.0hp;MZ175;7.7 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.025in
4.0hp;MZ175R;7.7 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
4 Stroke; 192cc; 1 Cyl.; OHV				
4.7hp;MZ200;9.1 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
4 Stroke; 253cc; 1 Cyl.; OHV				
6.0hp;MZ250;11.6 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
4 Stroke; 296cc; 1 Cyl.; OHV				
7.8hp;MZ300;15 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
4 Stroke; 357cc; 1 Cyl.; OHV				
8.4hp;MZ360;17.6 ft.-lb. Torque	405 / RN14YC	3405 / RN14PMC	---	0.030in
Vertical; 824cc; V2				
29.0hp;MX775V-EFI	415 / RN9YC	300 / N9YC	415ECO	0.030in
33.0hp;MX825V-EFI	415 / RN9YC	300 / N9YC	415ECO	0.030in
Vertical; 824cc; V2; OHV				
31hp;MX800V	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Zenoah				
14.9cc; 1 Cyl.				
G1A	840 / RCJ8	843 / CJ8	843ECO	0.030in
G1A6	840 / RCJ8	843 / CJ8	843ECO	0.030in
17.2cc; 1 Cyl.				
G1E	840 / RCJ8	843 / CJ8	843ECO	0.030in
22.5cc; 1 Cyl.				
G2A	840 / RCJ8	843 / CJ8	843ECO	0.030in
G2A16	893 / RCJ4	849 / CJ6	852ECO	0.030in
G2C	893 / RCJ4	849 / CJ6	852ECO	0.030in
G2D	893 / RCJ4	849 / CJ6	852ECO	0.030in
G2D30	893 / RCJ4	849 / CJ6	852ECO	0.030in
25.4cc; 1 Cyl.				
G2E	840 / RCJ8	843 / CJ8	843ECO	0.030in
31.7cc; 1 Cyl.				
G3C	830 / RL86C	933-1 / QL86C	---	0.030in
G3C76	830 / RL86C	933-1 / QL86C	---	0.030in
G3D10	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
G3D20	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
37.4cc; 1 Cyl.				
G4C	830 / RL86C	933-1 / QL86C	---	0.030in
G4C63	830 / RL86C	933-1 / QL86C	---	0.030in
G4C76	830 / RL86C	933-1 / QL86C	---	0.030in
52.5cc; 1 Cyl.				
G5C	102 / RJ6C	823 / J6C	---	0.030in
G5E	830 / RL86C	933-1 / QL86C	---	0.030in
G5E2	830 / RL86C	933-1 / QL86C	---	0.030in
Zongshen				
4 Stroke; BT Series; 163cc; 1 Cyl.; OHV				
4.4hp;BT168FA;6.5 ft.-lb. Torque	332 / RN7YC	315 / N6YC	332ECO	0.030in
4 Stroke; BT Series; 196cc; 1 Cyl.; OHV				
5.2hp;BT168FB;7.9 ft.-lb. Torque	332 / RN7YC	315 / N6YC	332ECO	0.030in
4 Stroke; BT Series; 270cc; 1 Cyl.; OHV				
7.5hp;BT177F;11.7 ft.-lb. Torque	332 / RN7YC	315 / N6YC	332ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Zongshen				
4 Stroke; BT Series; 337cc; 1 Cyl.; OHV				
9.3hp;BT182F;14.8 ft.-lb. Torque	332 / RN7YC	315 / N6YC	332ECO	0.030in
4 Stroke; BT Series; 389cc; 1 Cyl.; OHV				
10.3hp;BT188F;16.2 ft.-lb. Torque	332 / RN7YC	315 / N6YC	332ECO	0.030in
4 Stroke; BT Series; 420cc; 1 Cyl.; OHV				
10.9hp;BT190F;17 ft.-lb. Torque	332 / RN7YC	315 / N6YC	332ECO	0.030in
4 Stroke; SHV; BT Series; 97cc; 1 Cyl.				
1.6hp;BT152F;2.3 ft.-lb. Torque	806 / L92YC	---	---	0.030in
GH-Series; 208cc; 1 Cyl.				
5.4hp;GH210	415 / RN9YC	300 / N9YC	415ECO	0.028in
Professional Snow; SN-Series; 4 Stroke; 179cc; 1 Cyl.; OHV				
4.8hp;SN180	415 / RN9YC	300 / N9YC	415ECO	0.030in
Professional Snow; SN-Series; 4 Stroke; 208cc; 1 Cyl.; OHV				
5.5hp;SN210	415 / RN9YC	300 / N9YC	415ECO	0.030in
Professional Snow; SN-Series; 4 Stroke; 357cc; 1 Cyl.; OHV				
9.3hp;SN360	415 / RN9YC	300 / N9YC	415ECO	0.030in
Professional Snow; SN-Series; 4 Stroke; 383cc; 1 Cyl.; OHV				
10.5hp;SN390	415 / RN9YC	300 / N9YC	415ECO	0.030in
Professional Snow; SN-Series; 4 Stroke; 420cc; 1 Cyl.; OHV				
10.7hp;SN420	415 / RN9YC	300 / N9YC	415ECO	0.030in
XP-Series; 141cc; 1 Cyl.				
3.3hp;XP140A;4.4 ft.-lb. Torque	404 / RN12YC	38 / N12YC	322ECO	0.026in
XP-Series; 159cc; 1 Cyl.				
3.5hp;XP160A	415 / RN9YC	300 / N9YC	415ECO	0.026in
XP-Series; 196cc; 1 Cyl.				
4.8hp;XP200A;7.4 ft.-lb. Torque	404 / RN12YC	38 / N12YC	322ECO	0.026in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
AA-Tach				
Sweeper				
(Robin); OHV				
20hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
20.5hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
EH65V; V2				
	415 / RN9YC	300 / N9YC	415ECO	0.025in
EH65X				
	415 / RN9YC	300 / N9YC	415ECO	0.025in
EY21; (Wisconsin)				
	871 / RJ8C	841 / J8C	---	0.025in
ACE				
Lawn Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tiller				
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Acme				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
(Clinton)				
	871 / RJ8C	841 / J8C	---	0.030in
Acrease				
Pull-Behind Mower				
17hp	104 / RN4C	803 / N4C	---	0.030in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Tecumseh); OHV				
12.5hp	104 / RN4C	803 / N4C	---	0.030in
13hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Acrease				
Pull-Behind Mower				
2 Cyl.; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Intek; (Briggs & Stratton); OHV				
17hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Aera-Vator				
Aerator				
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
AGCO Allis				
Lawn Tractor				
1316H; 1 Cyl.; (Briggs & Stratton)				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1606; Command Series; 4 Stroke; (Kohler); OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1614; 24.3cid\398cc; 1 Cyl.; (Kohler); OHV				
14hp;CV14S	71 / RC12YC	946 / QC12YC	71ECO	0.040in
1614H; 1 Cyl.; (Briggs & Stratton)				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1615; 1 Cyl.; (Briggs & Stratton)				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1615H; (Kohler); OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1616; 1 Cyl.; (Briggs & Stratton)				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1616H; 1 Cyl.; (Briggs & Stratton)				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1618; 1 Cyl.; (Briggs & Stratton)				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1716; 1 Cyl.; (Briggs & Stratton)				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1717H; Vertical; V2; (Kawasaki); OHV				
17hp;FD501V;From 1999	405 / RN14YC	3405 / RN14PMC	---	0.028in
17hp;FD501V;To 1998	840 / RCJ8	843 / CJ8	843ECO	0.025in
1718H; 1 Cyl.; (Briggs & Stratton)				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1720H; Vanguard; 2 Cyl.; (Briggs & Stratton)				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1820H; Command Series; 4 Stroke; 2 Cyl.; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1823H; Command Series; 4 Stroke; 2 Cyl.; (Kohler); OHV				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1918H; 1 Cyl.; (Briggs & Stratton)				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1920H; 2 Cyl.; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
AGCO Allis				
Lawn Tractor				
2025H; 2 Cyl.; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2027H; Command Pro; V2; (Kohler); OHV				
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
409; 1 Cyl.; (Briggs & Stratton); L-HEAD				
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
411G; 1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
412; 1 Cyl.; (Briggs & Stratton); L-HEAD				
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
413H; 24.3cid\398cc; 1 Cyl.; (Kohler); OHV				
12.5hp;CV12.5S	71 / RC12YC	946 / QC12YC	71ECO	0.040in
414H; 24.3cid\398cc; 1 Cyl.; (Kohler); OHV				
14hp;CV14S	71 / RC12YC	946 / QC12YC	71ECO	0.040in
512; 1 Cyl.; (Briggs & Stratton); L-HEAD				
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
515H; 1 Cyl.; (Briggs & Stratton); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
516H; Command Series; 4 Stroke; (Kohler); OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
918; 2 Cyl.; (Kohler); OHC				
18hp;TH18S	71 / RC12YC	946 / QC12YC	71ECO	0.040in
918H; 2 Cyl.; (Kohler); OHC				
18hp;TH18S	71 / RC12YC	946 / QC12YC	71ECO	0.040in
ZT; (Kohler); OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZT; 24.3cid\398cc; 1 Cyl.; (Kohler); OHV				
14hp;CV14S	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Aggressor				
Brush Cutter/Disc Mower				
(Echo)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Trimmer				
(Echo)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Agricat				
Lawn Tractor				
	541 / RD16	516 / D16	---	0.025in
Agri-Fab				
Commercial Chipper				
Intek; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Pull-Behind Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Agri-Fab				
Tiller				
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
45-0308; 875 Series; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vacuum				
(Tecumseh)				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Agrimetel				
Blower/Vacuum/Water Sprayer				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Mulcher				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vacuum				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Agromatic				
Mulcher				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Ag-Trac				
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Air Rake					
Vacuum					
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Air-Brooms					
Blower/Vacuum/Water Sprayer					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Aircap					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Alamo					
Pull-Behind Mower					
(Honda)					
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Aldens					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Tiller					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Al-Ko					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Shredder					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
All American					
Turf Equipment					
(Kohler)					
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Allen					
Lawn Mower					
(Suzuki)					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
(Tecumseh)					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Allis-Chalmers					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Turf Equipment					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kohler)					
	25 / RV17YC	854 / RH10C	---	0.025in	
(Onan)					
	538 / RH8C	587 / H8C	---	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
Alpina					
Brush Cutter/Disc Mower					
VIP21					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
Hedge Trimmer					
550.K					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
550.M					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
Lawn Mower					
(Honda)					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Tiller					
Elite 402					
	871 / RJ8C	841 / J8C	---	0.030in	
Trimmer					
25					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
30					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
34					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
34D					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Alpina				
Trimmer				
42				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
42D				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
42F				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
52				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
52F				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
56T				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
66T				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
VIP34F				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
VIP52D				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Altoz				
Lawn Tractor				
V2; (Kohler); OHV				
23hp;ZT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
33hp;ECV880	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
50.3cid\824cc; V2; (Kohler); OHV				
27hp;ECV850	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.031in
4 Stroke; Vertical; 7000 Series; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Commercial Turf Series; V2; (Briggs & Stratton); OHV				
26hp;490000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Commercial Turf Series; 44cid\724cc; V2; (Briggs & Stratton); OHV				
24hp;440000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton); OHV				
26hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vertical; V2; (Kawasaki); OHV				
31hp;FX921V	405 / RN14YC	3405 / RN14PMC	---	0.031in
Vertical; V2; (Kohler); OHV				
25hp;ZT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; 61cid\999cc; V2; (Kawasaki); OHV				
35hp;FX1000V	322 / RN11YC4	302 / N11YC	322ECO	0.031in
37hp;FX1000V-DFI	322 / RN11YC4	302 / N11YC	322ECO	0.031in
XC540S; 52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in
XC540Si; 50.3cid\824cc; V2; (Kohler); OHV				
27hp;ECV850	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
XC540Si; Vanguard; V2; (Briggs & Stratton)				
28hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Altoz					
Lawn Tractor					
XC610S; 52cid\852cc; V2; (Kawasaki); OHV					
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
XC610S; Vertical; V2; (Kawasaki); OHV					
31hp;FX921V	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
XC610Si; 50.3cid\824cc; V2; (Kohler); OHV					
27hp;ECV850	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in	
XC610Si; Vanguard; V2; (Briggs & Stratton)					
28hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
XC720S; Vertical; 61cid\999cc; V2; (Kawasaki); OHV					
35hp;FX1000V	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
XE480; V2; (Kohler); OHV					
23hp;ZT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
XE480; Commercial Series; V2; (Briggs & Stratton); OHV					
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
XE480; GXV-Series; 4 Stroke; Vertical; V2; (Honda); OHV					
22.1hp;GXV690	404 / RN12YC	---	---	0.030in	
XE540; Commercial Series; V2; (Briggs & Stratton)					
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
XE540; GXV-Series; 4 Stroke; Vertical; V2; (Honda); OHV					
22.1hp;GXV690	404 / RN12YC	---	---	0.030in	
XE540; Vertical; V2; (Kohler); OHV					
25hp;ZT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
XE610; 52cid\852cc; V2; (Kawasaki); OHV					
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
XE610; Commercial Series; V2; (Briggs & Stratton)					
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
XE610; Vertical; V2; (Kohler); OHV					
25hp;ZT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
XR480; 4 Stroke; Vertical; 7000 Series; V2; (Kohler); OHV					
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
XR480; GXV-Series; 4 Stroke; Vertical; V2; (Honda); OHV					
22.1hp;GXV690	404 / RN12YC	---	---	0.030in	
XR540; 4 Stroke; Vertical; 7000 Series; V2; (Kohler); OHV					
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
XR540; GXV-Series; 4 Stroke; Vertical; V2; (Honda); OHV					
22.1hp;GXV690	404 / RN12YC	---	---	0.030in	
Zero-Turn Mower					
XC540Z; 52cid\852cc; V2; (Kawasaki); OHV					
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
XC540Zi; 50.3cid\824cc; V2; (Kohler); OHV					
27hp;ECV850	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in	
XC610Z; Vertical; V2; (Kawasaki); OHV					
31hp;FX921V	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
XC610Z; Vertical; 61cid\999cc; V2; (Kawasaki); OHV					
35hp;FX1000V	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
XC610Zi; V2; (Kohler); OHV					
33hp;ECV880	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in	
XC610Zi; Vanguard; V2; (Briggs & Stratton)					
33hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Altoz				
Zero-Turn Mower				
XC720Z; Vertical; 61cid\999cc; V2; (Kawasaki); OHV				
35hp;FX1000V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
XC720Zi; Vanguard; V2; (Briggs & Stratton)				
37hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XP540Z; 52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in
XP540Z; Vanguard; V2; (Briggs & Stratton)				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XP610Z; 52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in
XP610Z; Vanguard; V2; (Briggs & Stratton)				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
American Landmaster				
Utility Vehicle				
400 Series; Horizontal; V2; (Kohler); OHV				
20.5hp;CH640	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LM400; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
LS350; Horizontal; (Kohler); OHV				
9.5hp;CH395	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LS350DL; Horizontal; (Kohler); OHV				
9.5hp;CH395	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LS450; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
LS670; Horizontal; V2; (Kohler); OHV				
20.5hp;CH640	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LSC4; Horizontal; V2; (Kohler); OHV				
20.5hp;CH640	71 / RC12YC	946 / QC12YC	71ECO	0.030in
American Yard Products				
Lawn Mower				
	871 / RJ8C	841 / J8C	---	0.025in
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Amerind-Mackissic				
Blower/Vacuum/Water Sprayer				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Log Splitter				
	871 / RJ8C	841 / J8C	---	0.030in
Sprayer				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Sweeper				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Tiller				
	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Ameriquip					
Mulcher					
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
AMF					
Edger					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.025in	
Sweeper					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
Tiller					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
Arctic Enterprises					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Sachs)					
	830 / RL86C	933-1 / QL86C	---	0.030in	
Argo					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Ariens					
Blower/Vacuum/Water Sprayer					
(Clinton)					
	854 / RH10C	844 / H10C	---	0.025in	
(Honda)					
5.5hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
5.5hp;GVX160	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki); OHV					
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
6hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kohler); OHV					
XT	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ariens				
Blower/Vacuum/Water Sprayer				
(Lauson)				
	871 / RJ8C	841 / J8C	---	0.020in
(Mitsubishi)				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
(Robin); OHV				
6hp	830 / RL86C	933-1 / QL86C	---	0.025in
(Sachs)				
	876M / QL16V	---	---	0.060in
(Tecumseh); L-HEAD				
	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); OHV				
13hp	104 / RN4C	803 / N4C	---	0.030in
16hp	104 / RN4C	803 / N4C	---	0.030in
16.5hp	104 / RN4C	803 / N4C	---	0.030in
(Wisconsin)				
	541 / RD16	516 / D16	---	0.030in
2 Cyl.; (Briggs & Stratton); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2 Cyl.; (Honda); OHC				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Courage; (Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GCV-Series; (Honda)				
5.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Intek; (Briggs & Stratton)				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton)				
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Intek; V2; (Briggs & Stratton)				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; Pro; 1 Cyl.; (Briggs & Stratton)				
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
K-Series; (Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
Quantum; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ariens				
Blower/Vacuum/Water Sprayer				
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
25hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton); OHV				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vertical; (Kawasaki); OHV				
6hp;FJ180V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Brush Cutter/Disc Mower				
2 Cyl.; (Kohler); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
946154; Courage; 4 Stroke; Vertical; (Kohler); OHV				
XT650	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
BC350				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
BC460				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
TB220				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
TB220e				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
TB260				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
Edger				
986101 (Edger); (Subaru); OHC				
5.7hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in
986103; (Ariens Ax (LCT))				
4hp;AX136	415 / RN9YC	300 / N9YC	415ECO	0.030in
Garden Tractor				
A25-50HE; Vertical; 44.3cid/726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Lawn Mower				
(Sachs)				
SB140	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh); OHV				
16.5hp	104 / RN4C	803 / N4C	---	0.030in
6.75hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Classic LM21 911170; Courage; 4 Stroke; Vertical; (Kohler); OHV				
6hp;XT775	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Classic LM21S 911193; Vertical; (Kawasaki); OHV				
6hp;FJ180V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Classic LM21SW 911194; Vertical; (Kawasaki); OHV				
6hp;FJ180V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Razor BBC 911177; (MTD/Zongshen)				
	938-1 / QL78YC	936M / L78YC	---	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Ariens					
Lawn Mower					
Razor BBC 911189; (Subaru); OHV					
4.5hp;EA175	814 / RL82YC	932-1 / QL82YC	---	0.026in	
Razor Electric Start 911179; (MTD/Zongshen)					
	938-1 / QL78YC	936M / L78YC	---	0.030in	
Razor Electric Start 911190; (Subaru); OHV					
4.5hp;EA175	814 / RL82YC	932-1 / QL82YC	---	0.026in	
Razor Push 911173; (MTD/Zongshen)					
	938-1 / QL78YC	936M / L78YC	---	0.030in	
Razor Self Propelled 911175; (MTD/Zongshen)					
	938-1 / QL78YC	936M / L78YC	---	0.030in	
Razor Self Propelled 911188; (Subaru); OHV					
4.5hp;EA175	814 / RL82YC	932-1 / QL82YC	---	0.026in	
Lawn Tractor					
(Kohler)					
17hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
(LCT); OHV					
	415 / RN9YC	300 / N9YC	415ECO	0.030in	
(Tecumseh); L-HEAD					
5hp	871 / RJ8C	841 / J8C	---	0.030in	
(Tecumseh); OHV					
7hp	104 / RN4C	803 / N4C	---	0.030in	
9hp	104 / RN4C	803 / N4C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in	
2 Cyl.; (Briggs & Stratton); OHV					
24hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
2 Cyl.; (Kohler); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Courage; V2; (Kohler); OHV					
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vertical; (Tecumseh)					
16.5hp;OHV165	104 / RN4C	803 / N4C	---	0.030in	
Vertical; (Tecumseh); OHV					
11.5hp;OHV115	104 / RN4C	803 / N4C	---	0.030in	
13hp	104 / RN4C	803 / N4C	---	0.030in	
25552KAT-1055; Vertical; V2; (Kawasaki); OHV					
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
915223; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
936; (Tecumseh)					
9hp	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
AG18; Courage; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
AG19; Courage; (Kohler); OHV					
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ariens				
Lawn Tractor				
APEX 48; Vertical; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
APEX 52; Vertical; V2; (Kohler); OHV				
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
APEX 60; Vertical; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
APEX 60; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
APH20; Courage; 1 Cyl.; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
APH25; Courage; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Avenue; Vertical; V2; (Kawasaki); OHV				
18hp;FR600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Boss; Vertical; V2; (Kohler); OHV				
27hp;CV752	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Boss XL; Vertical; V2; (Kohler); OHV				
27hp;CV752	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Boulevard; Vertical; V2; (Kohler); OHV				
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Challenger; V2; (Briggs & Stratton); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Charger; Vertical; V2; (Kawasaki); OHV				
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Edge; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Ikon X 52 915177; V2; (Kohler); OHV				
24hp;KT732	946 / QC12YC	982 / XC12YC	71ECO	0.030in
IKON X 42; Vertical; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Ikon X 42 915175; 4 Stroke; Vertical; 7000 Series; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Ikon X 42 915207; Commercial Series; V2; (Briggs & Stratton); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
IKON X 52; Vertical; V2; (Kohler); OHV				
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
IKON X 52; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Ikon X 52 915205; Commercial Series; V2; (Briggs & Stratton); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
IKON XL 42; Vertical; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
IKON XL 52; Vertical; V2; (Kohler); OHV				
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
IKON XL 60; Vertical; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ariens				
Lawn Tractor				
IKON XL 60; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Ikon XL 915201; V2; (Kohler); OHV				
24hp;KT732	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Ikon XL 915203; 4 Stroke; Vertical; 7000 Series; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Log Splitter				
22-Ton 917030 (Log Splitter); (Subaru); OHC				
5.7hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in
27-Ton 917031; (Subaru); OHC				
5.7hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in
34-Ton 917032 (Log Splitter); (Subaru); OHC				
7hp;EX21	830 / RL86C	933-1 / QL86C	---	0.025in
Mower				
(Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Briggs & Stratton); OHV				
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Clinton)				
	854 / RH10C	844 / H10C	---	0.025in
(Honda)				
5.5hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp;GVX160	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki); OHV				
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
17hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
XT	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Lauson)				
	871 / RJ8C	841 / J8C	---	0.020in
(Mitsubishi)				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
(Robin); OHV				
6hp	830 / RL86C	933-1 / QL86C	---	0.025in
(Sachs)				
	876M / QL16V	---	---	0.060in
(Tecumseh); L-HEAD				
	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); OHV				
13hp	104 / RN4C	803 / N4C	---	0.030in
16hp	104 / RN4C	803 / N4C	---	0.030in
16.5hp	104 / RN4C	803 / N4C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ariens				
Mower				
(Wisconsin)				
	541 / RD16	516 / D16	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Briggs & Stratton); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2 Cyl.; (Honda); OHC				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
550e (Silver) Series; (Briggs & Stratton); OHV				
90000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
850 Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage; (Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage; V2; (Kohler); OHV				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GCV-Series; (Honda)				
5.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Intek; (Briggs & Stratton)				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; (Briggs & Stratton); OHV				
11.5hp;210000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton)				
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Intek; V2; (Briggs & Stratton)				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; Pro; 1 Cyl.; (Briggs & Stratton)				
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
K-Series; (Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
Quantum; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
25hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ariens				
Mower				
Vanguard; V2; (Briggs & Stratton); OHV				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vertical; (Kawasaki); OHV				
6hp;FJ180V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Power Brush				
Hydro Brush 36 926518; (Subaru); OHV				
9.5hp;EX30	830 / RL86C	933-1 / QL86C	---	0.025in
Power Brush 28 921025; (Subaru); OHC				
5.7hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in
Power Brush 36 926062; Horizontal; (Subaru); OHC				
9hp;EX27	830 / RL86C	933-1 / QL86C	---	0.025in
Powered Sweeper				
Hydro Power Brush 36 926075; Command Pro; 4 Stroke; Horizontal; 10.8cid\177cc; 1 Cyl.; (Kohler); OHV				
5.5hp;CH255	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
Power Brush 28 921056; Command Pro; 4 Stroke; Horizontal; 10.8cid\177cc; 1 Cyl.; (Kohler); OHV				
5.5hp;CH255	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
Power Brush 36 926074; Command Pro; 4 Stroke; Horizontal; 10.8cid\177cc; 1 Cyl.; (Kohler); OHV				
9.5hp;CH255	---	---	810ECO	0.030in
Tiller				
(Clinton)				
	854 / RH10C	844 / H10C	---	0.025in
(Honda)				
5.5hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp;GVX160	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki); OHV				
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
XT	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Lauson)				
	871 / RJ8C	841 / J8C	---	0.020in
(Mitsubishi)				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
(Robin); OHV				
6hp	830 / RL86C	933-1 / QL86C	---	0.025in
(Sachs)				
	876M / QL16V	---	---	0.060in
(Tecumseh); L-HEAD				
	871 / RJ8C	841 / J8C	---	0.030in
5hp	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); OHV				
13hp	104 / RN4C	803 / N4C	---	0.030in
16hp	104 / RN4C	803 / N4C	---	0.030in
16.5hp	104 / RN4C	803 / N4C	---	0.030in
7hp	104 / RN4C	803 / N4C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ariens				
Tiller				
(Tecumseh); OHV				
9hp	104 / RN4C	803 / N4C	---	0.030in
(Wisconsin)				
	541 / RD16	516 / D16	---	0.030in
2 Cyl.; (Briggs & Stratton); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
2 Cyl.; (Honda); OHC				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
2 Cyl.; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Courage; (Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GCV-Series; (Honda)				
5.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Intek; (Briggs & Stratton)				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton)				
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Intek; V2; (Briggs & Stratton)				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; Pro; 1 Cyl.; (Briggs & Stratton)				
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
K-Series; (Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
Quantum; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
25hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton); OHV				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vertical; (Kawasaki); OHV				
6hp;FJ180V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Vertical; (Tecumseh)				
16.5hp;OHV165	104 / RN4C	803 / N4C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ariens				
Tiller				
Vertical; (Tecumseh); OHV				
11.5hp;OHV115	104 / RN4C	803 / N4C	---	0.030in
13hp	104 / RN4C	803 / N4C	---	0.030in
Trimmer				
LT210				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
LT210e				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
ST622; (Tecumseh)				
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vacuum				
(Clinton)				
	854 / RH10C	844 / H10C	---	0.025in
(Honda)				
5.5hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp;GVX160	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki); OHV				
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
XT	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Lauson)				
	871 / RJ8C	841 / J8C	---	0.020in
(Mitsubishi)				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
(Robin); OHV				
6hp	830 / RL86C	933-1 / QL86C	---	0.025in
(Sachs)				
	876M / QL16V	---	---	0.060in
(Tecumseh); L-HEAD				
	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); OHV				
13hp	104 / RN4C	803 / N4C	---	0.030in
16hp	104 / RN4C	803 / N4C	---	0.030in
16.5hp	104 / RN4C	803 / N4C	---	0.030in
6.75hp	104 / RN4C	803 / N4C	---	0.030in
(Wisconsin)				
	541 / RD16	516 / D16	---	0.030in
2 Cyl.; (Briggs & Stratton); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2 Cyl.; (Honda); OHC				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Ariens					
Vacuum					
V2; (Kohler); OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
Courage; (Kohler); OHV					
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
GCV-Series; (Honda)					
5.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Intek; (Briggs & Stratton)					
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton)					
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Intek; V2; (Briggs & Stratton)					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; Pro; 1 Cyl.; (Briggs & Stratton)					
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
K-Series; (Kohler)					
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
Quantum; 1 Cyl.; (Briggs & Stratton); L-HEAD					
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
25hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton); OHV					
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vertical; (Kawasaki); OHV					
6hp;FJ180V	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Walk Behind Rotary Mower					
22" Self-Propelled 911158; 160cc; 1 Cyl.; (Ariens Ax (LCT))					
4.1 ft.-lb. Torque	327 / RL87YC	312 / L87YC	---	0.030in	
22" Self-Propelled, Electric Start 911159; 160cc; 1 Cyl.; (Ariens Ax (LCT))					
4.1 ft.-lb. Torque	327 / RL87YC	312 / L87YC	---	0.030in	
LM 21" Push 911157; 160cc; 1 Cyl.; (Ariens Ax (LCT))					
4.1 ft.-lb. Torque	327 / RL87YC	312 / L87YC	---	0.030in	
Zero-Turn Mower					
Apex 48 991161; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV					
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Apex 52 991159; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Apex 60 991163; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ariens				
Zero-Turn Mower				
Edge 34 915243; 6600 Series; 40.3cid\660cc; 1 Cyl.; (Kohler); OHV				
19hp;KT610	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Edge 34 915251; Intek; 656cc; V2; (Briggs & Stratton)				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Edge 42 915245; 6600 Series; 40.3cid\660cc; 1 Cyl.; (Kohler); OHV				
19hp;KT610	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Edge 42 915253; Intek; 656cc; V2; (Briggs & Stratton)				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Edge 52 915254; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
21.5hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Ikon XD 42 915265; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Ikon XD 42 915268; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
18hp;FR600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Ikon XD 52 915266; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV				
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Ikon XD 52 915267; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Ikon XD 60 915273; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Max Zoom 2560; Courage; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Max Zoom 48 991085; 4 Stroke; Vertical; 7000 Series; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Max Zoom 52 991086; 7000 Series; V2; (Kohler); OHV				
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Zenith 60 991158; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Zoom 34; (Briggs & Stratton)				
13.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Zoom 34; 6600 Series; 40.3cid\660cc; 1 Cyl.; (Kohler); OHV				
19hp;KT610	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Zoom 42; 6600 Series; 40.3cid\660cc; 1 Cyl.; (Kohler); OHV				
19hp;KT610	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Zoom 50; 6000 Series; 40.3cid\660cc; 1 Cyl.; (Kohler); OHV				
21hp;KT620	946 / QC12YC	982 / XC12YC	71ECO	0.030in
ZT HD 44 991160; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
21.5hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ariens				
Zero-Turn Mower				
ZT X 42 915255; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZT X 52 915256; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV				
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZT XL 42 915259; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV				
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZT XL 42 915262; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
21.5hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
ZT XL 48 915278; 7000 Series; Vertical; Smart-Choke; 44.2cid\725cc; V2; (Kohler); OHV				
KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Armadillo				
Sweeper				
SW\9XT; (Toyota)				
	405 / RN14YC	3405 / RN14PMC	---	0.030in
Artisan				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
AS Motor				
Lawn Mower				
AS 901 SM; Vanguard; V2; (Briggs & Stratton); OHV				
16hp;30	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Lawn Tractor				
AS 940 Sherpa 4WD XL; Professional Series; With EFM; V2; (Briggs & Stratton); OHV				
22.4hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Asplundh				
Shredder				
JEX; 172cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.030in
JFX; 330cid; (Ford)				
	129 / RF10C	---	---	0.030in
JFZ; 300cid; (Ford)				
	129 / RF10C	---	---	0.030in
Astro-Kut				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Astron				
Blower/Vacuum/Water Sprayer				
KB-22; (Kawasaki)				
0.8hp;TZ-22MX	846 / CJ14	---	846ECO	0.030in
KB-231				
EO22EF	846 / CJ14	---	846ECO	0.030in
KB-540				
TE54LMX	871 / RJ8C	841 / J8C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Astron				
Blower/Vacuum/Water Sprayer				
KB-55				
	871 / RJ8C	841 / J8C	---	0.030in
KB-602				
	871 / RJ8C	841 / J8C	---	0.030in
KB-80				
	871 / RJ8C	841 / J8C	---	0.030in
Brush Cutter/Disc Mower				
150				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
200				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
250				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
HT767				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
HT838				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
KFS4-12AD; (Kawasaki)				
1.2hp;K12AD	840 / RCJ8	843 / CJ8	843ECO	0.030in
KFS4-24DX; (Kawasaki)				
1.2hp;K12AD	840 / RCJ8	843 / CJ8	843ECO	0.030in
KFS4T-25G				
TG25DX	840 / RCJ8	843 / CJ8	843ECO	0.030in
PK2500F				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
PK2860G				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
PK3330G				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Pro 750E				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
PS35302				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
S160ED8				
SW16DX	840 / RCJ8	843 / CJ8	843ECO	0.030in
Super 100; (Shingu)				
ST16	840 / RCJ8	843 / CJ8	843ECO	0.030in
Super 150; (Shingu)				
ST16	840 / RCJ8	843 / CJ8	843ECO	0.030in
Super 160; (Shingu)				
ST16	840 / RCJ8	843 / CJ8	843ECO	0.030in
Hedge Trimmer				
E-202; (Kawasaki)				
K12AD	840 / RCJ8	843 / CJ8	843ECO	0.030in
E203DC				
TF22DVXC	840 / RCJ8	843 / CJ8	843ECO	0.030in
HT470				
TG18DVXC	840 / RCJ8	843 / CJ8	843ECO	0.030in
HT-766; (Kawasaki)				
K12AD	840 / RCJ8	843 / CJ8	843ECO	0.030in
HT767T				
TF22DVXC	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Astron				
Hedge Trimmer				
HT-830; (Kawasaki)				
K12AD	840 / RCJ8	843 / CJ8	843ECO	
Vacuum				
AS-110; (Yamaha)				
	830 / RL86C	933-1 / QL86C	---	
Atco				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	
(Suffolk)				
	871 / RJ8C	841 / J8C	---	
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	
Atlas				
Edger				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	
(Lauson)				
	871 / RJ8C	841 / J8C	---	
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	
(Lauson)				
	871 / RJ8C	841 / J8C	---	
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	
Shredder				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	
(Lauson)				
	871 / RJ8C	841 / J8C	---	
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	
(Lauson)				
	871 / RJ8C	841 / J8C	---	
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	
Trimmer				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	



Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Atlas					
Trimmer					
(Lauson)					
	871 / RJ8C	841 / J8C	---	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
Atom					
Edger					
(Ryobi)					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
Atwater Strong					
Leaf Vacuum					
Mi-T-Vac; (Briggs & Stratton)					
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Mi-T-Vac; (Tecumseh)					
16hp	871 / RJ8C	841 / J8C	---	0.030in	
Atwater-Strong					
Blower/Vacuum/Water Sprayer					
(Kohler)					
14hp;K321	854 / RH10C	844 / H10C	---	0.030in	
8hp	854 / RH10C	844 / H10C	---	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
(Wisconsin)					
S8	541 / RD16	516 / D16	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Power Sweeper					
(Kohler)					
14hp;K321	854 / RH10C	844 / H10C	---	0.030in	
8hp	854 / RH10C	844 / H10C	---	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
(Wisconsin)					
S8	541 / RD16	516 / D16	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Auto-Auger					
Earth Drill					
(Tecumseh)					
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Auto-Hoe				
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Lauson)				
	871 / RJ8C	841 / J8C	---	0.030in
(Wisconsin)				
	569 / W14	---	---	0.025in
Bachtold Bros.				
Lawn Mower				
(Kohler)				
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
H800; 1 Cyl.; (Briggs & Stratton); OHV				
8hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Log Splitter				
(Honda); OHV				
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Wisconsin)				
7hp	541 / RD16	516 / D16	---	0.025in
8hp	541 / RD16	516 / D16	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
8hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
1 Cyl.; (Kohler); L-HEAD				
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
8hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Mower				
(Honda); OHV				
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
8hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Wisconsin)				
7hp	541 / RD16	516 / D16	---	0.025in
8hp	541 / RD16	516 / D16	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
8hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
1 Cyl.; (Kohler); L-HEAD				
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Bachtold Bros.					
Mower					
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
8hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Quantum; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Tiller					
(Honda); OHV					
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
8hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
(Wisconsin)					
7hp	541 / RD16	516 / D16	---	0.025in	
8hp	541 / RD16	516 / D16	---	0.025in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
8hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
1 Cyl.; (Kohler); L-HEAD					
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
8hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Trimmer					
(Honda); OHV					
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
8hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
(Wisconsin)					
7hp	541 / RD16	516 / D16	---	0.025in	
8hp	541 / RD16	516 / D16	---	0.025in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
8hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
1 Cyl.; (Kohler); L-HEAD					
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
5hp;GX140	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
8hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Quantum; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Bad Boy					
Lawn Tractor					
V2; (Kawasaki); OHV					
31hp	405 / RN14YC	3405 / RN14PMC	---	0.025in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Bad Boy				
Lawn Tractor				
60.5966cid\993cc; 2 Cyl.; (Vanguard)				
35hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4 Stroke; Vertical; Confidant; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; V2; (Kohler); OHV				
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
29hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Commercial Turf Series; V2; (Briggs & Stratton); OHV				
27hp;490000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional Series; (Briggs & Stratton); OHV				
18.5hp;33 330000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; V2; (Kawasaki); OHV				
23hp	405 / RN14YC	3405 / RN14PMC	---	0.031in
4800 Pup; Courage; V2; (Kohler); OHV				
30hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4800 Pup; Vanguard; V2; (Briggs & Stratton)				
23hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
5200 Pup; V2; (Kawasaki); OHV				
31hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.025in
5200 Pup; Courage; V2; (Kohler); OHV				
30hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5200 Pup; Vanguard; V2; (Briggs & Stratton)				
23hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
6000 AOS; V2; (Kawasaki); OHV				
27hp	405 / RN14YC	3405 / RN14PMC	---	0.025in
6000 AOS; 60.5966cid\993cc; 2 Cyl.; (Vanguard)				
35hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6000 Pup; V2; (Kawasaki); OHV				
31hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.025in
6000 Pup; Courage; V2; (Kohler); OHV				
30hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6000 Pup; Vanguard; V2; (Briggs & Stratton)				
23hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
7200 AOS; V2; (Kawasaki); OHV				
27hp	405 / RN14YC	3405 / RN14PMC	---	0.025in
7200 AOS; 60.5966cid\993cc; 2 Cyl.; (Vanguard)				
35hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Compact Outlaw 4200; Vertical; V2; (Kawasaki); OHV				
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Compact Stand-On; Vertical; V2; (Kawasaki); OHV				
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Maverick; Vertical; V2; (Kawasaki); OHV				
24hp;FS730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Outlaw Stand-On; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Bad Boy					
Lawn Tractor					
Outlaw 5400; Vanguard; V2; (Briggs & Stratton)					
28hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Outlaw 5400; Vertical; V2; (Kawasaki); OHV					
23hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Outlaw 5400; Vertical; V2; (Kohler); OHV					
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Outlaw 6100; Vanguard; V2; (Briggs & Stratton)					
28hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Outlaw 6100; Vertical; V2; (Kawasaki); OHV					
23hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Outlaw 6100; Vertical; V2; (Kohler); OHV					
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Outlaw Extreme 5400; 50.3cid\824cc; V2; (Kohler); OHV					
27hp;ECV850	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in	
Outlaw Extreme 5400; 52cid\852cc; V2; (Kawasaki); OHV					
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Outlaw Extreme 6100; 50.3cid\824cc; V2; (Kohler); OHV					
27hp;ECV850	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in	
Outlaw Extreme 6100; 52cid\852cc; V2; (Kawasaki); OHV					
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Outlaw Extreme 6100; Vanguard; V2; (Briggs & Stratton)					
37hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Outlaw Extreme 7100; 52cid\852cc; V2; (Kawasaki); OHV					
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Outlaw Extreme 7100; Vanguard; V2; (Briggs & Stratton)					
37hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Outlaw XP 5400; 52cid\852cc; V2; (Kawasaki); OHV					
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Outlaw XP 6100; 52cid\852cc; V2; (Kawasaki); OHV					
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Outlaw XP 6100; Vanguard; V2; (Briggs & Stratton)					
37hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Outlaw XP 7100; Vanguard; V2; (Briggs & Stratton)					
37hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Mower					
2 Cyl.; (Kawasaki); OHV					
27hp	405 / RN14YC	3405 / RN14PMC	---	0.030in	
29hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
V2; (Kawasaki); OHV					
26hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
27hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Command Series; 4 Stroke; V2; (Kohler); OHV					
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; V2; (Briggs & Stratton)					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Vanguard; 2 Cyl.; (Briggs & Stratton); OHV					
31hp	431 / RC14YC	946 / QC12YC	71ECO	0.020in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Bad Boy				
Mower				
Outlaw Stand On 4800; Vertical; V2; (Kawasaki); OHV				
23hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Outlaw Stand On 5400; Vertical; V2; (Kawasaki); OHV				
23hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Outlaw Stand On 6100; Vertical; V2; (Kawasaki); OHV				
23hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Zero-Turn Mower				
2600 ZT 36; Extended Life Series (ELS); 2 Cyl.; (Briggs & Stratton)				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2600 ZT 50; Extended Life Series (ELS); 2 Cyl.; (Briggs & Stratton)				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2700 ZT 50; Courage; V2; (Kohler); OHV				
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2700 ZT 60; Courage; V2; (Kohler); OHV				
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5200 Lightning Z; V2; (Kawasaki); OHV				
31hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.025in
5200 Lightning Z; Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV				
26hp;FD731V	405 / RN14YC	3405 / RN14PMC	---	0.025in
6000 Lightning Z; V2; (Kawasaki); OHV				
31hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.025in
6000 Lightning Z; Vanguard; V2; (Briggs & Stratton)				
32hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6000 Lightning Z; Vanguard; V2; LPG; (Briggs & Stratton)				
32hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6000 Lightning Z; Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV				
26hp;FD731V	405 / RN14YC	3405 / RN14PMC	---	0.025in
7200 Lightning Z; V2; (Kawasaki); OHV				
31hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.025in
7200 Lightning Z; Vanguard; V2; (Briggs & Stratton)				
32hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
MZ; 4 Stroke; Vertical; 7000 Series; V2; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
MZ 4200; V2; (Kohler); OHV				
25hp;CH740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
MZ 4200; Intek; V2; (Briggs & Stratton); OHV				
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
MZ Magnum; 4 Stroke; Vertical; 7000 Series; V2; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
MZ Magnum 4800; Vertical; V2; (Kohler); OHV				
26hp;KT745	946 / QC12YC	982 / XC12YC	71ECO	0.030in
MZ Magnum 5400; Vertical; V2; (Kohler); OHV				
26hp;KT745	946 / QC12YC	982 / XC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Bad Boy				
Zero-Turn Mower				
ZT Elite; Vertical; 44.3cid/726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
ZT Elite 4800; 4 Stroke; Vertical; 7000 Series; V2; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZT Elite 4800; Vertical; V2; (Kawasaki); OHV				
23hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
ZT Elite 4800; Vertical; V2; (Kohler); OHV				
26hp;KT745	946 / QC12YC	982 / XC12YC	---	0.030in
ZT Elite 5400; Vertical; V2; (Kawasaki); OHV				
23hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
ZT Elite 5400; Vertical; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZT Elite 6000; Vertical; V2; (Kawasaki); OHV				
23hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
ZT Elite 6000; Vertical; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZT Elite 6000; Vertical; 44.3cid/726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
ZT Series 4800; Vanguard; V2; (Briggs & Stratton)				
28hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZT Series 4800; Vertical; V2; (Kawasaki); OHV				
23hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
ZT Series 4800; Vertical; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZT Series 5400; Vanguard; V2; (Briggs & Stratton)				
28hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZT Series 5400; Vertical; V2; (Kawasaki); OHV				
23hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
ZT Series 5400; Vertical; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZT Series 6000; Vanguard; V2; (Briggs & Stratton)				
28hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZT Series 6000; Vertical; V2; (Kawasaki); OHV				
23hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
ZT Series 6000; Vertical; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZT60; V2; (Kohler); OHV				
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Badger				
Earth Auger				
80				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
81				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Baker				
Commercial Chipper				
(Kohler)				
14hp	854 / RH10C	844 / H10C	---	0.030in
(Tecumseh)				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	104 / RN4C	803 / N4C	---	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
23hp	854 / RH10C	844 / H10C	---	0.030in
22/20 C/S; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5/12 C/S; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;135212	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5/14 C/S; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;135212	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
525 C/V; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;135212	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6/14E C/S; (Tecumseh); OHV				
5.5hp	104 / RN4C	803 / N4C	---	0.030in
8/12 C/S; Horizontal; (Tecumseh)				
8hp;HM80	856 / RJ17LM	845 / J17LM	861ECO	0.030in
8/14 C/S; Horizontal; (Tecumseh)				
8hp;HM80	856 / RJ17LM	845 / J17LM	861ECO	0.030in
825 C/V; 1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp;192432	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
825 E C/V; 1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp;192437	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
(Kohler)				
14hp	854 / RH10C	844 / H10C	---	0.030in
2 Cyl.; (Kohler)				
23hp	854 / RH10C	844 / H10C	---	0.030in
Mulcher				
(Tecumseh)				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	104 / RN4C	803 / N4C	---	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
23hp	854 / RH10C	844 / H10C	---	0.030in
Bandit				
Commercial Chipper				
(Onan)				
20hp	909 / RS17YX	---	---	0.025in
24hp	909 / RS17YX	---	---	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Bandit				
Commercial Chipper				
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
23hp	854 / RH10C	844 / H10C	---	0.030in
V2; (Honda)				
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
VG4D; 2.5L (154cid); V4; Gas; (Wisconsin); L-HEAD				
37hp	541 / RD16	516 / D16	---	0.030in
CSG-649; 300cid; (Ford)				
	129 / RF10C	---	---	0.030in
G-1600; (Hercules)				
	102 / RJ6C	823 / J6C	---	0.025in
G-2300; (Hercules)				
	102 / RJ6C	823 / J6C	---	0.025in
LSG-423; 140cid; (Ford)				
	401 / RS12YC	9204 / RS12WYPB4	---	0.035in
VH4DI; 4 Cyl.; Gas; (Wisconsin)				
30hp	541 / RD16	516 / D16	---	0.030in
Bark Buster				
Log Splitter				
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Baroness				
Lawn Tractor				
GM960TA; Vanguard; V2; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LM315GC; Vanguard; V2; (Briggs & Stratton); OHV				
18hp;356447	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Barreto				
Tiller				
(Honda)				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Robin); OHC				
6hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
8.5hp;GX270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Horizontal; (Robin); OHC				
9hp;EX27;Inc. FI, All Season models	830 / RL86C	933-1 / QL86C	---	0.025in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Trencher				
(Honda)				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Barreto					
Trencher					
Vanguard; 1 Cyl.; (Briggs & Stratton)					
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
BCS					
Commercial Chipper					
10hp;1/2in Reach Spark Plugs	830 / RL86C	933-1 / QL86C	---	0.030in	
(Kohler)					
14hp	854 / RH10C	844 / H10C	---	0.030in	
8hp	854 / RH10C	844 / H10C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Log Splitter					
WX510; Horizontal; (Honda); OHC					
5hp;GC160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
WX515; Horizontal; (Honda); OHC					
5hp;GC160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
WX520; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; (Honda); OHV					
5.5hp;GX160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
WX520T; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; (Honda); OHV					
5.5hp;GX160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
WX530; Horizontal; (Honda); OHC					
5hp;GC160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
WX540; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; (Honda); OHV					
5.5hp;GX160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
WX615; 4 Stroke; Horizontal; 11.4cid\187cc; 1 Cyl.; (Honda); OHC					
6hp;GC190	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
WX620; 4 Stroke; Horizontal; 12cid\196cc; 1 Cyl.; (Honda); OHV					
6.5hp;GX200	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
WX620T; 4 Stroke; Horizontal; 12cid\196cc; 1 Cyl.; (Honda); OHV					
6.5hp;GX200	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
WX630; 4 Stroke; Horizontal; 11.4cid\187cc; 1 Cyl.; (Honda); OHC					
6hp;GC190	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
WX640; 4 Stroke; Horizontal; 12cid\196cc; 1 Cyl.; (Honda); OHV					
6.5hp;GX200	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
WX910; 4 Stroke; Horizontal; 16.5cid\270cc; 1 Cyl.; (Honda); OHV					
9hp;GX270	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
WX910T; 4 Stroke; Horizontal; 16.5cid\270cc; 1 Cyl.; (Honda); OHV					
9hp;GX270	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
BCS				
Log Splitter				
WX920; 4 Stroke; Horizontal; 16.5cid\270cc; 1 Cyl.; (Honda); OHV				
9hp;GX270	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
WX930; 4 Stroke; Horizontal; 16.5cid\270cc; 1 Cyl.; (Honda); OHV				
9hp;GX270	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
WX950; 4 Stroke; Horizontal; 16.5cid\270cc; 1 Cyl.; (Honda); OHV				
9hp;GX270	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
WX960; 4 Stroke; Horizontal; 16.5cid\270cc; 1 Cyl.; (Honda); OHV				
9hp;GX270	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
WX970; 4 Stroke; Horizontal; 16.5cid\270cc; 1 Cyl.; (Honda); OHV				
9hp;GX270	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
WX980; 4 Stroke; Horizontal; 16.5cid\270cc; 1 Cyl.; (Honda); OHV				
9hp;GX270	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
Mower				
10hp;1/2in Reach Spark Plugs	830 / RL86C	933-1 / QL86C	---	0.030in
(Kohler)				
14hp	854 / RH10C	844 / H10C	---	0.030in
8hp	854 / RH10C	844 / H10C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Shredder				
10hp;1/2in Reach Spark Plugs	830 / RL86C	933-1 / QL86C	---	0.030in
(Kohler)				
14hp	854 / RH10C	844 / H10C	---	0.030in
8hp	854 / RH10C	844 / H10C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
B10 80				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Bio 100				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Sickle Bar				
10hp;1/2in Reach Spark Plugs	830 / RL86C	933-1 / QL86C	---	0.030in
(Kohler)				
14hp	854 / RH10C	844 / H10C	---	0.030in
8hp	854 / RH10C	844 / H10C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
BCS				
Sickle Bar				
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Tiller				
10hp;1/2in Reach Spark Plugs	830 / RL86C	933-1 / QL86C	---	0.030in
(Kohler)				
14hp	854 / RH10C	844 / H10C	---	0.030in
8hp	854 / RH10C	844 / H10C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
201				
	830 / RL86C	933-1 / QL86C	---	0.030in
203				
	830 / RL86C	933-1 / QL86C	---	0.030in
205				
	830 / RL86C	933-1 / QL86C	---	0.030in
604				
	830 / RL86C	933-1 / QL86C	---	0.030in
716				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
735				
	830 / RL86C	933-1 / QL86C	---	0.030in
737; Vanguard; 1 Cyl.; (Briggs & Stratton)				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
745; (Kohler)				
	854 / RH10C	844 / H10C	---	0.030in
830; (Kohler)				
8hp	854 / RH10C	844 / H10C	---	0.030in
830; Vanguard; V2; (Briggs & Stratton)				
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
850; (Kohler)				
8hp	854 / RH10C	844 / H10C	---	0.030in
850; Vanguard; V2; (Briggs & Stratton)				
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
945; (Kohler)				
14hp	854 / RH10C	844 / H10C	---	0.030in
Beaird-Poulan				
Blower/Vacuum/Water Sprayer				
1500				
	102 / RJ6C	823 / J6C	---	0.030in
940				
	840 / RCJ8	843 / CJ8	843ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Beaird-Poulan					
Blower/Vacuum/Water Sprayer					
960					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Trimmer					
2600					
	846 / CJ14	---	846ECO	0.025in	
2610					
	846 / CJ14	---	846ECO	0.025in	
2620					
	846 / CJ14	---	846ECO	0.025in	
770					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
800					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
900					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
Bear Cat					
Brush Cutter/Disc Mower					
(Honda); OHV					
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
2 Cyl.; (Honda); OHC					
5.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Commercial Chipper					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Honda); OHV					
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Tecumseh)					
8hp	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
12.5hp	9201 / RC12WYPB4	9201 / RC12WYPB4	---	0.040in	
1 Cyl.; (Kohler); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
V2; (Briggs & Stratton); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
V2; (Honda)					
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
24hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
4 Cyl.; Gas; (Wisconsin)					
35hp	541 / RD16	516 / D16	---	0.025in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Bear Cat				
Commercial Chipper				
205cc; (Briggs & Stratton); OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1.1L; (Ford)				
	304 / RS9YC	3401 / RS10PYC4	---	0.035in
1.3L; (Ford)				
	304 / RS9YC	3401 / RS10PYC4	---	0.035in
Command Pro; 4 Stroke; Horizontal; V2; (Kohler); OHV				
23.5hp;CH730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.028in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
8.9hp;GXV340	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Horizontal; OHC				
7hp;SP210	830 / RL86C	933-1 / QL86C	---	0.025in
Horizontal; (Subaru/Robin); OHC				
12hp;EX35	830 / RL86C	933-1 / QL86C	---	0.025in
14hp;EX40	830 / RL86C	933-1 / QL86C	---	0.025in
5.7hp;SP170	830 / RL86C	933-1 / QL86C	---	0.025in
9hp;EX27;Inc. FI, All Season models	830 / RL86C	933-1 / QL86C	---	0.025in
Horizontal; 39.9cid\653cc; V2; (Subaru/Robin); OHV				
22hp;EH64;For Welding Only	405 / RN14YC	3405 / RN14PMC	---	0.035in
Horizontal; 43.9cid\720cc; V2; (Subaru/Robin); OHV				
28hp;EH72	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
8hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 190cc; (Briggs & Stratton); OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Intek; 342cc; (Briggs & Stratton); OHV				
210000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; OHV				
32hp;350000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton); OHV				
33hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; OHC				
5.5hp;EA190V	814 / RL82YC	328 / L82YC	---	0.026in
CH4400; Horizontal; 24.65cid\404cc; 1 Cyl.; (Subaru); OHC				
14hp;EX40	830 / RL86C	933-1 / QL86C	---	0.025in
CH5653; Horizontal; 39.9cid\653cc; V2; (Subaru); OHV				
22hp;EH65	415 / RN9YC	300 / N9YC	415ECO	0.030in
CH6720H; Horizontal; 43.9cid\720cc; V2; (Subaru); OHV				
28hp;EH72	415 / RN9YC	300 / N9YC	415ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Bear Cat				
Commercial Chipper				
CH8720iH; Horizontal; 43.9cid\720cc; V2; (Subaru); OHV				
28hp;EH72	415 / RN9YC	300 / N9YC	415ECO	0.025in
CH8993H; Vanguard; Commercial Series; V2; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
SC3206; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
SC3306; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
SC3342; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vac-N-Chip; Quantum; (Briggs & Stratton); L-HEAD				
8.5hp;196700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Debris Loader				
DL10; Vanguard; V2; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Log Splitter				
LS22; Horizontal; (Subaru); OHC				
5.7hp;SP170	830 / RL86C	933-1 / QL86C	---	0.025in
LS27; Horizontal; (Subaru); OHC				
7hp;SP210	830 / RL86C	933-1 / QL86C	---	0.025in
Shredder				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Tecumseh)				
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
12.5hp	9201 / RC12WYPB4	9201 / RC12WYPB4	---	0.030in
1 Cyl.; (Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
V2; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Honda)				
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
24hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4 Cyl.; Gas; (Wisconsin)				
35hp	541 / RD16	516 / D16	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Bear Cat					
Shredder					
205cc; (Briggs & Stratton); OHV					
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
1.1L; (Ford)					
	304 / RS9YC	3401 / RS10PYC4	---	0.035in	
1.3L; (Ford)					
	304 / RS9YC	3401 / RS10PYC4	---	0.035in	
Command Pro; 4 Stroke; Horizontal; V2; (Kohler); OHV					
23.5hp;CH730	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
GCV-Series; Vertical; (Honda); OHC					
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.028in	
GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
11.7hp;GX390	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
GXV-Series; 4 Stroke; Vertical; (Honda); OHV					
8.9hp;GXV340	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Horizontal; OHC					
7hp;SP210	830 / RL86C	933-1 / QL86C	---	0.025in	
Horizontal; (Subaru/Robin); OHC					
12hp;EX35	830 / RL86C	933-1 / QL86C	---	0.025in	
14hp;EX40	830 / RL86C	933-1 / QL86C	---	0.025in	
5.7hp;SP170	830 / RL86C	933-1 / QL86C	---	0.025in	
9hp;EX27;Inc. FI, All Season models	830 / RL86C	933-1 / QL86C	---	0.025in	
Horizontal; 39.9cid\653cc; V2; (Subaru/Robin); OHV					
22hp;EH64;For Welding Only	405 / RN14YC	3405 / RN14PMC	---	0.035in	
Horizontal; 43.9cid\720cc; V2; (Subaru/Robin); OHV					
28hp;EH72	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
10.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
8hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; 190cc; (Briggs & Stratton); OHV					
120000	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Intek; 342cc; (Briggs & Stratton); OHV					
210000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; (Briggs & Stratton); OHV					
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; OHV					
32hp;350000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton); OHV					
33hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vertical; OHC					
5.5hp;EA190V	814 / RL82YC	328 / L82YC	---	0.026in	
Shredder/Chipper					
SC2170; Horizontal; (Subaru); OHC					
5.7hp;SP170	830 / RL86C	933-1 / QL86C	---	0.025in	
SC3265; Horizontal; (Subaru); OHC					
9hp;EX27	830 / RL86C	933-1 / QL86C	---	0.025in	
SC5720B; Horizontal; 43.9cid\720cc; V2; (Subaru); OHV					
28hp;EH72	415 / RN9YC	300 / N9YC	415ECO	0.025in	



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Bear Cat				
Stump Grinder				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Tecumseh)				
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
V2; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Honda)				
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
24hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4 Cyl.; Gas; (Wisconsin)				
35hp	541 / RD16	516 / D16	---	0.025in
205cc; (Briggs & Stratton); OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1.1L; (Ford)				
	304 / RS9YC	3401 / RS10PYC4	---	0.035in
1.3L; (Ford)				
	304 / RS9YC	3401 / RS10PYC4	---	0.035in
Command Pro; 4 Stroke; Horizontal; V2; (Kohler); OHV				
23.5hp;CH730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.028in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
8.9hp;GXV340	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Horizontal; OHC				
7hp;SP210	830 / RL86C	933-1 / QL86C	---	0.025in
Horizontal; (Subaru/Robin); OHC				
12hp;EX35	830 / RL86C	933-1 / QL86C	---	0.025in
14hp;EX40	830 / RL86C	933-1 / QL86C	---	0.025in
5.7hp;SP170	830 / RL86C	933-1 / QL86C	---	0.025in
9hp;EX27;Inc. FI, All Season models	830 / RL86C	933-1 / QL86C	---	0.025in
Horizontal; 39.9cid\653cc; V2; (Subaru/Robin); OHV				
22hp;EH64;For Welding Only	405 / RN14YC	3405 / RN14PMC	---	0.035in
Horizontal; 43.9cid\720cc; V2; (Subaru/Robin); OHV				
28hp;EH72	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Bear Cat				
Stump Grinder				
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
8hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 190cc; (Briggs & Stratton); OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Intek; 342cc; (Briggs & Stratton); OHV				
210000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; OHV				
32hp;350000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton); OHV				
33hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; OHC				
5.5hp;EA190V	814 / RL82YC	328 / L82YC	---	0.026in
Trimmer				
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Honda); OHC				
5.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Horizontal; (Subaru/Robin); OHC				
12hp;EX35	830 / RL86C	933-1 / QL86C	---	0.025in
14hp;EX40	830 / RL86C	933-1 / QL86C	---	0.025in
5.7hp;SP170	830 / RL86C	933-1 / QL86C	---	0.025in
9hp;EX27;Inc. FI, All Season models	830 / RL86C	933-1 / QL86C	---	0.025in
Horizontal; 39.9cid\653cc; V2; (Subaru/Robin); OHV				
22hp;EH64;For Welding Only	405 / RN14YC	3405 / RN14PMC	---	0.035in
Horizontal; 43.9cid\720cc; V2; (Subaru/Robin); OHV				
28hp;EH72	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Vacuum				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Tecumseh)				
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
V2; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Bear Cat				
Vacuum				
V2; (Honda)				
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
24hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4 Cyl.; Gas; (Wisconsin)				
35hp	541 / RD16	516 / D16	---	0.025in
205cc; (Briggs & Stratton); OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1.1L; (Ford)				
	304 / RS9YC	3401 / RS10PYC4	---	0.035in
1.3L; (Ford)				
	304 / RS9YC	3401 / RS10PYC4	---	0.035in
Command Pro; 4 Stroke; Horizontal; V2; (Kohler); OHV				
23.5hp;CH730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.028in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
8.9hp;GXV340	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Horizontal; OHC				
7hp;SP210	830 / RL86C	933-1 / QL86C	---	0.025in
Horizontal; (Subaru/Robin); OHC				
12hp;EX35	830 / RL86C	933-1 / QL86C	---	0.025in
14hp;EX40	830 / RL86C	933-1 / QL86C	---	0.025in
5.7hp;SP170	830 / RL86C	933-1 / QL86C	---	0.025in
9hp;EX27;Inc. Fl, All Season models	830 / RL86C	933-1 / QL86C	---	0.025in
Horizontal; 39.9cid\653cc; V2; (Subaru/Robin); OHV				
22hp;EH64;For Welding Only	405 / RN14YC	3405 / RN14PMC	---	0.035in
Horizontal; 43.9cid\720cc; V2; (Subaru/Robin); OHV				
28hp;EH72	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
8hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 190cc; (Briggs & Stratton); OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Intek; 342cc; (Briggs & Stratton); OHV				
210000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; OHV				
32hp;350000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton); OHV				
33hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Bear Cat					
Vacuum					
Vertical; OHC					
5.5hp;EA190V	814 / RL82YC	328 / L82YC	---	0.026in	
DL12653; Horizontal; 39.9cid\653cc; V2; (Subaru); OHV					
22hp;EH65	415 / RN9YC	300 / N9YC	415ECO	0.030in	
DL12720; Horizontal; 43.9cid\720cc; V2; (Subaru); OHV					
28hp;EH72	415 / RN9YC	300 / N9YC	415ECO	0.025in	
DL8; Horizontal; 24.65cid\404cc; 1 Cyl.; (Subaru); OHC					
14hp;EX40	830 / RL86C	933-1 / QL86C	---	0.025in	
Wheeled Trimmer					
WT189; Vertical; (Subaru); OHC					
5.5hp;EA190V	327 / RL87YC	934-1 / QL87YC	---	0.026in	
Wheeled Vacuum					
WV160; Vertical; (Honda); OHC					
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
WV160S; GCV-Series; Vertical; (Honda); OHC					
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
WV190; Professional Series; (Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
WV190S; Professional Series; (Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Beazley					
Mower					
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in	
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in	
Bed Edger					
Edger					
(Honda)					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Bed Shaper					
Edger					
(Kawasaki); OHV					
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Beeline					
Stump Grinder					
2 Cyl.; (Honda)					
20hp;GX620	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
2 Cyl.; (Kohler); OHV					
20hp;CH20S	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp;CH25S	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Command Pro; 4 Stroke; Horizontal; (Kohler); OHV					
12hp;CS12	405 / RN14YC	3405 / RN14PMC	---	0.030in	
GX-Series; 4 Stroke; Horizontal; V2; (Honda); OHV					
24hp;GX670	415 / RN9YC	300 / N9YC	415ECO	0.030in	



Model/Engine	Standard Stk # / Plug Type	Alternate Stk # / Plug Type	Premium Stk #	Gap
Beeline				
Stump Grinder				
Vanguard; (Briggs & Stratton); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton); OHV				
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Beeman				
Lawn Tractor				
1/2in Reach -14 Pipe Threads 21mm Diameter Threads	425 / X	525 / 25	---	0.030in
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
with 7/8in Diameter Threads	569 / W14	---	---	0.025in
BEFCO				
Pull-Behind Mower				
(Kohler)				
8hp	854 / RH10C	844 / H10C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Better				
Lawn Mower				
Quick 36; Intek; 1 Cyl.; (Briggs & Stratton); L-HEAD				
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
BFB				
Lawn Tractor				
1 Cyl.; (Briggs & Stratton); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Big Giant				
Log Splitter				
(Kohler)				
14hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Big Snapper				
Mower				
	541 / RD16	516 / D16	---	0.030in

Model/Engine	Standard Stk # / Plug Type	Alternate Stk # / Plug Type	Premium Stk #	Gap
Big Wheel				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Big-Giant				
Log Splitter				
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.030in
16hp	854 / RH10C	844 / H10C	---	0.030in
8hp	854 / RH10C	844 / H10C	---	0.030in
K181; (Kohler)				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Mower				
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.030in
8hp	854 / RH10C	844 / H10C	---	0.030in
Big-Pro				
Lawn Tractor				
(Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
Billy Goat				
Aerator				
AE1300H; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
AE401; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
AE401H; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in
PL1800; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
PL1800H; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in
PL2500H; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
PL2500SPH; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
5.5hp;GX200	415 / RN9YC	300 / N9YC	415ECO	0.030in
PLUGR; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
5.5hp;GX200	415 / RN9YC	300 / N9YC	415ECO	0.030in
Blower/Vacuum/Water Sprayer				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
10.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Billy Goat				
Blower/Vacuum/Water Sprayer				
(Kawasaki)				
7.5hp	806 / L92YC	---	---	0.030in
(Kohler)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
16hp	854 / RH10C	844 / H10C	---	0.030in
(Robin); OHC				
6hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in
(Tecumseh)				
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
500 Series; (Briggs & Stratton); L-HEAD				
2.95hp;100000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
550 Series; (Briggs & Stratton); L-HEAD				
2.95hp;100000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
GC-Series; Horizontal; (Honda); OHC				
5.2hp;GC190	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
8.5hp;GX270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
13hp;GXV390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Horizontal; (Robin); OHC				
9hp;EX27;Inc. Fl, All Season models	830 / RL86C	933-1 / QL86C	---	0.025in
Horizontal; 24.65cid\404cc; 1 Cyl.; (Subaru); OHC				
14hp;EX40	830 / RL86C	933-1 / QL86C	---	0.025in
Horizontal; 43.9cid\720cc; V2; (Robin); OHV				
28hp;EH72	415 / RN9YC	300 / N9YC	415ECO	0.025in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton); OHV				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vanguard; Commercial Series; V2; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
35hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
All Model(s); (Briggs & Stratton)				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
All Model(s); (Honda)				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
All Model(s); Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	---	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Billy Goat					
Blower/Vacuum/Water Sprayer					
All Model(s); Vanguard; V2; (Briggs & Stratton); OHV					
16hp	946 / QC12YC	3071 / RC12PYC	71ECO	0.030in	
F1302H; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in	
F1302SPH; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in	
F1802SPV (Blower); Vanguard; V2; (Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
F1802V; Vanguard; 2 Cyl.; (Briggs & Stratton); OHV					
18hp;35644	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
F1802V (Blower); Vanguard; V2; (Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
F601S; Horizontal; (Subaru); OHC					
5.7hp;SP170	830 / RL86C	933-1 / QL86C	---	0.025in	
F902H; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
8.5hp;GX270	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
F902S; Horizontal; (Subaru); OHC					
9hp;EX27	830 / RL86C	933-1 / QL86C	---	0.025in	
F902SPS; Horizontal; (Subaru); OHC					
9hp;EX27	830 / RL86C	933-1 / QL86C	---	0.025in	
KS410					
	893 / RCJ4	849 / CJ6	852ECO	0.025in	
Prof 5 B; Horizontal; 24.65cid\404cc; 1 Cyl.; (Subaru); OHC					
14hp;EX40 ES	830 / RL86C	933-1 / QL86C	---	0.025in	
QB554HC; GC-Series; Horizontal; (Honda); OHC					
4.6hp;GC160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Brush Cutter/Disc Mower					
(Honda); OHV					
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki)					
7.5hp	806 / L92YC	---	---	0.030in	
(Kohler)					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
16hp	854 / RH10C	844 / H10C	---	0.030in	
(Tecumseh)					
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
BC2600HEBH; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Billy Goat				
Brush Cutter/Disc Mower				
BC2600HH; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
BC2600HM; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
BC2600ICM; (Briggs & Stratton); OHV				
10.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Hedge Trimmer				
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
7.5hp	806 / L92YC	---	---	0.030in
(Kohler)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
16hp	854 / RH10C	844 / H10C	---	0.030in
(Tecumseh)				
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Power Rake				
CR550HC; GC-Series; Horizontal; (Honda); OHC				
4.6hp;GC160	415 / RN9YC	300 / N9YC	415ECO	0.030in
PR550H; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
Shredder				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
10.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
7.5hp	806 / L92YC	---	---	0.030in
(Kohler)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
16hp	854 / RH10C	844 / H10C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Billy Goat					
Shredder					
(Robin); OHC					
6hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in	
(Tecumseh)					
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
500 Series; (Briggs & Stratton); L-HEAD					
2.95hp;100000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
550 Series; (Briggs & Stratton); L-HEAD					
2.95hp;100000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
GC-Series; Horizontal; (Honda); OHC					
5.2hp;GC190	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
11.7hp;GX390	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in	
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
8.5hp;GX270	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
GXV-Series; 4 Stroke; Vertical; (Honda); OHV					
13hp;GXV390	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Horizontal; (Robin); OHC					
9hp;EX27;Inc. FI, All Season models	830 / RL86C	933-1 / QL86C	---	0.025in	
Horizontal; 24.65cid\404cc; 1 Cyl.; (Subaru); OHC					
14hp;EX40	830 / RL86C	933-1 / QL86C	---	0.025in	
Horizontal; 43.9cid\720cc; V2; (Robin); OHV					
28hp;EH72	415 / RN9YC	300 / N9YC	415ECO	0.025in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton); OHV					
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vanguard; Commercial Series; V2; (Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
35hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
MAJOR 4S; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
8.5hp;GX270	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
MINOR 4S; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
5.5hp;GX200	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Prof 5; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
13hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Super Prof; Vanguard; V2; (Briggs & Stratton); OHV					
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Super Prof 2000; Vanguard; V2; (Briggs & Stratton); OHV					
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Super Prof Cross Country; Vanguard; V2; (Briggs & Stratton); OHV					
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Billy Goat					
Shredder					
Super Prof Max; Vanguard; V2; (Briggs & Stratton); OHV					
23hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Ultra Prof; GX-Series; 4 Stroke; Horizontal; V2; (Honda); OHV					
24hp;GX670	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Sod Cutter					
SC121H; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in	
SC180H; GXV-Series; 4 Stroke; Vertical; (Honda); OHV					
4.3hp;GXV160	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
SC181H; GXV-Series; 4 Stroke; Vertical; (Honda); OHV					
4.3hp;GXV160	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Turf Equipment					
(Robin); OHC					
6hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in	
Horizontal; (Robin); OHC					
9hp;EX27;Inc. FI, All Season models	830 / RL86C	933-1 / QL86C	---	0.025in	
Horizontal; 24.65cid\404cc; 1 Cyl.; (Subaru); OHC					
14hp;EX40	830 / RL86C	933-1 / QL86C	---	0.025in	
Horizontal; 43.9cid\720cc; V2; (Robin); OHV					
28hp;EH72	415 / RN9YC	300 / N9YC	415ECO	0.025in	
Vanguard; 2 Cyl.; (Briggs & Stratton); OHV					
356400	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
18hp;356400	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
OS500 (Overseeder); Vanguard; (Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
PR550 (Power Rake); Vanguard; (Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vacuum					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
10.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
(Honda); OHV					
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki)					
7.5hp	806 / L92YC	---	---	0.030in	
(Kohler)					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
16hp	854 / RH10C	844 / H10C	---	0.030in	
(Robin); OHC					
6hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in	
(Tecumseh)					
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Billy Goat				
Vacuum				
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
500 Series; (Briggs & Stratton); L-HEAD				
2.95hp;100000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
550 Series; (Briggs & Stratton); L-HEAD				
2.95hp;100000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
GC-Series; Horizontal; (Honda); OHC				
5.2hp;GC190	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
8.5hp;GX270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
13hp;GXV390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Horizontal; (Robin); OHC				
9hp;EX27;Inc. FI, All Season models	830 / RL86C	933-1 / QL86C	---	0.025in
Horizontal; 24.65cid\404cc; 1 Cyl.; (Subaru); OHC				
14hp;EX40	830 / RL86C	933-1 / QL86C	---	0.025in
Horizontal; 43.9cid\720cc; V2; (Robin); OHV				
28hp;EH72	415 / RN9YC	300 / N9YC	415ECO	0.025in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton); OHV				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vanguard; Commercial Series; V2; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
35hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
DL1301H; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
13hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
DL1401SE; Horizontal; 24.65cid\404cc; 1 Cyl.; (Subaru); OHC				
14hp;EX40	830 / RL86C	933-1 / QL86C	---	0.025in
DL1401SEEU; Horizontal; 24.65cid\404cc; 1 Cyl.; (Subaru); OHC				
14hp;EX40	830 / RL86C	933-1 / QL86C	---	0.025in
DL1801V; Vanguard; V2; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
DL1801VEEU; Vanguard; V2; (Briggs & Stratton); OHV				
18hp;356447	431 / RC14YC	946 / QC12YC	71ECO	0.030in
DL1801VEU; Vanguard; V2; (Briggs & Stratton); OHV				
18hp;356447	431 / RC14YC	946 / QC12YC	71ECO	0.030in
DL2500S; Horizontal; 43.9cid\720cc; V2; (Subaru); OHV				
28hp;EH72	415 / RN9YC	300 / N9YC	415ECO	0.030in
DL3500V; Vanguard; V2; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Billy Goat				
Vacuum				
DL901HEU; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
8.5hp;GX270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
F1402S; Horizontal; 24.65cid/404cc; 1 Cyl.; (Subaru); OHC				
14hp;EX40	830 / RL86C	933-1 / QL86C	---	0.025in
KV600; Quantum; (Briggs & Stratton); L-HEAD				
6hp;112K020	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
KV600FB; Quantum; (Briggs & Stratton); L-HEAD				
6hp;112K020	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
KV600SP; Quantum; (Briggs & Stratton); L-HEAD				
6hp;112K020	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
KV600SPFB; Quantum; (Briggs & Stratton); L-HEAD				
6hp;112K020	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
KV650H; GSV-Series; Vertical; (Honda); OHC				
5.1hp;GSV190	415 / RN9YC	300 / N9YC	415ECO	0.030in
KV650HFB; GSV-Series; Vertical; (Honda); OHC				
5.1hp;GSV190	415 / RN9YC	300 / N9YC	415ECO	0.030in
KV650SPH; GSV-Series; Vertical; (Honda); OHC				
5.1hp;GSV190	415 / RN9YC	300 / N9YC	415ECO	0.030in
KV650SPHFB; GSV-Series; Vertical; (Honda); OHC				
5.1hp;GSV190	415 / RN9YC	300 / N9YC	415ECO	0.030in
MV600SPE; (Briggs & Stratton); L-HEAD				
122MO7	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
MV650H; GSV-Series; Vertical; (Honda); OHC				
5.1hp;GSV190	415 / RN9YC	300 / N9YC	415ECO	0.030in
MV650SPH; GSV-Series; Vertical; (Honda); OHC				
5.1hp;GSV190	415 / RN9YC	300 / N9YC	415ECO	0.030in
MV650SPHDS; GSV-Series; Vertical; (Honda); OHC				
5.1hp;GSV190	415 / RN9YC	300 / N9YC	415ECO	0.030in
QV550; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
QV550H; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
QV550HSP; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
QV550HSPEU; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
QV900HSP; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
8.5hp;GX270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
QV900HSPEU; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
8.5hp;GX270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
TKV650SPH; GSV-Series; Vertical; (Honda); OHC				
5.1hp;GSV190	415 / RN9YC	300 / N9YC	415ECO	0.030in
TKV650SPHFB; GSV-Series; Vertical; (Honda); OHC				
5.1hp;GSV190	415 / RN9YC	300 / N9YC	415ECO	0.030in
Wire Brush Edger				
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Billy Goat					
Wire Brush Edger					
(Kawasaki)					
7.5hp	806 / L92YC	---	---	0.030in	
(Kohler)					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
16hp	854 / RH10C	844 / H10C	---	0.030in	
(Tecumseh)					
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Black Rock					
Blower/Vacuum/Water Sprayer					
(Kawasaki)					
2.4hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
(Kawasaki); OHV					
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
V2; (Kawasaki); OHV					
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
V2; (Kohler); OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Mower					
(Kawasaki)					
2.4hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
(Kawasaki); OHV					
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
V2; (Kawasaki); OHV					
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
V2; (Kohler); OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Black Rock					
Trimmer					
Grass Trimmer					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Hedge Trimmer					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Blair					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Blec					
Seeder					
(Honda); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Blowmite					
Blower/Vacuum/Water Sprayer					
	871 / RJ8C	841 / J8C	---	0.025in	
BlueBird					
Aerator					
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
(Robin); OHC					
6hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in	
(Tecumseh)					
3.5hp	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
GCV-Series; Vertical; (Honda); OHC					
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
11.7hp;GX390	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in	
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
GXV-Series; 4 Stroke; Vertical; (Honda); OHV					
2hp;GXV57	808 / Z9Y	705 / P-RZ9HC	---	0.026in	
Intek; 1 Cyl.; (Briggs & Stratton)					
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
424; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in	
530; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in	
742; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Auger					
NEA52E					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
BlueBird				
Commercial Chipper				
(Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Robin); OHC				
6hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in
(Tecumseh)				
3.5hp	856 / RJ17LM	845 / J17LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
2hp;GXV57	808 / Z9Y	705 / P-RZ9HC	---	0.026in
Intek; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Dethatcher				
D110; 900 Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Edger				
BB550A; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
Hedge Trimmer				
H23E				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
H27E				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
Lawn Tractor				
1 Cyl.; (Briggs & Stratton); L-HEAD				
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Mower				
HM160; GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
2hp;GXV57	808 / Z9Y	705 / P-RZ9HC	---	0.026in
HM200; GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
Power Rake				
PR18; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
PR22; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
BlueBird					
Powered Wheelbarrow					
(Honda); OHV					
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Seeder					
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
(Robin); OHC					
6hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in	
(Tecumseh)					
3.5hp	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
GCV-Series; Vertical; (Honda); OHC					
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
11.7hp;GX390	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in	
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
GXV-Series; 4 Stroke; Vertical; (Honda); OHV					
2hp;GXV57	808 / Z9Y	705 / P-RZ9HC	---	0.026in	
Intek; 1 Cyl.; (Briggs & Stratton)					
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
S22; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Shredder					
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
(Robin); OHC					
6hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in	
(Tecumseh)					
3.5hp	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
GCV-Series; Vertical; (Honda); OHC					
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
11.7hp;GX390	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
BlueBird				
Shredder				
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
2hp;GXV57	808 / Z9Y	705 / P-RZ9HC	---	0.026in
Intek; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Sod Cutter				
(Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Robin); OHC				
6hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in
(Tecumseh)				
3.5hp	856 / RJ17LM	845 / J17LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
2hp;GXV57	808 / Z9Y	705 / P-RZ9HC	---	0.026in
Intek; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
SC550; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
Stump Grinder				
SG1314B; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
Trimmer				
K25				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
K29				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
M27				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
M34				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
M41				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
M54				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
BlueBird				
Trimmer				
ZM34				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
ZM47				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Turf Equipment				
(Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Robin); OHC				
6hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in
(Tecumseh)				
3.5hp	856 / RJ17LM	845 / J17LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
2hp;GXV57	808 / Z9Y	705 / P-RZ9HC	---	0.026in
Intek; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vacuum				
(Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Robin); OHC				
6hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in
(Tecumseh)				
3.5hp	856 / RJ17LM	845 / J17LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
BlueBird				
Vacuum				
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
2hp;GXV57	808 / Z9Y	705 / P-RZ9HC	---	0.026in
Intek; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
B-M				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
BMB				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Bob-A-Lawn				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Bobcat				
Blower/Vacuum/Water Sprayer				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
13.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
15hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
14hp	854 / RH10C	844 / H10C	---	0.030in
16hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Onan)				
24hp	909 / RS17YX	---	---	0.025in
(Tecumseh); OHV				
11hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
H2; (Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kawasaki)				
15hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
V2; (Kawasaki); OHV				
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Bobcat				
Blower/Vacuum/Water Sprayer				
V2; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
28hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1.1L; (Ford)				
	322 / RN11YC4	302 / N11YC	322ECO	0.035in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
13.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
K-Series; (Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
K-Series; 2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
Vanguard; V2; (Briggs & Stratton); OHV				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Edger				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Edger				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Mower				
(Generac)				
OHVI	985 / RC14YC4	946 / QC12YC	71ECO	0.040in
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
13.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
15hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
14hp	854 / RH10C	844 / H10C	---	0.030in
16hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Onan)				
24hp	909 / RS17YX	---	---	0.025in
(Tecumseh); OHV				
11hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
H2; (Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kawasaki)				
15hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Bobcat					
Mower					
V2; (Kawasaki); OHV					
19hp	322 / RN11YC4	405 / RN14YC	322ECO	0.030in	
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
25hp	322 / RN11YC4	405 / RN14YC	322ECO	0.030in	
V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
28hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
1.1L; (Ford)					
	322 / RN11YC4	302 / N11YC	322ECO	0.035in	
Aegis; V2; (Kohler); OHV					
23hp;LV675	431 / RC14YC	946 / QC12YC	71ECO	0.040in	
Command Pro; 4 Stroke; Horizontal; V2; (Kohler); OHV					
25hp;ECH730	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
Command Pro; Vertical; V2; (Kohler); OHV					
22.5hp;CV680	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp;ECV730	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
29hp;ECV749	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
Command Pro; Vertical; 44cid725cc; V2; (Kohler); OHV					
27hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Extended Life Series (ELS); (Briggs & Stratton); OHV					
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
13.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Intek; V2; (Briggs & Stratton); OHV					
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
K-Series; (Kohler)					
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
K-Series; 2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
Professional Series; 44cid724cc; V2; (Briggs & Stratton); OHV					
23hp;440000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton); OHV					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vertical; V2; (Kawasaki); OHV					
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
16.5hp;FX541V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
17hp;FC540V	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
19hp;FX600V	405 / RN14YC	3405 / RN14PMC	---	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Bobcat					
Mower					
Vertical; V2; (Kawasaki); OHV					
20.5hp;FX651V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV					
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Vertical; 61cid\999cc; V2; (Kawasaki); OHV					
28.9hp;FX921V-DFI	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
37hp;FX1000V-DFI	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Trimmer					
Trimmer					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Vacuum					
(Kawasaki)					
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
13.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
(Kawasaki); OHV					
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
15hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
14hp	854 / RH10C	844 / H10C	---	0.030in	
16hp	854 / RH10C	844 / H10C	---	0.030in	
(Kohler); OHV					
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Onan)					
24hp	909 / RS17YX	---	---	0.025in	
(Tecumseh); OHV					
11hp	104 / RN4C	803 / N4C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
H2; (Briggs & Stratton); L-HEAD					
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
V2; (Kawasaki)					
15hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
V2; (Kawasaki); OHV					
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Bobcat					
Vacuum					
V2; (Kohler); OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
28hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
1.1L; (Ford)					
	322 / RN11YC4	302 / N11YC	322ECO	0.035in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
13.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
K-Series; (Kohler)					
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
K-Series; 2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
Liquid Cooled; Vanguard; 58.1cid952cc; 3 Cyl.; Gas; (Briggs & Stratton Daihatsu); OHV					
31hp;DM950G	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Vanguard; V2; (Briggs & Stratton); OHV					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Bolens					
Blower/Vacuum/Water Sprayer					
(MTD/Powermore); OHV					
	415 / RN9YC	300 / N9YC	415ECO	0.030in	
YM2BP					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
YM2BV					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
YM320BV					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
Edger					
(Briggs & Stratton); L-HEAD					
90000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
2.95hp;100000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Briggs & Stratton); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
(MTD/Powermore)					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
(MTD/Powermore); OHV					
	415 / RN9YC	300 / N9YC	415ECO	0.030in	
13.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Garden Tractor					
GK Model 960; THD; 0.9L (53.9cid); L2; (Wisconsin); L-HEAD					
18hp	541 / RD16	516 / D16	---	0.025in	
Lawn Mower					
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Bolens				
Lawn Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
020L; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Briggs & Stratton); OHV				
13.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Kohler)				
17hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
18hp;K361	854 / RH10C	844 / H10C	---	0.030in
19hp	854 / RH10C	844 / H10C	---	0.030in
(MTD/Powermore); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Tecumseh)				
14hp;HH140	814 / RL82YC	931-1 / QL82C	---	0.030in
16hp;HH160	814 / RL82YC	931-1 / QL82C	---	0.030in
(Wisconsin)				
	541 / RD16	516 / D16	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp;K532	854 / RH10C	844 / H10C	---	0.030in
23hp;K582	854 / RH10C	844 / H10C	---	0.030in
V2; (Briggs & Stratton); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
21hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
40.25cid; 2 Cyl.; (Onan)				
8.5hp;BF	857 / RH18Y	---	---	0.025in
Tec. Engs.				
	871 / RJ8C	841 / J8C	---	0.030in
Log Splitter				
(MTD/Powermore); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Mower				
2 Cyl.; (Generac)				
33hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Mulcher				
(Briggs & Stratton); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Lauson)				
	871 / RJ8C	841 / J8C	---	0.030in
(MTD/Powermore); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Bolens					
Mulcher					
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
V2; (Briggs & Stratton); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
21hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Tiller					
(Briggs & Stratton); L-HEAD					
90000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
2.95hp;100000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Briggs & Stratton); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
(Lauson)					
	871 / RJ8C	841 / J8C	---	0.030in	
(MTD/Powermore)					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
(MTD/Powermore); OHV					
	415 / RN9YC	300 / N9YC	415ECO	0.030in	
13.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Trimmer					
(Briggs & Stratton); L-HEAD					
90000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
2.95hp;100000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Briggs & Stratton); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
(MTD/Powermore)					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
(MTD/Powermore); OHV					
	415 / RN9YC	300 / N9YC	415ECO	0.030in	
13.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Borderline					
Sod Cutter					
GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
3hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Trencher					
(Honda)					
2.2hp	846 / CJ14	---	846ECO	0.030in	
2.5hp	846 / CJ14	---	846ECO	0.030in	
3hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Botag				
Lawn Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Bradley Mowers				
Brush Cutter/Disc Mower				
36BB-BS25E; Vertical; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;44S9	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Lawn Mower				
22BP-B8.50; (Briggs & Stratton); OHV				
122R	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22DP-B8.50; (Briggs & Stratton); OHV				
122R	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24SP-B8.50; (Briggs & Stratton); OHV				
122R	71 / RC12YC	946 / QC12YC	71ECO	0.030in
36WT-BS23E; Vertical; 44cid\724cc; V2; (Briggs & Stratton); OHV				
23hp;44S7	71 / RC12YC	946 / QC12YC	71ECO	0.030in
48WT-BS25E; Vertical; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;44S9	71 / RC12YC	946 / QC12YC	71ECO	0.030in
52WT-BS25E; Vertical; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;44S9	71 / RC12YC	946 / QC12YC	71ECO	0.030in
E40-3; Horizontal; (Briggs & Stratton); OHV				
083132-0139-B1	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Lawn Tractor				
36SOT-BS23E; Vertical; 44cid\724cc; V2; (Briggs & Stratton); OHV				
23hp;44S7	71 / RC12YC	946 / QC12YC	71ECO	0.030in
48SC-BS24V; Vertical; 44cid\724cc; V2; (Briggs & Stratton); OHV				
24hp;44S8	71 / RC12YC	946 / QC12YC	71ECO	0.030in
48SC-H24; GXV-Series; 4 Stroke; Vertical; V2; (Honda); OHV				
22.1hp;GXV690	404 / RN12YC	---	---	0.030in
48SOT-BS25E; Vertical; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;44S9	71 / RC12YC	946 / QC12YC	71ECO	0.030in
52SC-BS26; Vertical; (Briggs & Stratton); OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
52SC-BS26V; Vertical; (Briggs & Stratton); OHV				
26hp;49S7	71 / RC12YC	946 / QC12YC	71ECO	0.030in
52SC-H24; GXV-Series; 4 Stroke; Vertical; V2; (Honda); OHV				
22.1hp;GXV690	404 / RN12YC	---	---	0.030in
52SOT-BS25E; Vertical; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;44S9	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Log Splitter				
BLS35BS1650; Horizontal; (Briggs & Stratton); OHV				
25N1	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Trencher				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Braid					
Log Splitter					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Brave					
Blower/Vacuum/Water Sprayer					
(Honda); OHV					
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler); OHV					
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Tecumseh)					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	871 / RJ8C	841 / J8C	---	0.030in	
(Tecumseh); OHV					
5.5hp	104 / RN4C	803 / N4C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV					
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Commercial Chipper					
(Honda); OHV					
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler); OHV					
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Tecumseh)					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	871 / RJ8C	841 / J8C	---	0.030in	
(Tecumseh); OHV					
5.5hp	104 / RN4C	803 / N4C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV					
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Lawn Mower					
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Log Splitter					
(Honda); OHV					
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler); OHV					
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	



Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Brave					
Log Splitter					
(Tecumseh)					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	871 / RJ8C	841 / J8C	---	0.030in	
(Tecumseh); OHV					
5.5hp	104 / RN4C	803 / N4C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV					
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Shredder					
(Honda); OHV					
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler); OHV					
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Tecumseh)					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	871 / RJ8C	841 / J8C	---	0.030in	
(Tecumseh); OHV					
5.5hp	104 / RN4C	803 / N4C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV					
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Bready					
Lawn Tractor					
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.030in	
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in	
Brinly-Hardy					
Tiller					
	871 / RJ8C	841 / J8C	---	0.030in	
Brouwer					
Sod Cutter/Layer					
Mark 2; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
5hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Rollmate 2242/2248; (Honda); OHV					
11hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Turf Equipment					
(Honda); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki)					
1.2hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Brouwer				
Turf Equipment				
(Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Mitsubishi)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
5hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
Brown Products				
Blower/Vacuum/Water Sprayer				
GX-Series; 4 Stroke; Horizontal; V2; (Honda); OHV				
22.1hp;GX690	404 / RN12YC	---	---	0.030in
BVZ4000; GX-Series; 4 Stroke; Horizontal; V2; (Honda); OHV				
22.1hp;GX690	404 / RN12YC	---	---	0.030in
Edger				
(Briggs & Stratton); OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
GX-Series; 4 Stroke; Horizontal; 14.8cid\242cc; 1 Cyl.; (Honda); OHV				
7.9hp;GX240	415 / RN9YC	300 / N9YC	415ECO	0.030in
GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
13hp;GXV390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp;GXV270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Intek; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
E991H; GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
9hp;GXV270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
F781H; GX-Series; 4 Stroke; Horizontal; 14.8cid\242cc; 1 Cyl.; (Honda); OHV				
7.9hp;GX240	415 / RN9YC	300 / N9YC	415ECO	0.030in
F791H; GX-Series; 4 Stroke; Horizontal; 14.8cid\242cc; 1 Cyl.; (Honda); OHV				
7.9hp;GX240	415 / RN9YC	300 / N9YC	415ECO	0.030in
F991H; GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
9hp;GXV270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
ReDefiner R450H; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
ReDefiner R450HA; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
Rotary Brushcutter				
Brush Ox; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
Trencher				
(Briggs & Stratton); OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Brown Products				
Trencher				
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
GX-Series; 4 Stroke; Horizontal; 14.8cid\242cc; 1 Cyl.; (Honda); OHV				
7.9hp;GX240	415 / RN9YC	300 / N9YC	415ECO	0.030in
GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
13hp;GXV390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp;GXV270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Intek; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
F1202; GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
13hp;GXV390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp;GXV270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
F-1202H; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
F703; Intek; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
F903H9; GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
9hp;GXV270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
F904; (Honda); OHV				
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
WireMaster Mole R460HA; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
Broyhill				
Sprayer				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Brushking				
Trimmer				
BK100				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
BK32				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
BK32LT				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
BK49				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
BK85				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
Brute				
Log Splitter				
YTL-140-701; 250cc; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Walk Behind Rotary Mower				
BS1022H; Exi875 Series; 11.58cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
8.75 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Brutus Power Rollers					
Power Roller					
(Honda); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Command Pro; (Kohler); OHV					
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Buch					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Buffalo Sonic					
Blower/Vacuum/Water Sprayer					
2 Cyl.; (Kohler); OHV					
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Sprayer					
	830 / RL86C	933-1 / QL86C	---	0.030in	
Buffalo Turbine					
Debris Blower					
(Wisconsin)					
36hp	541 / RD16	516 / D16	---	0.025in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Bundy					
Aerator					
Aer-Eze					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Bunton					
Lawn Mower					
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
C-18					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
C-21					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Dilly 2					
	592 / RJ12C	511 / J11C	---	0.030in	
Dilly 4					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Duzmore 16"					
	592 / RJ12C	511 / J11C	---	0.030in	
Duzmore 18"					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
EstatePro; 1 Cyl.; (Briggs & Stratton)					
17.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
EstatePro; Intek; V2; (Briggs & Stratton)					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Bunton				
Lawn Mower				
EstatePro; Intek; V2; (Briggs & Stratton)				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Lawn Lark				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Little Mo				
	592 / RJ12C	511 / J11C	---	0.030in
Model B				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Red Wing				
	592 / RJ12C	511 / J11C	---	0.030in
Lawn Tractor				
(Clinton)				
	592 / RJ12C	511 / J11C	---	0.030in
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(JLO)				
	830 / RL86C	933-1 / QL86C	---	0.030in
(Kawasaki); OHV				
12.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Onan)				
18hp	909 / RS17YX	---	---	0.030in
20hp	909 / RS17YX	---	---	0.030in
(Robin)				
	830 / RL86C	933-1 / QL86C	---	0.025in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Briggs & Stratton); OHV				
31hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
V2; (Kawasaki)				
14.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
15hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
18hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
V2; (Kawasaki); OHV				
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Bunton				
Lawn Tractor				
V2; (Kohler); OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Intek; 1 Cyl.; (Briggs & Stratton)				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; V2; (Briggs & Stratton)				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Power Rake				
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Onan)				
20hp	909 / RS17YX	---	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kawasaki)				
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
V2; (Kawasaki); OHV				
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton)				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; V2; (Briggs & Stratton)				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Trimmer				
LBF-18K				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
LBF-18KT				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
LBS-24K				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
LBS-24KT				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
LBS-33K				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
LBS-33KT				
	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Bunton				
Turf Equipment				
(Clinton)				
	592 / RJ12C	511 / J11C	---	0.030in
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(JLO)				
	830 / RL86C	933-1 / QL86C	---	0.030in
(Kawasaki); OHV				
12.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Onan)				
18hp	909 / RS17YX	---	---	0.030in
(Robin)				
	830 / RL86C	933-1 / QL86C	---	0.025in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Briggs & Stratton); OHV				
31hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
V2; (Kawasaki)				
14.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
15hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
18hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
V2; (Kawasaki); OHV				
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Intek; 1 Cyl.; (Briggs & Stratton)				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Zero-Turn Mower				
BZT-2230; Vertical; V2; (Kawasaki); OHV				
23hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
BZT-2230LC; Aegis; V2; (Kohler); OHV				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
BZT-2260EFI; Command Pro; V2; (Kohler); OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Burkeen				
Trencher				
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Onan)				
16hp	909 / RS17YX	---	---	0.030in
Bush Hog				
Mower				
(Honda)				
11hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Bush Hog				
Mower				
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
24hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
(Wisconsin)				
	541 / RD16	516 / D16	---	0.030in
1 Cyl.; (Briggs & Stratton)				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Briggs & Stratton); OHV				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Honda); OHV				
20hp;GXV620	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kawasaki)				
20hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
22hp	846 / CJ14	---	846ECO	0.024in
V2; (Kawasaki); OHV				
21hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Aegis; V2; (Kohler); OHV				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; V2; (Kohler); OHV				
23hp;CV23S	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;CV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; Vertical; 44cid/725cc; V2; (Kohler); OHV				
27hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; Vertical; V2; (Kohler); OHV				
30hp;CV750	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage Pro; 4 Stroke; 44.2cid/725cc; V2; (Kohler); OHV				
25hp;SV830	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27hp;SV840	71 / RC12YC	946 / QC12YC	71ECO	0.025in
Courage; 4 Stroke; Vertical; 44.2cid/725cc; V2; (Kohler); OHV				
20hp;SV710	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Extended Life Series (ELS); V2; (Briggs & Stratton); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horizontal; V2; (Kawasaki); OHV				
25hp;FH721D	405 / RN14YC	3405 / RN14PMC	---	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Bush Hog				
Mower				
Intek; (Briggs & Stratton); OHV				
17.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; V2; (Briggs & Stratton); OHV				
18hp;400000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional Series; V2; (Briggs & Stratton); OHV				
26hp;490000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vertical; V2; (Kawasaki); OHV				
21hp;FH641V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV				
25hp;FH721V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Trimmer				
(Honda)				
11hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
24hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
(Wisconsin)				
	541 / RD16	516 / D16	---	0.030in
1 Cyl.; (Briggs & Stratton)				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Honda); OHV				
20hp;GXV620	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kawasaki)				
20hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
22hp	846 / CJ14	---	846ECO	0.024in
V2; (Kawasaki); OHV				
21hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Aegis; V2; (Kohler); OHV				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; V2; (Kohler); OHV				
23hp;CV23S	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;CV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; Vertical; 44cid\725cc; V2; (Kohler); OHV				
27hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Bush Hog				
Trimmer				
Command Series; 4 Stroke; V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Extended Life Series (ELS); V2; (Briggs & Stratton); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV				
25hp;FH721V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Byers				
Mower				
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Tecumseh); OHV				
14hp	814 / RL82YC	931-1 / QL82C	---	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Vanguard; V2; (Briggs & Stratton)				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Trimmer				
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Tecumseh); OHV				
14hp	814 / RL82YC	931-1 / QL82C	---	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Vanguard; V2; (Briggs & Stratton)				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Byho				
Sand Trap & Lawn Edger				
(Honda)				
2.5hp	846 / CJ14	---	846ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
C & S Turf Care				
Sprayer				
(Honda)				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
C & S Turf Care					
Sprayer					
(Honda)					
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Command Series; 4 Stroke; V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Cagle					
Sprayer					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kohler)					
8hp	854 / RH10C	844 / H10C	---	0.025in	
Cajun					
Lawn Mower					
Intek; 1 Cyl.; (Briggs & Stratton)					
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Mower					
Intek; 1 Cyl.; (Briggs & Stratton)					
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
8hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Campbell-Hausfeld					
Sprayer					
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Canadiana					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Lawn Tractor					
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
Tiller					
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
Canycom					
Mower					
2 Cyl.; (Kawasaki); OHV					
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
21hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Caretaker					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cargile				
Lawn Mower				
(Tecumseh)				
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Carlson				
Earth Drill				
(Honda)				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Trencher				
(Honda)				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Carmec				
Commercial Chipper				
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Hedge Trimmer				
H27E				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
Log Splitter				
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Shredder				
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Carmec				
Shredder				
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Trimmer				
M27				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
M34				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
M41				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
M45				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
M47				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
ZM41				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Carolina				
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Clinton)				
	871 / RJ8C	841 / J8C	---	0.030in
Case				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Turf Equipment				
(Kohler)				
10hp;K241	854 / RH10C	844 / H10C	---	0.030in
12hp;K301	854 / RH10C	844 / H10C	---	0.030in
14hp;K321	854 / RH10C	844 / H10C	---	0.030in
7hp;K161	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Onan)				
B43M	857 / RH18Y	---	---	0.025in
B48M	857 / RH18Y	---	---	0.025in
(Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
12hp	871 / RJ8C	841 / J8C	---	0.030in
7hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Onan)				
CCKA	538 / RH8C	587 / H8C	---	0.030in
NHC	123 / RN5C	120 / N5C	---	0.030in
40.25cid; 2 Cyl.; (Onan)				
8.5hp;BF	857 / RH18Y	---	---	0.025in
Casey Mow				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Castel Garden				
Lawn Mower				
(Honda)				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Castel Garden					
Lawn Mower					
(Tecumseh)					
3.5hp	871 / RJ8C	841 / J8C	---	0.030in	
4hp	871 / RJ8C	841 / J8C	---	0.030in	
5hp	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Lawn Tractor					
1 Cyl.; (Briggs & Stratton); L-HEAD					
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Centaur					
Lawn Tractor					
	569 / W14	---	---	0.025in	
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in	
with 7/8in Diameter Threads	569 / W14	---	---		
Central Hydraulics					
Log Splitter					
(Honda)					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Central Park					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Lawn Tractor					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Certified					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Clinton)					
	854 / RH10C	844 / H10C	---	0.030in	
Chain-Tred					
Lawn Tractor					
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in	
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Champion Power Equipment					
Commercial Chipper					
100137; (Champion); OHV					
YF182F-000	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Log Splitter					
100326; (Champion); OHV					
YF172F-001	415 / RN9YC	300 / N9YC	415ECO	0.030in	
100330; (Champion); OHV					
YF182F-000	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Charterhouse					
Aerator					
(Honda); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Dethatcher					
(Honda); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Chief					
Lawn Mower					
	592 / RJ12C	511 / J11C	---	0.030in	
Chieftain					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Chip-It					
Commercial Chipper					
(Kohler)					
12hp	854 / RH10C	844 / H10C	---	0.030in	
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.030in	
800G					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Chip-Pit II					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Stump Grinder					
(Kohler)					
12hp	854 / RH10C	844 / H10C	---	0.030in	
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.030in	
Choremaster					
Auger					
A-1009; (Briggs & Stratton)					
	871 / RJ8C	841 / J8C	---	0.025in	
A-1009; (Clinton)					
	871 / RJ8C	841 / J8C	---	0.025in	
A-1033; (Briggs & Stratton)					
	871 / RJ8C	841 / J8C	---	0.025in	
A-1033; (Clinton)					
	871 / RJ8C	841 / J8C	---	0.025in	
A-1034; (Briggs & Stratton)					
	871 / RJ8C	841 / J8C	---	0.025in	
A-1034; (Clinton)					
	871 / RJ8C	841 / J8C	---	0.025in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Choremaster				
Auger				
A-1035; (Briggs & Stratton)				
	871 / RJ8C	841 / J8C	---	0.025in
A-1035; (Clinton)				
	871 / RJ8C	841 / J8C	---	0.025in
A-1036; (Briggs & Stratton)				
	871 / RJ8C	841 / J8C	---	0.025in
A-1036; (Clinton)				
	871 / RJ8C	841 / J8C	---	0.025in
P; (Briggs & Stratton)				
	871 / RJ8C	841 / J8C	---	0.025in
P; (Clinton)				
	871 / RJ8C	841 / J8C	---	0.025in
Q; (Briggs & Stratton)				
	871 / RJ8C	841 / J8C	---	0.025in
Q; (Clinton)				
	871 / RJ8C	841 / J8C	---	0.025in
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
	871 / RJ8C	841 / J8C	---	0.030in
Tiller				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Clarke				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Log Splitter				
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tiller				
830				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
850				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Clarke Delco				
Sweeper				
(Tecumseh)				
4hp	871 / RJ8C	841 / J8C	---	0.030in
6hp	871 / RJ8C	841 / J8C	---	0.030in
Vacuum				
(Tecumseh)				
6hp	871 / RJ8C	841 / J8C	---	0.030in
Classen				
Aerator				
CA-18; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in
RA-21; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
5.5hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
RA-21; Intek; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.020in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Classen				
Aerator				
SA-25; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
SA30; Vertical; V2; (Kawasaki); OHV				
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in
TA-15; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
TA-15; (Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
TA-17; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4hp;GX120	322 / RN11YC4	302 / N11YC	322ECO	0.030in
TA-18; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in
TA-19; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4hp;GX120	322 / RN11YC4	302 / N11YC	322ECO	0.030in
TA-19B; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
TA-25; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in
TA-26; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4hp;GX120	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Dethatcher				
TR-20; (Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
TR-20; Intek; (Briggs & Stratton); OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Slit Seeder				
DS-20; Horizontal; (Honda); OHV				
8hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Sod Cutter				
HSC-185; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
HSC-188; GX-Series; 4 Stroke; Horizontal; 14.8cid\242cc; 1 Cyl.; (Honda); OHV				
7.9hp;GX240	415 / RN9YC	300 / N9YC	415ECO	0.030in
SC-12; (Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
SC-18; (Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
SC18/5.5; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
SC18/8.0; GX-Series; 4 Stroke; Horizontal; 14.8cid\242cc; 1 Cyl.; (Honda); OHV				
7.9hp;GX240	415 / RN9YC	300 / N9YC	415ECO	0.030in
SC-20; (Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
SC-24; (Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
SC-24; Horizontal; (Honda); OHV				
8hp	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Classen				
Turf Equipment				
(Honda); OHV				
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
GX-Series; 4 Stroke; Horizontal; 14.8cid\242cc; 1 Cyl.; (Honda); OHV				
7.9hp;GX240	415 / RN9YC	300 / N9YC	415ECO	0.030in
Intek; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; V2; (Kawasaki); OHV				
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Turf Rake				
TR-20H; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
TR-20RH; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
TRC-20; (Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
TRC-20; Intek; (Briggs & Stratton); OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
TRS-20; (Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
TRS-20B; Intek; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.020in
TRS-20H; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
Clean-Cut				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Clemson				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Clinton				
Edger				
	592 / RJ12C	854 / RH10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.025in
(Kohler)				
	854 / RH10C	844 / H10C	---	0.025in
14hp	854 / RH10C	844 / H10C	---	0.025in
K-Series				
	854 / RH10C	844 / H10C	---	0.025in
14hp	854 / RH10C	844 / H10C	---	0.025in
K-Series; (Kohler)				
	854 / RH10C	844 / H10C	---	0.025in
14hp	854 / RH10C	844 / H10C	---	0.025in
Lawn Mower				
Chief				
	592 / RJ12C	511 / J11C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Clinton				
Lawn Mower				
Chieftain				
	14 / RJ12YC	10 / J12YC	---	0.030in
Sprayer				
	592 / RJ12C	511 / J11C	---	0.030in
Tiller				
	592 / RJ12C	511 / J11C	---	0.030in
Clipper Chipper				
Shredder				
Beaver; (Wisconsin)				
	541 / RD16	516 / D16	---	0.030in
Chipmunk; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Club Car				
Utility Vehicle				
Carryall; (Kawasaki); OHV				
11.1hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Coates				
Lawn Tractor				
Little Giant				
	871 / RJ8C	841 / J8C	---	0.030in
Coldwell				
Lawn Tractor				
1/2in Reach -14 Pipe Threads 21mm Diameter Threads	425 / X	525 / 25	---	0.025in
with 7/8in Diameter Threads	569 / W14	---	---	0.025in
(Clinton)				
	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Colt				
Lawn Tractor				
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.025in
12hp	854 / RH10C	844 / H10C	---	0.025in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Tiller				
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.025in
12hp	854 / RH10C	844 / H10C	---	0.025in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Columbia				
Brush Cutter/Disc Mower				
CST100; Vertical; (MTD/Zongshen); OHV				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Edger				
CLE 100; (Briggs & Stratton); OHV				
09P7	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Lawn Mower				
450e Series; (Briggs & Stratton); OHV				
80000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Older Model; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
P21XL-H; GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
SP21; 675exi Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
SP21S; (Briggs & Stratton); OHV				
111P02-0110-F1	71 / RC12YC	946 / QC12YC	71ECO	0.030in
SP21SE; (Briggs & Stratton); OHV				
111P02-0110-F1	71 / RC12YC	946 / QC12YC	71ECO	0.030in
SP21S-H; GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
SP28S; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
SP33HW; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Lawn Tractor				
CGT5426; 44.2cid\725cc; V2; (Kohler); OHV				
26hp;SV735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CGT5426; 7000 Series; Vertical; V2; (Kohler); OHV				
26hp;KT745	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CLT38G; Powermore; Vertical; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
CLT42CVT; Powermore; Vertical; (MTD/Zongshen); OHV				
16hp	415 / RN9YC	300 / N9YC	415ECO	0.028in
CLT42G; Powermore; Vertical; (MTD/Zongshen); OHV				
12hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
CLT42H; Powermore; Vertical; (MTD/Zongshen); OHV				
18hp	415 / RN9YC	300 / N9YC	415ECO	0.028in
CLT46CVT; Powermore; Vertical; (MTD/Zongshen); OHV				
18hp	415 / RN9YC	300 / N9YC	415ECO	0.028in
CR30; Powermore; Vertical; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
CSLT5424; 44.2cid\725cc; V2; (Kohler); OHV				
24hp;SV725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CSLT5424; 7000 Series; Vertical; V2; (Kohler); OHV				
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CSLT5424; Vertical; V2; (Kohler); OHV				
26hp;KT745	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CYT4220; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
CYT4220; Courage; 4 Stroke; Vertical; 36.43cid\597cc; 1 Cyl.; (Kohler); OHV				
20hp;SV601	71 / RC12YC	946 / QC12YC	71ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Columbia				
Lawn Tractor				
CYT4220SE; 7000 Series; Vertical; 44.2cid\725cc; V2; (Kohler); OHV				
20hp;KT715	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CYT4220SE; Courage; 4 Stroke; Vertical; 36.43cid\597cc; 1 Cyl.; (Kohler); OHV				
20hp;SV601	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CYT4622SE; 36.4cid\597cc; 1 Cyl.; (Kohler); OHV				
22hp;SV620	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CYT4622SE; 7000 Series; Vertical; 44.2cid\725cc; V2; (Kohler); OHV				
20hp;KT715	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CYT5023SE; 44.2cid\725cc; V2; (Kohler); OHV				
22hp;SV720	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CYT5023SE; Vertical; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YT4220SE; 7000 Series; Vertical; 44.2cid\725cc; V2; (Kohler); OHV				
20hp;KT715	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YT4622SE; 7000 Series; Vertical; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZHD L60; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;44T8	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Log Splitter				
CLS 27T; GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
CLS 33T; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Mower				
P21; 450e Series; (Briggs & Stratton); OHV				
80000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
P21HW; 550e Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
P21HWXL; 775ex Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
P21XL; 675exi Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
P33HW; (MTD/Zongshen)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
SP21S; 775ex Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
VD39; 775ex Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Shredder				
(Tecumseh)				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Horizontal; Powermore; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
39M; Horizontal; Powermore; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Columbia					
Shredder					
455; GC-Series; Horizontal; (Honda); OHC					
5.2hp;GC190	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Tiller					
(Tecumseh)					
	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Horizontal; Powermore; (MTD/Zongshen); OHV					
	415 / RN9YC	300 / N9YC	415ECO	0.030in	
CFT 24R; (Powermore); OHV					
	415 / RN9YC	300 / N9YC	415ECO	0.030in	
CRT 18H; GC-Series; Horizontal; (Honda); OHC					
5.2hp;GC190	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Zero-Turn Mower					
ZT L42 KH; Vertical; V2; (Kohler); OHV					
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
ZT S42 KH; Vertical; V2; (Kohler); OHV					
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
ZTL42KH; 36.4cid\597cc; 1 Cyl.; (Kohler); OHV					
22hp;SV620	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
ZTL42KH; 7000 Series; Vertical; V2; (Kohler); OHV					
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
ZTL50KH; 7000 Series; Vertical; V2; (Kohler); OHV					
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
ZTL54KH; 7000 Series; Vertical; V2; (Kohler); OHV					
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
ZTS42KH; 7000 Series; Vertical; 44.2cid\725cc; V2; (Kohler); OHV					
20hp;KT715	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
ZTS46KH; 4 Stroke; Vertical; 7000 Series; V2; (Kohler); OHV					
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
ZTS54KH; 7000 Series; Vertical; V2; (Kohler); OHV					
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Columbia Par Car					
Utility Vehicle					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Commercial Clipper					
Lawn Tractor					
(Kohler)					
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
V2; (Kohler); OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Con-Sol				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Contour				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Contree				
Sprayer				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Convertible				
Mower				
(Kawasaki); OHV				
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kawasaki)				
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
V2; (Kawasaki); OHV				
19hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
V2; (Kohler); OHV				
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17hp;CV17	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp;CV22	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; V2; (Kohler); OHV				
28hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
30hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horizontal; V2; (Kawasaki); OHV				
25hp;FH721D	405 / RN14YC	3405 / RN14PMC	---	0.030in
Vertical; V2; (Kohler); OHV				
20hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;CV25	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Cooper				
Aerator				
(Echo)				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Commercial Chipper				
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Ditcher				
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Edger				
(Echo)				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Cooper-Pegler					
Sprayer					
(Honda); OHV					
3.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Cornell					
Log Splitter					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Cosco					
Brush Cutter/Disc Mower					
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in	
Edger					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
Trimmer					
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in	
Cougar					
Blower/Vacuum/Water Sprayer					
(Tecumseh)					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Commercial Chipper					
(Tecumseh)					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Shredder					
(Tecumseh)					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vacuum					
(Tecumseh)					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Country Clipper					
Lawn Tractor					
(Briggs & Stratton); L-HEAD					
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kawasaki); OHV					
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler); OHV					
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Country Clipper				
Lawn Tractor				
V2; (Kawasaki)				
15hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
V2; (Kawasaki); OHV				
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 2 Cyl.; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1842KAJ-A100; Vertical; V2; (Kawasaki); OHV				
18hp;FR600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
2348KOJ-B200; Vertical; V2; (Kohler); OHV				
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2354KOJ-A100; Vertical; V2; (Kohler); OHV				
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2354KOJ-B200; Vertical; V2; (Kohler); OHV				
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2360KOJ-B200; Vertical; V2; (Kohler); OHV				
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2448KAJ-460; Vertical; 44.3cid/726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
2452KAJ/T-460; Vertical; 44.3cid/726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
2452KAJ-515; Vertical; V2; (Kawasaki); OHV				
24hp;FS730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
2460KAJ/T-460; Vertical; 44.3cid/726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
2460KAJ-515; Vertical; V2; (Kawasaki); OHV				
24hp;FS730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
2552KOJ-515; Vertical; V2; (Kohler); OHV				
25hp;ZT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25552KAJ/T-1045; Vertical; V2; (Kawasaki); OHV				
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
25560KAJ/T-1045; Vertical; V2; (Kawasaki); OHV				
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
2560KOJ-515; Vertical; V2; (Kohler); OHV				
25hp;ZT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Country Clipper				
Lawn Tractor				
26560KOEJ/T-1045; Vertical; V2; (Kohler); OHV				
26.5hp;ECV749	946 / QC12YC	982 / XC12YC	71ECO	0.030in
2752BSJ-515; V2; (Briggs & Stratton); OHV				
27hp;49T8	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2760BSJ-515; V2; (Briggs & Stratton); OHV				
27hp;49T8	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2760KOJ/T-1515; Vertical; V2; (Kohler); OHV				
27hp;CV752	71 / RC12YC	946 / QC12YC	71ECO	0.030in
3560KAJ/T-1515; Vertical; 61cid\999cc; V2; (Kawasaki); OHV				
35hp;FX1000V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
3572KAJ/T-1515; Vertical; 61cid\999cc; V2; (Kawasaki); OHV				
35hp;FX1000V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Avenue; 7000 Series; V2; (Kohler); OHV				
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Avenue; Vertical; V2; (Kawasaki); OHV				
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Boss XL; V2; (Kohler); OHV				
27hp;CV752	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Boss XL; Vertical; 61cid\999cc; V2; (Kawasaki); OHV				
35hp;FX1000V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Boulevard; 7000 Series; V2; (Kohler); OHV				
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Challenger; Commercial Series; V2; (Briggs & Stratton); OHV				
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Challenger; Vertical; V2; (Kawasaki); OHV				
24hp;FS730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Challenger; Vertical; V2; (Kohler); OHV				
25hp;ZT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Charger; V2; (Kohler); OHV				
26.5hp;ECV749	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Charger; Vertical; V2; (Kawasaki); OHV				
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Edge; 7000 Series; V2; (Kohler); OHV				
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Edge; Vertical; V2; (Kawasaki); OHV				
23hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Edge; Vertical; V2; (Kohler); OHV				
26hp;KT745	946 / QC12YC	982 / XC12YC	---	0.030in
Edge; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Edge XLT; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Wrangler; 7000 Series; V2; (Kohler); OHV				
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Wrangler; Vertical; V2; (Kawasaki); OHV				
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
23hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Country Clipper					
Mower					
(Briggs & Stratton); OHV					
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
H2; (Briggs & Stratton); L-HEAD					
18.5hp;42D700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
V2; (Kawasaki); OHV					
23hp	405 / RN14YC	3405 / RN14PMC	---	0.030in	
25hp	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Command Series; 4 Stroke; V2; (Kohler); OHV					
30hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton); OHV					
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vertical; V2; (Kawasaki); OHV					
15hp;FH451V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
18hp;FR600V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
19hp;FH601V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
21.5hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
22.2hp;FS730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
26hp	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV					
26hp;FD731V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Vertical; 61cid\999cc; V2; (Kawasaki); OHV					
35hp;FX1000V	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Spreader/Sprayer					
PAT-12012-2; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
5.5hp;GX200	415 / RN9YC	300 / N9YC	415ECO	0.030in	
PAT-22016-2; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
5.5hp;GX200	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Craftsman					
Blower/Vacuum					
BV245 CMXGAAMR27AV; 2 Stroke; 27cc; 1 Cyl.; (MTD)					
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in	
Blower/Vacuum/Water Sprayer					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in	
(Fuji)					
79691	814 / RL82YC	931-1 / QL82C	---	0.030in	
79692					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Brush Cutter/Disc Mower					
316.715860; 2 Stroke; 1.64cid\27cc; 1 Cyl.					
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in	
316.725860; 2 Stroke; 1.64cid\27cc; 1 Cyl.					
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Brush Cutter/Disc Mower				
316.74520 Brushwacker; 2 Stroke; 31cc; 1 Cyl.				
	872 / RDJ7Y	---	851ECO	0.020in
358.742470 Brushwacker; 2 Stroke; 24cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.795020 Brushwacker; 2 Stroke; 32cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.795050 Brushwacker; 2 Stroke; 32cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.025in
358.795180; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
358.795200; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
358.795800 Brushwacker; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795810 Brushwacker; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795820 Brushwacker; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795822 Brushwacker; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.798270; 2 Stroke; 32cc; 1 Cyl.				
	846 / CJ14	---	846ECO	0.025in
358.798280; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
358.798461 Brushwacker; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.025in
358.798470; 2 Stroke; 32cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.025in
636.795454; 2 Stroke; 2.30cid\37.7cc; 1 Cyl.				
	814 / RL82YC	931-1 / QL82C	---	0.026in
C944.512561 Brushwacker; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
C944.514560 Brushwacker; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
CMXGTAMD27BC WS235; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	860 / RDJ7J	---	851ECO	0.025in
Chipper Shredder Vacuum				
247.77763; 1 Cyl.				
6.5hp;3/4in Reach Spark Plugs	104 / RN4C	803 / N4C	---	0.025in
247.799620; 1 Cyl.				
9hp	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
247.799640; 1 Cyl.				
9hp	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
Dethatcher				
247.282820; 1 Cyl.; OHV				
	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
Earth Drill				
(Tecumseh)				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
Edger				
	840 / RCJ8	843 / CJ8	843ECO	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Edger				
(Honda)				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
2.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.762460; 1450 Series; 1 Cyl.; OHV				
09P702	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.77246; 1 Cyl.; (Briggs & Stratton)				
10T802	861 / J19LM	---	---	0.030in
247.77246; 1 Cyl.; (Briggs & Stratton); L-HEAD				
10T802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.772460; 1 Cyl.; (Briggs & Stratton)				
10T802	861 / J19LM	---	---	0.030in
247.772460; 1 Cyl.; (Briggs & Stratton); L-HEAD				
10T802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.772461; 1 Cyl.; (Briggs & Stratton)				
10L802	861 / J19LM	---	---	0.030in
247.772461; 1 Cyl.; (Briggs & Stratton); L-HEAD				
10L802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.79651; 1 Cyl.; (Briggs & Stratton)				
10L802	861 / J19LM	---	---	0.030in
247.79651; 1 Cyl.; (Briggs & Stratton); L-HEAD				
10L802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.796510; 1 Cyl.; (Briggs & Stratton)				
10T802	861 / J19LM	---	---	0.030in
247.796510; 1 Cyl.; (Briggs & Stratton); L-HEAD				
10T802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
316.772370; 4 Stroke; 1.8cid\29cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
358.773110; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.796170; 2 Stroke; 22.2cc; 1 Cyl.				
	846 / CJ14	---	846ECO	0.025in
358.797450; 2 Stroke; 1.3cid\21cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.797750; 2 Stroke; 24cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
536.772100; 1 Cyl.				
3.5hp;143.993502	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.772200; 10cid\163cc; 1 Cyl.				
3.8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Edger				
536.772300; 4 Stroke; 9.52cid\156cc; 1 Cyl.				
4hp;536.772300	840 / RCJ8	843 / CJ8	843ECO	0.025in
536.772301; 1 Cyl.				
4hp	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
536.772320; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp;9G902	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.772321; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp;09J902	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.772330; 9.02cid\147.8cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp;09T702;4.75 ft.-lbs. Torque	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.772340; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;95212	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.772341; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;95212	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.772350; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4.5hp;10H902	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.772360; 500 Series; 9.67cid\158.6cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4.5hp;10T502;5 ft.-lb. Torque	868 / RJ19LM	947 / QJ19LM	---	0.030in
4.5hp;10T502;5.00 ft.-lb. Torque	861 / J19LM	---	861ECO	0.030in
536.772400; 500 Series; 1 Cyl.				
3.5hp	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
536.797400; 9.06cid\148cc; 1 Cyl.; (Briggs & Stratton)				
4hp	861 / J19LM	---	---	0.030in
536.797400; 9.06cid\148cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.797420; 1 Cyl.				
3.8hp;143.963513	840 / RCJ8	843 / CJ8	843ECO	0.030in
536.797460; 1 Cyl.				
3.5hp;143.963508	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.797470; 4 Stroke; 1 Cyl.				
3.8hp;143.963507	840 / RCJ8	843 / CJ8	843ECO	0.030in
536.797480; 4 Stroke; 1 Cyl.				
3.8hp;143.963509	840 / RCJ8	843 / CJ8	843ECO	0.030in
536.797540; 4 Stroke; 1 Cyl.				
3hp;143.953005	840 / RCJ8	843 / CJ8	843ECO	0.030in
536.797561; 4 Stroke; 1 Cyl.				
3hp;143.814032	871 / RJ8C	841 / J8C	---	0.030in
536.797571; 4 Stroke; 9.52cid\156cc; 1 Cyl.; L-HEAD				
3.5hp;3/8In Reach Spark Plugs	840 / RCJ8	843 / CJ8	843ECO	0.030in
Garden Tractor				
917.20404; 4 Stroke; 2 Cyl.; (Kohler); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.20408; 4 Stroke; 2 Cyl.; (Kohler); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.250020; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
18hp;422707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Garden Tractor				
917.250040; Magnum; Vertical; 2 Cyl.; (Kohler); L-HEAD				
20hp;MV20	25 / RV17YC	3018 / RV17PMC4	---	0.025in
917.25024; 4 Stroke; V2; OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.25025; 4 Stroke; V2; OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.254450; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
18hp;422707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.254460; Magnum; Vertical; 2 Cyl.; (Kohler); L-HEAD				
20hp;MV20	25 / RV17YC	3018 / RV17PMC4	---	0.025in
917.255970; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
18hp;422707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.259730; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
18hp;422707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.272951; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
20hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272953; Command Series; 4 Stroke; Vertical; V2; (Kohler); OHV				
20hp;CV675	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272954; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
20hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272955; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
20hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272962; Command Series; 4 Stroke; Vertical; V2; (Kohler); OHV				
20hp;CV675	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273011; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
20hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273050; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
20hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273051; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
20hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273060; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
20hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273061; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
20hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273062; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
20hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273090; 4 Stroke; 2 Cyl.; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273100; Command Series; 4 Stroke; 674cc; V2; (Kohler); OHV				
22hp;CV22	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Garden Tractor				
917.273101; Command Series; 4 Stroke; V2; (Kohler); OHV				
22hp;CV24	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273201; Command Series; 4 Stroke; 674cc; V2; (Kohler); OHV				
24hp;CV22	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273220; Command Pro; 4 Stroke; Vertical; 725cc; V2; (Kohler); OHV				
26hp;CV26	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273221; Command Series; 4 Stroke; 674cc; V2; (Kohler); OHV				
24hp;CV22	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273222; Command Series; 4 Stroke; 674cc; V2; (Kohler); OHV				
24hp;CV22	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273223; Command Series; 4 Stroke; V2; (Kohler); OHV				
24hp;CV24	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273240; Command Pro; 4 Stroke; Vertical; 725cc; V2; (Kohler); OHV				
25hp;CV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273241; Command Pro; 4 Stroke; Vertical; 725cc; V2; (Kohler); OHV				
25hp;CV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273320; Command Pro; 4 Stroke; Vertical; 725cc; V2; (Kohler); OHV				
26hp;CV26	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273321; Command Pro; 4 Stroke; Vertical; 725cc; V2; (Kohler); OHV				
26hp;CV26	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273322; Command Series; 4 Stroke; Vertical; 725cc; V2; (Kohler); OHV				
26hp;CV25	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.274951; Command Series; 4 Stroke; Vertical; V2; (Kohler); OHV				
21hp;CV624	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.274953; Command Series; 4 Stroke; Vertical; V2; (Kohler); OHV				
21hp;CV624	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.275280; Command Pro; 4 Stroke; Vertical; 44cid725cc; V2; (Kohler); OHV				
27hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.28945; 2 Cyl.; OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.28947; 2 Cyl.; OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.28948; 2 Cyl.; OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.28974; 2 Cyl.; OHV				
28hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.98645; 2 Cyl.; (Kohler); OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
944.609900; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
20hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Garden Tractor				
944.609940; Command Series; 4 Stroke; Vertical; 725cc; V2; (Kohler); OHV				
24hp;CV25	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ 917.273014; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
20hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ 917.273111; Command Series; 4 Stroke; 674cc; V2; (Kohler); OHV				
22hp;CV22	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ 917.273121; Command Series; 4 Stroke; 674cc; V2; (Kohler); OHV				
22hp;CV22	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.258914; Command Series; 4 Stroke; 674cc; V2; (Kohler); OHV				
22hp;CV22	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.272960; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
20hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.272961; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
20hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.273012; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
20hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.273021; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
20hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.273022; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
20hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.273023; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
20hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.273030; 2 Cyl.; (Briggs & Stratton); OHV				
20hp;407777	946 / QC12YC	982 / XC12YC	71ECO	0.030in
EZ3 917.273031; 2 Cyl.; (Briggs & Stratton); OHV				
20hp;407777	946 / QC12YC	982 / XC12YC	71ECO	0.030in
EZ3 917.273041; 2 Cyl.; (Briggs & Stratton); OHV				
20hp;407777	946 / QC12YC	982 / XC12YC	71ECO	0.030in
EZ3 917.273042; 2 Cyl.; (Briggs & Stratton); OHV				
20hp;407777	946 / QC12YC	982 / XC12YC	71ECO	0.030in
EZ3 917.273070; Command Series; 4 Stroke; 674cc; V2; (Kohler); OHV				
22hp;CV22	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.273080; Command Series; 4 Stroke; 674cc; V2; (Kohler); OHV				
22hp;CV22	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.273113; Command Series; 4 Stroke; 674cc; V2; (Kohler); OHV				
22hp;CV22	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.273122; Command Series; 4 Stroke; 674cc; V2; (Kohler); OHV				
22hp;CV22	71 / RC12YC	946 / QC12YC	71ECO	0.040in
GT16; (Tecumseh)				
	814 / RL82YC	931-1 / QL82C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Garden Tractor				
GT18; (Onan)				
B48M	857 / RH18Y	---	---	0.030in
GT19.9; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
GT19.9; (Onan)				
N52M	909 / RS17YX	---	---	0.025in
PGT9000 247.28984; Professional Series; V2; (Briggs & Stratton); OHV				
28hp;728	71 / RC12YC	946 / QC12YC	71ECO	0.030in
PGT9000 247.289842; Professional Series; V2; (Briggs & Stratton); OHV				
28hp;49M777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Hedge Trimmer				
358.795390; 2 Stroke; 1.1cid\18cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.795620; 2 Stroke; 21cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.026in
358.795630; 2 Stroke; 21cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.026in
358.795631; 2 Stroke; 1.3cid\21cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.026in
358.795660; 2 Stroke; 1.3cid\21cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.025in
358.795690; 2 Stroke; 1.1cid\18cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.025in
358.795700; 2 Stroke; 1.2cid\19cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.025in
358.795720; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795740; 2 Stroke; 1.4cid\23cc; 1 Cyl.				
	852 / RCJ6Y	858 / CJ6Y	852ECO	0.025in
358.795750; 2 Stroke; 1.4cid\23cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795790; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795791; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795792; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	858 / CJ6Y	852ECO	0.025in
358.796330; 2 Stroke; 1.3cid\21cc; 1 Cyl.				
	859 / RCJ7Y	---	---	0.025in
358.796340; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	858 / CJ6Y	852ECO	0.025in
358.796350; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.796354; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.796355; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	858 / CJ6Y	852ECO	0.025in
358.796356; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	858 / CJ6Y	852ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Hedge Trimmer				
358.796360; 2 Stroke; 1.4cid\23cc; 1 Cyl.				
	852 / RCJ6Y	858 / CJ6Y	852ECO	0.025in
358.796370; 2 Stroke; 1.4cid\23cc; 1 Cyl.				
	852 / RCJ6Y	858 / CJ6Y	852ECO	0.025in
358.796390; 2 Stroke; 1.5cid\28cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
517.795670; 2 Stroke; 16.3cc; 1 Cyl.				
	855 / DJ7Y	---	---	0.025in
636.796670; 2 Stroke; 1.24cid\20.3cc; 1 Cyl.				
	849 / CJ6	---	852ECO	0.025in
C944.514320; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	858 / CJ6Y	852ECO	0.025in
C944.514321; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
C944.514322; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
C944.514323; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	858 / CJ6Y	852ECO	0.025in
C944.518321; 2 Stroke; 1.3cid\23cc; 1 Cyl.				
	852 / RCJ6Y	858 / CJ6Y	852ECO	0.025in
Lawn Mower				
(Honda)				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Tecumseh)				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh); OHV				
16.5hp	104 / RN4C	803 / N4C	---	0.030in
4.5hp	104 / RN4C	803 / N4C	---	0.030in
5hp	104 / RN4C	803 / N4C	---	0.030in
6.75hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
GCV-Series; Vertical; (Honda); OHC				
5.5hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Briggs & Stratton); OHV				
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Honda)				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Craftsman					
Lawn Tractor					
(Onan)					
16hp	538 / RH8C	587 / H8C	---	0.025in	
20hp	909 / RS17YX	---	---	0.025in	
(Tecumseh)					
10hp	871 / RJ8C	841 / J8C	---	0.030in	
12hp	871 / RJ8C	841 / J8C	---	0.030in	
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
4.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	871 / RJ8C	841 / J8C	---	0.030in	
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	871 / RJ8C	841 / J8C	---	0.030in	
(Tecumseh); OHV					
12hp	830 / RL86C	933-1 / QL86C	---	0.030in	
16hp	814 / RL82YC	931-1 / QL82C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
H2; (Briggs & Stratton); L-HEAD					
19.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
V2; (Briggs & Stratton); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
21hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
V2; (Kohler); OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
Command Pro; V2; (Kohler); OHV					
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
27hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
Command Series; 4 Stroke; V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Courage; 1 Cyl.; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Courage; 4 Stroke; Vertical; (Kohler); OHV					
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Courage; 4 Stroke; Vertical; 36.4cid/597cc; 1 Cyl.; (Kohler); OHV					
21hp;SV610	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton)					
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; V2; (Briggs & Stratton); OHV					
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; 44cid/724cc; V2; (Briggs & Stratton); OHV					
24hp;440000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp;445700	71 / RC12YC	946 / QC12YC	71ECO	0.030in	



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
Vanguard; V2; (Briggs & Stratton)				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
247.270250; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
12607	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.28881; I/C; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.288811; I/C; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.288812; I/C; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.288820; 1 Cyl.; OHV				
4P90HU	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
247.28883; I/C; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.288831; I/C; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.28884; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
19.5hp;31P677	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.288841; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
19.5hp;31P677	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.288842; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
19.5hp;31P677	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.288843; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
19.5hp;31P677	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.28885; Extended Life Series (ELS); 32.95cid\540cc; 1 Cyl.; (Briggs & Stratton); OHV				
21hp;331877	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.288851; Extended Life Series (ELS); 32.95cid\540cc; 1 Cyl.; (Briggs & Stratton); OHV				
21hp;331877	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.288852; Extended Life Series (ELS); 32.95cid\540cc; 1 Cyl.; (Briggs & Stratton); OHV				
21hp;331877	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.288853; Extended Life Series (ELS); 32.95cid\540cc; 1 Cyl.; (Briggs & Stratton); OHV				
21hp;331877	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.28886; Extended Life Series (ELS); 32.95cid\540cc; 1 Cyl.; (Briggs & Stratton); OHV				
21hp;331877	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.288861; Extended Life Series (ELS); 32.95cid\540cc; 1 Cyl.; (Briggs & Stratton); OHV				
21hp;331877	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.288862; Extended Life Series (ELS); 32.95cid\540cc; 1 Cyl.; (Briggs & Stratton); OHV				
21hp;331877	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.288870; 1 Cyl.; OHV				
4P90HU	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
247.288890; Courage; 4 Stroke; Vertical; 36.4cid\597cc; 1 Cyl.; (Kohler); OHV				
22hp;SV620	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.28901; I/C; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Craftsman					
Lawn Tractor					
247.28902; I/C; 1 Cyl.; (Briggs & Stratton); OHV					
19.5hp;31P677	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
247.28905; Intek; 1 Cyl.; (Briggs & Stratton); OHV					
20hp;331777	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
247.289150; Courage; 4 Stroke; Vertical; 36.4cid\597cc; 1 Cyl.; (Kohler); OHV					
22hp;SV620	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
28724; 2 Cyl.; OHV					
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
28813; 1 Cyl.; OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
28853; 2 Cyl.; OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
28928; 2 Cyl.; OHV					
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
502.255193; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
12hp;281707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
536.252570; 4 Stroke; 1 Cyl.; OHV					
16.5hp;143.951602	104 / RN4C	803 / N4C	---	0.030in	
536.255861; 4 Stroke; 1 Cyl.; OHV					
12.5hp;143.436092	104 / RN4C	803 / N4C	---	0.030in	
536.255870; 4 Stroke; 2 Cyl.; (Briggs & Stratton); L-HEAD					
15hp;402707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
536.255880; 2 Cyl.; (Briggs & Stratton); OHV					
14hp;294777	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
536.257670; 4 Stroke; 2 Cyl.; (Briggs & Stratton); L-HEAD					
15hp;402707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.20378; 4 Stroke; 1 Cyl.; (Kohler); OHV					
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.20381; 4 Stroke; 1 Cyl.; OHV					
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.20383; 2 Cyl.; OHV					
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.20383; 4 Stroke; 1 Cyl.; OHV					
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.20385; 4 Stroke; 1 Cyl.; (Kohler); OHV					
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.20386; 4 Stroke; 1 Cyl.; OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.20390; 2 Cyl.; OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.20390; 4 Stroke; 1 Cyl.; OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.20391; 2 Cyl.; OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.20392; 4 Stroke; 1 Cyl.; OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.20393; 4 Stroke; 1 Cyl.; (Kohler); OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.20401; 4 Stroke; 2 Cyl.; (Kohler); OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
917.250051; Horizontal; Magnum; 2 Cyl.; (Kohler); L-HEAD				
20hp;M20	25 / RV17YC	3018 / RV17PMC4	---	0.025in
917.25022; 4 Stroke; 1 Cyl.; OHV				
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.25023; 4 Stroke; 2 Cyl.; OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.250261; Magnum; 2 Cyl.; (Kohler); OHV				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
917.250480; Magnum; Vertical; 2 Cyl.; (Kohler)				
18hp;MV18	25 / RV17YC	3018 / RV17PMC4	---	0.025in
917.252520; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.252531; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.252580; 4 Stroke; 1 Cyl.; OHV				
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.252590; 4 Stroke; 1 Cyl.; OHV				
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.252700; Magnum; Vertical; 2 Cyl.; (Kohler)				
18hp;MV18	25 / RV17YC	3018 / RV17PMC4	---	0.025in
917.252712; Magnum; Vertical; 2 Cyl.; (Kohler); L-HEAD				
20hp;MV20	25 / RV17YC	3018 / RV17PMC4	---	0.025in
917.254850; Command Series; 4 Stroke; Vertical; 24.3cid\398cc; 1 Cyl.; (Kohler); OHV				
14hp;CV14	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
917.254860; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
18hp;422707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.255440; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
12.5hp;286707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.255462; Command Series; 4 Stroke; Vertical; 24.3cid\398cc; 1 Cyl.; (Kohler); OHV				
14hp;CV14	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.255470; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
14hp;287707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.255561; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp;283707	868 / RJ19LM	861 / J19LM	861ECO	0.030in
917.255581; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
12.5hp;286707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.255692; Command Series; 4 Stroke; Vertical; 24.3cid\398cc; 1 Cyl.; (Kohler); OHV				
14hp;CV14	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.255940; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
18hp;422707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.255980; Magnum; Vertical; 2 Cyl.; (Kohler)				
18hp;MV18	25 / RV17YC	3018 / RV17PMC4	---	0.025in
917.255981; 4 Stroke; 2 Cyl.; OHV				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
917.256410; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
13.5hp;28R707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.256450; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
12.5hp;289707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.256500; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
13.5hp;28R707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.256501; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
13.5hp;28R707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.256510; 4 Stroke; V1; (Briggs & Stratton); OHV				
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.256511; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
13.5hp;28R707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.256812; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.256890; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.256922; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp;283707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.256930; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
12.5hp;286707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.257281; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp;283707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.257360; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp;281707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.257462; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp;283707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.257470; 4 Stroke; 1 Cyl.; L-HEAD				
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.257480; 4 Stroke; 2 Cyl.; L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.257552; Command Series; 4 Stroke; Vertical; 24.3cid\398cc; 1 Cyl.; (Kohler); OHV				
14hp;CV14	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.257560; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
18hp;422707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.257561; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
18hp;422707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.257562; H2; (Briggs & Stratton); L-HEAD				
18hp;422707	868 / RJ19LM	861 / J19LM	861ECO	0.030in
917.257571; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15hp;28N707	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
917.257572; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15hp;28N707	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
917.257573; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.257590; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.257591; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.257620; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
12.5hp;289707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
917.257621; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
12.5hp;289707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.257622; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
12.5hp;289707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.257632; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
13hp;28M707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.257641; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.257643; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.257651; 4 Stroke; 1 Cyl.; (Kohler); OHV				
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.257660; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.257661; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.257711; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
18hp;422707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.257720; Magnum; Vertical; 2 Cyl.; (Kohler); L-HEAD				
18hp;MV18	25 / RV17YC	3018 / RV17PMC4	---	0.025in
917.257721; Magnum; Vertical; 2 Cyl.; (Kohler)				
18hp;MV18	25 / RV17YC	3018 / RV17PMC4	---	0.025in
917.257730; Magnum; Vertical; 2 Cyl.; (Kohler)				
18hp;MV18	25 / RV17YC	3018 / RV17PMC4	---	0.025in
917.257740; 4 Stroke; 2 Cyl.; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.258010; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
14.5hp;287707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.258271; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.258452; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
12.5hp;289707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.258473; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.258481; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.258492; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
18hp;422707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.258510; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
14.5hp;287707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.258540; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.258680; Magnum; Vertical; 2 Cyl.; (Kohler)				
18hp;MV18	25 / RV17YC	3018 / RV17PMC4	---	0.025in
917.258693; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
18hp;CV18	71 / RC12YC	946 / QC12YC	71ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Craftsman					
Lawn Tractor					
917.258694; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV					
18hp;CV18	71 / RC12YC	946 / QC12YC	71ECO	0.025in	
917.258900; Command Series; 4 Stroke; 674cc; V2; (Kohler); OHV					
22.5hp;CV22	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.258910; 4 Stroke; 2 Cyl.; (Kohler); OHV					
22.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.258911; Command Series; 4 Stroke; 674cc; V2; (Kohler); OHV					
22.5hp;CV22	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.258920; Command Series; 4 Stroke; Vertical; 725cc; V2; (Kohler); OHV					
25hp;CV25	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.259170; 4 Stroke; H2; (Briggs & Stratton); L-HEAD					
19.5hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.259290; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
13.5hp;28R707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.259566; 4 Stroke; H2; (Briggs & Stratton); L-HEAD					
19.5hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.259870; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
13.5hp;28R707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.270311; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
12.5hp;289707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.270312; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
12.5hp;289707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.270411; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
13.5hp;28R707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.270412; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
13.5hp;28R707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.270430; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
13.5hp;28R707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.270510; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
14.5hp;287707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.270512; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
14.5hp;287707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.270513; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
14.5hp;287707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.270514; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
14.5hp;287707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.270530; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
14.5hp;287707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.270531; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
14.5hp;287707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.270532; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
14.5hp;287707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.270533; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
14.5hp;287707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.270534; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
14.5hp;28U707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.270613; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
15.5hp;28U707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
917.270621; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28U707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.270630; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16hp;28U707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.270671; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.270681; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.270682; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.270712; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.270730; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.270732; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.270741; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.270750; V2; (Briggs & Stratton); OHV				
18.5hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.270751; V2; (Briggs & Stratton); OHV				
18.5hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.270752; V2; (Briggs & Stratton); OHV				
18.5hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.270760; V2; (Briggs & Stratton); OHV				
18.5hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.270762; V2; (Briggs & Stratton); OHV				
18.5hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.270770; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.270773; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.270780; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.270811; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.270815; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.270820; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.270821; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.270823; 4 Stroke; V2; (Briggs & Stratton); OHV				
19.5hp;350777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.270830; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
20.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.270831; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
20.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.270840; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
20.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.270851; V2; (Briggs & Stratton); OHV				
20.5hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
917.270860; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
20.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.270861; V2; (Briggs & Stratton); OHV				
20.5hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.270910; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.270911; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.270912; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.270920; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.270921; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.270930; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
20hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.270940; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
20hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.270961; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
20.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.271012; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.271022; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.271023; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.27103; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
16hp;CV16	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271030; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
16hp;CV16	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271041; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
16hp;CV16	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.271050; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.271051; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.271052; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.271054; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.271060; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
917.271552; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28U707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271553; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28U707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271554; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28U707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271555; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271630; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16.5hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271631; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16.5hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271632; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16.5hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271633; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16.5hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271634; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16.5hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271635; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16.5hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271640; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16.5hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271641; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16.5hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271643; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16.5hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271644; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16.5hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271645; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16.5hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271650; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271651; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271652; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271653; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271654; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271660; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271661; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271662; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271730; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271731; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271732; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
917.271733; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271734; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271742; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271743; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271744; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271750; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271760; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.271810; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.271811; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.271812; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.271813; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.271814; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.271815; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.271820; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.271821; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.271822; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.271823; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.271825; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.271826; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.271831; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
21hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.271832; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
21hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.271833; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
21hp;463707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.271840; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
21hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.271841; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
21hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.271842; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
21hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.271843; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
21hp;463707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Craftsman					
Lawn Tractor					
917.271850; V2; (Briggs & Stratton); OHV					
21hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.271851; V2; (Briggs & Stratton); OHV					
21hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.271860; V2; (Briggs & Stratton); OHV					
21hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.271861; V2; (Briggs & Stratton); OHV					
21hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.271910; V2; (Briggs & Stratton); OHV					
20hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.271920; V2; (Briggs & Stratton); OHV					
20hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.272030; V2; (Briggs & Stratton); OHV					
18.5hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.272051; Command Series; 4 Stroke; Vertical; 27.9cid\460cc; 1 Cyl.; (Kohler); OHV					
16hp;CV461	71 / RC12YC	3071 / RC12PYC	71ECO	0.040in	
917.272053; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV					
16hp;CV16	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
917.272054; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV					
16hp;CV16	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
917.272055; Command Series; 4 Stroke; Vertical; 27.9cid\460cc; 1 Cyl.; (Kohler); OHV					
16hp;CV460	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
917.272056; Command Series; 4 Stroke; Vertical; 27.9cid\460cc; 1 Cyl.; (Kohler); OHV					
16hp;CV460	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
917.272057; Command Series; 4 Stroke; Vertical; 27.9cid\460cc; 1 Cyl.; (Kohler); OHV					
16hp;CV460	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
917.272058; Command Series; 4 Stroke; Vertical; 27.9cid\460cc; 1 Cyl.; (Kohler); OHV					
16hp;CV460	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
917.272059; Command Series; 4 Stroke; Vertical; 27.9cid\460cc; 1 Cyl.; (Kohler); OHV					
16hp;CV460	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
917.272060; Command Series; 4 Stroke; Vertical; 27.9cid\460cc; 1 Cyl.; (Kohler); OHV					
16hp;CV460	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
917.272061; Command Series; 4 Stroke; Vertical; 27.9cid\460cc; 1 Cyl.; (Kohler); OHV					
16hp;CV461	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
917.272063; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV					
16hp;CV16	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
917.272064; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV					
16hp;CV16	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.272065; Command Series; 4 Stroke; Vertical; 27.9cid\460cc; 1 Cyl.; (Kohler); OHV					
16hp;CV460	71 / RC12YC	946 / QC12YC	71ECO	0.040in	



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
917.272066; Command Series; 4 Stroke; Vertical; 27.9cid\460cc; 1 Cyl.; (Kohler); OHV				
16hp;CV460	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272067; Command Series; 4 Stroke; Vertical; 27.9cid\460cc; 1 Cyl.; (Kohler); OHV				
16hp;CV460	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272068; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
16hp;CV490	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272069; Command Series; 4 Stroke; Vertical; 27.9cid\460cc; 1 Cyl.; (Kohler); OHV				
16hp;CV460	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272070; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
17hp;CV490	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272072; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
17hp;CV490	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272073; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
17hp;CV491	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272074; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
17hp;CV490	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272075; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
17hp;CV490	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272080; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
17hp;CV490	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272082; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
17hp;CV490	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272083; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
17hp;CV490	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272084; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
17hp;CV490	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272140; V2; (Briggs & Stratton); OHV				
20hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272160; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
20hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272200; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
20hp;44N877	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;445777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272220; 4 Stroke; 1 Cyl.; (Kohler); OHV				
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272220; 4 Stroke; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
17.5hp;CV491	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272230; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
20hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
917.272231; Command Series; 4 Stroke; Vertical; V2; (Kohler); OHV				
20hp;CV624	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272232; Command Series; 4 Stroke; Vertical; V2; (Kohler); OHV				
20hp;CV624	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272233; Command Series; 4 Stroke; Vertical; V2; (Kohler); OHV				
20hp;CV624	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272234; Command Series; 4 Stroke; Vertical; V2; (Kohler); OHV				
20hp;CV624	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272240; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
20hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272241; Command Series; 4 Stroke; Vertical; V2; (Kohler); OHV				
20hp;CV624	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272242; Command Series; 4 Stroke; Vertical; V2; (Kohler); OHV				
20hp;CV624	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272243; Command Series; 4 Stroke; Vertical; V2; (Kohler); OHV				
20hp;CV624	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272244; Command Series; 4 Stroke; Vertical; V2; (Kohler); OHV				
20hp;CV624	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272245; Command Series; 4 Stroke; Vertical; V2; (Kohler); OHV				
20hp;CV624	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272246; Command Series; 4 Stroke; Vertical; V2; (Kohler); OHV				
20hp;CV624	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272247; Command Series; 4 Stroke; Vertical; V2; (Kohler); OHV				
20hp;CV624	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272248; Command Series; 4 Stroke; Vertical; V2; (Kohler); OHV				
20hp;CV624	71 / RC12YC	946 / QC12YC	71ECO	0.030in
21hp;CV624	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272260; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;445777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272261; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;445777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272262; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;445777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272263; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;445777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272264; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;446777	71 / RC12YC	946 / QC12YC	71ECO	0.040in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
917.272265; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;446777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272280; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
22hp;446777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272281; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
22hp;446777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272282; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
22hp;446777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272350; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;282H07	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272351; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;282H07	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272352; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272353; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272410; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
18hp;CV492	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272420; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
18hp;CV492	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272421; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
18hp;CV492	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272430; V2; (Briggs & Stratton); OHV				
20hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272431; V2; (Briggs & Stratton); OHV				
20hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272432; V2; (Briggs & Stratton); OHV				
20hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272440; V2; (Briggs & Stratton); OHV				
20hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272441; V2; (Briggs & Stratton); OHV				
20hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272442; V2; (Briggs & Stratton); OHV				
20hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272450; V2; (Briggs & Stratton); OHV				
21.5hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272451; V2; (Briggs & Stratton); OHV				
21.5hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272452; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
21.5hp;445777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272453; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
21.5hp;445777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272454; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
21.5hp;445777	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
917.272460; V2; (Briggs & Stratton); OHV				
21.5hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272461; V2; (Briggs & Stratton); OHV				
21.5hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272462; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
21.5hp;445777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272463; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
21.5hp;445777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272464; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
21.5hp;445777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272480; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
18hp;CV492	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272481; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
18hp;CV492	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272650; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272660; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272670; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272671; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272672; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272673; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272674; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;31G777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272680; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272681; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272751; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272754; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272759; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31M777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272760; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272761; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272762; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31M777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.272850; V2; (Briggs & Stratton); OHV				
22hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272851; V2; (Briggs & Stratton); OHV				
22hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.040in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
917.272860; V2; (Briggs & Stratton); OHV				
22hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272861; V2; (Briggs & Stratton); OHV				
22hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272862; V2; (Briggs & Stratton); OHV				
22hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272910; V2; (Briggs & Stratton); OHV				
22hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272911; V2; (Briggs & Stratton); OHV				
20hp;407677	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272912; V2; (Briggs & Stratton); OHV				
20hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272920; V2; (Briggs & Stratton); OHV				
20hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272921; V2; (Briggs & Stratton); OHV				
20hp;407677	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272922; V2; (Briggs & Stratton); OHV				
20hp;407677	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272930; V2; (Briggs & Stratton); OHV				
20hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272941; V2; (Briggs & Stratton); OHV				
20hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.272950; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
20hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273130; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
17hp;CV490	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273131; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
17hp;CV490	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273134; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
17hp;CV492	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273135; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
17hp;CV490	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273140; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
17hp;CV490	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273142; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
17hp;CV492	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273143; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
17hp;CV490	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273150; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
18hp;CV492	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273160; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
18hp;CV492	71 / RC12YC	946 / QC12YC	71ECO	0.040in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
917.273170; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
17.5hp;CV490	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273180; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
17.5hp;CV490	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273260; Command Pro; 4 Stroke; Vertical; V2; (Kohler); OHV				
23hp;CV674	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273261; Command Pro; 4 Stroke; Vertical; V2; (Kohler); OHV				
23hp;CV674	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273280; V2; (Briggs & Stratton); OHV				
21hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273281; V2; (Briggs & Stratton); OHV				
21hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273350; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273351; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273352; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273353; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273360; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273370; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273371; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273372; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273373; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273374; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273380; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273381; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273383; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273390; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273391; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273392; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273393; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273394; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
917.273395; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273396; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273397; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273398; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273399; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273400; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273401; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273402; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273403; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273404; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273421; 4 Stroke; Vertical; Liquid Cooled; 585cc; V2; (Kawasaki); OHV				
18hp;FD590V;Models S05 (All), S07 (All); S06 & S09 (Rev. A, B)	840 / RCJ8	843 / CJ8	843ECO	0.026in
917.273450; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;446777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273451; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;446777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273460; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;446777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273461; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;446777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273470; Command Series; 4 Stroke; Vertical; V2; (Kohler); OHV				
20hp;CV624	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273471; Command Series; 4 Stroke; Vertical; V2; (Kohler); OHV				
20hp;CV624	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273480; Command Series; 4 Stroke; Vertical; V2; (Kohler); OHV				
20hp;CV624	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273481; Command Series; 4 Stroke; Vertical; V2; (Kohler); OHV				
20hp;CV624	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273482; Command Series; 4 Stroke; Vertical; V2; (Kohler); OHV				
20hp;CV624	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
917.273490; GXV-Series; 4 Stroke; Vertical; 32.3cid\530cc; V2; (Honda); OHC				
16.5hp;GXV530	322 / RN11YC4	302 / N11YC	322ECO	0.030in
917.273491; GXV-Series; 4 Stroke; Vertical; 32.3cid\530cc; V2; (Honda); OHC				
16.5hp;GXV530	322 / RN11YC4	302 / N11YC	322ECO	0.030in
917.273500; GXV-Series; 4 Stroke; Vertical; 32.3cid\530cc; V2; (Honda); OHC				
16.5hp;GXV530	322 / RN11YC4	302 / N11YC	322ECO	0.030in
917.273502; GXV-Series; 4 Stroke; Vertical; 32.3cid\530cc; V2; (Honda); OHC				
16.5hp;GXV530	322 / RN11YC4	302 / N11YC	322ECO	0.030in
917.273505; GXV-Series; 4 Stroke; Vertical; 32.3cid\530cc; V2; (Honda); OHC				
16.5hp;GXV530	322 / RN11YC4	302 / N11YC	322ECO	0.030in
917.273510; V2; (Briggs & Stratton); OHV				
21hp;407577	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273512; V2; (Briggs & Stratton); OHV				
21hp;407577	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273513; V2; (Briggs & Stratton); OHV				
21hp;407577	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273520; V2; (Briggs & Stratton); OHV				
21hp;407577	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273521; V2; (Briggs & Stratton); OHV				
21hp;407577	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273522; 4 Stroke; V2; (Briggs & Stratton); OHV				
21hp;407577	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273523; V2; (Briggs & Stratton); OHV				
21hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273590; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273591; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273600; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273610; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
24hp;445777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273611; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
24hp;445777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273620; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
24hp;445777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273621; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
24hp;445777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273622; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
24hp;445777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273623; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
24hp;445777	71 / RC12YC	946 / QC12YC	71ECO	0.040in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
917.273630; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273631; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273632; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273634; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273635; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273637; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273638; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273639; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273640; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.2736401; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.2736402; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.2736403; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.2736404; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.2736405; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273641; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273642; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273643; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273644; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273645; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273646; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273648; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273649; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273660; Command Pro; 4 Stroke; Vertical; 725cc; V2; (Kohler); OHV				
25hp;CV730	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273661; Command Pro; 4 Stroke; Vertical; 725cc; V2; (Kohler); OHV				
25hp;CV730	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273662; Command Pro; 4 Stroke; Vertical; 725cc; V2; (Kohler); OHV				
25hp;CV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
917.273663; Command Pro; 4 Stroke; Vertical; 725cc; V2; (Kohler); OHV				
25hp;CV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273664; Command Pro; 4 Stroke; Vertical; 725cc; V2; (Kohler); OHV				
25hp;CV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273710; Courage; 4 Stroke; Vertical; 36cid/597cc; V2; (Kohler); OHV				
17.5hp;SV530;30 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273750; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273751; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273752; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273753; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273754; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273755; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273756; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273757; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273758; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273760; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273761; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273762; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273763; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273764; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273770; V2; (Briggs & Stratton); OHV				
22hp;407577	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273780; V2; (Briggs & Stratton); OHV				
22hp;407577	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.273790; GXV-Series; 4 Stroke; Vertical; 32.3cid/530cc; V2; (Honda); OHC				
16hp;GXV530	322 / RN11YC4	302 / N11YC	322ECO	0.030in
917.273800; GXV-Series; 4 Stroke; Vertical; 32.3cid/530cc; V2; (Honda); OHC				
16hp;GXV530	322 / RN11YC4	302 / N11YC	322ECO	0.030in
917.273802; GXV-Series; 4 Stroke; Vertical; 32.3cid/530cc; V2; (Honda); OHC				
16hp;GXV530	322 / RN11YC4	302 / N11YC	322ECO	0.030in
917.273810; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
917.273811; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273812; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273820; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273821; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273823; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273823; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273830; 4 Stroke; Courage; Vertical Air Cooled; 36cid\597cc; 1 Cyl.; (Kohler); OHV				
17.5hp;SV530;30 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273840; 4 Stroke; Courage; Vertical Air Cooled; 36cid\597cc; 1 Cyl.; (Kohler); OHV				
17.5hp;SV530;30 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273850; Courage; 4 Stroke; Vertical; 1 Cyl.; (Kohler); OHV				
20hp;SV600	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273860; Courage; 4 Stroke; Vertical; 1 Cyl.; (Kohler); OHV				
20hp;SV600	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.273900; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
20hp;44N877	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.274030; 4 Stroke; V2; (Briggs & Stratton); OHV				
21hp;407577	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.274031; V2; (Briggs & Stratton); OHV				
21hp;407577	71 / RC12YC	3071 / RC12PYC	71ECO	0.040in
917.274032; 4 Stroke; V2; (Briggs & Stratton); OHV				
21hp;407577	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.274033; 4 Stroke; V2; (Briggs & Stratton); OHV				
21hp;407577	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.274040; 4 Stroke; V2; (Briggs & Stratton); OHV				
21hp;407577	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.274041; 4 Stroke; V2; (Briggs & Stratton); OHV				
21hp;407577	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.274350; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16hp;283H07	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.274351; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16hp;283H07	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.274352; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16hp;283H07	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.274390; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.274391; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.274400; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18hp;31H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
917.274630; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.274632; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.274640; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.274641; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.274650; Courage; 4 Stroke; Vertical; 597cc; 1 Cyl.; (Kohler); OHV				
19hp;SV590	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.274660; Courage; 4 Stroke; Vertical; 597cc; 1 Cyl.; (Kohler); OHV				
19hp;SV590	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.274750; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.274751; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.274752; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.274760; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.274761; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.274762; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.274810; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.274811; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.274820; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.274821; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.274822; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.27576; 4 Stroke; 550 Series; 1 Cyl.; OHV				
18.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.275764; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.275900; Command Pro; 4 Stroke; Vertical; 725cc; V2; (Kohler); OHV				
26hp;CV730	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
917.276600; 4 Stroke; 2 Cyl.; OHV				
22hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
917.276601; 4 Stroke; 2 Cyl.; OHV				
22hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
917.28035; 1 Cyl.; OHV				
17.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.28703; 2 Cyl.; OHV				
17.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
917.28705; 2 Cyl.; OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.28713; 2 Cyl.; OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.28738; 2 Cyl.; OHV				
22hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
917.28826; 2 Cyl.; OHV				
24hp	946 / QC12YC	982 / XC12YC	71ECO	0.040in
917.28828; 2 Cyl.; OHV				
24hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
917.28851; 4 Stroke; 1 Cyl.; OHV				
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.28858; 2 Cyl.; OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.28866; 2 Cyl.; OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.28903; 1 Cyl.; OHV				
16.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.28907; 1 Cyl.; OHV				
19.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.28908; 1 Cyl.; OHV				
19.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.28910; 1 Cyl.; OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.28913; 1 Cyl.; OHV				
17.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.28921; 4 Stroke; 2 Cyl.; OHV				
21hp	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
917.28922; 2 Cyl.; OHV				
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.28924; 2 Cyl.; OHV				
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.28925; 2 Cyl.; OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.28927; 2 Cyl.; OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.28934; 2 Cyl.; OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.28936; V2; OHV				
24hp	946 / QC12YC	982 / XC12YC	71ECO	0.040in
917.28970; 2 Cyl.; OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.28990; 2 Cyl.; OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.28991; 2 Cyl.; OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.374111; 4 Stroke; 775 Series; 1 Cyl.; (Briggs & Stratton); OHV				
111P05	71 / RC12YC	946 / QC12YC	71ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
917.374120; 4 Stroke; 775 Series; 1 Cyl.; (Briggs & Stratton); OHV				
111P05	71 / RC12YC	3071 / RC12PYC	71ECO	0.020in
917.601892; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.98633; 1 Cyl.; OHV				
17.5hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
917.98635; 1 Cyl.; OHV				
17.5hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
917.98636; 1 Cyl.; OHV				
24hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
917.98637; 1 Cyl.; OHV				
24hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
917.98641; 2 Cyl.; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.98643; 2 Cyl.; (Kohler); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.99039; 1 Cyl.; OHV				
17.5hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
917.99042; 2 Cyl.; (Briggs & Stratton); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.99047; 2 Cyl.; (Briggs & Stratton); OHV				
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.99295; 2 Cyl.; OHV				
18.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.99296; 2 Cyl.; OHV				
18.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
944.101060; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
44R677	71 / RC12YC	946 / QC12YC	71ECO	0.030in
944.600088; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;445777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
944.600191; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
944.601280; Courage; 4 Stroke; Vertical; 44.2cid\725cc; V2; (Kohler); OHV				
24hp;SV725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
944.601880; V2; (Briggs & Stratton); OHV				
20hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
944.601881; V2; (Briggs & Stratton); OHV				
20hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
944.602892; V2; (Briggs & Stratton); OHV				
20hp;407677	946 / QC12YC	982 / XC12YC	71ECO	0.040in
944.602951; Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
18hp;CV492	71 / RC12YC	946 / QC12YC	71ECO	0.040in
944.603620; 2 Cyl.; (Briggs & Stratton); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
944.604212; 2 Cyl.; (Briggs & Stratton); OHV				
21hp;407777	946 / QC12YC	982 / XC12YC	71ECO	0.040in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Craftsman					
Lawn Tractor					
944.604860; 1 Cyl.; (Briggs & Stratton); OHV					
16hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
944.609040; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
14.5hp;287707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
944.609150; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
15.5hp;28U707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
C459-60116; Professional Series; 44cid\724cc; V2; (Briggs & Stratton); OHV					
26hp;44P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
C459-60133; 1 Cyl.; (Briggs & Stratton); OHV					
16hp;31C707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
CTX 9000 107.250050; Professional Series; 40cid\656cc; V2; (Briggs & Stratton); OHV					
22hp;40H777	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
CTX 9500 107.250070; Professional Series; 49.43cid\810cc; 2 Cyl.; (Briggs & Stratton); OHV					
30hp;49M877	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
EZ 917.270722; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
17hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
EZ 917.270731; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
17hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
EZ 917.270743; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
17hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
EZ 917.270752; 2 Cyl.; (Briggs & Stratton); OHV					
18.5hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
EZ 917.270810; 4 Stroke; H2; (Briggs & Stratton); L-HEAD					
19.5hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ 917.270814; 4 Stroke; H2; (Briggs & Stratton); L-HEAD					
19.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ 917.270913; 4 Stroke; H2; (Briggs & Stratton); L-HEAD					
19.5hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ 917.270922; 4 Stroke; H2; (Briggs & Stratton); L-HEAD					
19.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ 917.270941; 4 Stroke; H2; (Briggs & Stratton); L-HEAD					
20hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ 917.272040; 2 Cyl.; (Briggs & Stratton); OHV					
18.5hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
EZ 917.272130; 2 Cyl.; (Briggs & Stratton); OHV					
20hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
EZ3 917.251480; Magnum; Vertical; 2 Cyl.; (Kohler); L-HEAD					
18hp;MV18	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
EZ3 917.251481; Magnum; Vertical; 2 Cyl.; (Kohler); L-HEAD					
18hp;MV18	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
EZ3 917.251482; Magnum; Vertical; 2 Cyl.; (Kohler); L-HEAD					
18.5hp;MV20	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
EZ3 917.251490; Magnum; Vertical; 2 Cyl.; (Kohler); L-HEAD					
18.5hp;MV18	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
EZ3 917.251492; Magnum; Vertical; 2 Cyl.; (Kohler); L-HEAD					
18.5hp;MV18	25 / RV17YC	3018 / RV17PMC4	---	0.025in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
EZ3 917.251493; Magnum; Vertical; 2 Cyl.; (Kohler); L-HEAD				
18.5hp;MV20	25 / RV17YC	3018 / RV17PMC4	---	0.025in
EZ3 917.251520; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
20.5hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.251521; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
20.5hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.251630; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
20.5hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.256430; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.256522; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.256524; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.256531; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.256541; 4 Stroke; 1 Cyl.; (Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.256543; 4 Stroke; V1; (Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.256544; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.256551; 4 Stroke; 1 Cyl.; (Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.256552; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.256561; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19hp;42A707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.256562; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19hp;42A707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.256571; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19hp;42A707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.256582; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.256591; Command Series; 4 Stroke; Vertical; 1 Cyl.; (Kohler); OHV				
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.256600; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.256610; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.256611; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
EZ3 917.256660; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19hp;42A707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.256670; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19hp;42A707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.256701; Magnum; Vertical; 2 Cyl.; (Kohler); L-HEAD				
18hp;MV18	25 / RV17YC	3018 / RV17PMC4	---	0.025in
EZ3 917.256710; Magnum; Vertical; 2 Cyl.; (Kohler); L-HEAD				
18hp;MV18	25 / RV17YC	3018 / RV17PMC4	---	0.030in
EZ3 917.256711; Magnum; Vertical; 2 Cyl.; (Kohler); L-HEAD				
18hp;MV18	25 / RV17YC	3018 / RV17PMC4	---	0.030in
EZ3 917.256810; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.258470; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.258473; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.258524; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.258530; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.258531; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.258532; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.258542; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.258543; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.258552; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.258553; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.258555; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.258562; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.258572; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.258580; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
16hp;CV16	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.258590; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
16hp;CV16	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.258591; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
16hp;CV16	71 / RC12YC	946 / QC12YC	71ECO	0.040in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
EZ3 917.258660; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;42A707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.258671; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.258691; Magnum; Vertical; 2 Cyl.; (Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
EZ3 917.258692; Magnum; Vertical; 2 Cyl.; (Kohler); L-HEAD				
18hp;MV18	25 / RV17YC	3018 / RV17PMC4	---	0.025in
EZ3 917.258860; Magnum; Vertical; 2 Cyl.; (Kohler); L-HEAD				
18.5hp;MV18	25 / RV17YC	3018 / RV17PMC4	---	0.025in
EZ3 917.258861; Magnum; Vertical; 2 Cyl.; (Kohler); L-HEAD				
18.5hp;MV18	25 / RV17YC	3018 / RV17PMC4	---	0.025in
EZ3 917.258863; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
18.5hp;CV18	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.258870; Magnum; Vertical; 2 Cyl.; (Kohler); L-HEAD				
18.5hp;MV18	25 / RV17YC	3018 / RV17PMC4	---	0.025in
EZ3 917.258872; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
18.5hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.258960; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
18.5hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.258970; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
18.5hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.258990; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
20.5hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.259172; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.259330; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.259340; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.259541; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.259542; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.259544; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.259547; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.259550; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
EZ3 917.259551; Command Series; 4 Stroke; Vertical; 26cid/426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.259556; Command Series; 4 Stroke; Vertical; 26cid/426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.259560; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.259561; 4 Stroke; 2 Cyl.; (Briggs & Stratton); OHV				
19.5hp;351777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.259564; 4 Stroke; 2 Cyl.; (Briggs & Stratton); OHV				
19.5hp;351777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.259566; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.259567; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.259570; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.259572; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.259573; 4 Stroke; H2; (Briggs & Stratton); L-HEAD				
19.5hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.259580; 4 Stroke; 1 Cyl.; (Kohler); OHV				
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.259590; Command Series; 4 Stroke; Vertical; 26cid/426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.259592; Command Series; 4 Stroke; Vertical; 26cid/426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.259830; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.270611; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28U707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.270612; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28U707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.270622; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28U707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.270623; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28U707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.270630; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16hp;28U707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.270631; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16hp;28U707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.270641; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16hp;28U707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.270642; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16hp;28U707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.270650; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28U707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.270653; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28U707	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Craftsman					
Lawn Tractor					
EZ3 917.270654; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
15.5hp;28U707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
EZ3 917.270660; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
15.5hp;28U707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
EZ3 917.270662; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
15.5hp;28U707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
EZ3 917.270670; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
16hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
EZ3 917.270680; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
16hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
EZ3 917.270711; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
17hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
EZ3 917.270721; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
17hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
EZ3 917.270723; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
17hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
EZ3 917.270740; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
17hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
EZ3 917.270742; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
17hp;311707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
EZ3 917.270771; 4 Stroke; H2; (Briggs & Stratton); L-HEAD					
19hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.270774; 4 Stroke; V2; (Briggs & Stratton); OHV					
19.5hp;350777	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
EZ3 917.270781; 4 Stroke; H2; (Briggs & Stratton); L-HEAD					
19hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.270812; 4 Stroke; H2; (Briggs & Stratton); L-HEAD					
19.5hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.270813; 4 Stroke; V2; (Briggs & Stratton); OHV					
19.5hp;350777	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
EZ3 917.270822; 4 Stroke; H2; (Briggs & Stratton); L-HEAD					
19.5hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.270850; 4 Stroke; H2; (Briggs & Stratton); L-HEAD					
20.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.270923; 4 Stroke; H2; (Briggs & Stratton); L-HEAD					
19.5hp;42E707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.270951; 4 Stroke; H2; (Briggs & Stratton); L-HEAD					
20.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.270962; 4 Stroke; H2; (Briggs & Stratton); L-HEAD					
20.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.270963; 4 Stroke; H2; (Briggs & Stratton); L-HEAD					
20.5hp;461707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.271011; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV					
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
EZ3 917.271014; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV					
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
EZ3 917.271015; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV					
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
EZ3 917.271021; 4 Stroke; 1 Cyl.; (Kohler); OHV					
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPÉD Y JARDIN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
EZ3 917.271024; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.271053; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.271064; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.271071; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
16hp;CV16	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.271090; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
16.5hp;CV16	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.271111; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
16.5hp;CV16	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.271133; Command Series; 4 Stroke; Vertical; 27.9cid\460cc; 1 Cyl.; (Kohler); OHV				
16.5hp;CV461	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.271141; 4 Stroke; 1 Cyl.; (Kohler); OHV				
16.5hp;CV16.5	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.271380; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.271642; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
16.5hp;310707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.272011; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
16.5hp;CV16	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ3 917.272020; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
16.5hp;CV16	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.272021; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
16.5hp;CV16	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.272050; Command Series; 4 Stroke; Vertical; 27.9cid\460cc; 1 Cyl.; (Kohler); OHV				
16hp;CV460	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.272052; Command Series; 4 Stroke; Vertical; 27.9cid\460cc; 1 Cyl.; (Kohler); OHV				
16hp;CV461	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.272121; Command Series; 4 Stroke; Vertical; 624cc; V2; (Kohler); OHV				
18.5hp;CV18	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EZ3 917.272190; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;445777	946 / QC12YC	982 / XC12YC	71ECO	0.040in
EZ3 917.272201; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;445777	946 / QC12YC	982 / XC12YC	71ECO	0.040in
EZ3 944.609050; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;28U707	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Lawn Tractor				
EZ3 944.609760; Command Series; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
16hp;CV16	71 / RC12YC	3071 / RC12PYC	71ECO	0.040in
EZ3 944.609810; 2 Cyl.; (Briggs & Stratton); OHV				
20hp;407777	71 / RC12YC	946 / QC12YC	71ECO	0.025in
PGT9500 107.289850; Professional Series; 49.43cid\810cc; 2 Cyl.; (Briggs & Stratton); OHV				
30hp;49M877	71 / RC12YC	946 / QC12YC	71ECO	0.030in
PYT9000 247.28672; Professional Series; 2 Cyl.; (Briggs & Stratton); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
PYT9000 247.28880; Professional Series; 2 Cyl.; (Briggs & Stratton); OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
PYT9000 247.28881; Professional Series; 44cid\724cc; V2; (Briggs & Stratton); OHV				
26hp;44P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
PYT9000 247.28981; Professional Series; V2; (Briggs & Stratton); OHV				
26hp;726	71 / RC12YC	946 / QC12YC	71ECO	0.030in
T1000 247.203701; 1 Cyl.; OHV				
	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
Leaf Blower				
125B; 2 Stroke; 1.7cid\28cc; 1 Cyl.				
1.1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
125B X-Series; 2 Stroke; 1.7cid\28cc; 1 Cyl.				
1.1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
125BV X-Series; 2 Stroke; 1.7cid\28cc; 1 Cyl.				
1.1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
316.79160; 2 Stroke; 1.52cid\25cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
316.791650; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
316.794000; 2 Stroke; 27cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
316.794001; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
316.794010; 4 Stroke; 1.95cid\32cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.794011; 4 Stroke; 1.95cid\32cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.794030; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
316.794610; 4 Stroke; 25cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.794611; 4 Stroke; 1.52cid\25cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.794710; 4 Stroke; 25cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.794711; 4 Stroke; 25cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Leaf Blower				
316.794720; 2 Stroke; 27cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
316.794790; 2 Stroke; 1.55cid\25.4cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.794791; 2 Stroke; 1.55cid\25.4cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.794800; 4 Stroke; 1.95cid\32cc; 1 Cyl.				
	940 / RDZ19H	---	---	0.025in
316.794801; 4 Stroke; 1.95cid\32cc; 1 Cyl.				
	940 / RDZ19H	---	---	0.025in
316.794802; 4 Stroke; 1.95cid\32cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.794830; 4 Stroke; 1.95cid\32cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.794831; 4 Stroke; 25cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.794970; 2 Stroke; 1.95cid\31.5cc; 1 Cyl.				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
316.794980; 4 Stroke; 1.8cid\29cc; 1 Cyl.				
	940 / RDZ19H	---	---	0.025in
316.794990; 2 Stroke; 1.83cid\30cc; 1 Cyl.				
	965 / RZ7C	---	---	0.025in
316.794990; 2 Stroke; 1.83cid\30cc; 1 Cyl.; (MTD)				
	965 / RZ7C	---	---	0.025in
316.794991; 2 Stroke; 1.83cid\30cc; 1 Cyl.				
	965 / RZ7C	---	---	0.025in
316.797210; 2 Stroke; 31cc; 1 Cyl.				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
358.794120; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
358.794130; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
358.794170; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
358.794200; 2 Stroke; 1.2cid\20cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.794201; 2 Stroke; 1.2cid\20cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.794300; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
358.794311; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
358.794342; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
358.794550; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
358.794560; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
358.794760; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
3.4hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
358.794761; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Craftsman					
Leaf Blower					
358.794762; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
358.794763; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
358.794765; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
358.794770; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
358.794771; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
358.794772; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
358.794773; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
358.794774; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
358.794776; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
358.794780; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
358.794810; 2 Stroke; 1.5cid\28cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
358.794811; 2 Stroke; 1.5cid\28cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
358.794880; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
358.794900; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
358.794901; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
358.794920; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
358.794940; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
358.794941; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
358.794944; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
358.794960; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
358.794961; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
358.794963; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
358.794964; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
358.794981; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
358.796920; 2 Stroke; 28cc; 1 Cyl.					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
358.796921; 2 Stroke; 28.0cc; 1 Cyl.					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Leaf Blower				
358.796982; 2 Stroke; 28.0cc; 1 Cyl.				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
358.797030; 2 Stroke; 1.4cid\24cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.797120; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
358.797130; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
358.797170; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
358.797180; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	858 / CJ6Y	---	---	0.025in
358.797202; 2 Stroke; 19.9cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.797203; 2 Stroke; 19.9cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.797251; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.797290; 2 Stroke; 1.4cid\24cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.797300; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
358.797310; 2 Stroke; 1.4cid\24cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.797320; 2 Stroke; 1.4cid\24cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.797340; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.797341; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
358.797342; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
358.797550; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
358.797560; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
358.797770; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.797910; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.797921; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.797922; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.797930; 2 Stroke; 22.2cc; 1 Cyl.				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
358.797950; 2 Stroke; 22cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.797960; 2 Stroke; 22cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.797961; 2 Stroke; 22cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Leaf Blower				
358.797970; 2 Stroke; 22.2cc; 1 Cyl.				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
358.797981; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.797982; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.797990; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.798940; 2 Stroke; 26cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.798960; 2 Stroke; 32cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.798980; 2 Stroke; 32cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
360.796800; 2 Stroke; 3.3cid\54cc; 1 Cyl.				
4.5hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
360.796900; 2 Stroke; 3.2cid\53cc; 1 Cyl.				
3.4hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CMXGAAMR25BL 41AR25BL793; 2 Stroke; 1.4cid\24cc; 1 Cyl.				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Leaf Vacuum				
247.7700990; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6.5hp;123K02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.77010; 4 Stroke; 1 Cyl.; L-HEAD				
4.5hp;143.014500	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.770110; 4 Stroke; 1 Cyl.; L-HEAD				
4.5hp;143.014500	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.770120; 4 Stroke; 1 Cyl.; L-HEAD				
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.77013.0; 4 Stroke; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;126T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.770131; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.770550; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;123K02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.77366; 4 Stroke; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126L02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
486.24504; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;135212	868 / RJ19LM	861 / J19LM	861ECO	0.030in
486.245042; Intek; 1 Cyl.; (Briggs & Stratton)				
6.5hp;121312	71 / RC12YC	3071 / RC12PYC	71ECO	0.020in
Log Splitter				
(Briggs & Stratton); L-HEAD				
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.287750; 12.57cid\206cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;130202	868 / RJ19LM	861 / J19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Craftsman					
Log Splitter					
247.287751; 12.57cid\206cc; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp;130202	868 / RJ19LM	861 / J19LM	861ECO	0.030in	
247.346250; 12.57cid\206cc; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp;133402	868 / RJ19LM	861 / J19LM	861ECO	0.030in	
247.774500; 1 Cyl.					
6.5hp;143.016500	868 / RJ19LM	861 / J19LM	861ECO	0.030in	
247.77466; 1 Cyl.; L-HEAD					
6.5hp;123K02	868 / RJ19LM	861 / J19LM	861ECO	0.030in	
247.77466.1; 1 Cyl.; L-HEAD					
6.5hp	868 / RJ19LM	861 / J19LM	861ECO	0.030in	
247.7766.1; 752Z170-L0; 1 Cyl.; L-HEAD					
6.5hp;170L011	868 / RJ19LM	861 / J19LM	861ECO	0.030in	
247.794500; 752Z170-L0; 1 Cyl.; (Tecumseh); L-HEAD					
5hp;143.995000	868 / RJ19LM	861 / J19LM	861ECO	0.030in	
247.794510; 752Z170-L0; 1 Cyl.; (Tecumseh); L-HEAD					
5hp;143.99650	868 / RJ19LM	861 / J19LM	861ECO	0.030in	
247.794520; 752Z170-L0; 1 Cyl.; L-HEAD					
9hp;143.999003	868 / RJ19LM	861 / J19LM	861ECO	0.030in	
675 Series 247.77614; 1 Cyl.; (Briggs & Stratton); L-HEAD					
126L02	868 / RJ19LM	861 / J19LM	861ECO	0.030in	
675 Series 247.77640; 1 Cyl.; (Briggs & Stratton); L-HEAD					
126T02	868 / RJ19LM	861 / J19LM	861ECO	0.030in	
675 Series 247.77641; 1 Cyl.; (Briggs & Stratton); L-HEAD					
126T02	868 / RJ19LM	861 / J19LM	861ECO	0.030in	
675 Series 247.776411; 1 Cyl.; (Briggs & Stratton); L-HEAD					
126L02	868 / RJ19LM	861 / J19LM	861ECO	0.030in	
Mower					
(Briggs & Stratton); L-HEAD					
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Briggs & Stratton); OHV					
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
(Eager1)					
4.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in	
Horizontal; (Tecumseh)					
3hp;AH600	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
Intek; (Briggs & Stratton); OHV					
13.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
7hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Quantum; (Briggs & Stratton); L-HEAD					
4.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Pull-Behind Mower					
486.243291; H2					
	868 / RJ19LM	861 / J19LM	861ECO	0.030in	
486.243292; 21cid; 1 Cyl.; OHV					
8hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.372480; 12.04cid; 1 Cyl.					
5hp;143.424152	868 / RJ19LM	861 / J19LM	---	0.030in	
917.372480; 12.04cid; 01					
5hp;143.424152	---	---	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Craftsman					
Rear Engine Rider Mower					
107.280340; 1 Cyl.; (Briggs & Stratton); OHV					
12.5hp;219977	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
247.203691; 1 Cyl.; OHV					
	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
247.25000; 1 Cyl.; OHV					
4P90JUA	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
4P90JUA	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
247.27022; 1 Cyl.; (Briggs & Stratton); OHV					
212907	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
247.290000; 1 Cyl.; OHV					
4P90JUA	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
247.290003; 1 Cyl.; OHV					
	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
247.374880 CX-Series; 1 Cyl.; OHV					
4P90JUA	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
502.251220; 1 Cyl.					
10hp	871 / RJ8C	841 / J8C	---	0.030in	
502.255020; 1 Cyl.					
10hp	871 / RJ8C	841 / J8C	---	0.030in	
502.255060; 4 Stroke; 1 Cyl.; L-HEAD					
143.426072	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
502.255070; 1 Cyl.					
10hp	871 / RJ8C	841 / J8C	---	0.030in	
502.255090; 1 Cyl.					
10hp;143.416032	871 / RJ8C	841 / J8C	---	0.030in	
502.255091; 1 Cyl.					
10hp;143.416072	871 / RJ8C	841 / J8C	---	0.030in	
502.255180; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
12.5hp;286707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
502.270210; 4 Stroke; 1 Cyl.					
13.5hp	102 / RJ6C	825 / J4C	---	0.030in	
536.270211; 4 Stroke; 1 Cyl.					
13.5hp;143.981300	102 / RJ6C	825 / J4C	---	0.030in	
536.270212; 4 Stroke; 1 Cyl.					
13.5hp;143.981300	102 / RJ6C	825 / J4C	---	0.030in	
536.270270; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
13.5hp;28R707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
536.270280; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
13.5hp;28R707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
536.270281; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
13.5hp;28R707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
536.270282; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
13.5hp;28R707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
536.270290; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
13.5hp;28R707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
536.270301; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
13.5hp;21B807	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
536.270320; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
13.5hp;21B807	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
536.270321; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
13.5hp;21B807	71 / RC12YC	946 / QC12YC	71ECO	0.030in	



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Craftsman					
Rear Engine Rider Mower					
536.270340; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
12.5hp;219807	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
536.27630; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
13.5hp;21B807	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
C950-60901-0; 4 Stroke; 1 Cyl.					
10hp;143.981300	102 / RJ6C	823 / J6C	---	0.030in	
Shredder					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV					
7.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
247.775860; 1 Cyl.					
8hp;3/4in Reach Spark Plugs	104 / RN4C	803 / N4C	---	0.025in	
8hp;3/8in Reach Spark Plugs	856 / RJ17LM	947 / QJ19LM	861ECO	0.025in	
247.775870; 1 Cyl.					
6.5hp	104 / RN4C	803 / N4C	---	0.030in	
247.775880; 1 Cyl.					
8.5hp	104 / RN4C	803 / N4C	---	0.030in	
247.775890; 1 Cyl.					
10hp;19G432	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
247.77638; 1450 Series; 1 Cyl.; OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
247.780890; Horizontal; 1 Cyl.; (Tecumseh)					
8hp;HM80	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in	
247.780891; Horizontal; 1 Cyl.; (Tecumseh)					
8hp;HM80	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in	
247.780892; Horizontal; 1 Cyl.; (Tecumseh)					
8hp;HM80	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in	
247.795850; 1 Cyl.					
5hp	104 / RN4C	803 / N4C	---	0.025in	
247.795860; 1 Cyl.					
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
247.795861; 1 Cyl.					
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
247.795890; 1 Cyl.					
9hp	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in	
247.795940; 1 Cyl.; (Tecumseh)					
5hp;HS50	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in	
247.795950; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp;133412	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
247.796890; 1 Cyl.; (Briggs & Stratton)					
5hp;130212	861 / J19LM	---	---	0.030in	
247.796890; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp;130212	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
247.796893; 130212; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
247.797851; 130212; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
247.797852; 1 Cyl.; (Briggs & Stratton)					
5hp;130212	861 / J19LM	---	---	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Shredder				
247.797852; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;130212	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.797853; 1 Cyl.; (Briggs & Stratton)				
5hp;130212	861 / J19LM	---	---	0.030in
247.797853; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;130212	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.797854; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;135212	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.797855; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;135212	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.799640; 1 Cyl.				
9hp	856 / RJ17LM	947 / QJ19LM	861ECO	0.025in
247.799891; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;135212	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.799891; 135212; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.799892; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;135212	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.799892; 135212; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
987.799600; TVS115; 1 Cyl.; (Tecumseh)				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
987.799601; 1 Cyl.				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Shredder/Blower/Vacuum				
C944.517742; 2 Stroke; 1.4cid/24cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
Sprayer				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
7.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Sweeper				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Honda)				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
2.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Tiller				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Honda)				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
(Tecumseh); OHV				
4.5hp	104 / RN4C	803 / N4C	---	0.030in
5hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
2.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.23000; 208cc; 1 Cyl.; OHV				
270-V0	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.298760; 4 Stroke; Horizontal; 1 Cyl.; L-HEAD				
8hp;HM80	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
8hp;HM80	871 / RJ8C	841 / J8C	---	0.030in
247.298780; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp;190402	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.29922; 205cc; 1 Cyl.; (Briggs & Stratton); OHV				
8hp;12T102	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.29930; 1 Cyl.; OHV				
170-T0B	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.299301; 208cc; 1 Cyl.; OHV				
170-TU	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.29931; 205cc; 1 Cyl.; (Briggs & Stratton); OHV				
8hp;12T102	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.29932; 208cc; 1 Cyl.; OHV				
170-V0B	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.299321; 208cc; 1 Cyl.; OHV				
170-VU	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.29933; 205cc; 1 Cyl.; (Briggs & Stratton); OHV				
8hp;12T102	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.29934; 208cc; 1 Cyl.; OHV				
170-V0B	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.299341; 208cc; 1 Cyl.; OHV				
170-VU	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.29935; 205cc; 1 Cyl.; (Briggs & Stratton); OHV				
8hp;12T102	71 / RC12YC	946 / QC12YC	71ECO	0.030in
316.240320; 2 Stroke; 25cc; 1 Cyl.				
	860 / RDJ7J	---	851ECO	0.025in
316.292561; 2 Stroke; 31.5cc; 1 Cyl.				
	872 / RDJ7Y	---	851ECO	0.020in
316.292620; 2 Stroke; 31.5cc; 1 Cyl.				
	872 / RDJ7Y	---	851ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Tiller				
316.292621; 2 Stroke; 31.5cc; 1 Cyl.				
	872 / RDJ7Y	---	851ECO	0.025in
316.292640; 2 Stroke; 31.5cc; 1 Cyl.				
	872 / RDJ7Y	---	851ECO	0.025in
316.292650; 4 Stroke; 1.6cid\26.2cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.29270; 4 Stroke; 1 Cyl.				
	940 / RDZ19H	---	---	0.025in
316.292710; 4 Stroke; 1.6cid\26.2cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.292711; 4 Stroke; 1.6cid\26.2cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.299370; 4 Stroke; 1.8cid\29cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.299371; 4 Stroke; 1.8cid\29cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.299372; 4 Stroke; 1.8cid\29cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.772370; 4 Stroke; 1.8cid\29cc; 1 Cyl.				
	940 / RDZ19H	---	---	0.025in
316.772380; 4 Stroke; 1.8cid\29cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.773800; 4 Stroke; 1.8cid\29cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
536.292500; 2 Stroke; 49.2cc; 1 Cyl.				
2hp;143.982070	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
536.292510; 2 Stroke; 49.2cc; 1 Cyl.				
2hp;143.982070	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
536.292520; 2 Stroke; 49.2cc; 1 Cyl.				
2hp;143.982070	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
536.292523; 2 Stroke; 3.0cid\49.2cc; 1 Cyl.				
2hp;143.002072	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
536.292524; 2 Stroke; 3.0cid\49.2cc; 1 Cyl.				
2hp;143.002072	852 / RCJ6Y	858 / CJ6Y	852ECO	0.030in
536.797500; 2 Stroke; 2.0cid\32.8cc; 1 Cyl.				
1.6hp;536.797500	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
536.797501; 2 Stroke; 2.0cid\32.8cc; 1 Cyl.				
1.6hp;536.797500	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
536.797502; 2 Stroke; 2.0cid\32.8cc; 1 Cyl.				
1.6hp;536.797500	863 / RCJ8Y	848 / CJ8Y	843ECO	0.035in
917.242484; 4 Stroke; Horizontal; 1 Cyl.; L-HEAD				
8hp;HM80	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
917.25009; 4 Stroke; 900 Series; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
917.291480; 1 Cyl.; (Briggs & Stratton); OHV				
5hp;126402	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.291481; 1 Cyl.; (Briggs & Stratton); OHV				
5hp;126302	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.291482; 1 Cyl.; (Briggs & Stratton); OHV				
5hp;126302	71 / RC12YC	946 / QC12YC	71ECO	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPÉD Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Tiller				
917.291490; 1 Cyl.; (Briggs & Stratton); OHV				
5.5hp;126302	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.291491; 1 Cyl.; (Briggs & Stratton); OHV				
5.5hp;126302	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.292200; 4 Stroke; 9.03cid\148cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.75hp;94202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.292301; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;137202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.292350; 4 Stroke; 12.57cid\206cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;137202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.292360; 4 Stroke; 12.57cid\206cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;137202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.292380; 4 Stroke; 9.03cid\148cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.75hp;94202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.292381; 4 Stroke; 9.03cid\148cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.75hp;94202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.292390; 4 Stroke; 13cid\221cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp;137202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.292391; 4 Stroke; 13cid\221cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp;137202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.292392; 4 Stroke; 13cid\221cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp;137202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.292393; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp;134202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.292394; 4 Stroke; 13cid\221cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp;134202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.292403; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp;134202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.292460; 4 Stroke; 13cid\221cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp;137202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.292480; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
5.5hp;110402	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.292481; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
5.5hp;126402	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
917.292490; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
6hp;110402	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.292491; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
6hp;126402	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
917.292492; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
6hp;126402	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Craftsman					
Tiller					
917.292493; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
6hp;126402	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in	
917.293180; 4 Stroke; 9.03cid\148cc; 1 Cyl.; (Briggs & Stratton); L-HEAD					
3.75hp;94202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.293202; 4 Stroke; 12.57cid\206cc; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp;137202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.293203; 4 Stroke; 12.57cid\206cc; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp;137202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.293300; 4 Stroke; 13cid\221cc; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5.5hp;134402	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.293301; 4 Stroke; 13cid\221cc; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5.5hp;134402	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.293302; 4 Stroke; 13cid\221cc; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5.5hp;134402	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.293310; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
6hp;121432	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.293311; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
6hp;110402	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.293320; 4 Stroke; 12.48cid\206cc; 1 Cyl.; (Briggs & Stratton); OHV					
6.5hp;121432	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.293321; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
6.5hp;121402	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.293340; 4 Stroke; 19cid\311cc; 1 Cyl.; (Briggs & Stratton); OHV					
9hp;19G402	431 / RC14YC	3071 / RC12PYC	71ECO	0.030in	
917.293400; 4 Stroke; 11.88cid; 1 Cyl.; OHV					
6hp;143.976001	104 / RN4C	803 / N4C	---	0.030in	
917.293401; 4 Stroke; 11.88cid; 1 Cyl.; OHV					
6hp;143.986001	104 / RN4C	803 / N4C	---	0.030in	
917.293470; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
5.5hp;110402	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.293471; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
5.5hp;120402	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.293472; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
5.5hp;120402	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.293480; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
6.5hp;120402	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.293482; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
6.5hp;120402	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.293483; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
6.5hp;120402	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.293484; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
6.5hp;121402	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.293490; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
7hp;121402	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Craftsman					
Tiller					
917.293491; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
7hp;121402	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.293492; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
7hp;121402	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.293493; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
7hp;121402	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.293650; 4 Stroke; 11.88cid; 1 Cyl.; OHV					
6hp;143.976001	104 / RN4C	803 / N4C	---	0.030in	
917.294250; GC-Series; Horizontal; 4 Stroke; 9.8cid\160cc; 1 Cyl.; (Honda); OHC					
5hp;GC160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
917.294251; GC-Series; Horizontal; 4 Stroke; 9.8cid\160cc; 1 Cyl.; (Honda); OHC					
5hp;GC160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
917.294260; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
6hp;120302	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.294261; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
6hp;120202	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.294270; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
7hp;121302	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.294271; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
7hp;122002	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in	
917.294480; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
6.5hp;120402	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.294481; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
6.5hp;121402	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.294482; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
6.5hp;120302	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.294483; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
6.5hp;121302	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.294484; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
6.5hp;120302	982 / XC12YC	---	71ECO	0.030in	
917.295450; 4 Stroke; 12.57cid\206cc; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp;133202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.295451; 4 Stroke; 12.57cid\206cc; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp;133202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.295550; 4 Stroke; 12.57cid\206cc; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp;135202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.295651; 4 Stroke; 12.57cid\206cc; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp;3/8In Reach Spark Plugs	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.295652; 4 Stroke; 12.57cid\206cc; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp;133402	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.295852; 4 Stroke; 12.57cid\206cc; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp;135202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.296010; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
5.5hp;126302	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Craftsman					
Tiller					
917.296020; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
6hp;120202	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.296030; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
6.5hp;120302	982 / XC12YC	---	71ECO	0.030in	
917.296040; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
7hp;122002	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in	
917.296351; 4 Stroke; 12.57cid206cc; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp;135202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.297010; 4 Stroke; 825 Series; 1 Cyl.; (Briggs & Stratton); OHV					
126302	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.297011; 4 Stroke; 825 Series; 1 Cyl.; (Briggs & Stratton); OHV					
126302	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.297013; 4 Stroke; 900 Series; 1 Cyl.; (Briggs & Stratton); OHV					
121002	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in	
917.297014; 4 Stroke; 900 Series; 1 Cyl.; (Briggs & Stratton); OHV					
12T402	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in	
917.297015; 4 Stroke; 900 Series; 1 Cyl.; (Briggs & Stratton); OHV					
12T402	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in	
917.297016; 4 Stroke; 900 Series; 1 Cyl.; (Briggs & Stratton); OHV					
121002	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in	
917.297020; 4 Stroke; 825 Series; 1 Cyl.; (Briggs & Stratton); OHV					
126302	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.297021; 4 Stroke; 825 Series; 1 Cyl.; (Briggs & Stratton); OHV					
126302	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.297030; 4 Stroke; 850 Series; 1 Cyl.; (Briggs & Stratton); OHV					
120202	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.297031; 4 Stroke; 850 Series; 1 Cyl.; (Briggs & Stratton); OHV					
120202	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.297032; 4 Stroke; 850 Series; 1 Cyl.; (Briggs & Stratton); OHV					
120202	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.297040; 4 Stroke; 850 Series; 1 Cyl.; (Briggs & Stratton); OHV					
120202	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.297041; 4 Stroke; 850 Series; 1 Cyl.; (Briggs & Stratton); OHV					
120202	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.297042; 4 Stroke; 850 Series; 1 Cyl.; (Briggs & Stratton); OHV					
120202	71 / RC12YC	946 / QC12YC	71ECO	0.030in	



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Tiller				
917.297110; 4 Stroke; 825 Series; 1 Cyl.; (Briggs & Stratton); OHV				
126302	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.297120; 4 Stroke; 825 Series; 1 Cyl.; (Briggs & Stratton); OHV				
126302	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.297140; 4 Stroke; 850 Series; 1 Cyl.; (Briggs & Stratton); OHV				
120202	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.297141; 4 Stroke; 850 Series; 1 Cyl.; (Briggs & Stratton); OHV				
157202	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
917.297350; 4 Stroke; 12.57cid\206cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;135202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.298020; 4 Stroke; 900 Series; 1 Cyl.; (Briggs & Stratton); OHV				
121002	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
917.298021; 4 Stroke; 900 Series; 1 Cyl.; (Briggs & Stratton); OHV				
12T402	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
917.298022; 4 Stroke; 900 Series; 1 Cyl.; (Briggs & Stratton); OHV				
12T402	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
917.298231; 7.75cid; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp;80202	871 / RJ8C	841 / J8C	---	0.030in
917.298350; 4 Stroke; 12.57cid\206cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;130202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.298352; 4 Stroke; 12.57cid\206cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;135202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.298353; 4 Stroke; 12.57cid\206cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;135202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.298560; 4 Stroke; 12.57cid\206cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;135202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.299010; 208cc; 1 Cyl.; (LCT); OHV				
PLMHK14600124P	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
917.299011; 208cc; 1 Cyl.; (LCT); OHV				
PLMHK14600124P	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
917.299012; 4 Stroke; 900 Series; 1 Cyl.; (Briggs & Stratton); OHV				
121002	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
917.299013; 4 Stroke; 900 Series; 1 Cyl.; (Briggs & Stratton); OHV				
121012	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.299014; 208cc; 1 Cyl.; (LCT); OHV				
PLMHK14600124P	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Tiller				
917.299020; 4 Stroke; 800 Series; 1 Cyl.; (Briggs & Stratton); OHV				
126302	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.299060; 208cc; 1 Cyl.; (LCT); OHV				
PLMHK14600124P	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
900 Serieshp;PLMHK14600124P	415 / RN9YC	300 / N9YC	415ECO	0.030in
917.299061; 208cc; 1 Cyl.; (LCT); OHV				
PLMHK14600124P	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
917.299062; 4 Stroke; 800 Series; 1 Cyl.; (Briggs & Stratton); OHV				
121002	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
917.299063; 4 Stroke; 900 Series; 1 Cyl.; (Briggs & Stratton); OHV				
121002	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
917.299080; 1 Cyl.				
	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
917.299080; 208cc; 1 Cyl.; (LCT); OHV				
PLMHK14600124P	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
917.299081; 208cc; 1 Cyl.; (LCT); OHV				
PLMHK14600124P	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
917.299082; 4 Stroke; 900 Series; 1 Cyl.; (Briggs & Stratton); OHV				
121002	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
917.299083; 4 Stroke; 900 Series; 1 Cyl.; (Briggs & Stratton); OHV				
121002	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
917.299110; 4 Stroke; 800 Series; 1 Cyl.; (Briggs & Stratton); OHV				
157102	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
917.299120; 4 Stroke; 800 Series; 1 Cyl.; (Briggs & Stratton); OHV				
157102	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
917.299160; 208cc; 1 Cyl.; (LCT); OHV				
PLMHK14600124P	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
917.299180; 1 Cyl.				
	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
917.299210; 208cc; 1 Cyl.; (LCT); OHV				
PLMHK14600124P	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
900 Serieshp;PLMHK14600124P	415 / RN9YC	300 / N9YC	415ECO	0.030in
917.299230; 4 Stroke; 1 Cyl.; L-HEAD				
3.5hp;143.754012	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
3.5hp;143.754012	871 / RJ8C	841 / J8C	---	0.030in
917.299642; 11.39cid; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;112202	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
917.299691; 12.57cid206cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;130202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Tiller				
917.299751; 12.57cid\206cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;130202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.299850; 12.57cid\206cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;130202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.299881; 16.79cid; 1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp;190402	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.986910; 4 Stroke; 900 Series; 1 Cyl.; (Briggs & Stratton); OHV				
12T402	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
917.986940; 4 Stroke; 900 Series; 1 Cyl.; (Briggs & Stratton); OHV				
12T402	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
917.986960; 4 Stroke; 900 Series; 1 Cyl.; (Briggs & Stratton); OHV				
12T402	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
8hp;12T402	71 / RC12YC	946 / QC12YC	71ECO	0.030in
944.627592; 4 Stroke; 19cid\311cc; 1 Cyl.; (Briggs & Stratton); OHV				
9hp;19G402	431 / RC14YC	3071 / RC12PYC	71ECO	0.030in
944.628655; 4 Stroke; 900 Series; 1 Cyl.; (Briggs & Stratton); OHV				
121002	946 / QC12YC	982 / XC12YC	71ECO	0.030in
944.629540; 4 Stroke; 13cid\221cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp;137202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
944.629541; 4 Stroke; 13cid\221cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp;134202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
944.629663; 4 Stroke; 900 Series; 1 Cyl.; (Briggs & Stratton); OHV				
121002	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
987.293190; 9.06cid; 1 Cyl.; L-HEAD				
3hp;143.993001	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
987.293330; 4 Stroke; 19.43cid; 1 Cyl.; L-HEAD				
8hp;143.998001	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
CMXGVAMKC29C; 4 Stroke; 1.8cid\29cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
Trimmer				
104.792				
	978 / RY4C	---	---	0.025in
104.79211; 4 Stroke; 25.4cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.020in
104.79212; 4 Stroke; 1.5cid\25cc; 1 Cyl.; LPG				
	852 / RCJ6Y	---	852ECO	0.020in
271.281514				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
271.282				
	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Trimmer				
316.711021 Weedwacker; 2 Stroke; 1.52cid\25cc; 1 Cyl.				
	860 / RDJ7J	---	851ECO	0.025in
316.711191; 2 Stroke; 1.52cid\25cc; 1 Cyl.				
	860 / RDJ7J	---	851ECO	0.025in
316.711200 Weedwacker; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	860 / RDJ7J	---	851ECO	0.025in
316.711201; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	860 / RDJ7J	---	851ECO	0.025in
316.711370 Weedwacker; 2 Stroke; 1.52cid\25cc; 1 Cyl.				
	860 / RDJ7J	---	851ECO	0.025in
316.711471 Weedwacker; 2 Stroke; 1.52cid\25cc; 1 Cyl.				
	860 / RDJ7J	---	851ECO	0.025in
316.711970 Weedwacker; 4 Stroke; 1.8cid\29cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.731701; 4 Stroke; 1.83cid\30cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.731702; 4 Stroke; 1.83cid\30cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.731931; 4 Stroke; 1.95cid\32cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.731932; 4 Stroke; 1.95cid\32cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.731970 Weedwacker; 4 Stroke; 1.83cid\30cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.731971; 4 Stroke; 1.83cid\30cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.731972; 4 Stroke; 1.83cid\30cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.74093* Series; 4 Stroke; 1.95cid\32cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.74097* Series; 4 Stroke; 1.83cid\30cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.74556; 2 Stroke; 31cc; 1 Cyl.				
	872 / RDJ7Y	---	851ECO	0.020in
316.791020 Weedwacker; 2 Stroke; 1.52cid\25cc; 1 Cyl.				
	860 / RDJ7J	---	851ECO	0.025in
316.791080; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	860 / RDJ7J	---	851ECO	0.025in
316.791080 Weedwacker; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	865 / RDJ8J	---	847ECO	0.025in
316.791081 Weedwacker; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	860 / RDJ7J	---	851ECO	0.025in
316.791150; 2 Stroke; 27cc; 1 Cyl.				
	865 / RDJ8J	---	847ECO	0.025in
316.791151 Weedwacker; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	860 / RDJ7J	---	851ECO	0.025in
316.791160 Weedwacker; 2 Stroke; 1.52cid\25cc; 1 Cyl.				
	860 / RDJ7J	---	851ECO	0.025in
316.791190 Weedwacker; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	865 / RDJ8J	---	847ECO	0.025in
316.791191 Weedwacker; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	860 / RDJ7J	---	851ECO	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Trimmer				
316.791200; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	865 / RDJ8J	---	847ECO	0.025in
316.791200 Weedwacker; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	865 / RDJ8J	---	847ECO	0.025in
316.791201 Weedwacker; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	860 / RDJ7J	---	851ECO	0.025in
316.791210; 4 Stroke; 1.8cid\29cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.791211 Weedwacker; 4 Stroke; 1.8cid\29cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.791700 Weedwacker; 4 Stroke; 1.8cid\29cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.791810 Weedwacker; 2 Stroke; 1.95cid\31.5cc; 1 Cyl.				
	872 / RDJ7Y	---	851ECO	0.020in
316.791840 Weedwacker; 4 Stroke; 1.8cid\29cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.791841; 4 Stroke; 1.8cid\29cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.791860 Weedwacker; 2 Stroke; 1.95cid\32cc; 1 Cyl.				
	872 / RDJ7Y	---	851ECO	0.020in
316.791870; 2 Stroke; 1.95cid\31.5cc; 1 Cyl.				
	872 / RDJ7Y	---	851ECO	0.025in
316.791880 Weedwacker; 2 Stroke; 1.95cid\31.5cc; 1 Cyl.				
	872 / RDJ7Y	---	851ECO	0.020in
316.791890; 2 Stroke; 1.95cid\31.5cc; 1 Cyl.				
	872 / RDJ7Y	---	851ECO	0.020in
316.791900 Weedwacker; 2 Stroke; 1.95cid\32cc; 1 Cyl.				
	872 / RDJ7Y	---	851ECO	0.025in
316.791910; 4 Stroke; 1.77cid\29cc; 1 Cyl.				
	940 / RDZ19H	---	---	0.025in
316.791910 Weedwacker; 4 Stroke; 1.77cid\29cc; 1 Cyl.				
	940 / RDZ19H	---	---	0.025in
316.791920; 2 Stroke; 1.95cid\31.5cc; 1 Cyl.				
	872 / RDJ7Y	---	851ECO	0.020in
316.791920 Weedwacker; 2 Stroke; 1.95cid\31.5cc; 1 Cyl.				
	872 / RDJ7Y	---	851ECO	0.020in
316.79193.1; 4 Stroke; 1.8cid\29cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.791930; 4 Stroke; 1.8cid\29cc; 1 Cyl.				
	940 / RDZ19H	---	---	0.025in
316.791932 Weedwacker; 4 Stroke; 1.8cid\29cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.791940; 4 Stroke; 1.8cid\29cc; 1 Cyl.				
	940 / RDZ19H	---	---	0.025in
316.791960; 4 Stroke; 1.8cid\29cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.791961; 4 Stroke; 1.8cid\29cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.791970 Weedwacker; 4 Stroke; 1.8cid\29cc; 1 Cyl.				
	940 / RDZ19H	---	---	0.025in
316.791990; 4 Stroke; 1.6cid\32cc; 1 Cyl.				
	940 / RDZ19H	---	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Trimmer				
316.792020; 4 Stroke; 1.5cid\25cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.792021; 4 Stroke; 1.5cid\25cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
316.79204.0; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	865 / RDJ8J	---	847ECO	0.025in
316.79437* Series; 2 Stroke; 1.52cid\25cc; 1 Cyl.				
	860 / RDJ7J	---	851ECO	0.025in
316.794400 Weedwacker; 2 Stroke; 1.89cid\31cc; 1 Cyl.				
	872 / RDJ7Y	---	851ECO	0.025in
316.794450; 2 Stroke; 1.52cid\25cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
316.794450 Weedwacker; 2 Stroke; 1.52cid\25cc; 1 Cyl.				
	860 / RDJ7J	---	851ECO	0.025in
316.79447* Series; 2 Stroke; 1.52cid\25cc; 1 Cyl.				
	860 / RDJ7J	---	851ECO	0.025in
316.7945191 Weedwacker; 2 Stroke; 1.52cid\25cc; 1 Cyl.				
	860 / RDJ7J	---	851ECO	0.025in
316.795860 Weedwacker; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	865 / RDJ8J	---	847ECO	0.025in
316.795861 Weedwacker; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	860 / RDJ7J	---	851ECO	0.025in
316.796140; 4 Stroke; 1.8cid\29cc; 1 Cyl.				
	940 / RDZ19H	---	---	0.025in
316.796170; 4 Stroke; 1.8cid\29cc; 1 Cyl.				
	940 / RDZ19H	---	---	0.025in
316.990080 Weedwacker; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	860 / RDJ7J	---	851ECO	0.025in
316.99010 Weedwacker; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	860 / RDJ7J	---	851ECO	0.025in
316.990110 Weedwacker; 2 Stroke; 1.52cid\25cc; 1 Cyl.				
	860 / RDJ7J	---	851ECO	0.025in
358.348340; 2 Stroke; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.348360; 2 Stroke; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.742420 Weedwacker; 2 Stroke; 1.3cid\24cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.742430 Weedwacker; 2 Stroke; 1.46cid\24cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.025in
358.745191 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.745501 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.745510 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.745511 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.745520 Weedwacker; 2 Stroke; 1.4cid\23cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.745530 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Trimmer				
358.745540 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.745541 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.745550 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.745570 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.745650 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.745651 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.791010 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.791030 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.791031 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.791032 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.791040 Weedwacker; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.791041 Weedwacker; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.791042 Weedwacker; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.791050 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.791051; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
358.791060 Weedwacker; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.791070 Weedwacker; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.791071 Weedwacker; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.791072 Weedwacker; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.791140 Weedwacker; 2 Stroke; 2.0cid\33cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.791170 Weedwacker; 2 Stroke; 2.0cid\33cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.791510 Weedwacker; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.791520 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.791530 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.791540 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.791560 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Trimmer				
358.791570 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.791580 Weedwacker; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.791590 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.791620 Weedwacker; 2 Stroke; 1.2cid\20cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.791800 Weedwacker; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.791820 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.791980 Weedwacker; 2 Stroke; 1.7cid\28cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.792010 Weedwacker; 2 Stroke; 1.7cid\28cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.792011 Weedwacker; 2 Stroke; 1.7cid\28cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.794221 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.794250 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	859 / RCJ7Y	---	---	0.025in
358.794251 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	859 / RCJ7Y	---	---	0.025in
358.795100 Weedwacker; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795120 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.025in
358.795121 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	858 / CJ6Y	---	---	0.025in
358.795123 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795140 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.025in
358.795150 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.025in
358.795160 Weedwacker; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.025in
358.795190 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.025in
358.795300 Weedwacker; 2 Stroke; 1.3cid\24cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.025in
358.795310 Weedwacker; 2 Stroke; 1.3cid\24cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.025in
358.795320 Weedwacker; 2 Stroke; 1.46cid\24cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.025in
358.795500 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795501 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795510 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPÉD Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Trimmer				
358.795511 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795520 Weedwacker; 2 Stroke; 1.4cid\23cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795521 Weedwacker; 2 Stroke; 1.4cid\23cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795530 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795531 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795540 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795541 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795542 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795543 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795551 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795560 Weedwacker; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795570 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795571 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795580; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795580 Weedwacker; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795590 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	858 / CJ6Y	---	---	0.025in
358.795591 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	858 / CJ6Y	---	---	0.025in
358.795592; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.795920 Weedwacker; 2 Stroke; 2.0cid\33cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.796050; 2 Stroke; 1.3cid\21cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.796090; 2 Stroke; 1.9cid\32cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.796100 Weedwacker; 2 Stroke; 1.3cid\24cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.796110 Weedwacker; 4 Stroke; 2.1cid\34cc; 1 Cyl.				
	872 / RDJ7Y	---	851ECO	0.025in
358.796120 Weedwacker; 4 Stroke; 2.1cid\34cc; 1 Cyl.				
	872 / RDJ7Y	---	851ECO	0.025in
358.796121 Weedwacker; 4 Stroke; 2.1cid\34cc; 1 Cyl.				
	872 / RDJ7Y	---	851ECO	0.025in
358.796122 Weedwacker; 4 Stroke; 2.1cid\34cc; 1 Cyl.				
	872 / RDJ7Y	---	851ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Trimmer				
358.796131; 2 Stroke; 26.2cc; 1 Cyl.				
	846 / CJ14	---	846ECO	0.025in
358.796160 Weedwacker; 4 Stroke; 2.4cid\40cc; 1 Cyl.				
	872 / RDJ7Y	---	851ECO	0.025in
358.796190 Weedwacker; 2 Stroke; 1.46cid\24cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.025in
358.796200 Weedwacker; 2 Stroke; 1.3cid\24cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.796260 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.796270 Weedwacker; 2 Stroke; 1.46cid\24cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.025in
358.796280 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.796290 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.796600 Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.025in
358.79710; 2 Stroke; 22cc; 1 Cyl.				
	846 / CJ14	---	846ECO	0.025in
358.797121 Weedwacker; 2 Stroke; 26cc; 1 Cyl.				
	846 / CJ14	---	846ECO	0.025in
358.797150 Weedwacker; 2 Stroke; 32cc; 1 Cyl.				
	846 / CJ14	---	846ECO	0.025in
358.797161 Weedwacker; 2 Stroke; 28cc; 1 Cyl.				
	846 / CJ14	---	846ECO	0.025in
358.798141 Weedwacker; 2 Stroke; 28cc; 1 Cyl.				
	846 / CJ14	---	846ECO	0.025in
358.798210 Weedwacker; 2 Stroke; 1.3cid\24cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.798212 Weedwacker; 2 Stroke; 1.3cid\24cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.798420 Weedwacker; 2 Stroke; 21cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.025in
358.798430 Weedwacker; 2 Stroke; 32cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.025in
358.798441 Weedwacker; 2 Stroke; 1.3cid\21cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.025in
358.798490 Weedwacker; 2 Stroke; 2.0cid\32cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.025in
358.798530 Weedwacker; 2 Stroke; 1.3cid\24cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.025in
358.798540 Weedwacker; 2 Stroke; 1.46cid\24cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.025in
358.798570 Weedwacker; 2 Stroke; 1.46cid\24cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.025in
358.799110 Weedwacker; 2 Stroke; 21cc; 1 Cyl.				
	846 / CJ14	---	846ECO	0.025in
358.799211; 2 Stroke; 21cc; 1 Cyl.				
	846 / CJ14	---	846ECO	0.025in
358.799240; 2 Stroke; 32cc; 1 Cyl.				
	846 / CJ14	---	846ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Trimmer				
358.799250 Weedwacker; 2 Stroke; 32cc; 1 Cyl.				
	846 / CJ14	---	846ECO	0.025in
358.799260 Weedwacker; 2 Stroke; 32cc; 1 Cyl.				
	846 / CJ14	---	846ECO	0.025in
517.799580 Weedwacker; 2 Stroke; 25cc; 1 Cyl.				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
51715				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
51716				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
51718				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
610.281514				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
610.282				
	840 / RCJ8	843 / CJ8	843ECO	0.020in
79010				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
79011				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
79500				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
79501				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
79503				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
79511				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
79521				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
79522				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
795340				
	846 / CJ14	---	846ECO	0.030in
795410				
	846 / CJ14	---	846ECO	0.030in
795420				
	846 / CJ14	---	846ECO	0.030in
795430				
	846 / CJ14	---	846ECO	0.030in
795440				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
795451				
	814 / RL82YC	931-1 / QL82C	---	0.030in
795453				
	814 / RL82YC	931-1 / QL82C	---	0.030in
795490				
	846 / CJ14	---	846ECO	0.030in
79550				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
795510				
	846 / CJ14	---	846ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Craftsman					
Trimmer					
795520					
	846 / CJ14	---	846ECO	0.030in	
79554					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in	
795800					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
795900					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
79607					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in	
79608					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in	
796131					
	846 / CJ14	---	846ECO	0.030in	
79623					
	814 / RL82YC	931-1 / QL82C	---	0.030in	
79624					
	814 / RL82YC	931-1 / QL82C	---	0.030in	
79822					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in	
79824					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in	
C459.51214 Weedwacker; 4 Stroke; 1.8cid\29cc; 1 Cyl.					
	979 / RDZ4H	---	---	0.025in	
C944.511463 Weedwacker Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	---	852ECO	0.025in	
C944.511560 Weedwacker Weedwacker; 2 Stroke; 1.9cid\32cc; 1 Cyl.					
	852 / RCJ6Y	---	852ECO	0.025in	
C944.511561 Weedwacker Weedwacker; 2 Stroke; 1.9cid\32cc; 1 Cyl.					
	852 / RCJ6Y	---	852ECO	0.025in	
C944.514360 Weedwacker Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	---	852ECO	0.025in	
C944.514361 Weedwacker Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	---	852ECO	0.025in	
C944.514460 Weedwacker Weedwacker; 2 Stroke; 1.5cid\25cc; 1 Cyl.					
	852 / RCJ6Y	---	852ECO	0.025in	
C944.515570 Weedwacker Weedwacker; 2 Stroke; 1.9cid\32cc; 1 Cyl.					
	852 / RCJ6Y	---	852ECO	0.025in	
C944.517361; 2 Stroke; 1.4cid\21cc; 1 Cyl.					
	852 / RCJ6Y	---	852ECO	0.025in	
CMX6TAMD27BC WS235; 2 Stroke; 1.64cid\27cc; 1 Cyl.					
	860 / RDJ7J	---	851ECO	0.025in	
CMXGTAMD25CC WC210; 2 Stroke; 1.52cid\25cc; 1 Cyl.					
	860 / RDJ7J	---	851ECO	0.025in	
CMXGTAMD25SC WS210; 2 Stroke; 1.52cid\25cc; 1 Cyl.					
	860 / RDJ7J	---	851ECO	0.025in	



Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Craftsman					
Trimmer					
CMXGTAMD27SC WS230; 2 Stroke; 1.64cid\27cc; 1 Cyl.					
	860 / RDJ7J	---	851ECO	0.025in	
CMXGTAMD30SA WS405; 4 Stroke; 1.83cid\30cc; 1 Cyl.					
	979 / RDZ4H	---	---	0.025in	
CMXGTAMDAXSC WS410; 4 Stroke; 1.83cid\30cc; 1 Cyl.					
	979 / RDZ4H	---	---	0.025in	
Vacuum					
(Tecumseh)					
4.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh); OHV					
16.5hp	104 / RN4C	803 / N4C	---	0.030in	
6.75hp	104 / RN4C	803 / N4C	---	0.030in	
1 Cyl.; (Briggs & Stratton)					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Intek; 1 Cyl.; (Briggs & Stratton)					
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Walk Behind Reel Mower					
328.395900; 4 Stroke; 9.06cid; 1 Cyl.					
3.75hp	840 / RCJ8	843 / CJ8	843ECO	0.025in	
Walk Behind Rotary Mower					
18M; 1 Cyl.; OHV					
	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
247.37000; 1 Cyl.; (Briggs & Stratton); OHV					
09P702	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
247.370000; 1 Cyl.; (Briggs & Stratton); OHV					
09P702	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
247.37031; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
126M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in	
247.370310; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
126M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in	
247.370330; 4 Stroke; 1 Cyl.; L-HEAD					
6hp;143.976006	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
247.37034; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
126M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in	
247.370340; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
126M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in	
247.370350; 4 Stroke; 1 Cyl.; L-HEAD					
5.5hp;143.975514	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
247.37037; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
128M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in	
247.370370; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
126M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in	
247.37108; 1 Cyl.; (Briggs & Stratton); OHV					
11P902	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
247.371081; 1 Cyl.; (Briggs & Stratton); OHV					
11P902	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
247.37109; 1 Cyl.; (Briggs & Stratton); OHV					
11P902	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
247.37110; 1 Cyl.; (Briggs & Stratton); L-HEAD					
126L02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
247.37111; 1 Cyl.; (Briggs & Stratton); L-HEAD					
126L02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Walk Behind Rotary Mower				
247.37116; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126L02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.37117; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126L02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.37118; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126L02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.37124; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126L02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.37125; 1 Cyl.; (Briggs & Stratton); L-HEAD				
128L02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.37126; 1 Cyl.; (Briggs & Stratton); L-HEAD				
128L02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.37136; 1 Cyl.; (Briggs & Stratton); L-HEAD				
10L802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.37136; 550 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
10L802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.37173; 550 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
10L802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.37185; 1 Cyl.; (Briggs & Stratton); L-HEAD				
10L802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.372900; 12.04cid; 1 Cyl.; L-HEAD				
5hp;143.955000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.374300; Power Built; 1 Cyl.; (Briggs & Stratton); OHV				
09P602	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.374320; 1 Cyl.; OHV				
PH-XT675-2044	---	---	810ECO	0.030in
247.374330; Courage; 1 Cyl.; (Kohler); OHV				
PH-XT675-2044	---	---	810ECO	0.030in
247.374400; Power Built; 1 Cyl.; (Briggs & Stratton); OHV				
09P702	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.374810; 1 Cyl.; (Briggs & Stratton); OHV				
11P902	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.374880; 1 Cyl.; (MTD); OHV				
4P90MUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.374900; 1 Cyl.; (Briggs & Stratton); L-HEAD				
128M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.37638; 1 Cyl.; L-HEAD				
6hp;143.976000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.376380; 1 Cyl.; L-HEAD				
6hp;143.976000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.37683; 4 Stroke; GCV-Series; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC				
4.4hp;GCV160	404 / RN12YC	38 / N12YC	---	0.030in
247.381091; 1 Cyl.; (Briggs & Stratton); OHV				
111P02	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.384260; 1 Cyl.; L-HEAD				
4hp;143.414292	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
247.38518; 550 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;10T802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.38528; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp;126T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Walk Behind Rotary Mower				
247.38529; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.38638; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;126T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.38814; 550 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
10T802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.38821; 1 Cyl.; (Briggs & Stratton); L-HEAD				
10T802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.388240; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;143.994002	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.388250; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;143.994002	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.38903; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.38908; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.38909; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.38911; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.38923; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;126T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.88110; 4 Stroke; Vertical; 1 Cyl.; (Tecumseh); L-HEAD				
6hp;V60	871 / RJ8C	841 / J8C	---	0.030in
247.887210; 1 Cyl.; (Briggs & Stratton); OHV				
12S605	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.887330; PowerBuilt; 1 Cyl.; (Briggs & Stratton); OHV				
10.5hp;215802	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.887360; I/C; 1 Cyl.; (Briggs & Stratton); OHV				
12.5hp;219802	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.887760; 1 Cyl.; (Briggs & Stratton); OHV				
12S905	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.887761; PowerBuilt; 1 Cyl.; (Briggs & Stratton); OHV				
10.5hp;12S905	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.889210; 4 Stroke; Vertical; 179cc; 1 Cyl.; (Kawasaki); OHV				
6hp;FJ180V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
247.889330; PowerBuilt; 1 Cyl.; (Briggs & Stratton); OHV				
10.5hp;219707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.889360; I/C; 1 Cyl.; (Briggs & Stratton); OHV				
12.5hp;219802	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.889360; PowerBuilt; 1 Cyl.; (Briggs & Stratton); OHV				
10.5hp;215802	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.889980; PowerBuilt; 1 Cyl.; (Briggs & Stratton); OHV				
219707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.889981; PowerBuilt; 1 Cyl.; (Briggs & Stratton); OHV				
219807	71 / RC12YC	946 / QC12YC	71ECO	0.030in
517.372520; 4 Stroke; 171.9cc; 1 Cyl.; L-HEAD				
4hp;143.424352	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.885600; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
120602	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Craftsman					
Walk Behind Rotary Mower					
536.885601; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
120602	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.361170; 4 Stroke; 550 Series; 1 Cyl.; (Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.361371; 4 Stroke; 700 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD					
128L05	973 / RJ19HX	---	861ECO	0.030in	
917.370431; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
126M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in	
917.370610; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
126T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.370620; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
126T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.371140; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
	973 / RJ19HX	---	861ECO	0.030in	
917.371150; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
126L02	973 / RJ19HX	---	861ECO	0.030in	
917.372471; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp;124702	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.372480; 1 Cyl.; L-HEAD					
4.5hp;143.424152	868 / RJ19LM	861 / J19LM	861ECO	0.030in	
917.372823; 4 Stroke; 11.5cid; 1 Cyl.; L-HEAD					
4.5hp;143.954506	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.372870; 4 Stroke; 12.56cid; 1 Cyl.; L-HEAD					
6hp;143.956000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.372871; 4 Stroke; 12.56cid; 1 Cyl.; L-HEAD					
6hp;143.956000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.372910; 4 Stroke; 12.6cid; 1 Cyl.; L-HEAD					
6hp;143.956000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.372940; 4 Stroke; 12.6cid; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5.5hp;128802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.373580; 4 Stroke; 12.04cid; 1 Cyl.; L-HEAD					
5hp;143.434032	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.373581; 4 Stroke; 11.5cid; 1 Cyl.; L-HEAD					
5hp;143.434032	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.373680; 4 Stroke; 12.0cid; 1 Cyl.; L-HEAD					
5.3hp;143.434332	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.373780; 4 Stroke; 12.06cid; 1 Cyl.; L-HEAD					
5.5hp;143.945502	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.373844; 4 Stroke; 12.6cid; 1 Cyl.; L-HEAD					
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.373980; 4 Stroke; 12.6cid; 1 Cyl.; L-HEAD					
5.5hp;143.945504	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.374043; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
126L02	973 / RJ19HX	---	861ECO	0.030in	
917.374061; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
126L05	973 / RJ19HX	---	861ECO	0.030in	
917.374091; 4 Stroke; 700 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD					
128L02	973 / RJ19HX	---	861ECO	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Walk Behind Rotary Mower				
917.374103; 4 Stroke; 700 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
128L05	973 / RJ19HX	---	861ECO	0.030in
917.374150; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126L02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.374160; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126L02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.374351; 4 Stroke; 700 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
128T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.374366; 4 Stroke; 700 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
128T05	973 / RJ19HX	---	861ECO	0.030in
917.374370; 4 Stroke; 9.0cid; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp;128802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.374590; 4 Stroke; 12.6cid; 1 Cyl.; L-HEAD				
5.5hp;143.945502	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.374890; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	---	0.020in
120602	71 / RC12YC	946 / QC12YC	---	0.020in
917.374890; 4 Stroke; 725 Series; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.020in
120602	71 / RC12YC	946 / QC12YC	---	0.020in
917.374941; 4 Stroke; 700 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
128L02	973 / RJ19HX	---	861ECO	0.030in
917.374951; 4 Stroke; 700 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
128L05	973 / RJ19HX	---	861ECO	0.030in
917.375012; 4 Stroke; 625 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
122T02	973 / RJ19HX	---	861ECO	0.030in
917.376232; 4 Stroke; 650 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
124T02	973 / RJ19HX	---	861ECO	0.030in
917.376240; 4 Stroke; 650 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
124T05	973 / RJ19HX	---	861ECO	0.030in
917.376393; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126T02	973 / RJ19HX	---	861ECO	0.030in
917.376401; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126T02	973 / RJ19HX	---	861ECO	0.030in
917.376531; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126T05	973 / RJ19HX	---	861ECO	0.030in
917.376540; 4 Stroke; GCV-Series; Vertical; 9.8cid160cc; 1 Cyl.; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
917.376590; 4 Stroke; 700 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
128T05	973 / RJ19HX	---	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Craftsman					
Walk Behind Rotary Mower					
917.377120; 4 Stroke; 875 Series; 190cc; 1 Cyl.; (Briggs & Stratton); OHV					
12S505	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in	
917.377190; 4 Stroke; 1 Cyl.; L-HEAD					
6.75hp;143.006700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.377201; 4 Stroke; 11.5cid; 1 Cyl.; L-HEAD					
5.5hp;143.975502	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.377631; 4 Stroke; 12.56cid; 1 Cyl.; OHV					
6.75hp;143.986718	104 / RN4C	803 / N4C	---	0.030in	
917.379120; 1 Cyl.; OHV					
6.5hp	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
917.379480; 4 Stroke; GCV-Series; Vertical; 9.8cid160cc; 1 Cyl.; (Honda); OHC					
4.4hp;GCV160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
917.380250; 4 Stroke; 9.06cid; 1 Cyl.; L-HEAD					
3.5hp;143.414232	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp;143.424052	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.380542; 4 Stroke; 11.5cid; 1 Cyl.; L-HEAD					
4hp;143.944006	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.382781; 4 Stroke; 11.5cid; 1 Cyl.; L-HEAD					
4.5hp;143.954502	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.382840; 4 Stroke; 11.5cid; 1 Cyl.; L-HEAD					
5hp;143.955018	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.383242; 4 Stroke; 11.5cid; 1 Cyl.; L-HEAD					
4hp;143.944010	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.383280; 4 Stroke; 9.06cid; 1 Cyl.; L-HEAD					
3.5hp;143.424012	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.383640; 4 Stroke; 9.0cid; 1 Cyl.; L-HEAD					
3.8hp;143.434312	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.384150; 4 Stroke; 10.49cid; 1 Cyl.; L-HEAD					
4hp;143.434042	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.384420; 4 Stroke; 550 Series; 1 Cyl.; (Briggs & Stratton); OHV					
09P702	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.385120; 4 Stroke; 550 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD					
10T802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.385141; 550 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD					
10T702	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.385270; 4 Stroke; 625 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD					
122T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.387402; 4 Stroke; 11.5cid; 1 Cyl.; (Briggs & Stratton); L-HEAD					
6hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.387830; 4 Stroke; 1 Cyl.; L-HEAD					
4.5hp;143.974506	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.388111; 4 Stroke; 625 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD					
122T02	973 / RJ19HX	---	861ECO	0.030in	
917.388191; 4 Stroke; 550 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD					
10T802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Walk Behind Rotary Mower				
917.388201; 4 Stroke; 550 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
10T802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.388410; 1 Cyl.; L-HEAD				
6.75hp;143.006714	868 / RJ19LM	861 / J19LM	861ECO	0.030in
917.388721; 4 Stroke; 1 Cyl.; L-HEAD				
6hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.388731; 4 Stroke; 1 Cyl.; L-HEAD				
6hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.389011; 4 Stroke; 625 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
122T02	973 / RJ19HX	---	861ECO	0.030in
917.389020; 4 Stroke; 625 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
122T02	973 / RJ19HX	---	861ECO	0.030in
917.389050; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126T02	973 / RJ19HX	---	861ECO	0.030in
917.389061; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126T02	973 / RJ19HX	---	861ECO	0.030in
917.389190; 4 Stroke; 11.5cid; 1 Cyl.; L-HEAD				
5hp;143.944006	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.389220; 4 Stroke; 1 Cyl.; L-HEAD				
4.5hp;143.994508	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.389240; 4 Stroke; 1 Cyl.; OHV				
6hp;143.016008	104 / RN4C	803 / N4C	---	0.030in
917.389250; 4 Stroke; 1 Cyl.; L-HEAD				
4hp;143.994022	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.389260; 4 Stroke; 1 Cyl.; L-HEAD				
4hp;143.004002	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.389270; 4 Stroke; 1 Cyl.; OHV				
5.5hp;143.005500	104 / RN4C	803 / N4C	---	0.030in
917.389290; 4 Stroke; 1 Cyl.; OHV				
5.5hp;143.005500	104 / RN4C	803 / N4C	---	0.030in
917.389340; 4 Stroke; 1 Cyl.; OHV				
6hp;143.006008	104 / RN4C	803 / N4C	---	0.030in
917.389350; 4 Stroke; 1 Cyl.; OHV				
6hp;143.006008	104 / RN4C	803 / N4C	---	0.030in
917.389380; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.389382; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.389390; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.389391; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.389470; 4 Stroke; 1 Cyl.; L-HEAD				
6hp;143.996004	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.389490; 4 Stroke; 1 Cyl.; L-HEAD				
6hp;143.996004	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.389510; 4 Stroke; 1 Cyl.; L-HEAD				
6hp;143.016712	868 / RJ19LM	947 / QJ19LM	861ECO	0.045in
917.389511; 4 Stroke; 1 Cyl.; L-HEAD				
6hp;143.016712	868 / RJ19LM	947 / QJ19LM	861ECO	0.045in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Walk Behind Rotary Mower				
917.389520; 4 Stroke; 1 Cyl.; L-HEAD				
6hp;143.016712	868 / RJ19LM	947 / QJ19LM	861ECO	0.045in
917.389521; 4 Stroke; 1 Cyl.; L-HEAD				
6hp;143.016712	868 / RJ19LM	947 / QJ19LM	861ECO	0.045in
917.389580; 4 Stroke; 1 Cyl.; L-HEAD				
6.75hp;143.016714	868 / RJ19LM	947 / QJ19LM	861ECO	0.045in
917.389581; 4 Stroke; 1 Cyl.; L-HEAD				
6.75hp;143.016714	868 / RJ19LM	947 / QJ19LM	861ECO	0.045in
917.389590; 4 Stroke; 1 Cyl.; L-HEAD				
6.75hp;143.016714	868 / RJ19LM	947 / QJ19LM	861ECO	0.045in
917.389591; 4 Stroke; 1 Cyl.; L-HEAD				
6.75hp;143.016714	868 / RJ19LM	947 / QJ19LM	861ECO	0.045in
917.389610; 4 Stroke; 1 Cyl.; L-HEAD				
6hp;143.016712	868 / RJ19LM	947 / QJ19LM	861ECO	0.045in
917.389611; 4 Stroke; 1 Cyl.; L-HEAD				
6hp;143.016712	868 / RJ19LM	947 / QJ19LM	861ECO	0.045in
917.389612; 4 Stroke; 1 Cyl.; L-HEAD				
6hp;143.026708	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.389620; 4 Stroke; 1 Cyl.; L-HEAD				
6hp;143.016712	868 / RJ19LM	947 / QJ19LM	861ECO	0.045in
917.389621; 4 Stroke; 1 Cyl.; L-HEAD				
6hp;143.016712	868 / RJ19LM	947 / QJ19LM	861ECO	0.045in
917.389622; 4 Stroke; 1 Cyl.; L-HEAD				
6hp;143.026708	868 / RJ19LM	947 / QJ19LM	861ECO	0.045in
917.389680; 4 Stroke; 1 Cyl.; L-HEAD				
6.75hp;143.016714	868 / RJ19LM	947 / QJ19LM	861ECO	0.045in
917.389690; 4 Stroke; 1 Cyl.; L-HEAD				
6.75hp;143.016712	868 / RJ19LM	947 / QJ19LM	861ECO	0.045in
917.389990; 4 Stroke; 1 Cyl.; (Tecumseh); L-HEAD				
4hp;LEV100	868 / RJ19LM	947 / QJ19LM	861ECO	0.045in
917.4787A; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126T02	973 / RJ19HX	---	861ECO	0.030in
917.4789A; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126T02	973 / RJ19HX	---	861ECO	0.030in
917.4790A; 4 Stroke; 9.1cid\149cc; 1 Cyl.; (Kohler); OHV				
XT149	8815-1 / QA12HCC	---	---	0.030in
917.4790B; 4 Stroke; 9.1cid\149cc; 1 Cyl.; (Kohler); OHV				
XT149	8815-1 / QA12HCC	---	---	0.030in
917.4791A; 4 Stroke; 9.1cid\149cc; 1 Cyl.; (Kohler); OHV				
XT149	8815-1 / QA12HCC	---	---	0.030in
917.4791B; 4 Stroke; 9.1cid\149cc; 1 Cyl.; (Kohler); OHV				
XT149	8815-1 / QA12HCC	---	---	0.030in
917.773762; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126L02	861 / J19LM	---	---	0.030in
126L02; Wheeled Weedtrimmer	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.9993A; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Walk Behind Rotary Mower				
917.9994A; 4 Stroke; 725 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
128M05	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
917.9997A; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.9997B; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.9997C; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
917.9998A; 4 Stroke; 550 Series; 1 Cyl.; (Briggs & Stratton); OHV				
09P702	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.9998C; 4 Stroke; 550 Series; 1 Cyl.; (Briggs & Stratton); OHV				
09P702	71 / RC12YC	946 / QC12YC	71ECO	0.030in
944.100530; 4 Stroke; 725 Series; 1 Cyl.; (Briggs & Stratton); OHV				
104M02	71 / RC12YC	946 / QC12YC	71ECO	0.020in
944.101781; 4 Stroke; 725 Series; 1 Cyl.; (Briggs & Stratton); OHV				
104M05	71 / RC12YC	946 / QC12YC	71ECO	0.020in
944.360030; 4 Stroke; 1 Cyl.; L-HEAD				
4hp;143.004006	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
944.360040; 4 Stroke; 625 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
122T02	973 / RJ19HX	---	861ECO	0.030in
944.360300; 4 Stroke; 1 Cyl.; L-HEAD				
6.75hp;143.008700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
944.360440; 4 Stroke; 11.5cid; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
944.360452; 4 Stroke; 1 Cyl.; L-HEAD				
6hp;143.016000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
944.360480; 4 Stroke; 1 Cyl.; L-HEAD				
6.25hp;143.006202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
944.360490; GCV-Series; 4 Stroke; Vertical; 160cc; 1 Cyl.; (Honda); OHC				
5.5hp;GCV160A	415 / RN9YC	300 / N9YC	415ECO	0.030in
944.361330; 4 Stroke; GCV-Series; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC				
5.5hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
944.361361; 4 Stroke; GCV-Series; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC				
5.5hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
944.361420; 4 Stroke; 1 Cyl.; L-HEAD				
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
944.361460; 4 Stroke; 1 Cyl.; L-HEAD				
6hp;143.016000	868 / RJ19LM	947 / QJ19LM	861ECO	0.045in
944.361530; 4 Stroke; 11.5cid; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
944.361540; 4 Stroke; 11.5cid; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Craftsman					
Walk Behind Rotary Mower					
944.362080; 4 Stroke; 725 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD					
128M05	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in	
944.362201; 4 Stroke; GCV-Series; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC					
5.5hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
944.362420; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
6.5hp;123K07	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
944.362460; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
6.5hp;123K02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
944.363420; 4 Stroke; 725 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD					
128M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in	
944.364150; 4 Stroke; GCV-Series; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC					
5.5hp;GCV160	404 / RN12YC	3405 / RN14PMC	---	0.030in	
944.364270; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
126M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in	
944.364330; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
6.25hp;125K02	973 / RJ19HX	---	861ECO	0.030in	
944.364372; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
6.75hp;125K02	973 / RJ19HX	---	861ECO	0.030in	
944.364701; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
93J02	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
944.364780; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
126M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in	
944.364781; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
126M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in	
944.365440; 4 Stroke; GCV-Series; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC					
5.5hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
944.365450; 4 Stroke; GCV-Series; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC					
5.5hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
944.365480; 4 Stroke; 1 Cyl.; L-HEAD					
6.75hp;143.056700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
944.369340; 4 Stroke; 1 Cyl.; L-HEAD					
6.5hp;143.996522	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
C459-36203; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
128M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
CX-Series 247.374860; 1 Cyl.; (Briggs & Stratton); OHV					
111P02	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
EZ 917.377420; 4 Stroke; 1 Cyl.; L-HEAD					
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.372833; 4 Stroke; 12.6cid; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5.5hp;128802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.376260; 4 Stroke; 1 Cyl.; L-HEAD					
5hp;143.965504	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.376272; 11.6cid; 1 Cyl.; L-HEAD					
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.376283; 12.56cid; 1 Cyl.; L-HEAD					
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Craftsman					
Walk Behind Rotary Mower					
EZ3 917.376290; 12.56cid; 1 Cyl.; L-HEAD					
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.376301; 12.56cid; 1 Cyl.; L-HEAD					
6.5hp;143.966500	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.376310; 12.56cid; 1 Cyl.; L-HEAD					
6.5hp;143.966500	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.376340; 12.56cid; 1 Cyl.; L-HEAD					
6.5hp;143.966500	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6.5hp;143.976500	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.376360; 12.56cid; 1 Cyl.; L-HEAD					
6.5hp;143.966502	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.376370; GXV-Series; 4 Stroke; Vertical; 8.2cid; (Honda); OHV					
5hp;GXV140	404 / RN12YC	3405 / RN14PMC	---	0.030in	
EZ3 917.376430; 4 Stroke; 11.6cid; 1 Cyl.; (Briggs & Stratton); L-HEAD					
6hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.376880; 4 Stroke; 12.56cid; 1 Cyl.; L-HEAD					
6hp;143.966006	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.376960; 4 Stroke; 12.56cid; 1 Cyl.; L-HEAD					
6.5hp;143.966006	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.377200; 11.5cid; 1 Cyl.; L-HEAD					
5.5hp;143.966502	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.377210; 12.56cid; 1 Cyl.; L-HEAD					
6.25hp;143.976250	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.377260; 4 Stroke; 11.5cid; 1 Cyl.; (Briggs & Stratton); L-HEAD					
6hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.377261; 4 Stroke; 11.5cid; 1 Cyl.; (Briggs & Stratton); L-HEAD					
6hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.377271; 4 Stroke; 12.56cid; 1 Cyl.; L-HEAD					
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.377282; 4 Stroke; 11.6cid; 1 Cyl.; (Briggs & Stratton); L-HEAD					
6hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.377284; 4 Stroke; 11.6cid; 1 Cyl.; (Briggs & Stratton); L-HEAD					
6hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.377291; 12.56cid; 1 Cyl.; L-HEAD					
6.5hp;143.976500	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.377292; 12.56cid; 1 Cyl.; L-HEAD					
6.5hp;143.976500	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.377301; 12.56cid; 1 Cyl.; L-HEAD					
6.6hp;143.976600	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.377302; 12.56cid; 1 Cyl.; L-HEAD					
6.6hp;143.976600	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.377303; 12.56cid; 1 Cyl.; L-HEAD					
6.6hp;143.976608	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.377331; 12.56cid; 1 Cyl.; L-HEAD					
6.25hp;143.976250	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
EZ3 917.377351; 12.56cid; 1 Cyl.; L-HEAD					
6.25hp;143.976252	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Walk Behind Rotary Mower				
EZ3 917.377352; 1 Cyl.; L-HEAD				
6.25hp;143.976252	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.377520; 4 Stroke; 11.5cid; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.37752A; 4 Stroke; 11.5cid; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.377530; 4 Stroke; 11.5cid; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.377531; 4 Stroke; 11.5cid; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.377540; 11.5cid; 1 Cyl.; L-HEAD				
6.5hp;143.986500	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.37755A; 4 Stroke; 11.6cid; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.377561; 12.56cid; 1 Cyl.; L-HEAD				
6.5hp;143.986500	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.377562; 12.56cid; 1 Cyl.; L-HEAD				
6.5hp;143.986500	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.377571; 12.56cid; 1 Cyl.; L-HEAD				
6.5hp;143.986502	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.377573; 12.56cid; 1 Cyl.; L-HEAD				
6.5hp;143.986502	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.377580; 12.56cid; 1 Cyl.; L-HEAD				
6.75hp;143.986700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.377590; 12.56cid; 1 Cyl.; L-HEAD				
6.75hp;143.986700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.377591; 12.56cid; 1 Cyl.; L-HEAD				
6.75hp;143.986700	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.377630; 12.56cid; 1 Cyl.; OHV				
6.75hp;143.986704	104 / RN4C	803 / N4C	---	0.030in
EZ3 917.379271; 12.56cid; 1 Cyl.; L-HEAD				
6.5hp;143.986502	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.379300; 12.56cid; 1 Cyl.; L-HEAD				
6.6hp;143.976608	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.379310; 12.56cid; 1 Cyl.; L-HEAD				
6.6hp;143.976610	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.386030; 1 Cyl.; L-HEAD				
4hp;143.964006	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.386051; 1 Cyl.; L-HEAD				
4.5hp;143.964500	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.386132; 1 Cyl.; L-HEAD				
4.5hp;143.964512	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.386153; 1 Cyl.; L-HEAD				
5hp;143.965006	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.386220; 1 Cyl.; L-HEAD				
5hp;143.965002	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.386240; 1 Cyl.; L-HEAD				
5hp;143.965018	868 / RJ19LM	861 / J19LM	861ECO	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Walk Behind Rotary Mower				
EZ3 917.386620; 1 Cyl.; L-HEAD				
4hp;143.964010	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.387023; 1 Cyl.; L-HEAD				
4hp;143.974036	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.387070; 1 Cyl.; L-HEAD				
5.5hp;143.975506	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.387120; 1 Cyl.; L-HEAD				
4hp;143.974006	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.387130; 1 Cyl.; L-HEAD				
4.5hp;143.974500	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.387140; 4 Stroke; 1 Cyl.; L-HEAD				
5hp;143.975016	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EZ3 917.387151; 1 Cyl.; L-HEAD				
5.5hp;143.975500	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.387160; 1 Cyl.; L-HEAD				
5.5hp;143.975504	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.387221; 1 Cyl.; L-HEAD				
4.5hp	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.387240; 1 Cyl.; L-HEAD				
6hp;143.986004	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.387241; 1 Cyl.; L-HEAD				
6hp;143.996002	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.387250; 1 Cyl.; L-HEAD				
4hp;143.984008	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.387260; 1 Cyl.; L-HEAD				
4.5hp;143.984500	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.387261; 1 Cyl.; L-HEAD				
4.5hp;143.984510	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.387270; 1 Cyl.; L-HEAD				
5.5hp;143.985500	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.387280; 1 Cyl.; L-HEAD				
6hp;143.986002	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.387290; 1 Cyl.; L-HEAD				
5.5hp;143.985510	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.387291; 1 Cyl.; L-HEAD				
5.5hp;143.985510	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.387301; 1 Cyl.; L-HEAD				
6hp;143.986000	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.387321; 1 Cyl.; L-HEAD				
6hp;143.986002	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.387380; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;12H802	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.388151; 1 Cyl.; L-HEAD				
5hp;143.975030	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.388152; 1 Cyl.; L-HEAD				
5hp;143.975038	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.388153; 1 Cyl.; L-HEAD				
5hp;143.975034	868 / RJ19LM	861 / J19LM	861ECO	0.030in
EZ3 917.389151; 1 Cyl.; L-HEAD				
5hp;143.975034	868 / RJ19LM	861 / J19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Walk Behind Rotary Mower				
EZ3 944.367150; 4 Stroke; 1 Cyl.; L-HEAD				
5hp;143.975014	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Wheeled String Trimmer				
536.773400; 4 Stroke; 1 Cyl.; L-HEAD				
4hp;3/8In Reach Spark Plugs	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.773500; 4 Stroke; 1 Cyl.; L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.773520; 4 Stroke; 1 Cyl.; L-HEAD				
6.5hp;143.996512	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.773521; 4 Stroke; 1 Cyl.; L-HEAD				
6.5hp;143.996512	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.773600; 4 Stroke; 11.5cid; 1 Cyl.; L-HEAD				
5.5hp;3/8In Reach Spark Plugs	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.773410; 4 Stroke; 1 Cyl.; L-HEAD				
4hp;143.004008	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.773420; 4 Stroke; 1 Cyl.; L-HEAD				
5.5hp;143.005512	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.773421; 4 Stroke; 1 Cyl.; L-HEAD				
5.5hp;143.005512	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.773422; 4 Stroke; 1 Cyl.; L-HEAD				
5.5hp;143.015502	868 / RJ19LM	947 / QJ19LM	861ECO	0.045in
917.773423; 4 Stroke; 1 Cyl.; L-HEAD				
5.5hp;143.015502	868 / RJ19LM	947 / QJ19LM	861ECO	0.045in
917.773700; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;122H02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.773701; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;122H02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.773702; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;122H02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.773703; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;122H02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.773704; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;122H02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.773705; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;122H02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.773706; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;128H02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.773707; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;128H02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.773708; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;128H02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.773710; 4 Stroke; 625 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
122T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.773711; 4 Stroke; 625 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
122T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.773730; 4 Stroke; 625 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
122T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
Wheeled String Trimmer				
917.773740; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.773741; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.773742; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.773743; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.773744; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;126M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
917.773745; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;126M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
917.773747; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;126M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
917.773750; 4 Stroke; 1 Cyl.; L-HEAD				
6.75hp;143.016720	868 / RJ19LM	947 / QJ19LM	861ECO	0.045in
917.773751; 4 Stroke; 1 Cyl.; L-HEAD				
6.75hp;143.016736	868 / RJ19LM	947 / QJ19LM	861ECO	0.045in
917.773752; 4 Stroke; 1 Cyl.; L-HEAD				
6.75hp;143.016736	868 / RJ19LM	947 / QJ19LM	861ECO	0.045in
917.773753; 4 Stroke; 1 Cyl.; L-HEAD				
6.75hp;143.026704	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.773754; 4 Stroke; 1 Cyl.; L-HEAD				
6.75hp;143.036706	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.773760; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126L02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.773761; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126L02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.773763; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126L02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.773764; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.776741; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
103M02	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
944.360050; 4 Stroke; 1 Cyl.; L-HEAD				
4hp;143.004018	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
944.361063; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;122H02	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
944.361163; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
CMXGCAQ108493; Courage XT Series; 4 Stroke; Vertical; 9.1cid\149cc; 1 Cyl.; (Kohler); OHV				
XT6.75	8815-1 / QA12HCC	7972 / RA8PHP	810ECO	0.030in
Zero-Turn Mower				
127.28875; 2 Cyl.; (Briggs & Stratton); OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
127.28876; 2 Cyl.; (Briggs & Stratton); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
127.28877; 2 Cyl.; (Briggs & Stratton); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Craftsman					
Zero-Turn Mower					
247.25001; 44cid\724cc; V2; (Briggs & Stratton); OHV					
24hp;445677	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
247.25002; 2 Cyl.; (Briggs & Stratton); OHV					
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
247.25003; Courage Pro; 4 Stroke; 44.2cid\725cc; V2; (Kohler); OHV					
27hp;SV840	71 / RC12YC	946 / QC12YC	71ECO	0.025in	
247.250610; Courage; 4 Stroke; Vertical; 44.2cid\725cc; V2; (Kohler); OHV					
24hp;SV725	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Revolution 247.2893; V2; (Briggs & Stratton); OHV					
407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Revolution 247.28933; V2; (Briggs & Stratton); OHV					
407777	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Z6200 917.204130; 7000 Series; Vertical; 44cid\725cc; V2; (Kohler); OHV					
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Z7400 917.204170; 7000 Series; Vertical; 44cid\725cc; V2; (Kohler); OHV					
26hp;KT745	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
ZT 7000 107.27700; 4 Stroke; 1 Cyl.; (Kohler); OHV					
20hp	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in	
ZT 7000 107.27772; 4 Stroke; 1 Cyl.; (Kohler); OHV					
20hp	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in	
ZT 7000 107.27774; 4 Stroke; 2 Cyl.; (Briggs & Stratton); OHV					
22hp	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in	
ZTS 6000 107.289860; Extended Life Series (ELS); 32.95cid\540cc; 1 Cyl.; (Briggs & Stratton); OHV					
21hp;331877	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
ZTS 6000 107.289920; Extended Life Series (ELS); 44cid\724cc; V2; (Briggs & Stratton); OHV					
26hp;445877	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
ZTS 6000 107.289930; 44.2cid\725cc; V2; (Kohler); OHV					
26hp;SV735S	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
ZTS 7000 107.277700; 2 Cyl.; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
ZTS 7000 107.280070; 44.0cid\724cc; V2; (Briggs & Stratton); OHV					
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
ZTS 7500 107.26786; Intek; 30.59cid\501cc; 1 Cyl.; (Briggs & Stratton); OHV					
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
ZTS 7500 107.27768; 2 Cyl.; (Briggs & Stratton); OHV					
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
ZTS 7500 107.27772; 2 Cyl.; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
ZTS 7500 107.27772; 4 Stroke; 1 Cyl.; (Kohler); OHV					
20hp	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in	
ZTS 7500 107.27774; V2; (Briggs & Stratton); OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Craftsman					
Zero-Turn Mower					
ZTS 7500 107.27774; 4 Stroke; 2 Cyl.; (Briggs & Stratton); OHV					
22hp	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in	
ZTS 7500 107.27786; Intek; 30.59cid\501cc; 2 Cyl.; (Briggs & Stratton); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
ZTS 7500 107.27788; Courage; 4 Stroke; Vertical; 36.43cid\597cc; 1 Cyl.; (Kohler); OHV					
20hp;SV600S	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
ZTS 7500 107.27790; Intek; 44.2cid\725cc; V2; (Briggs & Stratton); OHV					
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
ZTS 7500 107.28786; Intek; 30.59cid\501cc; 1 Cyl.; (Briggs & Stratton); OHV					
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
ZTS 7500 107.28790; Intek; 44cid\724cc; V2; (Briggs & Stratton); OHV					
26hp;44P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
ZTS 7500 107.28791; 44.2cid\725cc; V2; (Kohler); OHV					
26hp;SV735S	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Cramer Technik					
Commercial Chipper					
1 Cyl.; (Briggs & Stratton); L-HEAD					
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Mulcher					
1 Cyl.; (Briggs & Stratton); L-HEAD					
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Creative Curb					
Sod Cutter					
(Honda)					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
2.2hp	846 / CJ14	---	846ECO	0.030in	
2.5hp	846 / CJ14	---	846ECO	0.030in	
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
6.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
14hp	854 / RH10C	844 / H10C	---	0.030in	
Trencher					
(Honda)					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
2.2hp	846 / CJ14	---	846ECO	0.030in	
2.5hp	846 / CJ14	---	846ECO	0.030in	
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Creative Curb					
Trencher					
(Honda)					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
6.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
14hp	854 / RH10C	844 / H10C	---	0.030in	
Criterion					
Lawn Tractor					
Vanguard; V2; (Briggs & Stratton)					
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Cub Cadet					
Blower/Vacuum/Water Sprayer					
(Tecumseh)					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
BB230; Pro					
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in	
BB40					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in	
BB45					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in	
BV228					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
BV428					
	979 / RDZ4H	---	---	0.025in	
HB26					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in	
JS1150; OHV					
	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Brush Cutter/Disc Mower					
BC210					
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in	
BC280					
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in	
BC490; Pro					
	979 / RDZ4H	---	---	0.025in	
BC509					
	979 / RDZ4H	---	---	0.025in	
Chipper Shredder Vacuum					
CSV070 24A-07MP710; 159cc; 1 Cyl.					
1X65CUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Commercial Chipper					
(Kohler)					
14hp	854 / RH10C	844 / H10C	---	0.030in	
(Tecumseh)					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	871 / RJ8C	841 / J8C	---	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
Commercial Chipper				
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
23hp	854 / RH10C	844 / H10C	---	0.030in
CS2210; (MTD/Zongshen); OHV				
170CU	415 / RN9YC	300 / N9YC	415ECO	0.030in
CS3310; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CSV050; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Commercial Walk-Behind Mower				
5521 52A-390-150; Vertical; 9.3cid\153cc; 1 Cyl.; (Kawasaki); OHV				
5hp;FC150V	415 / RN9YC	300 / N9YC	415ECO	0.030in
G1236; 1 Cyl.; (Briggs & Stratton); OHV				
219802	71 / RC12YC	946 / QC12YC	71ECO	0.030in
G1332; Vertical; 26.3cid\431cc; V2; (Kawasaki); OHV				
13hp;FH381V	863 / RCJ8Y	---	843ECO	0.030in
G1336; Vertical; 26.3cid\431cc; V2; (Kawasaki); OHV				
13hp;FH381V	863 / RCJ8Y	---	843ECO	0.030in
G1432; Vertical; 25.81cid\423cc; 1 Cyl.; (Kawasaki); OHV				
14hp;FC420V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
G1436; Vertical; 25.81cid\423cc; 1 Cyl.; (Kawasaki); OHV				
14hp;FC420V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
G1548; Vertical; 30.15cid\494cc; V2; (Kawasaki); OHV				
15hp;FH451V	863 / RCJ8Y	---	843ECO	0.030in
G1752; 4 Stroke; Vertical; 30.1cid\493cc; V2; (Kawasaki); OHV				
17hp;FH500V	863 / RCJ8Y	---	843ECO	0.030in
GF1748; 4 Stroke; Vertical; 30.1cid\493cc; V2; (Kawasaki); OHV				
17hp;FH500V	863 / RCJ8Y	---	843ECO	0.030in
H1536; Vertical; 30.15cid\494cc; V2; (Kawasaki); OHV				
15hp;FH451V	863 / RCJ8Y	---	843ECO	0.030in
H1548; Vertical; 30.15cid\494cc; V2; (Kawasaki); OHV				
15hp;FH451V	863 / RCJ8Y	---	843ECO	0.030in
H1748; 4 Stroke; Vertical; 30.1cid\493cc; V2; (Kawasaki); OHV				
17hp;FH500V	863 / RCJ8Y	---	843ECO	0.030in
H1952; Vertical; 35.6cid\585cc; V2; (Kawasaki); OHV				
19hp;FH580V	863 / RCJ8Y	---	843ECO	0.030in
HF1748; 4 Stroke; Vertical; 30.1cid\493cc; V2; (Kawasaki); OHV				
17hp;FH500V	863 / RCJ8Y	---	843ECO	0.030in
HF1952; Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV				
19hp;FH601V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Cultivator				
CC148; OHV				
	979 / RDZ4H	---	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
Edger				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	
LE100; (MTD/Zongshen); OHV				
5X65RU	322 / RN11YC4	302 / N11YC	322ECO	
Garden Tractor				
GT1054; V2; (Kohler); OHV				
27hp	71 / RC12YC	946 / QC12YC	71ECO	
GT1054; Courage; 4 Stroke; Vertical; 44.2cid\725cc; V2; (Kohler); OHV				
27hp;SV740	71 / RC12YC	946 / QC12YC	71ECO	
GT2542; Courage; 1 Cyl.; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	
GT2544; Courage; V2; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	
GT2550; Courage; V2; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	
GT2554; Courage; V2; (Kohler); OHV				
23hp	71 / RC12YC	946 / QC12YC	71ECO	
GT3100; Courage; V2; (Kohler); OHV				
23hp	71 / RC12YC	946 / QC12YC	71ECO	
GT54 D; 7000 Series; V2; (Kohler); OHV				
25hp	946 / QC12YC	982 / XC12YC	71ECO	
GTX1054; Courage; V2; (Kohler); OHV				
27hp	71 / RC12YC	946 / QC12YC	71ECO	
GTX1054; Courage; 4 Stroke; Vertical; 44.2cid\725cc; V2; (Kohler); OHV				
27hp;SV740	71 / RC12YC	946 / QC12YC	71ECO	
GTX1054; Vertical; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	
GX54 D Fabricated Deck; Vertical; V2; (Kohler); OHV				
26hp;KT745	946 / QC12YC	982 / XC12YC	71ECO	
GX54 Fabricated Deck; Vertical; V2; (Kohler); OHV				
26hp;KT745	946 / QC12YC	982 / XC12YC	71ECO	
Hedge Trimmer				
19EHC				
	859 / RCJ7Y	853 / CJ7Y	843ECO	
24HC				
	859 / RCJ7Y	853 / CJ7Y	843ECO	
40HC				
	859 / RCJ7Y	853 / CJ7Y	843ECO	
CCC25HT 41AQ25HG950; 1 Cyl.				
	872 / RDJ7Y	855 / DJ7Y	851ECO	
Lawn Mower				
(Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	
Vertical; (MTD/Zongshen); OHV				
5X65RU	322 / RN11YC4	302 / N11YC	322ECO	
072R				
	868 / RJ19LM	947 / QJ19LM	861ECO	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
Lawn Mower				
108R				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
149R				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4814R				
	854 / RH10C	844 / H10C	---	0.030in
4815F				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4816F				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
5416R				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
5418F				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
702R				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
899E				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
899R				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
CC 600; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
CC 800; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
CC46ES; (MTD/Zongshen); OHV				
2P70M0D	415 / RN9YC	300 / N9YC	415ECO	0.030in
CC500; (MTD/Zongshen); OHV				
5P65MU	415 / RN9YC	300 / N9YC	415ECO	0.030in
CC550ES; (MTD/Zongshen); OHV				
2P70M0D	415 / RN9YC	300 / N9YC	415ECO	0.030in
CC550SP; (MTD/Zongshen); OHV				
2P70M0D	415 / RN9YC	300 / N9YC	415ECO	0.030in
CC760; Intek; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CC760ES; (MTD/Zongshen); OHV				
4P90MUC	415 / RN9YC	300 / N9YC	415ECO	0.028in
CC760ES; Intek; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CC94M; (MTD/Zongshen); OHV				
2P70M0D	415 / RN9YC	300 / N9YC	415ECO	0.030in
CC98H; GSV-Series; Vertical; (Honda); OHC				
6.5hp;GSV190	415 / RN9YC	300 / N9YC	415ECO	0.030in
CC98M; (MTD/Zongshen); OHV				
2P70M0D	415 / RN9YC	300 / N9YC	415ECO	0.030in
CC999; (MTD/Zongshen); OHV				
2P70M0D	415 / RN9YC	300 / N9YC	415ECO	0.028in
CC999ES; (MTD/Zongshen); OHV				
2P70M0D	415 / RN9YC	300 / N9YC	415ECO	0.030in
CC999ES; 1 Cyl.; (Briggs & Stratton); OHV				
8.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
P418				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
Lawn Mower				
PS520				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
S621				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
SC 100; (MTD/Zongshen); OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
SC 100 hw; (MTD/Zongshen); OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
SC 300 hw; (MTD/Zongshen); OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
SC 500 eq; (MTD/Zongshen); OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
SC 500 ez; (MTD/Zongshen); OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
SC 500 hw; (MTD/Zongshen); OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
SC 500 z; (MTD/Zongshen); OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
SC 700 h; GCV-Series; Vertical; (Honda); OHC				
5.1hp;GCV190	415 / RN9YC	300 / N9YC	415ECO	0.030in
SC100; Vertical; (MTD/Zongshen); OHV				
5X65RU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
SC100HW; Vertical; (MTD/Zongshen); OHV				
5X65RU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
SC300HW; Vertical; (MTD/Zongshen); OHV				
5X65RU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
SC500EZ; Vertical; (MTD/Zongshen); OHV				
5X65RU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
SC500EZ+; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.020in
SC500HW; Vertical; (MTD/Zongshen); OHV				
5X65RU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
SC500Z; Vertical; (MTD/Zongshen); OHV				
5X65RU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
SC621				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
SC621E				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Wide Area Mower 33"; (MTD/Zongshen); OHV				
4P90MUC	415 / RN9YC	300 / N9YC	415ECO	0.028in
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
5.2hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kawasaki); OHV				
11.1hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
3.7hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
Lawn Tractor				
(Kawasaki); OHV				
5.3hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
7.9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
	405 / RN14YC	3405 / RN14PMC	---	0.030in
10hp	854 / RH10C	844 / H10C	---	0.030in
12hp	854 / RH10C	844 / H10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.030in
16hp	854 / RH10C	844 / H10C	---	0.030in
17hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp;SV541	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Onan)				
316	909 / RS17YX	---	---	0.025in
318	909 / RS17YX	---	---	0.025in
420	909 / RS17YX	---	---	0.025in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
(Yanmar)				
322	415 / RN9YC	300 / N9YC	415ECO	0.025in
2 Cyl.; (Kohler)				
20hp	854 / RH10C	844 / H10C	---	0.030in
23hp	854 / RH10C	844 / H10C	---	0.030in
V2; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Honda); OHV				
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
24hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kawasaki)				
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
25hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
28hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
V2; (Kohler); OHV				
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp;KT732	946 / QC12YC	982 / XC12YC	71ECO	0.030in
28hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
3 Cyl.; Gas; (Kubota)				
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in
7000 Series; V2; (Kohler); OHV				
25hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
7000 Series; Vertical; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Cub Cadet					
Lawn Tractor					
7000 Series; Vertical; V2; (Kohler); OHV					
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
26hp;KT745	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Command Pro; V2; (Kohler); OHV					
21hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
Command Pro; 4 Stroke; Horizontal; V2; (Kohler); OHV					
22.5hp;CH680	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Command Pro; Vertical; V2; (Kohler)					
33hp;ECV880	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in	
Command Pro; Vertical; 44cid\725cc; V2; (Kohler); OHV					
25hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Command Series; 4 Stroke; (Kohler); OHV					
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Command Series; 4 Stroke; V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp;CH740	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
26hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Commercial Turf Series; 44cid\724cc; V2; (Briggs & Stratton); OHV					
24hp;440000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Courage; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Courage; V2; (Kohler); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Courage; 4 Stroke; Vertical; (Kohler); OHV					
17hp;SV530	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
18hp;SV540	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
19hp;SV590	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Courage; 4 Stroke; Vertical; 36.43cid\597cc; 1 Cyl.; (Kohler); OHV					
20hp;SV600	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Courage; 4 Stroke; Vertical; 44.2cid\725cc; V2; (Kohler); OHV					
27hp;SV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
GCV-Series; Vertical; (Honda); OHC					
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
GX-Series; 4 Stroke; Horizontal; V2; (Honda); OHV					
24hp;GX670	404 / RN12YC	---	---	0.028in	
Horizontal; V2; (Kawasaki); OHV					
22hp;FD661D;3/8in Reach Spark Plugs;Models S00, S01, S02 (Rev. A & B only);Models S03, S05 (Rev. A only)	840 / RCJ8	843 / CJ8	843ECO	0.026in	
29hp;FD791D	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Horizontal; V2; (Kohler); OHV					
22.5hp;CH23	71 / RC12YC	946 / QC12YC	71ECO	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
Lawn Tractor				
Horizontal; V2; (Kohler); OHV				
22.5hp;CH680	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 2 Cyl.; (Briggs & Stratton); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; V2; (Briggs & Stratton); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; Extended Life Series (ELS); 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; Extended Life Series (ELS); 2 Cyl.; (Briggs & Stratton); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; With XRD; 1 Cyl.; (Briggs & Stratton); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
K-Series; (Kohler)				
16hp	854 / RH10C	844 / H10C	---	0.030in
17hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
K-Series; 2 Cyl.; (Kohler)				
20hp	854 / RH10C	844 / H10C	---	0.030in
Power Built Series; (Briggs & Stratton); OHV				
10.5hp;210000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional Series 775; (Briggs & Stratton); OHV				
110000	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton); OHV				
21hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vertical; V2; (Kawasaki); OHV				
18hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
18hp;FR600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
19hp;FD601V	404 / RN12YC	38 / N12YC	322ECO	0.025in
21.5hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.031in
25hp;FH741V	344 / RC9YC	946 / QC12YC	---	0.028in
Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Vertical; 61cid\999cc; V2; (Kawasaki); OHV				
35hp;FX1000V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
100				
	854 / RH10C	844 / H10C	---	0.030in
1000				
	854 / RH10C	844 / H10C	---	0.030in
102				
	854 / RH10C	844 / H10C	---	0.030in
1030				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
Lawn Tractor				
104				
	854 / RH10C	844 / H10C	---	0.030in
105				
	854 / RH10C	844 / H10C	---	0.030in
106				
	854 / RH10C	844 / H10C	---	0.030in
107				
	854 / RH10C	844 / H10C	---	0.030in
108				
	854 / RH10C	844 / H10C	---	0.030in
109				
	854 / RH10C	844 / H10C	---	0.030in
1100				
	854 / RH10C	844 / H10C	---	0.030in
111				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1200				
	854 / RH10C	844 / H10C	---	0.030in
122				
	854 / RH10C	844 / H10C	---	0.030in
1225				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
123				
	854 / RH10C	844 / H10C	---	0.030in
1238				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
124				
	854 / RH10C	844 / H10C	---	0.030in
125				
	854 / RH10C	844 / H10C	---	0.030in
1250				
	854 / RH10C	844 / H10C	---	0.030in
126				
	854 / RH10C	844 / H10C	---	0.030in
127				
	854 / RH10C	844 / H10C	---	0.030in
128				
	854 / RH10C	844 / H10C	---	0.030in
129				
	854 / RH10C	844 / H10C	---	0.030in
1325				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
1330				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
1430				
	25 / RV17YC	3018 / RV17PMC4	---	0.030in
1440				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
1450				
	854 / RH10C	844 / H10C	---	0.030in
147				
	854 / RH10C	844 / H10C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
Lawn Tractor				
149				
	854 / RH10C	844 / H10C	---	0.030in
1641				
	431 / RC14YC	71 / RC12YC	71ECO	0.030in
1650				
	854 / RH10C	844 / H10C	---	0.030in
1730				
	25 / RV17YC	3018 / RV17PMC4	---	0.030in
182				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1861				
	25 / RV17YC	3018 / RV17PMC4	---	0.030in
1862				
	25 / RV17YC	3018 / RV17PMC4	---	0.030in
1863				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1864				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2082				
	25 / RV17YC	3018 / RV17PMC4	---	0.030in
2084				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2086				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2182				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2284				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
282				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
382				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
482				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
55				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
582				
	592 / RJ12C	511 / J11C	---	0.030in
60				
	871 / RJ8C	841 / J8C	---	0.030in
682				
	18 / RV15YC4	3018 / RV17PMC4	---	0.030in
70				
	871 / RJ8C	841 / J8C	---	0.030in
71				
	871 / RJ8C	841 / J8C	---	0.030in
72				
	871 / RJ8C	841 / J8C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
Lawn Tractor				
73				
	871 / RJ8C	841 / J8C	---	0.030in
75				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
76				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
782				
	18 / RV15YC4	3018 / RV17PMC4	---	0.030in
80				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
800				
3/8in Reach Spark Plugs	871 / RJ8C	841 / J8C	---	0.030in
7/16in Reach Spark Plugs	854 / RH10C	844 / H10C	---	0.030in
81				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
85				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
86				
	871 / RJ8C	841 / J8C	---	0.030in
982				
	408 / RS14YC	7015 / RS14PMP4	---	0.030in
982; (Onan)				
	408 / RS14YC	7015 / RS14PMP4	---	0.030in
AGS2130				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
AGS2150				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
AGS2155				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
AGS2160				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
CC 30 H Rider; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
CC30 Rider; (MTD/Zongshen); OHV				
4P90JUB	415 / RN9YC	300 / N9YC	415ECO	0.028in
GS; Horizontal; V2; (Kohler); OHV				
22.5hp;CH23	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22.5hp;CH680	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GSE; Horizontal; V2; (Kohler); OHV				
22.5hp;CH23	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22.5hp;CH680	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GSX; Command Pro; Vertical; 44cid725cc; V2; (Kohler); OHV				
25hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
HDS2135				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
HDS2155				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
HDS2165				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
Lawn Tractor				
HDS2185				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
i1042; Courage; 4 Stroke; Vertical; 36.4cid\597cc; 1 Cyl.; (Kohler); OHV				
17hp;SV540	71 / RC12YC	946 / QC12YC	71ECO	0.030in
i1046; Courage; 4 Stroke; Vertical; 36.43cid\597cc; 1 Cyl.; (Kohler); OHV				
20hp;SV600	71 / RC12YC	946 / QC12YC	71ECO	0.030in
i1050; Courage; 4 Stroke; Vertical; 44.2cid\725cc; V2; (Kohler); OHV				
25hp;SV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LGT1054; V2; (Kohler); OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LGT1054; 7000 Series; Vertical; Smart-Choke; 45.6cid\747cc; V2; (Kohler); OHV				
26hp;KT745	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LGT1054; Courage; 4 Stroke; Vertical; 44.2cid\725cc; V2; (Kohler); OHV				
26hp;SV735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LT42; Courage; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LT42 EFI; (Kohler)				
	405 / RN14YC	3405 / RN14PMC	---	0.030in
LT46; Vertical; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LT46 EFI Fabricated Deck; Vertical; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
LT50; Vertical; V2; (Kohler); OHV				
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LTX1040; Courage; (Kohler); OHV				
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LTX1042; Courage; (Kohler); OHV				
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LTX1045; Courage; 1 Cyl.; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LTX1046; Courage; 1 Cyl.; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LTX1046 VT; V2; (Briggs & Stratton)				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LTX1050; V2; (Kohler); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LTX1050 VT; V2; (Briggs & Stratton)				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LX42; Vertical; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LX42 EFI; V2; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
LX46; Vertical; V2; (Kohler); OHV				
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LX46 Fabricated Deck; Vertical; V2; (Kohler); OHV				
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
Lawn Tractor				
LX46 LE Fabricated Deck; Vertical; V2; (Kawasaki); OHV				
21.5hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
LX50; Vertical; V2; (Kohler); OHV				
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LX54 Fabricated Deck; 7000 Series; V2; (Kohler); OHV				
25hp	946 / QC12YC	982 / XC12YC	---	0.030in
SLTX1054; Courage; V2; (Kohler); OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
SLTX1054 VT; V2; (Briggs & Stratton)				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ST54 Fabricated Deck; Vertical; V2; (Kohler); OHV				
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Tank L54KH; Command Pro; Vertical; V2; (Kohler); OHV				
23.5hp;CV732	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Tank L60KH; Command Pro; Vertical; V2; (Kohler); OHV				
23.5hp;CV732	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Tank L60KW; 52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Tank S60; Command Pro; Vertical; V2; (Kohler); OHV				
23.5hp;CV732	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XT1; 7000 Series; Vertical; V2; (Kohler); OHV				
22hp;KT725;LT46"	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp;KT730;LT46" Fabricated Deck	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp;KT735;LT50"	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp;KT735;LT54"	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp;KT735;LT54" Fabricated Deck	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;KT740;GTX1054	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp;KT745;GT54in Fabricated Deck	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XT1; Courage; 4 Stroke; Vertical; (Kohler); OHV				
18hp;SV540;LT42"	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XT1 LT 42; (Kohler); OHV				
18hp;SV541	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XT1 LT 50; V2; (Kohler); OHV				
24hp;KT732	946 / QC12YC	982 / XC12YC	71ECO	0.030in
XT1 LT46 EFI; Vertical; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
XT1 ST 54; V2; (Kohler); OHV				
24hp;KT732	946 / QC12YC	982 / XC12YC	71ECO	0.030in
XT1-GT50 KH; 7000 Series; Vertical; Smart-Choke; 44.2cid\725cc; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XT1-GT54 KH; 7000 Series; Vertical; Smart-Choke; 44.2cid\725cc; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XT1-LT42 KH; 4 Stroke; 5400 Series; 33cid\541cc; 1 Cyl.; (Kohler); OHV				
18hp;KS530	---	---	810ECO	0.030in
XT1-LT46 KH; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Cub Cadet					
Lawn Tractor					
XT1-LT50 KH; 7000 Series; Vertical; Smart-Choke; 44.2cid\725cc; V2; (Kohler); OHV					
KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
XT1-ST54 KH; 7000 Series; Vertical; Smart-Choke; 44.2cid\725cc; V2; (Kohler); OHV					
KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
XT2; Vertical; V2; (Kawasaki); OHV					
18hp;FR600V;LX42"	405 / RN14YC	3405 / RN14PMC	---	0.030in	
21.5hp;FR651V;LX46"	405 / RN14YC	3405 / RN14PMC	---	0.031in	
XT2; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23hp;FR691V;LX46" Fabricated Deck	405 / RN14YC	3405 / RN14PMC	---	0.030in	
23hp;FR691V;LX50"	405 / RN14YC	3405 / RN14PMC	---	0.030in	
23hp;FR691V;LX54in Fabricated Deck	405 / RN14YC	3405 / RN14PMC	---	0.030in	
24hp;FR730V;GX54in Fabricated Deck	405 / RN14YC	3405 / RN14PMC	---	0.030in	
XT2 GX54 Fab Deck; Vertical; V2; (Kohler); OHV					
26hp;KT745	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
XT2 LX42; 4 Stroke; Vertical; 7000 Series; V2; (Kohler); OHV					
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
XT2 LX42 EFI; (MTD/Zongshen); OHV					
18hp	415 / RN9YC	300 / N9YC	415ECO	0.028in	
XT2 LX46; V2; (Kohler); OHV					
24hp;KT732	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
XT2 LX46 Fab Deck; V2; (Kohler); OHV					
24hp;KT732	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
XT2 LX50; V2; (Kohler); OHV					
24hp;KT732	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
XT2 LX54 Fab Deck; Vertical; V2; (Kohler); OHV					
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
XT2-GX50 KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
XT2-GX54 KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
XT2-GX54D KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
XT2-LX42 KH; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV					
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
XT2-LX42 KW; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV					
18hp;FR600V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
XT2-LX46 EFI; 4 Stroke; 5400 Series; 33cid\541cc; 1 Cyl.; (Kohler); OHV					
18hp;KS540	---	---	810ECO	0.030in	
XT2-LX46 KH; 7000 Series; Vertical; Smart-Choke; 44.2cid\725cc; V2; (Kohler); OHV					
KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
Lawn Tractor				
XT2-LX46 KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
21.5hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
XT2-SLX50 KH; 7000 Series; Vertical; Smart-Choke; 44.2cid\725cc; V2; (Kohler); OHV				
KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XT2-SLX50 KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
21.5hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
XT2-SLX54 KH; 7000 Series; Vertical; Smart-Choke; 44.2cid\725cc; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XT2-SLX54 KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
21.5hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
XT3 GS; Command Pro; 4 Stroke; Horizontal; V2; (Kohler); OHV				
22.5hp;CH680	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XT3 GSE; Command Pro; 4 Stroke; Horizontal; V2; (Kohler); OHV				
22.5hp;CH680	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XT3 GSX; Command Pro; V2; (Kohler); OHV				
25hp;CH740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZTT42; Courage; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZTT50; Courage; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Leaf Blower				
BB227 41AR2BEG912; 1 Cyl.; OHV				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
CB 2800; Command Pro; 4 Stroke; Horizontal; 24.7cid\429cc; 1 Cyl.; (Kohler); OHV				
13.4hp;CH440	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CB 2900; Command Pro; 4 Stroke; Horizontal; 24.7cid\429cc; 1 Cyl.; (Kohler); OHV				
13.4hp;CH440	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CC4BP 41AR4BPG912; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
HB227 41AS2SCG912; 2 Stroke; 27cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
HB425 41AS4SCG912; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
Log Splitter				
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
LS25CC; GC-Series; Horizontal; (Honda); OHC				
4.6hp;GC160	322 / RN11YC4	302 / N11YC	322ECO	0.030in
LS27CCHP; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
Log Splitter				
LS33CC 24BL59M5710; 277cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Mower				
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
5.2hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kawasaki); OHV				
11.1hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
3.7hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
7.9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
	405 / RN14YC	3405 / RN14PMC	---	0.030in
10hp	854 / RH10C	844 / H10C	---	0.030in
12hp	854 / RH10C	844 / H10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.030in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp;SV541	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Onan)				
316	909 / RS17YX	---	---	0.025in
318	909 / RS17YX	---	---	0.025in
420	909 / RS17YX	---	---	0.025in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
(Yanmar)				
322	415 / RN9YC	300 / N9YC	415ECO	0.025in
V2; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Honda); OHV				
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
24hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kawasaki)				
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
25hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
28hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
V2; (Kohler); OHV				
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp;KT732	946 / QC12YC	982 / XC12YC	71ECO	0.030in
28hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in
58.1cid\952cc; 3 Cyl.; Gas; (Kubota)				
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
Mower				
7000 Series; V2; (Kohler); OHV				
25hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
7000 Series; Vertical; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp;KT745	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; V2; (Kohler); OHV				
21hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Horizontal; V2; (Kohler); OHV				
22.5hp;CH680	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; Vertical; V2; (Kohler)				
33hp;ECV880	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
Command Pro; Vertical; 44cid\725cc; V2; (Kohler); OHV				
25hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; (Kohler); OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;CH740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Commercial Turf Series; 44cid\724cc; V2; (Briggs & Stratton); OHV				
24hp;440000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage; 4 Stroke; Vertical; (Kohler); OHV				
17hp;SV530	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp;SV540	71 / RC12YC	946 / QC12YC	71ECO	0.030in
19hp;SV590	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage; 4 Stroke; Vertical; 36.43cid\597cc; 1 Cyl.; (Kohler); OHV				
20hp;SV600	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage; 4 Stroke; Vertical; 44.2cid\725cc; V2; (Kohler); OHV				
27hp;SV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
GX-Series; 4 Stroke; Horizontal; V2; (Honda); OHV				
24hp;GX670	404 / RN12YC	---	---	0.028in
Horizontal; V2; (Kawasaki); OHV				
22hp;FD661D;3/8in Reach Spark Plugs;Models S00, S01, S02 (Rev. A & B only);Models S03, S05 (Rev. A only)	840 / RCJ8	843 / CJ8	843ECO	0.026in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
Mower				
Horizontal; V2; (Kawasaki); OHV				
29hp;FD791D	405 / RN14YC	3405 / RN14PMC	---	0.030in
Horizontal; V2; (Kohler); OHV				
22.5hp;CH23	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22.5hp;CH680	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 2 Cyl.; (Briggs & Stratton); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; V2; (Briggs & Stratton); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; Extended Life Series (ELS); 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; Extended Life Series (ELS); 2 Cyl.; (Briggs & Stratton); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; With XRD; 1 Cyl.; (Briggs & Stratton); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
K-Series; (Kohler)				
16hp	854 / RH10C	844 / H10C	---	0.030in
17hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
K-Series; 2 Cyl.; (Kohler)				
20hp	854 / RH10C	844 / H10C	---	0.030in
Power Built Series; (Briggs & Stratton); OHV				
10.5hp;210000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional Series 775; (Briggs & Stratton); OHV				
110000	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton); OHV				
21hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vertical; V2; (Kawasaki); OHV				
18hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
18hp;FR600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
19hp;FD601V	404 / RN12YC	38 / N12YC	322ECO	0.025in
21.5hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.031in
25hp;FH741V	344 / RC9YC	988 / XC10YC	---	0.028in
Vertical; 44.3cid/726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Vertical; 61cid/999cc; V2; (Kawasaki); OHV				
35hp;FX1000V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Power Head				
CC310				
	979 / RDZ4H	---	---	0.025in
Rear-Tine Tiller				
RT65; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
Rear-Tine Tiller				
RT65H; GC-Series; Horizontal; (Honda); OHC				
5.2hp;GC190	415 / RN9YC	300 / N9YC	415ECO	0.030in
Renovator				
56A843VK 56A843VK750; Horizontal; 249cc; 1 Cyl.; (Kawasaki); OHV				
8hp;FE250D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Shredder				
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Spreader				
56A34DT2 56A34DT2750; Vertical; 10.9cid\179cc; 1 Cyl.; (Kawasaki); OHV				
6hp;FJ180V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
56A443TH 56A443TH750; Vertical; 10.9cid\179cc; 1 Cyl.; (Kawasaki); OHV				
6hp;FJ180V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Stick Edger				
SE26				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
SE26-C				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
Tiller				
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Intek; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
CC148; (MTD/Zongshen)				
	979 / RDZ4H	---	---	0.025in
FT24; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
FT24R; (MTD/Zongshen); OHV				
170AU	415 / RN9YC	300 / N9YC	415ECO	0.030in
GC145; 1 Cyl.				
	979 / RDZ4H	---	---	0.028in
RT35; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
RT45; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
RT65; 3000 Series; (Kohler); OHV				
6.5hp;SH265	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RT65E; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
RT65ES; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
Tiller				
RT75; Horizontal; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
VT100; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Trimmer				
260; OHV				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
CC2020 41ADC20C709; 1 Cyl.				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
CC2090 41ADC90C709; 1 Cyl.				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
CC4175; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
CC5090; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
CCC3075 41ADC75C950; 1 Cyl.				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
SS270				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
SS418				
	979 / RDZ4H	---	---	0.025in
SS470; Pro				
	979 / RDZ4H	---	---	0.025in
ST100; OHV				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
ST226 41AD226G950; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
ST227C 41AD2C7C912; 1 Cyl.; OHV				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
ST227S 41AD2S7C912; 1 Cyl.; OHV				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
ST228				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
ST23				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
ST23-C				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
ST26				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
ST26-C				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
ST35				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
ST35-C				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
ST425 41AD425G950; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
ST426C 41AD4C6C912; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
ST426S 41AD4S6C912; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
Trimmer				
ST428; Pro				
	979 / RDZ4H	---	---	0.025in
ST432 41AD432G950; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
Utility Vehicle				
Challenger 400; Horizontal; 24.65cid\404cc; 1 Cyl.; (Subaru); OHC				
14hp;EX40	830 / RL86C	933-1 / QL86C	---	0.025in
Challenger 400 LX; Horizontal; 24.65cid\404cc; 1 Cyl.; (Subaru); OHC				
14hp;EX40	830 / RL86C	933-1 / QL86C	---	0.025in
Challenger 500				
23hp	8812-1 / QA8HCC	449 / RA7YC	---	0.025in
Challenger 700				
33.5hp	8812-1 / QA8HCC	449 / RA7YC	---	0.025in
Grizzly 4016				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vacuum				
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Walk Behind Rotary Mower				
Infinicut SM34 56A90991740; GX-Series; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
Pro HW 300 336; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Pro HW 300 348; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
15hp;FS541V	3405 / RN14PMC	7322 / RN14PYP	---	0.030in
SC 700 E 12AEN2S7710; 196cc; 1 Cyl.; OHV				
6X70MUC	322 / RN11YC4	302 / N11YC	322ECO	0.030in
SC 900 12ABR2MM710; 196cc; 1 Cyl.; OHV				
5X70AU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
TB22TM 25A-26SD766; 140cc; 1 Cyl.; (Troy-Bilt); OHV				
5T65RUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Wheeled String Trimmer				
ST 100; (MTD/Zongshen); OHV				
5P65MU	415 / RN9YC	300 / N9YC	415ECO	0.030in
Zero-Turn Mower				
Enforcer 44; Command Series; 4 Stroke; Vertical; 38cid\624cc; V2; (Kohler); OHV				
20hp;CV20	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Enforcer 44; Vertical; 35.6cid\585cc; V2; (Kawasaki); OHV				
19hp;FH580V	863 / RCJ8Y	---	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
Zero-Turn Mower				
Enforcer 48; Command Pro; Vertical; 41cid\674cc; V2; (Kohler); OHV				
22hp;CV670	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Enforcer 48; Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV				
21hp;FH641V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Enforcer 54; 4 Stroke; Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV				
23hp;FH680V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Enforcer 54; Command Series; 4 Stroke; 41cid\674cc; V2; (Kohler); OHV				
23hp;CV23	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LZ48KH Commercial; 4 Stroke; Vertical; Confidant; V2; (Kohler); OHV				
23hp;ZT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LZ60KH Commercial; Command Pro; Vertical; V2; (Kohler); OHV				
23.5hp;CV732	71 / RC12YC	946 / QC12YC	71ECO	0.030in
M48-HN; GXV-Series; 4 Stroke; Vertical; 37.5cid\614cc; V2; (Honda); OHV				
20hp;GXV620K1	404 / RN12YC	---	---	0.030in
M48-KH; Command Pro; Vertical; 44cid\725cc; V2; (Kohler); OHV				
25hp;CV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
M48-KHS; Command Series; 4 Stroke; Vertical; 38cid\624cc; V2; (Kohler); OHV				
18hp;CV18	71 / RC12YC	946 / QC12YC	---	0.030in
M48-KW; 4 Stroke; Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV				
23hp;FH680V	405 / RN14YC	3405 / RN14PMC	---	0.030in
M48-KW; Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV				
19hp;FH601V	405 / RN14YC	3405 / RN14PMC	---	0.030in
M48-KWS; 4 Stroke; Vertical; 30.1cid\493cc; V2; (Kawasaki); OHV				
17hp;FH500V	863 / RCJ8Y	---	843ECO	0.030in
M50-KHS; Command Series; 4 Stroke; 41cid\674cc; V2; (Kohler); OHV				
23hp;CV23	71 / RC12YC	946 / QC12YC	71ECO	0.030in
M54-HN; GXV-Series; 4 Stroke; Vertical; 40.9cid\670cc; V2; (Honda); OHV				
24hp;GXV670	322 / RN11YC4	302 / N11YC	322ECO	0.030in
M54-KH; Command Pro; Vertical; 44cid\725cc; V2; (Kohler); OHV				
25hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pro HW 300 354; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Pro X 600 KW EFI 654; 4 Stroke; Vertical; 52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
Zero-Turn Mower				
Pro X 600 KW EFI 660; 4 Stroke; Vertical; 52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Pro X 636; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Pro X 654; Vertical; 852cc; V2; (Kawasaki); OHV				
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Pro X 660; Vertical; 852cc; V2; (Kawasaki); OHV				
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Pro Z 100; Vertical; V2; (Kohler); OHV				
27hp;EZT750	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Pro Z 100 EFI; Confidant EFI Series; Vertical; 45.6cid\747cc; V2; (Kohler); OHV				
25hp;EZT740	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Pro Z 148S EFI; 4 Stroke; Vertical; Confidant; V2; (Kohler); OHV				
23hp;ZT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pro Z 160S EFI; Vertical; V2; (Kohler); OHV				
27hp;EZT750	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Pro Z 500; 52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Pro Z 500 KW 554-L; 4 Stroke; Vertical; 52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Pro Z 500 KW 554-S; 4 Stroke; Vertical; 52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Pro Z 500 KW 560-L; 4 Stroke; Vertical; 52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Pro Z 500 KW 560-S; 4 Stroke; Vertical; 52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Pro Z 700; Vertical; 61cid\999cc; V2; (Kawasaki); OHV				
35hp;FX1000V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Pro Z 900; Vertical; 61cid\999cc; V2; (Kawasaki); OHV				
35hp;FX1000V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Pro Z 960 S KW; Vertical; 61cid\999cc; V2; (Kawasaki); OHV				
35hp;FX1000V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Pro Z 972 S SurePath; Vertical; 61cid\999cc; V2; (Kawasaki); OHV				
35hp;FX1000V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
RZT L 46; GXV-Series; 4 Stroke; Vertical; V2; (Honda); OHV				
20.8hp;GXV630	404 / RN12YC	---	---	0.030in
RZT L 54; V2; (Kohler); OHV				
24hp;KT732	946 / QC12YC	982 / XC12YC	71ECO	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
Zero-Turn Mower				
RZT LX 50 KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
21.5hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
RZT S 50; 7000 Series; V2; (Kohler); OHV				
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RZT S 54; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
RZT SX 46; V2; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
RZT42; V2; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RZT42; Courage; 1 Cyl.; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RZT50; V2; (Kawasaki); OHV				
22hp	405 / RN14YC	3405 / RN14PMC	---	0.025in
RZT50; V2; (Kohler); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RZT50VT; V2; (Briggs & Stratton)				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RZT54; V2; (Kawasaki); OHV				
24hp	405 / RN14YC	3405 / RN14PMC	---	0.025in
RZTL34; Vertical; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
RZTL42; 7000 Series; Vertical; V2; (Kohler); OHV				
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RZT-L42; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RZT-L42 KH; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV				
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RZTL46; 7000 Series; Vertical; V2; (Kohler); OHV				
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RZT-L50 KH; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV				
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RZT-L50KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
RZTL54KH; 7000 Series; Vertical; V2; (Kohler); OHV				
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RZTL54KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
RZTLX 46 Fabricated Deck; Vertical; V2; (Kawasaki); OHV				
18hp;FR600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
RZT-LX 54 KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
RZTLX50 Fabricated Deck; Vertical; V2; (Kawasaki); OHV				
21.5hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
Zero-Turn Mower				
RZTLX54 Fabricated Deck; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
RZTS42; 7000 Series; Vertical; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RZTS46; V2; (Kohler); OHV				
24hp;KT732	946 / QC12YC	982 / XC12YC	71ECO	0.030in
RZTS46; 7000 Series; Vertical; V2; (Kohler); OHV				
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RZTS50; 7000 Series; Vertical; V2; (Kohler); OHV				
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RZTS54KH; 7000 Series; Vertical; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RZTS54KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
RZT-SX 42 EFI; 679cc; 2 Cyl.; (Briggs & Stratton); OHV				
9Q78XU	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RZT-SX 42 KH; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RZT-SX 46 EFI; 679cc; 2 Cyl.; (Briggs & Stratton); OHV				
9Q78XU	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RZT-SX 46 KH; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV				
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RZT-SX 50 EFI; 679cc; 2 Cyl.; (Briggs & Stratton); OHV				
9Q78XU	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RZT-SX 50 KH; 7000 Series; Vertical; Smart-Choke; 44.2cid\725cc; V2; (Kohler); OHV				
KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RZT-SX 54 KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
21.5hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Tank LZ54KW; 52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Tank LZ60KW; 52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Tank SZ54KW; 52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Tank SZ60EFI; Command Pro; Vertical; V2; (Kohler)				
33hp;ECV880	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
Tank SZ60KW; 52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Ultima ZT1-42 KH; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Ultima ZT1-46 KH; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Cub Cadet					
Zero-Turn Mower					
Ultima ZT1-50 KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Ultima ZT1-54 KH; 7000 Series; Vertical; Smart-Choke; 44.2cid\725cc; V2; (Kohler); OHV					
KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Ultima ZT2-50 KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Ultima ZT2-60 KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Ultima ZT3-60 KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
24hp;FS730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Ultima ZTX4-48; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV					
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Ultima ZTX4-54 KH; 7000 Series; Vertical; Smart-Choke; 44.2cid\725cc; V2; (Kohler); OHV					
KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Ultima ZTX4-60 KH; 7000 Series; Vertical; Smart-Choke; 44.2cid\725cc; V2; (Kohler); OHV					
KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Ultima ZTX5-50 KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Ultima ZTX5-54 KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Ultima ZTX5-60 KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Ultima ZTX6-48 KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Ultima ZTX6-54 KW; Vertical; 852cc; V2; (Kawasaki); OHV					
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Ultima ZTX6-60 KW; Vertical; 852cc; V2; (Kawasaki); OHV					
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Ultimate ZTX6-50 KH; 4 Stroke; Vertical; Confidant; 45.6cid\747cc; V2; (Kohler); OHV					
27hp;EZT750	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
Z Force; Courage; 1 Cyl.; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Z Force; Courage; V2; (Kohler); OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
Zero-Turn Mower				
Z Force S; FR Series; V2; (Kawasaki); OHV				
22hp	405 / RN14YC	3405 / RN14PMC	---	0.025in
Z-Force 15 53AA5D2L100; 2 Cyl.; (Kawasaki)				
15hp	840 / RCJ8	843 / CJ8	843ECO	0.026in
Z-Force 18 B&S 53AA5A5L100; 2 Cyl.; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force 42 B&S 53AA5A5G710; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31Q777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force 44 B&S; 2 Cyl.; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force 44 Kohler; 2 Cyl.; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force 44 Kohler; Vertical; 44.2cid\725cc; V2; (Kohler); OHV				
20hp;SV710	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp;SV810	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force 48 B&S; 2 Cyl.; (Briggs & Stratton); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force 48 B&S; Intek; 44cid\724cc; V2; (Briggs & Stratton); OHV				
22hp;44S877	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force 48 Kohler; 2 Cyl.; (Kohler); OHV				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force 48 Kohler; Vertical; 44.2cid\725cc; V2; (Kohler); OHV				
22hp;SV715	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force 50 Kohler; Vertical; 44.2cid\725cc; V2; (Kohler); OHV				
23hp;SV820	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force 54 Kohler; Vertical; 44.2cid\725cc; V2; (Kohler); OHV				
23hp;SV720	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp;SV820	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp;SV725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force 60 Kawasaki; 4 Stroke; Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV				
23hp;FH680V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z-Force 60 Kohler; 2 Cyl.; (Kohler); OHV				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force L 48; V2; (Kohler); OHV				
24hp;KT732	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Z-Force L48; Vertical; V2; (Kohler); OHV				
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force L48KH; 7000 Series; Vertical; V2; (Kohler); OHV				
24hp;KT735;Camo Markings	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp;KT735;Regular Markings	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force L54; Vertical; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force L54KH; 7000 Series; Vertical; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
Zero-Turn Mower				
Z-Force L60; Vertical; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force L60 LE; Vertical; V2; (Kohler); OHV				
25hp;ZT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force L60KH; 7000 Series; Vertical; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force LX 48; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z-Force LX48; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z-Force LX54; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z-Force LX60; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z-Force LZ48KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z-Force LZ54KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z-Force LZ60; Command Pro; Vertical; V2; (Kohler); OHV				
23.5hp;CV732	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force LZ60KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z-Force S 48; V2; (Kohler); OHV				
24hp;KT732	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Z-Force S 54; V2; (Kohler); OHV				
24hp;KT732	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Z-Force S 60; V2; (Kohler); OHV				
24hp;KT732	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Z-Force S48; Vertical; V2; (Kohler); OHV				
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force S54; Vertical; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force SX 48; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z-Force SX54; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z-Force SX60; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z-Force SZ48KH; 7000 Series; Vertical; V2; (Kohler); OHV				
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force SZ48KH Commercial; 4 Stroke; Vertical; Confidant; V2; (Kohler); OHV				
23hp;ZT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
Zero-Turn Mower				
Z-Force SZ48KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z-Force SZ54KH; 7000 Series; Vertical; V2; (Kohler); OHV				
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force SZ54KH Commercial; Command Pro; Vertical; V2; (Kohler); OHV				
23.5hp;CV732	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force SZ54KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z-Force SZ60KH; 7000 Series; Vertical; V2; (Kohler); OHV				
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force SZ60KH Commercial; Command Pro; Vertical; V2; (Kohler); OHV				
23.5hp;CV732	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z-Force SZ60KW; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z-Forcec S60; Vertical; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Cultiller				
Tiller				
	871 / RJ8C	841 / J8C	---	0.025in
Cunningham				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.030in
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
Curb-Tec				
Auger				
CT-3000; 2 Cyl.; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Cushman				
Aerator				
Aerator; 3 Cyl.; Gas				
27hp	322 / RN11YC4	302 / N11YC	322ECO	0.032in
GA 60 Aerator; 3 Cyl.; Gas				
27hp	322 / RN11YC4	302 / N11YC	322ECO	0.032in
Lawn Mower				
(OMC)				
218	22 / RF11YC	---	---	0.030in
Turf Equipment				
22hp	18 / RV15YC4	3018 / RV17PMC4	---	0.025in
8.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cushman				
Turf Equipment				
(Daihatsu)				
	405 / RN14YC	3405 / RN14PMC	---	0.030in
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Mitsubishi)				
49hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(OMC)				
218	22 / RF11YC	---	---	0.030in
V2; (Kawasaki)				
20hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Envirojet 160				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Groom Master				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Utility Vehicle				
898611; (Mitsubishi)				
49hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
GT-1				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Hawk				
	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Jr. Turf-Truckster; V2				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mower				
	22 / RF11YC	---	---	0.030in
Range Cat 775				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Runabout; (OMC)				
18hp	22 / RF11YC	---	---	0.030in
Sprinter				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Truckster				
	22 / RF11YC	---	---	0.030in
Truckster/Haulster				
	22 / RF11YC	---	---	0.030in
Truckster/Haulster; w-13/16" hex (tall plug)				
	871 / RJ8C	841 / J8C	---	0.030in
Truckster/Haulster; w-3/4" hex (short plug)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Turf-Truckster; 3 Cyl.; Gas				
27hp	322 / RN11YC4	302 / N11YC	322ECO	0.032in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cushman				
Utility Vehicle				
Turf-Truckster; 4 Cyl.; Gas; (Suzuki)				
34hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Turf-Truckster; 222cc				
22hp	18 / RV15YC4	3018 / RV17PMC4	---	0.025in
Turf-Truckster; Liquid Cooled; V2				
20hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
UTV-Max				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
UTV-Maxim				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vac Master				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
UTV				
Haulster; K181; 0.3L (18.6cid); L1; (Kohler); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Haulster; K301; 0.5L (29.1cid); L1; (Kohler); L-HEAD				
12hp	854 / RH10C	844 / H10C	---	0.030in
Minute Miser; Gas				
with 14mm Diameter Threads	840 / RCJ8	843 / CJ8	843ECO	0.025in
Cushman OMC				
UTV				
Haulster; Natural Gas; (OMC); (1983)				
	22 / RF11YC	---	---	0.025in
Haulster; 2 Cyl.; (OMC)				
18hp	22 / RF11YC	---	---	0.025in
22hp	18 / RV15YC4	3018 / RV17PMC4	---	0.025in
Haulster; M109; 2 Cyl.; (OMC)				
18hp	22 / RF11YC	---	---	0.025in
Haulster; M109; 2 Cyl.; LPG; (OMC)				
18hp	22 / RF11YC	---	---	0.018in
Haulster; M218; 2 Cyl.; (OMC)				
	22 / RF11YC	---	---	0.025in
Truckster; (OMC); (1953-1961)				
with 18mm Diameter Threads	22 / RF11YC	---	---	0.025in
Truckster/Haulster; (OMC); (1961-1980)				
with 18mm Diameter Threads	22 / RF11YC	---	---	0.025in
Truckster/Haulster; (OMC); (1967)				
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
Truckster/Haulster; (OMC); (1968-1980)				
with 14mm Diameter Threads	840 / RCJ8	843 / CJ8	843ECO	0.025in
Cycle Country				
Lawn Tractor				
(Honda)				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in



Model/Engine	Standard Stk # / Plug Type	Alternate Stk # / Plug Type	Premium Stk #	Gap
Cycle Country				
Lawn Tractor				
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Sprayer				
(Honda)				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Cyclo Action				
Shredder				
(Tecumseh)				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Cygnat Turf & Equipment				
Sod Layer				
(Honda)				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Wisconsin)				
18hp	541 / RD16	516 / D16	---	0.025in
Dacon				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Daihatsu				
Utility Vehicle				
Hijet; 2 Cyl.				
30hp	415 / RN9YC	300 / N9YC	415ECO	0.035in
Danuser				
Commercial Chipper				
V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mulcher				
V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
David Bradley				
Lawn Tractor				
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.030in
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
Davis				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
Commando				
	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard Stk # / Plug Type	Alternate Stk # / Plug Type	Premium Stk #	Gap
Davis				
Portable/Walk-Behind Trencher				
All Model(s); (Clinton)				
	854 / RH10C	844 / H10C	---	0.025in
All Model(s); 1 Cyl.; (Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.025in
Dayton				
Brush Cutter/Disc Mower				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Edger				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Lawn Mower				
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Power Rake				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Shredder				
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Trimmer				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Debris				
Blower/Vacuum/Water Sprayer				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kawasaki)				
7.5hp	806 / L92YC	---	---	0.030in
Deep Rock				
Auger				
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Tecumseh)				
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Deines				
Lawn Mower				
(Onan)				
	857 / RH18Y	---	---	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Deines					
Turf Equipment					
(Honda); OHV					
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
(Tecumseh)					
14hp	814 / RL82YC	931-1 / QL82C	---	0.030in	
2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
Demco					
Sprayer					
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Derby					
Lawn Tractor					
(Kohler); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
1 Cyl.; (Briggs & Stratton)					
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
2 Cyl.; (Briggs & Stratton)					
25hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Command Series; 4 Stroke; 2 Cyl.; (Kohler); OHV					
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Mower					
(Briggs & Stratton); OHV					
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Deutz Allis					
Turf Equipment					
(Briggs & Stratton); L-HEAD					
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kohler)					
14hp	854 / RH10C	844 / H10C	---	0.030in	
16hp	854 / RH10C	844 / H10C	---	0.030in	
17hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
(Kohler); OHV					
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Deutz Allis				
Turf Equipment				
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Deweze				
Blower/Vacuum/Water Sprayer				
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Lawn Tractor				
(Onan)				
20hp	909 / RS17YX	---	---	0.025in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Diadem				
Commercial Chipper				
316; (Briggs & Stratton)				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
316; (Kohler)				
	854 / RH10C	844 / H10C	---	0.025in
427; (Kohler)				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Mulcher				
(Kohler)				
12hp;K301	854 / RH10C	844 / H10C	---	0.030in
16hp;K341	854 / RH10C	844 / H10C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Didier				
Log Splitter				
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Digz-All				
Portable/Walk-Behind Trencher				
All Model(s); (Kohler)				
	871 / RJ8C	841 / J8C	---	0.025in
Ditch Devil				
Trencher				
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ditch Devil				
Trencher/Lawn Plow				
(Continental)				
F-163	541 / RD16	516 / D16	---	0.030in
2 Cyl.; (Onan)				
NHC	123 / RN5C	120 / N5C	---	0.025in
192cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in
Ditch Witch				
Trencher				
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
12hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
24hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
14hp	854 / RH10C	844 / H10C	---	0.030in
18hp	854 / RH10C	844 / H10C	---	0.030in
(Perkins)				
G4-203	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Wisconsin)				
12.5hp	502 / D21	---	---	0.025in
18hp	541 / RD16	516 / D16	---	0.025in
30hp	541 / RD16	516 / D16	---	0.025in
4.6hp	830 / RL86C	933-1 / QL86C	---	0.025in
60.5hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
65hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
7hp	541 / RD16	516 / D16	---	0.025in
9hp	502 / D21	---	---	0.025in
9.2hp	541 / RD16	516 / D16	---	0.025in
2 Cyl.; (Onan)				
NHC;1979 & Up	909 / RS17YX	---	---	0.030in
4 Cyl.; Gas; (Wisconsin)				
35hp	541 / RD16	516 / D16	---	0.025in
Command Series; 4 Stroke; Horizontal; V2; (Kohler); OHV				
30hp;CH750	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GX-Series; 4 Stroke; Horizontal; V2; (Honda); OHV				
20.8hp;GX630	404 / RN12YC	---	---	0.030in
22hp;GX690	404 / RN12YC	---	---	0.030in
22.1hp;GX690	404 / RN12YC	---	---	0.030in
iGX-Series; Horizontal; (Honda); OHV				
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.028in
Vanguard; V2; (Briggs & Stratton); OHV				
16hp;16	71 / RC12YC	946 / QC12YC	71ECO	0.030in
31hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; Commercial Series; V2; (Briggs & Stratton); OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
VG4D; 2.5L (154cid); V4; Gas; (Wisconsin); L-HEAD				
37hp	541 / RD16	516 / D16	---	0.025in
1020; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11hp;GX340	415 / RN9YC	300 / N9YC	415ECO	0.043in
1030; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11hp;GX340	415 / RN9YC	300 / N9YC	415ECO	0.043in
1230; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Ditch Witch					
Trencher					
1330; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in	
1820; Command Pro; 4 Stroke; Horizontal; V2; (Kohler); OHV					
19hp;CH18	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
C12; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Prior to 1979; 2 Cyl.; (Onan)					
NHC	123 / RN5C	120 / N5C	---	0.030in	
Ditcher Saw					
Trencher					
3hp;w/Homelite Super XL	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
5hp;w/Homelite XL98C	893 / RCJ4	849 / CJ6	852ECO	0.025in	
Dixie Chopper					
Lawn Tractor					
52cid\852cc; V2; (Kawasaki); OHV					
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Command Pro; V2; (Kohler); OHV					
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
33hp	344 / RC9YC	988 / XC10YC	71ECO	0.030in	
34hp	344 / RC9YC	988 / XC10YC	71ECO	0.030in	
Intek; Professional Series; V2; (Briggs & Stratton); OHV					
18hp;400000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Professional Series; 44cid\724cc; V2; (Briggs & Stratton); OHV					
23hp;440000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton); OHV					
26hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vanguard; Commercial Series; V2; (Briggs & Stratton); OHV					
36hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vertical; 2 Cyl.; (Kawasaki); OHV					
25hp	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Vertical; V2; (Kawasaki); OHV					
22hp;FS651V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
24hp;FS691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
31hp;FX921V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Vertical; 61cid\999cc; V2; (Kawasaki); OHV					
35hp;FX1000V	322 / RN11YC4	302 / N11YC	322ECO	0.031in	
Classic 2750; V2; (Generac)					
27hp;GTV-760	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Classic 2750HP; V2; (Generac)					
27hp;GTV-760	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Classic 2760; V2; (Generac)					
27hp;GTV-760	431 / RC14YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Dixie Chopper				
Lawn Tractor				
Classic 3360HP; V2; (Generac)				
32hp;GTV-990	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Classic 3372HP; V2; (Generac)				
32hp;GTV-990	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Silver Eagle 2734; V2; (Generac)				
27hp;GTV-760	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Silver Eagle 2744; V2; (Generac)				
27hp;GTV-760	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Silver Eagle 2750; V2; (Generac)				
27hp;GTV-760	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Silver Eagle 2760HP; V2; (Generac)				
27hp;GTV-760	431 / RC14YC	946 / QC12YC	71ECO	0.030in
XCaliber 3356; V2; (Generac)				
32hp;GTV-990	431 / RC14YC	946 / QC12YC	71ECO	0.030in
XCaliber 3366; V2; (Generac)				
32hp;GTV-990	431 / RC14YC	946 / QC12YC	71ECO	0.030in
XCaliber 3374; V2; (Generac)				
32hp;GTV-990	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Mower				
(Honda); OHV				
24hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
(Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Onan)				
24hp	909 / RS17YX	---	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kawasaki); OHV				
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; V2; (Kohler); OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
28hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Command Pro; Vertical; V2; (Kohler); OHV				
23hp;ECV680	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Command Series; 4 Stroke; V2; (Kohler); OHV				
30hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horizontal; V2; (Kawasaki); OHV				
25hp;FH721D	405 / RN14YC	3405 / RN14PMC	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Dixie Chopper					
Mower					
Intek; (Briggs & Stratton); OHV					
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Intek XRD; 724cc; V2; (Briggs & Stratton); OHV					
23hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Intek; With XRD; (Briggs & Stratton); OHV					
19.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
K-Series; 2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
23hp	854 / RH10C	844 / H10C	---	0.030in	
Vertical; V2; (Kawasaki); OHV					
22.2hp;FS730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV					
25hp;FH721V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Vacuum					
(Honda); OHV					
24hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
(Kohler); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
(Onan)					
24hp	909 / RS17YX	---	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
V2; (Kawasaki); OHV					
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Command Pro; V2; (Kohler); OHV					
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
K-Series; 2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
23hp	854 / RH10C	844 / H10C	---	0.030in	
Dixon					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Mower					
(Briggs & Stratton); L-HEAD					
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Dixon				
Mower				
(Briggs & Stratton); OHV				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
44cid\724cc; V2; (Briggs & Stratton); OHV				
26hp;440000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; Vertical; 44cid\725cc; V2; (Kohler); OHV				
27hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage Pro; 4 Stroke; 44.2cid\725cc; V2; (Kohler); OHV				
25hp;SV830	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage; 4 Stroke; Vertical; 1 Cyl.; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage; 4 Stroke; Vertical; V2; (Kohler); OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
Intek; (Briggs & Stratton); OHV				
15.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; With XRD; (Briggs & Stratton); OHV				
16.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional Series; (Briggs & Stratton); OHV				
19.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional Series; 44cid\724cc; V2; (Briggs & Stratton); OHV				
22hp;440000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton); OHV				
28hp;490000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; V2; (Kawasaki); OHV				
20.5hp;FX651V	405 / RN14YC	3405 / RN14PMC	---	0.031in
22hp;FS651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.031in
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.031in
31hp;FX921V	405 / RN14YC	3405 / RN14PMC	---	0.031in
Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.031in
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.031in
Vertical; 52cid\852cc; V2; (Kawasaki); OHV				
24.5hp;FX751V	405 / RN14YC	3405 / RN14PMC	---	0.031in
Turf Equipment				
(Kohler); OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Dixon				
Turf Equipment				
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; (Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Command Series; 4 Stroke; V2; (Kohler); OHV				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
13.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Intek; V2; (Briggs & Stratton); OHV				
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
K-Series; 2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton); OHV				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Dobbins				
Sprayer				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Dolmar				
Blower/Vacuum/Water Sprayer				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
PB250				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
PB250.4				
1.1hp	978 / RY4C	---	---	0.030in
PB251.4				
1.1hp	978 / RY4C	---	---	0.030in
PB500R				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
PB7600.4				
3.8hp	978 / RY4C	---	---	0.030in
PB7601.4				
3.8hp	978 / RY4C	---	---	0.030in
Brush Cutter/Disc Mower				
BC25				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Dolmar				
Brush Cutter/Disc Mower				
BC330				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
MS30C				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
MS330C				
1.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
MS3310				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
MS340				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
MS4000				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
MS4010				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
MS4500				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
MS4510				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
Earth Drill				
311				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Edger				
PE251				
1.1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
Edger/Trimmer				
PE250				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
Hedge Trimmer				
HT2045D; (Robin)				
1.1hp	893 / RCJ4	849 / CJ6	852ECO	0.025in
HT2062E; (Robin)				
1.1hp	893 / RCJ4	849 / CJ6	852ECO	0.025in
HT2145D; (Robin)				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
HT2162E; (Robin)				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
HT2249D				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
MH2556				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
Trimmer				
LT210; (Robin)				
0.9hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
LT250; (Robin)				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
LT27				
1.1hp	872 / RDJ7Y	855 / DJ7Y	851ECO	0.026in
LT30				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
MS20C; (Robin)				
1.1hp	872 / RDJ7Y	855 / DJ7Y	851ECO	0.026in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Dolmar				
Trimmer				
MS22C				
0.9hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS230C				
0.94hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
MS231C				
0.94hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
MS250.4				
0.885hp	978 / RY4C	---	---	0.030in
MS2501; (Robin)				
1.1hp	872 / RDJ7Y	855 / DJ7Y	851ECO	0.026in
MS251.4				
0.885hp	978 / RY4C	---	---	0.030in
MS253; (Robin)				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
MS260C				
1.07hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
MS260U				
1.07hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
MS261C				
1.1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
MS261U				
1.1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
MS2810; (Robin)				
1.5hp	893 / RCJ4	849 / CJ6	852ECO	0.020in
MS30U				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
MS3200				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
MS3210				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
MS3300				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
MS330U; (Mitsubishi)				
1.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
MS331C				
1.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
MS331U				
1.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
MS3400				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
Dosko				
Commercial Chipper				
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Onan)				
20hp	909 / RS17YX	---	---	0.025in
24hp	909 / RS17YX	---	---	0.025in
(Robin); OHV				
11hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
V2; (Honda)				
18hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Dosko				
Commercial Chipper				
V2; (Honda)				
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mulcher				
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Onan)				
20hp	909 / RS17YX	---	---	0.025in
24hp	909 / RS17YX	---	---	0.025in
(Robin); OHV				
11hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
V2; (Honda)				
18hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Stump Grinder				
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Onan)				
20hp	909 / RS17YX	---	---	0.025in
24hp	909 / RS17YX	---	---	0.025in
(Robin); OHV				
11hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
V2; (Honda)				
18hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Dr Field/Brush Mower				
Mower				
Intek; (Briggs & Stratton); OHV				
14.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Power Built Series; (Briggs & Stratton); OHV				
12.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; V2; (Kawasaki); OHV				
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Dr Trimmer/Mower				
Mower				
675ex Series; Quantum Vertical; (Briggs & Stratton); L-HEAD				
120000	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
Courage; 4 Stroke; Vertical; (Kohler); OHV				
XT-6.5	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
Vertical; (Subaru/Robin); OHC				
4.5hp;EA175V	814 / RL82YC	328 / L82YC	---	0.026in
5.5hp;EA190V	814 / RL82YC	328 / L82YC	---	0.026in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Dr Trimmer/Mulcher				
Lawn Mower				
(Tecumseh)				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Duerr				
Log Splitter				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
(Wisconsin)				
12hp	541 / RD16	516 / D16	---	0.025in
Shredder				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
(Wisconsin)				
12hp	541 / RD16	516 / D16	---	0.025in
Vacuum				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
(Wisconsin)				
12hp	541 / RD16	516 / D16	---	0.025in
Dunlap				
Lawn Mower				
(Power Product Engine)				
	592 / RJ12C	511 / J11C	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Duo-Therm				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Dyna Mow				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
V2; (Kawasaki)				
20hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
V2; (Kawasaki); OHV				
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
29hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Dyna Mow				
Lawn Tractor				
1.1L; (Ford)				
	304 / RS9YC	3401 / RS10PYC4	---	0.035in
1.3L; (Ford)				
	304 / RS9YC	3401 / RS10PYC4	---	0.035in
Dyna-Fog				
Fogger				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Dynamark				
Lawn Mower				
(Tecumseh)				
3.5hp	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
H2; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kawasaki)				
20hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
Tiller				
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
H2; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kawasaki)				
20hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
Eager Beaver				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Eaglestar				
Tiller				
(Tecumseh)				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Turf Equipment				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Eaglestar				
Turf Equipment				
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Earth King				
Auger				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Earthmaster				
Tiller				
R				
	871 / RJ8C	841 / J8C	---	0.030in
S				
	541 / RD16	516 / D16	---	0.030in
SRR				
	541 / RD16	516 / D16	---	0.030in
Earthquake				
Auger				
10310; 2 Stroke; 52cc; 1 Cyl.; (Viper)				
1.87hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.028in
E43; 2 Stroke; 43cc; 1 Cyl.; (Viper)				
1.4hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.028in
Tiller				
31635; 33cc; 1 Cyl.; (Viper)				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.028in
Earthquake (Ardisam)				
Commercial Chipper				
9060300; 850 Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Cultivator				
MC43; Viper				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
MC43E; Viper				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
MC440; Viper				
	978 / RY4C	---	---	0.030in
Earth Drill				
(Tecumseh)				
8hp	871 / RJ8C	841 / J8C	---	0.030in
5020; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8900E; (Tecumseh)				
2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Earthquake (Ardisam)				
Earth Drill				
8902; (Tecumseh)				
2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
9000; (Tecumseh)				
3hp	856 / RJ17LM	845 / J17LM	861ECO	0.030in
9200; (Tecumseh)				
3hp	856 / RJ17LM	845 / J17LM	861ECO	0.030in
9800; (Tecumseh)				
3.8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9800B; 550 Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9800H; (Honda)				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Woodchuck 8900; (Tecumseh)				
2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
Log Splitter				
W2265; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tiller				
26750; Viper; 6.04135cid\99cc; (Rato)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5020; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5030T; (Tecumseh); OHV				
5hp	104 / RN4C	803 / N4C	---	0.030in
5030T; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5050; (Tecumseh); OHV				
5hp	104 / RN4C	803 / N4C	---	0.030in
5055C; 850 Series; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5070; (Tecumseh); OHV				
5hp	104 / RN4C	803 / N4C	---	0.030in
6015BCE; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6015V; Viper				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
6015VCE; Viper				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
6065VEC; Viper				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
7050; (Tecumseh); OHV				
5hp	104 / RN4C	803 / N4C	---	0.030in
7055C; 850 Series; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
8070; 1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Earthway					
Spreader					
(Honda)					
1.5hp;GX31	808 / Z9Y	705 / P-RZ9HC	---	0.030in	
Easy Auger					
Posthole Digger					
(Honda); OHV					
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Easy Lawn					
Straw Blower					
(Robin); OHV					
11.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
13.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
18hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
20.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
22hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
25hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
8.5hp	806 / L92YC	---	---	0.025in	
(Wisconsin)					
30hp	541 / RD16	516 / D16	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
2 Cyl.; (Kohler)					
23hp	854 / RH10C	844 / H10C	---	0.030in	
V2; (Honda)					
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
4 Cyl.; Gas; (Wisconsin)					
35hp	541 / RD16	516 / D16	---	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
22hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
23hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Easy Rake					
Blower/Vacuum/Water Sprayer					
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki)					
7.9hp	871 / RJ8C	841 / J8C	---	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Easy Rake					
Blower/Vacuum/Water Sprayer					
(Kohler); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
(Tecumseh)					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Commercial Chipper					
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki)					
7.9hp	871 / RJ8C	841 / J8C	---	0.030in	
(Kohler); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
(Tecumseh)					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Power Rake					
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki)					
7.9hp	871 / RJ8C	841 / J8C	---	0.030in	
(Kohler); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
(Tecumseh)					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vacuum					
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki)					
7.9hp	871 / RJ8C	841 / J8C	---	0.030in	
(Kohler); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
(Tecumseh)					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Easy Split				
Log Splitter				
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Easy Vac				
Turf Equipment				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Easy Way				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Eaton				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
Echo				
Auger				
EA400				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
EA410				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
EA500				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
Blower/Vacuum/Water Sprayer				
PB1000				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PB1010				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PB200				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB201				
Most Serial Prefix #	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
Serial Prefix # 02	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PB202				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
PB210				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB2100				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PB210E				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PB211				
Serial Prefix # 02	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB230LN				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB231LN				
Serial Prefix # 02	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
Serial Prefix # 06	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
PB2400				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Echo				
Blower/Vacuum/Water Sprayer				
PB250				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB250LN				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB255				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB255LN				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB260i				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB260L				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB261i				
Serial Prefix # 06	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
PB261L				
Serial Prefix # 02	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
Serial Prefix # 06	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
PB265L				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB265LN				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB300E				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PB400				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
PB400E				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
PB403				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PB403H				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB403T				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB410				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB411				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PB413				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB413H				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB413T				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB4500				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB4600				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PB460LN				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB461LN				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Echo				
Blower/Vacuum/Water Sprayer				
PB46HT				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB46LN				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB500H				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB500T				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB600				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PB6000				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PB601				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PB602				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PB603				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PB60HT				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB610				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB611				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB620				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB650H				
Serial Prefix # 05	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
Serial Prefix # 07	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
PB650T				
Serial Prefix # 05	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
Serial Prefix # 07	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.032in
PB651				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB651H				
Serial Prefix # 06	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
Serial Prefix # 07	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.032in
PB651T				
Serial Prefix # 06	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
Serial Prefix # 07	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.032in
PB750				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PB750H				
Serial Prefix # 05	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
Serial Prefix # 07	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.032in
PB750T				
Serial Prefix # 05	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
Serial Prefix # 07	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.032in
PB751				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PB751H				
Serial Prefix # 06	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
Serial Prefix # 07	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.032in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Echo					
Blower/Vacuum/Water Sprayer					
PB751T					
Serial Prefix # 06	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in	
Serial Prefix # 07	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.032in	
PB755					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
PB755SH					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
PB755ST					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
PB760LNH					
Serial Prefix # 06	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in	
PB760LNT					
Serial Prefix # 06	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in	
PB770H					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
PB770T					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
PB9					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
Commercial Chipper					
8000E; 1 Cyl.; (Briggs & Stratton); L-HEAD					
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8000IC; 1 Cyl.; (Briggs & Stratton); L-HEAD					
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
CH4400; Horizontal; (Subaru/Robin); OHC					
14hp;EX40	830 / RL86C	933-1 / QL86C	---	0.028in	
CH5653; Horizontal; 39.9cid\653cc; V2; (Subaru); OHV					
22hp;EH65	415 / RN9YC	300 / N9YC	415ECO	0.030in	
CH6730H; Command Pro; (Kohler); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
CH8720iH; 43.9cid\720cc; V2; (Subaru/Robin); OHV					
EH720	405 / RN14YC	3405 / RN14PMC	---	0.035in	
CH8993H; Vanguard; V2; (Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
CSV5; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
CSV5S; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
CSV8S; 1 Cyl.; (Briggs & Stratton); L-HEAD					
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
SC2170; Horizontal; (Subaru/Robin); OHC					
6hp;SP170	814 / RL82YC	931-1 / QL82C	---	0.028in	
SC3206; 1 Cyl.; (Briggs & Stratton)					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
SC3265; Horizontal; (Subaru/Robin); OHC					
9hp;EX27	814 / RL82YC	931-1 / QL82C	---	0.028in	
SC3305; 1 Cyl.; (Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
SC3305E; 1 Cyl.; (Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Echo				
Commercial Chipper				
SC3342; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
SC5720B; (Subaru/Robin)				
EH720	322 / RN11YC4	302 / N11YC	322ECO	0.025in
Debris Loader				
DL10570; Vanguard; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
DL12653; Horizontal; 39.9cid\653cc; V2; (Subaru); OHV				
22hp;EH65	415 / RN9YC	300 / N9YC	415ECO	0.030in
DL12720; (Subaru/Robin)				
EH720	322 / RN11YC4	302 / N11YC	322ECO	0.030in
DL8390; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Drill				
ED200				
Serial Prefix # 05	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
Serial Prefix # 07	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
ED2000				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
ED2000IA				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
EDR210				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
EDR2100				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
EDR2400				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.024in
EDR260				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
Edger				
BRD280				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PE200				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PE2000				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PE201				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PE2200				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PE2201				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PE225				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PE230				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PE231				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PE2400				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PE260				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Echo				
Edger				
PE2601				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PE261				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PE266				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PE266S				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PE280				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PE310				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PE3100				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PE311				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
Hedge Trimmer				
HC1000				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
HC1001				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
HC140				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
HC150				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HC1500				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
HC150i				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
HC151				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HC151i				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HC152				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HC155				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HC15520				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HC15524				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HC160				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HC1600				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
HC160A				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
HC161				
Most Serial Prefix #	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
Only Serial # Prefix 02	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Echo				
Hedge Trimmer				
HC165				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HC180				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HC181				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HC185				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HC200				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HC2000				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
HC200AE				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
HC201				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HC2100				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
HC210AE				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
HC210E				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
HC230				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HC231				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HC233				
Only Serial # Prefix 02	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
Serial Prefix # 06	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HC234				
Only Serial # Prefix 02	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
Serial Prefix # 06	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HC235				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HC2400				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
HC2410				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
HC245				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HCA2400				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
HCA260				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HCA261				
Only Serial # Prefix 02	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
Serial Prefix # 05, 06	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HCA266				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Echo				
Hedge Trimmer				
HCR150				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
HCR1500				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
HCR151				
Only Serial # Prefix 02	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
Serial Prefix # 05, 06	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SHC210				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SHC2100				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SHC211				
Most Serial Prefix #	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
Only Serial # Prefix 02	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SHC212				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SHC225				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SHC225S				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SHC2400				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SHC2401				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SHC260				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SHC261				
Only Serial # Prefix 02	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
Only Serial # Prefixes 05 & 06	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SHC266				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
Lawn Mower				
LM204				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
LM204P				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
LM212				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
LM212P				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
LM212PS				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
LM214				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
LM214P				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
LMC212				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Echo				
Power Head				
PAS2000				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in
PAS2100				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in
PAS211				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in
PAS225				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
PAS225VPB				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
PAS230				
Serial Prefix # 05, 06	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
Serial Prefix # 07	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
PAS231				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PAS260				
Serial Prefix # 02, 03, 04	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in
Serial Prefix # 05, 06, 07	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
PAS2601				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in
PAS261				
Serial Prefix # 02, 03	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in
Serial Prefix # 05, 06	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
PAS266				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PAS280				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
Pruner				
PPF210				
Serial Prefix # 05, 06, 08, 09	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
Serial Prefix # 07, 10	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
PPF2100				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PPF211				
Most Serial Prefix #	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PPF2110				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PPF225				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PPF230				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PPF231				
Serial Prefix # 05, 06	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PPF260				
Serial Prefix # 05, 06, 07	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PPF261				
Serial Prefix # 05, 06	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PPF280				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in



Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Echo					
Pruner					
PPFD2400					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in	
PPT2100					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in	
PPT211					
Serial Prefix # 02	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in	
PPT2122					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in	
PPT230					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in	
PPT231					
Serial Prefix # 02, 03	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in	
PPT2400					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in	
PPT2433					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in	
PPT260					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in	
PPT261					
Serial Prefix # 02, 03	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in	
PPT265S					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
PPT266					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
PPT266H					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
PPT280					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
SRS2400					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in	
Shredder					
SH3000; 1 Cyl.; (Briggs & Stratton); L-HEAD					
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
SH5000; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
SH8000; 1 Cyl.; (Briggs & Stratton); L-HEAD					
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
SH8000R					
	830 / RL86C	933-1 / QL86C	---	0.030in	
Shredder/Vacuum					
ES1000					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in	
ES2000					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in	
ES210					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
ES2100					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in	
ES211					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
ES231					
Serial Prefix # 02	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Echo					
Shredder/Vacuum					
ES231					
Serial Prefix # 05, 06	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in	
ES2400					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in	
ES250					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in	
ES255					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in	
Sprayer					
DM9					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
MB400					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
SHR200E					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
SHR210					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
SHR2100					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
Stump Grinder					
SG340; GXV-Series; 4 Stroke; Vertical; (Honda); OHV					
8.9hp;GXV340	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Tiller					
TC210					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
TC2100					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in	
TC210i					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
Trimmer					
CLS4600					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in	
GT100					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
GT1000					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
GT1100					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in	
GT140					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
GT140A					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
GT140B					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
GT160					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
GT160A					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
GT160AE					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
GT200					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Echo				
Trimmer				
GT2000				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
GT2000EZR				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in
GT2000R				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in
GT2000SB				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
GT200A				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
GT200B				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
GT200BE				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
GT200CE				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
GT200EZR				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
GT200i				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
GT200R				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
GT201				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in
GT201EZR				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in
GT201i				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
GT201iEZR				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
GT201R				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
GT2100				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
GT2101				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
GT2102				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
GT2103				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
GT2200				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
GT225				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
GT225i				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
GT230				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
GT231				
Serial Prefix # 02	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in
Serial Prefix # 06	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Echo				
Trimmer				
GT2400				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
GT251				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
GT251E				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
GTL140				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
GTL140A				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
KEH202D; SV2; (Kioritz)				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
MR2500				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
REC600				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
RM303E				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRB261U				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
SRM140D				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
SRM140DA				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
SRM1500				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM1500A				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM1501				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM200				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
SRM2000				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM200AE				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
SRM200BE				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
SRM200CE				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
SRM200D				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
SRM200DA				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
SRM200DB				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
SRM202DA				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
SRM202FA				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
SRM210				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPÉD Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Echo				
Trimmer				
SRM2100				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM2100SB				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM210AE				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
SRM210E				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
SRM210i				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM210SB				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM210U				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
SRM211				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM2110				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM211i				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM211SB				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM211U				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in
SRM2200				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM2201				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM225				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM225i				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM225U				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM230				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM2300				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM2301				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM230S				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM231				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM2310				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM231S				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM231U				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in
SRM2400				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Echo				
Trimmer				
SRM2400SB				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM2410				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM2450				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM2501				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM2501S				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM2502				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM250E				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM251				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM2510				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM251E				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM255				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
SRM260				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM2601				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
SRM260S				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM260SB				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
SRM260U				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
SRM261				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM261S				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM261SB				
Serial Prefix # 02	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in
Serial Prefix # 06	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
SRM261T				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM266				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM266S				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM266T				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM266U				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM280				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Echo				
Trimmer				
SRM280S				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM280T				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM280U				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM300				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
SRM3000				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM3001				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM300AE				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
SRM300AE/1				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
SRM300E				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
SRM300E/1				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
SRM3010				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM302ADX				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
SRM3100				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM3100S				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM310S				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
SRM310U				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
SRM311				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM3110				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM311S				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM311U				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM340				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM3400				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM3800				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM400				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in
SRM400AE				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM400BE				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Echo				
Trimmer				
SRM400E				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRM400U				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM410U				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SRM4600				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SRS2100 Aggressor Tree Trimmer				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
WT190S; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.020in
WT190T; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vacuum				
ES230				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
WV160; GCV-Series; (Honda)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
WV160S; GCV-Series; (Honda)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
WV190; Professional Series; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.020in
WV190S; Professional Series; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Eclipse				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Economy				
Lawn Tractor				
(Kohler)				
14hp;K321	854 / RH10C	844 / H10C	---	0.030in
Edge Master				
Edger				
(Honda)				
	830 / RL86C	933-1 / QL86C	---	0.030in
Edko				
Brush Cutter/Disc Mower				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Log Splitter				
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tiller				
Convertible Till-Trac				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Trimmer				
8260BAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Edko				
Trimmer				
8260DAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8260LAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8260TA				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8320BAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8320LAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8350BAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8350LAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8405BAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8420BAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8460BAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8510BAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8725BAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8725LAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8725TA				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8726BAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8726LAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8726TA				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8735BAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8735LAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8740BAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8742BAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8746BAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8750PRO				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8753BAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
E8405BP				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
HT27				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Edko				
Trimmer				
TR1540				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
TS330				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
Efco				
Blower/Vacuum/Water Sprayer				
SA 2062				
4.5hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
SA 2700				
1.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
SA 3000				
1.3hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Earth Auger				
TR 1551				
2.1hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Hedge Trimmer				
DS 2400 H				
1.2hp	965 / RZ7C	---	---	0.020in
TG 2650 XP				
1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
TG 2650XP				
1hp	965 / RZ7C	---	---	0.020in
TG 2750 XP				
1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
TG 2800 XP				
1hp	965 / RZ7C	---	---	0.020in
TGS 2800 XP				
1hp	965 / RZ7C	---	---	0.020in
Power Head				
DS 2400 D				
1.2hp	965 / RZ7C	---	---	0.020in
Pruner				
PT 2700				
1.3hp	965 / RZ7C	---	---	0.020in
PTX 2700				
1.3hp	965 / RZ7C	---	---	0.020in
Stick Edger				
8245 SE				
1.2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
Trimmer				
8370 S				
1.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
8370 T				
1.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
8410 S				
2.1hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
8410 T				
2.1hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
8460				
2.5hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Efco				
Trimmer				
8530				
2.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
DS 2200 S				
1.1hp	965 / RZ7C	---	---	0.020in
DS 2200 T				
1.1hp	965 / RZ7C	---	---	0.020in
DS 2200 TR				
1.1hp	965 / RZ7C	---	---	0.020in
DS 2400 S				
1.2hp	965 / RZ7C	---	---	0.020in
DS 2400 T				
1.2hp	965 / RZ7C	---	---	0.020in
DS 2500 T				
1.1hp	965 / RZ7C	---	---	0.020in
DS 2800 S				
1.3hp	965 / RZ7C	---	---	0.020in
DS 2800 T				
1.3hp	965 / RZ7C	---	---	0.020in
DS 3200 S				
1.5hp	965 / RZ7C	---	---	0.020in
DS 3200 T				
1.5hp	965 / RZ7C	---	---	0.020in
DS 3500 S				
1.9hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
DS 3500 T				
1.9hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Electro-Spray				
Mister				
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Elephant-Vac				
Vacuum				
1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Elgee				
Vacuum Sweeper				
Power-Vac Sweeper; (Honda)				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Power-Vac Sweeper; LPG; (Honda)				
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.020in
Power-Vac Sweeper; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Elgee				
Vacuum Sweeper				
Power-Vac Sweeper; 1 Cyl.; LPG; (Briggs & Stratton); L-HEAD				
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
Eliet				
Blower/Vacuum/Water Sprayer				
GC-Series; Horizontal; (Honda); OHC				
4hp;GC135	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4.6hp;GC160	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
8.5hp;GX270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Intek; (Briggs & Stratton); OHV				
5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; (Briggs & Stratton); OHV				
3.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
4hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; Commercial Series; (Briggs & Stratton); OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
BL360; GC-Series; Horizontal; (Honda); OHC				
4.6hp;GC160	415 / RN9YC	300 / N9YC	415ECO	0.030in
BL450E; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
8.5hp;GX270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Dethatcher				
GC-Series; Horizontal; (Honda); OHC				
4hp;GC135	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4.6hp;GC160	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
8.5hp;GX270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Intek; (Briggs & Stratton); OHV				
5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; (Briggs & Stratton); OHV				
3.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
4hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; Commercial Series; (Briggs & Stratton); OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
E450; GC-Series; Horizontal; (Honda); OHC				
4.6hp;GC160	415 / RN9YC	300 / N9YC	415ECO	0.030in
Edger				
GC-Series; Horizontal; (Honda); OHC				
4hp;GC135	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4.6hp;GC160	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
8.5hp;GX270	322 / RN11YC4	302 / N11YC	322ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Eliet					
Edger					
Intek; (Briggs & Stratton); OHV					
5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Vanguard; (Briggs & Stratton); OHV					
3.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
4hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; Commercial Series; (Briggs & Stratton); OHV					
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Lawn Mower					
E401; 550 XR Professional Series; Horizontal; (Briggs & Stratton); OHV					
4hp;083132-0139-B1	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
E501; GC-Series; Horizontal; (Honda); OHC					
4.6hp;GC160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
E750; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
8.5hp;GX270	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Shredder					
GC-Series; Horizontal; (Honda); OHC					
4hp;GC135	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
4.6hp;GC160	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
8.5hp;GX270	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Intek; (Briggs & Stratton); OHV					
5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Vanguard; (Briggs & Stratton); OHV					
3.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
4hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; Commercial Series; (Briggs & Stratton); OHV					
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Turf Equipment					
GC-Series; Horizontal; (Honda); OHC					
4hp;GC135	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
4.6hp;GC160	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
8.5hp;GX270	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Intek; (Briggs & Stratton); OHV					
5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Vanguard; (Briggs & Stratton); OHV					
3.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
4hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; Commercial Series; (Briggs & Stratton); OHV					
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Eliet					
Vacuum					
Cameleon M; Horizontal; (Subaru); OHC					
9hp;EX27	830 / RL86C	933-1 / QL86C	---	0.025in	
Elite					
Trencher					
(Honda)					
6.5hp	830 / RL86C	933-1 / QL86C	---	0.030in	
(Honda); OHV					
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler); OHV					
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Robin)					
5.5hp	830 / RL86C	933-1 / QL86C	---	0.025in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Encore					
Blower/Vacuum/Water Sprayer					
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Dethatcher					
(Honda)					
2.5hp	846 / CJ14	---	846ECO	0.030in	
4hp	830 / RL86C	933-1 / QL86C	---	0.030in	
(Honda); OHV					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki)					
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
(Kawasaki); OHV					
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
15hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in	
(Kohler); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Encore				
Dethatcher				
(Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Tecumseh)				
14hp	104 / RN4C	803 / N4C	---	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
V2; (Kawasaki)				
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
22hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
V2; (Kawasaki); OHV				
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
27hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Edger				
(Honda)				
2.5hp	846 / CJ14	---	846ECO	0.030in
4hp	830 / RL86C	933-1 / QL86C	---	0.030in
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
15hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
(Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Tecumseh)				
14hp	104 / RN4C	803 / N4C	---	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Encore				
Edger				
V2; (Kawasaki)				
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
22hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
V2; (Kawasaki); OHV				
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
27hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Lawn Tractor				
Horizontal; (Kawasaki); OHV				
28hp	322 / RN11YC4	302 / N11YC	322ECO	0.031in
Intek; Extended Life Series (ELS); V2; (Briggs & Stratton); OHV				
24hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vertical; V2; (Kawasaki); OHV				
18hp;FR600V	405 / RN14YC	3405 / RN14PMC	---	0.031in
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.031in
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.031in
Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.031in
Mower				
(Honda)				
2.5hp	846 / CJ14	---	846ECO	0.030in
4hp	830 / RL86C	933-1 / QL86C	---	0.030in
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
15hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
(Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Tecumseh)				
14hp	104 / RN4C	803 / N4C	---	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Encore				
Mower				
V2; (Kawasaki)				
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
22hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
V2; (Kawasaki); OHV				
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
27hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Horizontal; 46.6cid\764cc; V2; (Kawasaki); OHV				
28hp;FH770D	322 / RN11YC4	302 / N11YC	322ECO	0.031in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.031in
Energy Mate				
Lawn Tractor				
	854 / RH10C	844 / H10C	---	0.030in
Log Splitter				
Easy Splitter; (Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Enviroboom				
Aerator				
V2; (Kawasaki)				
20hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
Sprayer				
(Tecumseh)				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Envirojet				
Aerator				
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
ESI (Equipment Synergy International)				
Vibrator				
OHV				
4hp;EH12	104 / RN4C	803 / N4C	---	0.025in
4hp;EH12-2D	104 / RN4C	803 / N4C	---	0.025in
GX-Series; 4 Stroke; Horizontal; OHV				
2.8hp;GX100	808 / Z9Y	705 / P-RZ9HC	---	0.025in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
ESI (Equipment Synergy International)					
Vibrator					
GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Eska					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Lawn Tractor					
	871 / RJ8C	841 / J8C	---	0.025in	
Eskimo					
Earth/Ice Drill					
8900; (Tecumseh)					
2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
8902; (Tecumseh)					
2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
9000; (Tecumseh)					
3hp	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
9200; (Tecumseh)					
3hp	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
Tiller					
5020; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Estate Trimmer					
Pull-Behind Mower					
1 Cyl.; (Briggs & Stratton); L-HEAD					
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Trimmer					
1 Cyl.; (Briggs & Stratton); L-HEAD					
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Eurosystems					
Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Robin)					
	830 / RL86C	933-1 / QL86C	---	0.030in	
(Tecumseh)					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Power Rake					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Robin)					
	830 / RL86C	933-1 / QL86C	---	0.030in	
(Tecumseh)					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Tiller					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Robin)					
	830 / RL86C	933-1 / QL86C	---	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Eurosystems					
Tiller					
(Tecumseh)					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Trimmer					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Robin)					
	830 / RL86C	933-1 / QL86C	---	0.030in	
(Tecumseh)					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Everride					
Lawn Tractor					
V2; (Kawasaki); OHV					
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
V2; (Kohler); OHV					
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Command Pro; Vertical; 44cid\725cc; V2; (Kohler); OHV					
27hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Command Series; 4 Stroke; V2; (Kohler); OHV					
30hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vertical; V2; (Kawasaki); OHV					
15hp;FH430V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
17hp;FH541V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
19hp;FH601V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
23hp;FH680V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV					
25hp;FH721V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Eversharp					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Excel					
Lawn Tractor					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Continental)					
TC-56	541 / RD16	516 / D16	---	0.030in	
(Kawasaki); OHV					
17hp	404 / RN12YC	38 / N12YC	322ECO	0.025in	
(Kohler)					
18hp	25 / RV17YC	854 / RH10C	---	0.025in	
2 Cyl.; (Kawasaki); OHV					
23hp	404 / RN12YC	38 / N12YC	322ECO	0.025in	
2 Cyl.; (Kohler)					
20hp	25 / RV17YC	854 / RH10C	---	0.025in	
23hp	854 / RH10C	854 / RH10C	---	0.030in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Excel				
Lawn Tractor				
V2; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1.1L; (Ford)				
	304 / RS9YC	322 / RN11YC4	322ECO	0.035in
1.3L; (Ford)				
	3401 / RS10PYC4	7304 / RS9PYP4	---	0.040in
Command Pro; (Kohler); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 2 Cyl.; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; V2; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
400				
	304 / RS9YC	3401 / RS10PYC4	---	0.030in
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Continental)				
TC-56	541 / RD16	516 / D16	---	0.030in
(Kawasaki); OHV				
17hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
(Kohler)				
18hp	25 / RV17YC	854 / RH10C	---	0.025in
2 Cyl.; (Kawasaki); OHV				
23hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	854 / RH10C	---	0.025in
23hp	854 / RH10C	854 / RH10C	---	0.025in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1.1L; (Ford)				
	304 / RS9YC	322 / RN11YC4	322ECO	0.035in
1.3L; (Ford)				
	3401 / RS10PYC4	7304 / RS9PYP4	---	0.040in
Command Pro; (Kohler); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 2 Cyl.; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; V2; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Excello				
Mower				
(Briggs & Stratton); L-HEAD				
	871 / RJ8C	841 / J8C	---	0.025in
Exmark				
Aerator				
ARS180CKA21000; Vertical; (Kawasaki); OHV				
4.5hp;FJ180V KAI	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6hp;FJ180V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
ARX481CKA30000; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
ARX541CKA30000; Vertical; V2; (Kawasaki); OHV				
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Lawn Mower				
(Kawasaki); OHV				
4.5hp	322 / RN11YC4	322 / RN11YC4	---	0.031in
5.5hp	322 / RN11YC4	322 / RN11YC4	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Command Pro; 4 Stroke; Horizontal; V2; LPG; (Kohler); OHV				
22hp;PCV680	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; Vertical; V2; (Kohler); OHV				
21hp;ECV650	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; (Kawasaki); OHV				
4.5hp;FJ180V KAI	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp;FJ180V KAI	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6hp;FJ180V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Vertical; V2; (Kawasaki); OHV				
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.031in
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.031in
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.031in
Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.031in
21 S Series; Vertical; (Kawasaki); OHV				
6hp;FJ180V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
21 X Series; Vertical; (Kawasaki); OHV				
4.5hp;FJ180V KAI	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Commercial 21 X Series; GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
4.3hp;GXV160	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Commercial 21 X-Series ECXHN21; GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
5.5hp;GXV160	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Commercial 21 X-Series ECXHNBB21; GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
4.3hp;GXV160	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Commercial 30; Vertical; (Kawasaki); OHV				
4.5hp;FJ180V KAI	322 / RN11YC4	302 / N11YC	322ECO	0.030in
ECS180CKA30000; Vertical; (Kawasaki); OHV				
6hp;FJ180V	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Exmark				
Lawn Mower				
ECS180GKA21000; Vertical; (Kawasaki); OHV				
6hp;FJ180V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
ECX160CHN21000; GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
4.3hp;GXV160	322 / RN11YC4	302 / N11YC	322ECO	0.030in
ECX180CKA21000; Vertical; (Kawasaki); OHV				
6hp;FJ180V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
ECX180CKA210BC; Vertical; (Kawasaki); OHV				
6hp;FJ180V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
MGS481CKA36200; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
MGS481CKA48300; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
MGS481GKA322P0; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
TTS481CKA36300; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
TTS481GKA48300; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
TTS541CKA48300; Vertical; V2; (Kawasaki); OHV				
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in
TTS541GKA52300; Vertical; V2; (Kawasaki); OHV				
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in
TTS600GKA483E0; Vertical; V2; (Kawasaki); OHV				
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
TTS600GKA52300; Vertical; V2; (Kawasaki); OHV				
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
TTS680PKC483E0; Vertical; V2; LPG; (Kohler); OHV				
22hp;PCV680	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TTX650EKC52400; Vertical; V2; (Kohler); OHV				
21hp;ECV650	946 / QC12YC	982 / XC12YC	71ECO	0.030in
TTX650EKC60400; Vertical; V2; (Kohler); OHV				
21hp;ECV650	946 / QC12YC	982 / XC12YC	71ECO	0.030in
TTX650EKC604N0; Vertical; V2; (Kohler); OHV				
21hp;ECV650	946 / QC12YC	982 / XC12YC	71ECO	0.030in
TTX680PKC52400; Vertical; V2; LPG; (Kohler); OHV				
22hp;PCV680	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TTX680PKC60400; Vertical; V2; LPG; (Kohler); OHV				
22hp;PCV680	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TTX691CKA60400; Vertical; V2; (Kawasaki); OHV				
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Exmark				
Lawn Mower				
VHS481GKA36200; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
VHS481GKA48300; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Lawn Tractor				
4 Stroke; Vertical; Confidant; V2; (Kohler); OHV				
19hp;ZT710	71 / RC12YC	946 / QC12YC	71ECO	0.030in
21hp;ZT720	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;ZT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; Vertical; V2; (Kohler)				
33hp;ECV940;OHV	9801 / RC8WYPB3	---	---	0.030in
37hp;ECV980;OHV	9801 / RC8WYPB3	---	---	0.030in
Command Pro; Vertical; V2; (Kohler); OHV				
23.5hp;CV742	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;ECV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27hp;ECV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
29hp;ECV749	71 / RC12YC	946 / QC12YC	71ECO	0.030in
33hp;ECV940	344 / RC9YC	988 / XC10YC	71ECO	0.030in
37hp;ECV980	344 / RC9YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
14.4hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; V2; (Kawasaki); OHV				
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in
20.5hp;FX651V	405 / RN14YC	3405 / RN14PMC	---	0.031in
21.5hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.031in
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.031in
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
31hp;FX921V	405 / RN14YC	3405 / RN14PMC	---	0.031in
Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.031in
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.031in
NVS730AKC48000; Horizontal; V2; (Kohler); OHV				
23hp;ECH730	946 / QC12YC	982 / XC12YC	71ECO	0.030in
NVS740CKC42000; Horizontal; V2; (Kohler); OHV				
25hp;CH740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
NVS740CKC48000; Horizontal; V2; (Kohler); OHV				
25hp;CH740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pioneer E Series; Vertical; V2; (Kawasaki); OHV				
23hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Exmark				
Lawn Tractor				
Pioneer E Series; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Pioneer S Series; V2; LPG; (Kohler); OHV				
19hp;ZT710	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pioneer S Series; 4 Stroke; Vertical; Confidant; V2; LPG; (Kohler); OHV				
21hp;ZT720	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pioneer S Series; Vertical; V2; LPG; (Kohler); OHV				
25hp;ZT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pioneer S Series; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
QSS708GEM42200; V2				
24.5hp;708	415 / RN9YC	300 / N9YC	415ECO	0.030in
QSS708GEM50200; V2				
24.5hp;708	415 / RN9YC	300 / N9YC	415ECO	0.030in
QTE452CEM42100; OHV				
14.5hp;452	415 / RN9YC	300 / N9YC	415ECO	0.030in
QTE452CEM42200; OHV				
14.5hp;452	415 / RN9YC	300 / N9YC	415ECO	0.030in
QTE708GEM42200; V2				
24.5hp;708	415 / RN9YC	300 / N9YC	415ECO	0.030in
QTE708GEM50200; V2				
24.5hp;708	415 / RN9YC	300 / N9YC	415ECO	0.030in
QTS452CEM34200; OHV				
14.5hp;452	415 / RN9YC	300 / N9YC	415ECO	0.030in
QTS708GEM42200; V2				
24.5hp;708	415 / RN9YC	300 / N9YC	415ECO	0.030in
QTS708GEM50200; V2				
24.5hp;708	415 / RN9YC	300 / N9YC	415ECO	0.030in
QTS708GEM60200; V2				
24.5hp;708	415 / RN9YC	300 / N9YC	415ECO	0.030in
Quest E Series; OHV				
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Quest E Series; V2				
24.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Quest S Series; OHV				
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Quest S Series; V2				
24.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Quest S Series Front Steer; V2				
24.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Quest SW Series; V2				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Radius E-Series; V2				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
RAE708GEM48300; V2				
24.5hp;708	415 / RN9YC	300 / N9YC	415ECO	0.030in
RAE708GEM52300; V2				
24.5hp;708	415 / RN9YC	300 / N9YC	415ECO	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Exmark				
Lawn Tractor				
RAE708GEM60300; V2				
24.5hp;708	415 / RN9YC	300 / N9YC	415ECO	0.030in
RAS710CKC48300; Vertical; V2; (Kohler); OHV				
19hp;ZT710	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RAS720CKC52300; Vertical; V2; (Kohler); OHV				
21hp;ZT720	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RAS740CKC60300; Vertical; V2; (Kohler); OHV				
25hp;ZT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RAS740GKC60R00; Vertical; V2; (Kohler); OHV				
25hp;ZT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RAX651GKA484A3; Vertical; V2; (Kawasaki); OHV				
20.5hp;FX651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
RAX691GKA524A3; Vertical; V2; (Kawasaki); OHV				
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
RAX730GKA604A3; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Vantage S Series; V2; (Kohler); OHV				
23hp;ECV730	946 / QC12YC	982 / XC12YC	71ECO	0.030in
25hp;ECV740	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Vantage S Series; V2; LPG; (Kohler); OHV				
25hp;PCV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vantage X Series; V2; (Kohler); OHV				
23hp;ECV730	946 / QC12YC	982 / XC12YC	71ECO	0.030in
25hp;ECV740	946 / QC12YC	982 / XC12YC	71ECO	0.030in
VTS541CKA36300; Vertical; V2; (Kawasaki); OHV				
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in
VTS691CKA48400; Vertical; V2; (Kawasaki); OHV				
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
VTS691CKA52400; Vertical; V2; (Kawasaki); OHV				
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
VTS730AKC52400; Vertical; V2; (Kohler); OHV				
23hp;ECV730	946 / QC12YC	982 / XC12YC	71ECO	0.030in
VTS740EKC60400; Vertical; V2; (Kohler); OHV				
25hp;ECV740	946 / QC12YC	982 / XC12YC	71ECO	0.030in
VTS740PKC52400; Vertical; V2; LPG; (Kohler); OHV				
24hp;PCV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
VTS740PKC60400; Vertical; V2; LPG; (Kohler); OHV				
24hp;PCV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
VTX651GKA48400; Vertical; V2; (Kawasaki); OHV				
22hp;FS651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
VTX730EKC52400; Vertical; V2; (Kohler); OHV				
23hp;ECV730	946 / QC12YC	982 / XC12YC	71ECO	0.030in
VTX740EKC60400; Vertical; V2; (Kohler); OHV				
25hp;ECV740	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Mower				
(Kawasaki); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Exmark				
Mower				
V2; (Kawasaki); OHV				
19hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
21hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
V2; (Kohler); OHV				
21hp;ECV650	946 / QC12YC	982 / XC12YC	71ECO	0.030in
23hp;CV732	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; LPG; (Kohler); OHV				
22hp;PCV680	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Horizontal; V2; (Kohler); OHV				
20.5hp;CH640	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;ECH730	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Vertical; 999cc; V2; (Kohler); OHV				
38hp;CV980	946 / QC12YC	988 / XC10YC	---	0.030in
Command Pro; Vertical; V2; (Kohler); OHV				
22.5hp;CV680	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; Vertical; V2; LPG; (Kohler); OHV				
24hp;PCV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; Vertical; 44cid\725cc; V2; (Kohler); OHV				
27hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; V2; (Kohler); OHV				
28hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 2 Cyl.; (Briggs & Stratton); OHV				
31hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; V2; (Kawasaki); OHV				
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
19hp;FX600V	405 / RN14YC	3405 / RN14PMC	---	0.031in
22hp;FS651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
24hp;FS691V	405 / RN14YC	3405 / RN14PMC	---	0.031in
Metro; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Turf Tracer S; V2; LPG; (Kohler); OHV				
22hp;PCV680	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Turf Tracer S; Vertical; V2; (Kawasaki); OHV				
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Turf Tracer S; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Turf Tracer X; V2; (Kohler); OHV				
21hp;ECV650	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Turf Tracer X; V2; LPG; (Kohler); OHV				
22hp;PCV680	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Turf Tracer X; Vertical; V2; (Kawasaki); OHV				
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Vantage S Series; Vertical; V2; (Kawasaki); OHV				
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in

Model/Engine	Standard Stk # / Plug Type	Alternate Stk # / Plug Type	Premium Stk #	Gap
Exmark				
Mower				
Vantage S Series; Vertical; V2; (Kawasaki); OHV				
22hp;FS691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Vantage X Series; Vertical; V2; (Kawasaki); OHV				
22hp;FS651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Viking; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Mower/Vacuum				
Navigator (Debris Collector); V2; (Kohler); OHV				
20.5hp;CH640	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23.5hp;CH730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;CH740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Rotary Broom				
BRS270CKC36000 (Rotary Broom); Horizontal; (Kohler); OHV				
7hp;CH270	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Slicer/Seeder				
SD270SB20 (Slicer Seeder); Horizontal; (Subaru); OHC				
9hp;EX27	830 / RL86C	933-1 / QL86C	---	0.025in
Spreader/Sprayer				
SSS270CSB00000 (Spreader Sprayer); Horizontal; (Subaru); OHC				
9hp;EX27	830 / RL86C	933-1 / QL86C	---	0.025in
Turf Equipment				
(Honda)				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
5.5hp;FH150V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
2 Cyl.; (Kawasaki); OHV				
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
27hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kawasaki); OHV				
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23.5hp;CH730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard Stk # / Plug Type	Alternate Stk # / Plug Type	Premium Stk #	Gap
Exmark				
Turf Equipment				
V2; (Kohler); OHV				
25hp;CH740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 2 Cyl.; (Kohler); OHV				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; V2; (Kohler); OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; (Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Command Series; 4 Stroke; V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horizontal; (Kohler); OHV				
7hp;CH270	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horizontal; (Subaru); OHC				
9hp;EX27	830 / RL86C	933-1 / QL86C	---	0.025in
Vanguard; V2; (Briggs & Stratton); OHV				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vertical; (Honda); L-HEAD				
11hp;GV400	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Vertical; V2; (Kawasaki); OHV				
15hp;FH451V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Utility Vehicle				
700S; SOHC				
46hp	977 / RG6YC	---	---	0.022in
Zero-Turn Mower				
Lazer Z E-Series; V2; (Kohler); OHV				
23hp;CV732	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;CV742	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Lazer Z E-Series; Command Pro; Vertical; 44cid\725cc; V2; (Kohler); OHV				
25hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Lazer Z E-Series; Vertical; V2; (Kawasaki); OHV				
21hp;FX651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Lazer Z S-Series; V2; (Kohler); OHV				
25hp;ECV740	946 / QC12YC	982 / XC12YC	71ECO	0.030in
26.5hp;CV749	946 / QC12YC	982 / XC12YC	---	0.030in
Lazer Z S-Series; V2; LPG; (Kohler); OHV				
25hp;PCV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Lazer Z S-Series; Vertical; V2; (Kawasaki); OHV				
21hp;FX651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Lazer Z X-Series; V2; (Kohler); OHV				
35hp;ECV940	344 / RC9YC	946 / QC12YC	71ECO	0.030in
38hp;ECV980	344 / RC9YC	946 / QC12YC	71ECO	0.030in
Lazer Z X-Series; Command Pro; Vertical; 44cid\725cc; V2; (Kohler); OHV				
25hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Exmark					
Zero-Turn Mower					
Lazer Z X-Series; Vertical; V2; (Kawasaki); OHV					
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
31hp;FX921V	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
LZE651GKA484A2; Vertical; V2; (Kawasaki); OHV					
20.5hp;FX651V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
LZE730GKA524B2; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
LZE740EKC60400; Vertical; V2; (Kohler); OHV					
25hp;ECV740	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
LZE751CKA524A2; Vertical; 52cid\852cc; V2; (Kawasaki); OHV					
24.5hp;FX751V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
LZE751CKA604A1; Vertical; 52cid\852cc; V2; (Kawasaki); OHV					
24.5hp;FX751V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
LZE751GKA524A2; Vertical; 52cid\852cc; V2; (Kawasaki); OHV					
24.5hp;FX751V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
LZE751GKA604A1; Vertical; 52cid\852cc; V2; (Kawasaki); OHV					
24.5hp;FX751V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
LZE751GKA604B1; Vertical; 52cid\852cc; V2; (Kawasaki); OHV					
24.5hp;FX751V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
LZE751GKA60RA1; Vertical; 52cid\852cc; V2; (Kawasaki); OHV					
24.5hp;FX751V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
LZE751GKA724A1; Vertical; 52cid\852cc; V2; (Kawasaki); OHV					
24.5hp;FX751V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
LZE751GKA72RA1; Vertical; 52cid\852cc; V2; (Kawasaki); OHV					
24.5hp;FX751V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
LZS651CKA484A2; Vertical; V2; (Kawasaki); OHV					
20.5hp;FX651V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
LZS740AKC524A2; Vertical; V2; (Kohler); OHV					
25hp;ECV740	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
LZS740PKC52400; Vertical; V2; LPG; (Kohler); OHV					
24hp;PCV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
LZS740PKC60400; Vertical; V2; LPG; (Kohler); OHV					
24hp;PCV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
LZS740PKC72400; Vertical; V2; LPG; (Kohler); OHV					
24hp;PCV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
LZS749AKC604A1; Vertical; V2; (Kohler); OHV					
25hp;ECV740	946 / QC12YC	982 / XC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Exmark				
Zero-Turn Mower				
LZS749AKC72400; Vertical; V2; (Kohler); OHV				
26.5hp;ECV749	946 / QC12YC	982 / XC12YC	71ECO	0.030in
LZS749AKC724A1; Vertical; V2; (Kohler); OHV				
26.5hp;ECV749	946 / QC12YC	982 / XC12YC	71ECO	0.030in
LZS801GKA524A2; Vertical; V2; (Kawasaki); OHV				
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
LZS801GKA604A1; Vertical; V2; (Kawasaki); OHV				
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
LZS801GKA60RB1; Vertical; V2; (Kawasaki); OHV				
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
LZS801GKA724A1; Vertical; V2; (Kawasaki); OHV				
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
LZX740EKC526T0; Vertical; V2; (Kohler); OHV				
25hp;ECV740	946 / QC12YC	982 / XC12YC	71ECO	0.030in
LZX801CKA606B1; Vertical; V2; (Kawasaki); OHV				
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
LZX801GKA60600; Vertical; V2; (Kawasaki); OHV				
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
LZX801GKA606B1; Vertical; V2; (Kawasaki); OHV				
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
LZX921GKA60600; Vertical; V2; (Kawasaki); OHV				
31hp;FX921V	405 / RN14YC	3405 / RN14PMC	---	0.030in
LZX921GKA72600; Vertical; V2; (Kawasaki); OHV				
31hp;FX921V	405 / RN14YC	3405 / RN14PMC	---	0.030in
LZX921GKA726B1; Vertical; V2; (Kawasaki); OHV				
31hp;FX921V	405 / RN14YC	3405 / RN14PMC	---	0.030in
LZX940EKC60600; Vertical; V2; (Kohler); OHV				
35hp;ECV940	946 / QC12YC	988 / XC10YC	71ECO	0.030in
LZX940EKC606T0; Vertical; V2; (Kohler); OHV				
35hp;ECV940	946 / QC12YC	988 / XC10YC	71ECO	0.030in
LZX940EKC60RT0; Vertical; V2; (Kohler); OHV				
35hp;ECV940	946 / QC12YC	988 / XC10YC	71ECO	0.030in
LZX940EKC72RT0; Vertical; V2; (Kohler); OHV				
35hp;ECV940	946 / QC12YC	988 / XC10YC	71ECO	0.030in
LZX980EKC72600; Vertical; V2; (Kohler); OHV				
38hp;ECV980	946 / QC12YC	988 / XC10YC	71ECO	0.030in
LZX980EKC726T0; Vertical; V2; (Kohler); OHV				
38hp;ECV980	946 / QC12YC	988 / XC10YC	71ECO	0.030in
Expert				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
E-Z Beaver				
Commercial Chipper				
(Hercules)				
G1600	102 / RJ6C	823 / J6C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
E-Z Beaver					
Commercial Chipper					
(Kohler)					
12hp	854 / RH10C	844 / H10C	---	0.030in	
(Onan)					
24hp	909 / RS17YX	---	---	0.025in	
(Wisconsin)					
	541 / RD16	516 / D16	---	0.030in	
2 Cyl.; (Kohler)					
23hp	854 / RH10C	844 / H10C	---	0.030in	
V2; (Kohler); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
140cid; (Ford)					
423 LSG	401 / RS12YC	9204 / RS12WYPB4	---	0.035in	
300cid; (Ford)					
649 CSG	129 / RF10C	---	---	0.030in	
E-Z Lawn					
Power Rake					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Thatcher					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vacuum					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
E-Z Mo					
Lawn Mower					
1 Cyl.; (Briggs & Stratton); L-HEAD					
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
E-Z Roll					
Edger					
(Honda)					
2.2hp	846 / CJ14	---	846ECO	0.030in	
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
(Tecumseh)					
2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
Mower					
(Honda)					
2.2hp	846 / CJ14	---	846ECO	0.030in	
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
E-Z Roll					
Mower					
(Tecumseh)					
2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Tiller					
(Honda)					
2.2hp	846 / CJ14	---	846ECO	0.030in	
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
(Tecumseh)					
2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
E-Z Trench					
Portable/Walk-Behind Trencher					
(Honda)					
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Trencher					
(Honda); OHV					
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
6.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton)					
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
E-Z-Go					
Utility Vehicle					
(Onan)					
18hp	909 / RS17YX	---	---	0.025in	
20hp	909 / RS17YX	---	---	0.025in	
(Robin)					
EH29C	405 / RN14YC	3405 / RN14PMC	---	0.030in	
EH35C	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8.5hp	405 / RN14YC	3405 / RN14PMC	---	0.030in	
F&N					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Fairbanks Morse					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Falls Roto Clipper					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Falls Roto Clipper				
Lawn Mower				
(Power Product Engine)				
	840 / RCJ8	843 / CJ8	843ECO	
Fedway				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	
(Iron Horse)				
	592 / RJ12C	511 / J11C	---	
Feldmann				
Aerator				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	
Ice/Post Hole Drill				
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	
80				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	
81 Plus				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	
Model 70				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	
Ferris				
Lawn Mower				
(Kawasaki)				
5hp	830 / RL86C	933-1 / QL86C	---	
Vanguard; V2; (Briggs & Stratton); OHV				
26hp;490000	71 / RC12YC	946 / QC12YC	71ECO	
28hp;490000	71 / RC12YC	946 / QC12YC	71ECO	
Vertical; V2; (Kawasaki); OHV				
20.5hp;FX651V	405 / RN14YC	3405 / RN14PMC	---	
Vertical; 44.3cid/726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	
Lawn Tractor				
FW25; Vertical; V2; (Kawasaki); OHV				
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	
FW35; Vertical; V2; (Kawasaki); OHV				
20.5hp;FX651V	405 / RN14YC	3405 / RN14PMC	---	
ProCutS; Vertical; V2; (Kawasaki); OHV				
24hp;FS730V	405 / RN14YC	3405 / RN14PMC	---	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ferris				
Mower				
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
5hp	806 / L92YC	---	---	0.030in
(Kawasaki); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
14hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
2 Cyl.; (Briggs & Stratton); OHV				
31hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2 Cyl.; (Kawasaki); OHV				
19hp	405 / RN14YC	3405 / RN14PMC	---	0.031in
V2; (Kawasaki)				
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
V2; (Kawasaki); OHV				
21hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
23hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
23hp;FH680	404 / RN12YC	38 / N12YC	322ECO	0.025in
25hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
27hp	405 / RN14YC	3405 / RN14PMC	---	0.025in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
3 Cyl.; (Briggs & Stratton Daihatsu)				
34hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; V2; (Kohler); OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; V2; (Kohler); OHV				
30hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; Vertical; V2; (Kohler); OHV				
25hp;CV25	71 / RC12YC	946 / QC12YC	71ECO	0.030in
K-Series; (Kohler)				
21hp;KT21	25 / RV17YC	3018 / RV17PMC4	---	0.025in
Vanguard; V2; (Briggs & Stratton); OHV				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
31hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; V2; (Kawasaki); OHV				
15hp;FH451V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ferris				
Mower				
Vertical; V2; (Kawasaki); OHV				
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.031in
19hp;FH580V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
20.5hp;FX651V	405 / RN14YC	3405 / RN14PMC	---	0.031in
22.2hp;FS730V	405 / RN14YC	3405 / RN14PMC	---	0.031in
23hp;FS691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.031in
Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.031in
Vertical; 61cid\999cc; V2; (Kawasaki); OHV				
35hp;FX1000V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
F800X; Vanguard; V2; (Briggs & Stratton); OHV				
31hp;5434	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Zero-Turn Mower				
F160Z; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
F210Z; Vertical; V2; (Kawasaki); OHV				
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
F320Z; Vertical; 61cid\999cc; V2; (Kawasaki); OHV				
35hp;FX1000V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
IS2100Z; Vertical; V2; (Kawasaki); OHV				
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
IS3200Z; Vertical; 61cid\999cc; V2; (Kawasaki); OHV				
35hp;FX1000V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
IS600Z; Vertical; V2; (Kawasaki); OHV				
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
IS700Z; Vertical; V2; (Kawasaki); OHV				
23hp;FS691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
SRSZ2; Vertical; V2; (Kawasaki); OHV				
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Fimco				
Sprayer				
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Tecumseh)				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Finn					
Spreader					
(Briggs & Stratton); L-HEAD					
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Honda); OHV					
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
8hp	840 / RCJ8	843 / CJ8	843ECO	0.025in	
(Kohler); OHV					
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
4 Cyl.; Gas; (Wisconsin)					
35hp;W4-1770	541 / RD16	516 / D16	---	0.030in	
Vanguard; V2; (Briggs & Stratton)					
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Fivenson					
Brush Cutter/Disc Mower					
	842 / UY6	---	---	0.030in	
Trimmer					
	842 / UY6	---	---	0.030in	
Flo-Mow					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	856 / RJ17LM	845 / J17LM	861ECO	0.025in	
Flowtron					
Log Splitter					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Flymo					
Hovering Tiller					
(Ducati)					
	814 / RL82YC	931-1 / QL82C	---	0.030in	
Hovering Trimmer					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
GCT12; (Tecumseh)					
2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
GCT15; (Tecumseh)					
2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
GCT20; (JLO)					
	806 / L92YC	---	---	0.030in	
GCT21; (Tecumseh)					
3.5hp	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
Lawn Mower					
(Aspera)					
	871 / RJ8C	841 / J8C	---	0.030in	
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Flymo				
Lawn Mower				
(JLO)				
	806 / L92YC	---	---	0.030in
(Kirby)				
KAV74	58 / RJ18YC	---	---	0.030in
(Tecumseh)				
MV100	856 / RJ17LM	845 / J17LM	861ECO	0.030in
2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
FMC				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
17hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
(Wisconsin)				
	541 / RD16	516 / D16	---	0.030in
40.25cid; 2 Cyl.; (Onan)				
8.5hp;BF	857 / RH18Y	---	---	0.030in
HH Series; (Tecumseh)				
	814 / RL82YC	931-1 / QL82C	---	0.030in
OH Series; (Tecumseh)				
	814 / RL82YC	931-1 / QL82C	---	0.030in
Sprayer				
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
18hp	854 / RH10C	844 / H10C	---	0.030in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Wisconsin)				
V460D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
2 Cyl.; (Kohler)				
23hp	854 / RH10C	844 / H10C	---	0.030in
154cid\2524cc; V4; (Wisconsin)				
37hp;VG4D	541 / RD16	516 / D16	---	0.030in
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
FMC Bolens				
Garden Tractor				
All Model(s); (Kohler)				
20hp	512 / H12	---	---	0.030in
23hp	512 / H12	---	---	0.030in
QS-16; K361; 35.88cid\588cc; L1; (Kohler)				
16hp	854 / RH10C	844 / H10C	---	0.025in
Foley				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ford				
Garden Tractor				
165; K341; 0.6L (35.9cid); L1; (Kohler); L-HEAD				
16hp;with 14mm Diameter Threads	854 / RH10C	844 / H10C	---	0.025in
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Log Splitter				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.030in
12hp	854 / RH10C	844 / H10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.030in
16hp	854 / RH10C	844 / H10C	---	0.030in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	854 / RH10C	---	0.025in
V2; (Kohler); OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
960.1				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
960.2				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Shredder				
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
16hp	854 / RH10C	844 / H10C	---	0.030in
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.030in
12hp	854 / RH10C	844 / H10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.030in
16hp	854 / RH10C	844 / H10C	---	0.030in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	854 / RH10C	---	0.025in
V2; (Kohler); OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Ford					
Tiller					
V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Fox					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Fradan					
Blower/Vacuum/Water Sprayer					
(Honda); OHV					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki); OHV					
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Tecumseh); OHV					
5hp	104 / RN4C	803 / N4C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
BB-50 Backpack					
	102 / RJ6C	823 / J6C	---	0.025in	
BB-75 Backpack					
	856 / RJ17LM	845 / J17LM	861ECO	0.025in	
Brush Cutter/Disc Mower					
BC-30					
	846 / CJ14	---	846ECO	0.025in	
Trimmer					
SE-30					
	846 / CJ14	---	846ECO	0.025in	
ST-30					
	846 / CJ14	---	846ECO	0.025in	
Frigidaire Home Products					
Lawn Tractor					
Vertical; V2; (Kawasaki); OHV					
18hp;FD590V	840 / RCJ8	843 / CJ8	843ECO	0.025in	
Frink					
Blower/Vacuum/Water Sprayer					
Roto-broom; air cooled; (Wisconsin)					
4hp	541 / RD16	516 / D16	---	0.025in	
Futura					
Log Splitter					
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
Gamble-Aldens					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Garden King				
Mower				
	541 / RD16	516 / D16	---	0.025in
Tiller				
(Tecumseh); OHV				
5hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Garden Master				
Tiller				
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Garden Pride				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Garden Pro				
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Garden Star				
Tiller				
(Honda)				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Tecumseh)				
3.5hp	856 / RJ17LM	845 / J17LM	861ECO	0.030in
5hp	856 / RJ17LM	845 / J17LM	861ECO	0.030in
8hp	856 / RJ17LM	845 / J17LM	861ECO	0.030in
(Tecumseh); OHV				
5hp	104 / RN4C	803 / N4C	---	0.030in
6hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Generac				
Edger				
GC8000E; 163cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
General Equipment				
Blower/Vacuum/Water Sprayer				
(Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
General Equipment					
Earth Drill					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Chrysler)					
	830 / RL86C	933-1 / QL86C	---	0.025in	
(Honda); OHV					
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
(Robin)					
3hp	592 / RJ12C	511 / J11C	---	0.025in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
George Evans					
Portable/Walk-Behind Trencher					
Pow-R-Spade; AGND; 0.6L (38.5cid); L1; (Wisconsin); L-HEAD					
12.5hp	541 / RD16	516 / D16	---	0.025in	
Gianni Ferrari					
Lawn Tractor					
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Giant Mow					
Lawn Mower					
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Mower					
(Kawasaki)					
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
(Kawasaki); OHV					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Tecumseh); OHV					
16hp	104 / RN4C	803 / N4C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vertical; (Honda); L-HEAD					
11hp;GV400	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
Giant-Vac					
Blower/Vacuum/Water Sprayer					
(Hercules)					
G1600	102 / RJ6C	823 / J6C	---	0.030in	
(Honda); OHV					
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Giant-Vac				
Blower/Vacuum/Water Sprayer				
(Honda); OHV				
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
7.5hp	806 / L92YC	---	---	0.030in
(Kawasaki); OHV				
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
10hp;M8	854 / RH10C	844 / H10C	---	0.030in
14hp;M8	854 / RH10C	844 / H10C	---	0.030in
16hp;Tapered Seat	25 / RV17YC	3018 / RV17PMC4	---	0.025in
16hp;K341;Gasket	854 / RH10C	844 / H10C	---	0.030in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp;M8	854 / RH10C	844 / H10C	---	0.030in
(Tecumseh); OHV				
13hp	104 / RN4C	803 / N4C	---	0.030in
16hp	104 / RN4C	803 / N4C	---	0.030in
(White)				
G-1600	871 / RJ8C	841 / J8C	---	0.025in
(Wisconsin)				
VH4D	541 / RD16	516 / D16	---	0.030in
VH54D	541 / RD16	516 / D16	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp;K532	854 / RH10C	844 / H10C	---	0.030in
23hp	854 / RH10C	844 / H10C	---	0.030in
V2; (Kawasaki); OHV				
15hp;FH451	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
300cid; (Ford)				
	129 / RF10C	---	---	0.030in
Command Pro; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; (Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.025in
Command Series; 4 Stroke; V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Pro; (Kohler)				
8.5hp;CS Pro	405 / RN14YC	3405 / RN14PMC	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Giant-Vac				
Blower/Vacuum/Water Sprayer				
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
10B-A; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
10BWJ; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13K-A; (Kohler); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13KWJ; (Kohler); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2551E; Command Pro; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
52; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
60BWJ; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
85K-A; (Kohler); OHV				
8.5hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
85KWJ; (Kohler); OHV				
8.5hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
90BP; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
90H-A; GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
9hp;GXV270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Lawn Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Log Splitter				
	854 / RH10C	854 / RH10C	---	0.030in
410	854 / RH10C	844 / H10C	---	0.030in
(Hercules)				
G1600	102 / RJ6C	823 / J6C	---	0.030in
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
7.5hp	806 / L92YC	---	---	0.030in
(Kawasaki); OHV				
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
	854 / RH10C	854 / RH10C	---	0.030in
410	854 / RH10C	844 / H10C	---	0.030in
10hp;M8	854 / RH10C	844 / H10C	---	0.030in
14hp;M8	854 / RH10C	844 / H10C	---	0.030in
16hp;Tapered Seat	25 / RV17YC	3018 / RV17PMC4	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Giant-Vac				
Log Splitter				
(Kohler)				
16hp;K341;Gasket	854 / RH10C	844 / H10C	---	0.030in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp;M8	854 / RH10C	844 / H10C	---	0.030in
(Tecumseh); OHV				
13hp	104 / RN4C	803 / N4C	---	0.030in
16hp	104 / RN4C	803 / N4C	---	0.030in
(White)				
G-1600	871 / RJ8C	841 / J8C	---	0.025in
(Wisconsin)				
VH4D	541 / RD16	516 / D16	---	0.030in
VH54D	541 / RD16	516 / D16	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp;K532	854 / RH10C	844 / H10C	---	0.030in
23hp	854 / RH10C	844 / H10C	---	0.030in
V2; (Kawasaki); OHV				
15hp;FH451	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
300cid; (Ford)				
	129 / RF10C	---	---	0.030in
Command Pro; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; (Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pro; (Kohler)				
8.5hp;CS Pro	405 / RN14YC	3405 / RN14PMC	---	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Mower				
(Honda); OHV				
13hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
13.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Giant-Vac				
Power Brush				
(Hercules)				
G1600	102 / RJ6C	823 / J6C	---	0.030in
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
7.5hp	806 / L92YC	---	---	0.030in
(Kawasaki); OHV				
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
10hp;M8	854 / RH10C	844 / H10C	---	0.030in
14hp;M8	854 / RH10C	844 / H10C	---	0.030in
16hp;Tapered Seat	25 / RV17YC	3018 / RV17PMC4	---	0.025in
16hp;K341;Gasket	854 / RH10C	844 / H10C	---	0.030in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp;M8	854 / RH10C	844 / H10C	---	0.030in
(Tecumseh); OHV				
13hp	104 / RN4C	803 / N4C	---	0.030in
16hp	104 / RN4C	803 / N4C	---	0.030in
(White)				
G-1600	871 / RJ8C	841 / J8C	---	0.025in
(Wisconsin)				
VH4D	541 / RD16	516 / D16	---	0.030in
VH54D	541 / RD16	516 / D16	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp;K532	854 / RH10C	844 / H10C	---	0.030in
23hp	854 / RH10C	844 / H10C	---	0.030in
V2; (Kawasaki); OHV				
15hp;FH451	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
300cid; (Ford)				
	129 / RF10C	---	---	0.030in
Command Pro; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; (Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Giant-Vac				
Power Brush				
Pro; (Kohler)				
8.5hp;CS Pro	405 / RN14YC	3405 / RN14PMC	---	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Thatcher				
(Hercules)				
G1600	102 / RJ6C	823 / J6C	---	0.030in
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
7.5hp	806 / L92YC	---	---	0.030in
(Kawasaki); OHV				
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
10hp;M8	854 / RH10C	844 / H10C	---	0.030in
14hp;M8	854 / RH10C	844 / H10C	---	0.030in
16hp;Tapered Seat	25 / RV17YC	3018 / RV17PMC4	---	0.025in
16hp;K341;Gasket	854 / RH10C	844 / H10C	---	0.030in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp;M8	854 / RH10C	844 / H10C	---	0.030in
(Tecumseh); OHV				
13hp	104 / RN4C	803 / N4C	---	0.030in
16hp	104 / RN4C	803 / N4C	---	0.030in
(White)				
G-1600	871 / RJ8C	841 / J8C	---	0.025in
(Wisconsin)				
VH4D	541 / RD16	516 / D16	---	0.030in
VH54D	541 / RD16	516 / D16	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp;K532	854 / RH10C	844 / H10C	---	0.030in
23hp	854 / RH10C	844 / H10C	---	0.030in
V2; (Kawasaki); OHV				
15hp;FH451	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
300cid; (Ford)				
	129 / RF10C	---	---	0.030in
Command Pro; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; (Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Giant-Vac				
Thatcher				
Command Series; 4 Stroke; (Kohler); OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pro; (Kohler)				
8.5hp;CS Pro	405 / RN14YC	3405 / RN14PMC	---	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Tiller				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Hercules)				
G1600	102 / RJ6C	823 / J6C	---	0.030in
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
7.5hp	806 / L92YC	---	---	0.030in
(Kawasaki); OHV				
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
10hp;M8	854 / RH10C	844 / H10C	---	0.030in
14hp;M8	854 / RH10C	844 / H10C	---	0.030in
16hp;Tapered Seat	25 / RV17YC	3018 / RV17PMC4	---	0.025in
16hp;K341;Gasket	854 / RH10C	844 / H10C	---	0.030in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp;M8	854 / RH10C	844 / H10C	---	0.030in
(Tecumseh); OHV				
13hp	104 / RN4C	803 / N4C	---	0.030in
16hp	104 / RN4C	803 / N4C	---	0.030in
(White)				
G-1600	871 / RJ8C	841 / J8C	---	0.025in
(Wisconsin)				
VH4D	541 / RD16	516 / D16	---	0.030in
VH54D	541 / RD16	516 / D16	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Giant-Vac				
Tiller				
2 Cyl.; (Kohler)				
20hp;K532	854 / RH10C	844 / H10C	---	0.030in
23hp	854 / RH10C	844 / H10C	---	0.030in
V2; (Kawasaki); OHV				
15hp;FH451	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
300cid; (Ford)				
	129 / RF10C	---	---	0.030in
Command Pro; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; (Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pro; (Kohler)				
8.5hp;CS Pro	405 / RN14YC	3405 / RN14PMC	---	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vacuum				
(Hercules)				
G1600	102 / RJ6C	823 / J6C	---	0.030in
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
7.5hp	806 / L92YC	---	---	0.030in
(Kawasaki); OHV				
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
10hp;M8	854 / RH10C	844 / H10C	---	0.030in
14hp;M8	854 / RH10C	844 / H10C	---	0.030in
16hp;Tapered Seat	25 / RV17YC	3018 / RV17PMC4	---	0.025in
16hp;K341;Gasket	854 / RH10C	844 / H10C	---	0.030in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp;M8	854 / RH10C	844 / H10C	---	0.030in
(Tecumseh); OHV				
13hp	104 / RN4C	803 / N4C	---	0.030in
16hp	104 / RN4C	803 / N4C	---	0.030in



Model/Engine	Standard Stk # / Plug Type	Alternate Stk # / Plug Type	Premium Stk #	Gap
Giant-Vac				
Vacuum				
(White)				
G-1600	871 / RJ8C	841 / J8C	---	0.025in
(Wisconsin)				
VH4D	541 / RD16	516 / D16	---	0.030in
VH54D	541 / RD16	516 / D16	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp;K532	854 / RH10C	844 / H10C	---	0.030in
23hp	854 / RH10C	844 / H10C	---	0.030in
V2; (Kawasaki); OHV				
15hp;FH451	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
300cid; (Ford)				
	129 / RF10C	---	---	0.030in
Command Pro; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; (Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pro; (Kohler)				
8.5hp;CS Pro	405 / RN14YC	3405 / RN14PMC	---	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Gilson				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	856 / RJ17LM	845 / J17LM	861ECO	0.025in
Log Splitter				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Lauson)				
	871 / RJ8C	841 / J8C	---	0.025in
(OMC)				
	22 / RF11YC	---	---	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in

Model/Engine	Standard Stk # / Plug Type	Alternate Stk # / Plug Type	Premium Stk #	Gap
Gilson				
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Lauson)				
	871 / RJ8C	841 / J8C	---	0.025in
(OMC)				
	22 / RF11YC	---	---	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Vacuum				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Lauson)				
	871 / RJ8C	841 / J8C	---	0.025in
(OMC)				
	22 / RF11YC	---	---	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Gizmow				
Turf Equipment				
Formula; 2 Cyl.; (Kohler); OHV				
25hp;2552	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27hp;2752	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27hp;2761	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Gnc Industries				
Sprayer				
(Honda)				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Robin)				
4.5hp	830 / RL86C	933-1 / QL86C	---	0.030in
9hp	830 / RL86C	933-1 / QL86C	---	0.030in
Intek; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Golden Boy				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Trimmer				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Golden Star				
Brush Cutter/Disc Mower				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Hedge Trimmer				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Lawn Mower				
1.9hp	830 / RL86C	933-1 / QL86C	---	0.025in
3.7hp	830 / RL86C	933-1 / QL86C	---	0.025in
(Kawasaki)				
1.5hp	893 / RCJ4	849 / CJ6	852ECO	0.030in
(Kawasaki); OHV				
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Golden Star				
Mower				
(Kawasaki)				
6hp	806 / L92YC	---	---	0.030in
Shredder				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Sprayer				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Tiller				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
Goldoni				
Sickle Bar				
(Acme)				
	830 / RL86C	933-1 / QL86C	---	0.030in
GX160; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
GX270; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
8.5hp;GX270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GX340; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
10.7hp;GX340	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Tiller				
(Acme)				
	830 / RL86C	933-1 / QL86C	---	0.030in
GX160; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
GX270; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
8.5hp;GX270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GX340; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
10.7hp;GX340	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Golf				
Aerator				
1 Cyl.; (Briggs & Stratton); L-HEAD				
2hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
1 Cyl.; (Briggs & Stratton); L-HEAD				
2hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tiller				
1 Cyl.; (Briggs & Stratton); L-HEAD				
2hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Goodall				
Brush Cutter/Disc Mower				
	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Goodall				
Edger				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Lawn Mower				
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
	871 / RJ8C	841 / J8C	---	0.030in
Mower				
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Power Rake				
	871 / RJ8C	841 / J8C	---	0.030in
Thatcher				
	871 / RJ8C	841 / J8C	---	0.030in
Trimmer				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Vacuum				
	871 / RJ8C	841 / J8C	---	0.030in
Goossen				
Brush Cutter/Disc Mower				
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Honda)				
18hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4 Cyl.; Gas; (Wisconsin)				
35hp	541 / RD16	516 / D16	---	0.025in
Commercial Chipper				
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Honda)				
18hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4 Cyl.; Gas; (Wisconsin)				
35hp	541 / RD16	516 / D16	---	0.025in
Shredder				
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Honda)				
18hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4 Cyl.; Gas; (Wisconsin)				
35hp	541 / RD16	516 / D16	---	0.025in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Goossen					
Vacuum					
(Honda); OHV					
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
V2; (Honda)					
18hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
4 Cyl.; Gas; (Wisconsin)					
35hp	541 / RD16	516 / D16	---	0.025in	
Gorilla					
Aerator					
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3hp	871 / RJ8C	841 / J8C	---	0.030in	
3.5hp	871 / RJ8C	841 / J8C	---	0.030in	
Graham Paige					
Tiller					
B16					
	541 / RD16	514 / D14	---	0.030in	
B17					
	541 / RD16	514 / D14	---	0.030in	
Gran Prix					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Shredder					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Grass Craft					
Lawn Mower					
(Tecumseh)					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Grass Cut					
Lawn Mower					
	830 / RL86C	933-1 / QL86C	---	0.030in	
Grass Hound					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Grass Master					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Grass Wand					
Aerator					
(Kawasaki); OHV					
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Commercial Chipper					
(Kawasaki); OHV					
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Grass Wand					
Lawn Tractor					
(Kawasaki); OHV					
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Trimmer					
Trimmer; (Xenoah)					
	893 / RCJ4	849 / CJ6	852ECO	0.030in	
Vacuum					
(Kawasaki); OHV					
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Grasshopper					
Lawn Tractor					
(Briggs & Stratton); L-HEAD					
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kohler)					
12hp;K301S	854 / RH10C	844 / H10C	---	0.030in	
16hp;K341	854 / RH10C	844 / H10C	---	0.030in	
(Onan)					
20hp	909 / RS17YX	---	---	0.025in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
2 Cyl.; (Kohler); OHC					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
V2; (Kawasaki); OHV					
27hp	404 / RN12YC	38 / N12YC	322ECO	0.025in	
V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
27hp	71 / RC12YC	71 / RC12YC	71ECO	0.030in	
3 Cyl.; Gas; (Kubota)					
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
31hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
32hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
45.21cid\740cc; 3 Cyl.; Gas; (Kubota); OHV					
24.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Mower					
(Kohler); OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
V2; (Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
V2; (Kohler); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Aegis; V2; (Kohler); OHV					
27hp;LH750	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Command Pro; V2; (Kohler); OHV					
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Grasshopper					
Mower					
Command Pro; V2; (Kohler); OHV					
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Gravely					
Aerator					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki)					
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
(Kawasaki); OHV					
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
12hp	854 / RH10C	844 / H10C	---	0.030in	
14hp	854 / RH10C	844 / H10C	---	0.030in	
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
8hp	854 / RH10C	844 / H10C	---	0.030in	
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kohler); OHV					
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Robin); OHV					
13.5hp	415 / RN9YC	300 / N9YC	415ECO	0.025in	
4hp	104 / RN4C	803 / N4C	---	0.025in	
8.5hp	327 / RL87YC	934-1 / QL87YC	---	0.025in	
(Tecumseh); OHV					
12.5hp	104 / RN4C	803 / N4C	---	0.030in	
2 Cyl.; (Kawasaki); OHV					
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
23hp	854 / RH10C	844 / H10C	---	0.030in	
H2; (Briggs & Stratton); L-HEAD					
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
V2; (Kawasaki)					
20hp	840 / RCJ8	843 / CJ8	843ECO	0.025in	
V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
V2; (Robin); OHV					
18hp	415 / RN9YC	300 / N9YC	415ECO	0.025in	
20hp	415 / RN9YC	300 / N9YC	415ECO	0.025in	
20.5hp	415 / RN9YC	300 / N9YC	415ECO	0.025in	
22hp	415 / RN9YC	300 / N9YC	415ECO	0.025in	
25hp	415 / RN9YC	300 / N9YC	415ECO	0.025in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Gravely				
Aerator				
Vanguard; V2; (Briggs & Stratton)				
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
21hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
G Series; (Kohler)				
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
G Series; (Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
G Series; 2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
G Series; Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Pro Aire 27				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Commercial Chipper				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.030in
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
8hp	854 / RH10C	844 / H10C	---	0.030in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Robin); OHV				
13.5hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
4hp	104 / RN4C	803 / N4C	---	0.025in
8.5hp	327 / RL87YC	934-1 / QL87YC	---	0.025in
(Tecumseh); OHV				
12.5hp	104 / RN4C	803 / N4C	---	0.030in
2 Cyl.; (Kawasaki); OHV				
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
23hp	854 / RH10C	844 / H10C	---	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Gravely				
Commercial Chipper				
H2; (Briggs & Stratton); L-HEAD				
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kawasaki)				
20hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Robin); OHV				
18hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
20hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
20.5hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
22hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
25hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
Vanguard; V2; (Briggs & Stratton)				
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
21hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
G Series; (Kohler)				
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
G Series; (Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
G Series; 2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
G Series; Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
PRO CHIP 618R				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Lawn Mower				
(Kawasaki); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
15hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Command Pro; 4 Stroke; Horizontal; V2; LPG; (Kohler); OHV				
22hp;PCV680	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GVX-Series; (Honda)				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Model 24				
	871 / RJ8C	841 / J8C	---	0.025in
Pro 21 SCH; (Robin); OHV				
6hp	327 / RL87YC	934-1 / QL87YC	---	0.025in
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Gravely				
Lawn Tractor				
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.030in
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
8hp	854 / RH10C	844 / H10C	---	0.030in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Robin); OHV				
13.5hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
4hp	104 / RN4C	803 / N4C	---	0.025in
8.5hp	327 / RL87YC	934-1 / QL87YC	---	0.025in
(Tecumseh); OHV				
12.5hp	104 / RN4C	803 / N4C	---	0.030in
2 Cyl.; (Kawasaki); OHV				
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
23hp	854 / RH10C	844 / H10C	---	0.030in
H2; (Briggs & Stratton); L-HEAD				
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kawasaki)				
20hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Robin); OHV				
18hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
20hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
20.5hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
22hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
25hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.031in
Command Pro; V2; (Kohler); OHV				
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Gravely				
Lawn Tractor				
Command Pro; 4 Stroke; Horizontal; V2; LPG; (Kohler); OHV				
24hp;PCV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
21hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
G Series; (Kohler)				
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
G Series; (Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
G Series; 2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
G Series; Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
11.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Kawasaki)				
13hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
15hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
(Kawasaki); OHV				
25hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
2 Cyl.; (Kawasaki); OHV				
19hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
23hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
V2; (Kawasaki); OHV				
27hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
V2; (Kohler); OHV				
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; V2; (Kohler); OHV				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; V2; (Kohler); OHV				
28hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
30hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Commercial Turf Series; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;440000	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Gravely				
Mower				
Courage; V2; (Kohler); OHV				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage XT Series; 4 Stroke; Vertical; (Kohler); OHV				
4.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage; 4 Stroke; Vertical; 36.4cid\597cc; 1 Cyl.; (Kohler); OHV				
21hp;SV610	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage; 4 Stroke; Vertical; 44.2cid\725cc; V2; (Kohler); OHV				
23hp;SV720	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
5.5hp;GXV160	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Intek; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
K-Series; (Kohler)				
12.5hp	871 / RJ8C	841 / J8C	---	0.035in
Other older K-Series; (Kohler)				
	592 / RJ12C	511 / J11C	---	0.025in
Pre-1967; 1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	592 / RJ12C	511 / J11C	---	0.025in
12.5hp;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.030in
16hp;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.030in
18hp;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.030in
Quantum; (Briggs & Stratton); L-HEAD				
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vertical; (Kawasaki); OHV				
6hp;FJ180V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Vertical; V2; (Kawasaki); OHV				
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.031in
21.5hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.031in
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.031in
22.2hp;FS730V	405 / RN14YC	3405 / RN14PMC	---	0.031in
31hp;FX921V	405 / RN14YC	3405 / RN14PMC	---	0.031in
Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.031in
15.5hp;FX481V	405 / RN14YC	3405 / RN14PMC	---	0.031in
Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.031in
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.031in
Vertical; 52cid\852cc; V2; (Kawasaki); OHV				
24.5hp;FX751V	405 / RN14YC	3405 / RN14PMC	---	0.031in
Vertical; 61cid\999cc; V2; (Kawasaki); OHV				
35hp;FX1000V	322 / RN11YC4	302 / N11YC	322ECO	0.031in
Promaster 260Z				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Gravelly				
Utility Vehicle				
JSV-3000 996200; (Polaris)				
40hp	977 / RG6YC	---	---	0.030in
JSV-6000 996201; (Polaris)				
40hp	977 / RG6YC	---	---	0.030in
Vacuum				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.030in
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
8hp	854 / RH10C	844 / H10C	---	0.030in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Robin); OHV				
13.5hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
4hp	104 / RN4C	803 / N4C	---	0.025in
8.5hp	327 / RL87YC	934-1 / QL87YC	---	0.025in
(Tecumseh); OHV				
12.5hp	104 / RN4C	803 / N4C	---	0.030in
2 Cyl.; (Kawasaki); OHV				
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
23hp	854 / RH10C	844 / H10C	---	0.030in
H2; (Briggs & Stratton); L-HEAD				
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kawasaki)				
20hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Robin); OHV				
18hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
20hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
20.5hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
22hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
25hp	415 / RN9YC	300 / N9YC	415ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Gravelly				
Vacuum				
Vanguard; V2; (Briggs & Stratton)				
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
21hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
G Series; (Kohler)				
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
G Series; (Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
G Series; 2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
G Series; Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
PRO VAC 1050				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Walk Behind Rotary Mower				
32GR 988150; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
36GR 988151; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
48GR 988152; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Pro-Walk 36 988184; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Pro-Walk 48 988185; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Pro-Walk 52 988186; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Pro-Walk 60 988187; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Zero-Turn Mower				
Compact-Pro 34 991144; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
15.5hp;FX481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Compact-Pro 44 991145; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
19hp;FX600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Pro X 648; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Gravely					
Zero-Turn Mower					
Pro Z 700 KW 760-L; Vertical; 61cid\999cc; V2; (Kawasaki); OHV					
31hp;FX921V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
Pro Z 700 KW 760-S; Vertical; 61cid\999cc; V2; (Kawasaki); OHV					
31hp;FX921V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
Pro Z 700 KW 772-L; Vertical; 61cid\999cc; V2; (Kawasaki); OHV					
31hp;FX921V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
Pro-Stance 32 994157; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV					
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Pro-Stance 36 994149; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV					
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Pro-Stance 48 994150; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Pro-Stance 52 994151; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Pro-Stance 52 994152; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
26hp;FT730V-EFI	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Pro-Stance 60 994153; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Pro-Stance 60 994154; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
26hp;FT730V-EFI	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Pro-Turn 148 991128; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Pro-Turn 148 CARB 991137; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Pro-Turn 152 991129; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Pro-Turn 152 991132; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV					
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Pro-Turn 152 CARB 991138; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Gravely				
Zero-Turn Mower				
Pro-Turn 152 EFI 991135; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pro-Turn 160 991130; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Pro-Turn 160 991133; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pro-Turn 160 991140; Vertical; 824cc; V2; (Yamaha); OHV				
26hp;MX800V	415 / RN9YC	300 / N9YC	415ECO	0.030in
Pro-Turn 160 CARB 991139; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Pro-Turn 160 EFI 991136; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pro-Turn 252 992268; 4 Stroke; Vertical; 52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Pro-Turn 252 992294; Vertical; 50.3cid\824cc; V2; (Yamaha); OHV				
29hp;MX775V	415 / RN9YC	300 / N9YC	415ECO	0.030in
Pro-Turn 252 CARB 992291; Vertical; 50.3cid\824cc; V2; (Yamaha); OHV				
29hp;MX775V	415 / RN9YC	300 / N9YC	415ECO	0.030in
Pro-Turn 252 EFI 992271; Command Pro; Vertical; 50.3cid\824cc; V2; (Kohler); OHV				
29hp;ECV860	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
Pro-Turn 260 992267; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pro-Turn 260 992269; 4 Stroke; Vertical; 52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Pro-Turn 260 992296; Vertical; 50.3cid\824cc; V2; (Yamaha); OHV				
27.5hp;MX825V	415 / RN9YC	300 / N9YC	415ECO	0.030in
Pro-Turn 260 CARB 992292; Vertical; 50.3cid\824cc; V2; (Yamaha); OHV				
29hp;MX775V	415 / RN9YC	300 / N9YC	415ECO	0.030in
Pro-Turn 260 EFI 992272; Command Pro; Vertical; 50.3cid\824cc; V2; (Kohler); OHV				
29hp;ECV860	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
Pro-Turn 260 EFI 992281; Vertical; 50.3cid\824cc; V2; (Yamaha); OHV				
29hp;MX775V	415 / RN9YC	300 / N9YC	415ECO	0.030in
Pro-Turn 272 992270; Vertical; 61cid\999cc; V2; (Kawasaki); OHV				
31hp;FX921V	405 / RN14YC	3405 / RN14PMC	---	0.031in



Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Gravely					
Zero-Turn Mower					
Pro-Turn 272 992295; Vertical; 50.3cid\824cc; V2; (Yamaha); OHV					
27.5hp;MX825V	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Pro-Turn 272 CARB 992293; Vertical; 50.3cid\824cc; V2; (Yamaha); OHV					
27.5hp;MX825V	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Pro-Turn 452 992282; Vertical; 50.3cid\824cc; V2; (Yamaha); OHV					
29hp;MX775V	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Pro-Turn 452 EFI 992277; Command Pro; Vertical; 50.3cid\824cc; V2; (Kohler); OHV					
	810 / RA8HC	7972 / RA8PHP	---	0.030in	
Pro-Turn 452 EFI CARB 992289; Vertical; 50.3cid\824cc; V2; (Yamaha); OHV					
29hp;MX775V	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Pro-Turn 454 992273; 4 Stroke; Vertical; 52cid\852cc; V2; (Kawasaki); OHV					
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Pro-Turn 460 992274; Vertical; 61cid\999cc; V2; (Kawasaki); OHV					
31hp;FX921V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
Pro-Turn 460 992275; Vertical; 61cid\999cc; V2; (Kawasaki); OHV					
35hp;FX1000V	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Pro-Turn 460 EFI 992278; Command Pro; Vertical; 50.3cid\824cc; V2; (Kohler); OHV					
	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in	
Pro-Turn 460 EFI 992283; Vertical; 50.3cid\824cc; V2; (Yamaha); OHV					
27.5hp;MX825V	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Pro-Turn 460 EFI 992288; Vertical; 50.3cid\824cc; V2; (Yamaha); OHV					
27.5hp;MX825V	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Pro-Turn 472 992276; Vertical; 61cid\999cc; V2; (Kawasaki); OHV					
35hp;FX1000V	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Pro-Turn 472 EFI 992279; Command Pro; Vertical; 50.3cid\824cc; V2; (Kohler); OHV					
	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in	
Pro-Turn 472 EFI 992284; Vertical; 50.3cid\824cc; V2; (Yamaha); OHV					
27.5hp;MX825V	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Pro-Turn 472 EFI CARB 992290; Vertical; 50.3cid\824cc; V2; (Yamaha); OHV					
27.5hp;MX825V	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Pro-Turn Mach I 992297; Vertical; 61cid\999cc; V2; (Kawasaki); OHV					
31hp;FX921V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
Pro-Turn ZX 48 991230; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Gravely				
Zero-Turn Mower				
Pro-Turn ZX 52 991232; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Pro-Turn ZX 60 991234; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
ZT HD 44 991160; FR Series; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
21.5hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
ZT HD 48 991152; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZT HD 48 991152; 7000 Series; Vertical; Smart-Choke; 44.2cid\725cc; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZT HD 48 991162; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
ZT HD 52 991154; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZT HD 52 991154; 7000 Series; Vertical; Smart-Choke; 44.2cid\725cc; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZT HD 52 991164; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
ZT HD 60 991156; 4 Stroke; Vertical; 7000 Series; 45.6cid\747cc; V2; (Kohler); OHV				
26hp;KT745	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZT HD 60 991156; 7000 Series; Vertical; Smart-Choke; 44.3cid\726cc; V2; (Kohler); OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZT HD 60 991166; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
ZT X 52 915257; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
ZT X 60 915274; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
ZT XL 48 915261; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
ZT XL 52 915258; 7000 Series; Vertical; Smart-Choke; 44.2cid\725cc; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Gravely				
Zero-Turn Mower				
ZT XL 52 915263; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
ZT XL 60 915260; 7000 Series; Vertical; Smart-Choke; 45.6cid\747cc; V2; (Kohler); OHV				
26hp;KT745	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZT XL 60 915264; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Grazer				
Mower				
(Briggs & Stratton); L-HEAD				
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
(Kubota)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Briggs & Stratton); L-HEAD				
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
V2; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Great Dane				
Lawn Tractor				
(Kawasaki); L-HEAD				
12.5hp;FB460V	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
15hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kawasaki); OHV				
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kawasaki); OHV				
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Great Dane					
Lawn Tractor					
V2; (Kohler); OHV					
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
28hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Command Series; 4 Stroke; (Kohler); OHV					
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Green Acres					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Lawn Tractor					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Tiller					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Green Machine					
Blower/Vacuum/Water Sprayer					
(Xenoah)					
	871 / RJ8C	841 / J8C	---	0.030in	
2600					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
3000hb					
	860 / RDJ7J	850 / DJ7J	851ECO	0.030in	
4600					
	102 / RJ6C	825 / J4C	---	0.030in	
4600bp					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
4600K					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
4600LP					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
8000					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
9000					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Brush Cutter/Disc Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Edger					
1900e					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
1900EM					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
500e					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Hedge Trimmer					
2600					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Green Machine				
Hedge Trimmer				
2600h				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Lawn Mower				
(Robin); OHV				
6hp	830 / RL86C	933-1 / QL86C	---	0.025in
2100P				
	830 / RL86C	933-1 / QL86C	---	0.025in
2100SP				
	830 / RL86C	933-1 / QL86C	---	0.025in
Trimmer				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1600				
	860 / RDJ7J	850 / DJ7J	851ECO	0.030in
1700				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1730				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1800				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
1900				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1930				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
1930M				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1940				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
1940M				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2000				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2100				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2200				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2230				
	860 / RDJ7J	850 / DJ7J	851ECO	0.030in
2300 Series				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2400				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2400M3				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2500				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2500LP				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
2540LP				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
2800				
	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Green Machine				
Trimmer				
2840				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3000				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3000b				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3000j				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3000LP				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
3000M				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3000SS				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3040M				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3510				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3540				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3800LP				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
4000				
1/2in Reach Spark Plugs	830 / RL86C	933-1 / QL86C	---	0.030in
3/8in Reach Spark Plugs	840 / RCJ8	843 / CJ8	843ECO	0.030in
4000b				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
4000j				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
4000LP				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
4000M				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
4500				
1/2in Reach Spark Plugs	830 / RL86C	933-1 / QL86C	---	0.030in
3/8in Reach Spark Plugs	840 / RCJ8	843 / CJ8	843ECO	0.030in
4500LP				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
4800				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Green Team				
Lawn Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda)				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Green Team				
Mower				
(Honda)				
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Gregson-Clark				
Sprayer				
(Honda)				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Vacuum				
(Honda)				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Greyhound				
Log Splitter				
65761				
9hp	332 / RN7YC	315 / N6YC	332ECO	0.030in
66663				
9hp	332 / RN7YC	315 / N6YC	332ECO	0.030in
Trencher				
65162				
9hp	332 / RN7YC	315 / N6YC	332ECO	0.030in
Grillo				
Lawn Tractor				
(Honda); OHV				
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Command Series; 4 Stroke; (Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; V2; (Briggs & Stratton)				
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
9hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Sickle Bar				
(Honda); OHV				
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Command Series; 4 Stroke; (Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; V2; (Briggs & Stratton)				
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Grillo				
Sickle Bar				
Vanguard; V2; (Briggs & Stratton)				
9hp	431 / RC14YC	946 / QC12YC	71ECO	
Tiller				
(Honda); OHV				
5hp	322 / RN11YC4	302 / N11YC	322ECO	
1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	
Command Series; 4 Stroke; (Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	
Vanguard; V2; (Briggs & Stratton)				
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	
14hp	431 / RC14YC	946 / QC12YC	71ECO	
16hp	431 / RC14YC	946 / QC12YC	71ECO	
18hp	431 / RC14YC	946 / QC12YC	71ECO	
9hp	431 / RC14YC	946 / QC12YC	71ECO	
Grip				
Commercial Chipper				
	859 / RCJ7Y	853 / CJ7Y	843ECO	
Shredder				
	859 / RCJ7Y	853 / CJ7Y	843ECO	
Ground Hog				
Earth Drill				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	
(Chrysler)				
	830 / RL86C	933-1 / QL86C	---	
(Robin)				
EY18-3W	830 / RL86C	933-1 / QL86C	---	
Ground Logic				
Spreader				
Rover; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	
Rover RX; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	
Spreader/Sprayer				
Pathfinder; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
5.5hp;GX200	415 / RN9YC	300 / N9YC	415ECO	
Pathfinder XC; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
5.5hp;GX200	415 / RN9YC	300 / N9YC	415ECO	
VEN-12024-1; Horizontal; 24.65cid\404cc; 1 Cyl.; (Subaru); OHC				
14hp;EX40D	830 / RL86C	933-1 / QL86C	---	
VEN-22024-1; Horizontal; 24.65cid\404cc; 1 Cyl.; (Subaru); OHC				
14hp;EX40D	830 / RL86C	933-1 / QL86C	---	
Venture 220; Horizontal; 24.65cid\404cc; 1 Cyl.; (Subaru); OHC				
14hp;EX40	830 / RL86C	933-1 / QL86C	---	



Model/Engine	Standard Stk # / Plug Type	Alternate Stk # / Plug Type	Premium Stk #	Gap
Groundskeeper				
Commercial Chipper				
(Wisconsin)				
30hp	541 / RD16	516 / D16	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
23hp	854 / RH10C	844 / H10C	---	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Shredder				
(Wisconsin)				
30hp	541 / RD16	516 / D16	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
23hp	854 / RH10C	844 / H10C	---	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vacuum				
(Wisconsin)				
30hp	541 / RD16	516 / D16	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
23hp	854 / RH10C	844 / H10C	---	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Groundsman				
Aerator				
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Turf Multi Cutter				
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Grow Gear				
Edger				
(Tanaka)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Edger				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Trimmer				
(Tanaka)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Guin				
Deep Root Feeder				
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.030in

Model/Engine	Standard Stk # / Plug Type	Alternate Stk # / Plug Type	Premium Stk #	Gap
Gulf				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Haban				
Aerator				
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
5hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Mower				
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
5hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Thatcher				
(Tecumseh)				
2hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Tiller				
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
5hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Hagie				
Sprayer				
8240; 318cid; (Chrysler)				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Hahn				
Aerator				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
16hp	854 / RH10C	844 / H10C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Hahn				
Aerator				
(Kohler)				
8hp	854 / RH10C	844 / H10C	---	0.030in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Power Drag				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
16hp	854 / RH10C	844 / H10C	---	0.030in
8hp	854 / RH10C	844 / H10C	---	0.030in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Power Rake				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
16hp	854 / RH10C	844 / H10C	---	0.030in
8hp	854 / RH10C	844 / H10C	---	0.030in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Sprayer				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
16hp	854 / RH10C	844 / H10C	---	0.030in
8hp	854 / RH10C	844 / H10C	---	0.030in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Haka Boy				
Tiller				
	509 / D9	---	---	0.030in
Hako				
Power Head				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Hamlin				
Turf Equipment				
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.030in
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
Hannibal				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Hardi				
Sprayer				
(Honda); OHV				
3.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Hardi					
Sprayer					
(Honda); OHV					
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Harley Davidson					
UTV					
Utilicar DC; (Harley-Davidson)					
	404 / RN12YC	38 / N12YC	322ECO	0.040in	
Utilicar GE; (Harley-Davidson)					
	854 / RH10C	844 / H10C	---	0.025in	
Harry					
Lawn Mower					
(Honda)					
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
(Honda); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki); OHV					
6hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Tecumseh)					
3.5hp	871 / RJ8C	841 / J8C	---	0.030in	
5hp	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
4.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Hasty Vac					
Vacuum					
(Honda)					
6.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
8hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Haulzall					
Utility Vehicle					
(Honda); OHV					
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Haynes				
Drill				
Little Beaver; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Little Beaver; (Kohler)				
	871 / RJ8C	841 / J8C	---	0.030in
Little Beaver; (Robin)				
EY18-3W	830 / RL86C	933-1 / QL86C	---	0.030in
Little Beaver; 10.191cid\167cc; (Clinton)				
498	871 / RJ8C	841 / J8C	---	0.025in
Heald				
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.025in
Heckendorn				
Mower				
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
	854 / RH10C	844 / H10C	---	0.030in
(Kubota)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Wisconsin)				
	541 / RD16	516 / D16	---	0.035in
30hp	123 / RN5C	120 / N5C	---	0.035in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
67cid; (Ford)				
	415 / RN9YC	300 / N9YC	415ECO	0.035in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Stump Grinder				
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kubota)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Robin)				
7.5hp	327 / RL87YC	934-1 / QL87YC	---	0.025in
Hefty				
Garden Tractor				
A-616; (Briggs & Stratton)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Henderson				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Henke				
Shredder				
(Wisconsin)				
30hp	541 / RD16	516 / D16	---	0.025in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Hero				
Airless Sprayer				
(Honda); OHV				
4hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
Hesston				
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
	854 / RH10C	844 / H10C	---	0.030in
High Wheel Champ				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Hi-Way				
Vacuum				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Wisconsin)				
30hp	541 / RD16	516 / D16	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
HMC				
Drill				
Earth Drill; (Zenoah)				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Hodges				
Commercial Chipper				
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Hodges				
Commercial Chipper				
(Kohler)				
8hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Tecumseh)				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Log Splitter				
(Kohler)				
16hp	854 / RH10C	844 / H10C	---	0.030in
8hp	854 / RH10C	844 / H10C	---	0.030in
Shredder				
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
8hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Tecumseh)				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Stump Grinder				
(Kohler)				
16hp	854 / RH10C	844 / H10C	---	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
23hp	854 / RH10C	844 / H10C	---	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Hoffco				
Earth/Ice Drill				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda)				
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Hoffco					
Earth/Ice Drill					
(Power Products)					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
(Tecumseh)					
2hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Hydra Drill; (Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
PH1100					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
PH1700-A					
	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
PH2000E; (Tecumseh)					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
PH490					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
PH5000; (Honda)					
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
PH973					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
PH977					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
PH980					
	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
Edger/Trimmer					
GT21					
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in	
JP220F					
	893 / RCJ4	849 / CJ6	852ECO	0.030in	
WT250C					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
WT250F					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Power Product Engine)					
	871 / RJ8C	841 / J8C	---	0.030in	
(Robin)					
	893 / RCJ4	849 / CJ6	852ECO	0.030in	
Tiller					
1493					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
6830-16					
	592 / RJ12C	511 / J11C	---	0.030in	
Aladdin; (Fuji)					
	893 / RCJ4	849 / CJ6	852ECO	0.030in	
B16 Little Hoe					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
Big Li'l Hoe					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Hoffco				
Tiller				
BP550				
	592 / RJ12C	511 / J11C	---	0.030in
Crittter				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
EC01R				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
EC02R				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
EC03				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
F2/2				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
G1AH				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
GTX-R; (Genie)				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
H1AH				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
HB220				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
HB250				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
HD				
	538 / RH8C	587 / H8C	---	0.030in
Li'l Hoe				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
MP633				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
P Series AV250				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
P1A				
	871 / RJ8C	841 / J8C	---	0.030in
Power Scythe				
	871 / RJ8C	841 / J8C	---	0.030in
Sickle Bar; (Fuji)				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Whiz Witch				
	871 / RJ8C	841 / J8C	---	0.030in
Trimmer				
GT211A				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
JP260A				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
JP260C				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
JP300B				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
JP300C				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
JP300F				
	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Hoffco				
Trimmer				
JP390A				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
JP390C				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
JP390F				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
SE301				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
SE301F				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
WW88				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
XL				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Home Pro				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Homelite-Jacobsen				
Blower/Vacuum/Water Sprayer				
111B				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
111B1 Ventilating Blower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
180				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
180V				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
290				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
380				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
480				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
680				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
BP250				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
BX90				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
D25MHV				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
D30MHA				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
D30MHV				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
HB100				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Homelite-Jacobsen				
Blower/Vacuum/Water Sprayer				
HB180VGK				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
HB280				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
HB390				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
HV390V				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
PBP3000				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Edger				
E200				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
E300HD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
E50-2				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
Hedge Trimmer				
19				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
21				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
22				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
23				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
HT17				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
HT18				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
HX16				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
PHP3000				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
HCM20				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
HCM20P5				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
HCM20P5G				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
HDS20V				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
HSB21				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
HSB21P5				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
HSB21P5EG				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Homelite-Jacobsen				
Lawn Mower				
HSC20-2				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
HSD20				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
HSD20-2				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
HSD20P-2				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
HSD20P5				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
Lawn Tractor				
(Briggs & Stratton)				
with 14mm Diameter Threads	840 / RCJ8	---	---	0.025in
(Briggs & Stratton); L-HEAD				
with 14mm Diameter Threads	843 / CJ8	---	843ECO	0.025in
RE1030E				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
RE1230E				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
RE830				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
RE830E				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Pre-1967; (Kohler)				
	854 / RH10C	844 / H10C	---	0.025in
M26				
	592 / RJ12C	511 / J11C	---	0.025in
MSB21				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
MSB21P5				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
SXL				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
Yard Trac				
	592 / RJ12C	511 / J11C	---	0.030in
Tiller				
FT5				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
HTC12				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
MTC12				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
RT5				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Trimmer				
100				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Homelite-Jacobsen				
Trimmer				
120				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
155				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
16				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
160A				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
165				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
175				
	860 / RDJ7J	850 / DJ7J	851ECO	0.030in
175BC				
	860 / RDJ7J	850 / DJ7J	851ECO	0.030in
18				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
200				
	860 / RDJ7J	850 / DJ7J	851ECO	0.030in
24				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
260				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
275				
	860 / RDJ7J	850 / DJ7J	851ECO	0.030in
28				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
285BC				
	860 / RDJ7J	850 / DJ7J	851ECO	0.030in
30				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
310				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
33				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
38				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
40				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
485				
	860 / RDJ7J	850 / DJ7J	851ECO	0.030in
90				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
D630CD				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
D730CDV				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
D830CA				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
D830CB				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
D830CD				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Homelite-Jacobsen				
Trimmer				
D830SB				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
D830SBA				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
D830SD				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
HBC18				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
HBC28				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
HK18				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
HLT15				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
HPW1200B				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PBC3600				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
PBC3800				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
PBC40000				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
PLT3200				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
PLT3400				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
PSE3000				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
ST150				
	860 / RDJ7J	850 / DJ7J	851ECO	0.030in
ST160				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
ST175G				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
ST185BC				
	860 / RDJ7J	850 / DJ7J	851ECO	0.030in
ST385				
	860 / RDJ7J	850 / DJ7J	851ECO	0.030in
ST385BC				
	860 / RDJ7J	850 / DJ7J	851ECO	0.030in
ST400				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
ST80				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
SX135				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
XLBC4				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Z25EHV				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
Z625CDV				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Homelite-Jacobsen					
Trimmer					
Z625SD					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
Z725CB					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
Z725CDV					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
Z725CEA					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
Z725SE					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
Z830SB					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
Z830SBA					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
Z885SD					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
ZR Series: Z625CD					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
ZR Series: Z725CA					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
ZR Series: Z725CE					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
ZR Series: Z825SD					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
Homemaster					
Sweeper					
	871 / RJ8C	841 / J8C	---	0.030in	
Homesteader					
Lawn Tractor					
(Kohler)					
16hp	854 / RH10C	844 / H10C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Homko					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Honda					
Brush Cutter/Disc Mower					
PS260S PaiceSetter; 4 Stroke; 1.5cid\25cc; 1 Cyl.; OHC					
GX25	965 / RZ7C	---	---	0.030in	
Commercial Chipper					
GXV-Series; 4 Stroke; Vertical; 23.7cid\389cc; 1 Cyl.; OHV					
13hp;GXV390T1	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Edger					
HH31C					
	808 / Z9Y	705 / P-RZ9HC	---	0.030in	
HHE31CA					
	808 / Z9Y	705 / P-RZ9HC	---	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
Hovering Lawn Mower				
Flymo XL500; GCV-Series; 4 Stroke; Vertical; 9.8cid\160cc; 1 Cyl.; OHC				
4.5hp;GCV160E	415 / RN9YC	300 / N9YC	415ECO	0.030in
Lawn Mower				
2.4hp	846 / CJ14	---	846ECO	0.030in
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
3.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HR17				
	846 / CJ14	---	846ECO	0.030in
HR173				
	846 / CJ14	---	846ECO	0.030in
HR194				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HR195				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HR21				
CDI;From Serial No. 2029059	863 / RCJ8Y	848 / CJ8Y	843ECO	0.038in
Standard;Over Serial No. 2029059	840 / RCJ8	843 / CJ8	843ECO	0.030in
Standard;To Serial No. 2029058	929 / RL95YC	806 / L92YC	---	0.030in
HR214				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HR215				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HR215K1HMA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HR215K1HXA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HR215K1SXA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HR216				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HR216C				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HRA214				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HRA215				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRA216				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HRB215				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRB215HXA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRB215PXA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRB215SDA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
Lawn Mower				
HRB215SXA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRB217HXA				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HRB217TDA				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HRC215K1PDA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRC215K1SDA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRC216K1HXA				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HRC216K1SXA				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HRM195PA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRM215				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRM215HXA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRM215K1				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRM215K2				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRM215PDA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRM215PXA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRM215SDA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRM215SXA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRR216DPA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRR216K2PDA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRR216K2SDA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRR216K2TDA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRR216S3DA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRR216SDA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRR216VXA; GCV-Series; 4 Stroke; Vertical; 9.8cid160cc; 1 Cyl.; OHC				
4.4hp;GCV160	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HRS216K2PDA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRS216K2SDA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
Lawn Mower				
HRS216PDA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRS216SDA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRT216K2TDA				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HRT216S3DA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRT216SDA				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
HRX217HMA				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HRX217HXA; GCV-Series; 4 Stroke; Vertical; 11.4cid\187cc; 1 Cyl.; OHC				
5.1hp;GCV190	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HRX217TDA				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HRX217VKA; GCV-Series; 4 Stroke; Vertical; 11.4cid\187cc; 1 Cyl.; OHC				
5.1hp;GCV190	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HRZ216TDA				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HS1132TA/TAS				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Lawn Tractor				
OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2				
18hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GXV-Series; 4 Stroke; Vertical; 20.6cid\337cc; 1 Cyl.; LPG; OHV				
11hp;GXV340	322 / RN11YC4	302 / N11YC	322ECO	0.030in
H1011HSA				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
H1011RSA				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
H1011SA				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
H2013HDA; GXV-Series; 4 Stroke; Vertical; 23.7cid\389cc; 1 Cyl.; OHV				
13hp;GXV390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
H2013HSA				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
H2013SDA				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
H2113GDA; GXV-Series; 4 Stroke; Vertical; 23.7cid\389cc; 1 Cyl.; OHV				
13hp;GXV390	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
Lawn Tractor				
H2113HDA				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
H2113SDA				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
H3011				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
H3013H				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
H4013				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
H4118HDA				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
H4120HDA				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
H4514H; GX-Series; 4 Stroke; Horizontal; Liquid Cooled; 21.9cid\359cc; 2 Cyl.; OHC				
13hp;GX360K1	929 / RL95YC	---	---	0.030in
H4514HSA				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
H4518H				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
H4518HSA				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
H5013; GX-Series; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; OHV				
13hp;GX390;A2D, A4D, AC2A, B;AC4A, B	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp;GX390;A4A, B, C; A2A, B, C	322 / RN11YC4	302 / N11YC	322ECO	0.043in
13hp;GX390K1;A2A, B, C;A4A, B, C; A2A, B, C	322 / RN11YC4	---	---	0.043in
13hp;GX390K1;A2D, A4D, AC2A, B;AC4A, B	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp;GX390K1;A4A, B, C; A2A, B, C	302 / N11YC	---	322ECO	0.043in
H5518; 4 Stroke; Horizontal; Liquid Cooled; 38.7cid\635cc; V2; OHC				
19.7hp;GX640	322 / RN11YC4	302 / N11YC	322ECO	0.030in
H5518H; 4 Stroke; Horizontal; 38.7cid\635cc; V2; OHC				
19.7hp;GX640	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HA4118H38A; GXV-Series; 4 Stroke; Vertical; 37.5cid\614cc; V2; Gas; OHV				
18hp;GXV610	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HA4120H48A; GXV-Series; 4 Stroke; Vertical; 37.5cid\614cc; V2; OHV				
18hp;GXV620	322 / RN11YC4	---	322ECO	0.030in
HF2114H; GCV-Series; 4 Stroke; Vertical; 32.3cid\530cc; V2; OHC				
14hp;GCV520	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
HF2114S; GCV-Series; 4 Stroke; Vertical; 32.3cid\530cc; V2; OHC				
14hp;GCV520	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
Lawn Tractor				
HF2213; GXV-Series; 4 Stroke; Vertical; 23.7cid\389cc; 1 Cyl.; OHV				
13hp;GXV390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HF2218; GXV-Series; 4 Stroke; Vertical; 37.5cid\614cc; V2; LPG; OHV				
18hp;GXV610	322 / RN11YC4	---	322ECO	0.030in
HF2315; GCV-Series; 4 Stroke; Vertical; 32.3cid\530cc; V2; OHC				
14hp;GCV520	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
HF2315HM; GCV-Series; 4 Stroke; Vertical; 32.3cid\530cc; V2; OHC				
14hp;GCV520	322 / RN11YC4	---	322ECO	0.030in
HF2315HME; GCV-Series; 4 Stroke; Vertical; 32.3cid\530cc; V2; OHC				
14hp;GCV520	322 / RN11YC4	---	322ECO	0.030in
HF2315SB; GCV-Series; 4 Stroke; Vertical; 32.3cid\530cc; V2; OHC				
14hp;GCV520	322 / RN11YC4	---	322ECO	0.030in
HF2315SBE; GCV-Series; 4 Stroke; Vertical; 32.3cid\530cc; V2; OHC				
14hp;GCV520	322 / RN11YC4	---	322ECO	0.030in
HF2415SBE; GCV-Series; 4 Stroke; Vertical; 32.3cid\530cc; V2; OHC				
14hp;GCV520	322 / RN11YC4	---	322ECO	0.030in
HF2417; GCV-Series; 4 Stroke; Vertical; 32.3cid\530cc; V2; OHC				
16hp;GCV530	322 / RN11YC4	---	322ECO	0.030in
HF2417HB; GCV-Series; 4 Stroke; Vertical; 32.3cid\530cc; V2; OHC				
16hp;GCV530	322 / RN11YC4	---	322ECO	0.030in
HF2417HM; GCV-Series; 4 Stroke; Vertical; 32.3cid\530cc; V2; OHC				
16hp;GCV530	322 / RN11YC4	---	322ECO	0.030in
HF2417HME; GCV-Series; 4 Stroke; Vertical; 32.3cid\530cc; V2; OHC				
16hp;GCV530	322 / RN11YC4	---	322ECO	0.030in
HF2417HT; GCV-Series; 4 Stroke; Vertical; 32.3cid\530cc; V2; OHC				
16hp;GCV530	322 / RN11YC4	---	322ECO	0.030in
HF2417HTE; GCV-Series; 4 Stroke; Vertical; 32.3cid\530cc; V2; OHC				
16hp;GCV530	322 / RN11YC4	---	322ECO	0.030in
HF2620HME; GXV-Series; 4 Stroke; Vertical; 37.5cid\614cc; V2; OHV				
20hp;GXV620	415 / RN9YC	---	---	0.030in
HF2620HTE; GXV-Series; 4 Stroke; Vertical; 37.5cid\614cc; V2; OHV				
20hp;GXV620	415 / RN9YC	---	---	0.030in
HF2622; GXV-Series; 4 Stroke; Vertical; 41.97cid\688cc; V2; OHV				
21.5hp;GXV660	71 / RC12YC	---	---	0.030in
HF2622HM; GXV-Series; 4 Stroke; Vertical; 41.97cid\688cc; V2; OHV				
21.5hp;GXV660	71 / RC12YC	---	---	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
Lawn Tractor				
HF2622HT; GXV-Series; 4 Stroke; Vertical; 41.97cid\688cc; V2; OHV				
21.5hp;GXV660	71 / RC12YC	---	---	0.030in
HR4013SA				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HRC217TDA				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HRC7013				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HRC7018				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HRC7020				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HRC7113TXA				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HT3810				
	846 / CJ14	---	846ECO	0.030in
HTR3009				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HTR3811				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
RT5000; GX-Series; 4 Stroke; Horizontal; 20.6cid\337cc; 1 Cyl.; OHV				
11hp;GX340	322 / RN11YC4	302 / N11YC	322ECO	0.043in
Leaf Blower				
HHB25; 4 Stroke; 1.5cid\25.0cc; 1 Cyl.; OHC				
	965 / RZ7C	---	---	0.030in
Mower				
GCV-Series; 4 Stroke; Vertical; 8.2cid\135cc; 1 Cyl.; OHC				
4.5hp;GCV135	415 / RN9YC	300 / N9YC	415ECO	0.030in
G-Series; 4 Stroke; L-HEAD				
2.5hp;G100K1	846 / CJ14	---	846ECO	0.026in
GX-Series; 4 Stroke; Horizontal; OHV				
3.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Power Head				
UMC425E; 4 Stroke; 1.53cid\25cc; 1 Cyl.; OHC				
1.0hp;GX25T	965 / RZ7C	---	---	0.026in
UMC425U; 4 Stroke; 1.53cid\25cc; 1 Cyl.; OHC				
1.0hp;GX25T	965 / RZ7C	---	---	0.026in
UMC435E; 4 Stroke; 2.20cid\35.8cc; 1 Cyl.; OHC				
GX35T	965 / RZ7C	---	---	0.030in
UMC435U; 4 Stroke; 2.20cid\35.8cc; 1 Cyl.; OHC				
GX35T	965 / RZ7C	---	---	0.030in
UMK435E1; 4 Stroke; 2.20cid\35.8cc; 1 Cyl.; OHC				
GX35T	965 / RZ7C	---	---	0.030in
Rear Engine Rider Mower				
H1011H; GXV-Series; 4 Stroke; Vertical; 20.6cid\337cc; 1 Cyl.; Gas; OHV				
11hp;GXV340 K1	322 / RN11YC4	---	322ECO	0.030in
H1011R; GXV-Series; 4 Stroke; Vertical; 20.6cid\337cc; 1 Cyl.; Gas; OHV				
11hp;GXV340 K1	322 / RN11YC4	---	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
Rear Engine Rider Mower				
H1011S; GXV-Series; 4 Stroke; Vertical; 20.6cid\337cc; 1 Cyl.; Gas; OHV				
11hp;GXV340 K1	322 / RN11YC4	---	322ECO	0.030in
HF1211; GXV-Series; 4 Stroke; Vertical; 20.6cid\337cc; 1 Cyl.; OHV				
11hp;GXV340;15.9 ft.-lb. Torque	322 / RN11YC4	---	322ECO	0.030in
HF1211H; GXV-Series; 4 Stroke; Vertical; 20.6cid\337cc; 1 Cyl.; OHV				
11hp;GXV340;15.9 ft.-lb. Torque	322 / RN11YC4	---	322ECO	0.030in
Stump Grinder				
SG11; 4 Stroke; 20.6cid\337cc; 1 Cyl.; OHV				
11hp;GX340	415 / RN9YC	300 / N9YC	415ECO	0.030in
SG13A; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; OHV				
13hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
SG13B; 4 Stroke; 20.6cid\337cc; 1 Cyl.; OHV				
13hp;GX340	415 / RN9YC	300 / N9YC	415ECO	0.030in
Tiller				
F200				
	846 / CJ14	---	846ECO	0.030in
F210				
	846 / CJ14	---	846ECO	0.030in
F220				
	808 / Z9Y	705 / P-RZ9HC	---	0.030in
F28				
	808 / Z9Y	705 / P-RZ9HC	---	0.030in
F300; 4 Stroke; 8.8cid\144cc; 1 Cyl.; L-HEAD				
3.5hp;G150	929 / RL95YC	---	---	0.039in
F400				
	830 / RL86C	933-1 / QL86C	---	0.030in
F401A				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
F401A2				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
F401AD				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
F401K1				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
F401K2				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
F450; 4 Stroke; 8.8cid\144cc; 1 Cyl.; L-HEAD				
3.5hp;G150	929 / RL95YC	---	---	0.039in
F501; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
4.8hp;GX160K1J	404 / RN12YC	38 / N12YC	332ECO	0.030in
F501A1				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
F501A2				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
F501-GE; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
4.8hp;GX160K1J	404 / RN12YC	38 / N12YC	332ECO	0.030in
F501-HE; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
4.8hp;GX160K1J	404 / RN12YC	38 / N12YC	332ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
Tiller				
F501K1				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
F501K2				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
F501K2A1				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
F506; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
4.8hp;GX160	404 / RN12YC	38 / N12YC	332ECO	0.030in
F510; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
4.8hp;GX160	404 / RN12YC	38 / N12YC	332ECO	0.030in
F560; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
4.8hp;GX160	404 / RN12YC	38 / N12YC	332ECO	0.030in
F720; 4 Stroke; Horizontal; 12cid\196cc; 1 Cyl.; OHV				
5.5hp;GX200	404 / RN12YC	38 / N12YC	332ECO	0.030in
F810; 4 Stroke; Horizontal; 14.8cid\242cc; 1 Cyl.; OHV				
8hp;GX240	404 / RN12YC	38 / N12YC	332ECO	0.030in
FC600; GX-Series; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
5.5hp;GX160K1	322 / RN11YC4	302 / N11YC	322ECO	0.030in
FE500; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
4.8hp;GX160K1J	404 / RN12YC	38 / N12YC	332ECO	0.030in
FE500-EI; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
4.8hp;GX160K1J	404 / RN12YC	38 / N12YC	332ECO	0.030in
FE500-EIT; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
4.8hp;GX160K1J	404 / RN12YC	38 / N12YC	332ECO	0.030in
FF300; 4 Stroke; Vertical; 3.5cid\57.3cc; 1 Cyl.; OHV				
2hp;GXV57;2.4 ft.-lb. Torque	808 / Z9Y	705 / P-RZ9HC	---	
FF500; 4 Stroke; Vertical; 9.8cid\160cc; 1 Cyl.; OHC				
4.4hp;GCV160	404 / RN12YC	38 / N12YC	332ECO	0.030in
FG100; 4 Stroke; 1.9cid\31cc; 1 Cyl.; OHC				
GX31	808 / Z9Y	705 / P-RZ9HC	---	0.028in
FG100 Mini-Tiller				
	808 / Z9Y	705 / P-RZ9HC	---	0.030in
FG110; 4 Stroke; 1.53cid\25cc; 1 Cyl.; OHC				
1.0hp;GX25	965 / RZ7C	---	---	0.026in
FG110K1; 4 Stroke; 1.53cid\25cc; 1 Cyl.; OHC				
1.0hp;GX25	965 / RZ7C	---	---	0.026in
FG201; 4 Stroke; Vertical; 3.01cid\49.4cc; 1 Cyl.; OHV				
2.1hp;GXV50T	808 / Z9Y	705 / P-RZ9HC	---	0.026in
FG201K1; 4 Stroke; Vertical; 3.01cid\49.4cc; 1 Cyl.; OHV				
2.1hp;GXV50T	808 / Z9Y	705 / P-RZ9HC	---	0.026in
FG400; 4 Stroke; Horizontal; 8.2cid\135cc; 1 Cyl.; OHC				
4hp;GC135	415 / RN9YC	300 / N9YC	415ECO	0.030in
FG400A1				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
FG400-A1; 4 Stroke; Horizontal; 8.2cid\135cc; 1 Cyl.; OHC				
4hp;GC135	415 / RN9YC	300 / N9YC	415ECO	0.030in
FG500; 4 Stroke; Horizontal; 9.8cid\160cc; 1 Cyl.; OHC				
4.6hp;GC160	415 / RN9YC	300 / N9YC	415ECO	0.030in
FG500A1				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
Tiller				
FG500-A1; 4 Stroke; Horizontal; 9.8cid\160cc; 1 Cyl.; OHC				
4.6hp;GC160	415 / RN9YC	300 / N9YC	415ECO	0.030in
FG500-A2; 4 Stroke; Horizontal; 9.8cid\160cc; 1 Cyl.; OHC				
4.6hp;GC160	415 / RN9YC	300 / N9YC	415ECO	0.030in
FJ500; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
4.8hp;GX160	404 / RN12YC	38 / N12YC	332ECO	0.030in
FJ500-DE; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
4.8hp;GX160	404 / RN12YC	38 / N12YC	332ECO	0.030in
FJ500-DER; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
4.8hp;GX160	404 / RN12YC	38 / N12YC	332ECO	0.030in
FJ500-SE; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
4.8hp;GX160	404 / RN12YC	38 / N12YC	332ECO	0.030in
FJ500-SER; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
4.8hp;GX160	404 / RN12YC	38 / N12YC	332ECO	0.030in
FQ650; 4 Stroke; 11.4cid\196cc; 1 Cyl.; OHV				
5.6hp;GP200	415 / RN9YC	300 / N9YC	415ECO	0.030in
FR500; 4 Stroke; 12cid\197cc; 1 Cyl.; L-HEAD				
5hp;G200	929 / RL95YC	---	---	0.026in
FR600				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
FR600; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
5.5hp;GX160K1	415 / RN9YC	300 / N9YC	415ECO	0.030in
FR650				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
FR650; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
5.5hp;GX160K1	404 / RN12YC	38 / N12YC	332ECO	0.030in
FR700; 4 Stroke; 16.6cid\272cc; 1 Cyl.; L-HEAD				
7hp;G300	929 / RL95YC	---	---	0.026in
FR750				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
FR750; GX-Series; 4 Stroke; Horizontal; 12cid\196cc; 1 Cyl.; OHV				
5.5hp;GX200	404 / RN12YC	38 / N12YC	332ECO	0.030in
FR800				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
FR800; 4 Stroke; Horizontal; 14.8cid\242cc; 1 Cyl.; OHV				
8hp;GX240K1	415 / RN9YC	300 / N9YC	415ECO	0.030in
FRC800; GX-Series; 4 Stroke; Horizontal; 14.8cid\242cc; 1 Cyl.; OHV				
8hp;GX240K1	322 / RN11YC4	302 / N11YC	322ECO	0.030in
FRC800; GX-Series; 4 Stroke; Horizontal; 16.5cid\270cc; 1 Cyl.; OHV				
7.9hp;GX240T	415 / RN9YC	300 / N9YC	415ECO	0.030in
Trimmer				
HHH25D; 4 Stroke; 1.53cid\25cc; 1 Cyl.; OHC				
1.0hp;GX25T	965 / RZ7C	---	---	0.026in
HHH25S; 4 Stroke; 1.53cid\25cc; 1 Cyl.; OHC				
1.0hp;GX25T	965 / RZ7C	---	---	0.026in
HHT25S; 4 Stroke; 1.5cid\25cc; 1 Cyl.; OHC				
GX25	965 / RZ7C	---	---	0.030in
HHT25SLTA				
	808 / Z9Y	705 / P-RZ9HC	---	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
Trimmer				
HHT31S				
	808 / Z9Y	705 / P-RZ9HC	---	0.030in
HHT31TA				
	808 / Z9Y	705 / P-RZ9HC	---	0.030in
HHT35S; 4 Stroke; 2.20cid\35.8cc; 1 Cyl.; OHC				
GX35	965 / RZ7C	---	---	0.030in
HHT35SLTA; 4 Stroke; 2.20cid\35.8cc; 1 Cyl.; OHC				
GX35	965 / RZ7C	---	---	0.030in
HHT35SUKAT; 4 Stroke; 2.20cid\35.8cc; 1 Cyl.; OHC				
GX35	965 / RZ7C	---	---	0.030in
HHTUMK25				
	808 / Z9Y	705 / P-RZ9HC	---	0.030in
ULT425; 4 Stroke; 1.53cid\25cc; 1 Cyl.; OHC				
1.0hp;GX25	965 / RZ7C	---	---	0.026in
UMK422; 4 Stroke; 1.3cid\22cc; 1 Cyl.; OHC				
GX22	808 / Z9Y	705 / P-RZ9HC	---	0.028in
UMK422LNA				
	808 / Z9Y	705 / P-RZ9HC	---	0.030in
UMK422LTA				
	808 / Z9Y	705 / P-RZ9HC	---	0.030in
UMK425; 4 Stroke; 1.53cid\25cc; 1 Cyl.; OHC				
1.0hp;GX25	965 / RZ7C	---	---	0.026in
UMK425E; 4 Stroke; 1.5cid\25cc; 1 Cyl.; OHC				
GX25	965 / RZ7C	---	---	0.030in
UMK425E1; 4 Stroke; 1.53cid\25cc; 1 Cyl.; OHC				
1.0hp;GX25T	965 / RZ7C	---	---	0.026in
UMK431; 4 Stroke; 1.9cid\31cc; 1 Cyl.; OHC				
GX31	808 / Z9Y	---	---	0.028in
UMK431LNA				
	808 / Z9Y	705 / P-RZ9HC	---	0.030in
UMK431LTA				
	808 / Z9Y	705 / P-RZ9HC	---	0.030in
UMK431UNA				
	808 / Z9Y	705 / P-RZ9HC	---	0.030in
UMK431UNBA				
	808 / Z9Y	705 / P-RZ9HC	---	0.030in
UMK435E; 4 Stroke; 2.20cid\35.8cc; 1 Cyl.; OHC				
GX35	965 / RZ7C	---	---	0.030in
UMK450T; 4 Stroke; 2.92cid\47.9cc; 1 Cyl.; OHC				
2.0hp;GX50T	965 / RZ7C	---	---	0.026in
UMS425E; 4 Stroke; 1.53cid\25cc; 1 Cyl.; OHC				
1.0hp;GX25	965 / RZ7C	---	---	0.026in
UMS425U; 4 Stroke; 1.53cid\25cc; 1 Cyl.; OHC				
1.0hp;GX25	965 / RZ7C	---	---	0.026in
Walk Behind Rotary Mower				
AS654T; GSV-Series; Vertical; 11.4cid\187cc; 1 Cyl.; OHV				
5.1hp;GSV190	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
HRB215PDA; GXV-Series; 4 Stroke; Vertical; 8.2cid\135cc; 1 Cyl.; OHV				
5hp;GXV140K1	322 / RN11YC4	---	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
Walk Behind Rotary Mower				
HRB216TDA; GCV-Series; 4 Stroke; Vertical; 9.8cid\160cc; 1 Cyl.; OHC				
4.4hp;GCV160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
HRR216PDA; GCV-Series; 4 Stroke; Vertical; 9.8cid\160cc; 1 Cyl.; OHC				
4.4hp;GCV160	322 / RN11YC4	415 / RN9YC	322ECO	0.030in
HRR216VKA; GCV-Series; 4 Stroke; Vertical; 9.8cid\160cc; 1 Cyl.; OHC				
4.4hp;GCV160	322 / RN11YC4	---	322ECO	0.030in
HRT216PDA; GCV-Series; 4 Stroke; Vertical; 9.8cid\160cc; 1 Cyl.; OHC				
4.4hp;GCV160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
HRU196K1				
	404 / RN12YC	3405 / RN14PMC	---	0.030in
HRU196M1				
	404 / RN12YC	3405 / RN14PMC	---	0.030in
HRU216K2				
	404 / RN12YC	3405 / RN14PMC	---	0.030in
HRU216M2				
	404 / RN12YC	3405 / RN14PMC	---	0.030in
Houchin-Ruhmann				
Edger				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Howard Price Turf Equipment				
Mower				
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1.1L; (Ford)				
	304 / RS9YC	3401 / RS10PYC4	---	0.035in
1.3L; (Ford)				
	304 / RS9YC	3401 / RS10PYC4	---	0.035in
GX-Series; 4 Stroke; Horizontal; V2; (Honda); OHV				
24hp;GX670U1	404 / RN12YC	---	---	0.028in
Vertical; V2; (Kawasaki); OHV				
23hp;FH680V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV				
25hp;FH721V	405 / RN14YC	3405 / RN14PMC	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Howard Rotavator					
Tiller					
(Clinton)					
	871 / RJ8C	841 / J8C	---	0.025in	
(Kohler)					
6.25hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Wisconsin)					
	541 / RD16	516 / D16	---	0.030in	
Hudson					
Sprayer					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kohler)					
	871 / RJ8C	841 / J8C	---	0.030in	
(Robin)					
	830 / RL86C	933-1 / QL86C	---	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
Hud-Son Forest Equipment					
Firewood Processor					
18SCP; GXV-Series; 4 Stroke; Vertical; V2; (Honda); OHV					
24hp;GXV670	404 / RN12YC	---	---	0.030in	
Log Splitter					
(Honda)					
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in	
24hp	404 / RN12YC	38 / N12YC	322ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
H2; (Briggs & Stratton); L-HEAD					
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
V2; (Briggs & Stratton); L-HEAD					
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
V2; (Briggs & Stratton); OHV					
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Model 11 HPWS; GXV-Series; 4 Stroke; Vertical; (Honda); OHV					
11hp;GXV340	404 / RN12YC	38 / N12YC	322ECO	0.030in	
Model 24 HPWS; GXV-Series; 4 Stroke; Vertical; V2; (Honda); OHV					
24hp;GXV670	404 / RN12YC	---	---	0.030in	
Huffman					
Edger					
	871 / RJ8C	841 / J8C	---	0.030in	
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Lawn Tractor					
	871 / RJ8C	841 / J8C	---	0.030in	
Tiller					
	871 / RJ8C	841 / J8C	---	0.030in	
Trimmer					
	871 / RJ8C	841 / J8C	---	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Huffy				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Hurricane				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Huskee				
Lawn Mower				
(Honda); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Powermore); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Lawn Tractor				
LT42; (Powermore); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Log Splitter				
22 Ton; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
28 Ton; (Honda); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
35 Ton; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Huskie				
Utility Vehicle				
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Husqvarna				
Aerator				
AR19; 900 Series; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
AR19; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in
AR19B; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
AR19H; (Honda)				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
AR25; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in
AR25B; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
AR25H; (Honda)				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Auger				
143AE15; 41.5cc; 1 Cyl.				
2hp	859 / RCJ7Y	---	843ECO	0.026in
159LEB; 1.48cid/24.3cc; 1 Cyl.				
1.2hp	852 / RCJ6Y	---	852ECO	0.026in
225AI15; 1.64cid/26.9cc; 1 Cyl.				
1.2hp	859 / RCJ7Y	---	843ECO	0.020in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Auger				
225AI25; 1.64cid\26.9cc; 1 Cyl.				
1.2hp	859 / RCJ7Y	---	843ECO	0.020in
Blower/Vacuum/Water Sprayer				
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
122HB				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
125B				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
125BT				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
125BVX				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
130BT				
	965 / RZ7C	---	---	0.025in
132HBV				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
140B				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
145BT/BF				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
150BF				
	965 / RZ7C	---	---	0.025in
150BT				
2.15hp	965 / RZ7C	---	---	0.025in
155BT				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
165BT				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
170BF				
	965 / RZ7C	---	---	0.025in
170BT				
	965 / RZ7C	---	---	0.025in
180BF				
	965 / RZ7C	---	---	0.025in
180BT				
	965 / RZ7C	---	---	0.025in
225HBV				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
22HB				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
28HBV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
350BF				
2.1hp	965 / RZ7C	---	---	0.026in
350BT				
	965 / RZ7C	---	---	0.028in
356BF				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
356BT				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Blower/Vacuum/Water Sprayer				
370BTS				
	965 / RZ7C	---	---	0.028in
380BTS				
	965 / RZ7C	---	---	0.028in
40B				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
560BFS				
3.8hp	965 / RZ7C	---	---	0.026in
560BTS				
3.8hp	965 / RZ7C	---	---	0.026in
570BFS				
3.9hp	965 / RZ7C	---	---	0.026in
570BTS				
3.9hp	965 / RZ7C	---	---	0.026in
580BFS				
4.2hp	965 / RZ7C	---	---	0.026in
580BTS				
4.2hp	965 / RZ7C	---	---	0.026in
Brush Cutter/Disc Mower				
129R; 28cc; 1 Cyl.				
1.1hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.024in
135R; 2.11cid\34.6cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.020in
1.88hp	852 / RCJ6Y	---	852ECO	0.020in
142RB; 2.53cid\41.5cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.026in
152RB; 2.53cid\41.5cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.026in
227R; 41.5cc; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.020in
227RD; 26.9cc; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.020in
235FR; 40.2cc; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.020in
253RJ; 2 Stroke; 50.6cc; 1 Cyl.				
	965 / RZ7C	---	---	0.026in
26R; 2 Stroke; 26.3cc; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.024in
323RJ; 1.5cid\24.5cc; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.020in
325RDX; 1.5cid\24.5cc; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.020in
325RJ-X; 1.5cid\24.5cc; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.020in
326; 24.5cc; 1 Cyl.				
1.2hp	852 / RCJ6Y	---	852ECO	0.020in
326; 1.5cid\24.5cc; 1 Cyl.				
1.2hp	852 / RCJ6Y	---	852ECO	0.020in
326C; 1.5cid\24.5cc; 1 Cyl.				
1.2hp	852 / RCJ6Y	---	852ECO	0.024in
326E; 1.5cid\24.5cc; 1 Cyl.				
1.2hp	852 / RCJ6Y	---	852ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Brush Cutter/Disc Mower				
327; 24.5cc; 1 Cyl.				
1.2hp	852 / RCJ6Y	---	852ECO	0.020in
327; 1.5cid\24.5cc; 1 Cyl.				
1.2hp	852 / RCJ6Y	---	852ECO	0.020in
327ES; 1.5cid\24.5cc; 1 Cyl.				
1.2hp	852 / RCJ6Y	---	852ECO	0.020in
331R; 32.6cc; 1 Cyl.				
1.34hp	859 / RCJ7Y	---	843ECO	0.026in
331RB; 32.6cc; 1 Cyl.				
1.34hp	852 / RCJ6Y	858 / CJ6Y	852ECO	0.026in
333R Mark II; 32.6cc; 1 Cyl.				
1.34hp	859 / RCJ7Y	---	843ECO	0.026in
333RJ; 34.6cc; 1 Cyl.				
2.15hp	978 / RY4C	---	---	0.020in
335LS; 34.6cc; 1 Cyl.				
2.15hp	852 / RCJ6Y	---	852ECO	0.026in
335LX; 34.6cc; 1 Cyl.				
2.15hp	852 / RCJ6Y	---	852ECO	0.026in
335RJx; 34.6cc; 1 Cyl.				
2.15hp	978 / RY4C	---	---	0.020in
336RK; 2.11cid\34.6cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.020in
1.88hp	852 / RCJ6Y	---	852ECO	0.020in
343FR; 2.75cid\45cc; 1 Cyl.				
2.7hp	852 / RCJ6Y	---	852ECO	0.020in
343FRM; 2.75cid\45cc; 1 Cyl.				
2.7hp	852 / RCJ6Y	---	852ECO	0.020in
343R; 2.75cid\45cc; 1 Cyl.				
2.7hp	852 / RCJ6Y	---	852ECO	0.020in
531RB; 33.6cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.026in
531RS; 33.6cc; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.026in
532RBS; 33.6cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.026in
541RB; 41.5cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.026in
541RS; 41.5cc; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.026in
541RST; 41.5cc; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.026in
542RBS; 41.5cc; 1 Cyl.				
	852 / RCJ6Y	---	852ECO	0.026in
545FX AT; 2.79cid\45.7cc; 1 Cyl.				
	965 / RZ7C	---	---	0.020in
545FXT AT; 2.79cid\45.7cc; 1 Cyl.				
	965 / RZ7C	---	---	0.020in
545RXT AT; 2.79cid\45.7cc; 1 Cyl.				
	965 / RZ7C	---	---	0.020in
553RBX; 50.6cc; 1 Cyl.				
3.08hp	965 / RZ7C	---	---	0.026in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Brush Cutter/Disc Mower				
CC2245; 2.79cid\45.7cc; 1 Cyl.				
2.8hp	965 / RZ7C	---	---	0.020in
FC2245; 2.79cid\45.7cc; 1 Cyl.				
2.8hp	965 / RZ7C	---	---	0.020in
FC2245W; 2.79cid\45.7cc; 1 Cyl.				
2.8hp	965 / RZ7C	---	---	0.020in
Commercial Walk-Behind Mower				
W436; Vanguard; V2; (Briggs & Stratton)				
18hp;3567	431 / RC14YC	946 / QC12YC	71ECO	0.030in
W448; Vanguard; V2; (Briggs & Stratton)				
18hp;3567	431 / RC14YC	946 / QC12YC	71ECO	0.030in
W520; 1 Cyl.				
4.5hp	404 / RN12YC	---	322ECO	0.030in
WG3213P; 4 Stroke; Vertical; 24.3cid\398cc; 1 Cyl.; (Kohler); OHV				
13hp;CV13	71 / RC12YC	946 / QC12YC	71ECO	0.030in
WG3613P; 4 Stroke; Vertical; 24.3cid\398cc; 1 Cyl.; (Kohler); OHV				
13hp;CV13	71 / RC12YC	946 / QC12YC	71ECO	0.030in
WG4815E; 4 Stroke; Vertical; 26.3cid\431cc; V2; (Kawasaki); OHV				
15hp;FH430V	863 / RCJ8Y	---	843ECO	0.030in
WG4815P; 4 Stroke; Vertical; 26.3cid\431cc; V2; (Kawasaki); OHV				
15hp;FH430V	863 / RCJ8Y	---	843ECO	0.030in
WH3615E; 4 Stroke; Vertical; 26.3cid\431cc; V2; (Kawasaki); OHV				
15hp;FH430V	863 / RCJ8Y	---	843ECO	0.030in
WH3617; Vertical; 35.6cid\585cc; V2; (Kawasaki); OHV				
17hp;FH541V	863 / RCJ8Y	---	843ECO	0.030in
WH4817; Vertical; 35.6cid\585cc; V2; (Kawasaki); OHV				
17hp;FH541V	863 / RCJ8Y	---	843ECO	0.030in
WH4817E; Vertical; 35.6cid\585cc; V2; (Kawasaki); OHV				
17hp;FH541V	863 / RCJ8Y	---	843ECO	0.030in
WH4817EFQ; Vertical; 35.6cid\585cc; V2; (Kawasaki); OHV				
17hp;FH541V	863 / RCJ8Y	---	843ECO	0.030in
WH5219EFQ; Vertical; 35.6cid\585cc; V2; (Kawasaki); OHV				
19hp;FH580V	863 / RCJ8Y	---	843ECO	0.030in
WH5223; 4 Stroke; Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV				
23hp;FH680V	405 / RN14YC	3405 / RN14PMC	---	0.030in
WH6123; 4 Stroke; Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV				
23hp;FH680V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Dethatcher				
DT18; 900 Series; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
DT18; Horizontal; 163cc; 1 Cyl.; (Honda); OHV				
7.6hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
DT18B; Intek; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Dethatcher				
DT18C; Horizontal; 119cc; 1 Cyl.; (Honda); OHV				
4hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in
DT18H; (Honda)				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
DT22; 900 Series; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
DT22; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
DT22BF; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
DT22BNR; (Honda)				
5.5hp	---	---	415ECO	0.030in
5.5hp;Dethatcher	415 / RN9YC	300 / N9YC	---	0.030in
DT22BNR; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
DT22H; Horizontal; 163cc; 1 Cyl.; (Honda); OHV				
7.6hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
DT22HNR; (Honda)				
5.5hp	---	---	415ECO	0.030in
5.5hp;Dethatcher	415 / RN9YC	300 / N9YC	---	0.030in
DT22HNR; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Edger				
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
225E				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
326ES; 1.5cid\24.5cc; 1 Cyl.				
1.2hp	852 / RCJ6Y	---	852ECO	0.020in
426Ex; 1.55cid\25.4cc; 1 Cyl.				
1.2hp	965 / RZ7C	---	---	0.026in
525ECS; 1.55cid\25.4cc; 1 Cyl.				
1.34hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
525ES; 1.55cid\25.4cc; 1 Cyl.				
1.34hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
BE650; 196cc; 1 Cyl.; (Honda); OHV				
5.5hp;GX200	322 / RN11YC4	302 / N11YC	322ECO	0.030in
LE309				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
LE326Ex				
1.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
LE359				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
LE389				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
LE389HD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Hedge Trimmer				
123HD60; 22.5cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.028in
123HD65X; 22.5cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.028in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Hedge Trimmer				
225H60				
0.67hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
225H75				
0.67hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
225RJ				
1.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
226HD60S				
1.14hp	965 / RZ7C	---	---	0.030in
226HD75S				
1.14hp	965 / RZ7C	---	---	0.030in
226HS75S				
1.1hp	965 / RZ7C	---	---	0.028in
226HS99S				
1.1hp	965 / RZ7C	---	---	0.028in
323HE3; 2 Stroke; 1.5cid\24.5cc; 1 Cyl.				
1.2hp	859 / RCJ7Y	---	843ECO	0.020in
325HDA55; 2 Stroke; 1.5cid\24.5cc; 1 Cyl.				
1.2hp	859 / RCJ7Y	---	843ECO	0.020in
325HE3				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
325HE3; 2 Stroke; 1.5cid\24.5cc; 1 Cyl.				
1.2hp	859 / RCJ7Y	---	843ECO	0.020in
325HE4; 25.4cc; 1 Cyl.				
1.34hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
325HE4; 2 Stroke; 1.5cid\24.5cc; 1 Cyl.				
1.2hp	859 / RCJ7Y	---	843ECO	0.020in
325HS75				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
325HS99				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
326HD60x				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
1.2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
326HD75X				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
1.2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
326HDA55				
1.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
326HDA55x				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
326HE3x				
1.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
326HE4x				
1.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
326HS75x				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
326HS99x				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
327HDA65; 1.5cid\24.5cc; 1 Cyl.				
1.2hp	859 / RCJ7Y	---	843ECO	0.020in
522HD60S; 21.7cc; 1 Cyl.				
0.8hp	978 / RY4C	---	---	0.020in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Husqvarna					
Hedge Trimmer					
522HDR60S; 21.7cc; 1 Cyl.					
0.8hp	978 / RY4C	---	---	0.020in	
522HDR75S; 21.7cc; 1 Cyl.					
0.8hp	978 / RY4C	---	---	0.020in	
522HS75S; 21.7cc; 1 Cyl.					
0.8hp	978 / RY4C	---	---	0.020in	
Lawn Mower					
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
4.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
2hp	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
3.5hp	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
6hp	871 / RJ8C	841 / J8C	---	0.025in	
(Tecumseh); OHV					
6hp	104 / RN4C	803 / N4C	---	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
50DK					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
51					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
510					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
510MD					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
510MDT					
	104 / RN4C	803 / N4C	---	0.030in	
51MDT					
	871 / RJ8C	841 / J8C	---	0.025in	
5521P; 550ex Series; 1 Cyl.; (Briggs & Stratton)					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
560H					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
560HH					
	415 / RN9YC	300 / N9YC	415ECO	0.030in	
560HS					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
560HSH					
	415 / RN9YC	300 / N9YC	415ECO	0.030in	
560HST					
	104 / RN4C	803 / N4C	---	0.030in	
560HT					
	104 / RN4C	803 / N4C	---	0.030in	
560SR					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
56DH					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Lawn Mower				
56DHS				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
56H				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
56HS				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
56HST				
	871 / RJ8C	841 / J8C	---	0.025in
56HT				
	871 / RJ8C	841 / J8C	---	0.025in
56SF				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
56SFE				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
580BBC				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580R				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580RS				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580RSE				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580RSW				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6020MD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6021P; Courage; (Kohler)				
XT-6	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
6022CH				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6022SH				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6521RS				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6522CH				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6522SH				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7021P; GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
7021R; GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
D775HW; Endurance; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
HD600L; Courage; (Kohler)				
XT-6	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
HD700L; GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
HD725E; 725ex Series; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
HD800BBC; GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Lawn Mower				
HD800HW; GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
HTV1200				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
HTV1500				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
HTV2000				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
HU625HWT; 625 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
HVT40				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
HVT52				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
Royal48				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Royal53S				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
XT722FE; Courage; (Kohler); OHV				
XT-7	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Lawn Tractor				
(Honda)				
5.5hp;GCV160	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kawasaki); OHV				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
18hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
21hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Tecumseh)				
2hp	856 / RJ17LM	845 / J17LM	861ECO	0.030in
3.5hp	856 / RJ17LM	845 / J17LM	861ECO	0.030in
6hp	871 / RJ8C	841 / J8C	---	0.025in
(Tecumseh); OHV				
6hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Lawn Tractor				
1 Cyl.; (Briggs & Stratton); OHV				
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2 Cyl.; (Kawasaki); OHV				
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
25hp	322 / RN11YC4	404 / RN12YC	322ECO	0.030in
27hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
23hp	854 / RH10C	844 / H10C	---	0.030in
V2; (Briggs & Stratton); OHV				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Kawasaki); OHV				
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
28hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4 Stroke; Vertical; 7000 Series; V2; (Kohler); OHV				
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7000 Series; Vertical; V2; (Kohler); OHV				
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Aegis; V2; (Kohler); OHV				
23hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Command Pro; (Kohler); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage; 1 Cyl.; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Endurance Series; Vertical; V2; (Briggs & Stratton); OHV				
24hp	946 / QC12YC	980 / XC92YC	71ECO	0.030in
GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
5hp;GXV140	415 / RN9YC	300 / N9YC	415ECO	0.030in
Intek; (Briggs & Stratton); OHV				
18.5hp;33 330000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton)				
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Intek; 2 Cyl.; (Briggs & Stratton)				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; V2; (Briggs & Stratton); OHV				
22hp;407700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
24hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Lawn Tractor				
Vanguard; 1 Cyl.; (Briggs & Stratton)				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vertical; V2; (Kawasaki); OHV				
18hp;FR600V	405 / RN14YC	3405 / RN14PMC	---	0.031in
21.5hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.031in
Vertical; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.031in
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.031in
1200-18H				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
2042LS; 4 Stroke; V2; (Briggs & Stratton); OHV				
20hp;40G777	946 / QC12YC	---	---	0.040in
2146XLS; Vanguard; V2; (Briggs & Stratton); OHV				
21hp;385777	946 / QC12YC	---	---	0.040in
2346XLS; 4 Stroke; V2; (Briggs & Stratton); OHV				
21hp;386777	431 / RC14YC	946 / QC12YC	71ECO	0.030in
2348LS; 4 Stroke; V2; (Briggs & Stratton); OHV				
44L777	946 / QC12YC	---	---	0.040in
2354GXLS; 4 Stroke; V2; (Briggs & Stratton); OHV				
21hp;386777	431 / RC14YC	946 / QC12YC	71ECO	0.040in
240440; 4 Stroke; V2; (Briggs & Stratton); OHV				
445577	946 / QC12YC	---	---	0.040in
2748GLS; 4 Stroke; V2; (Briggs & Stratton); OHV				
44Q777	946 / QC12YC	---	---	0.040in
289580 LGTH2454; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
56SF				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
56SFE				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
580BBC				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580R				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580RS				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580RSE				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580RSW				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.240460; 4 Stroke; Vertical; 1 Cyl.; (Kohler); OHV				
20hp;SV600	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Lawn Tractor				
917.240461; 4 Stroke; Vertical; 1 Cyl.; (Kohler); OHV				
20hp;SV600	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.240470; 4 Stroke; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
917.279020; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
128605	946 / QC12YC	---	---	0.040in
917.279040; 4 Stroke; Vertical; 44cid\725cc; V2; (Kohler); OHV				
26hp;CV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.279060; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31Q777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.279060; 4 Stroke; V1; (Briggs & Stratton); OHV				
18.5hp;31Q777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.279080; 4 Stroke; V2; (Briggs & Stratton); OHV				
446677	946 / QC12YC	---	---	0.040in
917.279081; 4 Stroke; V2; (Briggs & Stratton); OHV				
446677	946 / QC12YC	---	---	0.040in
917.279090; Professional Series; 40cid\656cc; V2; (Briggs & Stratton); OHV				
22hp;40H777	946 / QC12YC	982 / XC12YC	71ECO	0.040in
917.279100; 4 Stroke; Vertical; 44cid\725cc; V2; (Kohler); OHV				
25hp;CV730	946 / QC12YC	---	---	0.040in
917.279180; 4 Stroke; V2; (Briggs & Stratton); OHV				
441777	946 / QC12YC	982 / XC12YC	71ECO	0.040in
917.279200; 44cid\724cc; V2; (Briggs & Stratton); OHV				
445677	946 / QC12YC	---	---	0.040in
917.279220; 44cid\724cc; V2; (Briggs & Stratton); OHV				
445677	946 / QC12YC	---	---	0.040in
917.279240; 4 Stroke; Vertical; 1 Cyl.; (Kohler); OHV				
20hp;SV600	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.279260; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
445677	946 / QC12YC	982 / XC12YC	71ECO	0.040in
917.287540; 4 Stroke; V2; (Briggs & Stratton); OHV				
441777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.287542; 4 Stroke; V2; (Briggs & Stratton); OHV				
441777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.287560; 4 Stroke; V2; (Briggs & Stratton); OHV				
445577	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.287561; 4 Stroke; V2; (Briggs & Stratton); OHV				
445577	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.287581; 44cid\724cc; V2; (Briggs & Stratton); OHV				
445677	946 / QC12YC	---	---	0.040in
917.289540; 4 Stroke; V2; (Briggs & Stratton); OHV				
441777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.289560; 4 Stroke; V2; (Briggs & Stratton); OHV				
445577	71 / RC12YC	946 / QC12YC	71ECO	0.040in
917.289570; 4 Stroke; V2; (Briggs & Stratton); OHV				
	946 / QC12YC	---	---	0.040in
917.289600; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Lawn Tractor				
917.289610; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
20hp;331777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
970-12S				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
970-15S				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
970H-15S				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
980H15-B				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
CTH141; 4 Stroke; Vertical; 7000 Series; 1 Cyl.; (Briggs & Stratton); OHV				
31Q507	946 / QC12YC	---	---	0.030in
CTH164T; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
CTH19530; 4 Stroke; V2; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CTH200; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
22hp;446777	946 / QC12YC	982 / XC12YC	71ECO	0.040in
CTH2036T; 4 Stroke; V2; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CTH2036XP; 4 Stroke; V2; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CTH2038; 4 Stroke; V2; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CTH2138R; 4 Stroke; V2; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CTH220; Vertical; 44.2cid\725cc; V2; (Kohler); OHV				
22hp;SV715	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CTH2238TE; 4 Stroke; V2; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CTH224T; Vertical; V2; (Kawasaki); OHV				
22hp;FS651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
CTH2542; 4 Stroke; V2; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CTH2542 XP; 4 Stroke; V2; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CTH2542T; 4 Stroke; V2; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CTH2642TE; 4 Stroke; V2; OHV				
	946 / QC12YC	982 / XC12YC	71ECO	0.040
GT 52XLS; Vertical; 726cc; V2; (Kohler); OHV				
26hp;KT745	946 / QC12YC	982 / XC12YC	71ECO	0.030in
GT 52XLSi; Endurance; V2; (Briggs & Stratton); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GT 54LS; Endurance; V2; (Briggs & Stratton); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GT200				
	71 / RC12YC	946 / QC12YC	71ECO	0.040in
GT2254; 4 Stroke; 40cid\656cc; V2; (Briggs & Stratton); OHV				
22hp;40H777	946 / QC12YC	982 / XC12YC	71ECO	0.040in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Lawn Tractor				
GT48XLS; 4 Stroke; V2; (Briggs & Stratton); OHV				
44Q777	946 / QC12YC	982 / XC12YC	71ECO	0.040in
GT48XLSi; Endurance; V2; (Briggs & Stratton); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GT52XLSi; 4 Stroke; 2 Cyl.; OHV				
	980 / XC92YC	---	---	0.030in
GTH200; 2 Cyl.; (Kohler); L-HEAD				
20hp;MV20	18 / RV15YC4	3018 / RV17PMC4	---	0.040in
GTH220				
	71 / RC12YC	946 / QC12YC	71ECO	0.040in
GTH2248XP; Vertical; 41.19cid/675cc; V2; (Kawasaki); OHV				
21hp;FH641V;Hex Diameter 13/16in	405 / RN14YC	3405 / RN14PMC	---	0.030in
GTH225; 4 Stroke; 674cc; V2; (Kohler); OHV				
22hp;CV22	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GTH2250				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GTH2254XP; Vertical; 41.19cid/675cc; V2; (Kawasaki); OHV				
21hp;FH641V;Hex Diameter 13/16in	405 / RN14YC	3405 / RN14PMC	---	0.030in
GTH2350; 4 Stroke; Vertical; 41cid/674cc; V2; (Kohler); OHV				
20hp;CV675	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GTH2448T; 4 Stroke; 44cid/724cc; V2; (Briggs & Stratton); OHV				
445677	946 / QC12YC	982 / XC12YC	71ECO	0.040in
GTH2454T; 4 Stroke; 44cid/724cc; V2; (Briggs & Stratton); OHV				
445677	946 / QC12YC	982 / XC12YC	71ECO	0.040in
GTH24V42LS; FR Series; 2 Cyl.; (Kawasaki); OHV				
24hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
GTH24V48LS; FR Series; 2 Cyl.; (Kawasaki); OHV				
24hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
GTH24V52LS; FR Series; 2 Cyl.; (Kawasaki); OHV				
24hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
GTH24V54; 4 Stroke; 2 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GTH24V54LS; FR Series; 2 Cyl.; (Kawasaki); OHV				
24hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
GTH2548; 4 Stroke; Vertical; 44cid/725cc; V2; (Kohler); OHV				
25hp;CV730	946 / QC12YC	---	---	0.040in
GTH2548B; 4 Stroke; Vertical; 44cid/725cc; V2; (Kohler); OHV				
26hp;CV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GTH2548XP; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.040in
GTH2550				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GTH2550XP; 41.19cid/675cc; V2; (Kawasaki); OHV				
25hp;FH721V	404 / RN12YC	---	322ECO	0.030in
GTH2554				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Lawn Tractor				
GTH2554XP; Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV				
21hp;FH641V	405 / RN14YC	3405 / RN14PMC	---	0.030in
GTH2648; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
26hp;445877	946 / QC12YC	982 / XC12YC	71ECO	0.040in
GTH2654; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
22hp;446777	946 / QC12YC	982 / XC12YC	71ECO	0.040in
GTH2654T; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
26hp;445877	946 / QC12YC	982 / XC12YC	71ECO	0.040in
GTH26V48LS; 4 Stroke; V2; (Briggs & Stratton); OHV				
44Q777	946 / QC12YC	982 / XC12YC	71ECO	0.040in
GTH26V52LS; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
GTH26V54; 4 Stroke; 2 Cyl.; OHV				
	946 / QC12YC	946 / QC12YC	71ECO	0.040in
GTH2752TF; 4 Stroke; V2; (Briggs & Stratton); OHV				
44Q777	946 / QC12YC	982 / XC12YC	71ECO	0.040in
GTH2754				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GTH2754; Vertical; 44cid\725cc; V2; (Kohler); OHV				
25hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GTH27V48LS; Endurance; V2; (Briggs & Stratton)				
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GTH3052TDF; 4 Stroke; 2 Cyl.; OHV				
	946 / QC12YC	982 / XC12YC	71ECO	0.040in
GTH3052TDF; 4 Stroke; V2; (Briggs & Stratton); OHV				
49M877	946 / QC12YC	---	---	0.040in
GTH3052TF; 4 Stroke; V2; (Briggs & Stratton); OHV				
49M877	946 / QC12YC	---	---	0.040in
49MB77	946 / QC12YC	982 / XC12YC	71ECO	0.040in
HECTH200B; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
22hp;446777	946 / QC12YC	982 / XC12YC	71ECO	0.040in
LGT 2654; Vertical; 726cc; V2; (Kohler); OHV				
26hp;KT745	946 / QC12YC	982 / XC12YC	71ECO	0.030in
LGT24K54; FR Series; 2 Cyl.; (Kawasaki); OHV				
24hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
LGT2554; 4 Stroke; Vertical; 44.2cid\725cc; V2; (Kohler); OHV				
25hp;SV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LGT25K54; 4 Stroke; Vertical; 44.2cid\725cc; V2; (Kohler); OHV				
25hp;SV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LGT2654; 4 Stroke; 2 Cyl.				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LGTH22V48; 4 Stroke; 2 Cyl.				
	946 / QC12YC	982 / XC12YC	71ECO	0.040in
LGTH26V54; 4 Stroke; 2 Cyl.				
	946 / QC12YC	982 / XC12YC	71ECO	0.040in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Lawn Tractor				
LOGTH2448T; 4 Stroke; 2 Cyl.				
	946 / QC12YC	982 / XC12YC	71ECO	0.030in
LOYTH20F42T; 4 Stroke; 2 Cyl.				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LR110				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
LR12; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp;283707	868 / RJ19LM	---	---	0.030in
LR120				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
LR121				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
LT125 (H12538D); 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
12.5hp;286707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
LT126; 4 Stroke; 344cc; 1 Cyl.; (Briggs & Stratton); OHV				
10.5hp;21R707	946 / QC12YC	---	---	0.030in
LT130				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
LT131; 4 Stroke; 344cc; 1 Cyl.; (Briggs & Stratton); OHV				
10.5hp;21R707	946 / QC12YC	---	---	0.030in
LT151; 4 Stroke; Vertical; 36.4cid\597cc; 1 Cyl.; (Kohler); OHV				
15hp;SV470	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LT1538; 1 Cyl.; (Briggs & Stratton)				
31G777	71 / RC12YC	946 / QC12YC	71ECO	0.040in
LT16542; 4 Stroke; 1 Cyl.; (Briggs & Stratton)				
31A707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LTH 18538; Intek; V2; (Briggs & Stratton); OHV				
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LTH120				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
LTH130				
	71 / RC12YC	946 / QC12YC	71ECO	0.040in
LTH140; 4 Stroke; 1 Cyl.; (Kohler)				
14hp;PS1456	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LTH1438; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
13.5hp;21B807	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LTH145				
	71 / RC12YC	946 / QC12YC	71ECO	0.040in
LTH145; 4 Stroke; 2 Cyl.; (Briggs & Stratton)				
14.5hp;287777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LTH1536; 4 Stroke; Vertical; 32.6cid\535cc; 1 Cyl.; (Kohler); OHV				
15hp;SV470	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LTH1538; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
31E677	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LTH1542; 4 Stroke; 502cc; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;31G777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LTH1742				
	71 / RC12YC	946 / QC12YC	71ECO	0.040in
LTH1742T; 2 Cyl.; (Kawasaki)				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Lawn Tractor				
LTH1742TWIN; 2 Cyl.; (Kawasaki)				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
LTH17538; Intek; 2 Cyl.; (Briggs & Stratton)				
17.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LTH1842; 4 Stroke; Vertical; 32.6cid\535cc; 1 Cyl.; (Kohler); OHV				
18hp;SV540	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LTH18538; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;31N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LTH18542; 1 Cyl.; (Briggs & Stratton)				
31Q777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LTH19530; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
31Q677	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LTH2038; 4 Stroke; 2 Cyl.				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LTH2038R; 4 Stroke; 2 Cyl.				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LTH2142; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
33M777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LTH2142D; 4 Stroke; 2 Cyl.				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LTH2142DR; 4 Stroke; 2 Cyl.				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LTH2248				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
M23-48T; 4 Stroke; V2; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pro 15				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
RBH180; Vanguard; 4 Stroke; V2; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Rider 14 Pro				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Rider ProFlex 21				
3/8in Reach Spark Plugs	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
TS142; Endurance; 1 Cyl.; (Briggs & Stratton)				
18.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TS142X; Endurance; 2 Cyl.; (Briggs & Stratton)				
20.0hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
TS146X; Endurance; 2 Cyl.; (Briggs & Stratton)				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TS146XD; Endurance; 2 Cyl.; (Briggs & Stratton)				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TS148X; Endurance; 2 Cyl.; (Briggs & Stratton)				
24hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
TS242; 4 Stroke; V2; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.040in
TS242XD; FR Series; 2 Cyl.; (Kawasaki); OHV				
21.5hp	405 / RN14YC	3405 / RN14PMC	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Husqvarna					
Lawn Tractor					
TS248G; FR Series; 2 Cyl.; (Kawasaki); OHV					
24hp	405 / RN14YC	3405 / RN14PMC	---	0.030in	
TS248XD; FR Series; 2 Cyl.; (Kawasaki); OHV					
23hp	405 / RN14YC	3405 / RN14PMC	---	0.030in	
TS254XG; FR Series; 2 Cyl.; (Kawasaki); OHV					
24hp	405 / RN14YC	3405 / RN14PMC	---	0.030in	
TS348XD; FR Series; 2 Cyl.; (Kawasaki); OHV					
24hp	405 / RN14YC	3405 / RN14PMC	---	0.030in	
TS354XD; FR Series; 2 Cyl.; (Kawasaki); OHV					
24hp	405 / RN14YC	3405 / RN14PMC	---	0.030in	
YGTH24V54; 4 Stroke; OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
YT 42LS; 7000 Series; V2; LPG; (Kohler); OHV					
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
YT 48XLS; Vertical; 726cc; V2; (Kohler); OHV					
26hp;KT745	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
YT161H; 4 Stroke; 1 Cyl.; OHV					
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
YT16542; 4 Stroke; 1 Cyl.; (Briggs & Stratton)					
31A707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
YT180; Magnum; Vertical; 2 Cyl.; (Kohler); L-HEAD					
18hp;MV18	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
YT1942; 4 Stroke; Vertical; 36.4cid\597cc; 1 Cyl.; (Kohler); OHV					
19hp;SV590	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
YT1942T; 4 Stroke; Vertical; 36.4cid\597cc; 1 Cyl.; (Kohler); OHV					
19hp;SV590	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
YT42DXLS; 7000 Series; V2; LPG; (Kohler); OHV					
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
YT42XLS; 4 Stroke; 2 Cyl.; OHV					
	405 / RN14YC	3405 / RN14PMC	---	0.030in	
YT46LS; 4 Stroke; Vertical; 7000 Series; V2; (Kohler); OHV					
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
YT48DXLS; 4 Stroke; V2; (Kohler); OHV					
	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
YT54LS; 4 Stroke; V2; OHV					
	405 / RN14YC	3405 / RN14PMC	---	0.030in	
YTA19K42; Courage; (Kohler); OHV					
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
YTA20V46; 4 Stroke; V2; OHV					
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
YTH 18542; Intek; V2; (Briggs & Stratton); OHV					
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
YTH 22V46; Intek; V2; (Briggs & Stratton); OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Lawn Tractor				
YTH 24V48; Intek; V2; (Briggs & Stratton); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YTH 24V54; Intek; V2; (Briggs & Stratton); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YTH1342XP; Vertical; 26.3cid\431cc; V2; (Kawasaki); OHV				
13hp;FH381V	863 / RCJ8Y	---	843ECO	0.025in
YTH150				
	71 / RC12YC	946 / QC12YC	71ECO	0.040in
YTH1542				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YTH1542XP; (Kawasaki); OHV				
15hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
YTH1542XPT; 4 Stroke; Vertical; 26.3cid\431cc; V2; (Kawasaki); OHV				
15hp;FH430V	863 / RCJ8Y	---	843ECO	0.040in
YTH160				
	71 / RC12YC	946 / QC12YC	71ECO	0.040in
YTH1746				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YTH180				
	71 / RC12YC	946 / QC12YC	71ECO	0.040in
YTH1842				
	71 / RC12YC	946 / QC12YC	71ECO	0.040in
YTH1842XPT; 4 Stroke; Vertical; 26.3cid\431cc; V2; (Kawasaki); OHV				
15hp;FH430V	863 / RCJ8Y	---	843ECO	0.030in
YTH1848XP				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
YTH18542; Intek; 2 Cyl.; (Briggs & Stratton)				
18.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YTH18K46; 4 Stroke; V2; OHV				
	405 / RN14YC	3405 / RN14PMC	---	0.030in
YTH1942				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YTH2042; Intek; 1 Cyl.; (Briggs & Stratton)				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YTH2042TD; 4 Stroke; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YTH2046				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YTH2048				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YTH20B42T; 1 Cyl.; (Briggs & Stratton); OHV				
31P977	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YTH20F42T; 4 Stroke; Vertical; 1 Cyl.; (Kohler); OHV				
20hp;SV600	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YTH20K46; 4 Stroke; Vertical; 1 Cyl.; (Kohler); OHV				
20hp;SV600	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YTH20K46; 4 Stroke; Vertical; 36.4cid\597cc; 1 Cyl.; (Kohler); OHV				
21hp;SV610	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Husqvarna					
Lawn Tractor					
YTH2146; 4 Stroke; OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
YTH2146XP; Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV					
21hp;FH641V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
YTH2148B; 4 Stroke; 2 Cyl.; (Briggs & Stratton); OHV					
446677	946 / QC12YC	982 / XC12YC	71ECO	0.040in	
YTH2148XP; Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV					
21hp;FH641V	405 / RN14YC	863 / RCJ8Y	843ECO	0.030in	
21hp;FH641V;3/4in Reach Spark Plugs	405 / RN14YC	3405 / RN14PMC	---		
21hp;FH641V;3/8in Reach Spark Plugs	863 / RCJ8Y	---	843ECO		
YTH21K42; 4 Stroke; OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
YTH21K46; Courage; (Kohler); OHV					
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
YTH2242					
	71 / RC12YC	71 / RC12YC	71ECO	0.030in	
YTH2242T; 4 Stroke; V2; (Briggs & Stratton); OHV					
441777	946 / QC12YC	982 / XC12YC	71ECO	0.040in	
YTH2242TDRF; 4 Stroke; 40cid\656cc; V2; (Briggs & Stratton); OHV					
22hp;40H777	946 / QC12YC	982 / XC12YC	71ECO	0.040in	
YTH2242TF; 4 Stroke; 40cid\656cc; V2; (Briggs & Stratton); OHV					
22hp;40H777	946 / QC12YC	982 / XC12YC	71ECO	0.040in	
YTH2246; 4 Stroke; V2; (Briggs & Stratton); OHV					
441777	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
YTH2246TDR; 4 Stroke; 40cid\656cc; V2; (Briggs & Stratton); OHV					
22hp;40H777	946 / QC12YC	982 / XC12YC	71ECO	0.040in	
YTH2248; 4 Stroke; Vertical; 41cid\674cc; V2; (Kohler); OHV					
23hp;CV674	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
YTH22K42; 4 Stroke; OHV					
	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
YTH22K46; 4 Stroke; OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
YTH22K48; 4 Stroke; OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
YTH22V42; Intek; V2; (Briggs & Stratton)					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
YTH22V42LS; Endurance; V2; (Briggs & Stratton)					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
YTH22V46; Intek; 2 Cyl.; (Briggs & Stratton)					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
YTH22V46XLS; Endurance; V2; (Briggs & Stratton)					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
YTH2348					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
YTH2348; 4 Stroke; V2; (Briggs & Stratton); OHV					
445577	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
YTH23K46; 4 Stroke; OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Lawn Tractor				
YTH23K48; 4 Stroke; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YTH23V42LS; 4 Stroke; OHV				
	946 / QC12YC	982 / XC12YC	71ECO	0.030in
YTH23V48; Intek; V2; (Briggs & Stratton)				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YTH2448; 4 Stroke; V2; (Briggs & Stratton); OHV				
446677	946 / QC12YC	---	---	0.040in
YTH2448T; 44cid\724cc; V2; (Briggs & Stratton); OHV				
445677	946 / QC12YC	---	---	0.040in
YTH2454; 44cid\724cc; V2; (Briggs & Stratton); OHV				
445677	946 / QC12YC	---	---	0.040in
YTH2454T; 44cid\724cc; V2; (Briggs & Stratton); OHV				
445677	946 / QC12YC	---	---	0.040in
YTH24K48; Courage; V2; (Kohler); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YTH24V54XLS; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
YTH2546 Twin; 4 Stroke; Vertical; 44.2cid\725cc; V2; (Kohler); OHV				
25hp;SV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YTH2548; 4 Stroke; Vertical; 44cid\725cc; V2; (Kohler); OHV				
26hp;CV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YTH2548XP; 4 Stroke; Vertical; 44.2cid\725cc; V2; (Kohler); OHV				
25hp;SV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YTH25K54; 4 Stroke; OHV				
	946 / QC12YC	982 / XC12YC	71ECO	0.030in
YTH25K54; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YTH2648TDRF; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
26hp;44P777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YTH2648TF; 4 Stroke; 44cid\724cc; V2; (Briggs & Stratton); OHV				
26hp;44P777	946 / QC12YC	982 / XC12YC	71ECO	0.040in
YTH26V54; Intek; V2; (Briggs & Stratton)				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YTH2748; Vertical; 44cid\725cc; V2; (Kohler); OHV				
25hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YTH2754 TWIN; Vertical; 44cid\725cc; V2; (Kohler); OHV				
25hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YTH2754T; 4 Stroke; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YTH48XLS; Vertical; V2; OHV				
	405 / RN14YC	3405 / RN14PMC	---	0.030in
Leaf Blower				
125BX; 1.7cid\28cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.024in
24B; 25cc; 1 Cyl.				
0.95hp	852 / RCJ6Y	---	852ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Leaf Blower				
330BT; 2 Stroke; 1.8cid\29.5cc; 1 Cyl.				
	965 / RZ7C	---	---	0.026in
350BF; 2 Stroke; 3.1cid\50.2cc; 1 Cyl.				
	965 / RZ7C	---	---	0.026in
350BT; 2 Stroke; 3.1cid\50.2cc; 1 Cyl.				
	965 / RZ7C	---	---	0.026in
356BFX; 3.15cid\51.7cc; 1 Cyl.				
1.2hp	859 / RCJ7Y	---	843ECO	0.025in
356BTX; 3.15cid\51.7cc; 1 Cyl.				
3.2hp	859 / RCJ7Y	---	843ECO	0.025in
360BT; 4.0cid\65.6cc; 1 Cyl.				
3.81hp	965 / RZ7C	---	---	0.026in
370BFS; 2 Stroke; 4.0cid\64.9cc; 1 Cyl.				
	965 / RZ7C	---	---	0.025in
380BFS; 2 Stroke; 4.4cid\71.9cc; 1 Cyl.				
	965 / RZ7C	---	---	0.025in
380BTS; 2 Stroke; 4.4cid\71.9cc; 1 Cyl.				
	965 / RZ7C	---	---	0.025in
425BVS; 2 Stroke; 25.4cc; 1 Cyl.				
	965 / RZ7C	---	---	0.026in
525BX; 1.55cid\25.4cc; 1 Cyl.				
2.0hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
530BT; 2 Stroke; 1.8cid\29.5cc; 1 Cyl.				
	965 / RZ7C	---	---	0.026in
578BTF; 2 Stroke; 75.6cc; 1 Cyl.				
	965 / RZ7C	---	---	0.026in
580BFS II; 75.6cc; 1 Cyl.				
4.3hp	965 / RZ7C	---	---	0.026in
580BFS Mark II; 75.6cc; 1 Cyl.				
4.3hp	965 / RZ7C	---	---	0.026in
580BFS Mark III; 2 Stroke; 75.6cc; 1 Cyl.				
	965 / RZ7C	---	---	0.026in
580BTS II; 75.6cc; 1 Cyl.				
4.3hp	965 / RZ7C	---	---	0.026in
580BTS Mark II; 75.6cc; 1 Cyl.				
4.3hp	965 / RZ7C	---	---	0.026in
580BTS Mark III; 2 Stroke; 75.6cc; 1 Cyl.				
	965 / RZ7C	---	---	0.026in
GB320; 25cc; 1 Cyl.				
1hp	852 / RCJ6Y	---	852ECO	0.024in
GBV325; 25cc; 1 Cyl.				
1hp	852 / RCJ6Y	---	852ECO	0.024in
GBV345; 25cc; 1 Cyl.				
1hp	852 / RCJ6Y	---	852ECO	0.024in
Log Splitter				
S427; 4 Stroke; Vertical; 10.6cid\173cc; 1 Cyl.; (Kohler); OHV				
XT775	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
XT775;12mm Diameter Threads	810 / RA8HC	---	---	
XT775;12mm Diameter Threads;7.75 ft.-lb. Torque	7972 / RA8PHP	9701 / RA7WHP3	810ECO	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Log Splitter				
S427; 4 Stroke; Vertical; 10.6cid\173cc; 1 Cyl.; (Kohler); OHV				
XT775;14mm Diameter Threads;7.75 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XT775;7.75 ft.-lb. Torque	810 / RA8HC	---	---	
Mower				
(Briggs & Stratton); L-HEAD				
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp;114000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Briggs & Stratton); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; Vertical; 29.9cid\490cc; 1 Cyl.; (Kohler); OHV				
17hp;CV490	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GXV-Series; 4 Stroke; Vertical; V2; Gas; (Honda); OHV				
16hp;GXV610	3322 / RN14PMC3	---	---	0.030in
Horizontal; V2; (Kawasaki); OHV				
19hp;FH601D	405 / RN14YC	3405 / RN14PMC	---	0.031in
22hp;FD661D;3/8in Reach Spark Plugs	840 / RCJ8	843 / CJ8	843ECO	0.025in
Intek; V2; (Briggs & Stratton); OHV				
24hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Quantum; (Briggs & Stratton); L-HEAD				
4.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp;176400	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Various Engines; (Kawasaki); OHV				
	322 / RN11YC4	302 / N11YC	322ECO	0.031in
Vertical; (Kawasaki); OHV				
6hp	322 / RN11YC4	302 / N11YC	322ECO	0.031in
Vertical; 26.3cid\431cc; V2; (Kawasaki); OHV				
13hp;FH381V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
7021P; GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
HU550FH; 550ex Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
HU625AWD; 625ex Series; Endurance; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
HU700AWD; GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
HU700F; GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
HU700H; GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
HU725AWD BBC; 725ex Series; Endurance; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Mower				
HU725AWDE; 725ex Series; Electric Start; Endurance; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
HU725AWDH; 725exi Series; Endurance; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
HU800AWDH; GCV-Series; Vertical; (Honda); OHC				
5.2hp;GCV190	415 / RN9YC	300 / N9YC	415ECO	0.030in
Power Head				
129DJX; 1.68cid\27.6cc; 1 Cyl.				
1.07hp	978 / RY4C	---	---	0.020in
129LK; 27.6cc; 1 Cyl.				
1.1hp	978 / RY4C	---	---	0.020in
525LK; 25.4cc; 1 Cyl.				
2.0hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
535LK; 34.6cc; 1 Cyl.				
2.0hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
545LK; 25cc; 1 Cyl.				
0.94hp	965 / RZ7C	---	---	0.024in
Pruner				
325P4 Pruner				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Rear Engine Rider Mower				
112C; 4 Stroke; 334cc; 1 Cyl.; (Briggs & Stratton); OHV				
8.6hp;3115	980 / XC92YC	---	---	0.030in
112C5; 4 Stroke; 334cc; 1 Cyl.; (Briggs & Stratton); OHV				
8.6hp;3115	980 / XC92YC	---	---	0.030in
G125-85F; 4 Stroke; 21cid\344cc; 1 Cyl.; (Briggs & Stratton); OHV				
8.7hp;3125	946 / QC12YC	982 / XC12YC	71ECO	0.030in
M125-85F; 4 Stroke; 21cid\344cc; 1 Cyl.; (Briggs & Stratton); OHV				
8.7hp;3125	946 / QC12YC	982 / XC12YC	71ECO	0.030in
M125-85FH; 4 Stroke; 21cid\344cc; 1 Cyl.; (Briggs & Stratton); OHV				
8.7hp;3125	946 / QC12YC	982 / XC12YC	71ECO	0.030in
R316TsX AWD; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	---	---	0.030in
R316TX; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
R316TX AWD; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	---	---	0.030in
R318X; Endurance; M31; 4 Stroke; 500cc; 1 Cyl.; (Briggs & Stratton); OHV				
12.9hp;4175	946 / QC12YC	982 / XC12YC	71ECO	0.030in
R320X AWD; Endurance; M31; 4 Stroke; 500cc; 1 Cyl.; (Briggs & Stratton); OHV				
12.9hp;4195	946 / QC12YC	982 / XC12YC	71ECO	0.030in
R418Ts AWD; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.2hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Rear Engine Rider Mower				
R419TsX AWD; Endurance; M40; 4 Stroke; 656cc; V2; (Briggs & Stratton); OHV				
15.8hp;7200	980 / XC92YC	---	---	0.030in
R420TsX AWD; Vertical; 726cc; V2; (Kawasaki); OHV				
22hp;FS651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
R422Ts; 4 Stroke; 656cc; V2; (Briggs & Stratton); OHV				
16.8hp;7220	980 / XC92YC	---	---	0.030in
R422Ts AWD; 4 Stroke; 656cc; V2; (Briggs & Stratton); OHV				
16.8hp;7220	980 / XC92YC	---	---	0.030in
RC318T; Endurance; 4 Stroke; 656cc; V2; (Briggs & Stratton); OHV				
16.9hp;7200	980 / XC92YC	---	---	0.030in
RC320TS AWD; Endurance; 4 Stroke; 656cc; V2; (Briggs & Stratton); OHV				
16.9hp;7200	980 / XC92YC	---	---	0.030in
Rider 1000-14; Vanguard; 480cc; V2; (Briggs & Stratton); OHV				
14hp;294777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Rider 1030 Bioclip; 4 Stroke; 34.75cid\570cc; V2; (Briggs & Stratton); OHV				
18hp;350777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Rider 11; 4 Stroke; 344cc; 1 Cyl.; (Briggs & Stratton)				
10.5hp;215907;3/4in Reach Spark Plugs	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Rider 11; 4 Stroke; 465cc; 1 Cyl.; (Briggs & Stratton)				
10.5hp;28B707;3/8in Reach Spark Plugs	871 / RJ8C	841 / J8C	---	0.030in
15.5hp;28N707;3/8in Reach Spark Plugs;Before 2003	871 / RJ8C	841 / J8C	---	0.030in
Rider 11 Bio; 4 Stroke; 465cc; 1 Cyl.; (Briggs & Stratton)				
10.5hp;28B707	871 / RJ8C	841 / J8C	---	0.030in
Rider 111B; 4 Stroke; 21cid\344cc; 1 Cyl.; (Briggs & Stratton); OHV				
9.1hp;2158	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Rider 111B5; 4 Stroke; 21cid\344cc; 1 Cyl.; (Briggs & Stratton); OHV				
9.1hp;2158	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Rider 115B; 4 Stroke; 30.5cid\500cc; 1 Cyl.; (Briggs & Stratton); OHV				
12.7hp;4145	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Rider 115C; 4 Stroke; 500cc; 1 Cyl.; (Briggs & Stratton); OHV				
12.7hp;4145	980 / XC92YC	---	---	0.030in
Rider 11C; 4 Stroke; 344cc; 1 Cyl.; (Briggs & Stratton)				
10.5hp;215907	946 / QC12YC	---	---	0.030in
Rider 11R; 4 Stroke; 344cc; 1 Cyl.; (Briggs & Stratton)				
10.5hp;215907	946 / QC12YC	---	---	0.030in
Rider 1200; 4 Stroke; 34.75cid\570cc; V2; (Briggs & Stratton); OHV				
18hp;350777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Rider 1200-14; Vanguard; 4 Stroke; 480cc; V2; (Briggs & Stratton)				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Rear Engine Rider Mower				
Rider 1200-18; Vanguard; 4 Stroke; 570cc; V2; (Briggs & Stratton)				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Rider 120B; 4 Stroke; 30.5cid\500cc; 1 Cyl.; (Briggs & Stratton); OHV				
14.8hp;4195	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Rider 120C; 4 Stroke; 30.5cid\500cc; 1 Cyl.; (Briggs & Stratton); OHV				
14.8hp;4195	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Rider 13; 4 Stroke; 465cc; 1 Cyl.; (Briggs & Stratton)				
12.5hp;286707;3/8in Reach Spark Plugs	871 / RJ8C	841 / J8C	---	0.030in
12.5hp;28N707;3/4in Reach Spark Plugs	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12.5hp;28N707;3/8in Reach Spark Plugs	871 / RJ8C	841 / J8C	---	0.030in
Rider 13 AWD; 4 Stroke; 465cc; 1 Cyl.; (Briggs & Stratton)				
12.5hp;219907	946 / QC12YC	---	---	0.030in
Rider 13 Bio; 4 Stroke; 465cc; 1 Cyl.; (Briggs & Stratton)				
12.5hp;28N707;3/4in Reach Spark Plugs	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12.5hp;28N707;3/8in Reach Spark Plugs	871 / RJ8C	841 / J8C	---	0.030in
Rider 13C; 4 Stroke; 465cc; 1 Cyl.; (Briggs & Stratton)				
12.5hp;219807	946 / QC12YC	---	---	0.030in
12.5hp;219907	946 / QC12YC	---	---	0.030in
Rider 13H; 4 Stroke; 465cc; 1 Cyl.; (Briggs & Stratton)				
12.5hp;28N707;3/4in Reach Spark Plugs	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12.5hp;28N707;3/8in Reach Spark Plugs	871 / RJ8C	841 / J8C	---	0.030in
Rider 155; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	946 / QC12YC	---	---	0.040in
Rider 155 AWD; 4 Stroke; Vertical; 26cid\426cc; 1 Cyl.; (Kohler); OHV				
15.5hp;CV15	946 / QC12YC	---	---	0.040in
Rider 15C; 4 Stroke; 465cc; 1 Cyl.; (Briggs & Stratton)				
12.5hp;282H07	946 / QC12YC	---	---	0.030in
Rider 15T; 4 Stroke; Vertical; 26.3cid\431cc; V2; (Kawasaki); OHV				
11.1hp;FH430V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Rider 15T AWD; 4 Stroke; Vertical; 26.3cid\431cc; V2; (Kawasaki); OHV				
11.1hp;FH430V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Rider 15Ts AWD; 4 Stroke; Vertical; 26.3cid\431cc; V2; (Kawasaki); OHV				
11.1hp;FH430V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Rider 16; 4 Stroke; 465cc; 1 Cyl.; (Briggs & Stratton)				
15.5hp;282H07;3/4in Reach Spark Plugs;After 2002	946 / QC12YC	982 / XC12YC	71ECO	0.030in
15.5hp;28N707;3/8in Reach Spark Plugs;Before 2003	871 / RJ8C	841 / J8C	---	0.030in
Rider 16 AWD; 4 Stroke; 502cc; 1 Cyl.; (Briggs & Stratton)				
15.5hp;31A607	946 / QC12YC	---	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Rear Engine Rider Mower				
Rider 16 C; 4 Stroke; 502cc; 1 Cyl.; (Briggs & Stratton)				
15.5hp;31A607	946 / QC12YC	---	---	0.030in
Rider 175; 4 Stroke; 502cc; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;31G777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Rider 175 AWD; 4 Stroke; 502cc; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;31G777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Rider 175 AWD; 4 Stroke; 26cid\426cc; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;316777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Rider 18 AWD; 4 Stroke; 30.7cid\502cc; 1 Cyl.; (Briggs & Stratton); OHV				
13hp;31G7	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Rider 18 ProFlex; Vanguard; 34.75cid\570cc; V2; (Briggs & Stratton); OHV				
18hp;350777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Rider 20 ProFlex; Vanguard; 570cc; V2; (Briggs & Stratton); OHV				
20hp;351777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Rider 213C; 4 Stroke; 21cid\344cc; 1 Cyl.; (Briggs & Stratton); OHV				
9hp;3125	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Rider 216; 4 Stroke; 30.5cid\500cc; 1 Cyl.; (Briggs & Stratton); OHV				
12.9hp;4155	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Rider 216 AWD; 4 Stroke; 30.5cid\500cc; 1 Cyl.; (Briggs & Stratton); OHV				
12.9hp;4155	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Rider 220T; Endurance; 4 Stroke; 40cid\656cc; V2; (Briggs & Stratton); OHV				
16.8hp;7220	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Rider 316T; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.2hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Rider 316T AWD; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.2hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Rider 316Ts AWD; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.2hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Rider 316TXs AWD; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.2hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Rider 318; Endurance; M31; 4 Stroke; 500cc; 1 Cyl.; (Briggs & Stratton); OHV				
12.9hp;4175	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Rider 320 AWD; Endurance; M31; 4 Stroke; 30.5cid\500cc; 1 Cyl.; (Briggs & Stratton); OHV				
14.1hp;4195	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Rider 322T AWD; Endurance; 4 Stroke; 40cid\656cc; V2; (Briggs & Stratton); OHV				
16.8hp;7220	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Rear Engine Rider Mower				
Rider 850; 4 Stroke; 362cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp;28B707	871 / RJ8C	841 / J8C	---	0.030in
Rider 850 HST; 4 Stroke; 465cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
12.5hp;286707	871 / RJ8C	841 / J8C	---	0.030in
Rider 970; 4 Stroke; 465cc; 1 Cyl.; (Briggs & Stratton)				
15.5hp;28N707;3/8in Reach Spark Plugs;Before 2003	871 / RJ8C	841 / J8C	---	0.030in
Rider 970 HST; 4 Stroke; 465cc; 1 Cyl.; (Briggs & Stratton)				
15.5hp;28N707;3/8in Reach Spark Plugs;Before 2003	871 / RJ8C	841 / J8C	---	0.030in
Rider Pro15; 4 Stroke; Vertical; 26.3cid\431cc; V2; (Kawasaki); OHV				
15hp;FH430V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Rider Pro15V2; 4 Stroke; Vertical; 26.3cid\431cc; V2; (Kawasaki); OHV				
15hp;FH430V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Rider Pro15V2 AWD; 4 Stroke; Vertical; 26.3cid\431cc; V2; (Kawasaki); OHV				
15hp;FH430V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Rider Pro18; 4 Stroke; Vertical; 30.1cid\493cc; V2; (Kawasaki); OHV				
18hp;FH531V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Rider Pro18 AWD; 4 Stroke; Vertical; 30.1cid\493cc; V2; (Kawasaki); OHV				
17.7hp;FH531V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Rider ProFlex 18; 4 Stroke; Vertical; 30.1cid\493cc; V2; (Kawasaki); OHV				
18hp;FH531V	863 / RCJ8Y	---	843ECO	0.030in
Rider ProFlex 21; Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV				
21hp;FH641V	405 / RN14YC	---	---	0.030in
Rider ProFlex 21 AWD; Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV				
21hp;FH641V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Rider ProFlex 21 II; Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV				
21hp;FH641V	405 / RN14YC	3405 / RN14PMC	---	0.030in
SRD17530; Endurance; V2; (Briggs & Stratton); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Rototiller				
CRT900; 950 Series; 12.6929cid\208cc; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CRT900L; 950 Series; 12.6929cid\208cc; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
DRT900; 950 Series; 12.6929cid\208cc; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Husqvarna					
Rototiller					
DRT900E; 950 Series; 12.6929cid\208cc; (Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
DRT900H; GCV-Series; Vertical; (Honda); OHC					
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
FT900; 950 Series; 12.6929cid\208cc; (Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Seeder					
SD18B; Intek; 1 Cyl.; (Briggs & Stratton)					
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
SD18H; (Honda)					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
SD22; (Honda); OHC					
5.5hp	415 / RN9YC	300 / N9YC	415ECO	0.028in	
SD22; 900 Series; 1 Cyl.; (Briggs & Stratton)					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
SD22; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
SD22; Quantum; (Briggs & Stratton); L-HEAD					
5.5hp;12R800	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
SD22H; Horizontal; 163cc; 1 Cyl.; (Honda); OHV					
7.6hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Sod Cutter					
SC18; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
SC18A; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; (Honda); OHV					
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
SC18H; (Honda)					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Sprayer					
321S15; 2 Stroke; 1 Cyl.					
	840 / RCJ8	843 / CJ8	843ECO	0.026in	
321S25; 2 Stroke; 1 Cyl.					
	840 / RCJ8	843 / CJ8	843ECO	0.026in	
325S25; 2 Stroke; 1 Cyl.					
	852 / RCJ6Y	---	852ECO	0.026in	
362D28; 2 Stroke; 1 Cyl.					
	859 / RCJ7Y	---	843ECO	0.026in	
362M18; 2 Stroke; 1 Cyl.					
	859 / RCJ7Y	---	843ECO	0.026in	
Stump Grinder					
(Honda); OHV					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
272S					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
BE550; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
SG13; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Stump Grinder				
SG13HB CE; 4 Stroke; 20.6cid\337cc; 1 Cyl.; (Honda); OHV				
13hp	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
TR36; 196cc; 1 Cyl.; (Honda); OHV				
5.5hp;GX200	322 / RN11YC4	302 / N11YC	322ECO	0.030in
TR36; 4 Stroke; 10.3cid\169cc; 1 Cyl.; (Robin); OHC				
5.7hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in
TR48; 4 Stroke; 16.2cid\265cc; 1 Cyl.; (Robin); OHC				
9.0hp;EX27	830 / RL86C	933-1 / QL86C	---	0.025in
TR48; 4 Stroke; Horizontal; 16.5cid\270cc; 1 Cyl.; (Honda); OHV				
8hp;GX270	415 / RN9YC	300 / N9YC	415ECO	0.030in
Tiller				
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
500RTT; 1 Cyl.				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
500RTT; GC-Series; Horizontal; (Honda); OHC				
4.6hp;GC160	322 / RN11YC4	302 / N11YC	322ECO	0.030in
550CRTH				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
550CRTT				
	104 / RN4C	803 / N4C	---	0.030in
600CRT; 13.53cid\222cc; 1 Cyl.				
6hp	871 / RJ8C	841 / J8C	---	0.030in
650CRT; Intek; 1 Cyl.; (Briggs & Stratton)				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
650RTTA; 1 Cyl.; (Briggs & Stratton)				
121402	71 / RC12YC	946 / QC12YC	71ECO	0.030in
700DRT; Quantum; (Briggs & Stratton); L-HEAD				
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
CRT1350LS; 1 Cyl.; (Briggs & Stratton)				
204312	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CRT35				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
CRT50				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
CRT51				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
CRT52				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
CRT53; (Briggs & Stratton); L-HEAD				
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
CRT55				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
CRT61				
	104 / RN4C	803 / N4C	---	0.030in
CRT81				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
CRT83				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
CRT900; 900 Series; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Tiller				
CRT900L; 900 Series; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CRT900LS; GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
CT16A				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
CT20; Vertical; (Tecumseh)				
2hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
CT20A				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
DRT70; 1 Cyl.; (Briggs & Stratton)				
122002	71 / RC12YC	946 / QC12YC	71ECO	0.030in
DRT900; 900 Series; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
DRT900E; 900 Series; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
DRT900H; GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
FT900; 900 Series; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
HDF900; (LCT)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
RT900; (LCT)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
RTT900; 1 Cyl.; (LCT)				
PLMK14600124P	415 / RN9YC	300 / N9YC	415ECO	0.030in
T225R				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
T255R				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
T25RS; (Subaru/Robin); OHV				
2.4hp;EH09D	840 / RCJ8	843 / CJ8	843ECO	0.025in
T300				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
T300RS; (Subaru/Robin); OHV				
1.6hp;EH035	978 / RY4C	---	---	0.025in
Trimmer				
120L				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
120LC				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
120R				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
122				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
122C				
0.8hp	978 / RY4C	---	---	0.024in
122HD45				
0.8hp	978 / RY4C	---	---	0.024in
122HD60				
0.8hp	978 / RY4C	---	---	0.024in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Trimmer				
122L				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
122LDX				
0.8hp	978 / RY4C	---	---	0.024in
123C				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
123L; 1.5cid\24.5cc; 1 Cyl.				
0.9hp	859 / RCJ7Y	---	843ECO	0.020in
123LD; 1.5cid\24.5cc; 1 Cyl.				
0.9hp	859 / RCJ7Y	---	843ECO	0.020in
124C; 28cc; 1 Cyl.				
1.1hp	852 / RCJ6Y	---	852ECO	0.024in
125C; 28cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.024in
125E; 1.7cid\28cc; 1 Cyl.				
1.1hp	852 / RCJ6Y	---	852ECO	0.024in
125L				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
125LD				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
125R				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
125RJ				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
128C				
1.07hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.024in
128CD				
1.1hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
128DJX				
1.1hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
128L				
1.07hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.024in
128LD				
1.1hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
128LDX				
1.07hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.024in
128R; 1.7cid\28cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.024in
129C; 27.6cc; 1 Cyl.				
1.1hp	978 / RY4C	---	---	0.020in
129L; 27.6cc; 1 Cyl.				
1.1hp	978 / RY4C	---	---	0.020in
129RJ; 1.7cid\28cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.024in
131R; 1.99cid\32.6cc; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.024in
131RB; 1.99cid\32.6cc; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.024in
132L				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
132LD				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Husqvarna					
Trimmer					
132R					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
132RB					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
132RJ					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
133R; 31.8cc; 1 Cyl.					
	863 / RCJ8Y	---	843ECO	0.026in	
142R; 41.5cc; 1 Cyl.					
	863 / RCJ8Y	---	843ECO	0.026in	
142RB; 41.5cc; 1 Cyl.					
	863 / RCJ8Y	---	843ECO	0.026in	
143R; 41.5cc; 1 Cyl.					
	863 / RCJ8Y	---	843ECO	0.026in	
143R-II; 41.5cc; 1 Cyl.					
	859 / RCJ7Y	---	843ECO	0.026in	
152RB; 41.5cc; 1 Cyl.					
	863 / RCJ8Y	---	843ECO	0.026in	
18H					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
18RL					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
21LCN					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in	
223L					
1hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in	
223R					
1hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
224L					
1.1hp	965 / RZ7C	---	---	0.028in	
225B/BX					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
225E					
1.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in	
225HP					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
225L					
1.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in	
225L Lite					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
225LD					
1.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in	
225R					
1.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in	
225RD					
1.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in	
227R; 26.9cc; 1 Cyl.					
	859 / RCJ7Y	---	843ECO	0.020in	
227RD; 26.9cc; 1 Cyl.					
	859 / RCJ7Y	---	843ECO	0.020in	
22R					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Trimmer				
22RL				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
232L				
1.5hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
232R/RD/RJ				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
235R				
1.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
236R; 33.6cc; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.026in
4hp	859 / RCJ7Y	---	843ECO	0.026in
23LC				
	859 / RCJ7Y	846 / CJ14	843ECO	0.030in
240R				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
240RBD				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
241R; 40.3cc; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.020in
241RJ; 40.3cc; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.020in
244RX				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
245R				
2.7hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
245RX				
2.7hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
250R				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
250RX				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
25H				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
25R				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
25RL				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
265RX				
4hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
26H				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
26LC				
	852 / RCJ6Y	972-1 / QCJ6Y	846ECO	0.030in
26RLC				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
322C; 2 Stroke; 21.7cc				
0.9hp	859 / RCJ7Y	---	843ECO	0.020in
322E				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
322L; 2 Stroke; 21.7cc				
0.9hp	859 / RCJ7Y	---	843ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Trimmer				
322R				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
323c; 2 Stroke; 24.5cc				
1.2hp	859 / RCJ7Y	---	843ECO	0.020in
323E				
1.5hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
323Ex				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
323L; 2 Stroke; 24.5cc				
1.2hp	859 / RCJ7Y	---	843ECO	0.020in
323LD; 2 Stroke; 24.5cc				
1.2hp	859 / RCJ7Y	---	843ECO	0.020in
323R				
1.5hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
324HE4				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
324L				
1.5hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
324LDX				
1.1hp	965 / RZ7C	---	---	0.028in
324Rx; 25cc; 1 Cyl.				
1.1hp	965 / RZ7C	---	---	0.024in
325				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
325C				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
325CX; 2 Stroke; 24.5cc				
1.2hp	859 / RCJ7Y	---	843ECO	0.020in
325EX				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
325E-X; 1.5cid\24.5cc; 1 Cyl.				
1.2hp	859 / RCJ7Y	---	843ECO	0.020in
325L; 2 Stroke				
	859 / RCJ7Y	---	843ECO	0.020in
325LDX; 2 Stroke; 24.5cc				
1.2hp	859 / RCJ7Y	---	843ECO	0.020in
325LX; 2 Stroke; 24.5cc				
1.2hp	859 / RCJ7Y	---	843ECO	0.020in
325LXT; 2 Stroke; 24.5cc				
1.2hp	859 / RCJ7Y	---	843ECO	0.020in
325RX/RJX				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
326Ex				
1.5hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
326L				
1.5hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
326LD				
1.5hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
326LDx				
1.5hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
326LS				
1.2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Trimmer				
326Lx				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
326LX E-tech II				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
326RJx				
1.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
326Rx				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
326Sx; 24.5cc				
1.2hp	852 / RCJ6Y	---	852ECO	0.020in
327HE3				
1.2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
327HE4				
1.2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
327LDX				
1.2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
327LS				
1.2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
327LX				
1.2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
327RDX				
1.2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
327RJX				
1.2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
327RX				
1.2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
32L				
0.9hp	846 / CJ14	---	846ECO	0.025in
32R				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
32RLC				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
333R				
2.1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
335FR				
2.1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
335Rx				
2.1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
336FR				
1.9hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
336FRD				
1.9hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
345F				
2.8hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
345FR				
2.8hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
345FX				
2.8hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
345FXT				
2.8hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
345R				
2.8hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Trimmer				
345RX				
2.8hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
39R				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
426LST				
1.2hp	965 / RZ7C	---	---	0.028in
430LS; 1.55cid\25.4cc; 1 Cyl.				
1.17hp	965 / RZ7C	---	---	0.026in
522L; 1.37cid\22.5cc; 1 Cyl.				
1.0hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
524L				
1.2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
525HF3S				
1.34hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
525L; 1.55cid\25.4cc; 1 Cyl.				
1.21hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
525LS; 1.55cid\25.4cc; 1 Cyl.				
1.34hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
525LST				
1.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
525RJD				
1.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
525RJx				
1.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
525RK				
1.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
525RS				
1.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
525RX				
1.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
525RXT				
1.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
535LS				
2.15hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
535LST; 34.6cc; 1 Cyl.				
2.0hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
535RJ				
2.15hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
535RX				
2.15hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
535RXT				
2.15hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
545F; 2.79cid\45.7cc; 1 Cyl.				
2.8hp	965 / RZ7C	---	---	0.020in
545FR; 2.79cid\45.7cc; 1 Cyl.				
2.8hp	965 / RZ7C	---	---	0.020in
545FX; 2.79cid\45.7cc; 1 Cyl.				
2.8hp	965 / RZ7C	---	---	0.020in
545FXT; 2.79cid\45.7cc; 1 Cyl.				
2.8hp	965 / RZ7C	---	---	0.020in
545RX; 2.79cid\45.7cc; 1 Cyl.				
2.8hp	965 / RZ7C	---	---	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Trimmer				
545RXT; 2.79cid\45.7cc; 1 Cyl.				
2.8hp	965 / RZ7C	---	---	0.020in
HVT1200				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
HVT1500				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
HVT2000				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
HVT40				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
HVT52				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
Mondo				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Mondo Max				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
Mondo Mega				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
Utility Vehicle				
HUV4210GX; (Kawasaki); OHV				
11.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HUV4214G; Vanguard; 1 Cyl.; (Briggs & Stratton)				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
HUV4414G; Vanguard; 1 Cyl.; (Briggs & Stratton)				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
HUV4414GX; Vanguard; 1 Cyl.; (Briggs & Stratton)				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
HUV4421G; Horizontal; V2; (Kawasaki); OHV				
23hp;FH680D	405 / RN14YC	3405 / RN14PMC	---	0.025in
HUV4421GX; Horizontal; V2; (Kawasaki); OHV				
23hp;FH680D	405 / RN14YC	3405 / RN14PMC	---	0.025in
HUV4421GXL; Horizontal; V2; (Kawasaki); OHV				
23hp;FH680D	405 / RN14YC	3405 / RN14PMC	---	0.025in
Walk Behind Rotary Mower				
5521BBC; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
5521CH; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
5521CHV; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
5521CM; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
5521L; 1 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5521RS; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
55R21HV; Vertical; 11.4cid\187cc; 1 Cyl.; (Honda); OHC				
5.2hp;GCV190	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Walk Behind Rotary Mower				
6021P 917.384512; 4 Stroke; 9.1cid\149cc; 1 Cyl.; (Kohler); OHV				
XT149	8815-1 / QA12HCC	810 / RA8HC	810ECO	0.030in
6022CH; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6022SH; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
62522FE; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
122T05	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
62522SH; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
122T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
65022ESX; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
124L05	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6521RS; 650 Series; 163cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
65RSW21HV; 11.4cid\187cc; 1 Cyl.; (Honda); OHC				
GCV190	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
65RSW21HVA; 11.4cid\187cc; 1 Cyl.; (Honda); OHC				
GCV190	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
65RSW21HVA; Vertical; 11.4cid\187cc; 1 Cyl.; (Honda); OHC				
5.2hp;GCV190	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
65RSW21HVB; Vertical; 11.4cid\187cc; 1 Cyl.; (Honda); OHC				
5.2hp;GCV190	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
65RSW21HVC; 11.4cid\187cc; 1 Cyl.; (Honda); OHC				
GCV190	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
65RSW21HVC; Vertical; 11.4cid\187cc; 1 Cyl.; (Honda); OHC				
5.2hp;GCV190	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
67521HV; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6.75hp;125K02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
67521HV; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6.75hp;125K02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
67521HVE; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
125K05	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
67522ES; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
125K05	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7021CH; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
12H602	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7021CM; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
12H602	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7021CP; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
12H602	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7021F; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
7021KP; 4 Stroke; 1 Cyl.; L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7021P; 4 Stroke; 1 Cyl.; OHV				
	404 / RN12YC	---	---	0.030in
7021RB; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Husqvarna					
Walk Behind Rotary Mower					
7021RC; Vertical; 1 Cyl.; OHC					
	415 / RN9YC	300 / N9YC	415ECO	0.030in	
7021RES; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
128605	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
70R21HV; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
12H602	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
87521HVE; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
12S505	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
87521RES; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
12S505	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
87521RSX; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
128602	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.368921; 700 Series; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
100602	946 / QC12YC	---	---	0.030in	
917.374080 7021; 4 Stroke; Vertical; 10.6cid\173cc; 1 Cyl.; (Kohler); OHV					
XT173	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.374081 7021; 4 Stroke; Vertical; 10.6cid\173cc; 1 Cyl.; (Kohler); OHV					
XT173	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.374082 7021; 4 Stroke; Vertical; 10.6cid\173cc; 1 Cyl.; (Kohler); OHV					
XT173	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.374083 7021; 4 Stroke; Vertical; 10.6cid\173cc; 1 Cyl.; (Kohler); OHV					
XT173	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.374140 7021RD; 4 Stroke; Vertical; 10.6cid\173cc; 1 Cyl.; (Kohler); OHV					
XT173	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.374142 7021RD; 4 Stroke; Vertical; 10.6cid\173cc; 1 Cyl.; (Kohler); OHV					
XT173	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.374420; 4 Stroke; 625 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD					
122T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.374421; 4 Stroke; 625 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD					
122T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.374422; 4 Stroke; 625 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD					
122T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.374423; 4 Stroke; 625 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD					
122T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.374424; 4 Stroke; 625 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD					
122T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.374425; 4 Stroke; 625 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD					
122T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.374426; 4 Stroke; 625 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD					
122T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Walk Behind Rotary Mower				
917.374440; 4 Stroke; 650 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
124T05	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.374441; 4 Stroke; 650 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
124T05	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.374442; 4 Stroke; 650 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
124T05	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.374443; 4 Stroke; 650 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
124T05	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.374450; 4 Stroke; 875 Series; 190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12S502	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.374451; 4 Stroke; 875 Series; 190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12S502	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.374452; 4 Stroke; 875 Series; 190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12S502	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.374453; 4 Stroke; 875 Series; 190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12S502	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.374454; 4 Stroke; 875 Series; 190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12S502	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.374455; 4 Stroke; 875 Series; 190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12S502	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.374456; 4 Stroke; 875 Series; 1 Cyl.; (Briggs & Stratton); OHV				
128602	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.374460; 4 Stroke; 875 Series; 190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12S502	71 / RC12YC	946 / QC12YC	71ECO	0.020in
917.374461; 4 Stroke; 875 Series; 190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12S505	71 / RC12YC	946 / QC12YC	71ECO	0.020in
917.374462; 4 Stroke; 875 Series; 190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12S505	71 / RC12YC	946 / QC12YC	71ECO	0.020in
917.374463; 4 Stroke; 875 Series; 190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12S505	71 / RC12YC	946 / QC12YC	71ECO	0.020in
917.374464; 4 Stroke; 875 Series; 190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12S505	71 / RC12YC	946 / QC12YC	71ECO	0.020in
917.374470; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
917.374471; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
917.374472; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Walk Behind Rotary Mower				
917.374473; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
917.374780; 11.4cid\187cc; 1 Cyl.; (Honda); OHC				
GCV190	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
917.374780; Vertical; 11.4cid\187cc; 1 Cyl.; (Honda); OHC				
5.2hp;GCV190	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
917.374781; Vertical; 11.4cid\187cc; 1 Cyl.; (Honda); OHC				
5.2hp;GCV190	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
917.374800; 11.4cid\187cc; 1 Cyl.; (Honda); OHC				
GCV190	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
917.374800; Vertical; 11.4cid\187cc; 1 Cyl.; (Honda); OHC				
5.2hp;GCV190	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
917.375350; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6.5hp;123K02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.375361; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6.5hp;123K02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.375362; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6.5hp;123K02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.375363; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6.5hp;123K02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.375810; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6.75hp;125K02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.375820; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6.75hp;125K02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.375830; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
7hp;128602	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.375840; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
7hp;128605	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.375940; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6.75hp;125K02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.376820 7021; 4 Stroke; Vertical; 10.6cid\173cc; 1 Cyl.; (Kohler); OHV				
XT173	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.376822 7021; 4 Stroke; Vertical; 10.6cid\173cc; 1 Cyl.; (Kohler); OHV				
XT173	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.376823 7021; 4 Stroke; Vertical; 10.6cid\173cc; 1 Cyl.; (Kohler); OHV				
XT173	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.376980; 4 Stroke; 9.1cid\149cc; 1 Cyl.; (Kohler); OHV				
XT149;with 12mm Diameter Threads	8815-1 / QA12HCC	810 / RA8HC	810ECO	0.030in
917.377230 7021RD; 4 Stroke; Vertical; 10.6cid\173cc; 1 Cyl.; (Kohler); OHV				
XT173	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.377231 7021RD; 4 Stroke; Vertical; 10.6cid\173cc; 1 Cyl.; (Kohler); OHV				
XT173	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.379130; 4 Stroke; 9.1cid\149cc; 1 Cyl.; (Kohler); OHV				
XT149;with 12mm Diameter Threads	8815-1 / QA12HCC	810 / RA8HC	810ECO	0.030in
917.379141; 4 Stroke; 9.1cid\149cc; 1 Cyl.; (Kohler); OHV				
XT149;with 12mm Diameter Threads	8815-1 / QA12HCC	810 / RA8HC	810ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Husqvarna					
Walk Behind Rotary Mower					
917.379150; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC					
4.4hp;GCV160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
917.380450 38045; 4 Stroke; Vertical; 10.6cid\173cc; 1 Cyl.; (Kohler); OHV					
XT173;with 14mm Diameter Threads	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.380451 38045; 4 Stroke; Vertical; 10.6cid\173cc; 1 Cyl.; (Kohler); OHV					
XT173;with 14mm Diameter Threads	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.380452 38045; 4 Stroke; Vertical; 10.6cid\173cc; 1 Cyl.; (Kohler); OHV					
XT800	8815-1 / QA12HCC	810 / RA8HC	810ECO	0.030in	
XT800;with 12mm Diameter Threads	8815-1 / QA12HCC	810 / RA8HC	810ECO		
XT800;with 14mm Diameter Threads	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.380453 38045; 4 Stroke; Vertical; 10.6cid\173cc; 1 Cyl.; (Kohler); OHV					
XT800;with 14mm Diameter Threads	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.380460 38046; 725 Series; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
128M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.380461 38046; 725 Series; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
128M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.380960 38096; 4 Stroke; Vertical; 10.6cid\173cc; 1 Cyl.; (Kohler); OHV					
XT800	8815-1 / QA12HCC	810 / RA8HC	810ECO	0.030in	
XT800;with 12mm Diameter Threads	8815-1 / QA12HCC	810 / RA8HC	810ECO		
XT800;with 14mm Diameter Threads	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
917.380961 38096; 4 Stroke; Vertical; 10.6cid\173cc; 1 Cyl.; (Kohler); OHV					
XT800;with 14mm Diameter Threads	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
917.380970 38097; 725 Series; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
128M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
917.384500; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC					
4.4hp;GCV160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
917.384501; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC					
4.4hp;GCV160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
917.384502; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC					
4.4hp;GCV160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
917.384503; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC					
4.4hp;GCV160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
917.384504; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC					
4.4hp;GCV160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
917.384505; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC					
4.4hp;GCV160	404 / RN12YC	---	---	0.030in	
917.384506; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC					
4.4hp;GCV160	404 / RN12YC	---	---	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Walk Behind Rotary Mower				
917.384507; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC				
4.4hp;GCV160	404 / RN12YC	---	---	0.030in
917.384510 6021P; 4 Stroke; 9.1cid\149cc; 1 Cyl.; (Kohler); OHV				
XT149	8815-1 / QA12HCC	810 / RA8HC	810ECO	0.030in
917.384511 6021P; 4 Stroke; 9.1cid\149cc; 1 Cyl.; (Kohler); OHV				
XT149	8815-1 / QA12HCC	810 / RA8HC	810ECO	0.030in
917.384520 6021P; 4 Stroke; 9.1cid\149cc; 1 Cyl.; (Kohler); OHV				
XT149	8815-1 / QA12HCC	810 / RA8HC	810ECO	0.030in
917.384521 6021P; 4 Stroke; 9.1cid\149cc; 1 Cyl.; (Kohler); OHV				
XT149	8815-1 / QA12HCC	810 / RA8HC	810ECO	0.030in
917.384540; 4 Stroke; 550 Series; 8.64cid\140cc; 1 Cyl.; (Briggs & Stratton); OHV				
3.75hp;09P702	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.384541; 4 Stroke; 550 Series; 8.64cid\140cc; 1 Cyl.; (Briggs & Stratton); OHV				
3.75hp;09P702	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.384542; 4 Stroke; 550 Series; 8.64cid\140cc; 1 Cyl.; (Briggs & Stratton); OHV				
3.75hp;09P702	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.384543; 4 Stroke; 550 Series; 8.64cid\140cc; 1 Cyl.; (Briggs & Stratton); OHV				
3.75hp;09P702	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.38459 38459; 725 Series; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
128M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
917.384591; 725 Series; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
128M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
GX560; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
HD775HW; 4 Stroke; 1 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.020in
HD800AWDX/BBC; 4 Stroke; 1 Cyl.				
	404 / RN12YC	---	---	0.030in
HU550F; 4 Stroke; 2 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
HU600F; 4 Stroke; 9.1cid\149cc; 1 Cyl.; (Kohler); OHV				
XT149;with 12mm Diameter Threads	8815-1 / QA12HCC	810 / RA8HC	810ECO	0.030in
HU600L; 4 Stroke; 9.1cid\149cc; 1 Cyl.; (Kohler); OHV				
XT149;with 12mm Diameter Threads	8815-1 / QA12HCC	810 / RA8HC	810ECO	0.030in
HU675AWD; 4 Stroke; 1 Cyl.; (Kohler); OHV				
	8815-1 / QA12HCC	810 / RA8HC	810ECO	0.030in
HU700L; 4 Stroke; 1 Cyl.				
	404 / RN12YC	---	---	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Walk Behind Rotary Mower				
HU725AWD; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
HU725BBC; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
HU725E; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
128M05	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
HU725F; 4 Stroke; 1 Cyl.; L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
HU775BBC; 4 Stroke; 1 Cyl.				
	71 / RC12YC	946 / QC12YC	71ECO	0.020in
HU775H; 110000; 10.69cid/175cc; 1 Cyl.; (Briggs & Stratton); OHV				
111P02	71 / RC12YC	946 / QC12YC	71ECO	0.020in
HU800AWD; 4 Stroke; 1 Cyl.				
	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
HU800HW; Vertical; 9.8cid/160cc; 1 Cyl.; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
J55SL; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
124T02	973 / RJ19HX	---	861ECO	0.030in
Klippo LB448S; 4 Stroke; 145cc; 1 Cyl.; (Honda); OHV				
3.6hp	404 / RN12YC	---	322ECO	0.030in
Klippo LB453S; 4 Stroke; 166cc; 1 Cyl.; (Honda); OHV				
4.4hp	404 / RN12YC	---	322ECO	0.030in
Klippo LB548Se; 4 Stroke; 166cc; 1 Cyl.; (Honda); OHV				
4.4hp	404 / RN12YC	---	322ECO	0.030in
L221A; 4 Stroke; 1 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
L221AHK; 4 Stroke; 1 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
L221AK; 4 Stroke; 1 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
L421P; 4 Stroke; 1 Cyl.; (Kohler); OHV				
	8815-1 / QA12HCC	810 / RA8HC	810ECO	0.030in
LB256S; 650exi; 163cc; 1 Cyl.; (Briggs & Stratton); OHV				
3.2hp	980 / XC92YC	---	---	0.028in
LB48; 4 Stroke; 190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	---	---	0.020in
LB48e; 4 Stroke; 161cc; 1 Cyl.; (Briggs & Stratton); OHV				
3.6hp	946 / QC12YC	982 / XC12YC	71ECO	0.020in
LB48V; 4 Stroke; 190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	---	---	0.020in
LB553Se; 4 Stroke; 166cc; 1 Cyl.; (Honda); OHV				
3.8hp	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
LC140; 4 Stroke; 125cc; 1 Cyl.; (Briggs & Stratton); OHV				
2.4hp	946 / QC12YC	982 / XC12YC	71ECO	0.020in
LC140S; 4 Stroke; 125cc; 1 Cyl.; (Briggs & Stratton); OHV				
2.4hp	946 / QC12YC	982 / XC12YC	71ECO	0.020in
LC148VE; 4 Stroke; 161cc; 1 Cyl.; (Briggs & Stratton); OHV				
	946 / QC12YC	982 / XC12YC	71ECO	0.020in
LC153-HD; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
122T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Husqvarna					
Walk Behind Rotary Mower					
LC153P; 650exi; 163cc; 1 Cyl.; (Briggs & Stratton); OHV					
3.2hp	980 / XC92YC	---	---	0.028in	
LC153S; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD					
126T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
LC153S; 650exi; 163cc; 1 Cyl.; (Briggs & Stratton); OHV					
3.2hp	980 / XC92YC	---	---	0.028in	
LC18; 4 Stroke; 140cc; 1 Cyl.; (Briggs & Stratton); OHV					
	946 / QC12YC	982 / XC12YC	71ECO	0.020in	
LC19; 4 Stroke; 163cc; 1 Cyl.; (Briggs & Stratton); OHV					
	946 / QC12YC	982 / XC12YC	71ECO	0.020in	
LC19A; 4 Stroke; 163cc; 1 Cyl.; (Briggs & Stratton); OHV					
	946 / QC12YC	982 / XC12YC	71ECO	0.020in	
LC19AP; 4 Stroke; 163cc; 1 Cyl.; (Briggs & Stratton); OHV					
	946 / QC12YC	982 / XC12YC	71ECO	0.020in	
LC19SP; 4 Stroke; 163cc; 1 Cyl.; (Briggs & Stratton); OHV					
	946 / QC12YC	982 / XC12YC	71ECO	0.020in	
LC219; 4 Stroke; 163cc; 1 Cyl.; (Honda); OHV					
	404 / RN12YC	---	---	0.020in	
LC221AH; 4 Stroke; 1 Cyl.					
	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
LC221Ai; 4 Stroke; 1 Cyl.					
	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
LC221FH; V1					
	404 / RN12YC	38 / N12YC	332ECO	0.030in	
LC221FH; 4 Stroke; 1 Cyl.; OHV					
	404 / RN12YC	---	322ECO	0.030in	
LC221RH; 4 Stroke; 1 Cyl.; OHV					
	404 / RN12YC	---	322ECO	0.030in	
LC247; 4 Stroke; 125cc; 1 Cyl.; (Briggs & Stratton); OHV					
2.4hp	980 / XC92YC	---	---	0.020in	
LC247S; 4 Stroke; 125cc; 1 Cyl.; (Briggs & Stratton); OHV					
2.4hp	980 / XC92YC	---	---	0.020in	
LC247SP; 4 Stroke; 140cc; 1 Cyl.; (Briggs & Stratton); OHV					
2.8hp	980 / XC92YC	---	---	0.020in	
LC253S; 4 Stroke; 163cc; 1 Cyl.; (Briggs & Stratton); OHV					
3.2hp	980 / XC92YC	---	---	0.020in	
LC353AWD; 4 Stroke; 10.4cid/163cc; 1 Cyl.; (Honda); OHV					
4.9hp	404 / RN12YC	---	322ECO	0.028in	
LC353V; 4 Stroke; 161cc; 1 Cyl.; (Briggs & Stratton); OHV					
3.6hp	946 / QC12YC	982 / XC12YC	71ECO	0.020in	
LC353VB; 4 Stroke; 161cc; 1 Cyl.; (Briggs & Stratton); OHV					
3.6hp	946 / QC12YC	982 / XC12YC	71ECO	0.020in	
LC353VE; 4 Stroke; 161cc; 1 Cyl.; (Briggs & Stratton); OHV					
3.6hp	946 / QC12YC	982 / XC12YC	71ECO	0.020in	
LC353VI; 4 Stroke; 161cc; 1 Cyl.; (Briggs & Stratton); OHV					
3.6hp	946 / QC12YC	982 / XC12YC	71ECO	0.020in	
LC356VP; 4 Stroke; 1 Cyl.; (Honda); OHV					
GCVx170	404 / RN12YC	---	322ECO	0.030in	
LC419; 4 Stroke; 163cc; 1 Cyl.; (Honda); OHV					
	404 / RN12YC	---	---	0.020in	
LC451S; 4 Stroke; 140cc; 1 Cyl.; (Briggs & Stratton); OHV					
3.4hp	946 / QC12YC	982 / XC12YC	71ECO	0.020in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Husqvarna					
Walk Behind Rotary Mower					
LC451V; 4 Stroke; 140cc; 1 Cyl.; (Briggs & Stratton); OHV					
3.4hp	946 / QC12YC	982 / XC12YC	71ECO	0.020in	
LC48; 4 Stroke; 190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	---	---	0.020in	
LC48Be; 4 Stroke; 161cc; 1 Cyl.; (Briggs & Stratton); OHV					
3.6hp	946 / QC12YC	982 / XC12YC	71ECO	0.020in	
LC48e; 4 Stroke; 161cc; 1 Cyl.; (Briggs & Stratton); OHV					
3.6hp	946 / QC12YC	982 / XC12YC	71ECO	0.020in	
LC48V; 4 Stroke; 190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	---	---	0.020in	
LC48VE; 4 Stroke; 190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	---	---	0.020in	
LC551SP; 4 Stroke; 161cc; 1 Cyl.; (Kawasaki); OHV					
3.9hp;FJ180V	404 / RN12YC	---	322ECO	0.030in	
LC551VBP; 4 Stroke; 161cc; 1 Cyl.; (Kawasaki); OHV					
3.9hp;FJ180V	404 / RN12YC	---	322ECO	0.030in	
M148SV; 4 Stroke; 161cc; 1 Cyl.; (Briggs & Stratton); OHV					
	946 / QC12YC	982 / XC12YC	71ECO	0.020in	
M48 Pro; 4 Stroke; 160cc; 2 Cyl.; OHV					
	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
M53 S Pro; 4 Stroke; 160cc; 2 Cyl.; OHV					
	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in	
Master 46; Prism; 1 Cyl.; (Tecumseh)					
	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in	
MK500; 120cc; 1 Cyl.					
3.5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
R148SV; 4 Stroke; 161cc; 1 Cyl.; (Briggs & Stratton); OHV					
	946 / QC12YC	982 / XC12YC	71ECO	0.020in	
R152SV; 700 Series; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
100602	946 / QC12YC	---	---	0.030in	
R152SVSW; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
100602	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
R214T; Intek; Model 40; 4 Stroke; 656cc; V2; (Briggs & Stratton); OHV					
13.3hp	980 / XC92YC	---	---	0.030in	
R214TC; Intek; Model 40; 4 Stroke; 656cc; V2; (Briggs & Stratton); OHV					
13.3hp	980 / XC92YC	---	---	0.030in	
R216T AWD; Intek; Model 40; 4 Stroke; 656cc; V2; (Briggs & Stratton); OHV					
13.3hp	980 / XC92YC	---	---	0.030in	
Royal 53S Intek; Intek Edge 60; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
	946 / QC12YC	982 / XC12YC	71ECO	0.020in	
W21K; 4 Stroke; 10.9cid\179cc; 1 Cyl.; (Kawasaki); OHV					
6hp;FJ180V	404 / RN12YC	---	322ECO	0.030in	
W21SBK; 4 Stroke; 10.9cid\179cc; 1 Cyl.; (Kawasaki); OHV					
6hp;FJ180V	404 / RN12YC	---	322ECO	0.030in	
W21SK; 4 Stroke; 10.9cid\179cc; 1 Cyl.; (Kawasaki); OHV					
6hp;FJ180V	404 / RN12YC	---	322ECO	0.030in	
W53SBEK; 4 Stroke; 10.9cid\179cc; 1 Cyl.; (Kawasaki); OHV					
6hp;FJ180V	404 / RN12YC	---	322ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Walk Behind Rotary Mower				
W53SEK; 4 Stroke; 10.9cid\179cc; 1 Cyl.; (Kawasaki); OHV				
6hp;FJ180V	404 / RN12YC	---	322ECO	0.030in
WB48S; 135cc; 1 Cyl.; (Honda)				
2.8hp	404 / RN12YC	---	322ECO	0.030in
WB48Se; 160cc; 1 Cyl.; (Honda)				
3.8hp	404 / RN12YC	---	322ECO	0.030in
WB53Se; 160cc; 1 Cyl.; (Honda)				
3.8hp	404 / RN12YC	---	322ECO	0.030in
WC48Se; Endurance; 190cc; 1 Cyl.; (Briggs & Stratton); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
WG3613BF; 4 Stroke; Vertical; 26.3cid\431cc; V2; (Kawasaki); OHV				
13hp;FH381V	863 / RCJ8Y	---	843ECO	0.030in
WG3613E; 4 Stroke; Vertical; 26.3cid\431cc; V2; (Kawasaki); OHV				
13hp;FH381V	863 / RCJ8Y	---	843ECO	0.030in
WG3613EC; 4 Stroke; Vertical; 26.3cid\431cc; V2; (Kawasaki); OHV				
13hp;FH381V	863 / RCJ8Y	---	843ECO	0.030in
XL500 Flymo; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
XT721F; 4 Stroke; 1 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XT721FE; 4 Stroke; 1 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Zero-Turn Mower				
EZ17; Vertical; 35.6cid\585cc; V2; (Kawasaki); OHV				
17hp;FH541V-KAI	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
EZ21; Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV				
21hp;FH641V	405 / RN14YC	3405 / RN14PMC	---	0.030in
EZ24T; Endurance; 44cid\724cc; V2; (Briggs & Stratton); OHV				
19.6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ4216; 4 Stroke; Vertical; 32.3cid\530cc; V2; (Honda); OHC				
16hp;GXV530	322 / RN11YC4	302 / N11YC	322ECO	0.030in
EZ4217; Vertical; 35.6cid\585cc; V2; (Kawasaki); OHV				
17hp;FH541V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
EZ4822; Extended Life Series (ELS); 44cid\724cc; V2; (Briggs & Stratton); OHV				
22hp;44K777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ4824; Courage; 4 Stroke; 2 Cyl.; (Kohler); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ4824; Endurance; 4 Stroke; 2 Cyl.; (Briggs & Stratton); OHV				
24hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
EZ4824K; Courage; 4 Stroke; 2 Cyl.; (Kohler); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ5221; 4 Stroke; 2 Cyl.; (Kawasaki); OHV				
21hp	404 / RN12YC	---	---	0.030in
EZ5224; Courage; 4 Stroke; 2 Cyl.; (Kohler); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ5224BF; Courage; 4 Stroke; 2 Cyl.; (Kohler); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPÉD Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Zero-Turn Mower				
EZ5226; Endurance; 4 Stroke; 2 Cyl.; (Briggs & Stratton); OHV				
26hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
EZ5424; Extended Life Series (ELS); V2; (Briggs & Stratton); OHV				
24hp;44M777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZ6124; Courage; 4 Stroke; 2 Cyl.; (Kohler); OHV				
24hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
EZC4824; Courage; 4 Stroke; 2 Cyl.; (Kohler); OHV				
24hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
EZC4824BF; Courage; 4 Stroke; 2 Cyl.; (Kohler); OHV				
24hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
EZF3417; 4 Stroke; 2 Cyl.; (Kawasaki); OHV				
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
iZ21C; 4 Stroke; Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV				
25hp;FH721V	405 / RN14YC	3405 / RN14PMC	---	0.030in
iZ4217TSKAA; Vertical; 35.6cid\585cc; V2; (Kawasaki); OHV				
17hp;FH541V	863 / RCJ8Y	---	843ECO	0.030in
iZ4817TSKAA; Vertical; 35.6cid\585cc; V2; (Kawasaki); OHV				
17hp;FH541V	863 / RCJ8Y	---	843ECO	0.030in
iZ4821TKAA; Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV				
21hp;FH641V	405 / RN14YC	3405 / RN14PMC	---	0.030in
iZ5223TKOA; Command Pro; V2; (Kohler); OHV				
23hp;CV23S	71 / RC12YC	946 / QC12YC	71ECO	0.030in
iZ5223TVAN; Vanguard; 4 Stroke; 2 Cyl.; (Briggs & Stratton); OHV				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LSZ4622; Endurance; 4 Stroke; 2 Cyl.; (Briggs & Stratton); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LSZ5422; Endurance; 4 Stroke; 2 Cyl.; (Briggs & Stratton); OHV				
22hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
LSZ5424; Courage; 4 Stroke; 2 Cyl.; (Kohler); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LZ25C; Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV				
25hp;FH721V	405 / RN14YC	3405 / RN14PMC	---	0.030in
LZ30; Command Pro; Vertical; 44cid\725cc; V2; (Kohler); OHV				
30hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LZ30C; Command Pro; Vertical; 44cid\725cc; V2; (Kohler); OHV				
30hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LZ5227; Command Pro; Vertical; 44cid\725cc; V2; (Kohler); OHV				
27hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LZ5227TXPKOA; Command Pro; Vertical; 44cid\725cc; V2; (Kohler); OHV				
27hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LZ6123LTKOA; Aegis; 4 Stroke; Liquid Cooled; 41.1cid\674cc; V2; (Kohler); OHV				
23hp;LV675	71 / RC12YC	946 / QC12YC	71ECO	0.040in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Zero-Turn Mower				
LZ6127; Command Pro; Vertical; 44cid\725cc; V2; (Kohler); OHV				
27hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LZ6127TKOA; Command Pro; Vertical; 44cid\725cc; V2; (Kohler); OHV				
27hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LZ6130; Command Pro; Vertical; 44cid\725cc; V2; (Kohler); OHV				
30hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LZ6130CC; Command Pro; Vertical; 44cid\725cc; V2; (Kohler); OHV				
30hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LZ6130TXPKOA; Command Pro; Vertical; V2; (Kohler); OHV				
30hp;CV747	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LZ7230; Command Pro; Vertical; 44cid\725cc; V2; (Kohler); OHV				
30hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LZ7230C; Command Pro; Vertical; 44cid\725cc; V2; (Kohler); OHV				
30hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LZ7230TXPKOA; Command Pro; Vertical; V2; (Kohler); OHV				
30hp;CV747	71 / RC12YC	946 / QC12YC	71ECO	0.030in
MZ 52; Vertical; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
MZ 54S; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
MZ 61; Endurance; V2; (Briggs & Stratton); OHV				
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
MZ25; Courage Pro; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
MZ28ZT; Endurance; V2; (Briggs & Stratton); OHV				
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
MZ28ZT BF; Endurance; V2; (Briggs & Stratton); OHV				
28hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
MZ48; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.031in
MZ5225; Courage Pro; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
MZ5225BF; Courage Pro; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
MZ5225C; Courage Pro; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
MZ5225ZT; Courage Pro; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
MZ54; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
MZ5424S; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
MZ61+ROPS; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Zero-Turn Mower				
MZ6125; Courage Pro; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
MZ6125BF; Courage Pro; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
MZ6125C; Courage Pro; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
MZ6128; ELS; 4 Stroke; 2 Cyl.; (Briggs & Stratton); OHV				
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
MZ6128; Extended Life Series (ELS); 2 Cyl.; (Briggs & Stratton); OHV				
28hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
MZ6128ZT; Extended Life Series (ELS); V2; (Briggs & Stratton); OHV				
28hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
MZ7227; Courage Pro; V2; (Kohler); OHV				
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
M-ZT52; Endurance; V2; (Briggs & Stratton); OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
M-ZT52; Endurance Commercial; V2; (Briggs & Stratton); OHV				
28hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
M-ZT61; Commercial Turf; V2; (Briggs & Stratton); OHV				
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
P524; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
PZ29CE; 4 Stroke; Vertical; 52cid\852cc; V2; (Kawasaki); OHV				
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
PZ54; Vertical; 52cid\852cc; V2; (Kawasaki); OHV				
24.5hp;FX751V	405 / RN14YC	3405 / RN14PMC	---	0.030in
24.5hp;V554	405 / RN14YC	3405 / RN14PMC	---	0.030in
PZ5426FX; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
26hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
PZ5430; 4 Stroke; Vertical; 46cid\747cc; V2; (Kohler); OHV				
30hp;CV750	71 / RC12YC	946 / QC12YC	71ECO	0.030in
PZ60; 824cc; 2 Cyl.; (Kohler)				
31hp;ECV870	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
PZ6029FX; Vertical; 852cc; V2; (Kawasaki); OHV				
29hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
PZ6029PFX; Vertical; 824cc; V2; LPG; (Kawasaki); OHV				
29hp;FX801V	404 / RN12YC	---	---	0.030in
PZ6034FX; Vertical; 61cid\999cc; V2; (Kawasaki); OHV				
34hp;FX921V	404 / RN12YC	---	---	0.030in
PZ7234FX; Vertical; 61cid\999cc; V2; (Kawasaki); OHV				
34hp;FX921V	404 / RN12YC	---	---	0.030in
P-ZT26FSBF; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
26hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Husqvarna					
Zero-Turn Mower					
P-ZT4822FS; Vertical; V2; (Kawasaki); OHV					
22hp;FX651V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
P-ZT5224FS; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
24hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
P-ZT54; Vertical; 52cid\852cc; V2; (Kawasaki); OHV					
24.5hp;FX751V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
P-ZT6126FS; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
26hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
RZ3016; Intek; (Briggs & Stratton); OHV					
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
RZ3016CA; Intek; 4 Stroke; 2 Cyl.; (Briggs & Stratton); OHV					
16.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
RZ3019BF; Intek BF; 4 Stroke; 2 Cyl.; (Briggs & Stratton); OHV					
19.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
RZ4216; Intek; 4 Stroke; 2 Cyl.; (Briggs & Stratton); OHV					
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
RZ4219; Intek; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
RZ4619; Intek; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
RZ4620; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
20hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
RZ4621BF; Endurance; 4 Stroke; 2 Cyl.; (Briggs & Stratton); OHV					
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
RZ4824TF; Endurance; V2; (Briggs & Stratton); OHV					
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
RZ5422; ELS; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV					
20hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
RZ5424 28982; Courage; 4 Stroke; 2 Cyl.; (Kohler); OHV					
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
RZ54i; Endurance; V2; (Briggs & Stratton); OHV					
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
V548; Vertical; 52cid\852cc; V2; (Kawasaki); OHV					
24.5hp;FX751V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
V554; Vertical; 52cid\852cc; V2; (Kawasaki); OHV					
24.5hp;FX751V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Z142; 4 Stroke; Vertical; 40cid\660cc; V2; (Kohler); OHV					
17hp;KT600-3011	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
Z18; Courage; 4 Stroke; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Z242F; Endurance; V2; (Briggs & Stratton); OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Z246; Endurance; V2; (Briggs & Stratton); OHV					
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Z246i; Endurance; V2; (Briggs & Stratton); OHV					
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Zero-Turn Mower				
Z248F; Endurance; V2; (Briggs & Stratton); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z248F; Vanguard; V2; (Briggs & Stratton); OHV				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z254; Endurance; V2; (Briggs & Stratton); OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z254; Endurance; 726cc; V2; (Briggs & Stratton); OHV				
24hp;44U877	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z254; Vertical; 726cc; V2; (Kohler); OHV				
26hp;KT745	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Z254F; Vertical; 726cc; V2; (Kohler); OHV				
26hp;KT745	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Z254F; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.031in
Z254i; Endurance; V2; (Briggs & Stratton); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z3815; Intek; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z4217; Intek; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
15	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z4218; Courage; 4 Stroke; (Kohler); OHV				
18	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z4219; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z4220; Courage; 1 Cyl.; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z4220; Courage; 4 Stroke; (Kohler); OHV				
18	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z448; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
22hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z454; Vertical; V2; (Kawasaki); OHV				
22hp;FS651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z454X; Commercial Endurance; 2 Cyl.; (Briggs & Stratton)				
22.7hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Z454X; Vertical; V2; (Kawasaki); OHV				
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z460; V2; (Kawasaki); OHV				
23hp;FS691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z460X; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z4619; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z4824; Courage; 1 Cyl.; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z4824; Courage; 4 Stroke; (Kohler); OHV				
20	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Husqvarna					
Zero-Turn Mower					
Z5426; Extended Life Series (ELS); 4 Stroke; V2; (Briggs & Stratton); OHV					
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Z548; Vertical; V2; (Kawasaki); OHV					
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Z548; Vertical; 824cc; V2; (Yamaha); OHV					
26hp;MX800V	415 / RN9YC	300 / N9YC	415ECO	0.030in	
31hp;MX800V	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Z554; Vertical; 824cc; V2; (Yamaha); OHV					
26hp;MX800V	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Z554; Vertical; 52cid\852cc; V2; (Kawasaki); OHV					
24.5hp;FX751V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Z554X; 50.3cid\824cc; V2; (Kohler); OHV					
27hp;ECV850	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in	
Z554X; Command Pro; Vertical; V2; (Kohler)					
31hp;ECV870	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in	
Z554X; Vertical; 823cc; V2; (Yamaha); OHV					
27.5hp;MX825V	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Z554X; Vertical; 824cc; V2; (Kawasaki); OHV					
25.5hp;FX801V;with 14mm Diameter Threads	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Z560; 50.3cid\824cc; V2; (Kohler); OHV					
27hp;ECV850	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in	
Z560; Vertical; V2; (Kawasaki); OHV					
25.5hp;FX751V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Z560; Vertical; 823cc; V2; (Yamaha); OHV					
27.5hp;MX825V	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Z560; Vertical; 824cc; V2; (Kawasaki); OHV					
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Z560X; 824cc; 2 Cyl.; (Kohler)					
31hp;ECV870;with 12mm Diameter Threads	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in	
Z560X; Vanguard; V2; (Briggs & Stratton); OHV					
23.2hp;810	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Z560X; Vertical; V2; (Kawasaki); OHV					
27hp;FX921V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
31hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
31hp;FX921V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Z560X; Vertical; 823cc; V2; (Yamaha); OHV					
27.5hp;MX825V	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Z560X; Vertical; 824cc; V2; (Kawasaki); OHV					
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Z560X; Vertical; 52cid\852cc; V2; (Kawasaki); OHV					
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Zero-Turn Mower				
Z572X; 824cc; 2 Cyl.; (Kohler)				
31hp;ECV870;with 12mm Diameter Threads	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
Z572X; Vertical; V2; (Kawasaki); OHV				
31hp;FX921V	405 / RN14YC	3405 / RN14PMC	---	0.030in
ZTH5223; 4 Stroke; Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV				
23hp;FH680V	405 / RN14YC	3405 / RN14PMC	---	0.030in
ZTH6125; 4 Stroke; Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV				
25hp;FH721V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Huss				
Log Splitter				
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Stump Grinder				
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Hustler				
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Continental)				
TC-56	541 / RD16	516 / D16	---	0.030in
(Kawasaki); OHV				
15hp	404 / RN12YC	38 / N12YC	322ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Hustler					
Lawn Tractor					
(Kawasaki); OHV					
17hp	322 / RN11YC4	404 / RN12YC	322ECO	0.030in	
(Kohler)					
18hp;Tapered Seat	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
18hp;K361;Gasket	854 / RH10C	844 / H10C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
17.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
17.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
2 Cyl.; (Kawasaki); OHV					
23hp	404 / RN12YC	38 / N12YC	322ECO	0.025in	
25hp	404 / RN12YC	38 / N12YC	322ECO	0.025in	
2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
20hp;K532	854 / RH10C	844 / H10C	---	0.030in	
23hp;K582	854 / RH10C	844 / H10C	---	0.030in	
H2; (Briggs & Stratton); L-HEAD					
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
V2; (Honda)					
16hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
18hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
24hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
28hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
1.1L; (Ford)					
	322 / RN11YC4	302 / N11YC	322ECO	0.035in	
1.3L; (Ford)					
	304 / RS9YC	3401 / RS10PYC4	---	0.035in	
Command Pro; (Kohler); OHV					
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Command Pro; 2 Cyl.; (Kohler); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Command Pro; V2; (Kohler); OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vertical; V2; (Kawasaki); OHV					
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
19hp;FH601V	404 / RN12YC	38 / N12YC	322ECO	0.025in	
400					
	304 / RS9YC	3401 / RS10PYC4	---	0.030in	
Fast Track; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Hustler				
Lawn Tractor				
Fast Track SD; Vertical; V2; (Kawasaki); OHV				
22hp;FS691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
24hp;FS730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Fast Track XSD; Vertical; V2; (Kawasaki); OHV				
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Fast Track XSD; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Fastrak; Vertical; V2; (Kohler); OHV				
23hp;ZT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Fastrak SDX; Vertical; V2; (Kohler); OHV				
23hp;ZT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Raptor; 4 Stroke; Vertical; 7000 Series; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Raptor; 6600 Series; 40.3cid\660cc; 1 Cyl.; (Kohler); OHV				
19hp;KT610	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Raptor; Vertical; 603cc; V2; (Kawasaki); OHV				
15.1hp;FR541V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Raptor Flip Up; Vertical; V2; (Kohler); OHV				
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Raptor SD; 4 Stroke; Vertical; 7000 Series; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Raptor SD; Vertical; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp;KT745	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Raptor SDX; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Super 104; Vanguard; V2; (Briggs & Stratton); OHV				
36hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Super S; V2; (Kohler); OHV				
23hp;ECV730	946 / QC12YC	982 / XC12YC	71ECO	0.030in
25hp;ECV740	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Trimstar; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
X-One; 52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in
X-One; Vanguard; V2; (Briggs & Stratton)				
28hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
X-One; Vertical; V2; (Kawasaki); OHV				
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
X-One; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Mower				
(Kawasaki); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.031in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Hustler				
Mower				
(Kohler); OHV				
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
V2; (Honda); OHV				
18hp	404 / RN12YC	---	---	0.028in
20hp	404 / RN12YC	---	---	0.030in
V2; (Kohler)				
29hp;ECV860	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
33hp;ECV880	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
V2; (Kohler); OHV				
23hp;ECV730	946 / QC12YC	982 / XC12YC	71ECO	0.030in
25hp;ECV740	946 / QC12YC	982 / XC12YC	71ECO	0.030in
30hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in
4 Stroke; Vertical; 7000 Series; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6600 Series; 40.3cid\660cc; 1 Cyl.; (Kohler); OHV				
19hp;KT610	946 / QC12YC	982 / XC12YC	71ECO	0.030in
GX-Series; 4 Stroke; Horizontal; V2; (Honda); OHV				
24hp;GX670	404 / RN12YC	---	---	0.028in
Horizontal; V2; (Kohler); OHV				
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Vertical; V2; (Kawasaki); OHV				
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Vertical; V2; (Kohler); OHV				
23hp;ZT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp;KT745	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Super S; Vertical; V2; (Kawasaki); OHV				
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Super S; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Trimstar; Vertical; V2; (Kawasaki); OHV				
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
22hp;FS691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Trimstar; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Continental)				
TC-56	541 / RD16	516 / D16	---	0.030in
(Kawasaki); OHV				
15hp	404 / RN12YC	38 / N12YC	322ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Hustler				
Tiller				
(Kawasaki); OHV				
17hp	322 / RN11YC4	404 / RN12YC	322ECO	0.030in
(Kohler)				
18hp;Tapered Seat	25 / RV17YC	3018 / RV17PMC4	---	0.025in
18hp;K361;Gasket	854 / RH10C	844 / H10C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
17.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
17.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2 Cyl.; (Kawasaki); OHV				
23hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
25hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
20hp;K532	854 / RH10C	844 / H10C	---	0.030in
23hp;K582	854 / RH10C	844 / H10C	---	0.030in
H2; (Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Honda)				
16hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
18hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
24hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
28hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1.1L; (Ford)				
	322 / RN11YC4	302 / N11YC	322ECO	0.035in
1.3L; (Ford)				
	304 / RS9YC	3401 / RS10PYC4	---	0.035in
Command Pro; (Kohler); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 2 Cyl.; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; V2; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; V2; (Kawasaki); OHV				
19hp;FH601V	404 / RN12YC	38 / N12YC	322ECO	0.025in
Turf Equipment				
(Honda)				
24hp	322 / RN11YC4	302 / N11YC	322ECO	0.032in
(Kawasaki); OHV				
15hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
2 Cyl.; (Kawasaki); OHV				
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Hustler					
Turf Equipment					
2 Cyl.; (Kawasaki); OHV					
27hp	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Vertical; V2; (Kawasaki); OHV					
19hp;FH580V	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Zero-Turn Mower					
Super Z; V2; (Kohler)					
29hp;ECV860	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in	
33hp;ECV880	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in	
Super Z; 52cid\852cc; V2; (Kawasaki); OHV					
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Super Z; Vertical; 61cid\999cc; V2; (Kawasaki); OHV					
35hp;FX1000V	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Super Z Hyper Drive; Vanguard; V2; (Briggs & Stratton)					
36hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
37hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
HWH					
Log Splitter					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Hydra-Splitter					
Log Splitter					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Hydro Mite					
Mulcher					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Honda); OHV					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Seeder					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Honda); OHV					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Sprayer					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Honda); OHV					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Hydro Terra					
Mulcher					
(Kohler)					
16hp	854 / RH10C	844 / H10C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Hydro Terra				
Seeder				
(Kohler)				
16hp	854 / RH10C	844 / H10C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Hydro-Turf				
Sprayer				
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
8hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
IBP				
Hole Digger				
200				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
300				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
400				
	871 / RJ8C	841 / J8C	---	0.025in
500				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Ice King				
Ice Auger				
(Tecumseh)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Ideal				
Mower				
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
Indian				
Tiller				
	871 / RJ8C	841 / J8C	---	0.030in
Industrial Products				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Ingersoll				
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ingersoll				
Lawn Tractor				
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.030in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
(Onan)				
B43M	857 / RH18Y	---	---	0.025in
B48M	857 / RH18Y	---	---	0.025in
16hp	909 / RS17YX	---	---	0.025in
18hp	909 / RS17YX	---	---	0.025in
20hp	909 / RS17YX	---	---	0.025in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
2 Cyl.; (Briggs & Stratton); L-HEAD				
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Honda)				
20hp;GX620	322 / RN11YC4	302 / N11YC	322ECO	0.030in
2 Cyl.; (Onan)				
CCKA	538 / RH8C	587 / H8C	---	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
40.25cid; 2 Cyl.; (Onan)				
8.5hp;BF	857 / RH18Y	---	---	0.025in
Vanguard; V2; (Briggs & Stratton)				
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Mower				
(Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Briggs & Stratton); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Briggs & Stratton); OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.030in
12hp	854 / RH10C	844 / H10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.030in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ingersoll				
Tiller				
(Onan)				
B43M	857 / RH18Y	---	---	0.025in
B48M	857 / RH18Y	---	---	0.025in
16hp	909 / RS17YX	---	---	0.025in
18hp	909 / RS17YX	---	---	0.025in
20hp	909 / RS17YX	---	---	0.025in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
2 Cyl.; (Briggs & Stratton); L-HEAD				
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Honda)				
20hp;GX620	322 / RN11YC4	302 / N11YC	322ECO	0.030in
2 Cyl.; (Onan)				
CCKA	538 / RH8C	587 / H8C	---	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
40.25cid; 2 Cyl.; (Onan)				
8.5hp;BF	857 / RH18Y	---	---	0.025in
Vanguard; V2; (Briggs & Stratton)				
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Innovative Equipment				
Towable Mini-Excavator				
TMX; V2; (Honda); OHV				
22.1hp	404 / RN12YC	---	---	0.030in
International				
Blower/Vacuum/Water Sprayer				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Commercial Chipper				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Edger				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3309				
	846 / CJ14	---	846ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
International				
Lawn Mower				
331				
	846 / CJ14	---	846ECO	0.030in
3310				
	846 / CJ14	---	846ECO	0.030in
3311				
	846 / CJ14	---	846ECO	0.030in
3312				
	846 / CJ14	---	846ECO	0.030in
3313				
	846 / CJ14	---	846ECO	0.030in
3314				
	846 / CJ14	---	846ECO	0.030in
3315				
	846 / CJ14	---	846ECO	0.030in
3319				
	846 / CJ14	---	846ECO	0.030in
332				
	846 / CJ14	---	846ECO	0.030in
3320				
	846 / CJ14	---	846ECO	0.030in
3321				
	846 / CJ14	---	846ECO	0.030in
3322				
	846 / CJ14	---	846ECO	0.030in
3323				
	846 / CJ14	---	846ECO	0.030in
3324				
	846 / CJ14	---	846ECO	0.030in
3325				
	846 / CJ14	---	846ECO	0.030in
333				
	846 / CJ14	---	846ECO	0.030in
334				
	846 / CJ14	---	846ECO	0.030in
335				
	846 / CJ14	---	846ECO	0.030in
Log Splitter				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Iron & Oak				
Blower/Vacuum/Water Sprayer				
(Honda)				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Iron & Oak				
Blower/Vacuum/Water Sprayer				
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Kohler); OHV				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Tecumseh)				
3.8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh); OHV				
5hp	104 / RN4C	803 / N4C	---	0.030in
8hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Commercial Chipper				
(Honda)				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Kohler); OHV				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Tecumseh)				
3.8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh); OHV				
5hp	104 / RN4C	803 / N4C	---	0.030in
8hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Log Splitter				
(Honda)				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Kohler); OHV				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Tecumseh)				
3.8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh); OHV				
5hp	104 / RN4C	803 / N4C	---	0.030in
8hp	104 / RN4C	803 / N4C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Iron & Oak				
Log Splitter				
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Shredder				
(Honda)				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Kohler); OHV				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Tecumseh)				
3.8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh); OHV				
5hp	104 / RN4C	803 / N4C	---	0.030in
8hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Islander				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Jackson				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Plugger				
(Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Jacobsen				
Aerator				
(Honda); OHV				
4hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
GA-24; Vanguard; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Dethatcher				
Command Series; 4 Stroke; Vertical; 24.3cid\398cc; 1 Cyl.; (Kohler); OHV				
11hp;CV11	71 / RC12YC	946 / QC12YC	71ECO	0.040in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Jacobsen				
Garden Tractor				
165; K341; 0.6L (35.9cid); L1; (Kohler); L-HEAD				
16hp;with 14mm Diameter Threads	854 / RH10C	844 / H10C	---	0.025in
Hover Mower				
Hoverking 16"; GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
2hp;GXV57	808 / Z9Y	705 / P-RZ9HC	---	0.026in
Hoverking 20"; GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
Infield and Bunker Rake				
Groom Master II; Vanguard; V2; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Lawn Mower				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
(Honda)				
4hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
(Honda); OHV				
3.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10.191cid\167cc; (Clinton)				
4hp	871 / RJ8C	841 / J8C	---	0.025in
Mower				
(Kawasaki); OHV				
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kawasaki); OHV				
15hp	405 / RN14YC	3405 / RN14PMC	---	0.031in
21hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
V2; (Kohler); OHV				
31hp;ECV870	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
50.3cid\824cc; V2; (Kohler); OHV				
27hp;ECV850	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in
GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
2hp;GXV57U	808 / Z9Y	705 / P-RZ9HC	---	0.026in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton); OHV				
32hp;350000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RZT Pro Series 2750; 50.3cid\824cc; V2; (Kohler); OHV				
27hp;ECV850	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
RZT Pro Series 2760; 50.3cid\824cc; V2; (Kohler); OHV				
27hp;ECV850	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
RZT Pro Series 2760; 52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in
RZT Pro Series 3172; V2; (Kohler); OHV				
31hp;ECV870	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Jacobsen				
Mower				
RZT Pro Series 3172; Vertical; V2; (Kawasaki); OHV				
31hp;FX921V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
SZT Pro Series 2648; Vanguard; V2; (Briggs & Stratton); OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
SZT Pro Series 2654; Vanguard; V2; (Briggs & Stratton); OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
WZT 1836D; Professional Series; V2; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
WZT 1836S; Professional Series; V2; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
WZT 1844D; Professional Series; V2; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Power Rake				
I/C (Industrial/Commercial) Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Reel Mower				
Eclipse Hybrid 122f; (Honda); OHV				
4hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
RL255; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
5.5hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
Sod Cutter				
Command Pro; 4 Stroke; Horizontal; (Kohler); OHV				
12hp;CS12	405 / RN14YC	3405 / RN14PMC	---	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
5.5hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
Turf Equipment				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
3.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki); OHV				
15hp	344 / RC9YC	946 / QC12YC	---	0.025in
17hp	344 / RC9YC	946 / QC12YC	---	0.025in
(Kohler)				
10hp;K241	854 / RH10C	844 / H10C	---	0.030in
12hp;K301	854 / RH10C	844 / H10C	---	0.030in
14hp;K321	854 / RH10C	844 / H10C	---	0.030in
16hp;K341	854 / RH10C	844 / H10C	---	0.030in
18hp;K361	854 / RH10C	844 / H10C	---	0.030in
8hp	854 / RH10C	844 / H10C	---	0.030in
8hp;K181	871 / RJ8C	841 / J8C	---	0.025in
(Onan)				
20hp	909 / RS17YX	---	---	0.025in



Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Jacobsen					
Turf Equipment					
(Perkins)					
G4-236	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
GR-236	415 / RN9YC	300 / N9YC	415ECO	0.030in	
(Robin)					
EH29C	405 / RN14YC	3405 / RN14PMC	---	0.030in	
EH35C	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
EY25W	830 / RL86C	933-1 / QL86C	---	0.025in	
(Robin); L-HEAD					
EY25W	830 / RL86C	933-1 / QL86C	---	0.025in	
2 Cyl.; (Kohler)					
23hp;K582	854 / RH10C	844 / H10C	---	0.030in	
2 Cyl.; (Kohler); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
V2; (Kawasaki); OHV					
19hp	344 / RC9YC	946 / QC12YC	---	0.025in	
21hp	405 / RN14YC	3405 / RN14PMC	---	0.030in	
192cid; (Ford)					
	854 / RH10C	844 / H10C	---	0.035in	
45.2cid\740cc; 3 Cyl.; Gas; (Kubota)					
24.5hp;WG752	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
67cid; (Ford)					
	415 / RN9YC	300 / N9YC	415ECO	0.035in	
Extended Life Series (ELS); 1 Cyl.; (Briggs & Stratton)					
17.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton)					
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; V2; (Briggs & Stratton)					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Utility Vehicle					
2015 Model					
	909 / RS17YX	---	---	0.025in	
Cushman Turf Truckster; K6; (Suzuki)					
34hp;84067 MT	8812-1 / QA8HCC	449 / RA7YC	---	0.034in	
34hp;84068 AT	8812-1 / QA8HCC	449 / RA7YC	---	0.034in	
34hp;84069	8812-1 / QA8HCC	449 / RA7YC	---	0.034in	
GX810; (Robin)					
EH29C	405 / RN14YC	3405 / RN14PMC	---	0.028in	
EH35C	404 / RN12YC	38 / N12YC	322ECO	0.025in	
Truckster MS; Vertical; (Kawasaki); OHV					
13hp;FJ400D	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Truckster MX; Vertical; (Kawasaki); OHV					
13hp;FJ400D	322 / RN11YC4	302 / N11YC	322ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Jacobsen					
Zero-Turn Mower					
ZT600; Command Series; 4 Stroke; 2 Cyl.; (Kohler); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Jacto					
Mister					
PL50V					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
Jamaka					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Jari					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	592 / RJ12C	511 / J11C	---	0.025in	
(Clinton)					
	592 / RJ12C	511 / J11C	---	0.025in	
(Kohler)					
	592 / RJ12C	511 / J11C	---	0.025in	
(Tecumseh)					
	592 / RJ12C	511 / J11C	---	0.025in	
Power Scythe					
	871 / RJ8C	841 / J8C	---	0.025in	
Power Sickle					
1 Cyl.; (Briggs & Stratton); L-HEAD					
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Chief; 550 Series; Horizontal; (Briggs & Stratton); OHV					
83132	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Sickle Bar Mower					
Monarch; Command Pro; 4 Stroke; Horizontal; (Kohler); OHV					
7hp;CH270	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Monarch; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
5.5hp;GX200	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
JCPenney					
Edger					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Tiller					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Trimmer					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
JCPenney					
Trimmer					
709030					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
709035					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Jiffy					
Ice Drill					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in	
(Tecumseh)					
2hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
3hp	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
3.5hp	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
Tiller					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.025in	
Jiffy Hydraulic Seeder					
Mulcher					
(Kohler)					
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
V2; (Kohler); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Seeder					
(Kohler)					
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
V2; (Kohler); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Jobu					
Brush Cutter/Disc Mower					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Joe Built					
Powered Wheelbarrow					
HD-500					
4hp	871 / RJ8C	841 / J8C	---	0.030in	
John Deere					
Aerator					
Aercore 800; 4 Stroke; Vertical; 7000 Series; V2; (Kohler); OHV					
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Blower/Vacuum/Water Sprayer					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
(Kawasaki)					
12.5hp;K-Series	846 / CJ14	---	846ECO	0.030in	
3.1hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
John Deere				
Blower/Vacuum/Water Sprayer				
(Kawasaki)				
5.2hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kawasaki); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14hp;K-Series	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp;K-Series	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp;K-Series	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kioritz)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.030in
12hp	854 / RH10C	844 / H10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.030in
16hp	854 / RH10C	844 / H10C	---	0.030in
17hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Onan)				
316	909 / RS17YX	---	---	0.025in
318	909 / RS17YX	---	---	0.025in
420	909 / RS17YX	---	---	0.025in
16hp	909 / RS17YX	---	---	0.025in
18hp	909 / RS17YX	---	---	0.025in
20hp	909 / RS17YX	---	---	0.025in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
2 Cyl.; (Kawasaki); OHV				
19hp;3/4in Reach Spark Plugs	322 / RN11YC4	302 / N11YC	322ECO	0.030in
23hp	302 / N11YC	---	322ECO	0.030in
2 Cyl.; (Kohler)				
20hp	854 / RH10C	844 / H10C	---	0.030in
V2; (Kawasaki)				
14.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
16hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
18hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
19hp;3/8in Reach Spark Plugs	840 / RCJ8	843 / CJ8	843ECO	0.030in
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
22hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
23hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
John Deere				
Blower/Vacuum/Water Sprayer				
Liquid-Cooled; 878cc; L3; Gas; (Yanmar)				
28hp;3TG72	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
2				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
2BV				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2LS				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
4				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
45BP				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
BH30				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
BH40				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
BP40				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
BP50				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Brush Cutter/Disc Mower				
BC1600				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
Bunker Rake				
1200A; Horizontal; (Kawasaki); OHV				
7.1hp;FE290	404 / RN12YC	38 / N12YC	322ECO	0.025in
1200A Hydro; Vanguard; V2; (Briggs & Stratton); OHV				
32hp;300000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Commercial Chipper				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Kawasaki)				
12.5hp;K-Series	846 / CJ14	---	846ECO	0.030in
3.1hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
5.2hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kawasaki); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14hp;K-Series	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp;K-Series	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp;K-Series	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kioritz)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
John Deere					
Commercial Chipper					
(Kohler)					
10hp	854 / RH10C	844 / H10C	---	0.030in	
12hp	854 / RH10C	844 / H10C	---	0.030in	
14hp	854 / RH10C	844 / H10C	---	0.030in	
16hp	854 / RH10C	844 / H10C	---	0.030in	
17hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kohler); OHV					
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Onan)					
316	909 / RS17YX	---	---	0.025in	
318	909 / RS17YX	---	---	0.025in	
420	909 / RS17YX	---	---	0.025in	
16hp	909 / RS17YX	---	---	0.025in	
18hp	909 / RS17YX	---	---	0.025in	
20hp	909 / RS17YX	---	---	0.025in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
2 Cyl.; (Kawasaki); OHV					
19hp;3/4in Reach Spark Plugs	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
2 Cyl.; (Kohler)					
20hp	854 / RH10C	844 / H10C	---	0.030in	
V2; (Kawasaki)					
14.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
16hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
18hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
19hp;3/8in Reach Spark Plugs	840 / RCJ8	843 / CJ8	843ECO	0.030in	
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
22hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
23hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Liquid-Cooled; 878cc; L3; Gas; (Yanmar)					
28hp;3TG72	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
CS36					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
CS40					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
CS46					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
CS5					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
CS52					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
John Deere				
Commercial Chipper				
CS56				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
CS62				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
CS71				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
CS8				
	871 / RJ8C	841 / J8C	---	0.030in
CS81				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Garden Tractor				
GT242				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GT262				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GT275				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GT325				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GT345				
	846 / CJ14	---	846ECO	0.030in
X700; 2 Cyl.; (Kawasaki); OHV				
23hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
Hedge Trimmer				
113				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
162				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
172				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
213E				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
21HC				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
H20D				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
H20S				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
H26S				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Lawn Mower				
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.3hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Tecumseh)				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
John Deere				
Lawn Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
24.3cid\398cc; 1 Cyl.; (Kohler); OHV				
13hp;CV13S	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in
Horizontal; (Kawasaki); OHV				
4hp;FD120D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Intek; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vertical; (Kawasaki); OHV				
5hp;FC150V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6hp;FJ180V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Vertical; V2; (Kawasaki); OHV				
17hp;FC540V	404 / RN12YC	38 / N12YC	322ECO	0.025in
12PB				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12SB				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
14PT				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14PZ				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
14SB				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14SC				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14SE				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14ST				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14SX				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14SZ				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
20SR7				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
56				
	871 / RJ8C	841 / J8C	---	0.030in
57				
	871 / RJ8C	841 / J8C	---	0.030in
66				
	871 / RJ8C	841 / J8C	---	0.030in
68				
	871 / RJ8C	841 / J8C	---	0.030in
F725				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
GS25				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GS30				
	71 / RC12YC	946 / QC12YC	71ECO	0.040in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
John Deere				
Lawn Mower				
GS45				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GS75				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HD45				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HD75				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
JA62				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
JA65				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
JE75				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
JS28; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
JS60				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
JS61				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
JS63				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
JX75				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
JX85				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
R72				
	871 / RJ8C	841 / J8C	---	0.030in
S28				
	871 / RJ8C	841 / J8C	---	0.030in
S92				
	871 / RJ8C	841 / J8C	---	0.030in
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Kawasaki)				
12.5hp;K-Series	846 / CJ14	---	846ECO	0.030in
3.1hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
3.8hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
5.2hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kawasaki); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14hp;K-Series	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp;K-Series	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp;K-Series	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
John Deere				
Lawn Tractor				
(Kioritz)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.030in
12hp	854 / RH10C	844 / H10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.030in
16hp	854 / RH10C	844 / H10C	---	0.030in
17hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Onan)				
316	909 / RS17YX	---	---	0.025in
318	909 / RS17YX	---	---	0.025in
420	909 / RS17YX	---	---	0.025in
16hp	909 / RS17YX	---	---	0.025in
18hp	909 / RS17YX	---	---	0.025in
20hp	909 / RS17YX	---	---	0.025in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
2 Cyl.; (Kawasaki); OHV				
19hp;3/4in Reach Spark Plugs	322 / RN11YC4	302 / N11YC	322ECO	0.030in
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
27hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
29hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
2 Cyl.; (Kohler)				
20hp	854 / RH10C	844 / H10C	---	0.030in
V2; (Kawasaki)				
FH491V	871 / RJ8C	841 / J8C	---	0.024in
14.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
16hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
18hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
19hp;3/8in Reach Spark Plugs	840 / RCJ8	843 / CJ8	843ECO	0.030in
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
22hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
23hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
V2; (Kawasaki); OHV				
FH730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
40.2cid\658cc; 3 Cyl.; Gas; (Yanmar)				
20hp;3TG66	322 / RN11YC4	302 / N11YC	322ECO	0.030in
52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.031in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
John Deere					
Lawn Tractor					
4 Stroke; Vertical; 7000 Series; V2; (Kohler); OHV					
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Command Pro; Vertical; V2; (Kohler); OHV					
22.5hp;CV680	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
23.5hp;CV742	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp;CV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
27hp;ECV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
29hp;ECV749	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Command Pro; Vertical; 44cid\725cc; V2; (Kohler); OHV					
27hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; (Briggs & Stratton); OHV					
210000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
31P700	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; V2; (Briggs & Stratton); OHV					
400000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; 44cid\724cc; V2; (Briggs & Stratton); OHV					
445500	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
44Q900	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Liquid-Cooled; 878cc; L3; Gas; (Yanmar)					
28hp;3TG72	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
LPG Retrofit Available; V2; (Kohler); OHV					
26.5hp;CV749	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
Propane Retrofit Available; V2; (Kohler); OHV					
25hp;CV742	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp;ECV740	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
25hp;FCV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vertical; V2; (Kawasaki); OHV					
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
20.5hp;FX651V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
22hp;FS651V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
22.2hp;FS730V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
24hp;FS691V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
25hp;FD721V	404 / RN12YC	38 / N12YC	322ECO	0.025in	
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
31hp;FX921V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV					
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV					
25hp;FH721V	405 / RN14YC	3405 / RN14PMC	---	0.025in	
26hp;FD731V	405 / RN14YC	3405 / RN14PMC	---	0.025in	
Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.031in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
John Deere				
Lawn Tractor				
Vertical; 52cid\852cc; V2; (Kawasaki); OHV				
24.5hp;FX751V	405 / RN14YC	3405 / RN14PMC	---	0.031in
Vertical; 61cid\999cc; V2; (Kawasaki); OHV				
35hp;FX1000V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
110; K-Series; (Kohler)				
8hp;K181	871 / RJ8C	841 / J8C	---	0.025in
130				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
140 H3; K-Series; (Kohler)				
12hp;K301	854 / RH10C	844 / H10C	---	0.035in
1400 Series; Liquid-Cooled; 878cc; L3; Gas; (Yanmar)				
28hp;3TG72	404 / RN12YC	38 / N12YC	322ECO	0.025in
170				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
175				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
180				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
185				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
210; K-Series; (Kohler)				
10hp;K241	854 / RH10C	844 / H10C	---	0.035in
212; K-Series; (Kohler)				
14hp;K321;Battery & Breakerless	854 / RH10C	844 / H10C	---	0.035in
240				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
245				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
260				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
265				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
285				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
300; K-Series; (Kohler)				
16hp;K341;Battery & Breakerless	854 / RH10C	844 / H10C	---	0.035in
314; K-Series; (Kohler)				
14hp;K321;Magneto	854 / RH10C	844 / H10C	---	0.025in
316; K-Series; (Kohler)				
16hp;K341;Magneto	854 / RH10C	844 / H10C	---	0.025in
317; K-Series; (Kohler)				
17hp;KT17	25 / RV17YC	3018 / RV17PMC4	---	0.025in
320				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
325				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
345				
	846 / CJ14	---	846ECO	0.030in
400				
	846 / CJ14	---	846ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
John Deere				
Lawn Tractor				
400; K-Series; 2 Cyl.; (Kohler)				
20hp;K532	854 / RH10C	844 / H10C	---	0.025in
425				
	846 / CJ14	---	846ECO	0.030in
445				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
652E; Vertical; V2; (Kawasaki); OHV				
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
652R EFI; Propane Retrofit Available; V2; (Kohler); OHV				
25hp;ECV740	946 / QC12YC	982 / XC12YC	71ECO	0.030in
661R EFI; Propane Retrofit Available; V2; (Kohler); OHV				
25hp;ECV740	946 / QC12YC	982 / XC12YC	71ECO	0.030in
D100; (Briggs & Stratton)				
17.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
D110; (Briggs & Stratton)				
19.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
D130; V2; (Briggs & Stratton)				
22hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
D140; V2; (Briggs & Stratton)				
22hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
D170; V2; (Briggs & Stratton)				
26hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
F510				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
F525				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
F620				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
F625				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
F710				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
F725				
	846 / CJ14	---	846ECO	0.030in
F910				
	408 / RS14YC	7015 / RS14PMP4	---	0.030in
F911				
	846 / CJ14	---	846ECO	0.030in
F912; 40.2cid\658cc; 3 Cyl.; Gas; (Yanmar)				
20hp;3TG66	404 / RN12YC	38 / N12YC	322ECO	0.025in
F930				
	408 / RS14YC	7015 / RS14PMP4	---	0.030in
F932; Liquid-Cooled; 878cc; L3; Gas; (Yanmar)				
28hp;3TG72	404 / RN12YC	38 / N12YC	322ECO	0.025in
F935; Liquid-Cooled; 878cc; L3; Gas; (Yanmar)				
28hp;3TG72	404 / RN12YC	38 / N12YC	322ECO	0.025in
GX70				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GX75				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
John Deere				
Lawn Tractor				
GX85				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GX95				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
L110; (Kohler); OHV				
17.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
L160; (Kawasaki); L-HEAD				
12.5hp;FB460V	846 / CJ14	---	846ECO	0.026in
LA105; 1 Cyl.; (Briggs & Stratton)				
19.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LA105; Intek; 1 Cyl.; (Briggs & Stratton)				
19.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LA115; 1 Cyl.; (Briggs & Stratton)				
19.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LA115; Intek; 1 Cyl.; (Briggs & Stratton)				
19.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LA125; 1 Cyl.; (Briggs & Stratton)				
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LA125; Intek; 1 Cyl.; (Briggs & Stratton)				
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LA135; 2 Cyl.; (Briggs & Stratton)				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LA145; 2 Cyl.; (Briggs & Stratton)				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LA145; Vanguard; V2; (Briggs & Stratton)				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LA155; 2 Cyl.; (Briggs & Stratton)				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LA165; 2 Cyl.; (Briggs & Stratton)				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LA175; 2 Cyl.; (Briggs & Stratton)				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LT133				
	71 / RC12YC	946 / QC12YC	71ECO	0.040in
LT155				
	71 / RC12YC	946 / QC12YC	71ECO	0.040in
LT166				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
LX172				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
LX173				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
LX176				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
LX178				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
LX186				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
LX188				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
RX63; (Kawasaki); L-HEAD				
5.2hp;FA210V	840 / RCJ8	843 / CJ8	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
John Deere				
Lawn Tractor				
SRX75				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
SRX75; Vertical; (Kawasaki); OHV				
9hp;FC290V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
SRX95				
	846 / CJ14	---	846ECO	0.030in
SRX95; (Kawasaki)				
	846 / CJ14	---	846ECO	0.030in
SST16; Vanguard; V2; (Briggs & Stratton)				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
SST18; Vanguard; V2; (Briggs & Stratton)				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
STX30				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
STX38				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
STX46				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
SX85; 1 Cyl.; (Briggs & Stratton); L-HEAD				
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
X300; (Kawasaki)				
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
X304; (Kawasaki)				
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
X320; (Kawasaki); OHV				
22hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
X324; 41.2cid/675cc; V2; (Kawasaki); OHV				
22hp;FH661V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
X340; 41.19cid/675cc; V2; (Kawasaki); OHV				
25hp;FH721V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
X360; 41.2cid/675cc; V2; (Kawasaki); OHV				
22hp;FH661V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
X500; 2 Cyl.; (Kawasaki); OHV				
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
X520; 2 Cyl.; (Kawasaki); OHV				
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
X534; 2 Cyl.; (Kawasaki); OHV				
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
X540; 2 Cyl.; (Kawasaki); OHV				
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
X720; 2 Cyl.; (Kawasaki); OHV				
27hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
X724; 2 Cyl.; (Kawasaki); OHV				
27hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
X728; 2 Cyl.; (Kawasaki); OHV				
27hp	405 / RN14YC	3405 / RN14PMC	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
John Deere				
Log Splitter				
No. 5				
	871 / RJ8C	841 / J8C	---	0.030in
Mower				
(Briggs & Stratton); L-HEAD				
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Onan)				
	909 / RS17YX	---	---	0.030in
V2; (Briggs & Stratton); OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Kawasaki); OHV				
21hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
24.3cid398cc; 1 Cyl.; (Kohler); OHV				
13hp;CV13S	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Horizontal; V2; Flex; (Kohler); OHV				
26.5hp;FCV749	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; Vertical; V2; LPG; (Kohler); OHV				
24hp;PCV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horizontal; V2; (Kawasaki); OHV				
20hp	840 / RCJ8	843 / CJ8	843ECO	0.040in
Intek; (Briggs & Stratton); OHV				
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vertical; (Kawasaki); OHV				
13.6hp;FH480V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.028in
14hp;FC420V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp;FC150V	415 / RN9YC	300 / N9YC	415ECO	0.030in
Vertical; V2; (Kawasaki); OHV				
19hp;FH601V	405 / RN14YC	3405 / RN14PMC	---	0.030in
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.031in
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.031in
636M; Vertical; V2; (Kawasaki); OHV				
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
648M; Vertical; V2; (Kawasaki); OHV				
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
648R; Vertical; V2; (Kawasaki); OHV				
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
652B; Vertical; V2; (Kawasaki); OHV				
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
652M; Vertical; V2; (Kawasaki); OHV				
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
John Deere				
Mower				
652R; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
661R; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
WG32A; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
WG36A; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
WG48A; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
WH36A; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
WH48A; Vertical; V2; (Kawasaki); OHV				
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
WH52A; Vertical; V2; (Kawasaki); OHV				
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
WH61A; Vertical; V2; (Kawasaki); OHV				
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
WHP36A; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
WHP48A; Vertical; V2; (Kawasaki); OHV				
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
WHP52A; Vertical; V2; (Kawasaki); OHV				
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
WHP61A; Vertical; V2; (Kawasaki); OHV				
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Reel Mower				
20SR7				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Shredder				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Kawasaki)				
12.5hp;K-Series	846 / CJ14	---	846ECO	0.030in
3.1hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
5.2hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kawasaki); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14hp;K-Series	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
John Deere				
Shredder				
(Kawasaki); OHV				
17hp;K-Series	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp;K-Series	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kioritz)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.030in
12hp	854 / RH10C	844 / H10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.030in
16hp	854 / RH10C	844 / H10C	---	0.030in
17hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Onan)				
316	909 / RS17YX	---	---	0.025in
318	909 / RS17YX	---	---	0.025in
420	909 / RS17YX	---	---	0.025in
16hp	909 / RS17YX	---	---	0.025in
18hp	909 / RS17YX	---	---	0.025in
20hp	909 / RS17YX	---	---	0.025in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
2 Cyl.; (Kawasaki); OHV				
19hp;3/4in Reach Spark Plugs	322 / RN11YC4	302 / N11YC	322ECO	0.030in
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
2 Cyl.; (Kohler)				
20hp	854 / RH10C	844 / H10C	---	0.030in
V2; (Kawasaki)				
14.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
16hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
18hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
19hp;3/8in Reach Spark Plugs	840 / RCJ8	843 / CJ8	843ECO	0.030in
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
22hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
23hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Liquid-Cooled; 878cc; L3; Gas; (Yanmar)				
28hp;3TG72	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Sprayer				
	871 / RJ8C	841 / J8C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
John Deere				
Sweeper				
	871 / RJ8C	841 / J8C	---	0.025in
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Kawasaki)				
12.5hp;K-Series	846 / CJ14	---	846ECO	0.030in
3.1hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
5.2hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kawasaki); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14hp;K-Series	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp;K-Series	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp;K-Series	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kioritz)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.030in
12hp	854 / RH10C	844 / H10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.030in
16hp	854 / RH10C	844 / H10C	---	0.030in
17hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Onan)				
316	909 / RS17YX	---	---	0.025in
318	909 / RS17YX	---	---	0.025in
420	909 / RS17YX	---	---	0.025in
16hp	909 / RS17YX	---	---	0.025in
18hp	909 / RS17YX	---	---	0.025in
20hp	909 / RS17YX	---	---	0.025in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
2 Cyl.; (Kawasaki); OHV				
19hp;3/4in Reach Spark Plugs	322 / RN11YC4	302 / N11YC	322ECO	0.030in
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
2 Cyl.; (Kohler)				
20hp	854 / RH10C	844 / H10C	---	0.030in
V2; (Kawasaki)				
14.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
16hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
18hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
19hp;3/8in Reach Spark Plugs	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
John Deere					
Tiller					
V2; (Kawasaki)					
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
22hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
23hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Liquid-Cooled; 878cc; L3; Gas; (Yanmar)					
28hp;3TG72	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
314F					
	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
518R					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
820R					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Trimmer					
110G					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
210G					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
21C					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
21S					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
240G					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
25S					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
260G					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
300G					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
30S					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
350G					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
38B					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
80G					
	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
82G					
	846 / CJ14	---	846ECO	0.030in	
83G					
	846 / CJ14	---	846ECO	0.030in	
85G					
	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
90G					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
John Deere				
Trimmer				
C1200				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
EH2342				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
EH2659				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
PS2683				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
S1400				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
SE23				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
T105C				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
T105S				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
T23S				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
T26SB				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
T30C				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
T30S				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
T30SB				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
T40SB				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TB26SB				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
XT105				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
XT105SB				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
XT120				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
XT120SE				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
XT140				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
XT140B				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
XT140SB				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
XT170				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
XT170B				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
XT250B				
	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
John Deere				
Turf Equipment				
(Kawasaki); OHV				
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
2 Cyl.; (Kawasaki); OHV				
19hp;3/4in Reach Spark Plugs	322 / RN11YC4	302 / N11YC	322ECO	0.030in
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
27hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
29hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
4 Stroke; Vertical; 7000 Series; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; V2; (Kohler); OHV				
23hp	854 / RH10C	844 / H10C	---	0.030in
Utility Vehicle				
1800				
	846 / CJ14	---	846ECO	0.030in
AMT622				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
AMT626				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Gator 4x2				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Gator 6x4				
	846 / CJ14	---	846ECO	0.030in
Vacuum				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Kawasaki)				
12.5hp;K-Series	846 / CJ14	---	846ECO	0.030in
3.1hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
5.2hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kawasaki); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14hp;K-Series	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp;K-Series	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp;K-Series	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kioritz)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.030in
12hp	854 / RH10C	844 / H10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.030in
16hp	854 / RH10C	844 / H10C	---	0.030in
17hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
John Deere					
Vacuum					
(Kohler); OHV					
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Onan)					
316	909 / RS17YX	---	---	0.025in	
318	909 / RS17YX	---	---	0.025in	
420	909 / RS17YX	---	---	0.025in	
16hp	909 / RS17YX	---	---	0.025in	
18hp	909 / RS17YX	---	---	0.025in	
20hp	909 / RS17YX	---	---	0.025in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
2 Cyl.; (Kawasaki); OHV					
19hp;3/4in Reach Spark Plugs	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
2 Cyl.; (Kohler)					
20hp	854 / RH10C	844 / H10C	---	0.030in	
V2; (Kawasaki)					
14.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
16hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
18hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
19hp;3/8in Reach Spark Plugs	840 / RCJ8	843 / CJ8	843ECO	0.030in	
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
22hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
23hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Liquid-Cooled; 878cc; L3; Gas; (Yanmar)					
28hp;3TG72	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Walk Behind Greens Mower					
220A					
	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Zero-Turn Mower					
1420; Liquid-Cooled; 878cc; L3; Gas; (Yanmar)					
28hp;3TG72	404 / RN12YC	38 / N12YC	322ECO	0.025in	
EZ225; Intek; Extended Life Series (ELS); 1 Cyl.; (Briggs & Stratton)					
18.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
EZ245; Vanguard; V2; (Briggs & Stratton)					
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
EZ425; Vanguard; V2; (Briggs & Stratton)					
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
EZ445; V2; (Kawasaki); OHV					
25hp	405 / RN14YC	3405 / RN14PMC	---	0.025in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
John Deere				
Zero-Turn Mower				
EZ465; V2; (Kawasaki); OHV				
25hp	405 / RN14YC	3405 / RN14PMC	---	0.025in
EZtrak Z235; V2; (Briggs & Stratton); OHV				
20hp;M40	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZtrak Z255; V2; (Briggs & Stratton); OHV				
22hp;M44	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZtrak Z425; V2; (Briggs & Stratton); OHV				
22hp;M44	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZtrak Z435; Cyclonic; V2; (Briggs & Stratton); OHV				
25hp;M44	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZtrak Z445; Vertical; V2; (Kawasaki); OHV				
24hp;FS730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
EZtrak Z465; Vertical; V2; (Kawasaki); OHV				
24hp;FS730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
EZtrak Z625; Cyclonic; V2; (Briggs & Stratton); OHV				
25hp;M44	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EZtrak Z645; Vertical; V2; (Kawasaki); OHV				
24hp;FS730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
EZtrak Z655; Vertical; V2; (Kawasaki); OHV				
24hp;FS730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
EZtrak Z665; Vertical; V2; (Kawasaki); OHV				
24hp;FS730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z245 Zero Turn; V2; (Briggs & Stratton)				
23hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Z915B; Propane Retrofit Available; V2; (Kohler); OHV				
25hp;CV742	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z920M; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z920R; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z925M EFI; Propane Retrofit Available; V2; (Kohler); OHV				
25hp;ECV740	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Z925M Flex Fuel; Propane Retrofit Available; V2; (Kohler); OHV				
25hp;FCV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z930M; Vertical; V2; (Kawasaki); OHV				
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z930M EFI; LPG Retrofit Available; V2; (Kohler); OHV				
26.5hp;CV749	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Z930R; Vertical; V2; (Kawasaki); OHV				
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z950M; 52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
John Deere					
Zero-Turn Mower					
Z950R; 52cid\852cc; V2; (Kawasaki); OHV					
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Z960M; Vertical; V2; (Kawasaki); OHV					
31hp;FX921V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Z960R; Vertical; V2; (Kawasaki); OHV					
31hp;FX921V	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Z970R; Vertical; 61cid\999cc; V2; (Kawasaki); OHV					
35hp;FX1000V	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Johnson					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Clinton)					
	871 / RJ8C	841 / J8C	---	0.025in	
(Continental)					
	871 / RJ8C	841 / J8C	---	0.025in	
Jollyhoe					
Lawn Mower					
with 14mm Diameter Threads	856 / RJ17LM	845 / J17LM	861ECO	0.025in	
Jonsered					
Blower/Vacuum/Water Sprayer					
B2126					
1.1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in	
BB2250					
2.15hp	965 / RZ7C	---	---	0.025in	
BV2126					
1.1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in	
BV32					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
Brush Cutter/Disc Mower					
BC2145					
2.7hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in	
Garden Tractor					
GT52F; Vertical; V2; (Kohler); OHV					
26hp;KT745	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
YT48; Vertical; V2; (Kohler); OHV					
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Hedge Trimmer					
HT18					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
HT21					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
HT22					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
HT24					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Jonsered				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vertical; (Kohler); OHV				
XT675	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
J149P21; Vertical; (Kohler); OHV				
XT675	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
J160AWD; GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.028in
J160FH22; GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.028in
J625HWT; 625ex Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
J675AWD; Vertical; (Kohler); OHV				
XT675	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
L2821; GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.028in
Lawn Tractor				
4 Stroke; Vertical; 7000 Series; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp;KT745	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 44cid\724cc; V2; (Briggs & Stratton); OHV				
22hp;44	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; Professional Series; V2; (Briggs & Stratton); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; V2; (Kohler); OHV				
23hp;ZT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;ZT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LGT54; Vertical; V2; (Kohler); OHV				
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LT13; 1 Cyl.; (Briggs & Stratton); L-HEAD				
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
LT15; 1 Cyl.; (Briggs & Stratton); OHV				
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LT16; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LT18; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YT42; V2; (Briggs & Stratton); OHV				
20hp;40R8	71 / RC12YC	946 / QC12YC	71ECO	0.030in
YT46; 44cid\724cc; V2; (Briggs & Stratton); OHV				
22hp;44R6	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Log Splitter				
Split 40				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Power Head				
BP40 Combi				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
BP40 Combi Cat				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Jonsered				
Tiller				
J208C14; 950 CR Series; Horizontal; 12.6929cid\208cc; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
J208D17; 950 CR Series; Horizontal; 12.6929cid\208cc; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
J208F24; 950 CR Series; Horizontal; 12.6929cid\208cc; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RT5; 1 Cyl.; (Briggs & Stratton); OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Trimmer				
BP2040C				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
CC2128C				
1.1hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.024in
CC2235				
1.9hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
CC2245				
2.8hp	965 / RZ7C	---	---	0.020in
FC2145				
2.7hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
FC2145S				
2.8hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
FC2145W				
2.8hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
FC2245				
2.9hp	965 / RZ7C	---	---	0.020in
FC2245W				
2.9hp	965 / RZ7C	---	---	0.020in
GC2128C				
1.1hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.024in
GR2026				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GR2026CL				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GR2026D				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GR2026L				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GR203020				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GR2032D				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GR2032L				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GR2036				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GR24				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GR24L				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Jonsered				
Trimmer				
GR26				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GR260				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GR26CL				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GR26D				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GR26L				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GR28				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GR28L				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GR32				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GR320				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GR32D				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GR32L				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GR36				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GR41				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GR44				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GR50				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GT21L				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GT22L				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GT24L				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GT25L				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GT26D				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GT26L				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
GT32L				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
J200B				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
J200L				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
J220B				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
J220L				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Jonsered				
Trimmer				
J260B				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
J260BA				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
J260BAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
J260DAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
J260L				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
J260LA				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
J260LAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
J260TA				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
J300				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
J320BAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
J320LAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
J400				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
J420BAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
J450				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
J460BAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
J8510BAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
R52E				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
RS40				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
RS41				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
RS44				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
RS51 Pro				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
RS52				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Zero-Turn Mower				
Z42F; 44cid\724cc; V2; (Briggs & Stratton); OHV				
22hp;44T6	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z46R; 44cid\724cc; V2; (Briggs & Stratton); OHV				
22hp;44T6	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z48F; 44cid\724cc; V2; (Briggs & Stratton); OHV				
24hp;44T8	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Jonsered				
Zero-Turn Mower				
Z52XF; Vertical; V2; (Kohler); OHV				
23hp;ZT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z52XFR; Vertical; V2; (Kawasaki); OHV				
22hp;FS651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z54R; 44cid\724cc; V2; (Briggs & Stratton); OHV				
24hp;44T8	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z61XF; Vertical; V2; (Kohler); OHV				
25hp;ZT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z61XFR; Vertical; V2; (Kawasaki); OHV				
23hp;FS691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
K & S				
Edger				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Trimmer				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Power Products)				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
Kaaz				
Brush Cutter/Disc Mower				
(Kawasaki)				
2.1hp	871 / RJ8C	841 / J8C	---	0.030in
6.5hp	871 / RJ8C	841 / J8C	---	0.030in
(Mitsubishi)				
T12	893 / RCJ4	849 / CJ6	852ECO	0.030in
1.3hp;T130	893 / RCJ4	849 / CJ6	852ECO	0.030in
(Robin)				
EY14	830 / RL86C	933-1 / QL86C	---	0.030in
EY18	830 / RL86C	933-1 / QL86C	---	0.030in
EY25	830 / RL86C	933-1 / QL86C	---	0.030in
J Series				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
V Series				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Edger				
(Kawasaki)				
6.5hp	871 / RJ8C	841 / J8C	---	0.030in
(Mitsubishi)				
T12	893 / RCJ4	849 / CJ6	852ECO	0.030in
1.3hp;T130	893 / RCJ4	849 / CJ6	852ECO	0.030in
(Robin)				
EY14	830 / RL86C	933-1 / QL86C	---	0.030in
EY18	830 / RL86C	933-1 / QL86C	---	0.030in
EY25	830 / RL86C	933-1 / QL86C	---	0.030in
Pruner				
(Kawasaki)				
1.2hp	893 / RCJ4	849 / CJ6	852ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Kaaz					
Sprayer					
Horizontal; (Kawasaki)					
3.4hp;KF34	871 / RJ8C	841 / J8C	---	0.025in	
5hp;KF53	830 / RL86C	933-1 / QL86C	---	0.025in	
6.5hp;KF64	871 / RJ8C	841 / J8C	---	0.025in	
Trimmer					
(Kawasaki)					
1.2hp;KT12	893 / RCJ4	849 / CJ6	852ECO	0.030in	
110					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Silver X					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
TM30B					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Kan-Du Stumper					
Stump Grinder					
(Honda)					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Onan)					
24hp	909 / RS17YX	---	---	0.025in	
V2; (Kohler); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
GXV-Series; 4 Stroke; Vertical; (Honda); OHV					
9hp;GXV270	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Trimmer					
V2; (Kawasaki)					
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Vacuum					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Honda)					
	830 / RL86C	933-1 / QL86C	---	0.030in	
Kato					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kohler)					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Kawasaki					
Blower/Vacuum/Water Sprayer					
KRB300A					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
KRB400A					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
KRB400B					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
KRB450BC					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kawasaki				
Blower/Vacuum/Water Sprayer				
KRB650B				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
KRB650BC				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
KRB700B				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
KRB750A				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
KRB750AC				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
KRB750B				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
KRB750BC				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
KRH300A				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
KRH300AC				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
Edger				
KEL26A				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
KEL27				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
KEL27B				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Hedge Trimmer				
KCL525				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
KCL525A				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
KCL525AC				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
KCL600				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
KCS525				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
KCS525A				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
KCS525AC				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
KCS600				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
KHD600A				
	846 / CJ14	---	846ECO	0.030in
KHD600B				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
KHDS600				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
KHDS750				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
KHS1100A				
	846 / CJ14	---	846ECO	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPÉD Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kawasaki				
Hedge Trimmer				
KHS1100B				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
KHS750A				
	846 / CJ14	---	846ECO	0.030in
KHS750AC				
	846 / CJ14	---	846ECO	0.030in
KHS750B				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in
KHS750BC				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
KHSS1100				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
KHSS750				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
KHT600D				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
KHT600S				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
KHT600SC				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
KHT750D				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
KHT750S				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
KHT750SC				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
Power Head				
KMS27				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
Trimmer				
KBL23A				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
KBL25A				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
KBL26A				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
KBL27				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
KBL27A				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
KBL27B				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
KBL27BC				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
KBL34A				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
KBL35				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
KBL35A				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
KGT26AC				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kawasaki				
Trimmer				
KGT27				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
KGT27A				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
KGT27C				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
KGT35				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
KGT35A				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
KGT37A				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
KTF27				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
KTF27A				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
KTF27AC				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
KTFR27				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
KTR26AC				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
KTR27A				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Kc Turf Equipment				
Mower				
(Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
(Wisconsin)				
20hp	541 / RD16	516 / D16	---	0.030in
Kee				
Edger				
2hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
(Honda)				
2.2hp	846 / CJ14	---	846ECO	0.030in
2.5hp	846 / CJ14	---	846ECO	0.030in
(Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Kee					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Honda); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Mower					
2hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
(Briggs & Stratton); OHV					
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
(Honda)					
2.2hp	846 / CJ14	---	846ECO	0.030in	
2.5hp	846 / CJ14	---	846ECO	0.030in	
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki)					
12.5hp	846 / CJ14	---	846ECO	0.025in	
(Kawasaki); OHV					
14hp	405 / RN14YC	3405 / RN14PMC	---	0.028in	
(Kohler); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.043in	
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
2 Cyl.; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
4hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Horizontal; I/C; 1 Cyl.; (Briggs & Stratton); OHV					
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Vertical; (Honda); L-HEAD					
11hp;GV400	863 / RCJ8Y	848 / CJ8Y	843ECO	0.028in	
Kees, F.J.					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Honda)					
2.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ken-Bar				
Utility Vehicle				
Hunter's Run D-13; (Tecumseh); OHV				
13hp	123 / RN5C	120 / N5C	---	0.030in
Mountaineer D-17; (Tecumseh); OHV				
17hp	123 / RN5C	120 / N5C	---	0.030in
Kincaid				
Mulcher				
(Honda)				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
18hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
24hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2 Cyl.; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Kohler); OHV				
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Kinco				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
King O'Lawn				
Auger				
(Tecumseh)				
2.5hp	871 / RJ8C	841 / J8C	---	0.030in
3hp	871 / RJ8C	841 / J8C	---	0.030in
4hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Auger MK VII				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Edger				
(Tecumseh)				
2.5hp	871 / RJ8C	841 / J8C	---	0.030in
3hp	871 / RJ8C	841 / J8C	---	0.030in
4hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
King O'Lawn					
Mower					
(Tecumseh)					
2.5hp	871 / RJ8C	841 / J8C	---	0.030in	
3hp	871 / RJ8C	841 / J8C	---	0.030in	
4hp	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vacuum					
(Tecumseh)					
2.5hp	871 / RJ8C	841 / J8C	---	0.030in	
3hp	871 / RJ8C	841 / J8C	---	0.030in	
4hp	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Kleen Kut					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Klopping-Hardie					
Thatcher					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Kluge					
Auger					
Earth Auger					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
K-Mart					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Kohler					
Lawn Tractor					
7000 Series; Vertical; V2; OHV					
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
26hp;KT745	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
7000 Series; Vertical; 44.2cid\725cc; V2; OHV					
20hp;KT715	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Mower					
Command Pro; 4 Stroke; Vertical; 999cc; V2; OHV					
38hp;CV980	---	---	71ECO	0.030in	
Koyker					
Utility Vehicle					
Raptor 1000M; 2 Cyl.; (Briggs & Stratton); OHV					
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Raptor 4000H; 2 Cyl.; (Kohler); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Koyker				
Utility Vehicle				
Raptor 4000M; 2 Cyl.; (Briggs & Stratton); OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Kromer				
Athletic Field Maintainer				
(Kohler)				
8hp	854 / RH10C	844 / H10C	---	0.030in
Kubota				
Lawn Mower				
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Lawn Tractor				
20hp;GH630	71 / RC12YC	946 / QC12YC	71ECO	0.030in
OHV				
17hp;T1770/T1870	840 / RCJ8	843 / CJ8	843ECO	0.025in
18hp;T1770/T1870	840 / RCJ8	843 / CJ8	843ECO	0.025in
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
(Kawasaki); OHV				
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
19hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
V2				
22hp;KGZ770-M3	814 / RL82YC	328 / L82YC	---	0.026in
27hp;KGZ770	327 / RL87YC	934-1 / QL87YC	---	0.026in
27hp;KGZ770-M2	814 / RL82YC	328 / L82YC	---	0.026in
V2; (Kawasaki)				
19hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
3 Cyl.; Gas				
21hp;WG650-G	71 / RC12YC	946 / QC12YC	71ECO	0.030in
599cc; 3 Cyl.; Gas				
21hp;WG600-B	71 / RC12YC	946 / QC12YC	71ECO	0.030in
45.21cid\740cc; 3 Cyl.; Gas; OHV				
24.5hp;WG750-B	71 / RC12YC	946 / QC12YC	71ECO	0.030in
58.7cid\962cc; 3 Cyl.; Gas				
32.4hp;WG972	431 / RC14YC	946 / QC12YC	71ECO	0.026in
Command Pro; 4 Stroke; Horizontal; V2; (Kohler); OHV				
22.5hp;CH680	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23.5hp;CH730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27hp;CH740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Commercial Turf Series; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;440000	946 / QC12YC	982 / XC12YC	---	0.030in
Courage Pro; 4 Stroke; V2; (Kohler); OHV				
21hp	946 / QC12YC	982 / XC12YC	---	0.030in
Courage Pro; 4 Stroke; 44.2cid\725cc; V2; (Kohler); OHV				
25hp;SV830	946 / QC12YC	982 / XC12YC	---	0.030in
Professional Series; 44cid\724cc; V2; (Briggs & Stratton); OHV				
22hp;440000	946 / QC12YC	982 / XC12YC	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kubota				
Lawn Tractor				
Servere Duty; 599cc; 3 Cyl.; Gas				
21hp;WG600-B	344 / RC9YC	946 / QC12YC	---	0.030in
Servere Duty; 45.21cid\740cc; 3 Cyl.; Gas; OHV				
24.5hp;WG750-B	344 / RC9YC	988 / XC10YC	---	0.030in
G2000				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
G2000S				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
G2460; 45.21cid\740cc; 3 Cyl.; Gas; OHV				
WG752	71 / RC12YC	946 / QC12YC	71ECO	0.030in
G2460G; 45.21cid\740cc; 3 Cyl.; Gas; OHV				
WG752	71 / RC12YC	946 / QC12YC	71ECO	0.030in
T1460H				
	846 / CJ14	---	846ECO	0.025in
T1570				
	846 / CJ14	---	846ECO	0.025in
T1670; V2				
	846 / CJ14	---	846ECO	0.025in
T1700HX				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
T1760				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
T1770; 4 Stroke; Vertical; 30.1cid\493cc; V2; (Kawasaki); OHV				
17hp;FH500V	840 / RCJ8	843 / CJ8	843ECO	0.025in
T1870; 4 Stroke; Vertical; 30.1cid\493cc; V2; (Kawasaki); OHV				
19hp;FH531V	840 / RCJ8	843 / CJ8	843ECO	0.025in
T1880; (Kohler); OHV				
18hp;GH540V	71 / RC12YC	946 / QC12YC	71ECO	0.030in
T2080; V2; (Kohler); OHV				
20hp;GH737V	71 / RC12YC	946 / QC12YC	71ECO	0.030in
T2380; V2; (Kohler); OHV				
22hp;GH738V	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TG1860; V2				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Mower				
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
V2				
23.5hp;GH735	405 / RN14YC	3405 / RN14PMC	---	0.030in
25.5hp;GH860V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Vertical; V2; OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in
19hp;FX600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
WG14; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
WH15; Vertical; V2; (Kawasaki); OHV				
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kubota				
Mower				
WHF19; Vertical; V2; (Kawasaki); OHV				
19hp;FX600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Tiller				
OHV				
17hp;T1770/T1870	840 / RCJ8	843 / CJ8	843ECO	0.025in
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
(Kawasaki); OHV				
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
19hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
V2; (Kawasaki)				
19hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
3 Cyl.; Gas				
21hp;WG650-G	71 / RC12YC	946 / QC12YC	71ECO	0.030in
599cc; 3 Cyl.; Gas				
21hp;WG600-B	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
45.21cid\740cc; 3 Cyl.; Gas; OHV				
24.5hp;WG750-B	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Servere Duty; 599cc; 3 Cyl.; Gas				
21hp;WG600-B	344 / RC9YC	988 / XC10YC	---	0.030in
Servere Duty; 45.21cid\740cc; 3 Cyl.; Gas; OHV				
24.5hp;WG750-B	344 / RC9YC	988 / XC10YC	---	0.030in
Zero-Turn Mower				
Z723KH-48; V2; (Kohler); OHV				
22.5hp;GH680V	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Z724KH-54; V2; (Kohler); OHV				
23.5hp;GH730V	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Z724XKW-48; V2; (Kawasaki); OHV				
23.5hp;GH735V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z724XKW-54; V2; (Kawasaki); OHV				
23.5hp;GH735V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z725KH-60; V2; (Kohler); OHV				
25hp;GH740V	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Z726XKW-60; V2; (Kawasaki); OHV				
25.5hp;GH860V	405 / RN14YC	3405 / RN14PMC	---	0.030in
ZG222				
22hp;KGZ770	327 / RL87YC	934-1 / QL87YC	---	0.026in
ZG227				
27hp;KGZ770	327 / RL87YC	312 / L87YC	---	0.026in
ZG227; 46.87cid; V2				
27hp;KGZ770	934-1 / QL87YC	---	---	0.026in
ZG327; V2				
27hp;KGZ770	327 / RL87YC	934-1 / QL87YC	---	0.026in



Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Kuker					
Sprayer					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Kut-Kwick					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kohler)					
	854 / RH10C	844 / H10C	---	0.030in	
Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kohler)					
	854 / RH10C	844 / H10C	---	0.030in	
(Onan)					
20hp	909 / RS17YX	---	---	0.030in	
24hp	909 / RS17YX	---	---	0.030in	
(Wisconsin)					
	541 / RD16	516 / D16	---	0.030in	
V2; (Kohler); OHV					
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Kwik					
Thatcher					
(Honda); OHV					
5.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Kwik-Trench					
Trencher					
(Honda); OHV					
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Wisconsin)					
4.6hp	830 / RL86C	933-1 / QL86C	---	0.025in	
5hp	830 / RL86C	933-1 / QL86C	---	0.025in	
5.5hp	830 / RL86C	933-1 / QL86C	---	0.025in	
6hp	830 / RL86C	933-1 / QL86C	---	0.025in	
7.5hp	327 / RL87YC	934-1 / QL87YC	---	0.025in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Kwik-Way					
Blower/Vacuum/Water Sprayer					
(Briggs & Stratton)					
	840 / RCJ8	---	---	0.030in	
(Briggs & Stratton); L-HEAD					
	843 / CJ8	---	843ECO	0.030in	
(Clinton)					
	854 / RH10C	844 / H10C	---	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kwik-Way				
Blower/Vacuum/Water Sprayer				
(Kohler)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Shredder				
(Briggs & Stratton)				
	840 / RCJ8	---	---	0.030in
(Briggs & Stratton); L-HEAD				
	843 / CJ8	---	843ECO	0.030in
(Clinton)				
	854 / RH10C	844 / H10C	---	0.030in
(Kohler)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vacuum				
(Briggs & Stratton)				
	840 / RCJ8	---	---	0.030in
(Briggs & Stratton); L-HEAD				
	843 / CJ8	---	843ECO	0.030in
(Clinton)				
	854 / RH10C	844 / H10C	---	0.030in
(Kohler)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
LaFont				
Log Splitter				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
23hp	854 / RH10C	844 / H10C	---	0.030in
2 Cyl.; (Onan)				
NHC	123 / RN5C	120 / N5C	---	0.030in
Lambert				
Mulcher				
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Shredder				
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Sweeper				
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Thatcher				
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Lambert				
Vacuum				
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lanco				
Tiller				
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
12hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Land Pride				
Lawn Tractor				
V2; (Kawasaki); OHV				
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.040in
Turf Sprayer				
(Kohler); OHV				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Landmark				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
Sweeper				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
Thatcher				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
Vacuum				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
Landscapers Supply				
Aerator				
(Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Lastec Articulator				
Mower				
V2; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	
25hp	71 / RC12YC	946 / QC12YC	71ECO	
28hp	71 / RC12YC	946 / QC12YC	71ECO	
3377T; 3 Cyl.; Gas; (Kubota)				
33hp	71 / RC12YC	7072 / RC12PYP3	71ECO	
Lawn Cad 2000				
Commercial Chipper				
1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	
Cultivator				
1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	
Lawn Tractor				
1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	
Shredder				
1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	
Tiller				
1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	
Lawn Chief				
Commercial Chipper				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	
Vanguard; V2; (Briggs & Stratton)				
14hp	431 / RC14YC	946 / QC12YC	71ECO	
Cultivator				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	



Model/Engine	Standard Stk # / Plug Type	Alternate Stk # / Plug Type	Premium Stk #	Gap
Lawn Chief				
Cultivator				
Vanguard; V2; (Briggs & Stratton)				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Shredder				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Tiller				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Lawn Cruiser				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Flite				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Lauson)				
	871 / RJ8C	841 / J8C	---	0.030in
(Power Product Engine)				
	871 / RJ8C	841 / J8C	---	0.030in

Model/Engine	Standard Stk # / Plug Type	Alternate Stk # / Plug Type	Premium Stk #	Gap
Lawn Flite				
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Lawn Leveler				
Power Rake				
LL44; (Honda)				
2.5hp	846 / CJ14	---	846ECO	0.030in
Lawn Lion				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Master				
Commercial Chipper				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
4hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Mulcher				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
4hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Reel Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
4hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Lawn Rov'R				
Lawn Mower				
L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Lawn Rower				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Scout				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Lawn-Boy				
Lawn Mower				
Electronic	846 / CJ14	---	846ECO	0.035in
Standard	846 / CJ14	---	846ECO	0.030in
4535 CT	592 / RJ12C	511 / J11C	---	0.030in
8290	592 / RJ12C	511 / J11C	---	0.030in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10640; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10641; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10682; (Tecumseh)				
LV195	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10683; (Tecumseh)				
LV195	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10684; (Tecumseh)				
LV195	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10685; (Tecumseh)				
LV195	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10686; (Tecumseh)				
LV195	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10687; (Tecumseh)				
LV195	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10694; GCV-Series; Vertical; (Honda); OHC				
5.5hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
10695; GCV-Series; Vertical; (Honda); OHC				
5.5hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
10696; GCV-Series; Vertical; (Honda); OHC				
5.5hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
10697; GCV-Series; Vertical; (Honda); OHC				
5.5hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
10780; (Tecumseh)				
LV195	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10785; (Tecumseh)				
LV195	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10795; GCV-Series; Vertical; (Honda); OHC				
5.5hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
10796; GCV-Series; Vertical; (Honda); OHC				
5.5hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
10797; GCV-Series; Vertical; (Honda); OHC				
5.5hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Lawn-Boy					
Lawn Mower					
22270; GSV-Series; Vertical; (Honda); OHC					
6.5hp;GSV190	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Goldpro Series					
6.5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
Silver Series					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Silverpro Series					
6.5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
Lawn Tractor					
(Briggs & Stratton); L-HEAD					
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kohler)					
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
(Power Products)					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in	
(Tecumseh)					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
2hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
80040					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
81180					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
81182					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
81191					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
81245					
	71 / RC12YC	7072 / RC12PYP3	71ECO	0.020in	
81250					
	71 / RC12YC	7072 / RC12PYP3	71ECO	0.020in	
Mower					
(Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
280000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Courage; 4 Stroke; Vertical; (Kohler); OHV					
3.5hp;XT650	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in	
Quantum; (Briggs & Stratton); L-HEAD					
8hp;195700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Tiller					
(Briggs & Stratton); L-HEAD					
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Lawn-Boy				
Tiller				
(Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
(Power Products)				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Trimmer				
(Briggs & Stratton); L-HEAD				
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
(Power Products)				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
61620				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
61638				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
61653				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
Zero-Turn Mower				
Z310; Intek; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z320; 32.3cid\530cc; V2; (Honda); OHC				
16hp;GXV530	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Z330; Intek; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z340; 32.3cid\530cc; V2; (Honda); OHC				
16hp;GXV530	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Z350; 32.3cid\530cc; V2; (Honda); OHC				
16hp;GXV530	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Lawn-Chief				
Lawn Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawncraft				
Lawn Mower				
L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tiller				
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn-Cycle				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
LawnMaster				
Leaf Blower				
NPTBL26A; 2 Stroke; 26cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
Trimmer				
NPTGCP2617A; 2 Stroke; 26cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
NPTGSP2617A; 2 Stroke; 26cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
NPTGSS2617A; 2 Stroke; 26cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
Lay-Mor				
Sweeper				
(Continental)				
61hp;TM-27	415 / RN9YC	300 / N9YC	415ECO	0.035in
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
8hp	854 / RH10C	844 / H10C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lazy Boy				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lee Tillers				
Tiller				
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Lee Tillers				
Tiller				
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lehr				
Blower/Vacuum/Water Sprayer				
BV025HH; LPG				
	978 / RY4C	---	---	0.025in
String Trimmer				
ST025CS; LPG				
	978 / RY4C	---	---	0.025in
ST025DC; LPG				
	978 / RY4C	---	---	0.025in
ST025DS; LPG				
	978 / RY4C	---	---	0.025in
ST025SS; LPG				
	978 / RY4C	---	---	0.025in
Lehr-Craftsman				
Trimmer				
ST 025 DC; 4 Stroke; 25.4cc; 1 Cyl.; LPG; (Lehr)				
	978 / RY4C	---	---	0.020in
ST 025 DS; 4 Stroke; 25.4cc; 1 Cyl.; LPG; (Lehr)				
	978 / RY4C	---	---	0.020in
ST 025CS; 4 Stroke; 25.4cc; 1 Cyl.; LPG; (Lehr)				
	978 / RY4C	---	---	0.020in
ST 025SS; 4 Stroke; 25.4cc; 1 Cyl.; LPG; (Lehr)				
	978 / RY4C	---	---	0.020in
Lesco Equipment				
Aerator				
(Echo)				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
8hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Onan)				
18hp	909 / RS17YX	---	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Lesco Equipment				
Aerator				
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
V2; (Kawasaki)				
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
V2; (Kawasaki); OHV				
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Blower/Vacuum/Water Sprayer				
(Echo)				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
8hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Onan)				
18hp	909 / RS17YX	---	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
V2; (Kawasaki)				
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
V2; (Kawasaki); OHV				
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Lesco Equipment					
Blower/Vacuum/Water Sprayer					
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
LBB4200					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in	
LHB2100					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in	
LHB2500					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
LHB4400					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
Dethatcher					
(Echo)					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in	
(Honda); OHV					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki); OHV					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
8hp	854 / RH10C	844 / H10C	---	0.030in	
(Kohler); OHV					
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.040in	
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Onan)					
18hp	909 / RS17YX	---	---	0.025in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
V2; (Kawasaki)					
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in	
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
V2; (Kawasaki); OHV					
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Edger					
(Echo)					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Lesco Equipment				
Edger				
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
8hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Onan)				
18hp	909 / RS17YX	---	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
V2; (Kawasaki)				
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
V2; (Kawasaki); OHV				
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
LHE2475				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
LHE2500				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
Hedge Trimmer				
LHD1700				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
LHD2400				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
LHS3025				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
LHS3050				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
LHS4025				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Lesco Equipment				
Hedge Trimmer				
LHS4050				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
Lawn Mower				
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki); OHV				
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Log Splitter				
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.030in
8hp	854 / RH10C	844 / H10C	---	0.030in
Mower				
(Echo)				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.030in
8hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Onan)				
18hp	909 / RS17YX	---	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
V2; (Kawasaki)				
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
V2; (Kawasaki); OHV				
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Lesco Equipment				
Sprayer				
(Echo)				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
8hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Onan)				
18hp	909 / RS17YX	---	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
V2; (Kawasaki)				
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
V2; (Kawasaki); OHV				
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Spreader				
(Echo)				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
8hp	854 / RH10C	844 / H10C	---	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Lesco Equipment				
Spreader				
(Kohler); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Onan)				
18hp	909 / RS17YX	---	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
V2; (Kawasaki)				
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
V2; (Kawasaki); OHV				
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Trimmer				
LST2100				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
LST2450				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
LST2600				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
Lickety-Chipper				
Commercial Chipper				
(Kohler)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Wisconsin)				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Shredder				
(Kohler)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Wisconsin)				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
KPM-4				
	871 / RJ8C	841 / J8C	---	0.030in
WPM-4				
	541 / RD16	516 / D16	---	0.030in
Lima				
Lawn Mower				
(Clinton)				
	854 / RH10C	844 / H10C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Lima					
Lawn Mower					
(Lauson)					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Lindell					
Sweeper					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Lindig					
Commercial Chipper					
(Kohler)					
10hp;K241	854 / RH10C	844 / H10C	---	0.030in	
12hp;K301	854 / RH10C	844 / H10C	---	0.030in	
16hp;K341	854 / RH10C	844 / H10C	---	0.030in	
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
(Wisconsin)					
14hp	541 / RD16	516 / D16	---	0.025in	
18.2hp	541 / RD16	516 / D16	---	0.025in	
30hp	541 / RD16	516 / D16	---	0.025in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
2 Cyl.; (Kohler)					
20hp;K532	854 / RH10C	844 / H10C	---	0.030in	
4 Cyl.; Gas; (IHC)					
UC-135B	526 / RD15Y	515 / D15Y	---	0.025in	
6 Cyl.; Gas; (IHC)					
UC-263	526 / RD15Y	515 / D15Y	---	0.025in	
UD-221	526 / RD15Y	515 / D15Y	---	0.025in	
Kajon; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Kajon; (Kohler)					
10hp;K241	854 / RH10C	844 / H10C	---	0.030in	
12hp;K301	854 / RH10C	844 / H10C	---	0.030in	
4hp	854 / RH10C	844 / H10C	---	0.030in	
Kajon; 2 Cyl.; (Kohler)					
20hp;K532	854 / RH10C	844 / H10C	---	0.030in	
Series 900; (Wisconsin)					
VH4D	541 / RD16	516 / D16	---	0.030in	
Series 900; V4; (Wisconsin); OHV					
65hp;V465D	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
XR12130; 300cid; (Ford)					
	129 / RF10C	---	---	0.030in	
XR1265; 172cid; (Ford)					
	854 / RH10C	844 / H10C	---	0.030in	
XR16130; 300cid; (Ford)					
	129 / RF10C	---	---	0.030in	
XR16160; 330cid; (Ford)					
	129 / RF10C	---	---	0.030in	
XR930					
	541 / RD16	516 / D16	---	0.030in	
XR965					
	322 / RN11YC4	302 / N11YC	322ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Lindig					
Log Splitter					
(Kohler)					
10hp;K241	854 / RH10C	844 / H10C	---	0.030in	
12hp;K301	854 / RH10C	844 / H10C	---	0.030in	
16hp;K341	854 / RH10C	844 / H10C	---	0.030in	
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
(Wisconsin)					
14hp	541 / RD16	516 / D16	---	0.025in	
18.2hp	541 / RD16	516 / D16	---	0.025in	
30hp	541 / RD16	516 / D16	---	0.025in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
2 Cyl.; (Kohler)					
20hp;K532	854 / RH10C	844 / H10C	---	0.030in	
4 Cyl.; Gas; (IHC)					
UC-135B	526 / RD15Y	---	---	0.025in	
UC-135B	515 / D15Y	---	---	0.025in	
6 Cyl.; Gas; (IHC)					
UC-263	526 / RD15Y	515 / D15Y	---	0.025in	
UD-221	526 / RD15Y	515 / D15Y	---	0.025in	
Shredder					
(Kohler)					
10hp;K241	854 / RH10C	844 / H10C	---	0.030in	
12hp;K301	854 / RH10C	844 / H10C	---	0.030in	
16hp;K341	854 / RH10C	844 / H10C	---	0.030in	
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
(Wisconsin)					
14hp	541 / RD16	516 / D16	---	0.025in	
18.2hp	541 / RD16	516 / D16	---	0.025in	
30hp	541 / RD16	516 / D16	---	0.025in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
2 Cyl.; (Kohler)					
20hp;K532	854 / RH10C	844 / H10C	---	0.030in	
4 Cyl.; Gas; (IHC)					
UC-135B	526 / RD15Y	515 / D15Y	---	0.025in	
6 Cyl.; Gas; (IHC)					
UC-263	526 / RD15Y	515 / D15Y	---	0.025in	
UD-221	526 / RD15Y	515 / D15Y	---	0.025in	
Apache					
	871 / RJ8C	841 / J8C	---	0.030in	
Concho; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
KM-10; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
KT15					
	541 / RD16	516 / D16	---	0.030in	
KT15X					
	541 / RD16	516 / D16	---	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Lindig				
Shredder				
M-10				
	871 / RJ8C	841 / J8C	---	0.030in
M-12				
	871 / RJ8C	841 / J8C	---	0.030in
M-4				
	871 / RJ8C	841 / J8C	---	0.030in
M-8				
	871 / RJ8C	841 / J8C	---	0.030in
Lit-R-Blo				
Blower/Vacuum/Water Sprayer				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kawasaki)				
7.5hp	806 / L92YC	---	---	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Litter-Vac				
Sweeper				
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Little Beaver				
Earth Drill				
(Clinton)				
	871 / RJ8C	841 / J8C	---	0.030in
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Robin)				
11hp	830 / RL86C	933-1 / QL86C	---	0.030in
5hp	830 / RL86C	933-1 / QL86C	---	0.030in
7hp	830 / RL86C	933-1 / QL86C	---	0.030in
(Tecumseh)				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
(Wisconsin-Robin)				
	830 / RL86C	933-1 / QL86C	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Little David				
Stump Remover				
	871 / RJ8C	841 / J8C	---	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Little Wonder				
Blower/Vacuum/Water Sprayer				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Echo)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
3hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
4hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
7.5hp	806 / L92YC	---	---	0.030in
(Kioritz)				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
(Kohler)				
4hp;K91	871 / RJ8C	841 / J8C	---	0.025in
8hp;K181	871 / RJ8C	841 / J8C	---	0.025in
(Ohlsson & Rice)				
	846 / CJ14	---	846ECO	0.030in
Command Pro; V2; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
9100; (IC); Industrial/Commercial; Intek; V2; (Briggs & Stratton)				
10hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
9111 HO; (Briggs & Stratton); L-HEAD				
11hp;256422	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9130 HO; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
13hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
9500 HO; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;135212	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9502 SHO; (Honda)				
5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
9510 HO; (Briggs & Stratton); L-HEAD				
5hp;133212	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9555; (Echo)				
9/10hp;9555CW	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in
9600; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9800 HO; (Briggs & Stratton); L-HEAD				
8hp;192412	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9810 HO; (Briggs & Stratton); L-HEAD				
8hp;196432	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9900 HO; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
13hp;GX270	415 / RN9YC	300 / N9YC	415ECO	0.030in
LB800; I/C; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
8hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Optimax; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
8hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Little Wonder				
Blower/Vacuum/Water Sprayer				
Optimax 91270-13-01; Horizontal; (Subaru/Robin); OHC				
9hp;EX27/EX270;Inc. FI, All Season models	830 / RL86C	933-1 / QL86C	---	0.025in
Optimax 9170-03-01; (Subaru/Robin); OHV				
5.7hp;EX17/EX170	830 / RL86C	933-1 / QL86C	---	0.025in
Optimax 9270-02-01; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
13hp;GX270	415 / RN9YC	300 / N9YC	415ECO	0.030in
Optimax 9270-03-01; Horizontal; (Subaru/Robin); OHC				
9hp;EX27/EX270;Inc. FI, All Season models	830 / RL86C	933-1 / QL86C	---	0.025in
Optimax 9270-06-01; Command Pro; 4 Stroke; Horizontal; (Kohler); OHV				
9.5hp;CH395	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Optimax 9270-12-01; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
13hp;GX270	415 / RN9YC	300 / N9YC	415ECO	0.030in
Optimax 9390-02-01; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
13hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
Optimax 9390-12-01; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
13hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
Optimax 9400-03-01; Horizontal; (Subaru/Robin); OHV				
14hp;EX40/EX400	830 / RL86C	933-1 / QL86C	---	0.025in
Optimax 9400-13-01; Horizontal; (Subaru/Robin); OHV				
14hp;EX40/EX400	830 / RL86C	933-1 / QL86C	---	0.025in
Optimax 9570-04-01; Vanguard; 1 Cyl.; (Briggs & Stratton)				
11hp;570	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Optimax 9570-14-01; Vanguard; 1 Cyl.; (Briggs & Stratton)				
11hp;570	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Commercial Chipper				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Echo)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
3hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
4hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
7.5hp	806 / L92YC	---	---	0.030in
(Kioritz)				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
(Kohler)				
4hp;K91	871 / RJ8C	841 / J8C	---	0.025in
8hp;K181	871 / RJ8C	841 / J8C	---	0.025in
(Ohlsson & Rice)				
	846 / CJ14	---	846ECO	0.030in
Command Pro; V2; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Little Wonder				
Commercial Chipper				
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Cultivator				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Echo)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
3hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
4hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
7.5hp	806 / L92YC	---	---	0.030in
(Kioritz)				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
(Kohler)				
4hp;K91	871 / RJ8C	841 / J8C	---	0.025in
8hp;K181	871 / RJ8C	841 / J8C	---	0.025in
(Ohlsson & Rice)				
	846 / CJ14	---	846ECO	0.030in
Command Pro; V2; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Edger				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Echo)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Honda)				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
3hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
4hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
7.5hp	806 / L92YC	---	---	0.030in
(Kawasaki); OHV				
14hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Kioritz)				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
(Kohler)				
4hp;K91	871 / RJ8C	841 / J8C	---	0.025in
8hp;K181	871 / RJ8C	841 / J8C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Little Wonder					
Edger					
(Ohlsson & Rice)					
	846 / CJ14	---	846ECO	0.030in	
Command Pro; V2; (Kohler); OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
6002; (Briggs & Stratton); L-HEAD					
3.5hp;91200	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6002IC; (Briggs & Stratton); L-HEAD					
3.5hp;92200	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6032; (Briggs & Stratton); L-HEAD					
3.5hp;91200	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6032IC; (Briggs & Stratton); L-HEAD					
3.5hp;92200	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6033; Intek; 1 Cyl.; (Briggs & Stratton)					
16hp;550	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
6050; 2.07481cid\34cc; (Komatsu/RedMax)					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in	
6132 PRO; I/C; (Briggs & Stratton); L-HEAD					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6232 PRO; (Honda)					
4hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Hedge Trimmer					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Echo)					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
(Honda); OHV					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki)					
3hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
4hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
7.5hp	806 / L92YC	---	---	0.030in	
(Kioritz)					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
(Kohler)					
4hp;K91	871 / RJ8C	841 / J8C	---	0.025in	
8hp;K181	871 / RJ8C	841 / J8C	---	0.025in	
(Komatsu Zenoah)					
	893 / RCJ4	849 / CJ6	852ECO	0.025in	
(O & R (Ohlsson & Rice))					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
(Ohlsson & Rice)					
	846 / CJ14	---	846ECO	0.030in	
Command Pro; V2; (Kohler); OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Little Wonder				
Hedge Trimmer				
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
2216D; (Echo)				
SV-4B1E	859 / RCJ7Y	853 / CJ7Y	843ECO	0.024in
2224D; (Echo)				
SV-4B1E	859 / RCJ7Y	853 / CJ7Y	843ECO	0.024in
2230D; (Echo)				
SV-4B1E	859 / RCJ7Y	853 / CJ7Y	843ECO	0.024in
2230S; (Echo)				
SV-4B1E	859 / RCJ7Y	853 / CJ7Y	843ECO	0.024in
2242S; (Echo)				
SV-4B1E	859 / RCJ7Y	853 / CJ7Y	843ECO	0.024in
2300; (Komatsu Zenoah)				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
2310; (Komatsu Zenoah)				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
	871 / RJ8C	841 / J8C	---	0.025in
Shredder				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Echo)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
3hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
4hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
7.5hp	806 / L92YC	---	---	0.030in
(Kioritz)				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
(Kohler)				
4hp;K91	871 / RJ8C	841 / J8C	---	0.025in
8hp;K181	871 / RJ8C	841 / J8C	---	0.025in
(Ohlsson & Rice)				
	846 / CJ14	---	846ECO	0.030in
Command Pro; V2; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
8160; Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Little Wonder				
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Echo)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
3hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
4hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
7.5hp	806 / L92YC	---	---	0.030in
(Kioritz)				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
(Kohler)				
4hp;K91	871 / RJ8C	841 / J8C	---	0.025in
8hp;K181	871 / RJ8C	841 / J8C	---	0.025in
(Ohlsson & Rice)				
	846 / CJ14	---	846ECO	0.030in
1 Cyl.; (Briggs & Stratton)				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Command Pro; V2; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
7222; (Echo)				
SV-4B1E	859 / RCJ7Y	853 / CJ7Y	843ECO	0.024in
Mantis; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Mantis; (Kawasaki)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Trimmer				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Echo)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
3hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
4hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
7.5hp	806 / L92YC	---	---	0.030in
(Kioritz)				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
(Kohler)				
4hp;K91	871 / RJ8C	841 / J8C	---	0.025in
8hp;K181	871 / RJ8C	841 / J8C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Little Wonder				
Trimmer				
(Ohlsson & Rice)				
	846 / CJ14	---	846ECO	0.030in
Command Pro; V2; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vacuum				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Echo)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
3hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
4hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
7.5hp	806 / L92YC	---	---	0.030in
(Kioritz)				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
(Kohler)				
4hp;K91	871 / RJ8C	841 / J8C	---	0.025in
8hp;K181	871 / RJ8C	841 / J8C	---	0.025in
(Ohlsson & Rice)				
	846 / CJ14	---	846ECO	0.030in
Command Pro; V2; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Lo-Blo				
Air Broom				
(Clinton)				
	854 / RH10C	844 / H10C	---	0.025in
(Kohler)				
10hp;K241	854 / RH10C	844 / H10C	---	0.030in
12.5hp;K331	871 / RJ8C	841 / J8C	---	0.025in
14hp;K321	871 / RJ8C	841 / J8C	---	0.025in
4hp;K91	871 / RJ8C	841 / J8C	---	0.025in
7hp;K161	871 / RJ8C	841 / J8C	---	0.025in
8hp;K181	871 / RJ8C	841 / J8C	---	0.025in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
(Wisconsin)				
S8D	541 / RD16	516 / D16	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Locke				
Lawn Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Turf Equipment				
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
	854 / RH10C	844 / H10C	---	0.025in
Intek; 1 Cyl.; (Briggs & Stratton)				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Logan				
Log Splitter				
MS98000T				
B18C1	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lonmore				
Mower				
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Tecumseh); OHV				
16hp	104 / RN4C	803 / N4C	---	0.030in
2 Cyl.; (Kawasaki); OHV				
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Mackinaw				
Log Splitter				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Mackissic				
Blower/Vacuum/Water Sprayer				
LB1100; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LB110EZ; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LB1350IEZ; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LB1450ICEZ; IC; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LB800; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LB800EZ; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Mackissic				
Commercial Chipper				
12PHT1450ICMC; IC; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
SC262-18VEMC; Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Shredder				
12P; 1 Cyl.; (Briggs & Stratton); OHV				
1100	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12PT1100; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Shredder/Blower/Vacuum				
LeafCycler Bagger LCB1102; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LeafCycler Bagger LCB1102E; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LeafCycler LC800EZ; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Shredder/Chipper				
LSC1100; 1 Cyl.; (Briggs & Stratton); OHV				
1100	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LSC800; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
SC1650; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
SC183; Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
SC262; Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
SC800; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Tiller				
IT5.5H; IC; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
IT905IC; IC; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vacuum/Chipper/Bagger				
VCB1102; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Magic Line				
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Magna				
Log Splitter				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Magna					
Mulcher					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
Tiller					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
Maibo					
Pruner					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Mainline					
Lawn Mower					
(Acme)					
	830 / RL86C	933-1 / QL86C	---	0.030in	
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Log Splitter					
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
ML35 Cultivator					
	893 / RCJ4	849 / CJ6	852ECO	0.030in	
Turf Equipment					
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Makita					
Blower/Vacuum/Water Sprayer					
BHX2500CA; (MM4)					
	978 / RY4C	---	---	0.025in	
EB7650TH					
	978 / RY4C	---	---	0.028in	
EB7650WH					
	978 / RY4C	---	---	0.028in	
RBL250; (Robin)					
	893 / RCJ4	849 / CJ6	852ECO	0.020in	
RBL500; (Robin)					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
Brush Cutter/Disc Mower					
DBC300					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
DBC301					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
RBC221; (Robin)					
	893 / RCJ4	849 / CJ6	852ECO	0.025in	
RBC230; (Robin)					
	893 / RCJ4	849 / CJ6	852ECO	0.025in	
RBC251; (Robin)					
	893 / RCJ4	849 / CJ6	852ECO	0.025in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Makita				
Brush Cutter/Disc Mower				
RBC252; (Robin)				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
RBC253; (Robin)				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
RBC255				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
RBC25A; (Robin)				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
RBC260; (Robin)				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
RBC261; (Robin)				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
RBC310; (Robin)				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
RBC311; (Robin)				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
RBC321				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Edger				
RBE250				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
Hedge Trimmer				
EH5000W				
	978 / RY4C	---	---	0.028in
EH561; (Robin)				
	893 / RCJ4	849 / CJ6	852ECO	0.020in
EH6000W				
	978 / RY4C	---	---	0.028in
EH7500W				
	978 / RY4C	---	---	0.028in
EH760; (Robin)				
	893 / RCJ4	849 / CJ6	852ECO	0.020in
Mister				
PM7650H; (MM4)				
3.8hp	978 / RY4C	---	---	0.030in
Stick Edger				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Trimmer				
DST300				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
DST301				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
EM2600L				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in
EM2600U				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.026in
EM4251				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
RBL25A				
	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Makita				
Trimmer				
RST250; (Robin)				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
Mall Tool				
Power Tool				
All Model(s); (Briggs & Stratton)				
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
with 18mm Diameter Threads	541 / RD16	514 / D14	---	0.025in
All Model(s); 1 Cyl.; (Kohler)				
4hp	592 / RJ12C	511 / J11C	---	0.025in
All Model(s); 2 Stroke				
with 14mm Diameter Threads	102 / RJ6C	823 / J6C	---	0.025in
All Model(s); 4 Stroke				
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
All Model(s); AKN; 0.3L (17.8cid); L1; (Wisconsin); L-HEAD				
	541 / RD16	516 / D16	---	0.025in
Mang				
Lawn Mower				
(Kohler)				
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Mower				
(Kohler)				
10hp;K241	854 / RH10C	844 / H10C	---	0.030in
7hp;K161	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Robin)				
EY25	830 / RL86C	933-1 / QL86C	---	0.030in
EY44W	830 / RL86C	933-1 / QL86C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Wisconsin)				
AENL	541 / RD16	516 / D16	---	0.030in
Tiller				
(Kohler)				
10hp;K241	854 / RH10C	844 / H10C	---	0.030in
7hp;K161	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Robin)				
EY25	830 / RL86C	933-1 / QL86C	---	0.030in
EY44W	830 / RL86C	933-1 / QL86C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Wisconsin)				
AENL	541 / RD16	516 / D16	---	0.030in
Manley				
Garden Tractor				
Blue Ox				
	541 / RD16	516 / D16	---	0.025in



Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Mantis					
Blower/Vacuum/Water Sprayer					
9555; (Echo)					
9/10hp;9555CW	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in	
Cultivator					
(Echo)					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.024in	
Edger					
6040; (Echo)					
9/10hp;SV-4B1E	859 / RCJ7Y	853 / CJ7Y	843ECO	0.024in	
Tiller					
(Echo)					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.024in	
7222; (Echo)					
9/10hp;SV-4B1E	859 / RCJ7Y	853 / CJ7Y	843ECO	0.024in	
7260; GXV-Series; 4 Stroke; Vertical; (Honda); OHV					
4hp;GXV120	404 / RN12YC	38 / N12YC	322ECO	0.030in	
Marauder					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Iron Horse)					
	592 / RJ12C	511 / J11C	---	0.025in	
Mark Machine					
Trimmer					
1930					
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in	
1940					
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in	
2130					
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in	
2800					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
2840					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
3000M					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
3040M					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
4000M					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Maruyama					
Blower/Vacuum/Water Sprayer					
BL230					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
BL2600					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
BL400					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
BL4000					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Maruyama				
Blower/Vacuum/Water Sprayer				
BL4500				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
BL4500HA				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
BL4500SP				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
BL4600				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
BL471				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
BL480				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
BL4800				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
BL4801				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
BL5400SP				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
BL5400W				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
BL5500				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
BL6700				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
BLL2600				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
Brush Cutter/Disc Mower				
BC200				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC200C				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC201				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC201C				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC2030				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC22H				
	808 / Z9Y	705 / P-RZ9HC	---	0.030in
BC2300				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC2320				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC2321				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC2321C				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC23H				
	808 / Z9Y	705 / P-RZ9HC	---	0.030in
BC260				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Maruyama				
Brush Cutter/Disc Mower				
BC2600				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC260C				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC260H				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC2620				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC2621				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC2800				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC3020				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC3021				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC3200				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC320C				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC320H				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC402H				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC402M				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC420				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC4200H				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC4250H				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC480M				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC500H				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC5050H				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BCGX22				
	808 / Z9Y	705 / P-RZ9HC	---	0.030in
BCGX31				
	808 / Z9Y	705 / P-RZ9HC	---	0.030in
BCL2250				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BCL2250C				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BCL2550				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BCX320				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Maruyama				
Edger				
ED2300				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
ED2320				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
ED260				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
ED261				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
ED2610				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
ED2620				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
Edger/Trimmer				
MT23				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
Hedge Trimmer				
EHT2300D				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
EHT2321D				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
EHT2321DSL				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
EHT2600D				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
EHT260D				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
ETH2250DS				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HT159				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HT159L				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HT210L				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
HT220				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HT2200				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HT220L				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HT2210				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HT230				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HT2300				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HT2300D				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HT2300DL				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HT2300L				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Maruyama				
Hedge Trimmer				
HT230D				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HT230L				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HT2320				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HT2320D				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HT2321D				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HT2321DLR				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HT2321DR				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HT2321L				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HT242				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HT242L				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HT250				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
HT250L				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
HT260D				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HT3221				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
ML23H				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
Mister				
MD150DX				
	102 / RJ6C	823 / J6C	---	0.025in
MD155DX				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MD157				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MD159				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MS036				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MS045D				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MS046				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MS055D				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MS055ED				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MS056				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Maruyama				
Mister				
MS056E				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MS068				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MS153-50TH				
	846 / CJ14	---	846ECO	0.030in
MS410-100TH				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
MS410EC-2MR				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
MSO55D				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
Power Head				
M30BKS				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
M42BK				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
Sprayer				
MS153-50T				
	846 / CJ14	---	846ECO	0.030in
MS153EMH				
	846 / CJ14	---	846ECO	0.030in
MS253ECH				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
Trimmer				
ML23				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
ML23S				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
Masport				
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Massey-Ferguson				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
Command Series; 4 Stroke; V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
15hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
MF1200				
	854 / RH10C	844 / H10C	---	0.030in
MF1450				
	854 / RH10C	844 / H10C	---	0.030in
MF1650				
	854 / RH10C	844 / H10C	---	0.030in
MF1655				
	857 / RH18Y	---	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Massey-Ferguson					
Lawn Tractor					
MF85					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Mower					
(Briggs & Stratton); OHV					
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
15.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
17hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
(Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
V2; (Briggs & Stratton); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
V2; (Kohler); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Command Series; 4 Stroke; V2; (Kohler); OHV					
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
Command Series; 4 Stroke; Vertical; 24.3cid\398cc; 1 Cyl.; (Kohler); OHV					
12.5hp;CV12.5	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
14hp;CV14	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
Horizontal; V2; (Kawasaki); OHV					
20hp;FD620D;3/8in Reach Spark Plugs	840 / RCJ8	843 / CJ8	843ECO	0.025in	
Quantum; (Briggs & Stratton); L-HEAD					
10.5hp;28B700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
12.5hp;28P000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8.5hp;196700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vanguard; (Briggs & Stratton); OHV					
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton); OHV					
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vertical; V2; (Kawasaki); OHV					
17hp;FD501V;3/8in Reach Spark Plugs;Before Serial No. 105534	840 / RCJ8	843 / CJ8	843ECO	0.025in	
Mulcher					
2316H; 1 Cyl.; (Briggs & Stratton); OHV					
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Mastercraft					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Lawn Tractor					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Tiller					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Mastercraft				
Tiller				
Vanguard; 1 Cyl.; (Briggs & Stratton)				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Mastercut				
Brush Cutter/Disc Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Edger				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.025in
Trimmer				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Maverick				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Maxim				
Edger				
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Robin)				
4.6hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
6hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
(Tecumseh)				
5hp	871 / RJ8C	841 / J8C	---	0.030in
6hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Intek; Pro; 1 Cyl.; (Briggs & Stratton)				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; V2; (Briggs & Stratton)				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPÉD Y JARDIN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Maxim				
Edger				
Vanguard; V2; (Briggs & Stratton)				
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda)				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Log Splitter				
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Robin)				
4.6hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
6hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
(Tecumseh)				
5hp	871 / RJ8C	841 / J8C	---	0.030in
6hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Intek; Pro; 1 Cyl.; (Briggs & Stratton)				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; V2; (Briggs & Stratton)				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Mower				
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Robin)				
4.6hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
6hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
(Tecumseh)				
5hp	871 / RJ8C	841 / J8C	---	0.030in
6hp	871 / RJ8C	841 / J8C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Maxim					
Mower					
1 Cyl.; (Briggs & Stratton); L-HEAD					
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Intek; Pro; 1 Cyl.; (Briggs & Stratton)					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Vanguard; V2; (Briggs & Stratton)					
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Tiller					
(Honda); OHV					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Robin)					
4.6hp	415 / RN9YC	300 / N9YC	415ECO	0.025in	
6hp	415 / RN9YC	300 / N9YC	415ECO	0.025in	
(Tecumseh)					
5hp	871 / RJ8C	841 / J8C	---	0.030in	
6hp	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Intek; Pro; 1 Cyl.; (Briggs & Stratton)					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Vanguard; V2; (Briggs & Stratton)					
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
M-B					
Power Broom					
(Honda); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
M-B				
Power Broom				
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Sweeper				
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
M-C				
Flail Pickup Mower				
Lawn Genie; 1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Genie; Vanguard; 1 Cyl.; (Briggs & Stratton)				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
McCulloch				
Auger				
Mac GPD				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
Titan GPD 22				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
Auger/Chain Saw				
Model 99				
	871 / RJ8C	841 / J8C	---	0.025in
Blower/Vacuum/Water Sprayer				
320B				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
320BV				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
ASB3206 Air Stream				
	965 / RZ7C	---	---	0.025in
BP325				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Eager Beaver Backpack Blower				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Eager Beaver Blower				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Eager Beaver Blower/Vacuum				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Eager Beaver III Blower				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Eager Beaver IV Blower/Vacuum				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
McCulloch				
Blower/Vacuum/Water Sprayer				
Eager Beaver Power Blower				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
GB320				
1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
GBV325				
1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
GBV345				
1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
M320				
1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
Mac 280B				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mac III & IV Blower/Vacuum				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mac III Blower/Vacuum				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mac IV Blower/Vacuum				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
PB250				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
PB280				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
PB380				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Power Blower				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac BP4300				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
Pro Mac PB250				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Pro Stream Blower				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Stream Blower/Vacuum				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Silver Eagle Blower				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Silver Eagle III Blower				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Silver Eagle IV Blower/Vacuum				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Silver Eagle V Backpack Blower				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Super Air Stream III Blower				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Super Air Stream IV Blower/Vacuum				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Titan PB250				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Edger				
Mac 328GLE				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
McCulloch				
Hedge Trimmer				
22				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
GHT2030				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
GHT30				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Mac GHT17				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mac GHT19				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mac GHT22				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Titan GHT30				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
M40-120 Classic				
2.7hp	71 / RC12YC	946 / QC12YC	71ECO	0.028in
M40-125; 1 Cyl.; (Briggs & Stratton); OHV				
2.1hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
M40-125 Classic+; 1 Cyl.; (Briggs & Stratton); OHV				
2.1hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
M46-120 Classic				
2.7hp	71 / RC12YC	946 / QC12YC	71ECO	0.028in
M46-120R Classic				
2.7hp	71 / RC12YC	946 / QC12YC	71ECO	0.028in
M46-125 Classic+				
3.1hp	71 / RC12YC	946 / QC12YC	71ECO	0.028in
M46-125 Classic+; 1 Cyl.; (Briggs & Stratton); OHV				
2.1hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
M46-125R; 1 Cyl.; (Briggs & Stratton); OHV				
2.1hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
M46-125R Classic+; 1 Cyl.; (Briggs & Stratton); OHV				
2.1hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
M46-140WR; 1 Cyl.; (Briggs & Stratton); OHV				
2.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
M46-150WR Classic				
3.2hp	71 / RC12YC	946 / QC12YC	71ECO	0.028in
M46-160AWRPX; (Honda); OHV				
3.8hp	415 / RN9YC	300 / N9YC	415ECO	0.020in
M51-140WR Classic+; 1 Cyl.; (Briggs & Stratton); OHV				
2.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
M51-150R Classic				
3.1hp	71 / RC12YC	946 / QC12YC	71ECO	0.028in
Trimmer				
1385L				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
19				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
2030				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
McCulloch				
Trimmer				
2035				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
2045				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
2100				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
2250				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
2335J				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2360				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
2380L				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
2500				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
2500CXL				
0.9hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
2560HD				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
2565AV				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
2635B				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2635GLE				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2816				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
2816B				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
2817				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
2818				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
282				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
2825				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
285				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
287				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
28c				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
29				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
32				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
3225				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
3227				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
McCulloch					
Trimmer					
3227HD					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
3227S					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
327					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
32bcs Dlx.					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
32HDS					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
3335L					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
3900					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
4100					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
4335B					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
B26PS					
1hp	965 / RZ7C	---	---	0.028in	
B28B					
1.1hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.024in	
B28P					
1.1hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.024in	
B28PS					
1.1hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.024in	
B33B					
1.2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
B33P					
1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
B428PS					
1.1hp	965 / RZ7C	---	---	0.024in	
Cabrio 433L					
1.2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
DBC301					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
DBS300					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
Eager Beaver 280					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
Eager Beaver 282					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
Eager Beaver 285					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
Eager Beaver 287					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
Eager Beaver 325					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
Eager Beaver 327					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
Eager Beaver I					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
McCulloch					
Trimmer					
Eager Beaver I Super					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
Eager Beaver I SX					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
Eager Beaver II					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
Eager Beaver II SL					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
Eager Beaver II SX					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
Eager Beaver III					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
Eager Beaver III SL					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
Eager Beaver III SX					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
Eager Beaver IV					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
Eager Beaver IV SL					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
GHT2024					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
GLE2380					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
GLE2500					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
GLE2580AV					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
GLE3000					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
GLE3900					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
III Super					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
IV HD					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
Mac 281					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
Mac 1385J					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
Mac 2815					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
Mac 2816					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
Mac 2817					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
Mac 2825					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
Mac 2827					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	
Mac 284S					
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
McCulloch				
Trimmer				
Mac 3214				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Mac 3216				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Mac 3225				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mac 3227				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mac 3227HD				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mac 3516				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Mac 3818				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Mac 65				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mac 65 SL				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mac 80				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mac 80 SL				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mac 80 SX				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mac 99				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mac 99 SL				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mac250L				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
MB325CB				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
MT3310				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
MT3311				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac 2025				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Pro Mac 2320L				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Pro Mac 2510				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Pro Mac 2560				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Pro Mac 2635J				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Pro Mac 3000				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac DBC300				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
Pro Mac I				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
McCulloch				
Trimmer				
Pro Mac I HD				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac I Super				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac II HD				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac II Super				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac III HD				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac III Super				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac IIII HD				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro-Scaper 28S				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro-Scaper 32HDS				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro-Scaper I				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro-Scaper II				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Roadrunner I				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Roadrunner II				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Roadrunner III				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
S				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Silver Eagle 28				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Silver Eagle 32				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Silver Eagle 32bc				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
SL				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Super				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Super Mac 80				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Super Mac 80S				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Super Mac 85				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Super Mac 85SL				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Super Mac 85SX				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
SX				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
McCulloch				
Trimmer				
T26 CS				
1hp	965 / RZ7C	---	---	0.026in
Titan 2000				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Titan 2030				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Titan 2100				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Titan 2250				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Titan 2310				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Titan 2360				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Titan 2560AV				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Titan 3000				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Titan GHT24				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Titan GLE2380				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Titan GPO22 Engine				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
TrimMac				
0.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.024in
TrimMac 240				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
TrimMac 250 LS				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
TrimMac 281				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
TrimMac SL				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
TrimMac ST+				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
Mcdonough				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
	871 / RJ8C	841 / J8C	---	0.025in
Shredder				
	871 / RJ8C	841 / J8C	---	0.025in
Tiller				
	871 / RJ8C	841 / J8C	---	0.025in
Mclane				
Edger				
(Honda)				
2.2hp	846 / CJ14	---	846ECO	0.030in
2.5hp	846 / CJ14	---	846ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Mclane					
Edger					
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki); OHV					
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
5hp	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Lawn Mower					
(Honda)					
2.5hp	846 / CJ14	---	846ECO	0.025in	
3.5hp;G130	808 / Z9Y	705 / P-RZ9HC	---	0.030in	
4hp;G40	830 / RL86C	933-1 / QL86C	---	0.030in	
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki); OHV					
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
4hp;K91	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Mower					
(Honda)					
2.2hp	846 / CJ14	---	846ECO	0.030in	
2.5hp	846 / CJ14	---	846ECO	0.030in	
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki); OHV					
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
5hp	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Mclane					
Mower					
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Trimmer					
(Honda)					
2.2hp	846 / CJ14	---	846ECO	0.030in	
2.5hp	846 / CJ14	---	846ECO	0.030in	
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki); OHV					
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
5hp	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
M-E Tiller					
Tiller					
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in	
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in	
Meade					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Melex					
Utility Vehicle					
Vanguard; 1 Cyl.; (Briggs & Stratton)					
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Menning					
Sprayer					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
MEP					
Aerator					
(Tecumseh)					
2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
4hp	871 / RJ8C	841 / J8C	---	0.030in	
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
MEP				
Aerator				
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda)				
2.5hp	846 / CJ14	---	846ECO	0.025in
(Honda); OHC				
5.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Tecumseh)				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh); OHV				
5.5hp	104 / RN4C	803 / N4C	---	0.030in
Mower				
(Tecumseh)				
2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	871 / RJ8C	841 / J8C	---	0.030in
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Sickle Bar				
(Tecumseh)				
2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	871 / RJ8C	841 / J8C	---	0.030in
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tiller				
(Tecumseh)				
2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	871 / RJ8C	841 / J8C	---	0.030in
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Merry Mac					
Blower/Vacuum/Water Sprayer					
(Honda); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki); OHV					
5.3hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
8hp	854 / RH10C	844 / H10C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Commercial Chipper					
(Honda); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki); OHV					
5.3hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
8hp	854 / RH10C	844 / H10C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Shredder					
(Honda); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki); OHV					
5.3hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
8hp	854 / RH10C	844 / H10C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Stump Grinder					
(Honda); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki); OHV					
5.3hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
8hp	854 / RH10C	844 / H10C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Merry Tiller					
Tiller					
(Briggs & Stratton); OHV					
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
(Clinton)					
	871 / RJ8C	841 / J8C	---	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Merry Tiller					
Tiller					
(Kohler)					
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Subaru/Robin); OHC					
4.5hp;EX13	830 / RL86C	933-1 / QL86C	---	0.025in	
(Tecumseh)					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Wisconsin-Robin)					
EY18-3W	830 / RL86C	933-1 / QL86C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
4hp;GX120K1	415 / RN9YC	300 / N9YC	415ECO	0.030in	
MT4H; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
4hp;GX120K1	415 / RN9YC	300 / N9YC	415ECO	0.030in	
MT4R; (Subaru/Robin); OHC					
4.5hp;EX13	830 / RL86C	933-1 / QL86C	---	0.025in	
MT550IC; (Briggs & Stratton); OHV					
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Michaels					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kohler)					
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Middlesworth					
Dethatcher					
(Honda); OHV					
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Lawn Mower					
(Kohler)					
	854 / RH10C	844 / H10C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Mower					
(Honda); OHV					
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Midland					
Aerator					
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	846ECO	0.030in	
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in	
Commercial Chipper					
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	846ECO	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Midland				
Commercial Chipper				
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
Seeder				
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	846ECO	0.030in
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
Shredder				
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	846ECO	0.030in
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
Sod Cutter				
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	846ECO	0.030in
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
Turf Equipment				
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	846ECO	0.030in
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
Vacuum				
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	846ECO	0.030in
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
Midwest Mowers				
Lawn Tractor				
Vanguard; V2; (Briggs & Stratton); OHV				
32hp;350000	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Mighty Mac				
Blower/Vacuum/Water Sprayer				
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki); OHV				
5.3hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
16hp	25 / RV17YC	854 / RH10C	---	0.025in
(Tecumseh)				
3.5hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Mighty Mac				
Commercial Chipper				
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki); OHV				
5.3hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
16hp	25 / RV17YC	854 / RH10C	---	0.025in
(Tecumseh)				
3.5hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Shredder				
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki); OHV				
5.3hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
16hp	25 / RV17YC	854 / RH10C	---	0.025in
(Tecumseh)				
3.5hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Sprayer				
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki); OHV				
5.3hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
16hp	25 / RV17YC	854 / RH10C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Mighty Mac					
Sprayer					
(Tecumseh)					
3.5hp	871 / RJ8C	841 / J8C	---	0.030in	
8hp	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Stump Grinder					
(Honda); OHV					
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki); OHV					
5.3hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
12hp	854 / RH10C	844 / H10C	---	0.030in	
16hp	25 / RV17YC	854 / RH10C	---	0.025in	
(Tecumseh)					
3.5hp	871 / RJ8C	841 / J8C	---	0.030in	
8hp	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vacuum					
(Honda); OHV					
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki); OHV					
5.3hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
12hp	854 / RH10C	844 / H10C	---	0.030in	
16hp	25 / RV17YC	854 / RH10C	---	0.025in	
(Tecumseh)					
3.5hp	871 / RJ8C	841 / J8C	---	0.030in	
8hp	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Mighty Mac				
Vacuum				
Vanguard; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Mighty Man				
Auger				
Mighty Mole Borer M1800				
	564 / D16J	---	---	0.025in
Mighty Mole Borer M470				
	564 / D16J	---	---	0.025in
Mighty Mouse				
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
(Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
Mighty Murec				
Log Splitter				
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Tecumseh); OHV				
5hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Milbrandt				
Mower				
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
Milwaukee				
Mower				
	541 / RD16	516 / D16	---	0.025in
Minat				
Blower/Vacuum/Water Sprayer				
1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Mitsubishi				
Trimmer				
TL20				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
TL23				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
TL26				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
TL43				
	840 / RCJ8	843 / CJ8	843ECO	0.025in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Mitsubishi					
Trimmer					
TL52					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
Mitts & Merrill					
Commercial Chipper					
M-11; 300cid; (Ford)					
	129 / RF10C	---	---	0.030in	
M-12; 300cid; (Ford)					
	129 / RF10C	---	---	0.030in	
M-13; 330cid; (Ford)					
	129 / RF10C	---	---	0.030in	
M-2; 2.8L (172cid); L4; (Ford); OHV					
	854 / RH10C	844 / H10C	---	0.030in	
M-3; 240cid; (Ford)					
	129 / RF10C	---	---	0.030in	
M-4; 240cid; (Ford)					
	129 / RF10C	---	---	0.030in	
M-6; 240cid; (Ford)					
	129 / RF10C	---	---	0.030in	
M-7; 300cid; (Ford)					
	129 / RF10C	---	---	0.030in	
M-8; 300cid; (Ford)					
	129 / RF10C	---	---	0.030in	
M-9; 330cid; (Ford)					
	129 / RF10C	---	---	0.030in	
Mi-T-Vac					
Sweeper					
(Kohler)					
14hp;K331	871 / RJ8C	841 / J8C	---	0.025in	
4hp;K91	871 / RJ8C	841 / J8C	---	0.025in	
(Tecumseh)					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Mity Moe					
Sprayer					
	893 / RCJ4	849 / CJ6	852ECO	0.030in	
Mity-Mite					
Duster					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Sod Cutter					
(Honda); OHV					
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Sod Layer					
(Honda); OHV					
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Sprayer					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
MLW				
Lawn Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Mo Wing 50				
Lawn Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Modern				
Edger				
	871 / RJ8C	841 / J8C	---	0.030in
Trimmer				
	871 / RJ8C	841 / J8C	---	0.030in
Momo				
Mower				
(Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
Monarch				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Mono				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Lauson)				
	871 / RJ8C	841 / J8C	---	0.030in
Montgomery-Ward				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Lauson)				
	871 / RJ8C	841 / J8C	---	0.030in
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Shredder				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Sweeper				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Montgomery-Ward					
Tiller					
(Onan)					
	857 / RH18Y	---	---	0.030in	
Trimmer					
1926					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
1927					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
1930					
	846 / CJ14	---	846ECO	0.030in	
1931					
	846 / CJ14	---	846ECO	0.030in	
1932					
	846 / CJ14	---	846ECO	0.030in	
Moore					
Lawn Tractor					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kohler)					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Farmette; (Utilimotor)					
	854 / RH10C	844 / H10C	---	0.030in	
Moto-Mower					
Mower					
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in	
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in	
Motor-Tiller Hoe					
Tiller					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Lauson)					
	871 / RJ8C	841 / J8C	---	0.030in	
Mott					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
2 Cyl.; (Wisconsin)					
18.2hp;TJD	541 / RD16	516 / D16	---	0.030in	
Mountain Lion					
Utility Vehicle					
V2; (Kohler); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Mow Mower					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Mow Wing					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Mow-A-Mat				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Mowamatic				
Lawn Mower				
10.191cid\167cc; (Clinton)				
VS200	592 / RJ12C	511 / J11C	---	0.025in
Mow-Blow				
Blower/Vacuum/Water Sprayer				
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Mow-Cycle				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Mow-Master				
Lawn Mower				
(Clinton)				
	854 / RH10C	844 / H10C	---	0.030in
(Power Pak)				
	871 / RJ8C	841 / J8C	---	0.030in
(Propulsion)				
	871 / RJ8C	841 / J8C	---	0.035in
Mow-More				
Mower				
	541 / RD16	516 / D16	---	0.030in
Moz-All				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
MSI				
Lawn Tractor				
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
MTA				
Log Splitter				
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
MTD				
Blower/Vacuum/Water Sprayer				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
MTD					
Edger					
(Briggs & Stratton); L-HEAD					
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Rototiller					
(Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Shredder					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Tiller					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vacuum					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
MTD Pro					
Blower/Vacuum/Water Sprayer					
BB45					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
F5					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
F8					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
HB26					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
Hedge Trimmer					
24HC					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
30HC					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
40HC					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
Lawn Mower					
(Kawasaki); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
MTD Pro				
Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp;10C900	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp;137000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); OHV				
16hp	104 / RN4C	803 / N4C	---	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage XT Series; 4 Stroke; Vertical; (Kohler); OHV				
3.5hp	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
Courage; 4 Stroke; Vertical; V2; (Kohler); OHV				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GC-Series; Horizontal; (Honda); OHC				
4.6hp;GC160	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Horizontal; V2; (Kawasaki); OHV				
20hp;FD620D;3/8in Reach Spark Plugs	846 / CJ14	---	846ECO	0.026in
Vanguard; V2; (Briggs & Stratton)				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; (Tecumseh)				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Sprayer				
SY50				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
SY50P				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Trimmer				
81C62				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
81C73				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
ST23				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
ST26				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
MTD Pro				
Trimmer				
ST35				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
Murray				
Commercial Chipper				
(Briggs & Stratton); L-HEAD				
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); OHV				
12hp	814 / RL82YC	931-1 / QL82C	---	0.030in
12.5hp	104 / RN4C	803 / N4C	---	0.030in
16hp	814 / RL82YC	931-1 / QL82C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Lawn Mower				
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	---	0.030in
3/8in Reach Spark Plugs	856 / RJ17LM	845 / J17LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Briggs & Stratton); OHV				
17hp;42A707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
04250098XA; 1 Cyl.; (Briggs & Stratton); OHV				
16.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
465306X8; 1 Cyl.; (Briggs & Stratton); OHV				
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
48X1042; 1 Cyl.; (Briggs & Stratton); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LT5; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mower				
(Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh); OHV				
18hp	104 / RN4C	803 / N4C	---	0.030in
Intek; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Murray					
Mower					
Vertical; (Tecumseh)					
2hp;TC300	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
3.8hp;TVS90	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
10/30; 1 Cyl.; (Briggs & Stratton); L-HEAD					
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Shredder					
(Briggs & Stratton); L-HEAD					
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
18.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
(Tecumseh); OHV					
12hp	814 / RL82YC	931-1 / QL82C	---	0.030in	
12.5hp	104 / RN4C	803 / N4C	---	0.030in	
16hp	814 / RL82YC	931-1 / QL82C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Tiller					
(Briggs & Stratton); L-HEAD					
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
18.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
(Tecumseh); OHV					
12hp	814 / RL82YC	931-1 / QL82C	---	0.030in	
12.5hp	104 / RN4C	803 / N4C	---	0.030in	
16hp	814 / RL82YC	931-1 / QL82C	---	0.030in	
18hp	104 / RN4C	803 / N4C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
16.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Mustang					
Lawn Mower					
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Lawn Tractor					
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	



Model/Engine	Standard Stk # / Plug Type	Alternate Stk # / Plug Type	Premium Stk #	Gap
Mustang				
Lawn Tractor				
1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Myers				
Sprayer				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
16hp	854 / RH10C	844 / H10C	---	0.030in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
23hp	854 / RH10C	844 / H10C	---	0.030in
154cid\2524cc; V4; (Wisconsin)				
37hp;VG4D	541 / RD16	516 / D16	---	0.030in
Nac				
Blower/Vacuum/Water Sprayer				
TG-Series; (Kawasaki)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Brush Cutter/Disc Mower				
TG-Series; (Kawasaki)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Trimmer				
NX180				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
NX240				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
NX350				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
National				
Lawn Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
National Mower				
Reel Mower				
(Kawasaki)				
7.5hp	806 / L92YC	---	---	0.030in
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
(Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
New Holland				
Mower				
(Briggs & Stratton); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard Stk # / Plug Type	Alternate Stk # / Plug Type	Premium Stk #	Gap
New Holland				
Mower				
V2; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Kawasaki); OHV				
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
19hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
Command Series; 4 Stroke; (Kohler); OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; V2; (Kawasaki); OHV				
19hp;FD601V	404 / RN12YC	38 / N12YC	322ECO	0.025in
Sickle Bar Mower				
Haybine; 2.2L (134.0cid); L4; (Ford); OHV				
	512 / H12	---	---	0.025in
Haybine; 3.3L (200.0cid); L6; (Ford); OHV				
	22 / RF11YC	---	---	0.035in
Haybine; VG4D; 2.5L (154cid); V4; Gas; (Wisconsin); L-HEAD				
37hp	541 / RD16	555 / UD16	---	0.030in
New Way				
Mower				
	502 / D21	---	---	0.025in
Noma				
Commercial Chipper				
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
3.5hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Cultivator				
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
3.5hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Edger				
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
3.5hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Noma					
Lawn Tractor					
(Briggs & Stratton); L-HEAD					
16.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kohler)					
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
(Kohler); OHV					
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Tecumseh)					
12hp	814 / RL82YC	931-1 / QL82C	---	0.030in	
15hp	814 / RL82YC	931-1 / QL82C	---	0.030in	
16hp	814 / RL82YC	931-1 / QL82C	---	0.030in	
16.5hp	104 / RN4C	803 / N4C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Shredder					
(Tecumseh)					
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
3.5hp	871 / RJ8C	841 / J8C	---	0.030in	
8hp	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Norm					
Lawn Tractor					
(Clinton)					
	871 / RJ8C	841 / J8C	---	0.025in	
(Utilimotor)					
	854 / RH10C	844 / H10C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Northern Turf					
Sprayer/Seeder					
SS220; GX-Series; 4 Stroke; Horizontal; OHV					
5.5hp;GX200	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
NorthStar					
Log Splitter					
(Honda); OHV					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
NorthStar					
Log Splitter					
(Tecumseh)					
10hp	871 / RJ8C	841 / J8C	---	0.030in	
14hp	814 / RL82YC	931-1 / QL82C	---	0.030in	
5hp	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
V2; (Honda)					
18hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Sprayer					
(Honda); OHV					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Tecumseh)					
10hp	871 / RJ8C	841 / J8C	---	0.030in	
14hp	814 / RL82YC	931-1 / QL82C	---	0.030in	
5hp	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
V2; (Honda)					
18hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Novico					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
ODB					
Vacuum					
(Honda)					
24hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
2 Cyl.; (Kohler); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Olathe					
Commercial Chipper					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Seeder					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Shredder					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Stump Remover					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Sweeper					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Olathe				
Turf Sweeper				
High Lift				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Oldham				
Sprayer				
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Olympia				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Olympyk				
Auger				
AM150				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
AM18				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
AM180				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
AT2080				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
MTL30				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
TR1540				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
Mister				
JET410				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
Trimmer				
8260BA				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8260BAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8260DAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8260LA				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8260LAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8260TA				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8320BAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Olympyk				
Trimmer				
8320LAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8350BAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8350LAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8355HTV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8405BD				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8405BP				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8420BAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8460BAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8510BAV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8726				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8735				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
B200				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
B220				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
B220L				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
B260B				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
B260L				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
B300				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
B400				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
B450				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
TS310				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
TS330				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
TS410				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
OMC				
Lawn Mower				
(Briggs & Stratton)				
with 14mm Diameter Threads	840 / RCJ8	---	---	0.030in
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in

Model/Engine	Standard Stk # / Plug Type	Alternate Stk # / Plug Type	Premium Stk #	Gap
OMC				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
with 14mm Diameter Threads	843 / CJ8	---	843ECO	0.030in
(Kohler)				
	854 / RH10C	844 / H10C	---	0.030in
Tiller				
(Briggs & Stratton)				
with 14mm Diameter Threads	840 / RCJ8	---	---	0.030in
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
(Briggs & Stratton); L-HEAD				
with 14mm Diameter Threads	843 / CJ8	---	843ECO	0.030in
(Kohler)				
	854 / RH10C	844 / H10C	---	0.030in
UTV				
All Model(s); 1 Cyl.; (Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
All Model(s); K181; 0.3L (18.6cid); L1; (Kohler); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Walk Behind Rotary Mower				
All Model(s); (1980)				
	22 / RF11YC	---	---	0.025in
Onan				
Lawn Tractor				
16hp	909 / RS17YX	---	---	0.025in
Online				
Hedge Trimmer				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Trimmer				
Yard Arm				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Outdoor Power Products				
Blower/Vacuum/Water Sprayer				
(Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
16hp	104 / RN4C	803 / N4C	---	0.030in
3.5hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Commercial Chipper				
(Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
16hp	104 / RN4C	803 / N4C	---	0.030in
3.5hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard Stk # / Plug Type	Alternate Stk # / Plug Type	Premium Stk #	Gap
Outdoor Power Products				
Commercial Chipper				
Vanguard; 1 Cyl.; (Briggs & Stratton)				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Log Splitter				
(Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
16hp	104 / RN4C	803 / N4C	---	0.030in
3.5hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Sweeper				
(Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
16hp	104 / RN4C	803 / N4C	---	0.030in
3.5hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vacuum				
(Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
16hp	104 / RN4C	803 / N4C	---	0.030in
3.5hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Palmor Products				
Commercial Chipper				
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Shredder				
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Panther				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Paragon				
Log Splitter				
	840 / RCJ8	843 / CJ8	843ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Paramount				
Blower/Vacuum/Water Sprayer				
8014				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
8021				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
GB150				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
GB151				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
GB350				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
GB351				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Hedge Trimmer				
PHT19				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Trimmer				
PLT2145				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
PLT2248				
	846 / CJ14	---	846ECO	0.030in
PLT2651				
	846 / CJ14	---	846ECO	0.030in
PLT2857				
	846 / CJ14	---	846ECO	0.030in
Parker				
Blower/Vacuum/Water Sprayer				
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Lauson)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kawasaki); OHV				
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Command Pro; (Kohler)				
8.5hp	404 / RN12YC	38 / N12YC	322ECO	0.040in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
10.7hp;GX340K1;NON-EDS2, EDT, EDT2, VC2	415 / RN9YC	300 / N9YC	415ECO	0.030in
GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
5hp;GXV140	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Parker				
Blower/Vacuum/Water Sprayer				
Horizontal; (Honda); OHV				
8hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Horizontal; (Kawasaki); OHV				
8hp;FE250D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Horizontal; Magnum; (Kohler)				
8hp;M8T	840 / RCJ8	843 / CJ8	843ECO	0.025in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Hurricane; 1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Hurricane HT0810B; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Hurricane HT0816B; Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Power Rake				
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Lauson)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kawasaki); OHV				
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Command Pro; (Kohler)				
8.5hp	404 / RN12YC	38 / N12YC	322ECO	0.040in
Horizontal; (Kawasaki); OHV				
8hp;FE250D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Sweeper				
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Lauson)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in

Model/Engine	Standard Stk # / Plug Type	Alternate Stk # / Plug Type	Premium Stk #	Gap
Parker				
Sweeper				
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kawasaki); OHV				
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Command Pro; (Kohler)				
8.5hp	404 / RN12YC	38 / N12YC	322ECO	0.040in
Horizontal; (Kawasaki); OHV				
8hp;FE250D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Thatcher				
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Lauson)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kawasaki); OHV				
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Command Pro; (Kohler)				
8.5hp	404 / RN12YC	38 / N12YC	322ECO	0.040in
G-Series; (Honda); L-HEAD				
6.5hp;GS65	830 / RL86C	933-1 / QL86C	---	0.030in
GX-Series; 4 Stroke; Horizontal; 14.8cid/242cc; 1 Cyl.; (Honda); OHV				
8hp;GX240K1;NON-EDS2 & EDT2	415 / RN9YC	300 / N9YC	415ECO	0.030in
Horizontal; (Kawasaki); OHV				
8hp;FE250D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Horizontal; Magnum; (Kohler)				
8hp;M8T	840 / RCJ8	843 / CJ8	843ECO	0.025in
Intek; 1 Cyl.; (Briggs & Stratton)				
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
PV0165BF; 1 Cyl.; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
PV8708HF; GX-Series; 4 Stroke; Horizontal; 14.8cid/242cc; 1 Cyl.; (Honda); OHV				
8hp;GX240K1;NON-EDS2 & EDT2	415 / RN9YC	300 / N9YC	415ECO	0.030in
PV8708HT; Horizontal; (Honda); OHV				
8hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Parmi				
Lawn Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tiller				
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard Stk # / Plug Type	Alternate Stk # / Plug Type	Premium Stk #	Gap
Parker				
Vacuum				
(Kohler)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Lauson)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kawasaki); OHV				
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Command Pro; (Kohler)				
8.5hp	404 / RN12YC	38 / N12YC	322ECO	0.040in
G-Series; (Honda); L-HEAD				
6.5hp;GS65	830 / RL86C	933-1 / QL86C	---	0.030in
GX-Series; 4 Stroke; Horizontal; 14.8cid/242cc; 1 Cyl.; (Honda); OHV				
8hp;GX240K1;NON-EDS2 & EDT2	415 / RN9YC	300 / N9YC	415ECO	0.030in
Horizontal; (Kawasaki); OHV				
8hp;FE250D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Horizontal; Magnum; (Kohler)				
8hp;M8T	840 / RCJ8	843 / CJ8	843ECO	0.025in
Intek; 1 Cyl.; (Briggs & Stratton)				
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
PV0165BF; 1 Cyl.; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
PV8708HF; GX-Series; 4 Stroke; Horizontal; 14.8cid/242cc; 1 Cyl.; (Honda); OHV				
8hp;GX240K1;NON-EDS2 & EDT2	415 / RN9YC	300 / N9YC	415ECO	0.030in
PV8708HT; Horizontal; (Honda); OHV				
8hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Parmi				
Lawn Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tiller				
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Partner				
Stump Grinder				
S650				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Pathfinder				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Patriot				
Commercial Chipper				
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
4hp	871 / RJ8C	841 / J8C	---	0.030in
4.5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
5hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); OHV				
5hp	104 / RN4C	803 / N4C	---	0.030in
6hp	104 / RN4C	803 / N4C	---	0.030in
Intek; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Shredder				
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
4hp	871 / RJ8C	841 / J8C	---	0.030in
4.5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
5hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); OHV				
5hp	104 / RN4C	803 / N4C	---	0.030in
6hp	104 / RN4C	803 / N4C	---	0.030in
Intek; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vacuum				
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
4hp	871 / RJ8C	841 / J8C	---	0.030in
4.5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
5hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); OHV				
5hp	104 / RN4C	803 / N4C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Patriot					
Vacuum					
(Tecumseh); OHV					
6hp	104 / RN4C	803 / N4C	---	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton)					
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Patz					
Chopper					
(Honda); OHV					
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Peco					
Blower/Vacuum/Water Sprayer					
(Honda); OHV					
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
6.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
12hp	854 / RH10C	844 / H10C	---	0.030in	
16hp	854 / RH10C	844 / H10C	---	0.030in	
8hp	854 / RH10C	844 / H10C	---	0.030in	
(Tecumseh)					
10hp	871 / RJ8C	841 / J8C	---	0.030in	
4hp	871 / RJ8C	841 / J8C	---	0.030in	
5hp	871 / RJ8C	841 / J8C	---	0.030in	
6hp	871 / RJ8C	841 / J8C	---	0.030in	
8hp	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
2 Cyl.; (Kohler)					
20hp	854 / RH10C	844 / H10C	---	0.030in	
V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Command Series; 4 Stroke; (Kohler); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV					
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vertical; (Kawasaki); OHV					
5hp;FC150V	322 / RN11YC4	302 / N11YC	322ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Peco					
Commercial Chipper					
(Honda); OHV					
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
6.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
12hp	854 / RH10C	844 / H10C	---	0.030in	
16hp	854 / RH10C	844 / H10C	---	0.030in	
8hp	854 / RH10C	844 / H10C	---	0.030in	
(Tecumseh)					
10hp	871 / RJ8C	841 / J8C	---	0.030in	
4hp	871 / RJ8C	841 / J8C	---	0.030in	
5hp	871 / RJ8C	841 / J8C	---	0.030in	
6hp	871 / RJ8C	841 / J8C	---	0.030in	
8hp	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
2 Cyl.; (Kohler)					
20hp	854 / RH10C	844 / H10C	---	0.030in	
V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Command Series; 4 Stroke; (Kohler); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV					
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vertical; (Kawasaki); OHV					
5hp;FC150V	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Stump Grinder					
(Honda); OHV					
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
6.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
12hp	854 / RH10C	844 / H10C	---	0.030in	
16hp	854 / RH10C	844 / H10C	---	0.030in	
8hp	854 / RH10C	844 / H10C	---	0.030in	
(Tecumseh)					
10hp	871 / RJ8C	841 / J8C	---	0.030in	
4hp	871 / RJ8C	841 / J8C	---	0.030in	
5hp	871 / RJ8C	841 / J8C	---	0.030in	
6hp	871 / RJ8C	841 / J8C	---	0.030in	
8hp	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Peco				
Stump Grinder				
1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp	854 / RH10C	844 / H10C	---	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; (Kohler); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; (Kawasaki); OHV				
5hp;FC150V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Vacuum				
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
16hp	854 / RH10C	844 / H10C	---	0.030in
8hp	854 / RH10C	844 / H10C	---	0.030in
(Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
4hp	871 / RJ8C	841 / J8C	---	0.030in
5hp	871 / RJ8C	841 / J8C	---	0.030in
6hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp	854 / RH10C	844 / H10C	---	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; (Kohler); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Peco				
Vacuum				
Vertical; (Kawasaki); OHV				
5hp;FC150V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Pektra				
Mower				
Intek; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Quantum; (Briggs & Stratton); L-HEAD				
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Quantum; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Quattro; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Sprint; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Trimmer				
PF1ZT				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
PF2RT				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
PF3RTX				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Pemco				
Edger				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Trimmer				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Penncrest				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Pennington				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Clinton)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Clinton)				
	871 / RJ8C	841 / J8C	---	0.025in
(Kohler)				
	854 / RH10C	844 / H10C	---	0.030in
(Onan)				
	538 / RH8C	587 / H8C	---	0.030in
(Wisconsin)				
	541 / RD16	516 / D16	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Perma Green Supreme					
Sprayer					
(Robin)					
6hp	830 / RL86C	933-1 / QL86C	---	0.025in	
Intek; 1 Cyl.; (Briggs & Stratton)					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Pincor					
Lawn Mower					
	592 / RJ12C	871 / RJ8C	---	0.035in	
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Pioneer					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
Vacuum					
V2; (Honda)					
18hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
PK					
Sprayer					
(Tecumseh)					
3hp	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton)					
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Planet Jr.					
Drill					
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in	
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in	
Seeder					
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in	
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in	
Wheeled Hoe					
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in	
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in	
Plugr					
Aerator					
(Honda); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Plugr				
Aerator				
Intek; 1 Cyl.; (Briggs & Stratton)				
5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
PL1800H; Horizontal; (Honda); OHV				
4hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
PL2501SPH; (Honda); OHV				
5.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
PL400B; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
PL800; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
PLM1600; (Honda)				
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
PLM1600; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Polaris				
Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Power Broom				
Intek; 1 Cyl.; (Briggs & Stratton)				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
8hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Sprayer				
1 Cyl.; (Briggs & Stratton)				
3.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Sweeper				
Intek; 1 Cyl.; (Briggs & Stratton)				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Utility Vehicle				
	71 / RC12YC	946 / QC12YC	71ECO	0.028in
Poloron				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Pony Power				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Porta-Seeder				
Seeder				
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Poulan/Poulan Pro				
Blower/Vacuum/Water Sprayer				
400				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
420				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
422				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
432				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
442				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
452MVB				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
BVM200				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
PP422				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
PP432				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
PP442				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
PPBV25				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PR46BT				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PR48BT				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
Edger				
PE3500				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Hedge Trimmer				
25HHT				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
BVM200VS				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
BVM201VS				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PP22				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
PP2822				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PPBP30				
	965 / RZ7C	---	---	0.025in
PR2322				
	978 / RY4C	---	---	0.025in
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
450e Series; (Briggs & Stratton); OHV				
80000	71 / RC12YC	946 / QC12YC	71ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Poulan/Poulan Pro				
Lawn Mower				
500e Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
550e Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
550ex Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
675exi Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
100000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage; 4 Stroke; Vertical; (Kohler); OHV				
XT675	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
3.5hp;XT650	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
PP20375				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PP2255				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PP2260				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PP22R55				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PP500				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PP722				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PP735				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PP750				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PP751				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PP752				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PP800M				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PP835				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PR160N21RH3; GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
PR22WT; 675exi Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
PR450N20S; 450e Series; (Briggs & Stratton); OHV				
80000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
PR500N21SH; 500e Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
PR550N21R3; 500e Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
PR550N21RH3; 550ex Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
PR550N22RH3; 550e Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Poulan/Poulan Pro				
Lawn Mower				
PR650RWD; Courage; 4 Stroke; Vertical; (Kohler); OHV				
3.5hp;XT650	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
PR675AWD; Courage; 4 Stroke; Vertical; (Kohler); OHV				
XT675	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
PR675Y22RHP; 675exi Series; (Briggs & Stratton); OHV				
100000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Lawn Tractor				
(Briggs & Stratton); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Kohler)				
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
(Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Tecumseh); OHV				
13hp	104 / RN4C	803 / N4C	---	0.030in
14.5hp	104 / RN4C	803 / N4C	---	0.030in
16.5hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
Command Series; 4 Stroke; V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; (Briggs & Stratton); OHV				
16.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; V2; (Briggs & Stratton); OHV				
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Intek; 44cid\724cc; V2; (Briggs & Stratton); OHV				
23hp;440000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;445700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional Series; (Briggs & Stratton); OHV				
19.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional Series; V2; (Briggs & Stratton); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
111				
	846 / CJ14	---	846ECO	0.030in
117				
	846 / CJ14	---	846ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Poulan/Poulan Pro				
Lawn Tractor				
165				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
175				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
2610				
	846 / CJ14	---	846ECO	0.030in
2620				
	846 / CJ14	---	846ECO	0.030in
440				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
770				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
800				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
900				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
PHT19				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
PP1036S				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PP1136				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PP11536				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PP1242S				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PP12538				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PP12542				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PP125H38				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PP125H42				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PP125R38				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PP12R38M				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PP1338				
	104 / RN4C	803 / N4C	---	0.030in
PP1442				
	71 / RC12YC	946 / QC12YC	71ECO	0.040in
PP14542				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PP155H42				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PP1644				
	25 / RV17YC	3018 / RV17PMC4	---	0.025in
PP165H42				
	104 / RN4C	803 / N4C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Poulan/Poulan Pro					
Lawn Tractor					
PP16H44					
	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
PP16H46B					
	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
PP1844					
	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
PP1846					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
PP18H44					
	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
PP18H46					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
PP195					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
PP2050					
	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
PP20H50					
	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
PP22H50					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
PP442					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Leaf Blower					
PPBV25; 2 Stroke; 25cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
Log Splitter					
15-AR					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
19-24-8AR					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
19-7					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
26-10					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
26-TM					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
P-26-TM					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Mower					
(Briggs & Stratton); L-HEAD					
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Honda); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Poulan/Poulan Pro				
Mower				
550 Series; (Briggs & Stratton); L-HEAD				
2.95hp;100000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Intek; (Briggs & Stratton); OHV				
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Quantum; 625 Series; (Briggs & Stratton); L-HEAD				
3.49hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Pruner				
PP338PT				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
Tiller				
HDF550; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
HDF900; (LCT)				
6.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
PPCRT14				
	415 / RN9YC	300 / N9YC	415ECO	0.025in
PPCRT17				
	415 / RN9YC	300 / N9YC	415ECO	0.025in
PPFT3				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PPFT35				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PPFTC14				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
PPRT3				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PPRT5				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PPRT55				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PPRT8				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PRRT65; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
PRRT900; (LCT)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
RT900; (LCT)				
6.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Trimmer				
P1500				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
P2500				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
P3500				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
P4500F				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
PL200				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
PL500				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Poulan/Poulan Pro				
Trimmer				
PP025				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PP033				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PP036				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PP110				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
PP111				
	846 / CJ14	---	846ECO	0.026in
PP112				
	846 / CJ14	---	846ECO	0.030in
PP113				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
PP114				
	846 / CJ14	---	846ECO	0.030in
PP115				
	846 / CJ14	---	846ECO	0.030in
PP117				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
PP125				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PP133				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PP135				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
PP136				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PP165				
	846 / CJ14	---	846ECO	0.030in
PP176				
	846 / CJ14	---	846ECO	0.030in
PP185				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
PP196				
	846 / CJ14	---	846ECO	0.030in
PP200				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
PP325				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PP333				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PP335				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PP428C				
	965 / RZ7C	---	---	0.025in
PP428S				
	965 / RZ7C	---	---	0.025in
PPC22				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
PPC25				
	893 / RCJ4	849 / CJ6	852ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Poulan/Poulan Pro				
Trimmer				
PPC25E				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
PPC31				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
PPWT60022; 625 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PR28CD				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
PR28SD				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PT3000				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
PT6000				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
PT7000				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Power Ease				
Sprayer				
(Honda)				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Power King				
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
12hp;K301	854 / RH10C	844 / H10C	---	0.030in
14hp;K321	854 / RH10C	844 / H10C	---	0.030in
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
16hp;K341	854 / RH10C	844 / H10C	---	0.030in
17hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
18hp;K361	854 / RH10C	844 / H10C	---	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Power Matic				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Power Prince				
Edger				
	871 / RJ8C	841 / J8C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Power Prince				
Trimmer				
	871 / RJ8C	841 / J8C	---	0.030in
Power Trac				
Mower				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Robin); OHV				
18hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
22hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
25hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
(Tecumseh); OHV				
12.5hp	830 / RL86C	933-1 / QL86C	---	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Utility Vehicle				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Robin); OHV				
18hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
22hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
25hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
(Tecumseh); OHV				
12.5hp	830 / RL86C	933-1 / QL86C	---	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Power Trim				
Edger				
(Honda)				
2.2hp	846 / CJ14	---	846ECO	0.030in
(Honda); OHV				
3.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
2hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Trimmer				
150; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
200; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
200-4; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Power Trim					
Trimmer					
200-8; 1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
300-H; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
4hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in	
300-IC; 1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
308-IC; 1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Powermate					
Shredder					
PM3000CS; 212cc; 1 Cyl.; (Generac); OHV					
	332 / RN7YC	315 / N6YC	332ECO	0.030in	
PowerTek					
Commercial Chipper					
(Briggs & Stratton); L-HEAD					
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Honda); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Log Splitter					
(Briggs & Stratton); L-HEAD					
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Honda); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Stump Grinder					
(Briggs & Stratton); L-HEAD					
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Honda); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Poynter					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Precision-Built				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Pro				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
10.191cid\167cc; (Clinton)				
3.5hp	854 / RH10C	844 / H10C	---	0.030in
All Other Clinton Engs.				
	871 / RJ8C	841 / J8C	---	0.025in
Pro Blow				
Blower/Vacuum/Water Sprayer				
(Kohler)				
8hp	854 / RH10C	844 / H10C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Pro High Wheel				
Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Pro Series				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Pro Series Products				
Mulcher				
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
13hp;GX270	415 / RN9YC	300 / N9YC	415ECO	0.030in
Horizontal; (Honda); OHV				
13hp;GX360K1	327 / RL87YC	934-1 / QL87YC	---	0.039in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Pro-Chopper; Horizontal; (Honda); OHV				
13hp;GX360K1	327 / RL87YC	934-1 / QL87YC	---	0.039in
Probst				
Sweeper				
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Pro-Master				
Lawn Mower				
(Kohler)				
4hp;K91	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Robin)				
EY18W	830 / RL86C	933-1 / QL86C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Pro-Master					
Lawn Mower					
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Lawn Tractor					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Honda); OHV					
3.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki)					
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.025in	
(Kawasaki); OHV					
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kohler); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Mower					
Horizontal; (Wisconsin-Robin)					
4.6hp;EY18-3W	830 / RL86C	933-1 / QL86C	---	0.025in	
Reel Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Honda); OHV					
3.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki)					
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.025in	
(Kawasaki); OHV					
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kohler); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Pro-Master				
Reel Mower				
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Sweeper				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
3.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
(Kawasaki); OHV				
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Pro-Star				
Lawn Tractor				
(Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
Pro-Vac				
Vacuum				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Robin)				
EY18-3W	830 / RL86C	933-1 / QL86C	---	0.030in
Pug				
Utility Vehicle				
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pullman				
Vacuum				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Pulsar				
Walk Behind Rotary Mower				
PTG12205BM; 4 Stroke; 150cc; 1 Cyl.; (Ducar)				
DOV150	332 / RN7YC	315 / N6YC	332ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Pulsar				
Walk Behind Rotary Mower				
PTG1220DBM; 4 Stroke; 150cc; 1 Cyl.; (Ducar)				
DOV150	332 / RN7YC	315 / N6YC	332ECO	0.030in
PTG1221B; 4 Stroke; 173cc; 1 Cyl.; (Ducar)				
6hp;DV173	332 / RN7YC	315 / N6YC	332ECO	0.030in
Quick-Split				
Log Splitter				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Quinstar				
Lawn Tractor				
1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Mower				
1 Cyl.; (Briggs & Stratton); OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2 Cyl.; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RACO				
Portable Drill				
All Model(s)				
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
Rally				
Lawn Mower				
(Tecumseh)				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
12.5hp	830 / RL86C	933-1 / QL86C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Rally					
Lawn Tractor					
1 Cyl.; (Briggs & Stratton); L-HEAD					
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Tiller					
(Briggs & Stratton); L-HEAD					
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
12.5hp	830 / RL86C	933-1 / QL86C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Ram					
Commercial Chipper					
(Honda); OHV					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
12hp	854 / RH10C	844 / H10C	---	0.030in	
16hp	854 / RH10C	844 / H10C	---	0.030in	
(Kohler); OHV					
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
2 Cyl.; (Kohler)					
20hp	854 / RH10C	844 / H10C	---	0.030in	
V2; (Kohler); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
4 Cyl.; Gas; (Wisconsin)					
35hp;W4-1770	541 / RD16	516 / D16	---	0.030in	
Log Splitter					
(Honda); OHV					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
12hp	854 / RH10C	844 / H10C	---	0.030in	
16hp	854 / RH10C	844 / H10C	---	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ram				
Log Splitter				
(Kohler); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp	854 / RH10C	844 / H10C	---	0.030in
V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4 Cyl.; Gas; (Wisconsin)				
35hp;W4-1770	541 / RD16	516 / D16	---	0.030in
Stump Grinder				
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
16hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp	854 / RH10C	844 / H10C	---	0.030in
V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4 Cyl.; Gas; (Wisconsin)				
35hp;W4-1770	541 / RD16	516 / D16	---	0.030in
Ranger				
Lawn Tractor				
Ranger V				
	854 / RH10C	844 / H10C	---	0.030in
Ranger VII				
	854 / RH10C	844 / H10C	---	0.030in
Rapid Mower				
Lawn Mower				
	854 / RH10C	844 / H10C	---	0.030in
Raptor				
Utility Vehicle				
(Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2 Cyl.; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Rayco					
Stump Grinder					
(Honda)					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
12hp	854 / RH10C	844 / H10C	---	0.030in	
(Kohler); OHV					
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
4 Cyl.; Gas; (Wisconsin)					
34hp;W4-1770	541 / RD16	516 / D16	---	0.030in	
Red Bird					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Red Cap					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Red Mule					
Lawn Tractor					
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.030in	
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in	
Red-E					
Lawn Tractor					
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in	
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in	
Redline					
Trimmer					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
Redmax					
Auger					
AG230					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
AG431					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in	
Blower/Vacuum/Water Sprayer					
EB430					
	102 / RJ6C	823 / J6C	---	0.025in	
EB431					
	102 / RJ6C	823 / J6C	---	0.025in	
EB440					
	102 / RJ6C	823 / J6C	---	0.025in	
EB441					
	102 / RJ6C	823 / J6C	---	0.025in	



Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Redmax					
Blower/Vacuum/Water Sprayer					
EBA430					
	102 / RJ6C	823 / J6C	---	0.025in	
EBA431					
	102 / RJ6C	823 / J6C	---	0.025in	
EBA440					
	102 / RJ6C	823 / J6C	---	0.025in	
EBZ2601; Strato-Charged					
1.2hp	965 / RZ7C	---	---	0.025in	
EBZ5100; Strato-Charged					
2.3hp	965 / RZ7C	---	---	0.025in	
EBZ5150; Strato-Charged					
2.3hp	965 / RZ7C	---	---	0.025in	
EBZ5150RH; Strato-Charged					
	965 / RZ7C	---	---	0.025in	
EBZ6500; Strato-Charged					
	965 / RZ7C	---	---	0.025in	
EBZ6500RH; Strato-Charged					
	965 / RZ7C	---	---	0.025in	
EBZ7500; Strato-Charged					
	965 / RZ7C	---	---	0.025in	
EBZ7500RH; Strato-Charged					
	965 / RZ7C	---	---	0.025in	
EBZ8001; Strato-Charged					
4.4hp	965 / RZ7C	---	---	0.025in	
EBZ8050; Strato-Charged					
4.4hp	965 / RZ7C	---	---	0.025in	
EBZ8500; Strato-Charged					
	965 / RZ7C	---	---	0.025in	
EBZ8500RH; Strato-Charged					
	965 / RZ7C	---	---	0.025in	
HB2300					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
HB260					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in	
HB280VK					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
HB281					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
HBZ2500; Strato-Charged					
	978 / RY4C	---	---	0.025in	
HBZ2600; Strato-Charged					
	978 / RY4C	---	---	0.025in	
HBZ2610; Strato-Charged					
	965 / RZ7C	---	---	0.025in	
Brush Cutter/Disc Mower					
BC200					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
BC2000					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
BC2001					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Redmax				
Brush Cutter/Disc Mower				
BC2001DL				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC200DL				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
BC220				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC221				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC2300				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
BC2300DL				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC260				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC2600				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
BC2600DL				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC260DL				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
BC261DL				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
BC262				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC280				
1.1hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
BC340				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC340DL				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC341DL				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC342				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC342DL				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC430DWM				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC440				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC440DWM				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC441DWM				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC442				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC442 (C.A.R.B)				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
BC442DWM				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BCZ230TS				
1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Redmax				
Brush Cutter/Disc Mower				
BCZ2401S; Strato-Charged				
1.1hp	965 / RZ7C	---	---	0.025in
BCZ2460S; Strato-Charged				
1.14hp	965 / RZ7C	---	---	0.040in
BCZ2460TS; Strato-Charged				
1.14hp	965 / RZ7C	---	---	0.040in
BCZ2500S; Strato-Charged				
	978 / RY4C	---	---	0.025in
BCZ250S				
1.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
BCZ2600S; Strato-Charged				
	978 / RY4C	---	---	0.025in
BCZ260S				
1.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
BCZ260TS				
1.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
BCZ2610S; Strato-Charged				
1.2hp	965 / RZ7C	---	---	0.025in
BCZ2650S				
1.2hp	965 / RZ7C	---	---	0.025in
BCZ2650SS; Strato-Charged				
1.2hp	965 / RZ7C	---	---	0.025in
BCZ2660TS; Strato-Charged				
1.2hp	965 / RZ7C	---	---	0.025in
BCZ3050S; Strato-Charged				
1.4hp	965 / RZ7C	---	---	0.040in
BCZ3050SW; Strato-Charged				
1.4hp	965 / RZ7C	---	---	0.040in
BCZ3060TS; Strato-Charged				
1.4hp	965 / RZ7C	---	---	0.040in
BCZ350S; Strato-Charged				
2.15hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
BCZ400SW; Strato-Charged				
2hp	965 / RZ7C	---	---	0.040in
BL220DL				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Drill				
EDG230				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Edger				
HE260				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HE2600				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HE261				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HEZ230F				
0.9hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HEZ230S				
0.9hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HEZ2401S; Strato-Charged				
1.1hp	965 / RZ7C	---	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Redmax				
Edger				
HEZ2460F; Strato-Charged				
1.14hp	965 / RZ7C	---	---	0.040in
HEZ2460S; Strato-Charged				
1.14hp	965 / RZ7C	---	---	0.040in
HEZ2500F; Strato-Charged				
	978 / RY4C	---	---	0.025in
HEZ2500S; Strato-Charged				
	978 / RY4C	---	---	0.025in
HEZ260F				
1.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HEZ2610F; Strato-Charged				
1.2hp	965 / RZ7C	---	---	0.025in
HEZ2650F; Strato-Charged				
1.2hp	965 / RZ7C	---	---	0.025in
HEZ3060S; Strato-Charged				
1.4hp	965 / RZ7C	---	---	0.040in
RE220				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
SGC220				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
Hedge Trimmer				
CH232				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
CH232L				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
CHT220				
0.8hp	978 / RY4C	---	---	0.020in
CHT220L				
0.8hp	978 / RY4C	---	---	0.020in
CHT2250				
0.7hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CHT230				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
CHT2300				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CHT2300L				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CHT300				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CHTZ2460; Strato-Charged				
1.14hp	965 / RZ7C	---	---	0.025in
CHTZ2460L; Strato-Charged				
1.14hp	965 / RZ7C	---	---	0.025in
HT230				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
HT2300				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HT2300L				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
HT231				
	840 / RCJ8	843 / CJ8	843ECO	0.025in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Redmax				
Hedge Trimmer				
HT232				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
HT232L				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
HTZ2400; Strato-Charged				
	978 / RY4C	---	---	0.025in
HTZ2460; Strato-Charged				
1.14hp	965 / RZ7C	---	---	0.025in
HTZ2460L; Strato-Charged				
1.14hp	965 / RZ7C	---	---	0.025in
HTZ2500; Strato-Charged				
	978 / RY4C	---	---	0.025in
LRTZ2460; Strato-Charged				
1.14hp	965 / RZ7C	---	---	0.040in
LRTZ2500; Strato-Charged				
	978 / RY4C	---	---	0.025in
SRTZ246; Strato-Charged				
1.4hp	965 / RZ7C	---	---	0.040in
SRTZ2460; Strato-Charged				
1.14hp	965 / RZ7C	---	---	0.025in
SRTZ2460F; Strato-Charged				
1.14hp	965 / RZ7C	---	---	0.040in
SRTZ2500; Strato-Charged				
	978 / RY4C	---	---	0.025in
Power Head				
EXZ2401S-PH; Maxtreme Power Head; Strato-Charged				
1.1hp	965 / RZ7C	---	---	0.025in
EXZ2460SPH; Strato-Charged				
1.14hp	965 / RZ7C	---	---	0.025in
EXZ2500S; Strato-Charged				
	978 / RY4C	---	---	0.025in
Sweeper				
RMNBZ2500S; Strato-Charged				
	978 / RY4C	---	---	0.025in
RMSZ2500S; Strato-Charged				
	978 / RY4C	---	---	0.025in
Trimmer				
BT17				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
BT200				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
BT2000				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
BT220				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
BT221				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
BT280				
1.1hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
TR2350S				
1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Redmax					
Trimmer					
TRZ230S					
1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
Reed					
Earth Drill					
(Ford)					
	129 / RF10C	---	---	0.030in	
Regent					
Lawn Tractor					
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Reinco					
Power Mulcher					
(Hercules)					
G1600	102 / RJ6C	823 / J6C	---	0.025in	
(Kohler)					
14hp	854 / RH10C	844 / H10C	---	0.030in	
(Kohler); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Wisconsin)					
30hp	541 / RD16	516 / D16	---	0.025in	
2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
4 Cyl.; Gas; (Wisconsin)					
35hp	541 / RD16	516 / D16	---	0.025in	
105cid; (Chrysler)					
	415 / RN9YC	7415 / RN9PYP	415ECO	0.025in	
192cid; (Ford)					
	854 / RH10C	844 / H10C	---	0.025in	
200cid; (Ford)					
	129 / RF10C	---	---	0.030in	
240cid; (Ford)					
	129 / RF10C	---	---	0.030in	
250cid; (Ford)					
	129 / RF10C	---	---	0.030in	
300cid; (Ford)					
	129 / RF10C	---	---	0.030in	
318cid; (Chrysler)					
	322 / RN11YC4	300 / N9YC	322ECO	0.035in	
360cid; (Chrysler)					
	322 / RN11YC4	300 / N9YC	322ECO	0.035in	
Vanguard; V2; (Briggs & Stratton)					
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Remington					
Blower/Vacuum/Water Sprayer					
RM125					
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Remington				
Blower/Vacuum/Water Sprayer				
RM2BL				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
RM2BP				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
RM2BV				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
RM430				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
Commercial Chipper				
RM50CSV; Powermore; Vertical; (MTD/Zongshen); OHV				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Cultivator				
RM4625				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
Lawn Mower				
L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
RM110; OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
RM130; OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
RM210; OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
RM310; OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
RM410; OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
Log Splitter				
RM20; Powermore; Vertical; (MTD/Zongshen); OHV				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
RM23; Powermore; Vertical; (MTD/Zongshen); OHV				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
RM27; Horizontal; Powermore; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Tiller				
Clodbuster				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Trimmer				
RM2510				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
RM2520				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
RM2560				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
RM2570				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
RM2700				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
Walk Behind Rotary Mower				
11A-B2BL883; 140cc; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Reo				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Rich				
Lawn Tractor				
(Kawasaki); OHV				
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Ride-A-Mowers				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Ride-On Sprayer Spreader				
Lawn Tractor				
(Robin); OHV				
6hp	830 / RL86C	933-1 / QL86C	---	0.025in
Riston				
Edger				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Ritchie Bestway				
Sprayer				
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Kawasaki)				
5.2hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Robertson				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Robin				
Blower/Vacuum/Water Sprayer				
FL21				
1hp;EC02E	893 / RCJ4	849 / CJ6	852ECO	0.025in
FL231				
EC02H	893 / RCJ4	849 / CJ6	852ECO	0.025in
FL251				
EC025G	893 / RCJ4	849 / CJ6	852ECO	0.025in
FL260				
EC025G	893 / RCJ4	849 / CJ6	852ECO	0.025in
FL40				
EC04	814 / RL82YC	931-1 / QL82C	---	0.025in
FL411				
EC04EF	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
FL500				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Robin				
Edger				
BEH2500				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Hedge Trimmer				
HT01				
EC01E	893 / RCJ4	849 / CJ6	852ECO	0.025in
HT01T				
EC01E	893 / RCJ4	849 / CJ6	852ECO	0.025in
HT02				
EC02R	893 / RCJ4	849 / CJ6	852ECO	0.025in
HT02B				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
HT02T				
EC02R	893 / RCJ4	849 / CJ6	852ECO	0.025in
HT171				
EC01E	893 / RCJ4	849 / CJ6	852ECO	0.025in
HT200				
EC02ER	893 / RCJ4	849 / CJ6	852ECO	0.025in
HT200L				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HT221				
EC022GR	840 / RCJ8	843 / CJ8	843ECO	0.025in
HT231				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HT231L				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HT231T				
EC02H	840 / RCJ8	843 / CJ8	843ECO	0.025in
HT750				
EC022GR	840 / RCJ8	843 / CJ8	843ECO	0.025in
HT750-40				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Log Splitter				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Power Duster				
FB04				
	814 / RL82YC	931-1 / QL82C	---	0.025in
FH03				
	814 / RL82YC	931-1 / QL82C	---	0.025in
FH03-3A				
	814 / RL82YC	931-1 / QL82C	---	0.025in
FH04				
	814 / RL82YC	931-1 / QL82C	---	0.025in
FH04-2A				
	814 / RL82YC	931-1 / QL82C	---	0.025in
NF03				
	814 / RL82YC	931-1 / QL82C	---	0.025in
NF03-2AD				
	814 / RL82YC	931-1 / QL82C	---	0.025in
NF04				
	814 / RL82YC	931-1 / QL82C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Robin				
Power Duster				
NF04-SA/SB				
	814 / RL82YC	931-1 / QL82C	---	0.025in
NF302				
	893 / RCJ4	849 / CJ6	852ECO	0.028in
NF351				
	893 / RCJ4	849 / CJ6	852ECO	0.028in
NF352				
	893 / RCJ4	849 / CJ6	852ECO	0.028in
NF400				
	893 / RCJ4	849 / CJ6	852ECO	0.028in
NF411				
	893 / RCJ4	849 / CJ6	852ECO	0.028in
NF411BDM				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
NF412				
	893 / RCJ4	849 / CJ6	852ECO	0.028in
NF500				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
NF511				
	893 / RCJ4	849 / CJ6	852ECO	0.028in
NF512				
	893 / RCJ4	849 / CJ6	852ECO	0.028in
NF600				
	893 / RCJ4	849 / CJ6	852ECO	0.028in
PS04				
	814 / RL82YC	931-1 / QL82C	---	0.025in
RS02				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
RS02B				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
RS03				
	814 / RL82YC	931-1 / QL82C	---	0.025in
RS03-3A				
	814 / RL82YC	931-1 / QL82C	---	0.025in
RS03-4				
	814 / RL82YC	931-1 / QL82C	---	0.025in
RS04				
	814 / RL82YC	931-1 / QL82C	---	0.025in
RS04-2A				
	814 / RL82YC	931-1 / QL82C	---	0.025in
RS04-3				
	814 / RL82YC	931-1 / QL82C	---	0.025in
RS232				
	893 / RCJ4	849 / CJ6	852ECO	0.028in
RS233				
	893 / RCJ4	849 / CJ6	852ECO	0.028in
RS301				
	814 / RL82YC	931-1 / QL82C	---	0.025in
RS331				
	814 / RL82YC	931-1 / QL82C	---	0.025in
RS350				
	814 / RL82YC	931-1 / QL82C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Robin				
Power Duster				
RS401				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
RS412				
	814 / RL82YC	931-1 / QL82C	---	0.025in
RS450				
	814 / RL82YC	931-1 / QL82C	---	0.025in
RSP232				
	893 / RCJ4	849 / CJ6	852ECO	0.028in
Stick Edger				
BE221				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
BE26X				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Trimmer				
BH2500				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
BH2500A				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
BH2500AU				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
BH3500				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
BH3500AU				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
BH3600				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
BH3600AU (4-Cycle)				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
BNF2001				
EC020G	893 / RCJ4	849 / CJ6	852ECO	0.028in
NB02				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
NB02-2A/B				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
NB02-3A				
EC02R	893 / RCJ4	849 / CJ6	852ECO	0.028in
NB024				
	814 / RL82YC	931-1 / QL82C	---	0.025in
NB02T				
EC02R	893 / RCJ4	849 / CJ6	852ECO	0.028in
NB03				
	814 / RL82YC	931-1 / QL82C	---	0.025in
NB03-2D				
	814 / RL82YC	931-1 / QL82C	---	0.025in
NB034				
	814 / RL82YC	931-1 / QL82C	---	0.025in
NB04				
	814 / RL82YC	931-1 / QL82C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Robin				
Trimmer				
NB04-2D/E/F				
	814 / RL82YC	931-1 / QL82C	---	0.025in
NB16				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
NB16F				
EC01E	893 / RCJ4	849 / CJ6	852ECO	0.028in
NB16S				
EC01E	893 / RCJ4	849 / CJ6	852ECO	0.028in
NB16T				
EC01E	893 / RCJ4	849 / CJ6	852ECO	0.028in
NB171				
	893 / RCJ4	849 / CJ6	852ECO	0.028in
NB2001				
EC020G	893 / RCJ4	849 / CJ6	852ECO	0.028in
NB211				
EC020E	893 / RCJ4	849 / CJ6	852ECO	0.028in
NB211/A/AV/AW				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
NB211C				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
NB211T				
EC020E	893 / RCJ4	849 / CJ6	852ECO	0.028in
NB212				
	893 / RCJ4	849 / CJ6	852ECO	0.028in
NB223				
	893 / RCJ4	849 / CJ6	852ECO	0.028in
NB231				
	893 / RCJ4	849 / CJ6	852ECO	0.028in
NB231C				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
NB232				
	893 / RCJ4	849 / CJ6	852ECO	0.028in
NB23F				
EC02R	893 / RCJ4	849 / CJ6	852ECO	0.028in
NB23S				
EC02R	893 / RCJ4	849 / CJ6	852ECO	0.028in
NB23T				
EC02R	893 / RCJ4	849 / CJ6	852ECO	0.028in
NB251				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
NB252				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
NB253				
EC025R	893 / RCJ4	849 / CJ6	852ECO	0.028in
NB253A				
EC025R	893 / RCJ4	849 / CJ6	852ECO	0.028in
NB26				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
NB262				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
NB263				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Robin				
Trimmer				
NB26AU				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
NB27				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
NB27AU				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
NB281				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
NB281AU				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
NB30				
	814 / RL82YC	931-1 / QL82C	---	0.024in
NB31				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
NB31AU				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
NB320				
	893 / RCJ4	849 / CJ6	852ECO	0.028in
NB321				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
NB321AU				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
NB351				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
NB40				
	814 / RL82YC	931-1 / QL82C	---	0.028in
NB411				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
NB50				
	893 / RCJ4	849 / CJ6	852ECO	0.028in
NB500				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
NB50L				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
NBE251				
	893 / RCJ4	849 / CJ6	852ECO	0.028in
NBF020				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
NBF171				
EC01E	893 / RCJ4	849 / CJ6	852ECO	0.028in
NBF211				
EC02E	893 / RCJ4	849 / CJ6	852ECO	0.028in
NBF231				
	893 / RCJ4	849 / CJ6	852ECO	0.028in
NBF251				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
NBF252				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
NBH263				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
NBK262				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Robin					
Trimmer					
NBK351					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in	
NBK411					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in	
NBKA262					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in	
NBKT415					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
NBT415					
	840 / RCJ8	843 / CJ8	843ECO	0.025in	
PT					
	893 / RCJ4	849 / CJ6	852ECO	0.028in	
Rocket					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Rockvac					
Vacuum					
(Honda)					
24hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Roof					
Lawn Mower					
(Kawasaki); OHV					
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Mower					
(Clinton)					
	871 / RJ8C	841 / J8C	---	0.025in	
(Honda); OHV					
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki); OHV					
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
	871 / RJ8C	841 / J8C	---	0.030in	
(Wisconsin)					
	541 / RD16	516 / D16	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Roof					
Mower					
Piranha; (Tecumseh)					
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Trimmer					
(Clinton)					
	871 / RJ8C	841 / J8C	---	0.025in	
(Honda); OHV					
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki); OHV					
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
	871 / RJ8C	841 / J8C	---	0.030in	
(Wisconsin)					
	541 / RD16	516 / D16	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Root					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Lawn Tractor					
	871 / RJ8C	841 / J8C	---	0.030in	
Tiller					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Root-Lowell					
Sprayer					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Roper					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Lawn Tractor					
(Briggs & Stratton); L-HEAD					
	871 / RJ8C	841 / J8C	---	0.030in	
(Onan)					
B48M	857 / RH18Y	---	---	0.025in	
N52	909 / RS17YX	---	---	0.025in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
2 Cyl.; (Onan)					
BG	857 / RH18Y	---	---	0.025in	
40.25cid; 2 Cyl.; (Onan)					
8.5hp;BF	857 / RH18Y	---	---	0.025in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Roper				
Log Splitter				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Tiller				
(Briggs & Stratton); L-HEAD				
	871 / RJ8C	841 / J8C	---	0.030in
(Onan)				
B48M	857 / RH18Y	---	---	0.025in
N52	909 / RS17YX	---	---	0.025in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
2 Cyl.; (Onan)				
BG	857 / RH18Y	---	---	0.025in
40.25cid; 2 Cyl.; (Onan)				
8.5hp;BF	857 / RH18Y	---	---	0.025in
Rota-Trim				
Edger				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Trimmer				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Rotavator				
Rototiller				
(Wisconsin)				
	541 / RD16	516 / D16	---	0.030in
Tiller				
(Kohler)				
6.25hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Roth				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Roto Clipper				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Rotoette				
Tiller				
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.030in
with 18mm Diameter Threads	541 / RD16	514 / D14	---	0.030in
Roto-Hoe				
Blower/Vacuum/Water Sprayer				
(Kohler)				
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp;M8	854 / RH10C	844 / H10C	---	0.030in
(Tecumseh)				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Roto-Hoe				
Blower/Vacuum/Water Sprayer				
1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Commercial Chipper				
(Kohler)				
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp;M8	854 / RH10C	844 / H10C	---	0.030in
(Tecumseh)				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Log Splitter				
(Kohler)				
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp;M8	854 / RH10C	844 / H10C	---	0.030in
(Tecumseh)				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Mulcher				
(Kohler)				
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp;M8	854 / RH10C	844 / H10C	---	0.030in
(Tecumseh)				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Sprayer				
(Kohler)				
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp;M8	854 / RH10C	844 / H10C	---	0.030in
(Tecumseh)				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tiller				
(Kohler)				
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp;M8	854 / RH10C	844 / H10C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Roto-Hoe				
Tiller				
1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vacuum				
(Kohler)				
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp;M8	854 / RH10C	844 / H10C	---	0.030in
(Tecumseh)				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Rotomatic				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Rototiller				
Rototiller				
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.030in
with 18mm Diameter Threads	541 / RD16	514 / D14	---	0.030in
Rover				
Lawn Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Row Buster				
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Royer				
Shredder				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
RPM				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Clinton)				
	871 / RJ8C	841 / J8C	---	0.025in
(Iron Horse)				
	592 / RJ12C	511 / J11C	---	0.025in
(Power Product Engine)				
	592 / RJ12C	511 / J11C	---	0.030in
Rotoflo				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
RPM				
Lawn Mower				
Rototrim				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Rugg				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Ryan				
Aerator				
(Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
7hp	871 / RJ8C	841 / J8C	---	0.030in
(Kawasaki); OHV				
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
8hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); OHV				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Power Products)				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
(Wisconsin)				
7hp	541 / RD16	516 / D16	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
847cc; 3 Cyl.; Gas; (Cushman)				
33hp;327	322 / RN11YC4	302 / N11YC	322ECO	0.032in
Command Series; 4 Stroke; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Magnum; (Kohler)				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
7.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Lawnaire 28; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
5.5hp;GX200	415 / RN9YC	300 / N9YC	415ECO	0.030in
Lawnaire IV; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in
Lawnaire IV w/ EST; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ryan				
Aerator				
Lawnaire V; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in
Lawnaire V w/ EST; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in
Lawnaire ZTS; Vertical; V2; (Kawasaki); OHV				
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Dethatcher				
Mataway Dethatcher; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(OMC)				
	846 / CJ14	---	846ECO	0.025in
Power Rake				
(Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
7hp	871 / RJ8C	841 / J8C	---	0.030in
(Kawasaki); OHV				
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
8hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); OHV				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Power Products)				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
(Wisconsin)				
7hp	541 / RD16	516 / D16	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
847cc; 3 Cyl.; Gas; (Cushman)				
33hp;327	322 / RN11YC4	302 / N11YC	322ECO	0.032in
Command Series; 4 Stroke; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Magnum; (Kohler)				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ryan				
Power Rake				
Vanguard; 1 Cyl.; (Briggs & Stratton)				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
7.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Ren-O-Thin Power Rake; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
Seeder				
(Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
7hp	871 / RJ8C	841 / J8C	---	0.030in
(Kawasaki); OHV				
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
8hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); OHV				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Power Products)				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
(Wisconsin)				
7hp	541 / RD16	516 / D16	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
847cc; 3 Cyl.; Gas; (Cushman)				
33hp;327	322 / RN11YC4	302 / N11YC	322ECO	0.032in
Command Series; 4 Stroke; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Magnum; (Kohler)				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
7.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Sod Cutter				
(Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
7hp	871 / RJ8C	841 / J8C	---	0.030in
(Kawasaki); OHV				
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Ryan					
Sod Cutter					
(Kohler)					
12hp	854 / RH10C	844 / H10C	---	0.030in	
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
8hp	854 / RH10C	844 / H10C	---	0.030in	
(Kohler); OHV					
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Power Products)					
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in	
(Wisconsin)					
7hp	541 / RD16	516 / D16	---	0.025in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
847cc; 3 Cyl.; Gas; (Cushman)					
33hp;327	322 / RN11YC4	302 / N11YC	322ECO	0.032in	
Command Series; 4 Stroke; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
Magnum; (Kohler)					
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
7.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Heavy Duty Sod Cutter; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Jr. Sod Cutter; GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Turf Equipment					
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki)					
7hp	871 / RJ8C	841 / J8C	---	0.030in	
(Kawasaki); OHV					
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
12hp	854 / RH10C	844 / H10C	---	0.030in	
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
8hp	854 / RH10C	844 / H10C	---	0.030in	
(Kohler); OHV					
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Power Products)					
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ryan				
Turf Equipment				
(Wisconsin)				
7hp	541 / RD16	516 / D16	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
847cc; 3 Cyl.; Gas; (Cushman)				
33hp;327	322 / RN11YC4	302 / N11YC	322ECO	0.032in
Command Series; 4 Stroke; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Magnum; (Kohler)				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
7.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Ryobi				
Blower/Vacuum/Water Sprayer				
280r				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
310BVr				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
310r				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
410r				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
510r				
	940 / RDZ19H	---	---	0.030in
RY09460				
	965 / RZ7C	---	---	0.020in
RY64400				
1hp	965 / RZ7C	---	---	0.020in
Cultivator				
510r				
	940 / RDZ19H	---	---	0.030in
RY09460				
	965 / RZ7C	---	---	0.020in
RY64400				
1hp	965 / RZ7C	---	---	0.020in
Trimmer				
Pro-4-Mor				
	940 / RDZ19H	---	---	0.030in
1075r				
	940 / RDZ19H	---	---	0.030in
1079r				
	940 / RDZ19H	---	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ryobi				
Trimmer				
1090r				
	940 / RDZ19H	---	---	0.030in
2065r				
	940 / RDZ19H	---	---	0.030in
2075r				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
2075RC				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
2079r				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
2085r				
	940 / RDZ19H	---	---	0.030in
2090r				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
2090RC				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
700r				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
705r				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
710r				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
720Er				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
720r				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
725r				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
725rE				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
740r				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
750r				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
760r				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
765r				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
766r				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
767r				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
768r				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
770rEB				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
775r				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
780r				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
790Pr				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ryobi				
Trimmer				
790r				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
825r				
	940 / RDZ19H	---	---	0.030in
855r				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
865r				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
875r				
	940 / RDZ19H	---	---	0.030in
890r				
	940 / RDZ19H	---	---	0.030in
920Er				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
920r				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
925r				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
960r				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
970r				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
975r				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
990r				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
RD260				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
RD330				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
RD420				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
RY13010				
1.1hp	965 / RZ7C	---	---	0.020in
RY34001				
	965 / RZ7C	---	---	0.020in
RY34421				
	965 / RZ7C	---	---	0.020in
RY34441				
	965 / RZ7C	---	---	0.020in
X430				
	965 / RZ7C	---	---	0.020in
Vacuum				
510r				
	940 / RDZ19H	---	---	0.030in
RY09460				
	965 / RZ7C	---	---	0.020in
RY64400				
1hp	965 / RZ7C	---	---	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
S & H				
Edger				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Trimmer				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
S & R Pro Chip				
Commercial Chipper				
(Honda); OHV				
18hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kawasaki)				
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Sabre				
Lawn Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
M10				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
M21				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
M23				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
1 Cyl.; (Briggs & Stratton); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; V2; (Briggs & Stratton)				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
1338				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1438GS				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1538				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Sabre				
Lawn Tractor				
1538GS				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1538HS				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1542GS				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1542HS				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1546				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1642GS				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1642HS				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1642HV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1646				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1646HS				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1646HV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1842GV				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
1842HV				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
2048HV				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
2254HV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2554HV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Sachs				
Brush Cutter/Disc Mower				
(Kawasaki)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Sak-Vac				
Vacuum				
(Kawasaki)				
5.2hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Salsco				
Aerator				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Salsco					
Aerator					
(Kawasaki)					
7.5hp	806 / L92YC	---	---	0.030in	
(Kohler)					
10hp	854 / RH10C	844 / H10C	---	0.030in	
12hp	854 / RH10C	844 / H10C	---	0.030in	
14hp	854 / RH10C	844 / H10C	---	0.030in	
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
(Kohler); OHV					
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
(Wisconsin)					
30hp	541 / RD16	516 / D16	---	0.030in	
50hp	541 / RD16	516 / D16	---	0.030in	
65hp	404 / RN12YC	38 / N12YC	322ECO	0.025in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
140cid; (Ford)					
	401 / RS12YC	9204 / RS12WYPB4	---	0.030in	
300cid; (Ford)					
	129 / RF10C	---	---	0.025in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
VG4D; 2.5L (154cid); V4; Gas; (Wisconsin); L-HEAD					
37hp	541 / RD16	516 / D16	---	0.030in	
Blower/Vacuum/Water Sprayer					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Honda); OHV					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki)					
7.5hp	806 / L92YC	---	---	0.030in	
(Kohler)					
10hp	854 / RH10C	844 / H10C	---	0.030in	
12hp	854 / RH10C	844 / H10C	---	0.030in	
14hp	854 / RH10C	844 / H10C	---	0.030in	
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
(Kohler); OHV					
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
(Wisconsin)					
30hp	541 / RD16	516 / D16	---	0.030in	
50hp	541 / RD16	516 / D16	---	0.030in	
65hp	404 / RN12YC	38 / N12YC	322ECO	0.025in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
140cid; (Ford)					
	401 / RS12YC	9204 / RS12WYPB4	---	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Salsco				
Blower/Vacuum/Water Sprayer				
300cid; (Ford)				
	129 / RF10C	---	---	0.025in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
VG4D; 2.5L (154cid); V4; Gas; (Wisconsin); L-HEAD				
37hp	541 / RD16	516 / D16	---	0.030in
Commercial Chipper				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
7.5hp	806 / L92YC	---	---	0.030in
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.030in
12hp	854 / RH10C	844 / H10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.030in
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Wisconsin)				
30hp	541 / RD16	516 / D16	---	0.030in
50hp	541 / RD16	516 / D16	---	0.030in
65hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
140cid; (Ford)				
	401 / RS12YC	9204 / RS12WYPB4	---	0.030in
300cid; (Ford)				
	129 / RF10C	---	---	0.025in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
VG4D; 2.5L (154cid); V4; Gas; (Wisconsin); L-HEAD				
37hp	541 / RD16	516 / D16	---	0.030in
Dethatcher				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
7.5hp	806 / L92YC	---	---	0.030in
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.030in
12hp	854 / RH10C	844 / H10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.030in
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Salsco					
Dethatcher					
(Kohler); OHV					
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
(Wisconsin)					
30hp	541 / RD16	516 / D16	---	0.030in	
50hp	541 / RD16	516 / D16	---	0.030in	
65hp	404 / RN12YC	38 / N12YC	322ECO	0.025in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
140cid; (Ford)					
	401 / RS12YC	9204 / RS12WYPB4	---	0.030in	
300cid; (Ford)					
	129 / RF10C	---	---	0.025in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
VG4D; 2.5L (154cid); V4; Gas; (Wisconsin); L-HEAD					
37hp	541 / RD16	516 / D16	---	0.030in	
Shredder					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Honda); OHV					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki)					
7.5hp	806 / L92YC	---	---	0.030in	
(Kohler)					
10hp	854 / RH10C	844 / H10C	---	0.030in	
12hp	854 / RH10C	844 / H10C	---	0.030in	
14hp	854 / RH10C	844 / H10C	---	0.030in	
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
(Kohler); OHV					
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
(Wisconsin)					
30hp	541 / RD16	516 / D16	---	0.030in	
50hp	541 / RD16	516 / D16	---	0.030in	
65hp	404 / RN12YC	38 / N12YC	322ECO	0.025in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
140cid; (Ford)					
	401 / RS12YC	9204 / RS12WYPB4	---	0.030in	
300cid; (Ford)					
	129 / RF10C	---	---	0.025in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
VG4D; 2.5L (154cid); V4; Gas; (Wisconsin); L-HEAD					
37hp	541 / RD16	516 / D16	---	0.030in	
Utility Vehicle					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Salsco				
Utility Vehicle				
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
7.5hp	806 / L92YC	---	---	0.030in
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.030in
12hp	854 / RH10C	844 / H10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.030in
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Wisconsin)				
30hp	541 / RD16	516 / D16	---	0.030in
50hp	541 / RD16	516 / D16	---	0.030in
65hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
140cid; (Ford)				
	401 / RS12YC	9204 / RS12WYPB4	---	0.030in
300cid; (Ford)				
	129 / RF10C	---	---	0.025in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
VG4D; 2.5L (154cid); V4; Gas; (Wisconsin); L-HEAD				
37hp	541 / RD16	516 / D16	---	0.030in
Vacuum				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
7.5hp	806 / L92YC	---	---	0.030in
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.030in
12hp	854 / RH10C	844 / H10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.030in
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Wisconsin)				
30hp	541 / RD16	516 / D16	---	0.030in
50hp	541 / RD16	516 / D16	---	0.030in
65hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Salsco					
Vacuum					
140cid; (Ford)					
	401 / RS12YC	9204 / RS12WYPB4	---	0.030in	
300cid; (Ford)					
	129 / RF10C	---	---	0.025in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
VG4D; 2.5L (154cid); V4; Gas; (Wisconsin); L-HEAD					
37hp	541 / RD16	516 / D16	---	0.030in	
Sarlo					
Brush Cutter/Disc Mower					
BC8					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in	
Lawn Mower					
(Honda)					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Honda); OHV					
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
(Kawasaki); OHV					
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
621-2; Pro Series 850; (Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
BigMo-30; 1 Cyl.; (Briggs & Stratton); OHV					
10.5hp;21R7	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Mower					
(Briggs & Stratton); OHV					
11.5hp;210000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
(Honda)					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
(Kawasaki); OHV					
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Sarlo				
Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Intek; (Briggs & Stratton); OHV				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
7hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Quantum; (Briggs & Stratton); L-HEAD				
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
622; Pro Series 850; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
624; Pro Series 850; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
624SPSW; Pro Series 850; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
BigMo 34" Hydro; (Briggs & Stratton); OHV				
10.5hp;21R7	71 / RC12YC	946 / QC12YC	71ECO	0.030in
WX24SP; Pro Series 850; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Trimmer				
Intek; 1 Cyl.; (Briggs & Stratton)				
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CS16				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
SS18				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
SST6; Pro Series 850; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
SST6SP; Pro Series 850; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
STP12; Pro Series 850; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Saturn				
Lawn Mower				
(Tecumseh)				
5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
Savage				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Lauson)				
	871 / RJ8C	841 / J8C	---	0.025in
(Power Product Engine)				
	592 / RJ12C	511 / J11C	---	0.025in
10.191cid\167cc; (Clinton)				
	871 / RJ8C	841 / J8C	846ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Scag				
Blower/Vacuum/Water Sprayer				
(Subaru); OHV				
5.5hp;EA190	814 / RL82YC	932-1 / QL82YC	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Command Pro; V2; (Kohler); OHV				
26.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Horizontal; 999cc; V2; (Kohler); OHV				
37hp;CH1000	344 / RC9YC	946 / QC12YC	---	0.030in
Command Series; 4 Stroke; V2; (Kohler); OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Horizontal; (Subaru); OHC				
5.7hp;SP170	830 / RL86C	933-1 / QL86C	---	0.025in
9hp;EX27	830 / RL86C	933-1 / QL86C	---	0.025in
Horizontal; (Subaru/Robin); OHC				
5.7hp;SP170	830 / RL86C	933-1 / QL86C	---	0.025in
9hp;EX27;Inc. FI, All Season models	830 / RL86C	933-1 / QL86C	---	0.025in
Vanguard; Commercial Series; V2; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
29hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
35hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; (Subaru/Robin); OHC				
5.5hp;EA190V	814 / RL82YC	328 / L82YC	---	0.026in
Giant Vac Classic LBC15-SP170; Horizontal; (Subaru); OHC				
5.7hp;SP170	830 / RL86C	933-1 / QL86C	---	0.025in
Giant Vac Extreme LBX15-EX27; Horizontal; (Subaru); OHC				
9hp;EX27	830 / RL86C	933-1 / QL86C	---	0.025in
Giant Vac Extreme LBX15-GX270; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
8.5hp;GX270	415 / RN9YC	300 / N9YC	415ECO	0.030in
Giant Vac Extreme Pro LBXP17-GX390; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
Edger				
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kawasaki); OHV				
15hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Scag				
Lawn Tractor				
(Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
V2; (Kawasaki)				
22hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
V2; (Kawasaki); OHV				
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
27hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp;CV23/CV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp;CV732	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp;ECH730	946 / QC12YC	982 / XC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;ECH740	946 / QC12YC	982 / XC12YC	71ECO	0.030in
35hp;ECV940	344 / RC9YC	946 / QC12YC	71ECO	0.030in
52cid\852cc; V2; (Kawasaki); OHV				
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in
7000 Series; Vertical; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Aegis; V2; (Kohler); OHV				
23hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
31hp;LH775	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Command Pro; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; V2; LPG; (Kohler); OHV				
27hp;PCV850	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
Command Pro; 4 Stroke; Horizontal; V2; (Kohler); OHV				
21.5hp;CH730LP	71 / RC12YC	946 / QC12YC	71ECO	0.030in
29hp;ECH749	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Horizontal; 999cc; V2; (Kohler); OHV				
37hp;CH1000	344 / RC9YC	946 / QC12YC	---	0.030in
Command Pro; Vertical; V2; Gas; (Kohler); OHV				
29hp;PCV860	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
Command Series; 4 Stroke; V2; (Kohler); OHV				
34hp	946 / QC12YC	988 / XC10YC	71ECO	0.030in
Horizontal; V2; (Kohler); OHV				
26hp;CH26	946 / QC12YC	982 / XC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Scag					
Lawn Tractor					
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton); OHV					
31hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Vanguard; Commercial Series; V2; (Briggs & Stratton); OHV					
35hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
36hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vertical; V2; (Kawasaki); OHV					
18hp;FR600V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
Vertical; V2; (Kohler)					
29hp;ECV860	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in	
Vertical; V2; (Kohler); OHV					
23hp;ECV730	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
25hp;ZT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
STCII-48V-22FS; Vertical; V2; (Kawasaki); OHV					
22hp;FS651V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
STCII-48V-22FX; Vertical; V2; (Kawasaki); OHV					
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
STCII-48V-23CV; V2; (Kohler); OHV					
23hp;CV23/CV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
STCII-52V-22FX; Vertical; V2; (Kawasaki); OHV					
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
STCII-52V-25CV-EFI; Vertical; V2; (Kohler); OHV					
23hp;ECV730	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
STCII-61V-23FX; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
STCII-61V-26CV-EFI; Horizontal; V2; (Kohler); OHV					
26hp;CH26	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
STCII-61V-29CV-EFI; Vertical; V2; (Kohler)					
29hp;ECV860	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in	
STTII-52V-26CH-EFI; Horizontal; V2; (Kohler); OHV					
26hp;CH26	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
STTII-61V-26CH-EFI; Horizontal; V2; (Kohler); OHV					
26hp;CH26	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
STTII-61V-26DFI; Horizontal; V2; (Kawasaki); OHV					
26hp;FD791D-DFI	405 / RN14YC	3405 / RN14PMC	---	0.030in	
STTII-61V-31DFI; Horizontal; V2; (Kawasaki); OHV					
31hp;FD851D-DFI	405 / RN14YC	3405 / RN14PMC	---	0.030in	
STTII-61V-35BV; Vanguard; V2; (Briggs & Stratton); OHV					
35hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
STTII-72V-26CH-EFI; Horizontal; V2; (Kohler); OHV					
26hp;CH26	946 / QC12YC	982 / XC12YC	71ECO	0.030in	



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Scag				
Lawn Tractor				
STTII-72V-26DFI; Horizontal; V2; (Kawasaki); OHV				
26hp;FD791D-DFI	405 / RN14YC	3405 / RN14PMC	---	0.030in
STTII-72V-31DFI; Horizontal; V2; (Kawasaki); OHV				
31hp;FD851D-DFI	405 / RN14YC	3405 / RN14PMC	---	0.030in
SVR52V-25CV-EFI; Vertical; V2; (Kohler); OHV				
25hp;ZT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
SVR61V-26CV-EFI; Horizontal; V2; (Kohler); OHV				
26hp;CH26	946 / QC12YC	982 / XC12YC	71ECO	0.030in
SVRII-36A-15FS; Vertical; V2; (Kawasaki); OHV				
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Tiger Cat STC48V-22FS; Vertical; V2; (Kawasaki); OHV				
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Tiger Cat STC48V-23CV; V2; (Kohler); OHV				
23hp;CV732	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Tiger Cat STC52V-22FX; Vertical; V2; (Kawasaki); OHV				
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Tiger Cat STC52V-25CV-EFI; V2; (Kohler); OHV				
25hp;ECH740	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Tiger Cat STC61V-23FX; Vertical; 44.3cid/726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Tiger Cat STC61V-26CV-EFI; V2; (Kohler); OHV				
26.5hp;ECV749	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Tiger Cat STC61V-27BS; Commercial Series; V2; (Briggs & Stratton); OHV				
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Turf Tiger STT52V-21CH-LP; V2; LPG; (Kohler); OHV				
27hp;PCV850	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
Turf Tiger STT52V-26CH-EFI; V2; (Kohler); OHV				
26.5hp;ECV749	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Turf Tiger STT61V-21CH-LP; Command Pro; Vertical; V2; Gas; (Kohler); OHV				
29hp;PCV860	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
Turf Tiger STT61V-26DFI; Horizontal; V2; (Kawasaki); OHV				
26hp;FD791D-DFI	405 / RN14YC	3405 / RN14PMC	---	0.030in
Turf Tiger STT61V-35BVAC; Big Block; Vanguard; V2; (Briggs & Stratton)				
35hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Turf Tiger STT72V-26CH-EFI; V2; (Kohler); OHV				
26.5hp;ECV749	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Turf Tiger STT72V-26DFI; Horizontal; V2; (Kawasaki); OHV				
26hp;FD791D-DFI	405 / RN14YC	3405 / RN14PMC	---	0.030in
Turf Tiger STT72V-35BVAC; Big Block; Vanguard; V2; (Briggs & Stratton)				
35hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V-Ride SVR52V-25CV-EFI; V2; (Kohler); OHV				
25hp;ECH740	946 / QC12YC	982 / XC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Scag					
Lawn Tractor					
V-Ride SVR61V-26CV-EFI; V2; (Kohler); OHV					
26.5hp;ECV749	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
Mower					
SW32-14FS; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV					
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
SW36A-14FS; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV					
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
SW48V-14FS; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV					
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
SW52V-15 FS; Vertical; V2; (Kawasaki); OHV					
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
SWZ36A-14FS; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV					
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
SWZ48V-15FS; Vertical; V2; (Kawasaki); OHV					
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
SWZ52V-18FS; Vertical; V2; (Kawasaki); OHV					
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
SWZ52V-18FS Large Frame; Vertical; V2; (Kawasaki); OHV					
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
SWZ52V-22FSE Large Frame; Vertical; V2; (Kawasaki); OHV					
22hp;FS651V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
SWZ61V-18FS Large Frame; Vertical; V2; (Kawasaki); OHV					
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
SWZ61V-22FSE Large Frame; Vertical; V2; (Kawasaki); OHV					
22hp;FS651V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
SWZT36-14FS; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV					
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
SWZT48-15FS; Vertical; V2; (Kawasaki); OHV					
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
SWZT52-18FS; Vertical; V2; (Kawasaki); OHV					
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
SWZT52-18FSE; Vertical; V2; (Kawasaki); OHV					
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
V-Ride SVR36A-15FS; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV					
15hp;FX481V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
V-Ride SVR36A-19FX; Vertical; V2; (Kawasaki); OHV					
19hp;FX600V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
V-Ride SVR48A-22FX; Vertical; V2; (Kawasaki); OHV					
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Scag				
Mower				
V-Ride SVR52V-23FX; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
V-Ride SVR61V-25FX; Vertical; V2; (Kawasaki); OHV				
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Vacuum				
(Subaru); OHV				
5.5hp;EA190	814 / RL82YC	932-1 / QL82YC	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Command Pro; V2; (Kohler); OHV				
26.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Horizontal; 999cc; V2; (Kohler); OHV				
37hp;CH1000	344 / RC9YC	946 / QC12YC	---	0.030in
Command Series; 4 Stroke; V2; (Kohler); OHV				
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Horizontal; (Subaru); OHC				
5.7hp;SP170	830 / RL86C	933-1 / QL86C	---	0.025in
9hp;EX27	830 / RL86C	933-1 / QL86C	---	0.025in
Horizontal; (Subaru/Robin); OHC				
5.7hp;SP170	830 / RL86C	933-1 / QL86C	---	0.025in
9hp;EX27;Inc. Fl, All Season models	830 / RL86C	933-1 / QL86C	---	0.025in
Vanguard; Commercial Series; V2; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
29hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
35hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; (Subaru/Robin); OHC				
5.5hp;EA190V	814 / RL82YC	328 / L82YC	---	0.026in
Giant Vac Skid Mount Truck Loader TLS20-18BV; Vanguard; V2; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Giant Vac Skid Mount Truck Loader TLS20W-29BV; Vanguard; V2; (Briggs & Stratton); OHV				
29hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Giant Vac Towable TL20W-29BV; Vanguard; V2; (Briggs & Stratton); OHV				
29hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Giant Vac Towable TLB25-35BV; Vanguard; V2; (Briggs & Stratton); OHV				
35hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Giant Vac Yard Vac YV14EA190; (Subaru); OHV				
5.5hp;EA190	814 / RL82YC	932-1 / QL82YC	---	0.025in
TL20W-26CH-EFI; Horizontal; V2; (Kohler); OHV				
26.5hp;ECH749	946 / QC12YC	982 / XC12YC	71ECO	0.030in
TLB25-37CH; Command Pro; 4 Stroke; Horizontal; 999cc; V2; (Kohler); OHV				
37hp;CH1000	344 / RC9YC	946 / QC12YC	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Scag					
Zero-Turn Mower					
Cheetah SCZ48V-22FX; Vertical; V2; (Kawasaki); OHV					
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Cheetah SCZ48V23CV-EFI; V2; (Kohler); OHV					
23hp;ECH730	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
Cheetah SCZ52V-23FX; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Cheetah SCZ52V-25CV-EFI; V2; (Kohler); OHV					
25hp;ECH740	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
Cheetah SCZ61V-27FX; 52cid\852cc; V2; (Kawasaki); OHV					
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Cheetah SCZ61V-31FX; Vertical; V2; (Kawasaki); OHV					
31hp;FX921V	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Cheetah SCZ61V-34CV-EFI; V2; (Kohler); OHV					
35hp;ECV940	344 / RC9YC	946 / QC12YC	71ECO	0.030in	
Cheetah SCZ61V-36BV; Big Block; Vanguard; V2; (Briggs & Stratton)					
36hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Cheetah SCZ72V-31FX; Vertical; V2; (Kawasaki); OHV					
31hp;FX921V	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Cheetah SCZ72V-34CV-EFI; V2; (Kohler); OHV					
35hp;ECV940	344 / RC9YC	946 / QC12YC	71ECO	0.030in	
Freedom Z SFZ48-18FR; Vertical; V2; (Kawasaki); OHV					
18hp;FR600V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Freedom Z SFZ48-22KT; 7000 Series; V2; (Kohler); OHV					
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Freedom Z SFZ52-21FR; Vertical; V2; (Kawasaki); OHV					
23hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Freedom Z SFZ52-24KT; 4 Stroke; Vertical; 7000 Series; V2; (Kohler); OHV					
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Freedom Z SFZP52-23FS; Vertical; V2; (Kawasaki); OHV					
22hp;FS691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Freedom Z SFZP52-25BS; Commercial Series; V2; (Briggs & Stratton); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Freedom Z SFZP61-24FS; Vertical; V2; (Kawasaki); OHV					
24hp;FS730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Freedom Z SFZP61-27BS; Commercial Series; V2; (Briggs & Stratton); OHV					
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
SCZ48V-28BS; 44cid\724cc; V2; (Briggs & Stratton); OHV					
28hp;44T8	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
SCZ52V-25CV-EFI; 2 Cyl.; (Kohler); OHV					
25hp;ECH740	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
SCZ61RD-31FX; Vertical; V2; (Kawasaki); OHV					
31hp;FX921V	405 / RN14YC	3405 / RN14PMC	---	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Scag					
Zero-Turn Mower					
SCZ61V-29CV-EFI; Vertical; V2; (Kohler)					
29hp;ECV860	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in	
SCZ61V-31FX; Vertical; V2; (Kawasaki); OHV					
31hp;FX921V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
SCZ61V-35CV-EFI; Horizontal; V2; (Kohler); OHV					
35hp;ECH940	946 / QC12YC	988 / XC10YC	71ECO	0.030in	
SCZ72V-31FX; Vertical; V2; (Kawasaki); OHV					
31hp;FX921V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
SCZ72V-35CV-EFI; Horizontal; V2; (Kohler); OHV					
35hp;ECH940	946 / QC12YC	988 / XC10YC	71ECO	0.030in	
SFZ48-22KT; Vertical; V2; (Kohler); OHV					
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
SFZ52-24KTT; Vertical; V2; (Kohler); OHV					
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
SPZ52-22FX; Vertical; V2; (Kawasaki); OHV					
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
SPZ61-23FX; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
SZL36-18FR; Vertical; V2; (Kawasaki); OHV					
18hp;FR600V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
SZL48-18FR; Vertical; V2; (Kawasaki); OHV					
18hp;FR600V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
SZL48-21FR; Vertical; V2; (Kawasaki); OHV					
22hp;FS651V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
SZL48-22KT; Vertical; V2; (Kohler); OHV					
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
SZL52-21FR; Vertical; V2; (Kawasaki); OHV					
21.5hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
SZL52-23FR; Vertical; V2; (Kawasaki); OHV					
24hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
SZL52-24KT; Vertical; V2; (Kohler); OHV					
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Schweiss					
Lawn Tractor					
(Briggs & Stratton); L-HEAD					
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kohler)					
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
(Onan)					
24hp	909 / RS17YX	---	---	0.025in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Schweiss				
Lawn Tractor				
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
23hp	854 / RH10C	844 / H10C	---	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Log Splitter				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
(Onan)				
24hp	909 / RS17YX	---	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
23hp	854 / RH10C	844 / H10C	---	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Sprayer				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
(Onan)				
24hp	909 / RS17YX	---	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
23hp	854 / RH10C	844 / H10C	---	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Tiller				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
(Onan)				
24hp	909 / RS17YX	---	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Schweiss					
Tiller					
1 Cyl.; (Briggs & Stratton); L-HEAD					
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
23hp	854 / RH10C	844 / H10C	---	0.030in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Scorpion					
Sprayer					
(Honda)					
2.5hp	846 / CJ14	---	846ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Scotts					
Cultivator					
(Kohler); OHV					
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
(Tecumseh)					
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
2 Cyl.; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; (Briggs & Stratton)					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Edger					
(Kohler); OHV					
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
(Tecumseh)					
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
2 Cyl.; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; (Briggs & Stratton)					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Scotts				
Edger				
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
F3009-000				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Mower				
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
F2105-040				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
F2155-000				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
F2155-050				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
F2155-150				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
(Kohler); OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; (Briggs & Stratton)				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Tiller				
F1016-000				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Trimmer				
(Kohler); OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in



Model/Engine	Standard Stk # / Plug Type	Alternate Stk # / Plug Type	Premium Stk #	Gap
Scotts				
Trimmer				
(Tecumseh)				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; (Briggs & Stratton)				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Scythette				
Lawn Mower				
	592 / RJ12C	511 / J11C	---	0.030in
Seaman				
Rototiller				
	871 / RJ8C	841 / J8C	---	0.030in
Selbro				
Blower/Vacuum/Water Sprayer				
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
8hp	854 / RH10C	844 / H10C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Sensation				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Lauson)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
10.191cid/167cc; (Clinton)				
501	592 / RJ12C	511 / J11C	---	0.025in
All Other Clinton Engs.				
	854 / RH10C	844 / H10C	---	0.025in

Model/Engine	Standard Stk # / Plug Type	Alternate Stk # / Plug Type	Premium Stk #	Gap
Sensation				
Mower				
(Honda)				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Sentinel				
Edger				
(Briggs & Stratton); L-HEAD				
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
3hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Briggs & Stratton); L-HEAD				
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Lawn Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
3hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Briggs & Stratton); L-HEAD				
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Tiller				
(Briggs & Stratton); L-HEAD				
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
3hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Briggs & Stratton); L-HEAD				
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Shark Trimmers				
Trimmer				
(Honda)				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Shaw Du-All				
Lawn Tractor				
with 7/8in Diameter Threads	569 / W14	---	---	0.025in
A1 Peppy Pal				
	871 / RJ8C	841 / J8C	---	0.030in
A2				
	871 / RJ8C	841 / J8C	---	0.030in
H2				
	871 / RJ8C	841 / J8C	---	0.030in
HY8				
	541 / RD16	555 / UD16	---	0.030in
R12T; 2 Cyl.; (Wisconsin)				
	541 / RD16	555 / UD16	---	0.030in
R5				
	871 / RJ8C	841 / J8C	---	0.030in
R7				
	541 / RD16	555 / UD16	---	0.030in
R9				
	541 / RD16	555 / UD16	---	0.030in
S28				
	541 / RD16	516 / D16	---	0.030in
S32				
	541 / RD16	516 / D16	---	0.030in
Shindaiwa				
Blower/Vacuum/Water Sprayer				
254				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
EB212				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
EB240				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
EB240S				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
EB45				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
EB480				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
EB500				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
EB501				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
EB508RT				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
EB630				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
EB633RT				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Shindaiwa				
Blower/Vacuum/Water Sprayer				
EB802				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
EB802RT				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
Brush Cutter/Disc Mower				
B40				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
B45				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
B450				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
BP25				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
BP35				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
BP450				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
C20				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
C230				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
C242				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
C25				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
C250				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
C260				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
C27				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
C270				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
C282				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
C35				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
C350				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Edger				
LE230				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
LE231				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
LE242				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
LE250				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
LE260				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
LE261				
	840 / RCJ8	843 / CJ8	843ECO	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Shindaiwa				
Hedge Trimmer				
22DH				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
AH231				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
AH242				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
DH230-30				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
DH230-40				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
DH231				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
DH232-24				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
DH232-30				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
HT20				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
HT20-30				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
HT20-40				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
HT230				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
HT230-30				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
HT230-40				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
HT231				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
HT232-30				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
HT232-40				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
Mower				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
Power Broom				
PB230				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
PB27				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
PB270				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Power Head				
M242				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
Sprayer				
ES726				
	840 / RCJ8	843 / CJ8	843ECO	0.024in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Shindaiwa				
Trimmer				
210				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
220				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
22F				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
22T				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
F18				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
F20				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
F21				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
F230				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
LT20				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
RC45				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
T18				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
T20				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
T230				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
T230 Limited				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
T230X				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
T231				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
T235				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
T242				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.024in
T242X				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.024in
T25				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
T250				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
T2500				
	978 / RY4C	---	---	0.024in
T260				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
T260 Limited				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
T261				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
T27				
	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Shindaiwa				
Trimmer				
T270				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
T270X				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
T282				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.024in
T282X				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.024in
T350				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Shur-Split				
Log Splitter				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Sidewinder				
Aerator				
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
13hp;GXV390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Edger				
1305SP; GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
13hp;GXV390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1305SP1; GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
13hp;GXV390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Power Broom				
1305 BR; GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
13hp;GXV390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Power Rake				
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
13hp;GXV390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1305 PR; GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
13hp;GXV390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Seeder				
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
13hp;GXV390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Sod Cutter				
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
13hp;GXV390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Trencher				
1305; GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
13hp;GXV390	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Sidewinder				
Turf Equipment				
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
13hp;GXV390	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Sigma				
Lawn Mower				
(Kawasaki); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Tecumseh)				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Signature				
Commercial Chipper				
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
14.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
15.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Cultivator				
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
14.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
15.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Edger				
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Signature				
Edger				
1 Cyl.; (Briggs & Stratton); L-HEAD				
14.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
15.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Lawn Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
14.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
15.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Shredder				
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
14.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
15.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Trimmer				
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
14.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Signature				
Trimmer				
1 Cyl.; (Briggs & Stratton); L-HEAD				
15.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Simplicity				
Blower/Vacuum/Water Sprayer				
Quantum; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Brush Cutter/Disc Mower				
GM2513BS; 1 Cyl.; (Briggs & Stratton); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GM2515KAWV; Vertical; V2; (Kawasaki); OHV				
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Commercial Chipper				
(Briggs & Stratton); OHV				
15.5hp;31S700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Kawasaki); OHV				
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.030in
16hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Tecumseh)				
5hp	871 / RJ8C	841 / J8C	---	0.030in
5hp;HS50	856 / RJ17LM	845 / J17LM	861ECO	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
23hp	854 / RH10C	844 / H10C	---	0.030in
2 Cyl.; (Onan)				
CCKB	538 / RH8C	587 / H8C	---	0.030in
V2; (Briggs & Stratton)				
24.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Simplicity					
Commercial Chipper					
V2; (Briggs & Stratton); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
V2; (Honda)					
16hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
V2; (Kawasaki)					
15hp	840 / RCJ8	843 / CJ8	843ECO	0.025in	
20hp	840 / RCJ8	843 / CJ8	843ECO	0.025in	
V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
23hp;CV23	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp;CV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
24.3cid\398cc; 1 Cyl.; (Kohler); OHV					
14hp;CV14S	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
Command Pro; Vertical; 44cid\725cc; V2; (Kohler); OHV					
27hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Horizontal; (Tecumseh)					
5hp;OHH50	104 / RN4C	803 / N4C	---	0.030in	
8hp;HM80	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton)					
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
7hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Intek; V2; (Briggs & Stratton)					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; V2; (Briggs & Stratton); OHV					
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
K-Series; (Kohler)					
17hp;KT17	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
PowerBuilt; 1 Cyl.; (Briggs & Stratton); OHV					
11.5hp;21R800	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13.5hp;21R500	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Professional; V2; (Briggs & Stratton); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
30hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Quantum; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Series 1000; 1 Cyl.; (Briggs & Stratton); OHV					
14D900	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Simplicity				
Commercial Chipper				
Vanguard; 1 Cyl.; (Briggs & Stratton)				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
21hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp;303700	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp;356700	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vanguard; 570cc; V2; (Briggs & Stratton); OHV				
20hp;358700	431 / RC14YC	71 / RC12YC	71ECO	0.030in
Vertical; V2; (Kawasaki); OHV				
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in
22/20 C/S; V2; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5/10 C/S; (Tecumseh)				
5hp;HS50	856 / RJ17LM	845 / J17LM	861ECO	0.030in
5/12 C/S; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5/14 C/S; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5/25 C/V; Quantum; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;135212	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5514; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6/14E C/S; Horizontal; (Tecumseh)				
5hp;OHH50	104 / RN4C	803 / N4C	---	0.030in
8/12 C/S; Horizontal; (Tecumseh)				
8hp;HM80	856 / RJ17LM	845 / J17LM	861ECO	0.030in
8/14 C/S; Horizontal; (Tecumseh)				
8hp;HM80	856 / RJ17LM	845 / J17LM	861ECO	0.030in
8/25 C/V; Quantum; 1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp;192432	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8/25 E C/V; Quantum; 1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp;192432	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Garden Tractor				
4040 PowrMax; CCKA; 816cc; 2 Cyl.; (Onan)				
16.5hp	854 / RH10C	844 / H10C	---	0.025in
4041; CCKB; 816cc; 2 Cyl.; (Onan)				
19.5hp	854 / RH10C	844 / H10C	---	0.025in
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
520 WB; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Simplicity				
Lawn Mower				
FC 16H; 1 Cyl.; (Briggs & Stratton); OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Lawn Tractor				
(Briggs & Stratton); OHV				
15.5hp;31S700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Kawasaki); OHV				
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.030in
16hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Tecumseh)				
5hp	871 / RJ8C	841 / J8C	---	0.030in
5hp;HS50	856 / RJ17LM	845 / J17LM	861ECO	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
23hp	854 / RH10C	844 / H10C	---	0.030in
2 Cyl.; (Onan)				
CCKB	538 / RH8C	587 / H8C	---	0.030in
V2; (Briggs & Stratton)				
24.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Briggs & Stratton); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Honda)				
16hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kawasaki)				
15hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
20hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp;CV23	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;CV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24.3cid\398cc; 1 Cyl.; (Kohler); OHV				
14hp;CV14S	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Command Pro; Vertical; 44cid\725cc; V2; (Kohler); OHV				
27hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Simplicity				
Lawn Tractor				
Commercial Turf Series; V2; (Briggs & Stratton); OHV				
27hp;490000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Commercial Turf Series; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;440000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horizontal; (Tecumseh)				
5hp;OHH50	104 / RN4C	803 / N4C	---	0.030in
8hp;HM80	856 / RJ17LM	845 / J17LM	861ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton)				
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
7hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Intek; V2; (Briggs & Stratton)				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; V2; (Briggs & Stratton); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
K-Series; (Kohler)				
17hp;KT17	25 / RV17YC	3018 / RV17PMC4	---	0.025in
PowerBuilt; 1 Cyl.; (Briggs & Stratton); OHV				
11.5hp;21R800	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13.5hp;21R500	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional; V2; (Briggs & Stratton); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
30hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Quantum; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Series 1000; 1 Cyl.; (Briggs & Stratton); OHV				
14D900	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
21hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp;303700	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp;356700	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Simplicity				
Lawn Tractor				
Vanguard; V2; (Briggs & Stratton)				
23hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton); OHV				
26hp;490000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 570cc; V2; (Briggs & Stratton); OHV				
20hp;358700	431 / RC14YC	71 / RC12YC	71ECO	0.030in
Vanguard; Commercial Series; V2; (Briggs & Stratton); OHV				
32hp;543000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; V2; (Kawasaki); OHV				
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in
21.5hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.031in
23hp;FS691V	405 / RN14YC	3405 / RN14PMC	---	0.031in
23/42; 44cid\724cc; V2; (Briggs & Stratton); OHV				
23hp;44S7	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23/44; 44cid\724cc; V2; (Briggs & Stratton); OHV				
23hp;44S7	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23/48; 44cid\724cc; V2; (Briggs & Stratton); OHV				
23hp;44S7	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23/50; 44cid\724cc; V2; (Briggs & Stratton); OHV				
23hp;44S7	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25/48; V2; (Briggs & Stratton); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25/48; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;44S9	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;44T9	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25/50; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;44T9	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25/52; 44cid\724cc; V2; (Briggs & Stratton); OHV				
23hp;44S7	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;44S9	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;44T9	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25/61; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;44T9	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27/50 2WD; V2; (Briggs & Stratton); OHV				
27hp;49T8	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27/50 4WD; V2; (Briggs & Stratton); OHV				
27hp;49T8	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27/52; V2; (Briggs & Stratton); OHV				
27hp;49T8	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27/52 2WD; V2; (Briggs & Stratton); OHV				
27hp;49T8	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27/61; V2; (Briggs & Stratton); OHV				
27hp;49T8	71 / RC12YC	946 / QC12YC	71ECO	0.030in
28/61; V2; (Briggs & Stratton); OHV				
28hp;49E8	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Broadmoor 22/44; Professional Series; With EFM; V2; (Briggs & Stratton); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Broadmoor 23/50; Professional Series; With EFM; V2; (Briggs & Stratton); OHV				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Simplicity				
Lawn Tractor				
Broadmoor 25/48; Professional Series; With EFM; V2; (Briggs & Stratton); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Broadmoor 25/52; Professional Series; With EFM; V2; (Briggs & Stratton); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Champion 25/50; Commercial Series; V2; (Briggs & Stratton); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Champion XT 25/48; Commercial Series; V2; (Briggs & Stratton); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Citation XT 27/52; Commercial Series; V2; (Briggs & Stratton); OHV				
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Citation XT 27/61; Commercial Series; V2; (Briggs & Stratton); OHV				
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Cobalt 26/61; Vanguard; V2; (Briggs & Stratton); OHV				
28hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Cobalt 32/61; Big Block; Vanguard; V2; (Briggs & Stratton); OHV				
32hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Conquest 25/50; Commercial Series; With EFM; V2; (Briggs & Stratton); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Conquest 25/52; Commercial Series; With EFM; V2; (Briggs & Stratton); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Legacy XL 25 2WD; V2; (Kohler); OHV				
25hp;CH740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Legacy XL 25 4WD; V2; (Kohler); OHV				
25hp;CH740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Legacy XL 27 4WD; Inline; Vanguard; 2 Cyl.; (Briggs & Stratton)				
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Prestige 27/40 4WD; Commercial Series; With EFM; V2; (Briggs & Stratton); OHV				
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Prestige 27/50 2WD; Commercial Series; With EFM; V2; (Briggs & Stratton); OHV				
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Prestige 27/52 2WD; Commercial Series; With EFM; V2; (Briggs & Stratton); OHV				
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Regent 22/38; Professional Series; V2; (Briggs & Stratton); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Regent 22/42; Intek; V2; (Briggs & Stratton); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Regent 23/42; Professional Series; V2; (Briggs & Stratton); OHV				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Regent 25/44; V2; (Briggs & Stratton); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Simplicity				
Lawn Tractor				
Regent 25/48; Professional Series; V2; (Briggs & Stratton); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Wonder-Boy 400; 10.191cid\167cc; (Clinton)				
3.6hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
4hp;V-1290	840 / RCJ8	843 / CJ8	843ECO	0.025in
Wonder-Boy 450				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Wonder-Boy 575				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Wonder-Boy 600				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Wonder-Boy 700; (Briggs & Stratton)				
7hp	840 / RCJ8	---	---	0.025in
Wonder-Boy 700; (Briggs & Stratton); L-HEAD				
7hp	843 / CJ8	---	843ECO	0.025in
Mower				
(Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
V2; (Kohler); OHV				
25hp;CH740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; V2; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Quantum; (Briggs & Stratton); L-HEAD				
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp;289700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.5hp;196700	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vertical; (Tecumseh)				
12.5hp;OH125	104 / RN4C	803 / N4C	---	0.030in
Shredder				
(Briggs & Stratton); OHV				
15.5hp;31S700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Kawasaki); OHV				
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.030in
16hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Tecumseh)				
5hp	871 / RJ8C	841 / J8C	---	0.030in
5hp;HS50	856 / RJ17LM	845 / J17LM	861ECO	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Simplicity				
Shredder				
1 Cyl.; (Briggs & Stratton); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
23hp	854 / RH10C	844 / H10C	---	0.030in
2 Cyl.; (Onan)				
CCKB	538 / RH8C	587 / H8C	---	0.030in
V2; (Briggs & Stratton)				
24.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Briggs & Stratton); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Honda)				
16hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kawasaki)				
15hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
20hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp;CV23	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;CV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24.3cid/398cc; 1 Cyl.; (Kohler); OHV				
14hp;CV14S	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Command Pro; Vertical; 44cid/725cc; V2; (Kohler); OHV				
27hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horizontal; (Tecumseh)				
5hp;OHH50	104 / RN4C	803 / N4C	---	0.030in
8hp;HM80	856 / RJ17LM	845 / J17LM	861ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton)				
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
7hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Intek; V2; (Briggs & Stratton)				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; V2; (Briggs & Stratton); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
K-Series; (Kohler)				
17hp;KT17	25 / RV17YC	3018 / RV17PMC4	---	0.025in
PowerBuilt; 1 Cyl.; (Briggs & Stratton); OHV				
11.5hp;21R800	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13.5hp;21R500	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Simplicity					
Shredder					
Professional; V2; (Briggs & Stratton); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
30hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Quantum; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Series 1000; 1 Cyl.; (Briggs & Stratton); OHV					
14D900	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
21hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
16hp;303700	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp;356700	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
23hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vanguard; 570cc; V2; (Briggs & Stratton); OHV					
20hp;358700	431 / RC14YC	71 / RC12YC	71ECO	0.030in	
Vertical; V2; (Kawasaki); OHV					
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Tiller					
(Briggs & Stratton); OHV					
15.5hp;31S700	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
(Kawasaki); OHV					
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
10hp	854 / RH10C	844 / H10C	---	0.030in	
14hp	854 / RH10C	844 / H10C	---	0.030in	
16hp	854 / RH10C	844 / H10C	---	0.030in	
(Kohler); OHV					
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Tecumseh)					
5hp	871 / RJ8C	841 / J8C	---	0.030in	
5hp;HS50	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
8hp	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Simplicity					
Tiller					
1 Cyl.; (Briggs & Stratton); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
23hp	854 / RH10C	844 / H10C	---	0.030in	
2 Cyl.; (Onan)					
CCKB	538 / RH8C	587 / H8C	---	0.030in	
V2; (Briggs & Stratton)					
24.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
V2; (Briggs & Stratton); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
V2; (Honda)					
16hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
V2; (Kawasaki)					
15hp	840 / RCJ8	843 / CJ8	843ECO	0.025in	
20hp	840 / RCJ8	843 / CJ8	843ECO	0.025in	
V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
23hp;CV23	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp;CV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
24.3cid398cc; 1 Cyl.; (Kohler); OHV					
14hp;CV14S	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
Command Pro; Vertical; 44cid725cc; V2; (Kohler); OHV					
27hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Horizontal; (Tecumseh)					
5hp;OHH50	104 / RN4C	803 / N4C	---	0.030in	
8hp;HM80	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton)					
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
7hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Intek; V2; (Briggs & Stratton)					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; V2; (Briggs & Stratton); OHV					
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
K-Series; (Kohler)					
17hp;KT17	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
PowerBuild; 1 Cyl.; (Briggs & Stratton); OHV					
11.5hp;21R800	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13.5hp;21R500	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Professional; V2; (Briggs & Stratton); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Simplicity					
Tiller					
Professional; V2; (Briggs & Stratton); OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
30hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Quantum; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Series 1000; 1 Cyl.; (Briggs & Stratton); OHV					
14D900	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
21hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
16hp;303700	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp;356700	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
23hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vanguard; 570cc; V2; (Briggs & Stratton); OHV					
20hp;358700	431 / RC14YC	71 / RC12YC	71ECO	0.030in	
Vertical; V2; (Kawasaki); OHV					
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Turf Equipment					
(Briggs & Stratton); OHV					
15.5hp;31S700	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
(Kawasaki); OHV					
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
10hp	854 / RH10C	844 / H10C	---	0.030in	
14hp	854 / RH10C	844 / H10C	---	0.030in	
16hp	854 / RH10C	844 / H10C	---	0.030in	
(Kohler); OHV					
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Tecumseh)					
5hp	871 / RJ8C	841 / J8C	---	0.030in	
5hp;HS50	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
8hp	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Simplicity					
Turf Equipment					
1 Cyl.; (Briggs & Stratton); OHV					
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
23hp	854 / RH10C	844 / H10C	---	0.030in	
2 Cyl.; (Onan)					
CCKB	538 / RH8C	587 / H8C	---	0.030in	
V2; (Briggs & Stratton)					
24.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
V2; (Briggs & Stratton); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
V2; (Honda)					
16hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
V2; (Kawasaki)					
15hp	840 / RCJ8	843 / CJ8	843ECO	0.025in	
20hp	840 / RCJ8	843 / CJ8	843ECO	0.025in	
V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
23hp;CV23	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp;CV730	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
24.3cid/398cc; 1 Cyl.; (Kohler); OHV					
14hp;CV14S	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
Command Pro; Vertical; 44cid/725cc; V2; (Kohler); OHV					
27hp;CV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Horizontal; (Tecumseh)					
5hp;OHH50	104 / RN4C	803 / N4C	---	0.030in	
8hp;HM80	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton)					
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
7hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Intek; V2; (Briggs & Stratton)					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; V2; (Briggs & Stratton); OHV					
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
K-Series; (Kohler)					
17hp;KT17	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
PowerBuild; 1 Cyl.; (Briggs & Stratton); OHV					
11.5hp;21R800	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13.5hp;21R500	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Professional; V2; (Briggs & Stratton); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Simplicity					
Turf Equipment					
Professional; V2; (Briggs & Stratton); OHV					
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
30hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Quantum; 1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Series 1000; 1 Cyl.; (Briggs & Stratton); OHV					
14D900	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
21hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
16hp;303700	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp;356700	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
23hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vanguard; 570cc; V2; (Briggs & Stratton); OHV					
20hp;358700	431 / RC14YC	71 / RC12YC	71ECO	0.030in	
Vertical; V2; (Kawasaki); OHV					
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Utility Vehicle					
V2; (Briggs & Stratton); OHV					
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
V2; (Kohler); OHV					
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vacuum					
1 Cyl.; (Briggs & Stratton); OHV					
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Zero-Turn Mower					
ZT1500 22/42; Professional Series; V2; (Briggs & Stratton); OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
ZT1500 23/46; Professional Series; V2; (Briggs & Stratton); OHV					
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
ZT1500 25/52; Professional Series; V2; (Briggs & Stratton); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
ZT23500 25/48; Commercial Series; V2; (Briggs & Stratton); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Simplicity				
Zero-Turn Mower				
ZT2500 25/48; Professional Series; With EFM; V2; (Briggs & Stratton); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Simpson				
Log Splitter				
4K				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Singer				
Blower/Vacuum/Water Sprayer				
GBC2818				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
GBV28				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
Tiller				
GC31				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
Trimmer				
GT2815				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
GTE2818				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
GTS2816				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
Skibbe				
Sprayer				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
3.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Slope Tractor				
Lawn Tractor				
192cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.030in
98cid; (Ford)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Smc				
Brush Cutter/Disc Mower				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Lawn Mower				
(Kawasaki)				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
(Kioritz)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Trimmer				
	840 / RCJ8	843 / CJ8	843ECO	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Smithco				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Lawn Tractor				
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Sprayer				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
7hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Robin)				
EY21W	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Sweeper				
V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Utility Vehicle				
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Snapper				
Brush Cutter/Disc Mower				
(Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
1 Cyl.; (Briggs & Stratton); L-HEAD				
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Commercial Chipper				
14hp	854 / RH10C	844 / H10C	---	0.030in
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
12.5hp	846 / CJ14	---	846ECO	0.030in
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
18hp	854 / RH10C	844 / H10C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Snapper				
Commercial Chipper				
(Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Onan)				
B43M	857 / RH18Y	---	---	0.030in
B48M	857 / RH18Y	---	---	0.030in
(Robin)				
12hp	830 / RL86C	933-1 / QL86C	---	0.025in
4hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
6hp	830 / RL86C	933-1 / QL86C	---	0.025in
6.5hp	830 / RL86C	933-1 / QL86C	---	0.025in
(Tecumseh)				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
(Wisconsin)				
4.6hp	830 / RL86C	933-1 / QL86C	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
14.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
7hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Kawasaki); OHV				
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
3 Cyl.; Gas; (Kubota)				
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.025in
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Snapper					
Commercial Chipper					
Magnum; (Kohler)					
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
Magnum; 2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	71 / RC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Edger					
14hp	854 / RH10C	844 / H10C	---	0.030in	
(Honda); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki)					
12.5hp	846 / CJ14	---	846ECO	0.030in	
(Kawasaki); OHV					
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
18hp	854 / RH10C	844 / H10C	---	0.030in	
(Kohler); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Onan)					
B43M	857 / RH18Y	---	---	0.030in	
B48M	857 / RH18Y	---	---	0.030in	
(Robin)					
12hp	830 / RL86C	933-1 / QL86C	---	0.025in	
4hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
6hp	830 / RL86C	933-1 / QL86C	---	0.025in	
6.5hp	830 / RL86C	933-1 / QL86C	---	0.025in	
(Tecumseh)					
	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
(Wisconsin)					
4.6hp	830 / RL86C	933-1 / QL86C	---	0.025in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
9hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
V2; (Kawasaki); OHV					
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Snapper				
Edger				
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
3 Cyl.; Gas; (Kubota)				
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.025in
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Magnum; (Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
Magnum; 2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	71 / RC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Lawn Mower				
(Honda); OHV				
	830 / RL86C	933-1 / QL86C	---	0.030in
(Kawasaki); OHV				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Robin)				
4hp	592 / RJ12C	511 / J11C	---	0.025in
(Robin); OHV				
6hp	830 / RL86C	933-1 / QL86C	---	0.025in
6.5hp	830 / RL86C	933-1 / QL86C	---	0.025in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); OHV				
6hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
675ex Series; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
725ex Series; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
850 Series; Professional; (Briggs & Stratton); OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.020in
875 Series; Professional Series; (Briggs & Stratton); OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Professional Series 775; (Briggs & Stratton); OHV				
110000	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; V2; (Briggs & Stratton); OHV				
26hp;490000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
28hp;490000	71 / RC12YC	946 / QC12YC	71ECO	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Snapper				
Lawn Mower				
Vertical; V2; (Kawasaki); OHV				
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in
20.5hp;FX651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.031in
2187520; Professional Series; (Briggs & Stratton); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7800849 HI VAC; GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
5.5hp;GXV160	322 / RN11YC4	302 / N11YC	322ECO	0.030in
CP215520HV; GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
4.3hp;GXV160	322 / RN11YC4	302 / N11YC	322ECO	0.030in
CRP218520; Professional Series; (Briggs & Stratton); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
P2187520; Professional Series; (Briggs & Stratton); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
P2187520E; Professional Series; (Briggs & Stratton); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RP2187520; Professional Series; (Briggs & Stratton); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
SW25; Vertical; V2; (Kawasaki); OHV				
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in
SW35; Vertical; V2; (Kawasaki); OHV				
20.5hp;FX651V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Lawn Tractor				
(Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Commercial Turf Series; V2; (Briggs & Stratton); OHV				
27hp;490000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Commercial Turf Series; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;440000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Extended Life Series (ELS); V2; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
21hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton); OHV				
26hp;490000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
31hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
31hp;5434	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; Commercial Series; V2; (Briggs & Stratton); OHV				
32hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
36hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; Commercial Turf Series; V2; (Briggs & Stratton); OHV				
28hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
30hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Snapper					
Lawn Tractor					
Vertical; (Kawasaki); OHV					
25.5hp;FR801V	7322 / RN14PYP	---	---	0.031in	
Vertical; V2; (Kawasaki); OHV					
19hp;FX600V	405 / RN14YC	405 / RN14YC	---	0.031in	
21.5hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Vertical; 52cid\852cc; V2; (Kawasaki); OHV					
25.5hp;FR801V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
RE100; 1000 Series; Power Built; (Briggs & Stratton); OHV					
11.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
RE110; Power Built; (Briggs & Stratton); OHV					
11.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
RE130; Power Built; (Briggs & Stratton); OHV					
13.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
RE210; Power Built; (Briggs & Stratton); OHV					
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
S125XT; Vertical; V2; (Kawasaki); OHV					
23hp;FS691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
S150XT; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
S200XT; Vertical; V2; (Kawasaki); OHV					
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
S50XT; Vertical; V2; (Kawasaki); OHV					
19hp;FX600V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
S800X; Vanguard; V2; (Briggs & Stratton); OHV					
31hp;5434	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
SPX 22/42; Intek; V2; (Briggs & Stratton); OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
SPX 22/46; Professional Series; V2; (Briggs & Stratton); OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
SPX 23/42; Professional Series; V2; (Briggs & Stratton); OHV					
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
SPX 25/48; Professional Series; V2; (Briggs & Stratton); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
SPX 25/48; Professional Series; With EFM; V2; (Briggs & Stratton); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Mower					
14hp	854 / RH10C	844 / H10C	---	0.030in	
(Honda); OHV					
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Snapper					
Mower					
(Kawasaki)					
12.5hp	846 / CJ14	---	846ECO	0.030in	
(Kawasaki); OHV					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
18hp	854 / RH10C	844 / H10C	---	0.030in	
(Kohler); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Onan)					
B43M	857 / RH18Y	---	---	0.030in	
B48M	857 / RH18Y	---	---	0.030in	
(Robin)					
12hp	830 / RL86C	933-1 / QL86C	---	0.025in	
4hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
6hp	830 / RL86C	933-1 / QL86C	---	0.025in	
6.5hp	830 / RL86C	933-1 / QL86C	---	0.025in	
(Tecumseh)					
	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
(Wisconsin)					
4.6hp	830 / RL86C	933-1 / QL86C	---	0.025in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
14.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
9hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
12hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
7hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
V2; (Kawasaki); OHV					
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Snapper					
Mower					
V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
3 Cyl.; Gas; (Kubota)					
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.025in	
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
675ex Series; Quantum Vertical; (Briggs & Stratton); L-HEAD					
120000	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in	
Intek; (Briggs & Stratton); OHV					
7hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Magnum; (Kohler)					
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
Magnum; 2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
Quantum; 650ex Series; Vertical; (Briggs & Stratton); L-HEAD					
120000	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	71 / RC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vertical; (Kawasaki); OHV					
6hp;FC180V	404 / RN12YC	38 / N12YC	322ECO	0.025in	
Shredder					
14hp	854 / RH10C	844 / H10C	---	0.030in	
(Honda); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki)					
12.5hp	846 / CJ14	---	846ECO	0.030in	
(Kawasaki); OHV					
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
18hp	854 / RH10C	844 / H10C	---	0.030in	
(Kohler); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Onan)					
B43M	857 / RH18Y	---	---	0.030in	
B48M	857 / RH18Y	---	---	0.030in	
(Robin)					
12hp	830 / RL86C	933-1 / QL86C	---	0.025in	
4hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
6hp	830 / RL86C	933-1 / QL86C	---	0.025in	
6.5hp	830 / RL86C	933-1 / QL86C	---	0.025in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Snapper				
Shredder				
(Tecumseh)				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
(Wisconsin)				
4.6hp	830 / RL86C	933-1 / QL86C	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
14.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
7hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Kawasaki); OHV				
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
3 Cyl.; Gas; (Kubota)				
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.025in
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Magnum; (Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
Magnum; 2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	71 / RC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Snapper				
Tiller				
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
12.5hp	846 / CJ14	---	846ECO	0.030in
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
18hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Onan)				
B43M	857 / RH18Y	---	---	0.030in
B48M	857 / RH18Y	---	---	0.030in
(Robin)				
12hp	830 / RL86C	933-1 / QL86C	---	0.025in
4hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
6hp	830 / RL86C	933-1 / QL86C	---	0.025in
6.5hp	830 / RL86C	933-1 / QL86C	---	0.025in
(Tecumseh)				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
(Wisconsin)				
4.6hp	830 / RL86C	933-1 / QL86C	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
14.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
7hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Kawasaki); OHV				
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Snapper					
Tiller					
V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
3 Cyl.; Gas; (Kubota)					
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.025in	
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Magnum; (Kohler)					
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
Magnum; 2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	71 / RC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Turf Equipment					
14hp	854 / RH10C	844 / H10C	---	0.030in	
(Honda); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki)					
12.5hp	846 / CJ14	---	846ECO	0.030in	
(Kawasaki); OHV					
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
18hp	854 / RH10C	844 / H10C	---	0.030in	
(Kohler); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Onan)					
B43M	857 / RH18Y	---	---	0.030in	
B48M	857 / RH18Y	---	---	0.030in	
(Robin)					
12hp	830 / RL86C	933-1 / QL86C	---	0.025in	
4hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
6hp	830 / RL86C	933-1 / QL86C	---	0.025in	
6.5hp	830 / RL86C	933-1 / QL86C	---	0.025in	
(Tecumseh)					
	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
(Wisconsin)					
4.6hp	830 / RL86C	933-1 / QL86C	---	0.025in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Snapper					
Turf Equipment					
1 Cyl.; (Briggs & Stratton); L-HEAD					
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
14.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
9hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
12hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
7hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
V2; (Kawasaki); OHV					
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
21hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
3 Cyl.; Gas; (Kubota)					
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.025in	
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Magnum; (Kohler)					
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
Magnum; 2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	71 / RC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Utility Vehicle					
Vanguard; V2; (Briggs & Stratton); OHV					
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Grounds Cruiser; (Kawasaki); OHV					
9.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Zero-Turn Mower					
200Z - 22/42; Professional Series; V2; (Briggs & Stratton); OHV					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Snapper					
Zero-Turn Mower					
200Z - 23/46; Professional Series; V2; (Briggs & Stratton); OHV					
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
285Z - 25/52; Professional Series; V2; (Briggs & Stratton); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
300Z - 25/48; Professional Series; With EFM; V2; (Briggs & Stratton); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
400Z - 21.5/48; Vertical; V2; (Kawasaki); OHV					
23hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
400Z - 25/48; Commercial Series; V2; (Briggs & Stratton); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
550Z - 24/52; Vertical; 44.3cid/726cc; V2; (Kawasaki); OHV					
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
550Z - 24/61; Vertical; 44.3cid/726cc; V2; (Kawasaki); OHV					
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
550Z - 25/52; Commercial Series; V2; (Briggs & Stratton); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
550Z - 25/61; Commercial Series; V2; (Briggs & Stratton); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Snappin' Turtle					
Edger					
	871 / RJ8C	841 / J8C	---	0.030in	
Mower					
	861 / J19LM	---	---	0.030in	
with 14mm Diameter Threads	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in	
Trimmer					
	871 / RJ8C	841 / J8C	---	0.030in	
SNG					
Spreader					
(Honda)					
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
V2; (Kawasaki)					
22hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
V2; (Kawasaki); OHV					
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Snowex				
Rotary Sweeper				
SS-4000; GCV-Series; Vertical; OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.028in
Solo				
Blower/Vacuum/Water Sprayer				
410B				
	830 / RL86C	933-1 / QL86C	---	0.030in
412B				
	830 / RL86C	933-1 / QL86C	---	0.020in
414				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
423B				
	830 / RL86C	933-1 / QL86C	---	0.030in
440				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
441				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
445				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
467				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
470				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
471				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
472				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
Brush Cutter/Disc Mower				
119B				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
121B				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
127B				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
129BTS				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
130H				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
142SB				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
154SB				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
Lawn Mower				
	814 / RL82YC	931-1 / QL82C	---	0.030in
(Honda)				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Solo				
Lawn Mower				
518; (Honda)				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
545. 545 r; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
546				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
546 HR				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
546 HRM; 2 Cyl.; (Honda); OHC				
3hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
546 R; 650 Series; Ready Start; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp	973 / RJ19HX	---	861ECO	0.030in
546 RS; 650 Series; Ready Start; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp	973 / RJ19HX	---	861ECO	0.030in
548r; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
550				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
550 HRM; 2 Cyl.; (Honda); OHC				
3hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
550 R; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
550 RS; 650 Series; Ready Start; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp	973 / RJ19HX	---	861ECO	0.030in
550HR				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
551R				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
552 HR				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
553 S				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
553 SL				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
554				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
580				
	830 / RL86C	933-1 / QL86C	---	0.030in
582				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Solo				
Lawn Mower				
582 SM; 500 Series; Ready Start; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp	973 / RJ19HX	---	861ECO	0.030in
585				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
585 HM; 2 Cyl.; (Honda); OHC				
3hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Piano-581 Mower				
	814 / RL82YC	931-1 / QL82C	---	0.030in
Pro-Mower 549				
	830 / RL86C	933-1 / QL86C	---	0.030in
Lawn Tractor				
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
15.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton)				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mister				
1/2in Reach Spark Plugs	830 / RL86C	933-1 / QL86C	---	0.030in
3/8in Reach Spark Plugs	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
410				
	830 / RL86C	933-1 / QL86C	---	0.030in
423				
	830 / RL86C	933-1 / QL86C	---	0.020in
450				
	830 / RL86C	933-1 / QL86C	---	0.025in
Mower				
(Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Briggs & Stratton); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GCV-Series; Vertical; (Honda); OHC				
4.5hp;GCV135	415 / RN9YC	300 / N9YC	415ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp;GX200	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8.5hp;GX270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Intek; V2; (Briggs & Stratton); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Piano-581 and other Model				
	883 / QL78C	807 / L78C	---	0.025in
Pro-Mower 549, 580				
1.8hp	814 / RL82YC	931-1 / QL82C	---	0.025in
Power Head				
	830 / RL86C	933-1 / QL86C	---	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Solo				
Sickle Bar				
(Honda)				
4.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
522				
	830 / RL86C	933-1 / QL86C	---	0.030in
Sprayer				
100				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
101 Multimot				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
26				
	830 / RL86C	933-1 / QL86C	---	0.030in
400				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
412				
	830 / RL86C	933-1 / QL86C	---	0.030in
415				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
419				
	830 / RL86C	933-1 / QL86C	---	0.030in
420				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
422				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
424				
	830 / RL86C	933-1 / QL86C	---	0.030in
426				
	830 / RL86C	933-1 / QL86C	---	0.020in
432				
	865 / RDJ8J	847 / DJ8J	847ECO	0.020in
433				
	865 / RDJ8J	847 / DJ8J	847ECO	0.020in
436				
	830 / RL86C	933-1 / QL86C	---	0.030in
437				
	830 / RL86C	933-1 / QL86C	---	0.030in
439				
	830 / RL86C	933-1 / QL86C	---	0.030in
439 Trac				
	830 / RL86C	933-1 / QL86C	---	0.030in
439/30 Trac				
	830 / RL86C	933-1 / QL86C	---	0.030in
439/50				
	830 / RL86C	933-1 / QL86C	---	0.030in
449				
	830 / RL86C	933-1 / QL86C	---	0.030in
449L				
	830 / RL86C	933-1 / QL86C	---	0.030in
454				
	830 / RL86C	933-1 / QL86C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Solo				
Sprayer				
Minor 436				
	830 / RL86C	933-1 / QL86C	---	0.030in
Rider 437				
	830 / RL86C	933-1 / QL86C	---	0.030in
Tiller				
(Honda)				
4hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
505				
	830 / RL86C	933-1 / QL86C	---	0.030in
506				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
507				
	830 / RL86C	933-1 / QL86C	---	0.030in
510				
	830 / RL86C	933-1 / QL86C	---	0.030in
Trimmer				
117				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
118				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
119L				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
120				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
121L				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
124				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
126				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
127				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
127L				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
128				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
129				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
129L				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
130				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
132				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
134				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
137				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Solo					
Trimmer					
140					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in	
141					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in	
152					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
153					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
154					
	859 / RCJ7Y	859 / RCJ7Y	843ECO	0.025in	
21L					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
664					
	859 / RCJ7Y	859 / RCJ7Y	843ECO	0.030in	
Southland					
Lawn Mower					
(Tecumseh)					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.25hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Leaf Blower					
SW163150E; 4 Stroke; 163cc; 1 Cyl.; OHV					
	332 / RN7YC	315 / N6YC	332ECO	0.030in	
Spartan					
Brush Cutter/Disc Mower					
PC22					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
PC27					
	871 / RJ8C	841 / J8C	---	0.030in	
PC35					
	871 / RJ8C	841 / J8C	---	0.030in	
PCE24					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Hedge Trimmer					
TR22					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Lawn Tractor					
RT HD; Commercial Turf Series; 44cid\724cc; V2; (Briggs & Stratton); OHV					
25hp;44T977	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
RT Pro; Vertical; V2; (Kohler); OHV					
26hp;KT745	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
SRT HD SERIES; Commercial Series; Vanguard; Vertical; V2; (Briggs & Stratton); OHV					
32hp;543777	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Spartan				
Lawn Tractor				
SRT XD SERIES; Commercial Series; Vanguard; Vertical; V2; (Briggs & Stratton); OHV				
36hp;613777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
37hp;61E877	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mower				
RT-Pro; Commercial Turf Series; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;44T977	71 / RC12YC	946 / QC12YC	71ECO	0.030in
SpeeCo				
Log Splitter				
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Speedex				
Lawn Tractor				
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
7/16in Reach Spark Plugs	854 / RH10C	844 / H10C	---	0.030in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
Sperry-New Holland				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
	854 / RH10C	844 / H10C	---	0.030in
Spiegel				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tiller				
	871 / RJ8C	841 / J8C	---	0.030in
Spinaway				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tiller				
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
Spintrim				
Edger				
	860 / RDJ7J	851 / DJ6J	851ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Spintrim				
Trimmer				
	860 / RDJ7J	851 / DJ6J	851ECO	0.030in
Spirit li				
Lawn Tractor				
1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Spreader-Mate				
Spreader				
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Standard				
Mower				
1/2in Reach -14 Pipe Threads 21mm Diameter Threads	425 / X	525 / 25	---	0.025in
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
Stanley				
Zero-Turn Mower				
Zero Turn; V2; (Kawasaki)				
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
24hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
31hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Star Digger				
Hole Digger				
(Honda)				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Stearns				
Mower				
with 14mm Diameter Threads	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
Steiner				
Lawn Tractor				
(Honda); OHV				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Onan)				
16hp	909 / RS17YX	---	---	0.025in
20hp	909 / RS17YX	---	---	0.025in
24hp	909 / RS17YX	---	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Steiner				
Lawn Tractor				
1 Cyl.; (Briggs & Stratton)				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2 Cyl.; (Kawasaki); OHV				
27hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
3 Cyl.; Gas; (Kubota)				
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
45.2cid\740cc; 3 Cyl.; Gas; (Kubota)				
25hp;WG752	71 / RC12YC	946 / QC12YC	71ECO	0.030in
45.21cid\740cc; 3 Cyl.; Gas; (Kubota); OHV				
24.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
58.7cid\962cc; 3 Cyl.; Gas; (Kubota)				
32.4hp;WG972	431 / RC14YC	946 / QC12YC	71ECO	0.026in
Command Pro; 4 Stroke; Horizontal; 999cc; V2; (Kohler); OHV				
37hp;CH1000	946 / QC12YC	988 / XC10YC	71ECO	0.030in
Command Series; 4 Stroke; Horizontal; V2; (Kohler); OHV				
34hp;CH940	946 / QC12YC	988 / XC10YC	71ECO	0.030in
Extended Life Series (ELS); 1 Cyl.; (Briggs & Stratton)				
17.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; V2; (Briggs & Stratton)				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mower				
V2; (Briggs & Stratton); OHV				
26hp;490000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Kawasaki); OHV				
25hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
V2; (Kohler); OHV				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; V2; (Kawasaki); OHV				
19hp;FD601V	404 / RN12YC	38 / N12YC	322ECO	0.025in
Turf Equipment				
(Honda); OHV				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Onan)				
16hp	909 / RS17YX	---	---	0.025in
20hp	909 / RS17YX	---	---	0.025in
24hp	909 / RS17YX	---	---	0.025in
1 Cyl.; (Briggs & Stratton)				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2 Cyl.; (Kawasaki); OHV				
27hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Steiner				
Turf Equipment				
3 Cyl.; Gas; (Kubota)				
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
45.2cid\740cc; 3 Cyl.; Gas; (Kubota)				
25hp;WG752	71 / RC12YC	946 / QC12YC	71ECO	0.030in
45.21cid\740cc; 3 Cyl.; Gas; (Kubota); OHV				
24.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
58.7cid\962cc; 3 Cyl.; Gas; (Kubota)				
32.4hp;WG972	431 / RC14YC	946 / QC12YC	71ECO	0.026in
Command Pro; 4 Stroke; Horizontal; 999cc; V2; (Kohler); OHV				
37hp;CH1000	946 / QC12YC	988 / XC10YC	71ECO	0.030in
Command Series; 4 Stroke; Horizontal; V2; (Kohler); OHV				
34hp;CH940	946 / QC12YC	988 / XC10YC	71ECO	0.030in
Extended Life Series (ELS); 1 Cyl.; (Briggs & Stratton)				
17.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; V2; (Briggs & Stratton)				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Sterling				
Auger				
All Model(s); 6 Cyl.; (1955)				
1955 & Up	409 / RF9YC	---	---	0.025in
All Model(s); 8 Cyl.; (1955)				
1955 & Up	22 / RF11YC	---	---	0.025in
Blower/Vacuum/Water Sprayer				
(Kawasaki)				
7.5hp	806 / L92YC	---	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Commercial Chipper				
(Kawasaki)				
7.5hp	806 / L92YC	---	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Shredder				
(Kawasaki)				
7.5hp	806 / L92YC	---	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Stiga				
Lawn Mower				
(Honda)				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Stiga					
Lawn Tractor					
1 Cyl.; (Briggs & Stratton); L-HEAD					
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
11.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
2hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Mower					
(Briggs & Stratton); L-HEAD					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Briggs & Stratton); OHV					
15.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Command Series; 4 Stroke; V2; (Kohler); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Courage; 4 Stroke; Vertical; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton); OHV					
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Power Rake					
1 Cyl.; (Briggs & Stratton); L-HEAD					
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
11.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
2hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Tiller					
1 Cyl.; (Briggs & Stratton); L-HEAD					
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
11.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
2hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
STIHL				
Auger				
w/020 Power Heads	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
w/08S Power Heads	327 / RL87YC	934-1 / QL87YC	---	0.020in
(Komatsu)				
	978 / RY4C	---	---	0.025in
BT106C				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
BT120; 2 Stroke; 1.88cid\30.8cc; 1 Cyl.				
1.8hp	858 / CJ6Y	---	---	0.020in
BT120C				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
BT121				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
BT130				
1.9hp	965 / RZ7C	---	---	0.020in
BT131; 2.22cid\36.3cc; 1 Cyl.				
1.88hp	965 / RZ7C	---	---	0.020in
BT308				
	327 / RL87YC	934-1 / QL87YC	---	0.020in
BT309				
	327 / RL87YC	934-1 / QL87YC	---	0.020in
BT360				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
Blower/Vacuum/Water Sprayer				
BG060				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
BG061				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
BG17/SG17				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
BG45				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
BG46				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
BG50				
0.9hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
BG55				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
BG56				
0.9hp	965 / RZ7C	---	---	0.020in
BG56CE				
0.9hp	965 / RZ7C	---	---	0.020in
BG65				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
BG66				
0.8hp	965 / RZ7C	---	---	0.020in
BG66L				
0.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
BG72				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
STIHL				
Blower/Vacuum/Water Sprayer				
BG75				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
BG85				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
BG86				
1.1hp	965 / RZ7C	---	---	0.020in
BG86CE				
1.1hp	965 / RZ7C	---	---	0.020in
BR106				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
BR200				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
BR320				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
BR320L				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
BR340				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
BR350				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
BR380				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
BR400				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
BR420				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
BR430				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
BR45				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
BR450				
3.9hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
BR450CEF				
3.9hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
BR500				
	965 / RZ7C	---	---	0.020in
BR550				
	965 / RZ7C	---	---	0.020in
BR600 Magnum				
	965 / RZ7C	---	---	0.020in
Drill				
w/045 Power Heads	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
w/08S Power Heads	327 / RL87YC	934-1 / QL87YC	---	0.020in
(Komatsu)				
	978 / RY4C	---	---	0.025in
BT45				
1.1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
Edger				
FB131; 2.22cid\36.3cc; 1 Cyl.				
1.9hp	965 / RZ7C	---	---	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
STIHL				
Edger				
FC100; 1.92cid\31.4cc; 1 Cyl.				
1.34hp	965 / RZ7C	---	---	0.028in
FC110				
1.34hp	965 / RZ7C	---	---	0.020in
FC111; 1.92cid\31.4cc; 1 Cyl.				
1.34hp	965 / RZ7C	---	---	0.020in
FC44				
	840 / RCJ8	843 / CJ8	843ECO	0.020in
FC55				
1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
FC56C				
1.1hp	965 / RZ7C	---	---	0.020in
FC56CE				
1.1hp	965 / RZ7C	---	---	0.020in
FC70				
1.2hp	965 / RZ7C	---	---	0.020in
FC72				
	840 / RCJ8	843 / CJ8	843ECO	0.020in
FC73				
	978 / RY4C	---	---	0.020in
FC75				
1.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
FC83				
1.3hp	978 / RY4C	---	---	0.020in
FC85				
1.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
FC90				
1.3hp	965 / RZ7C	---	---	0.020in
FC91; 1.73cid\28.4cc; 1 Cyl.				
1.3hp	965 / RZ7C	---	---	0.020in
FC95				
1.3hp	965 / RZ7C	---	---	0.020in
FC96; 1.73cid\28.4cc; 1 Cyl.				
1.3hp	965 / RZ7C	---	---	0.020in
Hedge Trimmer				
FH75				
1.2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
H151				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
HL100				
1.4hp	965 / RZ7C	---	---	0.020in
HL100K				
1.4hp	965 / RZ7C	---	---	0.020in
HL45				
1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
HL56K; 1.66cid\27.2cc; 1 Cyl.				
1.1hp	965 / RZ7C	---	---	0.020in
HL73				
	978 / RY4C	---	---	0.025in
HL75				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
STIHL				
Hedge Trimmer				
HL75; 1.55cid\25.4cc; 1 Cyl.				
1.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
HL75K; 1.55cid\25.4cc; 1 Cyl.				
1.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
HL75L				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
HL90				
1.3hp	965 / RZ7C	---	---	0.020in
HL90K				
1.27hp	965 / RZ7C	---	---	0.020in
HL91K; 1.47cid\24.1cc; 1 Cyl.				
1.2hp	965 / RZ7C	---	---	0.020in
HL94; 1.47cid\24.1cc; 1 Cyl.				
1.2hp	965 / RZ7C	---	---	0.020in
HL94K; 1.47cid\24.1cc; 1 Cyl.				
1.2hp	965 / RZ7C	---	---	0.020in
HS202				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
HS242				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
HS45				
1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
HS46				
0.9hp	965 / RZ7C	---	---	0.020in
HS46C				
0.9hp	965 / RZ7C	---	---	0.020in
HS46CE				
0.9hp	965 / RZ7C	---	---	0.020in
HS56; 2 Stroke; 1.31cid\21.4cc; 1 Cyl.				
0.9hp	965 / RZ7C	---	---	0.020in
HS56C				
0.9hp	965 / RZ7C	---	---	0.020in
HS56CE				
0.9hp	965 / RZ7C	---	---	0.020in
HS60				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
HS61				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
HS72				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
HS74				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
HS75				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
HS76				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
HS80				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
HS81; 2 Stroke; 1.39cid\22.7cc; 1 Cyl.				
0.9hp	965 / RZ7C	---	---	0.020in
HS81R				
0.9hp	965 / RZ7C	---	---	0.020in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
STIHL				
Hedge Trimmer				
HS81RC; 2 Stroke; 1.39cid\22.7cc; 1 Cyl.				
0.9hp	965 / RZ7C	---	---	0.020in
HS81T				
0.9hp	965 / RZ7C	---	---	0.020in
HS81TC				
0.9hp	965 / RZ7C	---	---	0.020in
HS82; 2 Stroke; 1.39cid\22.7cc; 1 Cyl.				
1.0hp	965 / RZ7C	---	---	0.020in
HS82R				
0.9hp	965 / RZ7C	---	---	0.020in
HS82T				
0.9hp	965 / RZ7C	---	---	0.020in
HS85				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
HS86				
0.9hp	965 / RZ7C	---	---	0.020in
HS86R				
0.9hp	965 / RZ7C	---	---	0.020in
HS86T				
0.9hp	965 / RZ7C	---	---	0.020in
HS87; 2 Stroke; 1.39cid\22.7cc; 1 Cyl.				
0.9hp	965 / RZ7C	---	---	0.020in
HS87R				
0.9hp	965 / RZ7C	---	---	0.020in
HS87T				
0.9hp	965 / RZ7C	---	---	0.020in
HT70				
	978 / RY4C	---	---	0.025in
HT73				
	978 / RY4C	---	---	0.025in
HT75				
	978 / RY4C	---	---	0.025in
Leaf Blower				
BR700; 3.95cid\64.8cc; 1 Cyl.				
	965 / RZ7C	---	---	0.020in
BR700X; 3.95cid\64.8cc; 1 Cyl.				
	965 / RZ7C	---	---	0.020in
BR800; 4.88cid\79.9cc; 1 Cyl.				
	965 / RZ7C	---	---	0.020in
BR800CE Magnum; 4.88cid\79.9cc; 1 Cyl.				
	965 / RZ7C	---	---	0.020in
BR800X Magnum; 4.88cid\79.9cc; 1 Cyl.				
	965 / RZ7C	---	---	0.020in
Power Head				
KM110; 4-MIX				
1.3hp	965 / RZ7C	---	---	0.020in
KM110R				
1.4hp	965 / RZ7C	---	---	0.020in
KM111R; 4 Stroke; 1.92cid\31.4cc; 1 Cyl.				
1.3hp	965 / RZ7C	---	---	0.020in
KM130				
1.9hp	965 / RZ7C	---	---	0.028in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
STIHL				
Power Head				
KM130R				
1.9hp	965 / RZ7C	---	---	0.020in
KM131R; 4 Stroke; 2.22cid\36.3cc; 1 Cyl.				
1.9hp	965 / RZ7C	---	---	0.020in
KM55				
1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
KM55R				
1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
KM56R				
1.1hp	965 / RZ7C	---	---	0.020in
KM56RCE				
1.1hp	965 / RZ7C	---	---	0.020in
KM85				
1.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
KM90				
1.3hp	965 / RZ7C	---	---	0.028in
KM90R				
1.3hp	965 / RZ7C	---	---	0.020in
KM91R; 4 Stroke; 1.74cid\28.4cc; 1 Cyl.				
1.3hp	965 / RZ7C	---	---	0.020in
KM94R				
1.2hp	965 / RZ7C	---	---	0.020in
MM55 Yard Boss				
1hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
MM55CE Yard Boss				
1.1hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
MM56; 1.66cid\27.2cc; 1 Cyl.				
1.1hp	965 / RZ7C	---	---	0.020in
MM56C; 1.66cid\27.2cc; 1 Cyl.				
1.1hp	965 / RZ7C	---	---	0.020in
MM56CE; 1.66cid\27.2cc; 1 Cyl.				
1.1hp	965 / RZ7C	---	---	0.020in
Power Rake				
(Komatsu)				
	978 / RY4C	---	---	0.025in
Super Rake				
	840 / RCJ8	843 / CJ8	843ECO	0.020in
Shredder/Blower/Vacuum				
SH55				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
SH56				
0.9hp	965 / RZ7C	---	---	0.020in
SH56CE				
0.9hp	965 / RZ7C	---	---	0.020in
SH85				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
SH86				
1.1hp	965 / RZ7C	---	---	0.020in
SH86CE				
1.1hp	965 / RZ7C	---	---	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
STIHL				
Sprayer				
SR200				
1.1hp	965 / RZ7C	---	---	0.020in
SR320				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
SR340				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
SR400				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
SR420				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
SR430				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
SR450				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
Sweeper				
(Komatsu)				
	978 / RY4C	---	---	0.025in
KW85				
1.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
Trimmer				
FR106				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
FS100				
1.3hp	965 / RZ7C	---	---	0.028in
FS100; 4-MIX				
1.3hp	965 / RZ7C	---	---	0.028in
FS100RX				
1.4hp	965 / RZ7C	---	---	0.020in
FS106				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS106AVE				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
FS108				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
FS110				
1.4hp	965 / RZ7C	---	---	0.020in
FS110R				
1.4hp	965 / RZ7C	---	---	0.020in
FS111; 4 Stroke; 1.92cid\31.4cc; 1 Cyl.				
1.3hp	965 / RZ7C	---	---	0.020in
FS111R; 4 Stroke; 1.92cid\31.4cc; 1 Cyl.				
1.3hp	965 / RZ7C	---	---	0.020in
FS111RX; 4 Stroke; 1.92cid\31.4cc; 1 Cyl.				
1.3hp	965 / RZ7C	---	---	0.020in
FS120				
1.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS130				
1.9hp	965 / RZ7C	---	---	0.020in
FS130R				
1.9hp	965 / RZ7C	---	---	0.020in
FS131; 4 Stroke; 2.22cid\36.3cc; 1 Cyl.				
1.9hp	965 / RZ7C	---	---	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
STIHL				
Trimmer				
FS131R; 4 Stroke; 2.22cid\36.3cc; 1 Cyl.				
1.9hp	965 / RZ7C	---	---	0.020in
FS150				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS151				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS160				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS180				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS20				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS200				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS200AV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS200AVE				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS202				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS202AV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS220				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS240				
2.3hp	965 / RZ7C	---	---	0.020in
FS240R				
2.3hp	965 / RZ7C	---	---	0.020in
FS250				
2.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS260C				
2.7hp	965 / RZ7C	---	---	0.020in
FS280K				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS300				
1.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS310				
2.2hp	965 / RZ7C	---	---	0.020in
FS311; 4 Stroke; 2.22cid\36.3cc; 1 Cyl.				
1.9hp	965 / RZ7C	---	---	0.020in
FS350				
2.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS353				
	327 / RL87YC	934-1 / QL87YC	---	0.020in
FS353AV				
	327 / RL87YC	934-1 / QL87YC	---	0.020in
FS36				
	840 / RCJ8	843 / CJ8	843ECO	0.020in
FS360AVEZ				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
STIHL				
Trimmer				
FS360C				
2.3hp	965 / RZ7C	---	---	0.020in
FS360CE				
2.3hp	965 / RZ7C	---	---	0.020in
FS38				
0.9hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS40				
0.9hp	965 / RZ7C	---	---	0.020in
FS400				
2.6hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS401				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS401AVE				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS40C				
0.9hp	965 / RZ7C	---	---	0.020in
FS40CE				
0.9hp	965 / RZ7C	---	---	0.020in
FS420				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS44				
	840 / RCJ8	843 / CJ8	843ECO	0.020in
FS44J				
	840 / RCJ8	843 / CJ8	843ECO	0.020in
FS44R				
	840 / RCJ8	843 / CJ8	843ECO	0.020in
FS45				
1hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS450				
2.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS46				
1hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS460CEM				
3hp	965 / RZ7C	---	---	0.020in
FS460CM				
3hp	965 / RZ7C	---	---	0.020in
FS460CML				
3hp	965 / RZ7C	---	---	0.020in
FS48				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS480				
3hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS490C				
3.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS490CM; 2 Stroke; 3.48cid\51.6cc; 1 Cyl.				
3.2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
FS490CML; 2 Stroke; 3.48cid\51.6cc; 1 Cyl.				
3.2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
FS50				
	840 / RCJ8	843 / CJ8	843ECO	0.020in
FS500				
3.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
STIHL				
Trimmer				
FS50C				
1.1hp	965 / RZ7C	---	---	0.020in
FS50CE				
0.9hp	965 / RZ7C	---	---	0.020in
1.1hp	965 / RZ7C	---	---	0.020in
FS51				
	840 / RCJ8	843 / CJ8	843ECO	0.020in
FS510C				
3.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS510CM				
3.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS52				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS55				
1hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS550				
3.7hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS56				
1.1hp	965 / RZ7C	---	---	0.020in
FS560C				
3.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS560CM				
3.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS56AVRE				
	840 / RCJ8	843 / CJ8	843ECO	0.020in
FS56C; 1.66cid\27.2cc; 1 Cyl.				
1.1hp	965 / RZ7C	---	---	0.020in
FS56CE				
1.1hp	965 / RZ7C	---	---	0.020in
FS56R				
1.1hp	965 / RZ7C	---	---	0.020in
FS56RC				
1.1hp	965 / RZ7C	---	---	0.020in
FS56RCE				
1.1hp	965 / RZ7C	---	---	0.020in
FS60				
	840 / RCJ8	843 / CJ8	843ECO	0.020in
FS61				
	840 / RCJ8	843 / CJ8	843ECO	0.020in
FS62				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS65				
	840 / RCJ8	843 / CJ8	843ECO	0.020in
FS66				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
FS70				
1.2hp	965 / RZ7C	---	---	0.020in
FS70R				
1.1hp	965 / RZ7C	---	---	0.020in
FS72				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
STIHL				
Trimmer				
FS74; 2 Stroke; 1.46cid\23.9cc; 1 Cyl.				
1.1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
FS74AVE				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
FS74AVRE				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
FS75				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
FS76; 2 Stroke; 1.46cid\23.9cc; 1 Cyl.				
1.1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
FS76AVE				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
FS76AVRE				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
FS80				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
FS80R				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
FS81				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
FS85				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
FS85R				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
FS86				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
FS86AVRE				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
FS88; 2 Stroke; 1.55cid\25.4cc; 1 Cyl.				
1.2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
FS88AVE				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
FS88AVRE				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
FS90				
1.27hp	965 / RZ7C	---	---	0.020in
FS90R				
1.27hp	965 / RZ7C	---	---	0.020in
FS91; 4 Stroke; 1.72cid\28.4cc; 1 Cyl.				
1.3hp	965 / RZ7C	---	---	0.020in
FS91R; 4 Stroke; 1.72cid\28.4cc; 1 Cyl.				
1.3hp	965 / RZ7C	---	---	0.020in
FS94				
1.2hp	965 / RZ7C	---	---	0.020in
FS94R				
1.2hp	965 / RZ7C	---	---	0.020in
Strongland				
Garden Tractor				
All Model(s); 2 Cyl.; (Onan)				
24hp	909 / RS17YX	---	---	0.025in
All Model(s); V2; (Kohler)				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Strongland				
Garden Tractor				
All Model(s); Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Strunk				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Stump Machine				
Stump Grinder				
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
10hp;CS	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Suffolk				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Sunbeam				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
(Victa)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Mower				
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Super Split				
Log Splitter				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Superior				
Log Splitter				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Sprayer				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Sutech Stealth				
Lawn Mower				
(Honda)				
2.5hp	846 / CJ14	---	846ECO	0.025in
(Kawasaki); OHV				
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Sutech Stealth				
Lawn Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Mower				
(Kawasaki); OHV				
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Sweeper				
(Honda)				
2.5hp	846 / CJ14	---	846ECO	0.025in
Sweepster				
Sweeper				
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Onan)				
18hp	909 / RS17YX	---	---	0.025in
(Wisconsin)				
30hp	541 / RD16	516 / D16	---	0.025in
65hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Thatcher				
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Onan)				
18hp	909 / RS17YX	---	---	0.025in
(Wisconsin)				
30hp	541 / RD16	516 / D16	---	0.025in
65hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Swisher				
Log Splitter				
22 Ton; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
28 Ton; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
11.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
34 Ton; 1 Cyl.; (Briggs & Stratton)				
125hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Swisher				
Mower				
(Briggs & Stratton); OHV				
12.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18.5hp;330000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1 Cyl.; (Briggs & Stratton)				
11.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Briggs & Stratton); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
44cid\724cc; V2; (Briggs & Stratton); OHV				
27hp;440000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton); OHV				
28hp;490000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
24hp;FR730V	405 / RN14YC	3405 / RN14PMC	---	0.031in
Swish-Err				
Commercial Chipper				
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
5hp	871 / RJ8C	841 / J8C	---	0.030in
6hp	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh); OHV				
13hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Lawn Mower				
(Robin)				
4hp	592 / RJ12C	511 / J11C	---	0.025in
(Robin); OHV				
4hp	104 / RN4C	803 / N4C	---	0.030in
(Tecumseh)				
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Swish-Err					
Lawn Mower					
1 Cyl.; (Briggs & Stratton); L-HEAD					
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Lawn Tractor					
(Kawasaki)					
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
(Kohler); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Tecumseh)					
10hp	871 / RJ8C	841 / J8C	---	0.030in	
5hp	871 / RJ8C	841 / J8C	---	0.030in	
6hp	871 / RJ8C	841 / J8C	---	0.030in	
(Tecumseh); L-HEAD					
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh); OHV					
13hp	104 / RN4C	803 / N4C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
17.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Log Splitter					
1 Cyl.; (Briggs & Stratton); L-HEAD					
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
9hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Trail Mower					
(Kawasaki)					
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
(Kohler); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Tecumseh)					
10hp	871 / RJ8C	841 / J8C	---	0.030in	
5hp	871 / RJ8C	841 / J8C	---	0.030in	
6hp	871 / RJ8C	841 / J8C	---	0.030in	
(Tecumseh); L-HEAD					
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh); OHV					
13hp	104 / RN4C	803 / N4C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Swish-Err				
Trail Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Sycamore				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tailgate Mulcher				
Mulcher				
(Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
V2; (Honda)				
20hp	846 / CJ14	---	846ECO	0.025in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Tanaka				
Auger				
JEA-1C				
	871 / RJ8C	841 / J8C	---	0.030in
JEA-2C				
	871 / RJ8C	841 / J8C	---	0.030in
PIA				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
Pure Fire TIA-350PFS				
1.6hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
Q22				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
QIA-10				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TEA-30				
	102 / RJ6C	823 / J6C	---	0.030in
TEA-500				
2.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
TED-262DH				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TIA-302				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TIA-305				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TIA-340				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Tanaka				
Auger				
TIA-350S				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
Blower/Vacuum/Water Sprayer				
2400				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
33A				
	102 / RJ6C	823 / J6C	---	0.030in
450				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
4600				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
JNBL-33				
	102 / RJ6C	823 / J6C	---	0.030in
KTBL50				
	871 / RJ8C	841 / J8C	---	0.030in
TBH-260PF				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
TBL-2400				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
TBL-2500				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
TBL-2510				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
TBL-30				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TBL-4600				
	893 / RCJ4	849 / CJ6	852ECO	0.024in
TBL-4610				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
TBL-500				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TBL-505				
	893 / RCJ4	849 / CJ6	852ECO	0.024in
TBL-7800R				
	965 / RZ7C	---	---	0.030in
TBL-7900				
	965 / RZ7C	---	---	0.030in
THB-2100				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
THB-2500				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
THB-2510				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
THB-300				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TRB-24EAP				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
TRB-65EF				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
ULNBL-3				
	102 / RJ6C	823 / J6C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Tanaka				
Brush Cutter/Disc Mower				
160				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
162				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
202				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
205				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
215				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
220				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
232				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
240				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
250				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
322				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
373				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
420PF				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
422C				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
425				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
430PF (Pure Fire)				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
500				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
501				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
QUM-2				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
QUM-2N				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Scythe JHJ-37				
	592 / RJ12C	511 / J11C	---	0.030in
SUM-3				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
SUM-301				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
SUM-321				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
TBC-16				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TBC-200				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TBC-210				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Tanaka				
Brush Cutter/Disc Mower				
TBC-2100				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
TBC-218				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
TBC-220				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
TBC-2210				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.024in
TBC-2211				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
TBC-225				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TBC-23				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TBC-235				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TBC-240				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
TBC-2400				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.024in
TBC-240PF				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
TBC-2410				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.024in
TBC-245				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TBC-250				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
TBC-2500				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TBC-2501				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TBC250D				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TBC250PF				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TBC-2510				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
TBC-260				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TBC-260PF				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
TBC-265				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
TBC-270				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TBC-270PF				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.024in
TBC-280				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
TBC-290				
	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Tanaka				
Brush Cutter/Disc Mower				
TBC-30				
	102 / RJ6C	823 / J6C	---	0.030in
TBC-300				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TBC-3010				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
TBC-322				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
TBC340D				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TBC340PF				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TBC-355				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
TBC-37				
	871 / RJ8C	841 / J8C	---	0.030in
TBC-4000				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
TBC-4001				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
TBC-4010				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
TBC-4110				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TBC-420				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
TBC-420PF				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
TBC-422C				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
TBC-425				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
TBC-430PF				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
TBC-4500				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.024in
TBC-4501				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
TBC-500				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
TBC-5000				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
TBC-501				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
TBC-720PF				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
THT-16				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
THT-212				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TST-218				
	840 / RCJ8	843 / CJ8	843ECO	0.024in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Tanaka				
Drill				
260				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
262L				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
262R				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TEC-265				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
TED-210				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
TED23				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TED-232				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TED-260				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
TED-270FPDH				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TED-270PFDLS				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TED-270PFHS				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TED-270PFL				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TED-270PFLS				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TED-270PFR				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TED-270PFRS				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TSD-23				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Edger				
TLE-500				
2.5hp	893 / RCJ4	849 / CJ6	852ECO	0.024in
TLE-550				
2.5hp	893 / RCJ4	849 / CJ6	852ECO	0.024in
TLE-600				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
TPE-2110				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
TPE-2410				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.024in
TPE-250				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
TPE-2510				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.024in
TPE-270PF				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.024in
Hedge Trimmer				
2120				
	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Tanaka				
Hedge Trimmer				
23				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
230				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
25				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2510				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2520				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
HTD-2000				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
HTD-2100				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
HTD-240				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
HTD-2520PF				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
HTD-2522PF				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
HTD-2526PF				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
HTD-2530				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HTD-2530PF				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
HTD-2540				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HTS-2530PF				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
PHT-15				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
PHT-25				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
THT-162				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
THT-200				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
THT-210				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
THT-2100				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
THT-210S				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
THT-2120				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
THT-23				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
THT-230				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
THT-232				
	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Tanaka				
Hedge Trimmer				
THT-240				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
THT-2510				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
THT-2520				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
THT-2530				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
THT-2540				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
THT-262				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
TPH-230S				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TPH-230SS				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TPH-2501				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TPH-2501S				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TPH-2501SS				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TPH-250PF				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TPH-260PF				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TPH-270PF				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.024in
TPH-270S				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TPH-270SS				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Sprayer				
KS-37				
	871 / RJ8C	841 / J8C	---	0.030in
TMS-450				
	871 / RJ8C	841 / J8C	---	0.030in
Trimmer				
2110				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
2211				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
2251				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
4500				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
5000				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
7000S				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
AST-210				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Tanaka				
Trimmer				
AST-5000				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
AST-5770				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
AST-7000				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
TCG22EAB				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
TCG22EAD				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
TCG22EAS				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
TCG24EASPSL				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Taral				
Auger				
JEA-L				
	102 / RJ6C	823 / J6C	---	0.030in
PIA				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
TEA-30				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Blower/Vacuum/Water Sprayer				
JBL				
	102 / RJ6C	823 / J6C	---	0.030in
KTBL-37				
	102 / RJ6C	823 / J6C	---	0.030in
KTBL-50				
	102 / RJ6C	823 / J6C	---	0.030in
Drill				
PED-3				
	102 / RJ6C	823 / J6C	---	0.030in
TED-23				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Sprayer				
50MP				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
7014F				
	830 / RL86C	933-1 / QL86C	---	0.030in
7020F				
	830 / RL86C	933-1 / QL86C	---	0.030in
7026TPG				
	830 / RL86C	933-1 / QL86C	---	0.030in
JKS-37				
	102 / RJ6C	823 / J6C	---	0.030in
MP5014				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
MPG5014				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
MPG5026				
	840 / RCJ8	843 / CJ8	843ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Taral				
Sprayer				
T7014				
	830 / RL86C	933-1 / QL86C	---	0.030in
TG7014				
	830 / RL86C	933-1 / QL86C	---	0.030in
Trimmer				
TF22G				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Taylor-Dunn				
Utility Vehicle				
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
16hp	854 / RH10C	844 / H10C	---	0.030in
Tempo				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Terracare				
Aerator				
(Honda); OHV				
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Rotary Brush				
(Honda); OHV				
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Top Dresser				
(Honda); OHV				
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Terra-Tiller				
Tiller				
	871 / RJ8C	841 / J8C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
The Broadcaster				
Spreader				
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
The Hauler				
Utility Vehicle				
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Thor				
Log Splitter				
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Tielburger				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tiger				
Edger				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tillex				
Tiller				
	541 / RD16	516 / D16	---	0.025in
Tillison				
Mower				
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Tillivator				
Tiller				
	592 / RJ12C	511 / J11C	---	0.025in
Tillsmith				
Tiller				
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Timber Wolf				
Utility Vehicle				
(Kawasaki); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
2 Cyl.; (Kawasaki); OHV				
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Timber Wolf					
Utility Vehicle					
2 Cyl.; (Kawasaki); OHV					
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
TIP					
Seeder					
(Honda); OHV					
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Titan					
Turf Equipment					
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
(Wisconsin)					
20hp	541 / RD16	516 / D16	---	0.025in	
3 Cyl.; Gas; (Kubota)					
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
TMC					
Auger					
Ice Master					
	893 / RCJ4	849 / CJ6	852ECO	0.025in	
TML					
Auger					
TML-35					
	893 / RCJ4	849 / CJ6	852ECO	0.030in	
Tom Boy					
Tiller					
All Model					
	893 / RCJ4	849 / CJ6	852ECO	0.030in	
Tomahawk					
Sprayer/Blower					
TMD14-BRAVO; 2 Stroke; 42cc; 1 Cyl.					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in	
Tomstar Plug'R					
Aerator					
(Kawasaki)					
3.1hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Topflite					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
Lawn Tractor					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Topflite					
Lawn Tractor					
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
Toro					
Aerator					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Onan)					
20hp	909 / RS17YX	---	---	0.025in	
24hp	909 / RS17YX	---	---	0.025in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Horizontal; (Kohler); OHV					
7hp;CH270	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Horizontal; (Robin); OHC					
9hp;EX27;Inc. FI, All Season models	830 / RL86C	933-1 / QL86C	---	0.025in	
Horizontal; (Subaru); OHC					
9hp;EX27	830 / RL86C	933-1 / QL86C	---	0.025in	
Vanguard; V2; (Briggs & Stratton)					
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vertical; (Kawasaki); OHV					
6hp;FJ180V	322 / RN11YC4	302 / N11YC	322ECO	0.031in	
33515; Vertical; (Kawasaki); OHV					
6hp;FJ180V	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
33516; GXV-Series; 4 Stroke; Vertical; (Honda); OHV					
4.3hp;GXV160	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
39518; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV					
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Blower/Vacuum/Water Sprayer					
3091					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
30941					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
62901					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
BP6900					
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in	
Cultivator					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in	



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Toro					
Debris Loader					
(Onan)					
	909 / RS17YX	---	---	0.025in	
Dethatcher					
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Edger					
(Suzuki)					
3.5hp	806 / L92YC	---	---	0.030in	
53030					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
Hedge Trimmer					
53040					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
Lawn Mower					
(GTS)					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
(Kawasaki); OHV					
4.5hp;FJ180V KAI	322 / RN11YC4	302 / N11YC	322ECO	0.031in	
6hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Lawn-Boy)					
6.5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
(Suzuki)					
	415 / RN9YC	863 / RCJ8Y	415ECO	0.030in	
(Tecumseh)					
4hp;TVS	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
GXV-Series; 4 Stroke; Vertical; (Honda); OHV					
5.5hp;GXV160	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Vertical; V2; (Kawasaki); OHV					
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
Vertical; 36.8cid/603cc; V2; (Kawasaki); OHV					
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
20005 Recycler					
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
20016 Recycler					
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
20017 Recycler					
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
20047 Recycler					
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
20053 Super Recycler					
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Toro					
Lawn Mower					
20054 Super Recycler					
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
20055 Super Recycler					
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
20056 Super Recycler					
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
20057 Super Recycler					
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
20058 Super Recycler					
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
20070 Recycler					
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
20073 Recycler					
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
20330 3-in-1 High Wheel					
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
20331 3-in-1 High Wheel					
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
20332 Recycler					
6.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
20333 Recycler					
6.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
20334 Recycler					
6.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
20353 Recycler; (Briggs & Stratton); L-HEAD					
3/8in Reach Spark Plugs	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
20353 Recycler; (Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
3/8In Reach Spark Plugs	861 / J19LM	---	---	0.030in	
20353 Recycler; 4 Stroke; Exi; 163cc; 1 Cyl.; (Briggs & Stratton); OHV					
	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in	
Greensmaster 1000; (Kawasaki); OHV					
3.7hp	404 / RN12YC	38 / N12YC	322ECO	0.025in	
Lawn Tractor					
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in	
with 7/8in Diameter Threads	569 / W14	---	---	0.025in	
OHV					
120-4413	327 / RL87YC	934-1 / QL87YC	---	0.030in	
(Kawasaki)					
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
(Kawasaki); OHV					
13hp	404 / RN12YC	38 / N12YC	322ECO	0.025in	
14hp	404 / RN12YC	38 / N12YC	322ECO	0.025in	
(Kioritz)					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
(Kohler)					
10hp	854 / RH10C	844 / H10C	---	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Toro				
Lawn Tractor				
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.030in
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
17hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Mitsubishi)				
24hp	405 / RN14YC	3405 / RN14PMC	---	0.035in
27hp	405 / RN14YC	3405 / RN14PMC	---	0.035in
(Onan)				
B48G	909 / RS17YX	---	---	0.030in
16hp	909 / RS17YX	---	---	0.025in
20hp	909 / RS17YX	---	---	0.025in
24hp	909 / RS17YX	---	---	0.025in
(Teledyne)				
R839	814 / RL82YC	328 / L82YC	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Wisconsin)				
AENLD	541 / RD16	516 / D16	---	0.030in
2 Cyl.; (Kawasaki); OHV				
19hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
2 Cyl.; (Kohler)				
20hp	854 / RH10C	844 / H10C	---	0.030in
23hp	854 / RH10C	844 / H10C	---	0.030in
2 Cyl.; (Onan)				
NHB	123 / RN5C	120 / N5C	---	0.030in
V2; (Kawasaki)				
20hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
22hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
V2; (Kawasaki); OHV				
27hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
V2; (Kohler); OHV				
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp;ECH730	946 / QC12YC	982 / XC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;CH740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;ECH740	946 / QC12YC	982 / XC12YC	71ECO	0.030in
26.5hp;ECH749	946 / QC12YC	982 / XC12YC	71ECO	0.030in
34hp;ECV880	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
34hp;ECV940	344 / RC9YC	946 / QC12YC	71ECO	0.030in
V2; LPG; (Kohler); OHV				
22hp;PCV680	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Toro				
Lawn Tractor				
1.1L; (Ford)				
	415 / RN9YC	300 / N9YC	415ECO	0.035in
1.3L; (Ford)				
	304 / RS9YC	3401 / RS10PYC4	---	0.035in
4.1L (250cid); L6; (Chevrolet); OHV				
	113 / RV12C	---	---	0.030in
4 Stroke; Vertical; 30.1cid\493cc; V2; (Kawasaki); OHV				
15hp;FH500V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Command Pro; (Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 4 Stroke; 2 Cyl.; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 4 Stroke; V2; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	946 / QC12YC	982 / XC12YC	---	0.030in
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Horizontal; V2; (Kohler); OHV				
20.5hp;CH640	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Vertical; V2; (Kohler); OHV				
29hp;ECV749	946 / QC12YC	982 / XC12YC	71ECO	0.030in
34hp;CV940	946 / QC12YC	988 / XC10YC	---	0.030in
Command Pro; 4 Stroke; Vertical; V2; LPG; (Kohler); OHV				
24hp;PCV740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Magnum; (Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
Magnum; 2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vertical; V2; (Kawasaki); OHV				
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.031in
17hp;FH451V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
20.5hp;FX651V	405 / RN14YC	3405 / RN14PMC	---	0.031in
22hp;FS651V	405 / RN14YC	3405 / RN14PMC	---	0.031in
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.031in
24hp;FS691V	405 / RN14YC	3405 / RN14PMC	---	0.031in
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.031in
Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.031in
Vertical; 52cid\852cc; V2; (Kawasaki); OHV				
24.5hp;FX751V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Grandstand EFI 74583; V2; (Kohler); OHV				
25hp;ECH740	946 / QC12YC	982 / XC12YC	71ECO	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Toro				
Lawn Tractor				
Grandstand EFI 74588; V2; (Kohler); OHV				
23hp;ECH730	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Grandstand EFI 74589; V2; (Kohler); OHV				
23hp;ECH730	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Mower				
(Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.020in
120000	71 / RC12YC	946 / QC12YC	71ECO	0.020in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Kohler)				
6.25hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Tecumseh)				
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Kawasaki); OHV				
25hp	405 / RN14YC	3405 / RN14PMC	---	0.025in
Courage XT Series; 4 Stroke; Vertical; (Kohler); OHV				
	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.028in
Horizontal; (Kawasaki); OHV				
4hp;FD120D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Vertical; (Tecumseh)				
4hp;OVRM40	104 / RN4C	803 / N4C	---	0.030in
Vertical; V2; (Kawasaki); OHV				
21.5hp;FR651V	405 / RN14YC	3405 / RN14PMC	---	0.031in
Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.031in
21" Commercial 22289; OHV				
	327 / RL87YC	934-1 / QL87YC	---	0.030in
21" Commercial 22290; Vertical; (Kawasaki); OHV				
6hp;FJ180V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
21" Commercial 22295; GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
4.3hp;GXV160	322 / RN11YC4	302 / N11YC	322ECO	0.030in
21" Commercial 22296; GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
4.3hp;GXV160	322 / RN11YC4	302 / N11YC	322ECO	0.030in
21" Commercial 22297; (Kawasaki); OHV				
4.5hp;FJ180V KAI	322 / RN11YC4	302 / N11YC	322ECO	0.030in
21" Commercial 22298; (Kawasaki); OHV				
4.5hp;FJ180V KAI	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Toro					
Mower					
22" Personal Pace 20372; OHV					
TXP	327 / RL87YC	934-1 / QL87YC	---	0.030in	
22" Personal Pace Recycler 20374; OHV					
TXP	327 / RL87YC	934-1 / QL87YC	---	0.030in	
GrandStand 74534; Vertical; V2; (Kawasaki); OHV					
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
GrandStand 74536; Vertical; V2; (Kawasaki); OHV					
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
GrandStand 74574; Vertical; V2; (Kawasaki); OHV					
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
GrandStand 74575; Vertical; V2; (Kawasaki); OHV					
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
GrandStand 74576; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Mid Size Fixed Deck 30632; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV					
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Mid Size Fixed Deck 30672; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV					
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Mid Size Fixed Deck 30674; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV					
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Mid Size Fixed Deck 30678; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV					
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Mid Size Fixed Deck 39634; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV					
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Mid Size Fixed Deck 39638; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV					
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Mid Size Fixed Deck 39934; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV					
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Mid Size Fixed Deck 39938; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV					
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Mid Size Floating Deck 30488; Vertical; V2; (Kawasaki); OHV					
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Toro				
Mower				
Mid Size Floating Deck 30489; Vertical; V2; (Kawasaki); OHV				
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Mid Size Floating Deck 39074; Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV				
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Mid Size Floating Deck 39078; Vertical; V2; (Kawasaki); OHV				
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Turfmaster 30" 22200; Vertical; (Kawasaki); OHV				
6hp;FJ180V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Power Broom				
Command Pro; 4 Stroke; Horizontal; (Kohler); OHV				
7hp;CH270	71 / RC12YC	946 / QC12YC	71ECO	0.030in
38700; Horizontal; (Kohler); OHV				
7hp;CH270	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Power Rake				
33513; GXV-Series; 4 Stroke; Vertical; (Honda); OHV				
4.3hp;GXV160	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Power Rake/Vacuum				
Rake-O-Vac; 2 Cyl.; (Kohler)				
23hp	854 / RH10C	844 / H10C	---	0.030in
Rake-O-Vac; Command Series; 4 Stroke; V2; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Riding Reel Mower				
Parkmaster				
	406 / RV12YC	---	---	0.035in
Seeder				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Onan)				
20hp	909 / RS17YX	---	---	0.025in
24hp	909 / RS17YX	---	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
Horizontal; (Kohler); OHV				
7hp;CH270	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horizontal; (Robin); OHC				
9hp;EX27;Inc. Fl, All Season models	830 / RL86C	933-1 / QL86C	---	0.025in
Horizontal; (Subaru); OHC				
9hp;EX27	830 / RL86C	933-1 / QL86C	---	0.025in
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vertical; (Kawasaki); OHV				
6hp;FJ180V	322 / RN11YC4	302 / N11YC	322ECO	0.031in
Shredder				
	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Toro					
Slit Seeder					
33510; Horizontal; (Subaru); OHC					
9hp;EX27	830 / RL86C	933-1 / QL86C	---	0.025in	
33511; GXV-Series; 4 Stroke; Vertical; (Honda); OHV					
4.3hp;GXV160	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Spreader/Sprayer					
34215; Horizontal; (Subaru); OHC					
9hp;EX27	830 / RL86C	933-1 / QL86C	---	0.025in	
Tiller					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Trimmer					
51620					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
51638					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
51652					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
51653					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
51660					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
51675					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
51903					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
51906					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
51908					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
51909					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
51911					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
51916					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
51918					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	
51920					
	940 / RDZ19H	---	---	0.030in	
51926; OHV					
	940 / RDZ19H	---	---	0.030in	
53002					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
53003					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
53010					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
53011					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
53020					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
53041					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in	



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Toro					
Trimmer					
53201					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
TC1000					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
TC2000					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
TC3100					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
TC3500					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
TC5000					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Turf Equipment					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Onan)					
20hp	909 / RS17YX	---	---	0.025in	
24hp	909 / RS17YX	---	---	0.025in	
(Tecumseh)					
	856 / RJ17LM	845 / J17LM	861ECO	0.030in	
V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Horizontal; (Kohler); OHV					
7hp;CH270	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Horizontal; (Robin); OHC					
9hp;EX27;Inc. Fl, All Season models	830 / RL86C	933-1 / QL86C	---	0.025in	
Horizontal; (Subaru); OHC					
9hp;EX27	830 / RL86C	933-1 / QL86C	---	0.025in	
Vanguard; V2; (Briggs & Stratton)					
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vertical; (Kawasaki); OHV					
6hp;FJ180V	322 / RN11YC4	302 / N11YC	322ECO	0.031in	
Turf Sweeper					
(Onan)					
	909 / RS17YX	---	---	0.025in	
(Robin)					
22hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
V2; (Kohler); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Sand Pro					
	871 / RJ8C	841 / J8C	---	0.030in	
Utility Vehicle					
Workman 3100					
	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
Workman 3200					
	405 / RN14YC	3405 / RN14PMC	---	0.035in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Toro					
Utility Vehicle					
Workman 4200					
	405 / RN14YC	3405 / RN14PMC	---	0.035in	
Vacuum					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Zero-Turn Mower					
Direct Collect Z 8000 Series 74310; V2; (Kohler); OHV					
25hp;CH740	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Direct Collect Z 8000 Series 74311; V2; (Kohler); OHV					
25hp;CH740	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Direct Collect Z 8000 Series 74312; V2; (Kohler); OHV					
23hp;ECH730	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
Z Master EFI Series 74904; V2; (Kohler); OHV					
23hp;ECH730	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
Z Master EFI Series 74906; V2; (Kohler); OHV					
25hp;ECH740	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
Z Master EFI Series 74918; V2; (Kohler); OHV					
26.5hp;ECH749	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
Z Master EFI Series 74926; V2; (Kohler); OHV					
26.5hp;ECH749	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
Z Master EFI Series 74928; V2; (Kohler); OHV					
26.5hp;ECH749	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
Z Master EFI Series 74930; V2; (Kohler); OHV					
25hp;ECH740	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
Z Master EFI Series 74946; V2; (Kohler); OHV					
34hp;ECV880	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in	
Z Master EFI Series 74947; V2; (Kohler); OHV					
34hp;ECV880	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in	
Z Master EFI Series 74958; V2; (Kohler); OHV					
25hp;ECH740	946 / QC12YC	982 / XC12YC	71ECO	0.030in	
Z Master Turbo Force 2000 Series 74141; Vertical; V2; (Kawasaki); OHV					
21hp;FX651V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Z Master Turbo Force 2000 Series 74143; Vertical; V2; (Kawasaki); OHV					
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Z Master Turbo Force 2000 Series 74145; Vertical; 44.3cid/726cc; V2; (Kawasaki); OHV					
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Z Master Turbo Force 3000 Series 74925; Vertical; V2; (Kawasaki); OHV					
21hp;FX651V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Z Master Turbo Force 3000 Series 74955; V2; (Kohler); OHV					
25hp;CH740	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Z Master Turbo Force 3000 Series 74957; Vertical; 44.3cid/726cc; V2; (Kawasaki); OHV					
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Z Master Turbo Force 3000 Series 74958; V2; (Kohler); OHV					
25hp;ECH740	946 / QC12YC	982 / XC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Toro				
Zero-Turn Mower				
Z Master Turbo Force 3000 Series 74959; V2; (Kohler); OHV				
25hp;CH740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z Master Turbo Force 3000 Series 78953; Vertical; V2; (Kawasaki); OHV				
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z Master Turbo Force 5000 Series 74904; V2; (Kohler); OHV				
23hp;ECH730	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Z Master Turbo Force 5000 Series 74906; V2; (Kohler); OHV				
25hp;ECH740	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Z Master Turbo Force 5000 Series 74915; V2; (Kohler); OHV				
25hp;ECH740	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Z Master Turbo Force 5000 Series 74918; V2; (Kohler); OHV				
26.5hp;ECH749	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Z Master Turbo Force 5000 Series 74930; V2; (Kohler); OHV				
25hp;ECH740	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Z Master Turbo Force 5000 Series 74933; V2; LPG; (Kohler); OHV				
22hp;PCV680	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z Master Turbo Force 5000 Series 74934; V2; LPG; (Kohler); OHV				
22hp;PCV680	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z Master Turbo Force 5000 Series 74942; V2; (Kohler); OHV				
25hp;ECH740	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Z Master Turbo Force 5000 Series 74944; V2; (Kohler); OHV				
26.5hp;ECH749	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Z Master Turbo Force 6000 Series 74922; Vertical; V2; (Kawasaki); OHV				
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z Master Turbo Force 6000 Series 74923; Vertical; 52cid/852cc; V2; (Kawasaki); OHV				
24.5hp;FX751V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z Master Turbo Force 6000 Series 74924; Vertical; 44.3cid/726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z Master Turbo Force 6000 Series 74925; Vertical; V2; (Kawasaki); OHV				
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z Master Turbo Force 6000 Series 74926; V2; (Kohler); OHV				
26.5hp;ECH749	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Z Master Turbo Force 6000 Series 74927; Vertical; V2; (Kawasaki); OHV				
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z Master Turbo Force 6000 Series 74928; V2; (Kohler); OHV				
26.5hp;ECH749	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Z Master Turbo Force 6000 Series 74946; V2; (Kohler); OHV				
34hp;ECV940	344 / RC9YC	946 / QC12YC	71ECO	0.030in
Z Master Turbo Force 6000 Series 74947; V2; (Kohler); OHV				
34hp;ECV940	344 / RC9YC	946 / QC12YC	71ECO	0.030in
Z300; V2; (Kawasaki)				
19hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Toro				
Zero-Turn Mower				
Z334; V2; (Kawasaki)				
19hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Z4200; 2 Cyl.; (Kohler); DOHC				
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z4235; V2; (Kawasaki); OHV				
22hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z5030; Courage; V2; (Kohler); OHV				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Z5035; V2; (Kawasaki); OHV				
24hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
Z5060; Courage; V2; (Kohler); OHV				
25hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
ZX4800; Courage; V2; (Kohler); OHV				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZX5000; Professional Series; V2; (Briggs & Stratton); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZX5450; Courage; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZX6030; Courage; V2; (Kohler); OHV				
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ZX6050; V2; (Kawasaki); OHV				
26hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
Tow-A-Vac				
Pavement Vacuum				
(Honda); OHV				
6hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
(Kohler); OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Tecumseh)				
	846 / CJ14	---	846ECO	0.030in
Command Pro; (Kohler); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Trac Vac				
Commercial Chipper				
(Kohler); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Trac Vac				
Commercial Chipper				
Intek; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Dethatcher				
(Kohler); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vacuum				
(Kohler); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Trail Mate				
Edger				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Trams				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Trench Doctor				
Trencher				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Trench Master				
Edger				
(Honda); OHV				
10hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Wisconsin)				
6hp	830 / RL86C	933-1 / QL86C	---	0.025in
7.5hp	830 / RL86C	933-1 / QL86C	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Trencher				
(Honda); OHV				
10hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Wisconsin)				
6hp	830 / RL86C	933-1 / QL86C	---	0.025in
7.5hp	830 / RL86C	933-1 / QL86C	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Trencherman				
Trencher				
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Trench'N Edge				
Rotary Trencher				
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Trim Rite				
Edger				
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	
Trimmer				
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	
Trim-A-Lawn				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	
(U.S)				
	859 / RCJ7Y	853 / CJ7Y	843ECO	
Trimmer				
152501				
	863 / RCJ8Y	848 / CJ8Y	843ECO	
152525				
	863 / RCJ8Y	848 / CJ8Y	843ECO	
152536				
	863 / RCJ8Y	848 / CJ8Y	843ECO	
153001				
	872 / RDJ7Y	855 / DJ7Y	851ECO	
153500				
	863 / RCJ8Y	848 / CJ8Y	843ECO	
153502				
	863 / RCJ8Y	848 / CJ8Y	843ECO	
153503				
	863 / RCJ8Y	848 / CJ8Y	843ECO	
153504				
	863 / RCJ8Y	848 / CJ8Y	843ECO	
153535				
	863 / RCJ8Y	848 / CJ8Y	843ECO	
154900				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	
154902				
	863 / RCJ8Y	848 / CJ8Y	843ECO	
154949				
	863 / RCJ8Y	848 / CJ8Y	843ECO	
154950				
	863 / RCJ8Y	848 / CJ8Y	843ECO	
154950LE				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	
154950LW				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Trim-All				
Brush Cutter/Disc Mower				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Mitsubishi)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Edger				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
(Mitsubishi)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Trimmer				
(Mitsubishi)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Trim-It				
Edger				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Trimmer				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Trimmer				
Reel Mower				
(Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Rotary Mower				
(Honda)				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Troy-Bilt				
Blower/Vacuum/Water Sprayer				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Honda)				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1150 Series; 250cc; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
500e Series; OHV				
90000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
800 Series; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB2BPEC				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
TB2BV				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Blower/Vacuum/Water Sprayer				
TB2MB Jet				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
TB4BPEC				
	979 / RDZ4H	---	---	0.025in
TB4HBEC				
	979 / RDZ4H	---	---	0.025in
TB672 Jet Sweep; (Briggs & Stratton); OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Chipper Shredder Vacuum				
CSV065; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
CSV071; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Commercial Chipper				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
(Briggs & Stratton); OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Honda)				
1.5hp	808 / Z9Y	705 / P-RZ9HC	---	0.030in
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Lauson)				
	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Powermore); Troy-Bilt; Horizontal; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
1100 Series; Power Built; (Briggs & Stratton); OHV				
150000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1450 Series; 1 Cyl.; (Briggs & Stratton); OHV				
200000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Extended Life Series; V2; (Briggs & Stratton)				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GC-Series; Horizontal; (Honda); OHC				
4.6hp;GC160	415 / RN9YC	300 / N9YC	415ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Commercial Chipper				
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Intek; V2; (Briggs & Stratton); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton); OHV				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
CS4265; (Powermore); Troy-Bilt; Horizontal; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
CS4325; 1100 Series; Power Built; (Briggs & Stratton); OHV				
150000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CSV060; (Briggs & Stratton); L-HEAD				
120000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
CSV060; (Powermore); Troy-Bilt; Vertical; (MTD/Zongshen); OHV				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
CSV070; (Powermore); Troy-Bilt; Vertical; (MTD/Zongshen); OHV				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
CSV206; (Briggs & Stratton); OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Edger				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Honda)				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1150 Series; 250cc; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
500e Series; OHV				
90000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
800 Series; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25A-304-766; 4 Stroke; 27cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
25B-554D766; 158cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
25B-554E011; 158cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
25B-554E066; 158cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Edger				
25B-554F266; 158cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
25B-554F711; 158cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
TB 500; 79cc; 1 Cyl.; OHV				
1P51RU	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB 550; 140cc; 1 Cyl.; OHV				
5T65RUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
TB515				
	979 / RDZ4H	---	---	0.025in
TB515EC; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TB516EC				
	979 / RDZ4H	---	---	0.025in
TB554; 500e Series; OHV				
90000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TBE304; 4 Stroke; 27cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TBE500 25A-52MH766; 79cc; 1 Cyl.; OHV				
1P51RU	415 / RN9YC	300 / N9YC	415ECO	0.030in
TBE500 25A-55SD766; 140cc; 1 Cyl.; OHV				
5T65RUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
TBE515				
	940 / RDZ19H	---	---	0.030in
Garden Tractor				
14AP80TP766; 2 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14AV809H063; Intek; 2 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14AW809H063; Intek; 2 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Big Red Horse 14AA80TP711; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Big Red Horse 14AA80TP766; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Super Bronco 54 GT FAB; 2 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB2654; 2 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Hedge Trimmer				
TB25GHT; 1 Cyl.				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
TB25HT; 1 Cyl.				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
TB25HT; 2 Stroke; 1.52cid\25cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
Lawn Mower				
(Briggs & Stratton); OHV				
90000	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Lawn Mower				
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Tecumseh)				
5.5hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Powermore); Troy-Bilt; Vertical; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
675ex Series; (Briggs & Stratton); L-HEAD				
90000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
725ex Series; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
725exi Series; (Briggs & Stratton); L-HEAD				
100000	861 / J19LM	---	---	0.030in
725exi Series; (Briggs & Stratton); OHV				
100000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Powermore; Vertical; 9.70278cid\159cc; (Troy-Bilt (MTD/Zongshen)); OHV				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Professional Series 875; (Briggs & Stratton); OHV				
90000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB110; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.020in
TB115; (Briggs & Stratton); OHV				
90000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB120; Powermore; Vertical; 9.70278cid\159cc; (Troy-Bilt (MTD/Zongshen)); OHV				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
TB130; (Honda)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB200; 725ex Series; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
TB210; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
TB230; 725exi Series; (Briggs & Stratton); L-HEAD				
100000	861 / J19LM	---	---	0.030in
TB230; 725exi Series; (Briggs & Stratton); OHV				
100000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB240; GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB270ES; Powermore; Vertical; 9.70278cid\159cc; (Troy-Bilt (MTD/Zongshen)); OHV				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Lawn Mower				
TB280; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
TB280ES; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
TB330; 725exi Series; (Briggs & Stratton); L-HEAD				
100000	861 / J19LM	---	---	0.030in
TB330; 725exi Series; (Briggs & Stratton); OHV				
100000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB330XP; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB340; Powermore; Vertical; 9.70278cid\159cc; (Troy-Bilt (MTD/Zongshen)); OHV				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
TB360; Professional Series 875; (Briggs & Stratton); OHV				
90000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB370; 725exi Series; (Briggs & Stratton); L-HEAD				
100000	861 / J19LM	---	---	0.030in
TB370; 725exi Series; (Briggs & Stratton); OHV				
100000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB370XP; Professional Series 875; (Briggs & Stratton); OHV				
90000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB380ES; 675ex Series; (Briggs & Stratton); L-HEAD				
900000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
TBWC33XP; (Powermore); Troy-Bilt; Vertical; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Lawn Tractor				
(Briggs & Stratton); OHV				
11.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Briggs & Stratton); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
(Powermore); Troy-Bilt; Vertical; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
7000 Series; Vertical; V2; (Kohler); OHV				
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;KT740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage; 4 Stroke; Vertical; (Kohler); OHV				
17hp;SV530	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Courage; 4 Stroke; Vertical; V2; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional Series; V2; (Briggs & Stratton); OHV				
26hp;490000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13025; Command Series; 4 Stroke; Vertical; 1 Cyl.; (Kohler); OHV				
12.5hp;CV1259	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13026; Command Series; 4 Stroke; Vertical; 1 Cyl.; (Kohler); OHV				
12.5hp;CV1259	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Troy-Bilt					
Lawn Tractor					
13027 Suburban; Command Series; 4 Stroke; Vertical; 24.3cid\398cc; 1 Cyl.; (Kohler); OHV					
14hp;CV14	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13028 Suburban; Command Series; 4 Stroke; Vertical; 24.3cid\398cc; 1 Cyl.; (Kohler); OHV					
14hp;CV14	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13034; 1 Cyl.; (Briggs & Stratton); OHV					
13hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13035; 1 Cyl.; (Briggs & Stratton); OHV					
13hp;28M707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13036; 1 Cyl.; (Briggs & Stratton); OHV					
15hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13037; Vanguard; V2; (Briggs & Stratton); OHV					
16hp;303777	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13039; Vanguard; V2; (Briggs & Stratton); OHV					
16hp;303777	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13040; Vanguard; 34.75cid\570cc; V2; (Briggs & Stratton); OHV					
18hp;350777	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13053; 1 Cyl.; (Briggs & Stratton); OHV					
15hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13060; Horizontal; Magnum; 2 Cyl.; (Kohler)					
18hp;M18	25 / RV17YC	3018 / RV17PMC4	---	0.035in	
13062; K-Series; 2 Cyl.; (Kohler)					
20hp;KT20	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
13064 Suburban; Command Series; 4 Stroke; Vertical; 1 Cyl.; (Kohler); OHV					
12.5hp;CV1259	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13065 Suburban; Vanguard; V2; (Briggs & Stratton); OHV					
14hp;294777	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13066 Suburban; Vanguard; V2; (Briggs & Stratton); OHV					
16hp;303777	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13078; Vanguard; V2; (Briggs & Stratton); OHV					
16hp;303777	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13079; 1 Cyl.; (Briggs & Stratton); OHV					
15hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13080; 1 Cyl.; (Briggs & Stratton); OHV					
15hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13083; 1 Cyl.; (Briggs & Stratton); OHV					
15hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13084; Diamond Plus; 1 Cyl.; (Briggs & Stratton); OHV					
13hp;28M707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13085; 1 Cyl.; (Briggs & Stratton); OHV					
13hp;28M707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13086; 1 Cyl.; (Briggs & Stratton); OHV					
15hp;28M707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13095 LTX; 1 Cyl.; (Briggs & Stratton); OHV					
13hp;28M707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13096 LTX; 1 Cyl.; (Briggs & Stratton); OHV					
13.5hp;28M707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13097 LTX; 1 Cyl.; (Briggs & Stratton); OHV					
15.5hp;28N707	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Lawn Tractor				
13099; Vanguard; V2; (Briggs & Stratton); OHV				
16hp;303777	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13101; Vanguard; V2; (Briggs & Stratton); OHV				
16hp;303447	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1668R; H2; (Briggs & Stratton)				
16hp;402447	861 / J19LM	---	---	0.030in
1668R; H2; (Briggs & Stratton); L-HEAD				
16hp;402447	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3016HR ST 160; H2; (Briggs & Stratton)				
16hp;402707	861 / J19LM	---	---	0.030in
3016HR ST 160; H2; (Briggs & Stratton); L-HEAD				
16hp;402707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3114GR ST 140; H2; (Briggs & Stratton)				
14hp;400707	861 / J19LM	---	---	0.030in
3114GR ST 140; H2; (Briggs & Stratton); L-HEAD				
14hp;400707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3114HR ST 140; H2; (Briggs & Stratton)				
14hp;400707	861 / J19LM	---	---	0.030in
3114HR ST 140; H2; (Briggs & Stratton); L-HEAD				
14hp;400707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3212GR ST 120; 1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp;281707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3214GR ST 140; H2; (Briggs & Stratton)				
14hp;400707	861 / J19LM	---	---	0.030in
3214GR ST 140; H2; (Briggs & Stratton); L-HEAD				
14hp;400707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3214HR ST 140; H2; (Briggs & Stratton)				
14hp;400707	861 / J19LM	---	---	0.030in
3214HR ST 140; H2; (Briggs & Stratton); L-HEAD				
14hp;400707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3312GR ST 120; 1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp;281707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3312GRS ST 120; 1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp;281707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3312HR ST 120; 1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp;281707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3312HRS ST 120; 1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp;281707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
42" 13AD79KS563; Intek; 500cc; 1 Cyl.; (Briggs & Stratton); OHV				
17.5hp;31R90043	71 / RC12YC	946 / QC12YC	71ECO	0.030in
46" 13C878BT563; 547cc; 1 Cyl.; OHV				
4X90HUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
8654R; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;124782	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8655R; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;124787	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8655RS; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;124787	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8656R; 1 Cyl.; (Briggs & Stratton)				
5hp;124782	861 / J19LM	---	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Lawn Tractor				
8656R; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;124782	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8656R; Quantum; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;124787	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Bronco; 2 Cyl.; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Bronco; Courage; 4 Stroke; Vertical; (Kohler); OHV				
17hp;SV530	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Bronco 13A278KS066; 1 Cyl.; OHV				
4P90HU	415 / RN9YC	300 / N9YC	415ECO	0.030in
Bronco 13AV60KG011; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Bronco 13AV60KG066; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Bronco 13AV60KG211; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Bronco 13AV78KS011; 1 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Bronco 13AX78KS011; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Bronco 13AX78KS066; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Bronco 13BX78KS011; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Bronco 13BX78KS211; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Bronco 13WV78KS011; 1 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Bronco 13WV78KS211; 1 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Bronco 13WX78BS011; 1 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Bronco 13WX78KS011; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Bronco 13WX78KS066; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Bronco 13WX78KS211; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Bronco 13YX78KS011; 1 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Bronco 13YX78KS211; 1 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Bronco 42; Intek; 540cc; 1 Cyl.; (Briggs & Stratton); OHV				
19hp;33R877	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Bronco 42 Auto 13AK78BS011; 4 Stroke; 5400 Series; 1 Cyl.; (Kohler); OHV				
	---	---	810ECO	0.030in
Bronco 42X Auto 13A878BS066; 547cc; 1 Cyl.; OHV				
4X90HUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
Bronco 46 Auto 13AL78BT066; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Lawn Tractor				
Bronco 46B 13AT78BT066; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Bronco 46K; 4 Stroke; 5400 Series; 33cid\541cc; 1 Cyl.; (Kohler); OHV				
18hp;KS540	---	---	810ECO	0.030in
Bronco 46T; 679cc; 2 Cyl.; OHV				
4Q78HUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
Bronco 46X 13A878BT066; 547cc; 1 Cyl.; OHV				
4X90HUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
Bronco TB42CVT; 439cc; 1 Cyl.; OHV				
7T90HU	415 / RN9YC	300 / N9YC	415ECO	0.030in
Bronco TB46DLX; 547cc; 1 Cyl.; OHV				
4X90HUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
Horse 13AP61KP011; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horse 13AX79KT011; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horse 13AX79KT066; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horse 13BX79KT011; 1 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horse 13BX79KT211; 1 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horse 13WX79BT011; 1 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horse 13WX79KT011; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horse 13WX79KT066; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horse 13WX79KT211; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horse 42 Hydro 13A879BS066; 1 Cyl.; OHV				
4X90HU	415 / RN9YC	300 / N9YC	415ECO	0.030in
Horse XP 13CX79KT011; 1 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horse XP 13YX79KT011; 1 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horse XP 13YX79KT211; 1 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
LT FAB46 13A9A1KN066; 1 Cyl.; OHV				
9X90HU	415 / RN9YC	300 / N9YC	415ECO	0.030in
Mustang XP; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pony; (Briggs & Stratton); OHC				
17.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pony; (Briggs & Stratton); OHV				
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pony 13AM77KS011; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pony 13AN77KG011; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Lawn Tractor				
Pony 13AN77KG066; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pony 13AN77KG211; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pony 13AN77KS011; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pony 13AN77KS066; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pony 13AN77TG711; Courage; 1 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pony 13AN77TG766; Courage; 1 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pony 13WM77KS011; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pony 13WM77KS211; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pony 13WN77BS011; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pony 13WN77BS211; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pony 13WN77KS011; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pony 13WN77KS066; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pony 13WN77KS211; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pony 36; PowerBuilt; 344cc; 1 Cyl.; (Briggs & Stratton); OHV				
10.5hp;21R807	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pony 42; PowerBuilt; 540cc; 1 Cyl.; (Briggs & Stratton); OHV				
15.5hp;31R707	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pony 42B 13AM77BS066; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pony 42K; 4 Stroke; 5400 Series; 33cid\541cc; 1 Cyl.; (Kohler); OHV				
17hp;KS530	---	---	810ECO	0.030in
Pony 42T 13A277BS066; 420cc; 1 Cyl.; OHV				
4P90HUD	415 / RN9YC	300 / N9YC	415ECO	0.030in
Pony 42X 13A877BS066; 1 Cyl.; OHV				
4X90HU	415 / RN9YC	300 / N9YC	415ECO	0.030in
Pony TB42CVT; 439cc; 1 Cyl.; OHV				
7T90HU	415 / RN9YC	300 / N9YC	415ECO	0.030in
Range Rider 13AX60TH711; Courage; 1 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Range Rider 13AX61KG011; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Super Bronco; (Powermore); Troy-Bilt; Vertical; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Super Bronco; 7000 Series; Vertical; V2; (Kohler); OHV				
24hp;KT735;50 XP	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;KT740;54 XP	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Super Bronco 13A279KS066; 1 Cyl.; OHV				
4P90HU	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Troy-Bilt					
Lawn Tractor					
Super Bronco 13AX60KH011; 2 Cyl.; (Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Super Bronco 13AX60KH066; 2 Cyl.; (Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Super Bronco 13AX60KH211; 2 Cyl.; (Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Super Bronco 13BX60KH011; 2 Cyl.; (Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Super Bronco 13BX60TG711; 2 Cyl.; (Kohler); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Super Bronco 13BX60TG766; 2 Cyl.; (Kohler); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Super Bronco 13WQ93KP011; 2 Cyl.; (Kohler); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Super Bronco 42 Hydro 13A8A1BS066; 1 Cyl.; OHV					
4X90HU	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Super Bronco 42 XP 13A8A9BS066; 547cc; 1 Cyl.; OHV					
4X90HUA	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Super Bronco 46 Hydro 13AAA1BT066; 1 Cyl.; (Briggs & Stratton); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Super Bronco 46 XP 13AJA1BN066; 679cc; 2 Cyl.; OHV					
8Q78HUA	415 / RN9YC	300 / N9YC	415ECO	0.030in	
8Q78HUB	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Super Bronco 46 XP FAB 13APA1BN066; 4 Stroke; 5400 Series; 1 Cyl.; (Kohler); OHV					
	---	---	810ECO	0.030in	
Super Bronco 46DLX XP; 4 Stroke; Vertical; 7000 Series; 44.2cid/725cc; V2; (Kohler); OHV					
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Super Bronco 46DLX XP FAB; 4 Stroke; Vertical; 7000 Series; 44.2cid/725cc; V2; (Kohler); OHV					
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Super Bronco 46XP; 547cc; 1 Cyl.; OHV					
4X90HUB	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Super Bronco 50 13AQA2KQ011; 2 Cyl.; (Kohler); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Super Bronco 50 13WQA2KQ011; 2 Cyl.; (Kohler); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Super Bronco 50 XP 13AJABZ066; 679cc; 2 Cyl.; OHV					
8Q78HUA	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Super Bronco 50XP; 679cc; 2 Cyl.; OHV					
8Q78HUC	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Super Bronco 54 13AQA2KW011; 2 Cyl.; (Kohler); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Super Bronco 54 13WQA2KQ011; 2 Cyl.; (Kohler); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Super Bronco 54 13WQA2KW011; 2 Cyl.; (Kohler); OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Lawn Tractor				
Super Bronco 54 FAB 13AQAKA011; 2 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Super Bronco 54 Hydro 13AAA2BW066; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Super Bronco 54 XP 13AQA2BW011; 4 Stroke; 5400 Series; 1 Cyl.; (Kohler); OHV				
	---	---	810ECO	0.030in
Super Bronco 54XP; 4 Stroke; Vertical; 7000 Series; 44.2cid/725cc; V2; (Kohler); OHV				
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB1942; (Briggs & Stratton); OHV				
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB2142 13AL91KS066; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB2246; V2; (Briggs & Stratton); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB2246 13AT91KT066; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB2246 13WX91KT066; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB2246 Hydro Tractor 13AAA1KT066; 1 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB2350 13AAA1KQ066; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB2450; V2; (Kohler); OHV				
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB2454 13AAA2KW266; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB2654; Professional Series; V2; (Briggs & Stratton); OHV				
26hp;490000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB30R; (Briggs & Stratton); OHV				
10.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB30R; (Powermore); Troy-Bilt; Vertical; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB30R Hydro 13A721JD066; 382cc; 1 Cyl.; OHV				
7T84JUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB36; 382cc; 1 Cyl.; OHV				
7T84HW	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB42; 547cc; 1 Cyl.; OHV				
4X90HUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB42; (Powermore); Troy-Bilt; Vertical; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB42 13A278KS066; 1 Cyl.; OHV				
4P90HU	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB42 7-Speed 13A277KS066; 1 Cyl.; OHV				
4P90HUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB42 Hydro 13A879KS066; 1 Cyl.; OHV				
4P90HUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB46; (Briggs & Stratton); OHV				
19hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Lawn Tractor				
TB46 Hydro Tractor 13A879KT066; 1 Cyl.; OHV				
4X90HU	415 / RN9YC	300 / N9YC	415ECO	0.030in
Thoroughbred 13AX78KT066; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Thoroughbred 13WX78KT066; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Tuffy 13AV77KF066; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Tuffy 13WV77KF066; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Leaf Blower				
41AR51BP766; 2 Stroke; 51cc; 1 Cyl.				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
41AS99BS766; 2 Stroke; 25cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
41BR25BL766; 2 Stroke; 25cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
Jet Sweep; 1 Cyl.; OHV				
170-C0A	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-C0A-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
Jet Sweeper Vac; 1 Cyl.; OHV				
170-C0A	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB250B; 1.4cid\25cc; 1 Cyl.				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
TB25BP; 1 Cyl.				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
TB272V 41AR272V766; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
TB27BEC; 1 Cyl.				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
TB27BH 41AR27BH766; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
TB27BVEC; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
TB27VH 41AR27VH766; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
TB2BP; 1 Cyl.				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
TB2BVEC; 1 Cyl.				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
TB400; 2 Stroke; 25cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
TB430; 2 Stroke; 25cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
TB51BP; 2 Stroke; 51cc; 1 Cyl.				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Log Splitter				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Log Splitter				
(Briggs & Stratton); OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Honda)				
1.5hp	808 / Z9Y	705 / P-RZ9HC	---	0.030in
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Lauson)				
	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Powermore); Troy-Bilt; Horizontal; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
1100 Series; Power Built; (Briggs & Stratton); OHV				
150000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1450 Series; 1 Cyl.; (Briggs & Stratton); OHV				
200000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Extended Life Series; V2; (Briggs & Stratton)				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GC-Series; Horizontal; (Honda); OHC				
4.6hp;GC160	415 / RN9YC	300 / N9YC	415ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Intek; V2; (Briggs & Stratton); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton); OHV				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Log Splitter				
27 Ton; (Honda)				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
33 Ton; (Honda)				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
LS27; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
LS27; 4 Stroke; GCV-Series; Vertical; 9.8cid160cc; 1 Cyl.; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
LS33; 208cc; 1 Cyl.; OHV				
170-L0-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
LS33T; 1 Cyl.; OHV				
	322 / RN11YC4	415 / RN9YC	322ECO	0.030in
TB 25 LS; 1 Cyl.; OHV				
170-DU	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB27LS; (Powermore); Troy-Bilt; Horizontal; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB27LS; GC-Series; Horizontal; (Honda); OHC				
4.6hp;GC160	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB33LS; (Powermore); Troy-Bilt; Horizontal; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Mower				
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp;330000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Intek; 2 Cyl.; (Briggs & Stratton); OHV				
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Power Base				
Flex; 208cc; 1 Cyl.; OHV				
170-NU	415 / RN9YC	300 / N9YC	415ECO	0.030in
Power Head				
Flex; 12.6929cid208cc; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pruner				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Honda)				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1150 Series; 250cc; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
500e Series; OHV				
90000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
800 Series; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Rear Engine Rider Mower				
TB30B; PowerBuilt; 344cc; 1 Cyl.; (Briggs & Stratton); OHV				
10.5hp;21R707	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Troy-Bilt					
Rear Engine Rider Mower					
TB30R; 382cc; 1 Cyl.; OHV					
7T84JUA	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Shredder					
CV4310; 1 Cyl.; (Tecumseh)					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Sickle Bar					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Briggs & Stratton); OHV					
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
(Honda)					
1.5hp	808 / Z9Y	705 / P-RZ9HC	---	0.030in	
(Honda); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kohler); OHV					
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Lauson)					
	871 / RJ8C	841 / J8C	---	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
1 Cyl.; (Briggs & Stratton)					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in	
V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
(Powermore); Troy-Bilt; Horizontal; (MTD/Zongshen); OHV					
	415 / RN9YC	300 / N9YC	415ECO	0.030in	
1100 Series; Power Built; (Briggs & Stratton); OHV					
150000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
1450 Series; 1 Cyl.; (Briggs & Stratton); OHV					
200000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Extended Life Series; V2; (Briggs & Stratton)					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
GC-Series; Horizontal; (Honda); OHC					
4.6hp;GC160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Intek; V2; (Briggs & Stratton); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Sickle Bar				
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton); OHV				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Sickle Bar Mower				
34032; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp;121782	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
34033; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;122782	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
34034; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;126782	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
34035; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;126787	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
34061; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
34062; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
34063; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
34064; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
34337; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Sprayer				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Briggs & Stratton); OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Honda)				
1.5hp	808 / Z9Y	705 / P-RZ9HC	---	0.030in
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Lauson)				
	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Troy-Bilt					
Sprayer					
(Powermore); Troy-Bilt; Horizontal; (MTD/Zongshen); OHV					
	415 / RN9YC	300 / N9YC	415ECO	0.030in	
1100 Series; Power Built; (Briggs & Stratton); OHV					
150000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
1450 Series; 1 Cyl.; (Briggs & Stratton); OHV					
200000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Extended Life Series; V2; (Briggs & Stratton)					
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
GC-Series; Horizontal; (Honda); OHC					
4.6hp;GC160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
GX-Series; 4 Stroke; Horizontal; (Honda); OHV					
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Intek; V2; (Briggs & Stratton); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV					
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton); OHV					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
11356; 7.75cid; 1 Cyl.; (Briggs & Stratton)					
3hp;80232	861 / J19LM	---	---	0.030in	
11356; 7.75cid; 1 Cyl.; (Briggs & Stratton); L-HEAD					
3hp;80232	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
11371; 7.75cid; 1 Cyl.; (Briggs & Stratton)					
3hp;80232	861 / J19LM	---	---	0.030in	
11371; 7.75cid; 1 Cyl.; (Briggs & Stratton); L-HEAD					
3hp;80232	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
11385; 7.75cid; 1 Cyl.; (Briggs & Stratton)					
3hp;80232	861 / J19LM	---	---	0.030in	
11385; 7.75cid; 1 Cyl.; (Briggs & Stratton); L-HEAD					
3hp;80232	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Stump Grinder					
	415 / RN9YC	300 / N9YC	415ECO	0.030in	
(Honda)					
	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
1 Cyl.; (Briggs & Stratton)					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
1150 Series; 250cc; 1 Cyl.; (Briggs & Stratton)					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
500e Series; OHV					
90000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Stump Grinder				
800 Series; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Tiller				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Honda)				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1.5hp	808 / Z9Y	705 / P-RZ9HC	---	0.030in
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Lauson)				
	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Powermore); Troy-Bilt; Horizontal; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
1100 Series; Power Built; (Briggs & Stratton); OHV				
150000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1150 Series; 250cc; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1150 Series; 250cc; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
200000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1450 Series; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1450 Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1450 Series; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Tiller				
1450 Series; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
200000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
500e Series; OHV				
90000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
800 Series; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
200000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
800 Series; 205cc; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Extended Life Series; V2; (Briggs & Stratton)				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GC-Series; Horizontal; (Honda); OHC				
4.6hp;GC160	415 / RN9YC	300 / N9YC	415ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
18hp	71 / RC12YC	71 / RC12YC	71ECO	0.030in
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; V2; (Briggs & Stratton); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton); OHV				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
11078 Speedy Hoe; Vertical; 1 Cyl.; (Tecumseh)				
1.6hp;TC200	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
11381 Speedy Hoe; Vertical; 1 Cyl.; (Tecumseh)				
1.6hp;TC200	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
12001 Speedy Hoe; Vertical; 1 Cyl.; (Tecumseh)				
1.6hp;TC200	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
12060 Tuffy; Horizontal; 1 Cyl.; (Tecumseh)				
3hp;H30	840 / RCJ8	843 / CJ8	843ECO	0.030in
12061 Tuffy; Horizontal; 1 Cyl.; (Tecumseh)				
3hp;H30	840 / RCJ8	843 / CJ8	843ECO	0.030in
12077 Tuffy; Horizontal; 1 Cyl.; (Tecumseh)				
3hp;H30	840 / RCJ8	843 / CJ8	843ECO	0.030in
12103 Speedy Hoe; Vertical; 1 Cyl.; (Tecumseh)				
1.6hp;TC200	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
12155 Tuffy; Horizontal; 1 Cyl.; (Tecumseh)				
3hp;H30	840 / RCJ8	843 / CJ8	843ECO	0.030in
21A-662D066; 250cc; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Tiller				
21A-663E766; 1 Cyl.; (Tecumseh); OHV				
6.5hp	104 / RN4C	803 / N4C	---	0.030in
21A-682J066; 305cc; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
21A-683F766; 1 Cyl.; (Tecumseh); OHV				
8hp	104 / RN4C	803 / N4C	---	0.030in
21AE662H066; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
21AE663E766; 1 Cyl.; (Tecumseh); OHV				
6.5hp	104 / RN4C	803 / N4C	---	0.030in
21AE683F766; 1 Cyl.; (Tecumseh); OHV				
8hp	104 / RN4C	803 / N4C	---	0.030in
21AE683F766; 195cc; 1 Cyl.; (Tecumseh); OHV				
8hp	104 / RN4C	803 / N4C	---	0.030in
21BK225G766; 2 Stroke; 25cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
21C-655A766; 160cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Big Red; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Big Red; 1450 Series; 1 Cyl.; (Briggs & Stratton); OHV				
200000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Big Red 21AE682W766; XR1450 Professional Series; 306cc; 1 Cyl.; (Briggs & Stratton); OHV				
19N137;14.5 ft.-lbs. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Bronco; 1 Cyl.; OHV				
170-T0B	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-TU	415 / RN9YC	300 / N9YC	415ECO	0.030in
Bronco; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Bronco; (Powermore); Troy-Bilt; Horizontal; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Bronco; 800 Series; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Bronco Axis; 208cc; 1 Cyl.; OHV				
170-AUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
Bronco Axis; (Powermore); Troy-Bilt; Horizontal; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Bronco CRT; 208cc; 1 Cyl.; OHV				
170-AUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
Colt; 1 Cyl.; OHV				
170-V0B	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-VU	415 / RN9YC	300 / N9YC	415ECO	0.030in
Colt FT; 1 Cyl.; OHV				
170-VU	415 / RN9YC	300 / N9YC	415ECO	0.030in
Colt FT; 208cc; 1 Cyl.; OHV				
170-AU	415 / RN9YC	300 / N9YC	415ECO	0.030in
Colt FT; (Powermore); Troy-Bilt; Horizontal; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Tiller				
Colt FT 21B-34M8766; 208cc; 1 Cyl.; OHV				
170-AUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
Colt FT XP; 208cc; 1 Cyl.; OHV				
170-AUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
Colt XP; V2; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CRT; 1 Cyl.; (Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
CRT; 1 Cyl.; (Tecumseh); OHV				
5hp	104 / RN4C	803 / N4C	---	0.030in
FRT; 1 Cyl.; (Honda); OHV				
5.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Horse; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horse; 1450 Series; 1 Cyl.; (Briggs & Stratton); OHV				
200000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horse XP; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horse XP; Courage; 4 Stroke; Vertical; 36.43cid\597cc; 1 Cyl.; (Kohler); OHV				
20hp;SV601	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mustang Dual-Direction 21AB45M8766; 208cc; 1 Cyl.; OHV				
170-AUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
Pony; 1100 Series; Power Built; (Briggs & Stratton); OHV				
150000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pony 21A-492R766; Horizontal; 250cc; 1 Cyl.; (Briggs & Stratton); OHV				
15T202;11.5 ft.-lbs. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pony 21A-662G711; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pony 21A-662G766; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pony ES; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pony ES; 1100 Series; Power Built; (Briggs & Stratton); OHV				
150000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Proline CRT; 208cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Pro-Line FRT; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pro-Line FRT; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
Pro-Line FRT 21A-665B766; 1 Cyl.; (Honda); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Super Bronco				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Super Bronco; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Super Bronco; 208cc; 1 Cyl.; OHV				
170-AU	415 / RN9YC	300 / N9YC	415ECO	0.030in
170-AUA	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Tiller				
Super Bronco CRT; 1 Cyl.; (Tecumseh); OHV				
	104 / RN4C	803 / N4C	---	0.030in
Super Bronco CRT; 208cc; 1 Cyl.; OHV				
170-AUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB144; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TB146EC				
	979 / RDZ4H	---	---	0.025in
TB146EC; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TB225				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
TB225; 2 Stroke; 25cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
TBC304; 1.83cid\30cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
Tuffy CRT; 1 Cyl.; (Tecumseh); OHV				
	104 / RN4C	803 / N4C	---	0.030in
Vertical Tine; 208cc; 1 Cyl.; OHV				
170-AUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
Trimmer				
41AD252S766; 2 Stroke; 25cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
41AD25CB966; 2 Stroke; 25cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
41AD25SB966; 2 Stroke; 25cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
41AD304S766; 4 Stroke; 30cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
41CDZ25C766; 2 Stroke; 25cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
BCR4; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TB10CS; 2 Stroke; 1.9cid\31cc; 1 Cyl.				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
TB15CS; 1 Cyl.				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
TB2000; 1.37cid\22.5cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
TB2040XP; 1 Cyl.				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
TB2044XP				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
TB20CS				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
TB20DC; 1 Cyl.				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
TB21EC; 2 Stroke; 27cc; 1 Cyl.				
	---	---	851ECO	0.025in
TB22; 2 Stroke; 25cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Trimmer				
TB227XP; 1 Cyl.				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
TB22EC				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
TB252S; 2 Stroke; 25cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
TB25C; 2 Stroke; 1.52cid\25cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
TB25CB; 2 Stroke; 25cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
TB25CE; 2 Stroke; 1.52cid\25cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
TB25CEC; 1 Cyl.				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
TB25CH; 1 Cyl.				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
TB25CS; 1 Cyl.				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
TB25ET; 2 Stroke; 1 Cyl.				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
TB25S; 2 Stroke; 1.52cid\25cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
TB25SB; 2 Stroke; 25cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
TB25SEC; 1 Cyl.				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
TB25SH; 2 Stroke; 1.52cid\25cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
TB26CO; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TB26TB; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TB272BC; 1 Cyl.				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
TB272BC; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
TB277XP; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
TB27BC; 1 Cyl.				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
TB27BC; 2 Stroke; 1.52cid\25cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
TB27BC; 2 Stroke; 1.64cid\27cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
TB27PHEC; 1 Cyl.				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
TB3000; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
TB304BC; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TB304CEC; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Trimmer				
TB304H; 4 Stroke; 30cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TB304S; 4 Stroke; 30cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TB32EC				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
TB35EC; 1 Cyl.				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
TB4000; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TB415CS; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TB425CS; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TB425XP; 4 Stroke; 1.52cid\25cc; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TB42BC				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
TB465SS				
	979 / RDZ4H	---	---	0.025in
TB475SS; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TB490BC; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TB514CS; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TB514ES; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TB525CS				
	979 / RDZ4H	---	---	0.025in
TB525EC				
	979 / RDZ4H	---	---	0.025in
TB525ET; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TB539E; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TB575EC				
	979 / RDZ4H	---	---	0.025in
TB575SS				
	979 / RDZ4H	---	---	0.025in
TB590BC; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TB590EC				
	979 / RDZ4H	---	---	0.025in
TB6040; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TB6040XP				
	979 / RDZ4H	---	---	0.025in
TB6042XP				
	979 / RDZ4H	---	---	0.025in
TB6044XP				
	979 / RDZ4H	---	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Trimmer				
TB625EC; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TB635EC				
	979 / RDZ4H	---	---	0.025in
TB65SS; 1 Cyl.				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
TB675SEC; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TB685EC				
	979 / RDZ4H	---	---	0.025in
TB70CS				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
TB70FH; 1 Cyl.				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
TB70SS; 1 Cyl.				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
TB75SS; 1 Cyl.				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
TB80EC; 2 Stroke; 27cc; 1 Cyl.				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
TB90BC				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
TBP3160; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TBP6040; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
TBP6160; 1 Cyl.				
	979 / RDZ4H	---	---	0.025in
Vacuum				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
(Briggs & Stratton); OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Honda)				
1.5hp	808 / Z9Y	705 / P-RZ9HC	---	0.030in
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Lauson)				
	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Vacuum				
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Powermore); Troy-Bilt; Horizontal; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
1100 Series; Power Built; (Briggs & Stratton); OHV				
150000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1450 Series; 1 Cyl.; (Briggs & Stratton); OHV				
200000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Extended Life Series; V2; (Briggs & Stratton)				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GC-Series; Horizontal; (Honda); OHC				
4.6hp/GC160	415 / RN9YC	300 / N9YC	415ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp/GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Intek; V2; (Briggs & Stratton); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
24hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton); OHV				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Walk Behind Reel Mower				
5019; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp;80202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5020; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp;80202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Walk Behind Rotary Mower				
11300 Vacu-Cut; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;110707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp;110708	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11301 Vacu-Cut; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;110707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp;110708	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11A-426A066; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11A-426A711; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11A-426C211; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11A-426C266; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Walk Behind Rotary Mower				
11A-429R766; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11A-436M011; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11A-436M066; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11A-436N211; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11A-436N266; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11A-542Q711; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
11A-542Q766; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
11A-549Q766; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
11A-54K3066; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12A-264U011; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12A-264V211; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12A-446A711; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12A-449R766; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12A-466M011; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12A-466N211; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12A-466N266; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12A562Q711; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
12ABR27B766; 175cc; 1 Cyl.; (Briggs & Stratton); OHV				
115P02-0015	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12AE189D011; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12AE189E211; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12AG836E711; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12AG836E766; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12AI832Q711; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
12AI832Q766; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
12AI83K1066; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12AI83K2266; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Walk Behind Rotary Mower				
12AI869F011; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12AI869F066; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12AI869G211; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12AI86K1066; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12AI86K2266; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12AJ839F011; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12AJ839G211; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12AV556D766; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12AV556O711; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12AV565Q711; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
12AV569Q711; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
12AV569Q766; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
12AV834Q711; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
12AV834Q766; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
12AV838Q766; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
12AVB2A3766; 725exi Series; 163cc; 1 Cyl.; (Briggs & Stratton); OHV				
100000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
21" 11A-B1FQ563; 160cc; 1 Cyl.; (Honda); OHV				
GVC160	415 / RN9YC	300 / N9YC	415ECO	0.030in
21" 11A-B1MR563; 159cc; 1 Cyl.; OHV				
Z5X65MUC	322 / RN11YC4	302 / N11YC	322ECO	0.030in
34007; Vertical; 1 Cyl.; (Tecumseh)				
5.5hp;OVRM55	104 / RN4C	803 / N4C	---	0.030in
34020; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;122702	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
34036; Vertical; 1 Cyl.; (Tecumseh)				
5.5hp;VLV55	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
34037; Vertical; 1 Cyl.; (Tecumseh)				
5.5hp;VLV55	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
34038; 1 Cyl.; (Briggs & Stratton)				
8hp;195702	861 / J19LM	---	---	0.030in
34038; 1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp;195702	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
34039; 1 Cyl.; (Briggs & Stratton)				
8hp;195707	861 / J19LM	---	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Walk Behind Rotary Mower				
34039; 1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp;195707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
34066; Vertical; 1 Cyl.; (Tecumseh)				
5.5hp;VLV55	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
34067; Vertical; 1 Cyl.; (Tecumseh)				
5.5hp;VLV55	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
34068; 1 Cyl.; (Briggs & Stratton)				
8hp;195707	861 / J19LM	---	---	0.030in
34068; 1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp;195707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
34069; 1 Cyl.; (Briggs & Stratton)				
8hp;195707	861 / J19LM	---	---	0.030in
34069; 1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp;195707	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
34311; Europa; 1 Cyl.; (Briggs & Stratton); OHV				
6hp;099772	71 / RC12YC	946 / QC12YC	71ECO	0.030in
34313; Europa; 1 Cyl.; (Briggs & Stratton); OHV				
6hp;099772	71 / RC12YC	946 / QC12YC	71ECO	0.030in
34320; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4.0hp;12F802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
34320C; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4.0hp;12F802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
34321C; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4.0hp;12F802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8624R; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp;121702	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.0hp;12F802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8628RS; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;121702	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
TB 260 XP; 149cc; 1 Cyl.; OHV				
5R65MU	322 / RN11YC4	302 / N11YC	322ECO	0.030in
TB 300 XP; 159cc; 1 Cyl.; OHV				
5X65MUC	404 / RN12YC	38 / N12YC	322ECO	0.030in
TB 320; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB 360 XP; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB 380 XP; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB 390 ES; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB 410 XP; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB 430 XP; 196cc; 1 Cyl.; OHV				
5X70MUA	322 / RN11YC4	302 / N11YC	322ECO	0.030in
TB 450 XP; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB WC28; 1 Cyl.; OHV				
5P71RU	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB100; 140cc; 1 Cyl.; (Briggs & Stratton); OHV				
09P602	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Walk Behind Rotary Mower				
TB105; 140cc; 1 Cyl.; OHV				
5T65RUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
TB130 XP; 159cc; 1 Cyl.; OHV				
5X65MUC	404 / RN12YC	38 / N12YC	322ECO	0.030in
TB160; GCV-Series; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB160 21"; 160cc; 1 Cyl.; (Honda); OHV				
GVC160	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB160 XP 21"; 160cc; 1 Cyl.; (Honda); OHV				
GVC160	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB220; Powermore; Vertical; 9.70278cid\159cc; 1 Cyl.; (Troy-Bilt (MTD/Zongshen)); OHV				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
TB22TM; 140cc; 1 Cyl.; OHV				
5T65RUB	322 / RN11YC4	302 / N11YC	322ECO	0.030in
TB230; 1 Cyl.; OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
TB240; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB250; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB250 12AVA29Q711; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB260; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB270XP; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB290ES; 1 Cyl.; OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
TB350XP; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TB365XP; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
TB400XP; 1 Cyl.; OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
TB490XP; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Zero-Turn Mower				
Colt XP; 2 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mustang 42; 452cc; 1 Cyl.; OHV				
8P92ZU	415 / RN9YC	300 / N9YC	415ECO	0.030in
8P92ZUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
Mustang 42 XP; 2 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mustang 46 XP; 2 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mustang 50 XP; 2 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mustang 54 XP Zero-Turn; Courage; 4 Stroke; Vertical; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Zero-Turn Mower				
Mustang 54 Zero-Turn; Courage; 4 Stroke; Vertical; V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mustang Colt RZT 42; 2 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mustang Fit 34; 452cc; 1 Cyl.; OHV				
8P92ZU	415 / RN9YC	300 / N9YC	415ECO	0.030in
Mustang Pivot 46 Zero-Turn; Courage; 4 Stroke; Vertical; V2; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mustang RZT 50; 2 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mustang XP; 2 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mustang XP 42; 2 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mustang XP 46; 2 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mustang XP 46 FAB; 2 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mustang XP 50; 2 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mustang XP 50 FAB; 2 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mustang XP 54; 2 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mustang XP 60; 2 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mustang XP Pivot S 54; 2 Cyl.; (Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mustang Z42; 679cc; 2 Cyl.; OHV				
8Q78XU	415 / RN9YC	300 / N9YC	415ECO	0.030in
8Q78XUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
8Q78XUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
Mustang Z46; 679cc; 2 Cyl.; OHV				
8Q78XUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
8Q78XUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
Mustang Z46; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV				
22hp;KT725	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mustang Z50; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV				
23hp;KT730	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mustang Z54; 2 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mustang Z54 XP; 4 Stroke; Vertical; 7000 Series; 44.2cid\725cc; V2; (Kohler); OHV				
24hp;KT735	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mustang Zero-Turn; V2; (Briggs & Stratton); OHV				
24hp;46 XP	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Mustang Zero-Turn; Courage; 4 Stroke; Vertical; V2; (Kohler); OHV				
22hp;42 XP	71 / RC12YC	946 / QC12YC	71ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Zero-Turn Mower				
Mustang Zero-Turn; Courage; 4 Stroke; Vertical; V2; (Kohler); OHV				
25hp;50 XP	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RZT 42 17AA5AAG766; 2 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RZT 50 17AA5ABP766; 2 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Tru-Cut				
Edger				
(Honda)				
2.2hp	846 / CJ14	---	846ECO	0.030in
2.5hp	846 / CJ14	---	846ECO	0.030in
(Honda); OHV				
3.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Robin)				
4.2hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
2hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Mower				
(Honda)				
2.2hp	846 / CJ14	---	846ECO	0.030in
2.5hp	846 / CJ14	---	846ECO	0.030in
(Honda); OHV				
3.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Robin)				
4.2hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
2hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Reel Mower				
(Honda)				
3.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Tru-Cut				
Rotary Mower				
(Honda)				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
True-Test				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tuff Bilt				
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Turf Blazer				
Lawn Tractor				
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
18hp	854 / RH10C	844 / H10C	---	0.030in
(Wisconsin)				
18hp	541 / RD16	516 / D16	---	0.030in
2 Cyl.; (Kohler)				
23hp	854 / RH10C	844 / H10C	---	0.030in
192cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in
Turf Champ				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Turf Choice				
Sprayer				
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Turf King				
Trimmer				
TK2145				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Turf Power				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Turf Power				
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Turf Teq				
Commercial Chipper				
(Briggs & Stratton); L-HEAD				
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
18hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Tecumseh)				
18hp	104 / RN4C	803 / N4C	---	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton); OHV				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Shredder				
(Briggs & Stratton); L-HEAD				
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
18hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Tecumseh)				
18hp	104 / RN4C	803 / N4C	---	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton); OHV				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Turf Tracker				
Mower				
Command Series; 4 Stroke; 2 Cyl.; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Turf Vac					
Turf Vacuum					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kohler)					
	854 / RH10C	844 / H10C	---	0.030in	
(Wisconsin)					
	541 / RD16	516 / D16	---	0.030in	
1.6L; (Ford)					
	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Turfco					
Aerator					
(Clinton)					
	871 / RJ8C	841 / J8C	---	0.030in	
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
K-Series; (Kohler)					
14hp	854 / RH10C	844 / H10C	---	0.025in	
K-Series; 2 Cyl.; (Kohler)					
20hp	854 / RH10C	844 / H10C	---	0.025in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Dethatcher					
(Clinton)					
	871 / RJ8C	841 / J8C	---	0.030in	
(Honda); OHV					
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in	
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
K-Series; (Kohler)					
14hp	854 / RH10C	844 / H10C	---	0.025in	
K-Series; 2 Cyl.; (Kohler)					
20hp	854 / RH10C	844 / H10C	---	0.025in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Turfco				
Drill				
(Clinton)				
	871 / RJ8C	841 / J8C	---	0.030in
(Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
K-Series; (Kohler)				
14hp	854 / RH10C	844 / H10C	---	0.025in
K-Series; 2 Cyl.; (Kohler)				
20hp	854 / RH10C	844 / H10C	---	0.025in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Edger				
	854 / RH10C	844 / H10C	---	0.025in
14hp	854 / RH10C	844 / H10C	---	0.025in
(Clinton)				
	871 / RJ8C	841 / J8C	---	0.030in
(Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
	854 / RH10C	844 / H10C	---	0.025in
14hp	854 / RH10C	844 / H10C	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
K-Series; (Kohler)				
	854 / RH10C	844 / H10C	---	0.025in
14hp	854 / RH10C	844 / H10C	---	0.025in
K-Series; 2 Cyl.; (Kohler)				
20hp	854 / RH10C	844 / H10C	---	0.025in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Power Rake				
(Clinton)				
	871 / RJ8C	841 / J8C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Turfco				
Power Rake				
(Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
K-Series; (Kohler)				
14hp	854 / RH10C	844 / H10C	---	0.025in
K-Series; 2 Cyl.; (Kohler)				
20hp	854 / RH10C	844 / H10C	---	0.025in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Sod Cutter				
(Clinton)				
	871 / RJ8C	841 / J8C	---	0.030in
(Honda); OHV				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
K-Series; (Kohler)				
14hp	854 / RH10C	844 / H10C	---	0.025in
K-Series; 2 Cyl.; (Kohler)				
20hp	854 / RH10C	844 / H10C	---	0.025in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
TurfMaster				
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Turf-Til				
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
Turf-Trim				
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Ultra				
Commercial Chipper				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Honda)				
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Cultivator				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Honda)				
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Edger				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Honda)				
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ultra				
Lawn Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
4.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Honda)				
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Shredder				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Honda)				
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Trimmer				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Honda)				
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Vac-Master				
Lawn Mower				
Remote Control				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Sweeper				
	840 / RCJ8	843 / CJ8	843ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Valley Industries					
Manure Handler					
Vanguard; V2; (Briggs & Stratton)					
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vandermolen Windmill					
Blower/Vacuum/Water Sprayer					
22					
	893 / RCJ4	849 / CJ6	852ECO	0.030in	
5-11KT					
	592 / RJ12C	511 / J11C	---	0.030in	
540BT					
	893 / RCJ4	849 / CJ6	852ECO	0.030in	
542BT					
	893 / RCJ4	849 / CJ6	852ECO	0.030in	
542BTx					
	893 / RCJ4	849 / CJ6	852ECO	0.030in	
850BTx					
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
856BT					
	893 / RCJ4	849 / CJ6	852ECO	0.030in	
88					
	893 / RCJ4	849 / CJ6	852ECO	0.030in	
Commercial Chipper					
D15					
	871 / RJ8C	841 / J8C	---	0.030in	
D17					
	893 / RCJ4	849 / CJ6	852ECO	0.030in	
D18					
	871 / RJ8C	841 / J8C	---	0.030in	
Hedge Trimmer					
F1824Cr					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
F1832Cr					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
F1848Cr					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
F2330CrHD					
	846 / CJ14	---	846ECO	0.030in	
F2330K					
	846 / CJ14	---	846ECO	0.030in	
F2360CrHD					
	846 / CJ14	---	846ECO	0.030in	
Trimmer					
L1840F/G					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
L1840K					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
L1845G					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
L2035G					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
L2415G					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Vandermolen Windmill				
Trimmer				
L2515K				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
L2515X				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
L2540K				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
L2815G				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
L2815G3				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
L2815K				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
L333563				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
L3335G				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
L3335G1				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
L4320K				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
X3335G				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Vann				
Log Splitter				
	871 / RJ8C	841 / J8C	---	0.030in
Vacuum				
	871 / RJ8C	841 / J8C	---	0.030in
Vari-Trac				
Lawn Tractor				
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Vaughn				
Lawn Tractor				
1/2in Reach -14 Pipe Threads 21mm Diameter Threads	425 / X	525 / 25	---	0.025in
with 7/8in Diameter Threads	569 / W14	---	---	0.025in
Vectra				
Lawn Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
16.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Vectra					
Lawn Tractor					
2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
Vemco					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Ventrac					
Lawn Tractor					
2 Cyl.; (Kawasaki); OHV					
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
25hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
27hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
58.7cid/962cc; 3 Cyl.; Gas; (Kubota)					
32.4hp;WG972	431 / RC14YC	946 / QC12YC	71ECO	0.026in	
Horizontal; V2; (Kawasaki); OHV					
26.8hp;FD851D-DFI	405 / RN14YC	3405 / RN14PMC	---	0.031in	
Vanguard; V2; (Briggs & Stratton); OHV					
20hp;380000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; Commercial Series; V2; (Briggs & Stratton); OHV					
31hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vermeer					
Aerator					
(Honda); OHV					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Commercial Chipper					
(Ford)					
300 GF	129 / RF10C	---	---	0.025in	
423 LSG	401 / RS12YC	9204 / RS12WYPB4	---	0.030in	
(Honda); OHV					
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki); OHV					
11.5hp;FE350D	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
12hp	854 / RH10C	844 / H10C	---	0.030in	
(Kohler); OHV					
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
(Wisconsin)					
4H4D	541 / RD16	516 / D16	---	0.030in	
SD12	541 / RD16	516 / D16	---	0.030in	
2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
2 Cyl.; (Onan)					
NHB	123 / RN5C	120 / N5C	---	0.025in	
V2; (Kohler); OHV					
23hp	431 / RC14YC	946 / QC12YC	71ECO	0.040in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Vermeer				
Commercial Chipper				
4 Cyl.; Gas; (Wisconsin)				
34hp;W4-1770	541 / RD16	516 / D16	---	0.030in
35hp	541 / RD16	516 / D16	---	0.030in
V4; (Wisconsin); OHV				
65hp;V465D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
134cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in
140cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in
172cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in
192cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in
225cid; (Chrysler)				
	406 / RV12YC	---	---	0.030in
98cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in
Command Pro; (Kohler)				
6hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
Magnum; (Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
Log Splitter				
(Ford)				
300 GF	129 / RF10C	---	---	0.025in
423 LSG	401 / RS12YC	9204 / RS12WYPB4	---	0.030in
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki); OHV				
11.5hp;FE350D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); OHV				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Wisconsin)				
4H4D	541 / RD16	516 / D16	---	0.030in
SD12	541 / RD16	516 / D16	---	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
2 Cyl.; (Onan)				
NHB	123 / RN5C	120 / N5C	---	0.025in
V2; (Kohler); OHV				
23hp	431 / RC14YC	946 / QC12YC	71ECO	0.040in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
4 Cyl.; Gas; (Wisconsin)				
34hp;W4-1770	541 / RD16	516 / D16	---	0.030in
35hp	541 / RD16	516 / D16	---	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Vermeer				
Log Splitter				
V4; (Wisconsin); OHV				
65hp;V465D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
134cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in
140cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in
172cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in
192cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in
225cid; (Chrysler)				
	406 / RV12YC	---	---	0.030in
98cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in
Command Pro; (Kohler)				
6hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
Magnum; (Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
Stump Grinder				
(Ford)				
300 GF	129 / RF10C	---	---	0.025in
423 LSG	401 / RS12YC	9204 / RS12WYPB4	---	0.030in
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki); OHV				
11.5hp;FE350D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); OHV				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Wisconsin)				
4H4D	541 / RD16	516 / D16	---	0.030in
SD12	541 / RD16	516 / D16	---	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
2 Cyl.; (Onan)				
NHB	123 / RN5C	120 / N5C	---	0.025in
V2; (Kohler); OHV				
23hp	431 / RC14YC	946 / QC12YC	71ECO	0.040in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
4 Cyl.; Gas; (Wisconsin)				
34hp;W4-1770	541 / RD16	516 / D16	---	0.030in
35hp	541 / RD16	516 / D16	---	0.030in
V4; (Wisconsin); OHV				
65hp;V465D	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Vermeer				
Stump Grinder				
134cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in
140cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in
172cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in
192cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in
225cid; (Chrysler)				
	406 / RV12YC	---	---	0.030in
98cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in
Command Pro; (Kohler)				
6hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
Magnum; (Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
Trencher				
(Ford)				
300 GF	129 / RF10C	---	---	0.025in
423 LSG	401 / RS12YC	9204 / RS12WYPB4	---	0.030in
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki); OHV				
11.5hp;FE350D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); OHV				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Wisconsin)				
4H4D	541 / RD16	516 / D16	---	0.030in
SD12	541 / RD16	516 / D16	---	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
2 Cyl.; (Onan)				
NHB	123 / RN5C	120 / N5C	---	0.025in
V2; (Kohler); OHV				
23hp	431 / RC14YC	946 / QC12YC	71ECO	0.040in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
4 Cyl.; Gas; (Wisconsin)				
34hp;W4-1770	541 / RD16	516 / D16	---	0.030in
35hp	541 / RD16	516 / D16	---	0.030in
V4; (Wisconsin); OHV				
65hp;V465D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
134cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Vermeer				
Trencher				
140cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in
172cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in
192cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in
225cid; (Chrysler)				
	406 / RV12YC	---	---	0.030in
98cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in
Command Pro; (Kohler)				
6hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
Horizontal; (Honda); OHV				
9hp	322 / RN11YC4	302 / N11YC	---	0.030in
Magnum; (Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
Verti-Drain				
Aerator				
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Lawn Tractor				
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Trencher				
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Victa				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vigor				
Brush Cutter/Disc Mower				
139F				
	808 / Z9Y	705 / P-RZ9HC	---	0.030in
1E36F				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Viking				
Lawn Tractor				
(Briggs & Stratton)				
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Viking					
Lawn Tractor					
(Briggs & Stratton); L-HEAD					
with 14mm Diameter Threads	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in	
(Wisconsin)					
	541 / RD16	516 / D16	---	0.025in	
Village 21					
Log Splitter					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in	
Village Blacksmith					
Auger					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Fogger					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Viper					
Tiller					
33970; 2 Stroke; 212cc; 1 Cyl.					
	415 / RN9YC	300 / N9YC	415ECO	0.030in	
Vogt					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vollrath					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Vulcan					
Lawn Mower					
(Tecumseh)					
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Wacker-Neuson					
Tamper					
11					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in	
12					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in	
13					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in	
14					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in	
Walker					
Lawn Tractor					
(Kawasaki); OHV					
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
11.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
16hp	25 / RV17YC	854 / RH10C	---	0.025in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Walker				
Lawn Tractor				
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kohler); OHC				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; (Kohler); OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
19hp;CH621	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22.5hp;CH680	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;CH740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp;ECH740	946 / QC12YC	982 / XC12YC	71ECO	0.030in
26hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V2; Gas; (Kohler); OHV				
25hp;PCH740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
599cc; 3 Cyl.; Gas; (Kubota)				
21hp;WG600-B	71 / RC12YC	946 / QC12YC	71ECO	0.030in
45.21cid\740cc; 3 Cyl.; Gas; (Kubota); OHV				
24.5hp;WG750-B	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Aegis; V2; (Kohler); OHV				
30hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
30hp;LH775	431 / RC14YC	946 / QC12YC	71ECO	0.030in
31hp;LH775	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Command Pro; V2; (Kohler); OHV				
23hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Horizontal; V2; (Kohler); OHV				
19hp;CH620	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; 4 Stroke; Horizontal; 42cid\694cc; V2; (Kohler); OHV				
19hp;ECH630	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Horizontal; (Subaru/Robin); OHC				
14hp;EX40	830 / RL86C	933-1 / QL86C	---	0.025in
Horizontal; V2; (Kohler); OHV				
19hp;CH18	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp;ECH730	946 / QC12YC	982 / XC12YC	71ECO	0.030in
29hp;ECH749	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Horizontal; Magnum; (Kohler)				
16hp;M16	854 / RH10C	844 / H10C	---	0.025in
Vanguard; Commercial Series; V2; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; V2; (Kawasaki); OHV				
15hp;FH430V	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
B19; V2; (Kohler); OHV				
19hp;CH621	71 / RC12YC	946 / QC12YC	71ECO	0.030in
B19; Horizontal; V2; (Kohler); OHV				
19hp;CH18	71 / RC12YC	946 / QC12YC	71ECO	0.030in
B23i; Horizontal; V2; (Kohler); OHV				
23hp;ECH730	946 / QC12YC	982 / XC12YC	71ECO	0.030in
B25p; V2; Gas; (Kohler); OHV				
25hp;PCH740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
C19i; Command Pro; 4 Stroke; Horizontal; 42cid\694cc; V2; (Kohler); OHV				
19hp;ECH630	946 / QC12YC	982 / XC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Walker				
Lawn Tractor				
H27i; Horizontal; V2; (Kohler); OHV				
26.5hp;ECH749	946 / QC12YC	982 / XC12YC	71ECO	0.030in
S14; Horizontal; 24.65cid\404cc; 1 Cyl.; (Subaru); OHC				
14hp;EX40	830 / RL86C	933-1 / QL86C	---	0.025in
T23; V2; (Kohler); OHV				
22.5hp;CH680	71 / RC12YC	946 / QC12YC	71ECO	0.030in
T25i; V2; (Kohler); OHV				
25hp;ECH740	946 / QC12YC	982 / XC12YC	71ECO	0.030in
T30i; Aegis; V2; (Kohler); OHV				
30hp;LH775	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Zero-Turn Mower				
B18; Vanguard; V2; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
C19; V2; (Kohler); OHV				
19hp;CH621	71 / RC12YC	946 / QC12YC	71ECO	0.030in
H25; V2; (Kohler); OHV				
25hp;CH740	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Ward Lakeside				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Ware				
Lawn Tractor				
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Webb				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Roller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Webster				
Deep Root Feeder				
(Tecumseh)				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
Weed Eater				
Blower/Vacuum/Water Sprayer				
1920				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1925				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1960				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
920				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
925				
	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Weed Eater				
Blower/Vacuum/Water Sprayer				
940				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
BV165				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
BV1650				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BV1800				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BV2000 Barracuda				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
FB25				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
FL1500 Featherlite				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
FL1500LE				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
GBI20				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
GBI22				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
GBI22V				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
GBI30				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
GBI30V				
	846 / CJ14	---	846ECO	0.030in
GE21				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
SB180 Twister				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
SV22				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
SV30 Barracuda				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
Twister				
	846 / CJ14	---	846ECO	0.030in
VS2000BV				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
Edger				
PE550				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
Hedge Trimmer				
GHT17				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
GHT180				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
GHT195				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
GHT22				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
GHT220 Excalibur				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Weed Eater				
Hedge Trimmer				
GHT225				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
Lawn Mower				
(Fuji)				
	814 / RL82YC	931-1 / QL82C	---	0.030in
(Kawasaki)				
	102 / RJ6C	823 / J6C	---	0.030in
(Kioritz)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Robin)				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.25hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.25hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
14.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
875 Series; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.020in
WE12538				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
WE14542				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
WE1642				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
WE18542				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
WE185H42				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Weed Eater One; 1 Cyl.; (Briggs & Stratton)				
8.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mower				
Model				
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
Stick Edger				
SE200 Stick Edger				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Weed Eater				
Tiller				
WEF550				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
WER500				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Trimmer				
1000				
	814 / RL82YC	931-1 / QL82C	---	0.030in
1400				
	846 / CJ14	---	846ECO	0.030in
1400T				
	846 / CJ14	---	846ECO	0.030in
1500				
	846 / CJ14	---	846ECO	0.030in
1600				
	846 / CJ14	---	846ECO	0.030in
1600T				
	846 / CJ14	---	846ECO	0.030in
1700				
	846 / CJ14	---	846ECO	0.030in
1700A				
	846 / CJ14	---	846ECO	0.030in
1740				
	846 / CJ14	---	846ECO	0.030in
1900				
	846 / CJ14	---	846ECO	0.030in
4000				
	846 / CJ14	---	846ECO	0.030in
5000				
	846 / CJ14	---	846ECO	0.030in
599				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
6000				
	846 / CJ14	---	846ECO	0.030in
609				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
698				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
BC2400				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC24B				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC24W				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
BC30B				
	846 / CJ14	---	846ECO	0.030in
BC3100				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
Featherlite				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
Featherlite XT200				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Weed Eater				
Trimmer				
FL20				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
FL20C				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
GTI15T				
	846 / CJ14	---	846ECO	0.030in
GTI16				
	846 / CJ14	---	846ECO	0.030in
GTI17C				
	846 / CJ14	---	846ECO	0.030in
GTI18KT				
	846 / CJ14	---	846ECO	0.030in
GTI18T				
	846 / CJ14	---	846ECO	0.030in
GTI19T				
	846 / CJ14	---	846ECO	0.030in
GTI52				
	846 / CJ14	---	846ECO	0.030in
HP22				
	846 / CJ14	---	846ECO	0.030in
HP28				
	846 / CJ14	---	846ECO	0.030in
HP30				
	846 / CJ14	---	846ECO	0.030in
LT7000				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
LT7500				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
PL200				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
PL500				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
Plus				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
Pro Trim				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
Prolite				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
SST				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
SST25				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SST25C				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SST45				
	846 / CJ14	---	846ECO	0.030in
TE400				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
TE475				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
Ultratrim				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Weed Eater				
Trimmer				
Wild Thing				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
XR100				
	846 / CJ14	---	846ECO	0.030in
XR105				
	846 / CJ14	---	846ECO	0.030in
XR125				
	846 / CJ14	---	846ECO	0.030in
XR20				
	846 / CJ14	---	846ECO	0.030in
XR200				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
XR30				
	846 / CJ14	---	846ECO	0.030in
XR50				
	846 / CJ14	---	846ECO	0.030in
XR70				
	846 / CJ14	---	846ECO	0.030in
XR75				
	846 / CJ14	---	846ECO	0.030in
XR80				
	846 / CJ14	---	846ECO	0.030in
XR90				
	846 / CJ14	---	846ECO	0.030in
XR95				
	846 / CJ14	---	846ECO	0.030in
XT100				
	846 / CJ14	---	846ECO	0.030in
XT125KT				
	846 / CJ14	---	846ECO	0.030in
XT125T				
	846 / CJ14	---	846ECO	0.030in
XT20T				
	846 / CJ14	---	846ECO	0.030in
XT25				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
XT260				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
XT300				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
XT30D				
	846 / CJ14	---	846ECO	0.030in
XT35				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
XT400				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
XT40T				
	846 / CJ14	---	846ECO	0.030in
XT50T				
	846 / CJ14	---	846ECO	0.030in
XT55				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Weed Eater				
Trimmer				
XT600				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
XT65				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
XT700				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
XT85T				
	846 / CJ14	---	846ECO	0.030in
XT90				
	846 / CJ14	---	846ECO	0.030in
Trimmer/Edger				
Twist'N Edge				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
Wegele				
Mower				
(Kohler); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Westhoffer				
Sprayer				
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Westwood				
Tiller				
Gemini				
	871 / RJ8C	841 / J8C	---	0.030in
Wheel Horse				
Lawn Mower				
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.030in
12hp	854 / RH10C	844 / H10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.030in
16hp	25 / RV17YC	854 / RH10C	---	0.025in
17hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
8hp	854 / RH10C	844 / H10C	---	0.030in
8hp;K181	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Onan)				
B43M	857 / RH18Y	---	---	0.030in
XLS	909 / RS17YX	---	---	0.025in
(Renault)				
	327 / RL87YC	934-1 / QL87YC	---	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Wheel Horse				
Lawn Tractor				
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	
2 Cyl.; (Kohler)				
20hp	854 / RH10C	844 / H10C	---	
Wheelburro				
Powered Wheelbarrow				
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	
Wheeler				
Lawn Mower				
(Tecumseh)				
5hp	871 / RJ8C	841 / J8C	---	
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	
Lawn Tractor				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	
Shredder				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	
Whipper Clipper				
Edger				
(Briggs & Stratton)				
	840 / RCJ8	---	---	
(Briggs & Stratton); L-HEAD				
	843 / CJ8	---	843ECO	
(Honda); OHV				
13hp	302 / N11YC	---	---	
4hp	322 / RN11YC4	302 / N11YC	322ECO	
5hp	322 / RN11YC4	302 / N11YC	322ECO	
Lawn Tractor				
(Honda); OHV				
13hp	322 / RN11YC4	---	322ECO	
5hp	322 / RN11YC4	302 / N11YC	322ECO	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Whipper Clipper				
Tiller				
(Honda); OHV				
13hp	302 / N11YC	---	---	0.030in
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Trimmer				
(Briggs & Stratton)				
	840 / RCJ8	---	---	0.030in
(Briggs & Stratton); L-HEAD				
	843 / CJ8	---	843ECO	0.030in
(Honda); OHV				
13hp	322 / RN11YC4	---	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Whirl Cut				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Whirler-Glide				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
White				
Commercial Chipper				
(Briggs & Stratton); L-HEAD				
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Onan)				
	909 / RS17YX	---	---	0.025in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); OHV				
13hp	104 / RN4C	803 / N4C	---	0.030in
5hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Edger				
(Briggs & Stratton); L-HEAD				
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
White					
Edger					
(Onan)					
	909 / RS17YX	---	---	0.025in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
(Tecumseh); OHV					
13hp	104 / RN4C	803 / N4C	---	0.030in	
5hp	104 / RN4C	803 / N4C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Lawn Mower					
(Tecumseh); OHV					
4.5hp	104 / RN4C	803 / N4C	---	0.030in	
5hp	104 / RN4C	803 / N4C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
4.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Lawn Tractor					
(Briggs & Stratton); L-HEAD					
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Onan)					
	909 / RS17YX	---	---	0.025in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
(Tecumseh); OHV					
13hp	104 / RN4C	803 / N4C	---	0.030in	
5hp	104 / RN4C	803 / N4C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
White				
Lawn Tractor				
1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Log Splitter				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Briggs & Stratton); L-HEAD				
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Onan)				
	909 / RS17YX	---	---	0.025in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); OHV				
13hp	104 / RN4C	803 / N4C	---	0.030in
5hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Shredder				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Briggs & Stratton); L-HEAD				
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Onan)				
	909 / RS17YX	---	---	0.025in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); OHV				
13hp	104 / RN4C	803 / N4C	---	0.030in
5hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
White					
Shredder					
1 Cyl.; (Briggs & Stratton); L-HEAD					
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Tiller					
(Briggs & Stratton); L-HEAD					
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Onan)					
	909 / RS17YX	---	---	0.025in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
(Tecumseh); OHV					
13hp	104 / RN4C	803 / N4C	---	0.030in	
4.5hp	104 / RN4C	803 / N4C	---	0.030in	
5hp	104 / RN4C	803 / N4C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Trimmer					
(Briggs & Stratton); L-HEAD					
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Onan)					
	909 / RS17YX	---	---	0.025in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
White				
Trimmer				
(Tecumseh); OHV				
13hp	104 / RN4C	803 / N4C	---	0.030in
5hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vacuum				
(Briggs & Stratton); L-HEAD				
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Onan)				
	909 / RS17YX	---	---	0.025in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); OHV				
13hp	104 / RN4C	803 / N4C	---	0.030in
5hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Whiz-Mow				
Lawn Mower				
	854 / RH10C	844 / H10C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
WIC					
Mulcher					
(Kohler)					
16hp	854 / RH10C	844 / H10C	---	0.030in	
Trimmer					
L1845G					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
L2035G					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
L2415G					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
L2525X					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
L3335G					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
X3335G					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Wikov					
Lawn Tractor					
(Honda); OHV					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
15.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
V2; (Honda); OHV					
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
Vanguard; V2; (Briggs & Stratton)					
15hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Spreader					
(Honda); OHV					
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki); OHV					
11.1hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Trimmer					
(Honda); OHV					
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Winds					
Spreader					
(Kohler)					
10hp	854 / RH10C	844 / H10C	---	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Wink					
Portable Drill					
All Model(s)					
	931-1 / QL82C	811 / L82C	---	0.025in	
Wizard					
Edger					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Lawn Mower					
(Power Pak)					
	871 / RJ8C	841 / J8C	---	0.025in	
(Power Product Engine)					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
(Propulsion)					
VE901R	592 / RJ12C	511 / J11C	---	0.030in	
10.191cid\167cc; (Clinton)					
	840 / RCJ8	854 / RH10C	843ECO	0.025in	
Shredder					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Tiller					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Woerner					
Turf Installer					
V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
Wolf Garten					
Lawn Tractor					
(Tecumseh); OHV					
6hp	104 / RN4C	803 / N4C	---	0.030in	
Wood Pro					
Commercial Chipper					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
V2; (Kohler); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; 1 Cyl.; (Briggs & Stratton)					
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Woods					
Commercial Chipper					
(Kohler)					
12hp	854 / RH10C	844 / H10C	---	0.030in	
18hp	854 / RH10C	844 / H10C	---	0.030in	
(Onan)					
20hp	909 / RS17YX	---	---	0.025in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Woods				
Commercial Chipper				
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
V2; (Kawasaki)				
20hp	846 / CJ14	---	846ECO	0.025in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
599cc; 3 Cyl.; Gas; (Kubota)				
21hp;WG600-B	71 / RC12YC	946 / QC12YC	71ECO	0.030in
45.21cid\740cc; 3 Cyl.; Gas; (Kubota); OHV				
24.5hp;WG750-B	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; V2; (Briggs & Stratton)				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Lawn Tractor				
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
18hp	854 / RH10C	844 / H10C	---	0.030in
(Onan)				
20hp	909 / RS17YX	---	---	0.025in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
V2; (Kawasaki)				
20hp	846 / CJ14	---	846ECO	0.025in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
599cc; 3 Cyl.; Gas; (Kubota)				
21hp;WG600-B	71 / RC12YC	946 / QC12YC	71ECO	0.030in
45.21cid\740cc; 3 Cyl.; Gas; (Kubota); OHV				
24.5hp;WG750-B	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; V2; (Briggs & Stratton)				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Mower				
V2; (Kawasaki)				
20hp	846 / CJ14	---	846ECO	0.025in
Command Series; 4 Stroke; Horizontal; V2; (Kohler); OHV				
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horizontal; V2; (Kawasaki); OHV				
25hp;FH721D	405 / RN14YC	3405 / RN14PMC	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Woods					
Mower					
Vanguard; V2; (Briggs & Stratton); OHV					
23hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vertical; V2; (Kawasaki); OHV					
19hp	405 / RN14YC	3405 / RN14PMC	---	0.031in	
Shredder					
(Kohler)					
12hp	854 / RH10C	844 / H10C	---	0.030in	
16hp	854 / RH10C	844 / H10C	---	0.030in	
18hp	854 / RH10C	844 / H10C	---	0.030in	
(Onan)					
20hp	909 / RS17YX	---	---	0.025in	
2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
V2; (Kawasaki)					
20hp	846 / CJ14	---	846ECO	0.025in	
V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
599cc; 3 Cyl.; Gas; (Kubota)					
21hp;WG600-B	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
45.21cid\740cc; 3 Cyl.; Gas; (Kubota); OHV					
24.5hp;WG750-B	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; V2; (Briggs & Stratton)					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Tiller					
(Kohler)					
12hp	854 / RH10C	844 / H10C	---	0.030in	
16hp	854 / RH10C	844 / H10C	---	0.030in	
Woodsman					
Log Splitter					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Woodwards					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Worchester					
Lawn Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Lauson)					
	871 / RJ8C	841 / J8C	---	0.025in	
(Power Product Engine)					
	592 / RJ12C	511 / J11C	---	0.025in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Worchester					
Lawn Mower					
10.191cid\167cc; (Clinton)					
	592 / RJ12C	871 / RJ8C	---	0.030in	
WorldLawn					
Lawn Mower					
1350 Series; I/C; Intek; (Briggs & Stratton); OHV					
200000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
GXV-Series; 4 Stroke; Vertical; (Honda); OHV					
11hp;GXV340	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
13hp;GXV390	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
Intek; (Briggs & Stratton); OHV					
10.5hp;210000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
11.5hp;210000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
13.5hp;310000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vertical; 36.8cid\603cc; V2; (Kawasaki); OHV					
14.5hp;FS481V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
Lawn Tractor					
V2; (Briggs & Stratton); OHV					
26hp;490000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; V2; (Briggs & Stratton); OHV					
20hp;400000	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vertical; V2; (Kawasaki); OHV					
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
21hp;FH641V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
23hp;FH680V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
24hp;FS691V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
Vertical; 41.19cid\675cc; V2; (Kawasaki); OHV					
25hp;FH721V	405 / RN14YC	3405 / RN14PMC	---	0.025in	
Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23hp;FR691V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
Vertical; 52cid\852cc; V2; (Kawasaki); OHV					
24.5hp;FX751V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
Worthington					
Mower					
	541 / RD16	516 / D16	---	0.025in	
Wright					
Lawn Mower					
Vertical; V2; (Kawasaki); OHV					
15hp;FS541V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
Velke GC; 4 Stroke; Vertical; Confidant; V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Wright				
Lawn Mower				
Velke Gear; Vertical; V2; (Kawasaki); OHV				
FS	405 / RN14YC	3405 / RN14PMC	---	0.030in
Velke HC; 4 Stroke; Vertical; Confidant; V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Velke Hydro; Vertical; V2; (Kawasaki); OHV				
FS	405 / RN14YC	3405 / RN14PMC	---	0.030in
Velke LC; 4 Stroke; Vertical; Confidant; V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Lawn Tractor				
Sport X; Command Pro; V2; (Kohler)				
24.6hp	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
Sport X; Vertical; V2; (Kawasaki); OHV				
FX	405 / RN14YC	3405 / RN14PMC	---	0.030in
Stander; 4 Stroke; Vertical; Confidant; V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Stander; Vertical; V2; (Kawasaki); OHV				
FS	405 / RN14YC	3405 / RN14PMC	---	0.030in
FX	405 / RN14YC	3405 / RN14PMC	---	0.030in
Stander I; 4 Stroke; Vertical; Confidant; V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Stander I; Vertical; V2; (Kawasaki); OHV				
FS	405 / RN14YC	3405 / RN14PMC	---	0.030in
FX	405 / RN14YC	3405 / RN14PMC	---	0.030in
Stander X; Vertical; V2; (Kawasaki); OHV				
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Stander X; Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV				
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.030in
Mower				
(Kawasaki); OHV				
15hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
17hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
2 Cyl.; (Kawasaki); OHV				
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
23hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
23hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
4 Stroke; Vertical; Confidant; V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; V2; (Kohler)				
24.6hp	810 / RA8HC	7972 / RA8PHP	810ECO	0.030in
Command Pro; V2; (Kohler); OHV				
24.5hp	946 / QC12YC	982 / XC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in



LAWN & GARDEN EQUIPMENT
POUR ÉQUIPEMENT DE PELOUSE ET JARDIN
MOTORES DE CÉSPED Y JARDÍN

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Wright					
Mower					
Vanguard; V2; (Briggs & Stratton)					
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vertical; V2; (Kawasaki); OHV					
18.5hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
19hp;FS600V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
22hp;FX691V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
27hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
Vertical; 44.3cid\726cc; V2; (Kawasaki); OHV					
23.5hp;FX730V	405 / RN14YC	3405 / RN14PMC	---	0.031in	
Zero-Turn Mower					
Mid-Mount Z; Vertical; V2; (Kawasaki); OHV					
FX	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Stander ZK; 52cid\852cc; V2; (Kawasaki); OHV					
27hp;FX850V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
Stander ZK; Vertical; V2; (Kawasaki); OHV					
25.5hp;FX801V	405 / RN14YC	3405 / RN14PMC	---	0.030in	
ZTO; Vertical; V2; (Kawasaki); OHV					
FX	405 / RN14YC	3405 / RN14PMC	---	0.030in	
W-W Grinder					
Commercial Chipper					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Wisconsin)					
VH4D	541 / RD16	516 / D16	---	0.030in	
BC245E					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
BC250DL					
	893 / RCJ4	849 / CJ6	852ECO	0.030in	
BC260DUM					
	893 / RCJ4	849 / CJ6	852ECO	0.030in	
BC260DWM					
	893 / RCJ4	849 / CJ6	852ECO	0.030in	
BC324B					
	830 / RL86C	933-1 / QL86C	---	0.030in	
BC340FI					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
BC430DWM					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
BC430FWM					
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in	
Log Splitter					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
W-W Grinder				
Power Sprayer				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Wisconsin)				
VH4D	541 / RD16	516 / D16	---	0.030in
FBC12				
	830 / RL86C	933-1 / QL86C	---	0.030in
FBC26				
	830 / RL86C	933-1 / QL86C	---	0.030in
FBC33				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Shredder				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Wisconsin)				
VH4D	541 / RD16	516 / D16	---	0.030in
Yamaha				
Lawn Mower				
YML 466; OHV				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
YML446; OHV				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
YML553				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Lawn Tractor				
YT3600				
	322 / RN11YC4	302 / N11YC	322ECO	0.030in
YT5700				
	327 / RL87YC	934-1 / QL87YC	---	0.030in
YT6700				
	327 / RL87YC	934-1 / QL87YC	---	0.030in
YT6800				
	327 / RL87YC	934-1 / QL87YC	---	0.030in
Mower				
YBC20D				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.024in
YBC20S				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.024in
YBC30D				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.024in
YBC40D				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.024in
YBC50D				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.024in
YMS204				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Utility Vehicle				
Yamahauler				
	8812-1 / QA8HCC	810 / RA8HC	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Yard Machines				
Blower/Vacuum/Water Sprayer				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh); OHV				
12.5hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Commercial Chipper				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh); OHV				
12.5hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
300/450 Series; (Briggs & Stratton); L-HEAD				
900000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
550e (Silver) Series; (Briggs & Stratton); OHV				
90000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
550ex (Gold) Series; (Briggs & Stratton); OHV				
90000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Shredder				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh); OHV				
12.5hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Sprayer				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh); OHV				
12.5hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Yard Machines					
Sprayer					
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Stump Grinder					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh); OHV					
12.5hp	104 / RN4C	803 / N4C	---	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Trimmer					
41AD280					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in	
41ADY28					
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in	
Vacuum					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh); OHV					
12.5hp	104 / RN4C	803 / N4C	---	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
14.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Yard Marvel					
Aerator					
(Honda); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki)					
3.4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.7hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
(Kohler)					
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kohler); OHV					
5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Robin)					
5hp	830 / RL86C	933-1 / QL86C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Power Rake					
(Honda); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki)					
3.4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.7hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Yard Marvel				
Power Rake				
(Kohler)				
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Robin)				
5hp	830 / RL86C	933-1 / QL86C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Thatcher				
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
3.4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.7hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
(Kohler)				
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Robin)				
5hp	830 / RL86C	933-1 / QL86C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tiller				
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
3.4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.7hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
(Kohler)				
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Robin)				
5hp	830 / RL86C	933-1 / QL86C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Yard Pro				
Brush Cutter/Disc Mower				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Yard Pro					
Brush Cutter/Disc Mower					
1 Cyl.; (Briggs & Stratton); L-HEAD					
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
19hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
9hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Garden Tractor					
YGT18H46					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
YGT2046					
	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
YGT22H50					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Lawn Tractor					
(Briggs & Stratton); L-HEAD					
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kohler); OHV					
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
19hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
9hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
YP1342					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
YP1542					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
YP15H42					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
YP200					
	840 / RCJ8	843 / CJ8	843ECO	0.030in	
Tiller					
(Briggs & Stratton); L-HEAD					
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Yard Pro				
Tiller				
(Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
19hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
YRT55				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
YRT8				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
YRT9				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Trimmer				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
13hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
15hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
19hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
YP110				
	846 / CJ14	---	846ECO	0.030in
YP115				
	846 / CJ14	---	846ECO	0.030in
YP116				
	846 / CJ14	---	846ECO	0.030in
YP120				
	846 / CJ14	---	846ECO	0.030in
YP130				
	846 / CJ14	---	846ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Yard Pro				
Trimmer				
YP140				
	846 / CJ14	---	846ECO	0.030in
YP145				
	846 / CJ14	---	846ECO	0.030in
YP150				
	846 / CJ14	---	846ECO	0.030in
YP160				
	846 / CJ14	---	846ECO	0.030in
YP1846				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Yard Shark				
Commercial Chipper				
(Honda); OHV				
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Mulcher				
(Honda); OHV				
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Shredder				
(Honda); OHV				
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Yard Vac				
Blower/Vacuum/Water Sprayer				
(Honda); OHV				
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Robin)				
	830 / RL86C	933-1 / QL86C	---	0.030in
(Tecumseh)				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Yard Vac				
Edger				
(Honda); OHV				
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Robin)				
	830 / RL86C	933-1 / QL86C	---	0.030in
(Tecumseh)				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Thatcher				
(Honda); OHV				
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Robin)				
	830 / RL86C	933-1 / QL86C	---	0.030in
(Tecumseh)				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vacuum				
(Honda); OHV				
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Robin)				
	830 / RL86C	933-1 / QL86C	---	0.030in
(Tecumseh)				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Yardbeast				
Commercial Chipper				
2050; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2090; Horizontal; (Kohler); OHV				
14hp;CH440	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2510; Horizontal; (Subaru); OHC				
9hp;EX27	830 / RL86C	933-1 / QL86C	---	0.025in
3514; Horizontal; (Kohler); OHV				
14hp;CH440	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Yardman				
Blower/Vacuum/Water Sprayer				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kawasaki)				
	871 / RJ8C	841 / J8C	---	0.030in
(Kohler)				
16hp	854 / RH10C	844 / H10C	---	0.030in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Robin)				
	830 / RL86C	933-1 / QL86C	---	0.030in
(Tecumseh)				
12hp	830 / RL86C	933-1 / QL86C	---	0.030in
12.5hp	830 / RL86C	933-1 / QL86C	---	0.030in
3.5hp	871 / RJ8C	841 / J8C	---	0.030in
3.75hp	871 / RJ8C	841 / J8C	---	0.030in
4hp	871 / RJ8C	841 / J8C	---	0.030in
6hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); L-HEAD				
5hp	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); OHV				
16hp	104 / RN4C	803 / N4C	---	0.030in
5hp	104 / RN4C	803 / N4C	---	0.030in
5.5hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
H2; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Commercial Chipper				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kawasaki)				
	871 / RJ8C	841 / J8C	---	0.030in
(Kohler)				
16hp	854 / RH10C	844 / H10C	---	0.030in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Yardman					
Commercial Chipper					
(Robin)					
	830 / RL86C	933-1 / QL86C	---	0.030in	
(Tecumseh)					
12hp	830 / RL86C	933-1 / QL86C	---	0.030in	
12.5hp	830 / RL86C	933-1 / QL86C	---	0.030in	
3.5hp	871 / RJ8C	841 / J8C	---	0.030in	
3.75hp	871 / RJ8C	841 / J8C	---	0.030in	
4hp	871 / RJ8C	841 / J8C	---	0.030in	
6hp	871 / RJ8C	841 / J8C	---	0.030in	
8hp	871 / RJ8C	841 / J8C	---	0.030in	
(Tecumseh); L-HEAD					
5hp	871 / RJ8C	841 / J8C	---	0.030in	
(Tecumseh); OHV					
16hp	104 / RN4C	803 / N4C	---	0.030in	
5hp	104 / RN4C	803 / N4C	---	0.030in	
5.5hp	104 / RN4C	803 / N4C	---	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
H2; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Edger					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kawasaki)					
	871 / RJ8C	841 / J8C	---	0.030in	
(Kohler)					
16hp	854 / RH10C	844 / H10C	---	0.030in	
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kohler); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Robin)					
	830 / RL86C	933-1 / QL86C	---	0.030in	
(Tecumseh)					
12hp	830 / RL86C	933-1 / QL86C	---	0.030in	
12.5hp	830 / RL86C	933-1 / QL86C	---	0.030in	
3.5hp	871 / RJ8C	841 / J8C	---	0.030in	
3.75hp	871 / RJ8C	841 / J8C	---	0.030in	
4hp	871 / RJ8C	841 / J8C	---	0.030in	
6hp	871 / RJ8C	841 / J8C	---	0.030in	
8hp	871 / RJ8C	841 / J8C	---	0.030in	
(Tecumseh); L-HEAD					
5hp	871 / RJ8C	841 / J8C	---	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Yardman				
Edger				
(Tecumseh); OHV				
16hp	104 / RN4C	803 / N4C	---	0.030in
5hp	104 / RN4C	803 / N4C	---	0.030in
5.5hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
H2; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Lawn Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Lawn Tractor				
1 Cyl.; (Briggs & Stratton)				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Log Splitter				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kawasaki)				
	871 / RJ8C	841 / J8C	---	0.030in
(Kohler)				
16hp	854 / RH10C	844 / H10C	---	0.030in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Robin)				
	830 / RL86C	933-1 / QL86C	---	0.030in
(Tecumseh)				
12hp	830 / RL86C	933-1 / QL86C	---	0.030in
12.5hp	830 / RL86C	933-1 / QL86C	---	0.030in
3.5hp	871 / RJ8C	841 / J8C	---	0.030in
3.75hp	871 / RJ8C	841 / J8C	---	0.030in
4hp	871 / RJ8C	841 / J8C	---	0.030in
6hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); L-HEAD				
5hp	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); OHV				
16hp	104 / RN4C	803 / N4C	---	0.030in
5hp	104 / RN4C	803 / N4C	---	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Yardman				
Log Splitter				
(Tecumseh); OHV				
5.5hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
H2; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
5.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Kawasaki)				
	871 / RJ8C	841 / J8C	---	0.030in
(Kohler)				
16hp	854 / RH10C	844 / H10C	---	0.030in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	---	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Robin)				
	830 / RL86C	933-1 / QL86C	---	0.030in
(Tecumseh)				
12hp	830 / RL86C	933-1 / QL86C	---	0.030in
12.5hp	830 / RL86C	933-1 / QL86C	---	0.030in
3.5hp	871 / RJ8C	841 / J8C	---	0.030in
3.75hp	871 / RJ8C	841 / J8C	---	0.030in
4hp	871 / RJ8C	841 / J8C	---	0.030in
6hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); L-HEAD				
5hp	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); OHV				
16hp	104 / RN4C	803 / N4C	---	0.030in
5hp	104 / RN4C	803 / N4C	---	0.030in
5.5hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Yardman				
Mower				
H2; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
675ex Series; Vertical; (Briggs & Stratton); L-HEAD				
120000	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
Command Series; 4 Stroke; Horizontal; V2; (Kohler); OHV				
18hp;CH18	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GC-Series; Horizontal; (Honda); OHC				
4.6hp;GC160	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Intek; (Briggs & Stratton); OHV				
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6.5hp;120600	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
18.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Intek; V2; (Briggs & Stratton); OHV				
22hp;407700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 44cid\724cc; V2; (Briggs & Stratton); OHV				
25hp;445700	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Power Sweeper				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kawasaki)				
	871 / RJ8C	841 / J8C	---	0.030in
(Kohler)				
16hp	854 / RH10C	844 / H10C	---	0.030in
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Robin)				
	830 / RL86C	933-1 / QL86C	---	0.030in
(Tecumseh)				
12hp	830 / RL86C	933-1 / QL86C	---	0.030in
12.5hp	830 / RL86C	933-1 / QL86C	---	0.030in
3.5hp	871 / RJ8C	841 / J8C	---	0.030in
3.75hp	871 / RJ8C	841 / J8C	---	0.030in
4hp	871 / RJ8C	841 / J8C	---	0.030in
6hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); L-HEAD				
5hp	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); OHV				
16hp	104 / RN4C	803 / N4C	---	0.030in
5hp	104 / RN4C	803 / N4C	---	0.030in
5.5hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Yardman					
Power Sweeper					
1 Cyl.; (Briggs & Stratton); OHV					
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
H2; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Shredder					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kawasaki)					
	871 / RJ8C	841 / J8C	---	0.030in	
(Kohler)					
16hp	854 / RH10C	844 / H10C	---	0.030in	
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kohler); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Robin)					
	830 / RL86C	933-1 / QL86C	---	0.030in	
(Tecumseh)					
12hp	830 / RL86C	933-1 / QL86C	---	0.030in	
12.5hp	830 / RL86C	933-1 / QL86C	---	0.030in	
3.5hp	871 / RJ8C	841 / J8C	---	0.030in	
3.75hp	871 / RJ8C	841 / J8C	---	0.030in	
4hp	871 / RJ8C	841 / J8C	---	0.030in	
6hp	871 / RJ8C	841 / J8C	---	0.030in	
8hp	871 / RJ8C	841 / J8C	---	0.030in	
(Tecumseh); L-HEAD					
5hp	871 / RJ8C	841 / J8C	---	0.030in	
(Tecumseh); OHV					
16hp	104 / RN4C	803 / N4C	---	0.030in	
5hp	104 / RN4C	803 / N4C	---	0.030in	
5.5hp	104 / RN4C	803 / N4C	---	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
H2; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Yardman					
Tiller					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kawasaki)					
	871 / RJ8C	841 / J8C	---	0.030in	
(Kohler)					
16hp	854 / RH10C	844 / H10C	---	0.030in	
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Kohler); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Robin)					
	830 / RL86C	933-1 / QL86C	---	0.030in	
(Tecumseh)					
12hp	830 / RL86C	933-1 / QL86C	---	0.030in	
12.5hp	830 / RL86C	933-1 / QL86C	---	0.030in	
3.5hp	871 / RJ8C	841 / J8C	---	0.030in	
3.75hp	871 / RJ8C	841 / J8C	---	0.030in	
4hp	871 / RJ8C	841 / J8C	---	0.030in	
6hp	871 / RJ8C	841 / J8C	---	0.030in	
8hp	871 / RJ8C	841 / J8C	---	0.030in	
(Tecumseh); L-HEAD					
5hp	871 / RJ8C	841 / J8C	---	0.030in	
(Tecumseh); OHV					
16hp	104 / RN4C	803 / N4C	---	0.030in	
5hp	104 / RN4C	803 / N4C	---	0.030in	
5.5hp	104 / RN4C	803 / N4C	---	0.030in	
1 Cyl.; (Briggs & Stratton); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
H2; (Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
V2; (Kohler); OHV					
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Vanguard; V2; (Briggs & Stratton)					
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Yardpro					
Lawn Mower					
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Yardsmith					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Yardster					
Lawn Mower					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	



Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Yark Bronc					
Lawn Tractor					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Tecumseh)					
	871 / RJ8C	841 / J8C	---	0.030in	
Yazoo					
Lawn Mower					
(Kawasaki)					
12.5hp	846 / CJ14	---	846ECO	0.025in	
(Kawasaki); OHV					
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Robin)					
EY18-3W	830 / RL86C	933-1 / QL86C	---	0.030in	
EY18W	830 / RL86C	933-1 / QL86C	---	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
9hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Yazoo/Kees					
Brush Cutter/Disc Mower					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Honda); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki)					
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
(Kawasaki); OHV					
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
18hp	854 / RH10C	844 / H10C	---	0.030in	
(Kohler); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Robin)					
EY18-3W	830 / RL86C	933-1 / QL86C	---	0.030in	
1 Cyl.; (Wisconsin)					
AGND	502 / D21	---	---	0.030in	
2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
23hp	854 / RH10C	844 / H10C	---	0.030in	
2 Cyl.; (Wisconsin)					
18.2hp;TJD	541 / RD16	516 / D16	---	0.030in	
V2; (Kawasaki)					
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
V2; (Kawasaki); OHV					
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Yazoo/Kees				
Brush Cutter/Disc Mower				
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vertical; (Honda); L-HEAD				
11hp;GV400	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Edger				
301				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
305				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
ET300				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Mower				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
18hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Robin)				
EY18-3W	830 / RL86C	933-1 / QL86C	---	0.030in
1 Cyl.; (Wisconsin)				
AGND	502 / D21	---	---	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
23hp	854 / RH10C	844 / H10C	---	0.030in
2 Cyl.; (Wisconsin)				
18.2hp;TJD	541 / RD16	516 / D16	---	0.030in
V2; (Kawasaki)				
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
V2; (Kawasaki); OHV				
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Yazoo/Kees					
Mower					
V2; (Kohler); OHV					
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vertical; (Honda); L-HEAD					
11hp;GV400	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
Pluggger					
(Briggs & Stratton); L-HEAD					
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
(Honda); OHV					
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kawasaki)					
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
(Kawasaki); OHV					
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
(Kohler)					
18hp	854 / RH10C	844 / H10C	---	0.030in	
(Kohler); OHV					
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in	
(Robin)					
EY18-3W	830 / RL86C	933-1 / QL86C	---	0.030in	
1 Cyl.; (Wisconsin)					
AGND	502 / D21	---	---	0.030in	
2 Cyl.; (Kohler)					
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in	
23hp	854 / RH10C	844 / H10C	---	0.030in	
2 Cyl.; (Wisconsin)					
18.2hp;TJD	541 / RD16	516 / D16	---	0.030in	
V2; (Kawasaki)					
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in	
V2; (Kawasaki); OHV					
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in	
V2; (Kohler); OHV					
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Intek; 1 Cyl.; (Briggs & Stratton); OHV					
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in	
Vanguard; V2; (Briggs & Stratton)					
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in	
Vertical; (Honda); L-HEAD					
11hp;GV400	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Yazoo/Kees				
Power Rake				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
18hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Robin)				
EY18-3W	830 / RL86C	933-1 / QL86C	---	0.030in
1 Cyl.; (Wisconsin)				
AGND	502 / D21	---	---	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
23hp	854 / RH10C	844 / H10C	---	0.030in
2 Cyl.; (Wisconsin)				
18.2hp;TJD	541 / RD16	516 / D16	---	0.030in
V2; (Kawasaki)				
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
V2; (Kawasaki); OHV				
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vertical; (Honda); L-HEAD				
11hp;GV400	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kawasaki)				
12.5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Kawasaki); OHV				
14hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
18hp	854 / RH10C	844 / H10C	---	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Yazoo/Kees				
Tiller				
(Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Robin)				
EY18-3W	830 / RL86C	933-1 / QL86C	---	0.030in
1 Cyl.; (Wisconsin)				
AGND	502 / D21	---	---	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
23hp	854 / RH10C	844 / H10C	---	0.030in
2 Cyl.; (Wisconsin)				
18.2hp;TJD	541 / RD16	516 / D16	---	0.030in
V2; (Kawasaki)				
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
20hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
V2; (Kawasaki); OHV				
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vertical; (Honda); L-HEAD				
11hp;GV400	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Trimmer				
YBC16				
	846 / CJ14	---	846ECO	0.030in
Yellowbird				
Tiller				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Yetter Rotary				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
York				
Lawn Mower				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Power Broom				
(Honda)				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Z-Cart				
Lawn Tractor				
V2; (Kawasaki)				
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
V2; (Kawasaki); OHV				
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Utility Vehicle				
V2; (Kawasaki)				
17hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
V2; (Kawasaki); OHV				
19hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Zenoah				
Auger				
FAG10				
	102 / RJ6C	823 / J6C	---	0.030in
Blower/Vacuum/Water Sprayer				
EB20				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
EB40				
	830 / RL86C	933-1 / QL86C	---	0.030in
EB43				
	830 / RL86C	933-1 / QL86C	---	0.030in
Brush Cutter/Disc Mower				
BC153E1				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
BC174E				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
BC234B				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
BC250DL				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
BC254E				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
BC260DUM				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
BC260DWM				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
BC324B				
	830 / RL86C	933-1 / QL86C	---	0.030in
BC430DWM				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
BC430FWM				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
BK340FI				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
FBC12				
	830 / RL86C	933-1 / QL86C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Zenoah				
Brush Cutter/Disc Mower				
FBC26				
	830 / RL86C	933-1 / QL86C	---	0.030in
FBC33				
	102 / RJ6C	823 / J6C	---	0.030in
Mister/Duster				
MD20AE				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
MD40AE				
	830 / RL86C	933-1 / QL86C	---	0.030in
Zipper				
Lawn Tractor				
2 Cyl.; (Briggs & Stratton); OHV				
31hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Zipper				
Lawn Tractor				
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Agway				
754				
	102 / RJ6C	823 / J6C	---	0.030in
PL-4				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
PL-5				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
PL-6				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Allis-Chalmers				
195				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
295				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
65				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
75				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
75A				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
95				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Alpina				
540i				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
600i				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
A330				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
A40				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
A438				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
A70				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
AP70				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
AP90				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P120				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P34S				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P400				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P41				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P45				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P450				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P540i				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Alpina				
P55				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P600i				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P65				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P700				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P800				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P90				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
American Brick Saw Co.				
(Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
6.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
9hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
Amerind-Mackissic				
9-P				
	871 / RJ8C	841 / J8C	---	0.030in
Best				
All Model(s); (Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
All Model(s); EC10; 98cc; 1 Cyl.; (Robin)				
3hp;with 2 Stroke	592 / RJ12C	511 / J11C	---	0.025in
Bolens				
(MTD/Powermore); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Remington RM5118R; Quickstart				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Remington RM5520R; Quickstart				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
RM2599				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Swiftly 3014				
	102 / RJ6C	823 / J6C	---	0.030in
Thrifty 3010				
	102 / RJ6C	823 / J6C	---	0.030in
Campbell-Hausfeld				
2000				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
3000				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
3001				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
3002				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Campbell-Hausfeld				
3003				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
Castor				
330				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
380				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
CP-41				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
CP-45				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Chief				
D15				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
D35				
	871 / RJ8C	841 / J8C	---	0.030in
E75				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
E95				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Clinton				
D15				
3hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
D25				
3hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
D35				
6hp	871 / RJ8C	841 / J8C	---	0.030in
D55				
6hp	871 / RJ8C	841 / J8C	---	0.030in
D65				
6hp	871 / RJ8C	841 / J8C	---	0.030in
E10				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
E75				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
E95				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Comet				
D-4				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
D-51				
	538 / RH8C	587 / H8C	---	0.030in
D-58				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Craftsman				
1.8				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1.9				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1.9 Beaver				
	860 / RDJ7J	851 / DJ6J	851ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
1.9PS				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2.0				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2.1				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2.1A				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2.5				
	860 / RDJ7J	851 / DJ6J	851ECO	0.030in
2.7				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
271-1.8				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
271-2.7A/VL				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3.5				
	860 / RDJ7J	851 / DJ6J	851ECO	0.030in
3.5/20				
	860 / RDJ7J	850 / DJ7J	851ECO	0.030in
3.6				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3.7				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
3.7A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
3.7PS				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
31197				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
316.350220; 2 Stroke; 3.36cid\55cc; 1 Cyl.				
	865 / RDJ8J	---	847ECO	0.025in
316.35084; 2 Stroke; 3.36cid\55cc; 1 Cyl.				
	865 / RDJ8J	---	847ECO	0.025in
316.350840; 2 Stroke; 3.36cid\55cc; 1 Cyl.				
	865 / RDJ8J	---	847ECO	0.025in
316.350850; 2 Stroke; 3.36cid\55cc; 1 Cyl.				
	865 / RDJ8J	---	847ECO	0.025in
316.350851; 2 Stroke; 3.36cid\55cc; 1 Cyl.				
	865 / RDJ8J	---	847ECO	0.025in
316.352001; 2 Stroke; 3.15cid\51cc; 1 Cyl.				
4.1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
316.381880; 2 Stroke; 2.8cid\46cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
3400				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3401				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3402				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
34071				
	840 / RCJ8	843 / CJ8	843ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
3408				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
34094				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3411				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3412				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3415				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3416				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3418				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3425				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3455				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3460				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3461				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3465				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3466				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3476				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3481				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35082				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35091				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35093				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35094				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35096				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35138				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
35147				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
35148				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
35171				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
35177				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
35187				
	893 / RCJ4	849 / CJ6	852ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
35201				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35202				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35203				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
352030				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35205				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35206				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
352060				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35207				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
352070				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35209				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
352090				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35211				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35215				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35232				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
352321				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
352351				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35238				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35251				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35255				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35256				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35263				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35265C				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35266				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35267				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35269				
	860 / RDJ7J	850 / DJ7J	851ECO	0.030in
35363				
	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
35365				
	860 / RDJ7J	850 / DJ7J	851ECO	0.030in
35366				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35367				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35369				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35371				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35372				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
35373				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
35373C				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35375				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
35376				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
35377C				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35481				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
35483				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
35484				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
35487				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
35505				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35506				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35512				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35514				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35515				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35516				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35607				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
35608				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
35609				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
35628				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
35633				
	893 / RCJ4	849 / CJ6	852ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
357120				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
357160				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35718				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
358.341900; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.341950; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.348211; 2 Stroke; 36cc; 1 Cyl.				
1.77hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
358.350060; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350080; 2 Stroke; 2.4cid\40cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350160; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350180; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350200; 2 Stroke; 2.8cid\46cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350201; 2 Stroke; 2.8cid\46cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350202; 2 Stroke; 2.8cid\46cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350203; 2 Stroke; 2.8cid\46cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350210; 2 Stroke; 2.8cid\46cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350260; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350270; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350280; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350360; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350370; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350380; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350460; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350461; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350462; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350480; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350481; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
358.350561; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350562; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350580; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350590; 2 Stroke; 2.4cid\40cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350600; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350601; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350660; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350670; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350671; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350801; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350802; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350810; 2 Stroke; 2.4cid\40cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350811; 2 Stroke; 2.4cid\40cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350820; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350821; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350830; 2 Stroke; 2.4cid\40cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350870; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350880; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350980; 2 Stroke; 3.1cid\50cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350982; 2 Stroke; 3.1cid\50cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350990; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.350991; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351040; 2 Stroke; 2.1cid\34cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351042; 2 Stroke; 2.1cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351060; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351061; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
358.351062; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351063; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351080; 2 Stroke; 2.4cid\40cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351081; 2 Stroke; 2.4cid\40cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351082; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351140; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351141; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351142; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351143; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351160; 2 Stroke; 2.4cid\40cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351161; 2 Stroke; 2.4cid\40cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351162; 2 Stroke; 2.4cid\40cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351180; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351182; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351191; 2 Stroke; 2.8cid\46cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351202; 2 Stroke; 3.3cid\54cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351210; 2 Stroke; 2.8cid\46cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351240; 2 Stroke; 3.7cid\60cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
358.351340; 2 Stroke; 2.0cid\33cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351380; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351440; 2 Stroke; 2.0cid\33cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351560; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351580; 2 Stroke; 2.4cid\40cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351600; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351610; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351700; 2 Stroke; 2.3cid\38cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
358.351701; 2 Stroke; 2.3cid\38cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351710; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351800; 2 Stroke; 2.4cid\40cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351810; 2 Stroke; 2.4cid\40cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351820; 2 Stroke; 2.4cid\40cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351900; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351901; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.351910; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.352161; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.352162; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.352181; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.352380; 2 Stroke; 2.3cid\38cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.352680; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.352681; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.353660; 2 Stroke; 2.3cid; 1 Cyl.				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
358.353670; 2 Stroke; 2.3cid; 1 Cyl.				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
358.353690; 2 Stroke; 2.3cid; 1 Cyl.				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
358.354830; 2 Stroke; 3.7cid\60cc; 1 Cyl.				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
358.354831; 2 Stroke; 3.7cid\60cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.354870; 2 Stroke; 3.7cid\60cc; 1 Cyl.				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
358.354871; 2 Stroke; 3.7cid\60cc; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.355060; 2 Stroke; 2.3cid; 1 Cyl.				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
358.355061; 2 Stroke; 2.3cid; 1 Cyl.				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
358.355070; 2 Stroke; 2.3cid; 1 Cyl.				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
358.355071; 2 Stroke; 2.3cid; 1 Cyl.				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
358.355141; 2 Stroke; 2.0cid; 1 Cyl.				
	840 / RCJ8	843 / CJ8	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
358.356070; 2 Stroke; 3.0cid; 1 Cyl.				
	893 / RCJ4	---	---	0.025in
358.356081; 2 Stroke; 3.0cid; 1 Cyl.				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
358.356180; 2 Stroke; 2.3cid\38cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.356230; 2 Stroke; 2.3cid\38cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.356241; 2 Stroke; 40cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.356242; 2 Stroke; 2.5cid\40cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.356280; 2 Stroke; 2.8cid; 1 Cyl.				
	893 / RCJ4	---	---	0.025in
358.356281; 2 Stroke; 2.8cid; 1 Cyl.				
	893 / RCJ4	---	---	0.025in
358.356330; 2 Stroke; 3.3cid; 1 Cyl.				
	893 / RCJ4	---	---	0.025in
358.356332; 2 Stroke; 3.3cid; 1 Cyl.				
	893 / RCJ4	---	---	0.025in
358.360100; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360101; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360120; 2 Stroke; 2.3cid\38cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360121; 2 Stroke; 2.3cid\38cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360130; 2 Stroke; 2.4cid\40cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360131; 2 Stroke; 2.4cid\40cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360150; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360151; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360170; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360171; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360180; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360260; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360280; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360360; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360361; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360380; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
358.360381; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360680; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360681; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360690; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360800; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360821; 2 Stroke; 2.3cid\38cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360830; 2 Stroke; 2.4cid\40cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360831; 2 Stroke; 2.4cid\40cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360850; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360870; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360871; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360880; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.360881; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.362180; 2 Stroke; 2.4cid\40cc; 1 Cyl.				
	965 / RZ7C	---	---	0.025in
358.362181; 2 Stroke; 2.4cid\40cc; 1 Cyl.				
	965 / RZ7C	---	---	0.025in
358.381600; 2 Stroke; 2.3cid\38cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.381700; 2 Stroke; 2.3cid\38cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.381800; 2 Stroke; 2.5cid\41cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358.382000; 2 Stroke; 2.5cid\41cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
358356				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
35881				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
358810				
	893 / RCJ4	---	---	0.030in
35883				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
358840				
	893 / RCJ4	---	---	0.030in
35885				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
358850				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
35886				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
358860				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35887				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
35889				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
35904				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
36096				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
36212				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
36235				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
4.3				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
4.5				
	860 / RDJ7J	851 / DJ6J	851ECO	0.030in
4.5/23				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
59716				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
59741				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
59816				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
59820				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
59886				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
59918				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
714.3A/VL				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
917.353730; 2 Stroke; 3.7cid; 1 Cyl.				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
917.353731; 2 Stroke; 3.7cid; 1 Cyl.				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
917.353770; 2 Stroke; 3.7cid; 1 Cyl.				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
917.353771; 2 Stroke; 3.7cid; 1 Cyl.				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
Barracuda				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
C944.411362; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
C944.411363; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
C944.411364; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
C944.411372; 2 Stroke; 2.2cid\36cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
C944.411420; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
C944.411462; 2 Stroke; 2.8cid\46cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
C944.414370; 2 Stroke; 2.4cid\40cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
C944.414420; 2 Stroke; 2.6cid\42cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
C944.414460; 2 Stroke; 2.8cid\46cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
CMXGSAMA421S ; 2 Stroke; 2.56cid\42cc; 1 Cyl.; (MTD)				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
CMXGSAMA426S; 2 Stroke; 2.56cid\42cc; 1 Cyl.; (MTD)				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
CMXGSAMY421S; 2 Stroke; 2.56cid\42cc; 1 Cyl.; (MTD)				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
D44				
	871 / RJ8C	841 / J8C	---	0.030in
D49				
	871 / RJ8C	841 / J8C	---	0.030in
S145 CMXGSAMNN4214; 2.56cid\42cc; 1 Cyl.; (MTD)				
	965 / RZ7C	---	---	0.025in
S160 CMXGSAMNN4216; 2 Stroke; 2.56cid\42cc; 1 Cyl.				
	965 / RZ7C	---	---	0.025in
S165 CMXGSAMCN4216; 2 Stroke; 2.56cid\42cc; 1 Cyl.; (MTD)				
	965 / RZ7C	---	---	0.025in
S180 CMXGSAMCX4218; 2 Stroke; 2.56cid\42cc; 1 Cyl.				
	965 / RZ7C	---	---	0.025in
S185 CMXGSAMCN4218; 2 Stroke; 2.56cid\42cc; 1 Cyl.; (MTD)				
	965 / RZ7C	---	---	0.025in
S205 CMXGSAMY462S; 2 Stroke; 46cc; 1 Cyl.; (MTD)				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Cub Cadet				
CS511; Pro				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
CS552; Pro				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
PS26				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
Cub Cadet Commercial				
CS3916				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
CS5018				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.028in
CS511; Pro				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
CS552; Pro				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Danarm				
110				
	871 / RJ8C	841 / J8C	---	0.030in
110 Auto				
	871 / RJ8C	841 / J8C	---	0.025in
125				
	871 / RJ8C	841 / J8C	---	0.030in
125 Auto				
	871 / RJ8C	841 / J8C	---	0.025in
1-36				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
1-36 MKII				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
1-36-SS				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
1-71				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
1-77-SS				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
2-36				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
2-36-SS				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
36AV				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
55				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
76				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Dayton				
2Z-461				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2Z-462				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2Z-463				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
2Z-463B				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2Z-573				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2Z-760				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2Z-970				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2Z-970B				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
2Z-971				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
4Z-022				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
4Z-023				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
4Z-023B				
	840 / RCJ8	843 / CJ8	843ECO	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Dayton				
4Z-109				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
4Z-109C				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
4Z-251				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
4Z-251A				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
4Z-252				
	893 / RCJ4	---	---	0.030in
Disston				
KB6AY				
	102 / RJ6C	823 / J6C	---	0.030in
KB7AY				
	102 / RJ6C	823 / J6C	---	0.030in
Ditch Devil				
(Honda)				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
9hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Robin)				
11hp	830 / RL86C	933-1 / QL86C	---	0.025in
9hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Ditcher Saw				
3hp;w/Homelite Super XL	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
5hp;w/Homelite XL98C	893 / RCJ4	849 / CJ6	852ECO	0.025in
Dolmar				
100				
13hp	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
100 Super				
	865 / RDJ8J	847 / DJ8J	847ECO	0.020in
102				
13hp	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
103				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
105				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
108				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
109				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
110				
13hp	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
110i				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
111				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
111i				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Dolmar				
112				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
113				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
114				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
115				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
115i				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
116				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
116Si				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
117				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
118				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
119				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
120				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
120 Super				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
120Si				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
122				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
123				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
128				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
128 KMS4 Rotary				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
133				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
133 Super				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
143				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
144				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
152				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
153				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
166				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
309				
	840 / RCJ8	843 / CJ8	843ECO	0.020in
309-1				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Dolmar				
310				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
343				
	840 / RCJ8	843 / CJ8	843ECO	0.020in
343-1				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
PC6114				
4.3hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
PC6212				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PC6214				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PC6412S				
3.1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PC6414S				
3.1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PC6430				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PC6435				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PC6530				
4.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PC6535				
4.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PC7312				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PC7314				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PC7330				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PC7335				
5.1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PC7412				
5.1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PC7414				
5.1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PC7430				
5.7hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PC7435				
5.7hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PC8216				
5.6hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PC8240				
6.1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PS32				
1.8hp	978 / RY4C	---	---	0.020in
PS34				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
PS340				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
PS341				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Dolmar				
PS342				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
PS35				
2.3hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
PS350				
2.2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PS351				
2.3hp	978 / RY4C	---	---	0.020in
PS400				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
PS401				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
PS420				
2.9hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PS421				
2.9hp	978 / RY4C	---	---	0.020in
PS45				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
PS450				
2.95hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PS460				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
PS510				
3.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PS5100S				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
PS5105				
3.9hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PS5105H				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
PS540				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
PS6000i				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
PS6100				
4.6hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
PS6400				
4.7hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PS6400H				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
PS6800i				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
PS7300				
5.7hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PS7310				
5.4hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
PS7310H				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
PS7900				
6.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
PS7910				
5.7hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Dolmar				
PS7910H				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
PS7910W				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
PS7910XD				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
PS9000				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
PS9010				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
PS9010i				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
Dr Powerwagon				
(Tecumseh)				
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Du-All				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Dynamark				
4201				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
4221				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
4222				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
4223				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
4241				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
4242				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
4243				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
4244				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
4421				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
4422				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Eaton				
8767				
	871 / RJ8C	841 / J8C	---	0.030in
8768-9				
	871 / RJ8C	841 / J8C	---	0.030in
8930				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
8932-3				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Echo				
100				
	840 / RCJ8	843 / CJ8	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Echo				
1001VL				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
2800				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
280E				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
280EP				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
2900				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
290EVL				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
290EVLP				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
3000				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
300EVL				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
301				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
302				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
302S				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
304				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
315				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
330				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
330EVL				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
330EVLP				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
3400				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
3450				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
351VL				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
3900				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
4000				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
4000EVLP				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
400EVL				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
410EVL				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
4400				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Echo				
440EVL				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
440EVL P				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
4500				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
451VL				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
452VL				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
4600				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
5000				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
500EVL				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
510EVL				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
5500				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
550EVL				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
601				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
601EVL				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
601S				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
601SVL				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
602EVL				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
602VL				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
60S				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
610EVL				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
610EVL; 2 Cyl.				
	859 / RCJ7Y	---	843ECO	0.025in
620VL				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
650EVL				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
650EVL P				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
660EVL				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
660EVL P				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
660VL				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Echo				
6700				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
701SVL				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
701VL				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
702EVL				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
702VL				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
750EVL				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
750EVL P				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
8000				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
801				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
802				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
80Z				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
852EVL				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
900EVL				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
CS271T				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS300				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS303T				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS305				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS306				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS310				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS330T				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS340				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS341				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS345				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS346				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS352				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS355T				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Echo				
CS360T				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS370				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS400				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS440				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS450				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS450P				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS500P				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS520				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS550P				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS590				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS600P				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS620P				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS620PW				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS670				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS680				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CS8000				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
CSG6700				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
QV670				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
QV6700				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
QV675				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
QV6750				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
QV8000				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
QV8050				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
S290				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Edco				
All Model(s); (Kohler)				
16hp	854 / RH10C	844 / H10C	---	0.030in
All Model(s); (Wisconsin)				
65hp	404 / RN12YC	38 / N12YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Edco				
All Model(s); 1 Cyl.; (Briggs & Stratton)				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
All Model(s); 1 Cyl.; (Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
All Model(s); 1 Cyl.; (Kohler)				
14hp	854 / RH10C	844 / H10C	---	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
All Model(s); 1 Cyl.; (Robin)				
11hp	306 / L86C	---	---	0.025in
5hp	306 / L86C	---	---	0.025in
All Model(s); 1 Cyl.; (Wisconsin)				
11hp	306 / L86C	---	---	0.025in
9hp	541 / RD16	516 / D16	---	0.030in
All Model(s); 2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
All Model(s); 2 Cyl.; (Wisconsin)				
18hp	541 / RD16	516 / D16	---	0.030in
All Model(s); 4 Cyl.; Gas; (Wisconsin)				
35hp	541 / RD16	516 / D16	---	0.030in
Efco				
1000TTA				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
132 S				
1.6hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
147				
3.1hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
152				
3.4hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
156				
4.1hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
165				
4.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
265TTA				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
935				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
940				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
951				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
956				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
962C				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
971				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
980TTA				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Efco				
981				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
MT 3500				
2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
MT 3600				
2.1hp	978 / RY4C	---	---	0.020in
MT 3750				
2.2hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
MT 4000				
2.4hp	978 / RY4C	---	---	0.020in
MT 4100 SP				
2.4hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
MT 4400				
2.9hp	965 / RZ7C	---	---	0.020in
MT 5200				
3.4hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
MT 6500				
4.7hp	893 / RCJ4	---	---	0.020in
MT 7200				
5.4hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MT 8200				
6hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
Elite				
(Honda)				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
6.5hp	830 / RL86C	933-1 / QL86C	---	0.030in
9hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler); OHV				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
(Robin)				
11hp	830 / RL86C	933-1 / QL86C	---	0.025in
5.5hp	830 / RL86C	933-1 / QL86C	---	0.025in
9hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9hp	431 / RC14YC	71 / RC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Evans				
All Model(s); (Wisconsin)				
65hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
All Model(s); 1 Cyl.; (Kohler)				
14hp	854 / RH10C	844 / H10C	---	0.025in
All Model(s); 710; 4.3cid\70.5cc; L1; (McCulloch)				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
All Model(s); 710A; 4.3cid\70.5cc; L1; (McCulloch)				
	871 / RJ8C	841 / J8C	---	0.025in
All Model(s); K181; 0.3L (18.6cid); L1; (Kohler); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
Everready				
All Model(s); (Briggs & Stratton)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
All Model(s); V460D; 2.5L (154cid); V4; (Wisconsin); OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
All Model(s); V461D; 2.5L (154cid); V4; (Wisconsin); OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
All Other Models with Wisconsin Engines; (Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
Farmer				
F55				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
F65				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Fastverdini				
All Model(s); (Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
All Model(s); 1 Cyl.; (Honda)				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Felker				
100				
	541 / RD16	516 / D16	---	0.025in
200				
	541 / RD16	516 / D16	---	0.025in
254				
	541 / RD16	516 / D16	---	0.025in
367				
	541 / RD16	516 / D16	---	0.025in
665				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
CCS-8H; GX240; 389cc; 1 Cyl.; (Honda); OHV				
8hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
PCS II; GX390; 389cc; 1 Cyl.; (Honda); OHV				
11.7hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Fitchburg				
C-12; Hi Torque; 3.8L (232cid); L6; (AMC); OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
C-15; Hi Torque; 3.8L (232cid); L6; (AMC); OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
C-6; Hi Torque; 3.8L (232cid); L6; (AMC); OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Fitchburg				
TW-6; (AMC)				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
TWC-612; (AMC)				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
TWC-915; 5L (304cid); V8; (AMC); OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
TWC-915; 5.9L (360cid); V8; (AMC); OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
Ford				
Eagle I				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Eagle II				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Hawk				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Forester				
CS-100				
	846 / CJ14	---	846ECO	0.030in
CS-350				
	846 / CJ14	---	846ECO	0.030in
CS-580				
	846 / CJ14	---	846ECO	0.030in
Frontier-TML (Quadra)				
Einhell				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
F35				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
F35VIP				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
FB35				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
FB35VIP				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Fercad				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Green B				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Mark I				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Pioneer				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Ranch				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Rocky				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Star Diffusion				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
V.I.P.				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Green Machine				
20				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Green Machine				
30				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
33				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
38				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
7100				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
7200				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
7400				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
7600				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
7700				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
HMC				
Green Machines; (Xenoah)				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
Hoffco				
(West Bend)				
	538 / RH8C	587 / H8C	---	0.030in
D4				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
D51				
	538 / RH8C	587 / H8C	---	0.030in
D58				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
S480				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
S510				
	538 / RH8C	587 / H8C	---	0.030in
Super 510				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Super 88				
	538 / RH8C	587 / H8C	---	0.030in
T4				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
T58				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Timberline T47				
	871 / RJ8C	841 / J8C	---	0.030in
Timberline T81				
	102 / RJ6C	823 / J6C	---	0.030in
Timberline TJM				
	102 / RJ6C	823 / J6C	---	0.030in
Homelite				
1000				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
1010				
	893 / RCJ4	849 / CJ6	852ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Homelite				
1050				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
1130G				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
150				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
180				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
190				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
192				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
200				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
2100 Super				
	893 / RCJ4	---	---	0.025in
2100S				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
240				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
245 HG				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
245 SL				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
250				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
252				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.020in
290				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
300				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
3100G				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
330				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
340				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
350				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
35SL				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
360				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
410				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
450				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
540				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
550				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Homelite				
650				
	893 / RCJ4	---	---	0.025in
750				
	893 / RCJ4	---	---	0.025in
8800				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
945				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
955				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
Big Red SXL				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
C72				
	102 / RJ6C	823 / J6C	---	0.025in
CS40				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
CS50				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
D3300				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
D3350B				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
D3800				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
D3850B				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
DM20				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
DM40				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
DM50				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
DM54				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
EZ				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
Little Red XL				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
LX30				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Mini Model				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
MP38				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
MP88				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
Old Blue SXL				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
Super 1050				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
Super 1130G				
	893 / RCJ4	849 / CJ6	852ECO	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Homelite				
Super 2				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
Super 2100S				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
Super 240				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
Super 3100G				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
Super EZ				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
Super EZ-AO				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
Super Wiz 55				
	102 / RJ6C	823 / J6C	---	0.025in
Super Wiz 66				
	102 / RJ6C	823 / J6C	---	0.025in
Super Wiz 80				
	871 / RJ8C	841 / J8C	---	0.025in
Super XL				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
Super XL-925				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
Super XL-AO				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
UT10640				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
UT10660				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
UT10680				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
V1944				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
V1955				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
VI123				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
VI-Super-2				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
XL				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
XL100A				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
XL12				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
XL123				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
XL2				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
XL660F				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
XL923				
	893 / RCJ4	849 / CJ6	852ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Homelite				
XL923A				
	893 / RCJ4	---	---	0.025in
XL924A				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
XL925				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
XL98D				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
XL-Mini				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
XL-Mini-Auto				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
Z2240b				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
Z3330				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
Z3350				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
Z3350B				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
Z3850B				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
Hud-Son Forest Equipment				
Oscar 18; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Oscar 28; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Hurst				
Jaws of Life				
	871 / RJ8C	841 / J8C	---	0.025in
Husqvarna				
1100CD				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
120; 35cc; 1 Cyl.				
1.93hp	965 / RZ7C	---	---	0.024in
1.93hp;10mm Diameter Threads	965 / RZ7C	---	---	
120; 38.2cc; 1 Cyl.				
1.88hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
1.88hp;14mm Diameter Threads	859 / RCJ7Y	853 / CJ7Y	843ECO	
120 II; 38.2cc; 1 Cyl.				
1.88hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
120 Mark II; 38cc; 1 Cyl.				
1.88hp	859 / RCJ7Y	---	843ECO	0.020in
125; 40cc; 1 Cyl.				
2hp	965 / RZ7C	---	---	0.024in
130; 38cc; 1 Cyl.				
2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.022in
135; 40.9cc; 1 Cyl.				
2.01hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
135 II; 38cc; 1 Cyl.				
2.1hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.022in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
135 Mark II; 38cc; 1 Cyl.				
2.1hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.022in
135e; 40.9cc; 1 Cyl.				
1.88hp	859 / RCJ7Y	---	843ECO	0.020in
136				
2.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
137; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.025in
140				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
140; 40.9cc; 1 Cyl.				
2hp	859 / RCJ7Y	---	843ECO	0.020in
140e; 40.9cc; 1 Cyl.				
2hp	859 / RCJ7Y	---	843ECO	0.020in
140e TrioBrake; 40.9cc; 1 Cyl.				
2hp	859 / RCJ7Y	---	843ECO	0.020in
140S				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
141				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
142; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.025in
154				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
16				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
160CD				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
160S				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
160SG				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
162; 61.5cc; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.020in
162FE				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
162FG				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
162SE				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
162SG				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
163S				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
163SE				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
165				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
165R				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
165RX				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
18				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
180S				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
181				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
185CD				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
1R				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
20PS				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
2100; 6cid\99cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.020in
2100CD				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
2100CDW				
	893 / RCJ4	849 / CJ6	852ECO	0.020in
2100CW				
	102 / RJ6C	823 / J6C	852ECO	0.020in
2101XP				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
2101XP; 5.9cid\99cc; 1 Cyl.				
	863 / RCJ8Y	---	843ECO	0.020in
22R				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
22RL				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
23 Compact				
2.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
235				
1.75hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
235e; 34cc; 1 Cyl.				
1.7hp	859 / RCJ7Y	---	843ECO	0.020in
235FR; 2.45cid\40.2cc; 1 Cyl.				
1.74hp	859 / RCJ7Y	---	843ECO	0.020in
235P				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
236e; 38cc; 1 Cyl.				
1.9hp	859 / RCJ7Y	---	843ECO	0.020in
238				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
24				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
240				
2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
2405				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
240e				
2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
240e TrioBrake; 38cc; 1 Cyl.				
2hp	859 / RCJ7Y	---	843ECO	0.020in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
240S				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
240SE				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
240SG				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
242; 42cc; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.020in
242XP; 42cc; 1 Cyl.				
4.1hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
244				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
245R				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
245RX				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
246; 46cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
250PS; 48.7cc; 1 Cyl.				
2.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
254XP; 54cc; 1 Cyl.				
3.9hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
257; 57cc; 1 Cyl.				
3.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
260				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
260CD				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
261				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
262XP; 62cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
262XPG				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
263CD				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
265RX				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
266; 66cc; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.020in
266; 2 Stroke; 66.7cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
266SE				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
266SG				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
266XP				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
268; 67cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
268K; 67cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
26RCL				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
272K; 72cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
272S; 72cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
272XP; 72cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
272XP; 72.2cc; 1 Cyl.				
4.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
272XPG; 72.2cc; 1 Cyl.				
4.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
280CD				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
280G				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
280S				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
281				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
281XP; 81cc; 1 Cyl.				
	852 / RCJ6Y	858 / CJ6Y	852ECO	0.020in
285CD				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
288XP; 87cc; 1 Cyl.				
	852 / RCJ6Y	858 / CJ6Y	852ECO	0.020in
3120K; 7.25cid\119cc; 1 Cyl.				
7.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
3120XP; 119cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
3130				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
32				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
323P4; 24.5cc; 1 Cyl.				
1.2hp	859 / RCJ7Y	---	843ECO	0.020in
325P5; 24.5cc; 1 Cyl.				
1.2hp	859 / RCJ7Y	---	843ECO	0.020in
326P4; 2 Stroke; 1.5cid\24.5cc; 1 Cyl.				
1.2hp	852 / RCJ6Y	---	852ECO	0.020in
326P5; 2 Stroke; 1.5cid\24.5cc; 1 Cyl.				
1.2hp	852 / RCJ6Y	---	852ECO	0.020in
326P5x				
	859 / RCJ7Y	---	843ECO	0.020in
327P4				
1.2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
327P5; 1.5cid\24.5cc; 1 Cyl.				
1.2hp	852 / RCJ6Y	---	852ECO	0.020in
327P5X				
1.2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
327PT5S				
1.2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
32R				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
32RCL				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
33				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
33; 2.1cid\34cc; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.024in
333RB Mark II; 32.6cc; 1 Cyl.				
1.3hp	852 / RCJ6Y	---	852ECO	0.026in
334T				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
335XP				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
335XPT				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
336; 2.15cid\35.2cc; 1 Cyl.				
2hp	859 / RCJ7Y	---	843ECO	0.020in
338XPT				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
339XP				
2.4hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
34				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
340				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
340e; 2.49cid\40.8cc; 1 Cyl.				
2.7hp	859 / RCJ7Y	---	843ECO	0.020in
340SE				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
340SG				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
345				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
345 TAC; 45cc; 1 Cyl.				
3hp	859 / RCJ7Y	---	843ECO	0.020in
345e; 2.75cid\45.0cc; 1 Cyl.				
3hp	859 / RCJ7Y	---	843ECO	0.020in
345e TrioBrake; 2.75cid\45cc; 1 Cyl.				
2.95hp	859 / RCJ7Y	---	843ECO	0.020in
346XP				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
346XP E-Tech				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
346XP TAC; 45cc; 1 Cyl.				
3.4hp	859 / RCJ7Y	---	843ECO	0.020in
346XP TrioBrake; 3.06cid\50.1cc; 1 Cyl.				
3.6hp	859 / RCJ7Y	---	843ECO	0.020in
346XPG				
3.7hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
346XPG E-tech; 50.1cc; 1 Cyl.				
3.6hp	859 / RCJ7Y	---	843ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
346XPG E-tech; 3.06cid\50.1cc; 1 Cyl.				
3.6hp	859 / RCJ7Y	---	843ECO	0.020in
35				
	102 / RJ6C	823 / J6C	852ECO	0.020in
350				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
351				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
351G; 3.0cid\49.4cc; 1 Cyl.				
3.1hp	859 / RCJ7Y	---	843ECO	0.020in
353				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
353 E-Tech				
3.3hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
353 TAC; 51.7cc; 1 Cyl.				
3.1hp	859 / RCJ7Y	---	843ECO	0.020in
353 TrioBrake; 3.15cid\51.7cc; 1 Cyl.				
3.2hp	859 / RCJ7Y	---	843ECO	0.020in
353G; 3.15cid\51.7cc; 1 Cyl.				
3.2hp	859 / RCJ7Y	---	843ECO	0.020in
353G E-tech; 3.15cid\51.7cc; 1 Cyl.				
3.2hp	859 / RCJ7Y	---	843ECO	0.020in
355; 3.3cid\54.7cc; 1 Cyl.				
3.5hp	859 / RCJ7Y	---	843ECO	0.020in
357XP				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
357XP E-tech; 3.45cid\56.5cc; 1 Cyl.				
5.9hp	859 / RCJ7Y	---	843ECO	0.020in
357XPG; 3.45cid\56.5cc; 1 Cyl.				
4.3hp	859 / RCJ7Y	---	843ECO	0.020in
357XPG E-tech; 3.45cid\56.5cc; 1 Cyl.				
5.9hp	859 / RCJ7Y	---	843ECO	0.020in
359				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
359 E-tech; 3.6cid\59.0cc; 1 Cyl.				
5.2hp	859 / RCJ7Y	---	843ECO	0.020in
359G; 3.6cid\59.0cc; 1 Cyl.				
3.9hp	859 / RCJ7Y	---	843ECO	0.020in
359G E-tech; 3.6cid\59.0cc; 1 Cyl.				
5.2hp	859 / RCJ7Y	---	843ECO	0.020in
36; 36cc; 1 Cyl.				
2.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
362XP				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
365				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
365 Special; 65.1cc; 1 Cyl.				
4.6hp	859 / RCJ7Y	---	843ECO	0.020in
365 X-torq; 2 Stroke; 4.31cid\70.7cc; 1 Cyl.				
4.8hp	859 / RCJ7Y	---	843ECO	0.020in
37				
	102 / RJ6C	823 / J6C	852ECO	0.020in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
371K; 4.3cid\70.7cc; 1 Cyl.				
4.7hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
371XP				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
371XPG				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
372XP				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
372XP X-torq; 2 Stroke; 4.31cid\70.7cc; 1 Cyl.				
5.5hp	859 / RCJ7Y	---	843ECO	0.020in
372XPG				
5.3hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
372XPG X-torq; 2 Stroke; 4.31cid\70.7cc; 1 Cyl.				
5.5hp	859 / RCJ7Y	---	843ECO	0.020in
372XPW; 4.6cid\74.7cc; 1 Cyl.				
5.2hp	859 / RCJ7Y	---	843ECO	0.020in
375K; 4.6cid\74.7cc; 1 Cyl.				
5hp	859 / RCJ7Y	---	843ECO	0.020in
38; 2.25cid\36.9cc; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.020in
380CD				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
380K				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
380S				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
385XP				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
385XPG; 5.2cid\84.7cc; 1 Cyl.				
6.2hp	859 / RCJ7Y	---	843ECO	0.020in
390XP				
5.5hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
390XPG				
6.5hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
390XPW				
6.5hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
394XP; 94cc; 1 Cyl.				
	852 / RCJ6Y	858 / CJ6Y	852ECO	0.020in
394XPG				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
395XP; 5.7cid\94cc; 1 Cyl.				
7.0hp	852 / RCJ6Y	858 / CJ6Y	852ECO	0.020in
395XPG; 5.7cid\94cc; 1 Cyl.				
7.0hp	852 / RCJ6Y	858 / CJ6Y	852ECO	0.020in
395XPW				
7.1hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
40; 40cc; 1 Cyl.				
2.4hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
41; 40cc; 1 Cyl.				
2.5hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
42; 42cc; 1 Cyl.				
2.9hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
42D; 42cc; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.020in
435				
2.2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
435 II; 40.9cc; 1 Cyl.				
2.2hp	859 / RCJ7Y	---	843ECO	0.020in
435e				
2.4hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
435e II; 40.9cc; 1 Cyl.				
2.4hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
439; 35.2cc; 1 Cyl.				
2.01hp	965 / RZ7C	---	---	0.020in
44				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
440				
2.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
440 II; 40.9cc; 1 Cyl.				
2.2hp	859 / RCJ7Y	---	843ECO	0.020in
440e				
2.4hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
440e II; 40.9cc; 1 Cyl.				
2.4hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
444				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
444FE				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
444FG				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
444SE				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
444SG				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
445; 2.79cid\45.7cc; 1 Cyl.				
2.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
445 Rancher; 1 Cyl.				
3.5hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
445e; 2.79cid\45.7cc; 1 Cyl.				
2.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
445e II; 45.7cc; 1 Cyl.				
2.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
45; 44cc; 1 Cyl.				
2.7hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
450; 3.06cid\50.2cc; 1 Cyl.				
3.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
450 Rancher; 50.2cc; 1 Cyl.				
3.20hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
450e; 3.06cid\50.2cc; 1 Cyl.				
3.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
450e II; 50.2cc; 1 Cyl.				
3.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
455				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
455 Rancher; 55.5cc; 1 Cyl.				
3.5hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
455 Rancher II; 3.38cid\55.5cc; 1 Cyl.				
3.5hp	859 / RCJ7Y	---	843ECO	0.020in
455e Rancher				
3.5hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
455e Rancher II; 3.38cid\55.5cc; 1 Cyl.				
3.5hp	859 / RCJ7Y	---	843ECO	0.020in
455e Rancher II TrioBrake; 3.38cid\55.5cc; 1 Cyl.				
3.5hp	859 / RCJ7Y	---	843ECO	0.020in
460; 3.68cid\60.3cc; 1 Cyl.				
3.7hp	859 / RCJ7Y	---	843ECO	0.020in
460 Rancher				
3.62hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
460 Rancher II; 3.91cid\64.1cc; 1 Cyl.				
4.1hp	859 / RCJ7Y	---	843ECO	0.020in
465 Rancher II				
4.4hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
480CD				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
480K				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
49				
3hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
50; 3cid\49cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
50 Special; 3.1cid\51cc; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.020in
5000; 4 Stroke; Horizontal; 44cid\725cc; V2; (Kohler); OHV				
25hp;CH740	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
51; 51cc; 1 Cyl.				
3.1hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
51; 3.1cid\51cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
525DEPS; 2 Stroke; 1.55cid\25.4cc; 1 Cyl.				
1.3hp	852 / RCJ6Y	---	852ECO	0.026in
525P4S; 25.4cc; 1 Cyl.				
1.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
525P5S; 25.4cc; 1 Cyl.				
1.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.026in
525PT5S; 25.4cc; 1 Cyl.				
1.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
526XP				
4.7hp	965 / RZ7C	---	---	0.024in
535FBX; 2.11cid\34.6cc; 1 Cyl.				
2.2hp	852 / RCJ6Y	---	852ECO	0.020in
543XP				
2.95hp	965 / RZ7C	---	---	0.030in
543XPG; 2.63cid\43.1cc; 1 Cyl.				
3hp	965 / RZ7C	---	---	0.026in
545				
3.35hp	965 / RZ7C	---	---	0.024in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
545 II; 50.1cc; 1 Cyl.				
3.6hp	965 / RZ7C	---	---	0.020in
545 Mark II; 50.1cc; 1 Cyl.				
3.6hp	965 / RZ7C	---	---	0.020in
545 TrioBrake; 3.06cid\50.1cc; 1 Cyl.				
2.5hp	965 / RZ7C	---	---	0.020in
545G Mark II; 50.1cc; 1 Cyl.				
3.6hp	965 / RZ7C	---	---	0.020in
55; 53cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
55; 3.2cid\53cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
55 Rancher				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
550 XP G Mark II; 50.1cc; 1 Cyl.				
4.0hp	965 / RZ7C	---	---	0.020in
550 XP II; 50.1cc; 1 Cyl.				
4.0hp	965 / RZ7C	---	---	0.020in
550 XP Mark II; 50.1cc; 1 Cyl.				
4.0hp	965 / RZ7C	---	---	0.020in
550 XPG II; 50.1cc; 1 Cyl.				
4.0hp	965 / RZ7C	---	---	0.020in
550 XPG Mark II; 50.1cc; 1 Cyl.				
4.0hp	965 / RZ7C	---	---	0.020in
550XP				
3.75hp	965 / RZ7C	---	---	0.024in
550XP TrioBrake				
3.75hp	965 / RZ7C	---	---	0.024in
550XPG				
3.75hp	965 / RZ7C	---	---	0.024in
550XPG TrioBrake; 50.1cc; 1 Cyl.				
3.8hp	965 / RZ7C	---	---	0.020in
555				
4.3hp	965 / RZ7C	---	---	0.024in
556; 3.65cid\59.8cc; 1 Cyl.				
4.2hp	965 / RZ7C	---	---	0.020in
560XP; 3.65cid\59.8cc; 1 Cyl.				
4.8hp	965 / RZ7C	---	---	0.020in
560XPG; 3.65cid\59.8cc; 1 Cyl.				
4.8hp	965 / RZ7C	---	---	0.020in
562XP				
4.7hp	965 / RZ7C	---	---	0.020in
562XPG				
4.7hp	965 / RZ7C	---	---	0.020in
565; 70.6cc; 1 Cyl.				
5.0hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
570				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
570 AT; 4.1cid\67.9cc; 1 Cyl.				
4.9hp	859 / RCJ7Y	---	843ECO	0.020in
572XP; 70.6cc; 1 Cyl.				
5.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
572XPG; 70.6cc; 1 Cyl.				
5.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
575XP				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
575XP AutoTune; 4.5cid\73.5cc; 1 Cyl.				
5.5hp	859 / RCJ7Y	---	843ECO	0.020in
576 XPG AT; 4.5cid\73.5cc; 1 Cyl.				
5.7hp	859 / RCJ7Y	---	843ECO	0.020in
576XP				
5.7hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
576XP AutoTune				
5.7hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
576XPG				
5.7hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
576XPW				
5.7hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
576XPW AutoTune				
5.7hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
585; 86cc; 1 Cyl.				
6.9hp	965 / RZ7C	---	---	0.020in
592XP; 92.7cc; 1 Cyl.				
7.6hp	965 / RZ7C	---	---	0.020in
592XPG; 92.7cc; 1 Cyl.				
7.6hp	965 / RZ7C	---	---	0.020in
61; 61.5cc; 1 Cyl.				
3.9hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
61; 62cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
65				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
65K				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
750; 4 Stroke; 10.3cid\169cc; 1 Cyl.; (Subaru Robin); OHC				
5.7hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in
77				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
A100				
	814 / RL82YC	931-1 / QL82C	---	0.020in
A77				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
B77				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Compact 35				
	893 / RCJ4	849 / CJ6	852ECO	0.020in
Compact 37				
	893 / RCJ4	849 / CJ6	852ECO	0.020in
CS2156; 56.5cc; 1 Cyl.				
4.3hp	859 / RCJ7Y	---	843ECO	0.020in
CS2156C; 56.5cc; 1 Cyl.				
4.3hp	859 / RCJ7Y	---	843ECO	0.020in
CS2156CWH; 56.5cc; 1 Cyl.				
4.3hp	859 / RCJ7Y	---	843ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
CS2159; 59cc; 1 Cyl.				
4hp	859 / RCJ7Y	---	843ECO	0.020in
CS2159C; 59cc; 1 Cyl.				
4hp	859 / RCJ7Y	---	843ECO	0.020in
CS2159CWH; 59cc; 1 Cyl.				
4hp	859 / RCJ7Y	---	843ECO	0.020in
CS2159W; 59cc; 1 Cyl.				
4hp	859 / RCJ7Y	---	843ECO	0.020in
CS2159WH; 59cc; 1 Cyl.				
4hp	859 / RCJ7Y	---	843ECO	0.020in
CS2234S; 38cc; 1 Cyl.				
1.9hp	859 / RCJ7Y	---	843ECO	0.020in
CS2238S; 38cc; 1 Cyl.				
2hp	859 / RCJ7Y	---	843ECO	0.020in
FS3800; 154cid\2524cc; V4; (Wisconsin)				
37hp;VG4D	541 / RD16	516 / D16	---	0.030in
FS6500; V4; (Wisconsin); OHV				
65hp;V465D	404 / RN12YC	38 / N12YC	322ECO	0.025in
G90				
	814 / RL82YC	931-1 / QL82C	---	0.020in
H33; 2.1cid\34cc; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.020in
H38; 2.25cid\36.9cc; 1 Cyl.				
	859 / RCJ7Y	---	843ECO	0.020in
Husky 22				
	893 / RCJ4	849 / CJ6	852ECO	0.020in
Husky 23				
	893 / RCJ4	849 / CJ6	852ECO	0.020in
Husky 246				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Husky 33				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Husky 34				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Husky 35VR				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Husky 36				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Husky 36R				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Husky 38				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Husky 39R				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Husky 40				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Husky 41				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Husky 42				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Husky 44				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
Husky 45				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Husky 49				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Husky 50				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Husky 51				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Husky 55				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Husky 66				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Husky 77				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Husky A65				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Husky A77				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Husky B65				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
K1200 MK II; 100cc; 1 Cyl.				
5.9hp	859 / RCJ7Y	---	843ECO	0.020in
K1250; 7.25cid\119cc; 1 Cyl.				
7.8hp	852 / RCJ6Y	---	852ECO	0.020in
K1250 Active; 7.25cid\119cc; 1 Cyl.				
7.8hp	859 / RCJ7Y	---	843ECO	0.020in
K1250 Rail; 7.25cid\119cc; 1 Cyl.				
7.8hp	852 / RCJ6Y	---	852ECO	0.020in
K1260; 119cc; 1 Cyl.				
7.8hp	852 / RCJ6Y	---	852ECO	0.020in
K1260 Rail; 119cc; 1 Cyl.				
7.8hp	852 / RCJ6Y	---	852ECO	0.020in
K1270; 7.3cid\119cc; 1 Cyl.				
7.9hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
K1270 II; 7.3cid\119cc; 1 Cyl.				
7.8hp	859 / RCJ7Y	---	843ECO	0.020in
K1270 II Rail; 7.3cid\119cc; 1 Cyl.				
7.9hp	859 / RCJ7Y	---	843ECO	0.020in
K1270 Rail; 7.3cid\119cc; 1 Cyl.				
7.9hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
K1270R; 7.3cid\119cc; 1 Cyl.				
7.9hp	859 / RCJ7Y	---	843ECO	0.020in
K650 Active; 71cc; 1 Cyl.				
4.7hp	859 / RCJ7Y	---	843ECO	0.020in
K650 Cut-n-Break; 71cc; 1 Cyl.				
4.7hp	852 / RCJ6Y	---	852ECO	0.020in
K700 Active; 71cc; 1 Cyl.				
4.7hp	859 / RCJ7Y	---	843ECO	0.020in
K750 SpeedMill; 2 Stroke; 74cc; 1 Cyl.				
5hp	852 / RCJ6Y	858 / CJ6Y	852ECO	0.020in
K760; 74cc; 1 Cyl.				
5hp	852 / RCJ6Y	858 / CJ6Y	852ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
K760 Rescue; 74cc; 1 Cyl.				
5hp	852 / RCJ6Y	858 / CJ6Y	852ECO	0.020in
K770; 4.5cid\74cc; 1 Cyl.				
5hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
K770 OilGuard; 4.5cid\74cc; 1 Cyl.				
5hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
K770 Rescue; 4.5cid\74cc; 1 Cyl.				
5hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
K770 SmartGuard; 4.5cid\74cc; 1 Cyl.				
5hp	859 / RCJ7Y	---	843ECO	0.020in
K770 Vac; 4.5cid\74cc; 1 Cyl.				
5hp	859 / RCJ7Y	---	843ECO	0.020in
K850 MK II; 85cc; 1 Cyl.				
5.1hp	859 / RCJ7Y	---	843ECO	0.020in
K950; 5.7cid\93.6cc; 1 Cyl.				
6hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
K950 Ring; 5.7cid\93.6cc; 1 Cyl.				
6hp	859 / RCJ7Y	---	843ECO	0.020in
K960; 93.6cc; 1 Cyl.				
6hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
K960 Rescue; 93.6cc; 1 Cyl.				
6hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
K970 II; 5.7cid\93.6cc; 1 Cyl.				
6.5hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
K970 II Ring; 5.7cid\93.6cc; 1 Cyl.				
6.5hp	852 / RCJ6Y	---	852ECO	0.020in
K970 III; 5.7cid\93.6cc; 1 Cyl.				
6.5hp	859 / RCJ7Y	---	843ECO	0.020in
K970 III Rescue; 5.7cid\93.6cc; 1 Cyl.				
6.5hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
K970 III Ring; 5.7cid\93.6cc; 1 Cyl.				
6.5hp	852 / RCJ6Y	---	852ECO	0.020in
K970 Ring; 5.7cid\93.6cc; 1 Cyl.				
6.5hp	852 / RCJ6Y	---	852ECO	0.020in
K970 SmartGuard; 5.7cid\93.6cc; 1 Cyl.				
6.5hp	859 / RCJ7Y	---	843ECO	0.020in
L65				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
L77				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Many Model				
	814 / RL82YC	931-1 / QL82C	---	0.020in
MS610G; Horizontal; 24.7cid\429cc; 1 Cyl.; (Kohler); OHV				
14hp;CH440	71 / RC12YC	946 / QC12YC	71ECO	0.030in
PS-50				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Rancher 61				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Rancher 65				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
S77				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
SM150				
	814 / RL82YC	931-1 / QL82C	---	0.020in
Soff-Cut 150; 4 Stroke; 126cc; 1 Cyl.; (Subaru Robin); OHC				
4.5hp;EX13	830 / RL86C	933-1 / QL86C	---	0.025in
Soff-Cut 150D; 4 Stroke; 126cc; 1 Cyl.; (Subaru Robin); OHC				
4.3hp;EX13	830 / RL86C	933-1 / QL86C	---	0.025in
Soff-Cut 4200; 4 Stroke; Horizontal; 38cid\624cc; V2; (Kohler); OHV				
22hp;CH22	71 / RC12YC	946 / QC12YC	71ECO	0.030in
T425; 25.4cc; 1 Cyl.				
1.3hp	859 / RCJ7Y	---	843ECO	0.026in
T435				
2.01hp	965 / RZ7C	---	---	0.030in
T435; 35.2cc; 1 Cyl.				
2hp	965 / RZ7C	---	---	0.026in
T520				
2.4hp	965 / RZ7C	---	---	0.020in
T525; 27cc; 1 Cyl.				
1.48hp	965 / RZ7C	---	---	0.020in
T540XP; 2.3cid\37.7cc; 1 Cyl.				
2hp	965 / RZ7C	---	---	0.020in
T540XP II; 2.3cid\37.7cc; 1 Cyl.				
2hp	965 / RZ7C	---	---	0.020in
T540XPII; 37.7cc; 1 Cyl.				
2.4hp	965 / RZ7C	---	---	0.020in
Imer				
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
8.5hp;GX270	404 / RN12YC	38 / N12YC	322ECO	0.030in
Indian				
40				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
5-12				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
547H				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
561H				
	814 / RL82YC	931-1 / QL82C	---	0.030in
582H				
	814 / RL82YC	931-1 / QL82C	---	0.030in
Super 50				
	512 / H12	---	---	0.030in
Super 5-12				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Super 651				
	512 / H12	---	---	0.030in
iQ				
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	404 / RN12YC	38 / N12YC	322ECO	0.030in
Jim Savage				
Maxi 350				
	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Jim Savage				
Pro 580				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Super 100				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Jobu				
25CVA				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
L35				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
L6				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
L8				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
L86S				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
LF50				
	860 / RDJ7J	851 / DJ6J	851ECO	0.030in
LP6				
	860 / RDJ7J	851 / DJ6J	851ECO	0.030in
Micro 25				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Micro 25CVA				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
SL2				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
SL21				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
SL3				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
SL35				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
John Deere				
12				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
14				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
15				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
17				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
18				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
19				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
200CS				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
23				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
230CS				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
25EV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
John Deere				
28				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
30				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
300CS				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
350CS				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
35EV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
380MS				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
40V				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
450V				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
46EV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
50				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
50V				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
51SV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
550CS				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
55EV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
55V				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
60V				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
61				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
65EV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
65SV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
66SV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
70V				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
72				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
8				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
800V				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
80EV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
81				
	893 / RCJ4	849 / CJ6	852ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
John Deere				
82				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
820				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
840				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
880MS				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
9				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
91				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
R70EV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
S80				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
S82				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Jonsered				
041 Turbo				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
111S				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2036				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2036 Turbo				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2040				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2040 Turbo				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2041 Turbo				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
2045				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2050				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2051				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2051 Turbo				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2054				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2055 CAT				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2055 Turbo				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2063				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2065				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2071 Turbo				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Jonsered				
2071W				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2077				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2083 II; 4.7cid/76.5cc; 1 Cyl.				
5.4hp	859 / RCJ7Y	---	843ECO	0.020in
2083 Turbo				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2094				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
2095 Turbo				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
2141 Turbo				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2145 Turbo				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2149 Turbo				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2149W Turbo				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2150 Turbo				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2159 Turbo				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2159W Turbo				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2163 Turbo				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2163W Turbo				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2165 Turbo				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2171 Turbo				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
2171W Turbo				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
365				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
410				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
420				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
435				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
450				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
451EV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
45ES				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
490				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Jonsered				
49SP				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
510				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
510M				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
510SP				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
520SP				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
521EV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
525				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
52ES				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
535				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
590				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
6000				
2095	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
621				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
625 II				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
630 Super II				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
630S				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
66E				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
66ES				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
670 Champ				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
70E				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
801				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
820				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
830				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
840				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
90W				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
910D				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
910E				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Jonsered				
920				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
930S				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
CS2139T				
2.3hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
CS2166				
4.9hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
CS2172				
5.5hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
CS2172H				
5.5hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
CS2172W				
5.5hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
CS2188				
6.5hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
CS2238				
2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
CS2238S				
2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
CS2240				
2.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
CS2240S				
2.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
CS2245				
2.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
CS2245S				
2.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
CS2250S				
3.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
CS2253				
3.7hp	965 / RZ7C	---	---	0.020in
CS2253WH				
3.7hp	965 / RZ7C	---	---	0.020in
CS2255				
3.5hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
CS2258				
4.3hp	965 / RZ7C	---	---	0.020in
CS2260				
4.7hp	965 / RZ7C	---	---	0.020in
CS2260WH				
4.7hp	965 / RZ7C	---	---	0.020in
HP36				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
L1LJ				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
M110				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
M36				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
M361				
	893 / RCJ4	849 / CJ6	852ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Jonsered				
M361AV				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
M50				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
M510SP				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
M52				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
M60				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
M601				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
M62				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
M621				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
M75				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
M751				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
M80				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Mini 600				
2095	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Mini Sawmill 600+				
2095	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
MK70				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
MK80				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Power Pruner HP36				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Pro 35				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
RS45				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Super III				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Kaaz				
(Mitsubishi)				
T50	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Zenoah)				
G2C	893 / RCJ4	849 / CJ6	852ECO	0.030in
G2D	893 / RCJ4	849 / CJ6	852ECO	0.030in
G3C	830 / RL86C	933-1 / QL86C	---	0.030in
G4C	830 / RL86C	933-1 / QL86C	---	0.030in
G5C	830 / RL86C	933-1 / QL86C	---	0.030in
KT12; (Kawasaki)				
1.2hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
KT15; (Kawasaki)				
1.3hp	893 / RCJ4	849 / CJ6	852ECO	0.030in
1.5hp	893 / RCJ4	849 / CJ6	852ECO	0.030in



CHAIN SAWS
SCIES À CHAÎNE
SIERRAS DE CADENAS

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kaaz				
KT17; (Kawasaki)				
1.5hp	893 / RCJ4	849 / CJ6	852ECO	0.030in
KT18; (Kawasaki)				
1.8hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
KT30; (Kawasaki)				
2.1hp	871 / RJ8C	841 / J8C	---	0.030in
Katex				
KAT-10				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
KAT-25				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
KAT-25DAEX				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
KAT-34				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
King O'Lawn				
Mark II				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Lancaster				
200A				
	871 / RJ8C	841 / J8C	---	0.030in
318A				
	592 / RJ12C	511 / J11C	---	0.030in
318PI				
	592 / RJ12C	511 / J11C	---	0.030in
325				
	871 / RJ8C	841 / J8C	---	0.030in
350				
	871 / RJ8C	841 / J8C	---	0.030in
350A				
	871 / RJ8C	841 / J8C	---	0.030in
350B				
	871 / RJ8C	841 / J8C	---	0.030in
3550				
	871 / RJ8C	841 / J8C	---	0.030in
400A				
	592 / RJ12C	511 / J11C	---	0.030in
400B				
	871 / RJ8C	841 / J8C	---	0.030in
400S				
	871 / RJ8C	841 / J8C	---	0.030in
425				
	871 / RJ8C	841 / J8C	---	0.030in
440				
	871 / RJ8C	841 / J8C	---	0.030in
447				
	871 / RJ8C	841 / J8C	---	0.030in
450				
	871 / RJ8C	841 / J8C	---	0.030in
50/IL				
	840 / RCJ8	843 / CJ8	843ECO	0.035in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Lancaster				
500				
	512 / H12	---	---	0.030in
50HL				
	840 / RCJ8	843 / CJ8	843ECO	0.035in
540				
	871 / RJ8C	841 / J8C	---	0.030in
547				
	871 / RJ8C	841 / J8C	---	0.030in
550				
	871 / RJ8C	841 / J8C	---	0.030in
555				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
558				
	102 / RJ6C	823 / J6C	---	0.030in
560				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
585				
	854 / RH10C	844 / H10C	---	0.030in
600				
	512 / H12	---	---	0.030in
600HL				
	840 / RCJ8	843 / CJ8	843ECO	0.035in
60HL				
	840 / RCJ8	843 / CJ8	843ECO	0.035in
645				
	871 / RJ8C	841 / J8C	---	0.030in
650				
	102 / RJ6C	823 / J6C	---	0.030in
655				
	871 / RJ8C	841 / J8C	---	0.030in
658				
	102 / RJ6C	823 / J6C	---	0.030in
670				
	871 / RJ8C	841 / J8C	---	0.030in
700HL				
	840 / RCJ8	843 / CJ8	843ECO	0.035in
Eight-20				
	814 / RL82YC	931-1 / QL82C	---	0.030in
Mini Auto				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Mini-Twelve				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Six-10				
	814 / RL82YC	931-1 / QL82C	---	0.030in
SLA/20				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Lesco				
LCS4500				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
LCS5100				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Lil' Brute				
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.030in
16hp	854 / RH10C	844 / H10C	---	0.030in
Logan				
PRO-FEL				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lombard				
3				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
30				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3-1/2				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
34				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
35				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
36				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
37				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3A				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
4				
	871 / RJ8C	841 / J8C	---	0.030in
5				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
5A				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
648				
	871 / RJ8C	841 / J8C	---	0.030in
650				
	871 / RJ8C	841 / J8C	---	0.030in
658				
	871 / RJ8C	841 / J8C	---	0.030in
660				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
68				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
69				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
7				
	871 / RJ8C	841 / J8C	---	0.030in
70				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
AL42				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
AL51				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
AP22				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Lombard				
AP22-1				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
AP22D				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
AP22D-1				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
AP24				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
AP24D				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
AP42				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
AP42-1				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
AP42AV				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
AP42D				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
AP42D-AV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
AP42SE				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Auto Super Lightning				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
Automatic				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Comango				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
F54				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
L100				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
L30				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
L50				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
L55				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
L60				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
L70				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
L80				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
L90				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Little Lightning				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Little Lightning Deluxe				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Little Lightning Super Deluxe				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Lombard				
Pony				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
Super AL42				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
Super AL42 Automatic				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
Super AL51				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
Super AV				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Super Comango				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Super Comango Automatic				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Super L100				
	14 / RJ12YC	10 / J12YC	---	0.030in
Super L30				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Super L50				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Super L60				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Super L70				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Super L90				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Super Lightning				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Magnum Diamond				
(Honda); OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
9hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Wisconsin)				
65hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
1 Cyl.; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
9hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
VG4D; 2.5L (154cid); V4; Gas; (Wisconsin); L-HEAD				
37hp	541 / RD16	516 / D16	---	0.025in
All Model(s); (Wisconsin)				
65hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
All Model(s); VG4D; 2.5L (154cid); V4; Gas; (Wisconsin); L-HEAD				
37hp	541 / RD16	516 / D16	---	0.025in
Makita				
DCS330S				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
DCS34				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.028in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Makita				
DCS340				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
DCS341				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
DCS342				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
DCS390				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
DCS391				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
DCS400				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
DCS401				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
DCS430				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
DCS431				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
DCS460				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.028in
DCS500				
3.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
DCS510				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.028in
DCS5121				
3.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
DCS5200i				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
DCS520i				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
DCS6400				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.028in
DCS6401				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.028in
DCS6420				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.028in
DCS6421				
4.7hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
DCS6800iFL/FW				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
DCS7300				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.028in
DCS7301				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.028in
DCS7900				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.028in
DCS7901				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.028in
DCS9000FL/FW				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
DPC6200				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Makita				
DPC6201				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
DPC6430				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
DPC6431				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
DPC6440				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
DPC6441				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
DPC7000				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
DPC7001				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
DPC7003				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
DPC7300				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
DPC7301				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
DPC7330				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
DPC7331				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
DPC7340				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
DPC7341				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
DPC8131				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
DPC8132				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
DPC9500				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
DPC9501				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
EA3200S				
1.8hp	978 / RY4C	---	---	0.020in
EA3201S				
1.8hp	978 / RY4C	---	---	0.020in
EA3201S35B				
	978 / RY4C	---	---	0.024in
EA3202S				
1.8hp	978 / RY4C	---	---	0.020in
EA3203S				
1.8hp	978 / RY4C	---	---	0.020in
EA3500F				
2.3hp	978 / RY4C	---	---	0.020in
EA3501F				
2.3hp	978 / RY4C	---	---	0.020in
EA3600F				
2.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.028in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Makita				
EA3601F				
2.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.028in
EA4300F				
3hp	978 / RY4C	---	---	0.020in
EA4301F				
3hp	978 / RY4C	---	---	0.020in
EA5000P				
3.9hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
EA6100P				
4.5hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
EA6101P				
4.5hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
EA7300P				
5.4hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
EA7900P				
5.7hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
EK6100				
4.4hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
EK6101				
4.4hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
EK7300				
5.1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
EK7301				
5.1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
EK7650H; (MM4)				
4.1hp	965 / RZ7C	---	---	0.020in
EK7651H; (MM4)				
4.1hp	965 / RZ7C	---	---	0.020in
EK7651HD; (MM4)				
4.1hp	965 / RZ7C	---	---	0.020in
EK8100				
5.6hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
Mall Tool				
10				
	871 / RJ8C	841 / J8C	---	0.025in
11				
5hp	871 / RJ8C	841 / J8C	---	0.025in
12				
	871 / RJ8C	841 / J8C	---	0.025in
12A; 2 Stroke				
	871 / RJ8C	841 / J8C	---	0.025in
14G				
	541 / RD16	514 / D14	---	0.025in
2MG				
5hp	871 / RJ8C	841 / J8C	---	0.025in
4MG				
5.5hp	102 / RJ6C	823 / J6C	---	0.025in
5				
	541 / RD16	514 / D14	---	0.025in
6				
8hp	541 / RD16	514 / D14	---	0.025in
7				
	541 / RD16	514 / D14	---	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Mall Tool				
7G				
	541 / RD16	514 / D14	---	0.025in
7H				
	541 / RD16	514 / D14	---	0.025in
8				
	541 / RD16	514 / D14	---	0.025in
DJ				
	871 / RJ8C	841 / J8C	---	0.025in
Maruyama				
MC2300				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MC2310				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MC2312SBCA				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MC2320				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MC260				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MC260C				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MC260D				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MC260E				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MC260S				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MC260T				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MC261				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MC2610				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MC2620				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MC2621				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MC3021BKSB				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
MC3021SB				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MC321				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
MC3210				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
Massey-Ferguson				
190				
	860 / RDJ7J	851 / DJ6J	851ECO	0.030in
190A				
	860 / RDJ7J	851 / DJ6J	851ECO	0.030in
250				
	860 / RDJ7J	851 / DJ6J	851ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Massey-Ferguson				
370				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
370A				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
370AR				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Matelest				
MAT-101-10				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
MAT-101-12				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
MAT-106				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
MAT-EX				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
McCulloch				
1.9				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
10-10				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
10-10A				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
10-10L				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
1-10				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
2.3				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
2-10				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
2-10G				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
250				
	871 / RJ8C	841 / J8C	---	0.025in
3-10				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
3-10E				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
5-10A				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
5-10G				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
55				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
550				
	871 / RJ8C	841 / J8C	---	0.025in
6-10				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
6-10A				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
650				
	871 / RJ8C	841 / J8C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
McCulloch				
660				
	871 / RJ8C	841 / J8C	---	0.025in
7-10A				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
795				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
795L				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
797				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
895				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
895C				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
940				
	871 / RJ8C	841 / J8C	---	0.025in
B407				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
CP-125				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
CP-125S				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
CP-55				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
CP-70				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
CP-70L				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
CS330				
0.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
CS340				
1.7hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
CS360				
0.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
CS360T				
1.7hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
CS370				
0.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
CS380				
1.9hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
CS400				
0.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
CS400T				
2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
CS410 Elite				
2.1hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
CS420T				
2.1hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
CS42S				
2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
CS450 Elite				
2.1hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
McCulloch				
Double Eagle 50				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Double Eagle 80				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Eager Beaver 10				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Eager Beaver 12				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Eager Beaver 14				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Eager Beaver 16				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Eager Beaver 2.0				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Eager Beaver 2.1				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Eager Beaver 2.3				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Eager Beaver 2000				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Eager Beaver 2000 Series				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Eager Beaver 2100AV				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Eager Beaver 2100AV Series				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Eager Beaver 3.4				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Eager Beaver 3.7				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Eager Beaver Super 2300AV				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
G-170				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
G-70				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
LG-6				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
Mac 10 Series: 4-10				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
Mac 10 Series: 5-10				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
Mac 100				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mac 110				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mac 120				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mac 130				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mac 140				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
McCulloch				
Mac 160S				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mac 20X Power				
3hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
Mac 3200 Series				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Mac 3500AV Series				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Mac 3800 Series				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Mac 3800AV Series				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Mac 4600				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mac 4900				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mac 5500				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mac Cat 16				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Mac Cat 18				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Mini Mac 25				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mini Mac 30				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mini Mac 35				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mini Mac 6A				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mini Mac CP-55				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
MM-1				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
MM-25				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
MM-30				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
MM-35				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
MM-35AS				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
MM-6				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
MM-6A				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
MS1432				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
MS1635				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
MS1635AV				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
McCulloch				
MS1838AV				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
P-10-10A				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
PH 390 Cuts-All				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
PM 690 Cuts-All				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
PM-105				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
PM-125				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
PM-125C				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
PM55				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
PM570				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
PM-6				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
PM-60				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
PM-6A				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
PM-81				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
Power Mac 310				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Power Mac 320				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Power Mac 330				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Power Mac 340				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Power Mac 380				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Power Mac 390				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Power Mac 410				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
PRO 10-10A				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac 1000				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac 10-10S				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac 10-700				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac 2500				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Pro Mac 3205AV-14				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
McCulloch				
Pro Mac 3505AV-16				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Pro Mac 36				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac 380				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Pro Mac 3800				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
Pro Mac 3805AV-18				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Pro Mac 40				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac 4700AV				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac 5000				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac 510				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac 555				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac 570				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac 5700AV				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac 5720				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac 605				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac 610				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac 650				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac 690				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac 700				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac 800				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
Pro Mac 810				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Pro Mac 8200				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
Pro Mac 8200AV				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Pro Mac 850				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
Promac				
2.7hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
3hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
3.1hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
3.4hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
S10-10				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
McCulloch				
S10-10E				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
S10-10L				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
S10-10LA 795				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
S10-10LA 795L				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
S10-10LA 797				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
S10-10LA S797				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
S2-10A				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
S250				
	871 / RJ8C	841 / J8C	---	0.025in
S550				
	871 / RJ8C	841 / J8C	---	0.025in
S6-10A				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
S797				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Silver Eagle SE2012				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Silver Eagle SE2012B				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Silver Eagle SE2014				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Silver Eagle SE2014K				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Silver Eagle SE2016				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Silver Eagle SE2116				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Silver Eagle SE2316				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Silver Eagle SE2318				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Silver Eagle SE2818AVS				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Silver Eagle SE3020AVS				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Silver Eagle SE3420				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Silver Eagle SE3720AV				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
SLG-2				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
SP105				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
SP-125C				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
McCulloch				
SP-40				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
SP-50				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
SP-60				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
SP-70				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
SP80				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
SP-81				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
Super 16AV				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Super 18AV				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
Timber Bear				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Titan 35				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Titan 40				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Titan 50				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Titan 560				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
Titan 57				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Titan 620				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
Titan 7				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Titan 70				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Wildcat 18				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Xtreme 3.0				
3hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
Xtreme 3.2				
3.1hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
Xtreme 3.4				
3.3hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
Miller				
All Model(s); (Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
All Model(s); 1 Cyl.; (Honda)				
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
All Model(s); 1 Cyl.; (Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Miller Sturdi-Saw				
(Honda); OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Miller Sturdi-Saw				
(Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
MCS-1; (Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
Mini-Saw				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MSM; (Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
Mitts & Merrill				
M-11; 4.9L (300cid); L6; (Ford); OHV				
	129 / RF10C	---	---	0.030in
M-12; 4.9L (300cid); L6; (Ford); OHV				
	129 / RF10C	---	---	0.030in
M-13; 5.4L (330cid); V8; (Ford); OHV				
	129 / RF10C	---	---	0.030in
M-2; 2.8L (172cid); L4; (Ford); OHV				
	854 / RH10C	844 / H10C	---	0.030in
M-3; 3.9L (240cid); L6; (Ford); OHV				
	129 / RF10C	---	---	0.030in
M-4; 3.9L (240cid); L6; (Ford); OHV				
	129 / RF10C	---	---	0.030in
M-6; 3.9L (240cid); L6; (Ford); OHV				
	129 / RF10C	---	---	0.030in
M-7; 4.9L (300cid); L6; (Ford); OHV				
	129 / RF10C	---	---	0.030in
M-8; 4.9L (300cid); L6; (Ford); OHV				
	129 / RF10C	---	---	0.030in
M-9; 5.4L (330cid); V8; (Ford); OHV				
	129 / RF10C	---	---	0.030in
Mono				
249				
	14 / RJ12YC	10 / J12YC	---	0.030in
25-10				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
25-14				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
47				
	871 / RJ8C	841 / J8C	---	0.030in
67				
	871 / RJ8C	841 / J8C	---	0.030in
SL146				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
SL147				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
SL149				
	14 / RJ12YC	10 / J12YC	---	0.030in
SL245				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Montgomery-Ward				
24000A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Montgomery-Ward				
24001A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24002A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24002B				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24002C				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24003A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24005A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24005B				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24006A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24006B				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24007A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24007B				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24008A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24008B				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24025A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24025B				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24027A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24028A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24030A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24031A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24032A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24033A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24034A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24035A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24036A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24036B				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24036C				
	893 / RCJ4	849 / CJ6	852ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Montgomery-Ward				
24036D				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24037A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24038A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24040A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24040B				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24040C				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24045A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24050A				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
24052A				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
24054A				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
24056A				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
24060A				
	102 / RJ6C	823 / J6C	---	0.030in
24062				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
24064				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
24066				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
24068				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
24072A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24075A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24075B				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24075C				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24078				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
24084				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
24085A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24086				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
24087A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24089A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Montgomery-Ward				
24090A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24094A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24095A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24096A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
24100				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
24100-1				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
24102				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
24102-9				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
24103				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
24103-6				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
24148				
	871 / RJ8C	841 / J8C	---	0.030in
30000A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
30004A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
30008A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
30012A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
30016A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
30020A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
30024A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Many Model				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
TMC24060A				
	871 / RJ8C	841 / J8C	---	0.025in
TMC24072A				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
MTA				
309				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
343				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
Nauder				
NAU-10				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
NAU-12				
	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Nogmatic				
4CV-All				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
6CV-All				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
NOG10				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
NOG12				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Olympyk				
1000TTA				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
234				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
240				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
244F				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
251				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
252				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
254				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
261				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
264F				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
264TTA				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
264VS				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
265TTA				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
271				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
272F				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
274TTA				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
284F				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
284TTA				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
285TTA				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
355F				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
480				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
481				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
482MP				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Olympyk				
935DF				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
935F				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
941				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
942				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
945F				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
946				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
950F				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
951				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
962				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
970				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
980				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
999				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
999F				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
999TTA				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Super 251				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Super 480				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Super 481				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
OMC				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Online				
Challenger Mark 11D				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Challenger Mark 11S				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Mustang 129				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Mustang 13				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Mustang 149				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Yard-Arm				
	846 / CJ14	---	846ECO	0.030in
Partner				
1610				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Partner				
1611				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
1612				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
1613				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
1614				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
1614C				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
1616				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
1616C				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
1629				
	102 / RJ6C	823 / J6C	---	0.030in
1630				
	102 / RJ6C	823 / J6C	---	0.030in
1631				
	102 / RJ6C	823 / J6C	---	0.030in
1632				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
1632C				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
1644				
	102 / RJ6C	823 / J6C	---	0.030in
1645				
	102 / RJ6C	823 / J6C	---	0.030in
1646				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
1646C				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
1647				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
1647C				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
1655				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
1655B				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
1660				
	102 / RJ6C	823 / J6C	---	0.030in
1661				
	102 / RJ6C	823 / J6C	---	0.030in
1690				
	102 / RJ6C	823 / J6C	---	0.030in
1705				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
1712				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
2055				
	893 / RCJ4	849 / CJ6	852ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Partner				
2055B				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
330				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
340				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
350				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
500				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
5000				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
933				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
944				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
946				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
947				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
K1200 Mark-II				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
K20				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
K40				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
K500 Mark-II				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
K650 Super				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
K700				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
K850 Mark-II				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Mini III				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
Mini IV				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
Mini-P				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Mini-PA				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Mini-P11				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
P100				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P400				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P500				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in
P5000				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Partner				
P5000 Plus				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P55				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P70				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P7000				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P85				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
R16				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
R17				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
R18				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
R20				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
R20T				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
R30				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
R40				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
R40T				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
R417				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
R417T				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
R420				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
R420T				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
R421				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
R421T				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
R435				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
R44				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
R440				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
R44T				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
R517				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
R517T				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
R85				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Partner				
S50				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
S55				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
S65				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
TS				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Peco				
(Honda); OHV				
11hp	322 / RN11YC4	322 / RN11YC4	322ECO	0.030in
13hp	322 / RN11YC4	322 / RN11YC4	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
16hp	854 / RH10C	844 / H10C	---	0.030in
8hp	854 / RH10C	844 / H10C	---	0.030in
(Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
4hp	871 / RJ8C	841 / J8C	---	0.030in
5hp	871 / RJ8C	841 / J8C	---	0.030in
6hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp	854 / RH10C	844 / H10C	---	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Series; 4 Stroke; (Kohler); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; (Kawasaki); OHV				
5hp;FC150V	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Peerless				
141A				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
D25				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
D55				
	871 / RJ8C	841 / J8C	---	0.030in
D65				
	871 / RJ8C	841 / J8C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Peerless				
E10				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
E75				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
E95				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Pioneer				
1072				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
1073				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
1074				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1074E				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1074UB				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1100				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1110				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1120				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1130				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1150				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1160				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1200				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1200A				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1410				
	846 / CJ14	---	846ECO	0.030in
1410A				
	846 / CJ14	---	846ECO	0.030in
1420				
	846 / CJ14	---	846ECO	0.030in
1450				
	846 / CJ14	---	846ECO	0.030in
1520				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
1560				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
1750				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
1770				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
1771				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
1850				
	893 / RCJ4	---	---	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Pioneer				
20				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2071				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
2073				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
20D				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2200				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2270				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2400				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2400 (Sub-Zero Op)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2460				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
2460 (Sub-Zero Op)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3071				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3200				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3270				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
3270S				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
400				
	871 / RJ8C	841 / J8C	---	0.030in
410				
	871 / RJ8C	841 / J8C	---	0.030in
450				
	871 / RJ8C	841 / J8C	---	0.030in
550				
	871 / RJ8C	841 / J8C	---	0.030in
600				
	871 / RJ8C	841 / J8C	---	0.030in
610				
	871 / RJ8C	841 / J8C	---	0.030in
620				
	871 / RJ8C	841 / J8C	---	0.030in
650				
	871 / RJ8C	841 / J8C	---	0.030in
700				
	871 / RJ8C	841 / J8C	---	0.030in
700G				
	102 / RJ6C	825 / J4C	---	0.030in
750				
	871 / RJ8C	841 / J8C	---	0.030in
800				
	871 / RJ8C	841 / J8C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Pioneer				
850				
	102 / RJ6C	825 / J4C	---	0.030in
970				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
F				
	592 / RJ12C	511 / J11C	---	0.030in
Farmlite				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Farmsaw				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Farmsaw II				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
G				
	592 / RJ12C	511 / J11C	---	0.030in
GC				
	871 / RJ8C	841 / J8C	---	0.030in
HA				
	102 / RJ6C	823 / J6C	---	0.030in
HB				
	102 / RJ6C	823 / J6C	---	0.030in
HC				
	871 / RJ8C	841 / J8C	---	0.030in
L				
	541 / RD16	516 / D16	---	0.030in
M				
	592 / RJ12C	511 / J11C	---	0.030in
NU-17				
	871 / RJ8C	841 / J8C	---	0.030in
One Man				
	102 / RJ6C	823 / J6C	---	0.030in
P10				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
P11				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P12				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
P20				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
P21				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
P21B				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
P21S				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
P21SB				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
P25				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
P26				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
P26E				
	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Pioneer				
P26S				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
P28				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
P28B				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
P28E				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
P28S				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
P28SB				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
P30				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
P30S				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
P35				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
P35S				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
P38				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P39				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P40				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
P40 Light Service				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
P41				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P41S				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
P42W				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P50				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
P51				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
P51S				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
P52W				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P55				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
P55S				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
P60				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P62				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P62W				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Pioneer				
RA				
	871 / RJ8C	841 / J8C	---	0.030in
Sub-Zero 2400				
	846 / CJ14	---	846ECO	0.030in
Sub-Zero 2460				
	846 / CJ14	---	846ECO	0.030in
Super				
	102 / RJ6C	823 / J6C	---	0.030in
Super Twin				
	102 / RJ6C	823 / J6C	---	0.030in
Twin				
	102 / RJ6C	823 / J6C	---	0.030in
Piston Powered Products				
Super Saw				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
Porto-Arc				
45-12				
	893 / RCJ4	---	---	0.025in
52-12				
	893 / RCJ4	---	---	0.025in
52-14				
	893 / RCJ4	---	---	0.025in
Poulan/Poulan Pro				
OHV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
10				
	102 / RJ6C	823 / J6C	---	0.025in
100				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
180				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
1800				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
1900				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
1900LE				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
1950				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
1950LE				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
1975LE				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
20				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
200				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
2000				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
205				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Poulan/Poulan Pro				
2050				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
2055				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
2055LE				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
2075-All				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
20D				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
210				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
2100				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
2150				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
2155				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
2175				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
220				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
2250				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
2250LE				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
225A				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
2300				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
2350				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
236				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
2375				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
24 Deluxe				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
2400				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
2450				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
245A				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
25				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
2500				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
252A				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
255				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Poulan/Poulan Pro				
2550				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
25DA				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
25SN				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
2600				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
2700				
	893 / RCJ4	---	---	0.025in
2750				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
2775				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
2800				
	893 / RCJ4	---	---	0.025in
285				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
2900				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
295				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
30				
	102 / RJ6C	823 / J6C	---	0.025in
3000				
	893 / RCJ4	---	---	0.025in
305				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
3050				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
306				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
306A				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
306SA				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
3100				
	893 / RCJ4	---	---	0.025in
325				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
3300				
	893 / RCJ4	---	---	0.025in
335				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
3350				
	893 / RCJ4	---	---	0.025in
336				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
3400				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
3450				
	893 / RCJ4	---	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Poulan/Poulan Pro				
3500				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
355				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
3600				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
361				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
365				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
3700				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
375				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
3750				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
3800				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
385				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
395				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
4000				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
405				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
415				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
4200				
	893 / RCJ4	---	---	0.025in
4200CVA				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
425				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
4400				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
45-12 Multi-Purpose				
	893 / RCJ4	---	---	0.025in
455				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
475				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
4900				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
505				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
5200				
	893 / RCJ4	---	---	0.025in
5200CVA				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
52-12 Multi-Purpose				
	893 / RCJ4	---	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Poulan/Poulan Pro				
52-14 Multi-Purpose				
	893 / RCJ4	---	---	0.025in
525				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
533				
	871 / RJ8C	841 / J8C	---	0.025in
53A				
	871 / RJ8C	841 / J8C	---	0.025in
54				
	871 / RJ8C	841 / J8C	---	0.025in
5400				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
5500				
	893 / RCJ4	---	---	0.025in
6000				
	893 / RCJ4	---	---	0.025in
6000CVA				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
655				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
6900				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
71A				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
72				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
76				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
7700				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
8500				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
8510				
	893 / RCJ4	---	---	0.025in
92				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
B520				
	846 / CJ14	---	846ECO	0.025in
Bad Boy 3450				
	893 / RCJ4	---	---	0.025in
Bad Boy 3750				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
KS412				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
Micro 25				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Micro 25 Deluxe				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Micro 25CVA				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Micro MZ5				
	840 / RCJ8	843 / CJ8	843ECO	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Poulan/Poulan Pro				
Micro Super 25				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Micro XXV				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Model XX				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Multi-Purpose 52-12				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
Multi-Purpose 52-14				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
P3314				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P3314WS				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P3416				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P4018				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P4018WT				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
PL3816				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.024in
PP 225				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PP190 Arborist				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PP210				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PP230				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PP235				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PP236				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PP255				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PP260				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PP285				
	893 / RCJ4	---	---	0.025in
PP295				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PP305				
	893 / RCJ4	---	---	0.025in
PP310				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PP315				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PP335 Predator				
	893 / RCJ4	---	---	0.025in
PP336				
	893 / RCJ4	---	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Poulan/Poulan Pro				
PP3516AVX				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
PP365				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PP375				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
PP380				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PP3816AV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
PP395				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
PP405				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PP415				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PP4218AV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
PP4218AVX				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
PP425				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PP445				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PP455				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PP4620AV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
PP4620AVX				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
PP475				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PP5020AV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PP505				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PP525				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PP655				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PPS23 Arbor Pro				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PPS25DA				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PR25PS				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.024in
PR28PS				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
PR3314				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.024in
PR3816				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Poulan/Poulan Pro				
PR4016				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PR4218				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PR4218; 2 Stroke; 42cc; 1 Cyl.				
	859 / RCJ7Y	859 / RCJ7Y	843ECO	0.026in
PR5020				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.024in
PR5020; 2 Stroke; 50cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
S23				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
S25				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
S25AV				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
S25CVA				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
S25DA				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
S33				
	871 / RJ8C	841 / J8C	---	0.025in
S6000				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
S68				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
S72				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Super XXV				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Wild Thing 2175				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
Wild Thing 2375				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
Power Pruner				
PP1200				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
PP1250				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
PP1400				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
PP1600				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
PP600				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
PP800				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
Pro				
40				
	871 / RJ8C	841 / J8C	---	0.030in
50				
	871 / RJ8C	841 / J8C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Pro				
G300AVS				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
G300TS				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
Racine				
All Model(s); 321; (Jacobsen)				
	871 / RJ8C	841 / J8C	---	0.025in
All Model(s); 4 Stroke; (Briggs & Stratton)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
All Model(s); 4 Stroke; (Clinton)				
	854 / RH10C	844 / H10C	---	0.025in
Redline				
740PC				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
840PC				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Redmax				
812				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
814				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
G2500TS				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
G300AVS				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
G300TS				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
G310TS				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
G3200				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
G3200EZ				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
G3800AVS				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
G450AVS				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
G455AVS				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
G5300				
3.3hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
G561AVS				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
G621AVS				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
GZ3500T; Strato-Charged				
1.91hp	965 / RZ7C	---	---	0.025in
GZ380; Strato-Charged				
2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
GZ3800				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Redmax				
GZ4000; (Komatsu Zenoah)				
	965 / RZ7C	---	---	0.020in
GZ4000; Strato-Charged				
2.4hp	965 / RZ7C	---	---	0.025in
GZ4500; Strato-Charged				
2.5hp	965 / RZ7C	---	---	0.025in
GZ5300				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
GZ7000; Strato-Charged				
4.9hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
PSZ2401; Strato-Charged; 1.4cid\23.6cc				
1.1hp	965 / RZ7C	---	---	0.025in
PSZ2460S				
1.15hp	965 / RZ7C	---	---	0.025in
PSZ2465S				
1.14hp	965 / RZ7C	---	---	0.025in
PSZ2500; (Komatsu Zenoah)				
	978 / RY4C	---	---	0.020in
Remington				
305				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
340				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
380				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
812				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
814				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
816				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
816AV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
840AV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
850AV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
860AV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Jobmaster				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Logger				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Many Model				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
Mighty-Mite 100				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Mighty-Mite 200				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Mighty-Mite 300				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Mighty-Mite 400				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Remington				
Mighty-Mite 500				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Mighty-Mite 600				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Mighty-Mite Automatic				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Mighty-Mite Bantam				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Mighty-Mite Deluxe				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Mighty-Mite Electric				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Mighty-Mite Pow-R-Cut				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Mighty-Mite Super Deluxe				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Mighty-Mite Weekender				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Outdoorsman				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Outdoorsman II				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
P5A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
PL4				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
PL5				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
PL55A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
PL6				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
PL6A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
PL7				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
PL7A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Pow-R-Cut				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Pow-R-Cut Saw				
	849 / CJ6	---	852ECO	0.025in
Rancher				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
RM2599				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
RM4214				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
RM4216				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
RM4218				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Remington				
RM4618				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
RM4620				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
SL10				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
SL10A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
SL11				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
SL11A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
SL14				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
SL16				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
SL4A				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
SL5				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
SL55 Auto.				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
SL7				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
SL9				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Sportsman				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Sportsman II				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Super 754				
	102 / RJ6C	823 / J6C	---	0.030in
Woodsman				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Yardmaster				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Ridgid				
305				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
380				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
590				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
690				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
850				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Lumberjack				
	871 / RJ8C	841 / J8C	---	0.030in
Ring Saw Co.				
(Chrysler)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Root				
C110				
	860 / RDJ7J	851 / DJ6J	851ECO	0.030in
C121				
	860 / RDJ7J	851 / DJ6J	851ECO	0.030in
Lumber Jack				
	871 / RJ8C	841 / J8C	---	0.030in
Roper				
C110				
	860 / RDJ7J	850 / DJ7J	851ECO	0.030in
C11047				
	860 / RDJ7J	851 / DJ6J	851ECO	0.030in
C121				
	860 / RDJ7J	850 / DJ7J	851ECO	0.030in
C12147				
	860 / RDJ7J	851 / DJ6J	851ECO	0.030in
C332				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
C33237				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
C3327				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
C3327AR				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
C343				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
C34337				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
C3437				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
C3437AR				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
C354				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
C35427				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
C35437				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
C3637AR				
	860 / RDJ7J	850 / DJ7J	851ECO	0.030in
C6117				
	860 / RDJ7J	851 / DJ6J	851ECO	0.030in
C6257				
	860 / RDJ7J	851 / DJ6J	851ECO	0.030in
C6257AR				
	860 / RDJ7J	851 / DJ6J	851ECO	0.030in
C6367				
	860 / RDJ7J	851 / DJ6J	851ECO	0.030in
C6367AR				
	860 / RDJ7J	851 / DJ6J	851ECO	0.030in
ProAm 412				
	860 / RDJ7J	851 / DJ6J	851ECO	0.030in
ProAm 414				
	860 / RDJ7J	851 / DJ6J	851ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Roper				
ProAm 415				
	860 / RDJ7J	851 / DJ6J	851ECO	0.030in
ProAm 615				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
ProAm 617				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
TTM				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Shindaiwa				
101				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.028in
300S				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
345				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
350				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
352s				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.028in
357				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
360				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
377				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
385s				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.028in
415				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
416				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
446s/EPA				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
450				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
451				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
488				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
488P				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
500				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
575				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
577				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
577P				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
680				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
695				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Shindaiwa				
757				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
757C				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
757EPA				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
E345				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
E350				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
E406				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
E440				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
E480				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
E680AV				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
EC350				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
EC7500				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
EC7600				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
P230				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
P231				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
YB301				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
YB401				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
YB501				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
YB601				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
YB701				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
YB901				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Skilsaw				
1610				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
1611				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
1612				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
1613				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
1614				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
1616				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Skilsaw				
1620				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1622				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1624				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1629				
	102 / RJ6C	823 / J6C	---	0.030in
1630				
	102 / RJ6C	823 / J6C	---	0.030in
1631				
	102 / RJ6C	823 / J6C	---	0.030in
1632				
	102 / RJ6C	823 / J6C	852ECO	0.030in
1634				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1636				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
1641				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
1644				
	102 / RJ6C	823 / J6C	---	0.030in
1645				
	102 / RJ6C	823 / J6C	---	0.030in
1646				
	102 / RJ6C	823 / J6C	852ECO	0.030in
1647				
	102 / RJ6C	823 / J6C	852ECO	0.030in
1660				
	102 / RJ6C	823 / J6C	---	0.030in
1661				
	102 / RJ6C	823 / J6C	---	0.030in
1690				
	102 / RJ6C	823 / J6C	---	0.030in
1705				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
1712				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
933				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
944				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
946				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
947				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
Solo				
101				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.022in
600 Mini				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.022in
600B				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.022in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Solo				
603				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
605AV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.022in
606AV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.022in
610AV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.022in
611				
	840 / RCJ8	843 / CJ8	843ECO	0.022in
615AV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.022in
616AC				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
616AV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.022in
620AV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.022in
626				
	830 / RL86C	933-1 / QL86C	---	0.022in
630				
	102 / RJ6C	823 / J6C	852ECO	0.022in
632				
	102 / RJ6C	823 / J6C	852ECO	0.022in
633				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
634				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
635				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
635-14				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
636				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
636-14				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
636-16				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
639				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
640				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.022in
641				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
642				
	840 / RCJ8	843 / CJ8	843ECO	0.022in
643 IP				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
643IP-16				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
644				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Solo				
644H				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
644SP				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
645				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.022in
647				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
650				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
650AV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.022in
651				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
651 SP				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
651SP				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
654				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
655AV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.022in
656				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
656-18				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
656-20				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
660AV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.022in
662				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
664				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
665AV				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
667				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
667W				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
670				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
675				
5.9hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
675-20				
5.9hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
680				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
680W				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
690				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Solo				
690D				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
690WD				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
694				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
880				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
881				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Twin 100				
	102 / RJ6C	823 / J6C	852ECO	0.022in
Spartan				
210G				
	102 / RJ6C	823 / J6C	852ECO	0.030in
34				
	102 / RJ6C	823 / J6C	852ECO	0.030in
34AV				
	102 / RJ6C	823 / J6C	852ECO	0.030in
34AV12				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
Standard				
	102 / RJ6C	823 / J6C	852ECO	0.030in
Standard Deluxe				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
STIHL				
009				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
009 Mini Boss				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
009AV				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
009EQZ				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
009L				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
010				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
010AV				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
011				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
011AV				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
011AVTEQ				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
011T				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
015				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
015AV				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
STIHL				
015AVP				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
015AVS				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
015L				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
015LE				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
015R				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
017				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
018				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
019T				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
020AV				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
020AVH				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
020AVP				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
020AVS				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
020AVT				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
020T				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
021				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
021 Wood Boss				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
023				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
023 Wood Boss				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
023AV				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
023C				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
023L				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
024				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
024AV				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
024WB				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
025				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
025 Wood Boss				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
STIHL				
025AVH				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
026				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
026 Artic				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
026 Pro				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
026AVP				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
026S				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
028				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
028AV				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
028AVE				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
028AVS				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
028S				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
028WB				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
029				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
029 Farm Boss				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
030AV				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
031				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
031AV				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
031AVE				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
031AVEQ				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
032AV				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
032AVE				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
034				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
034AVEQ				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
034WB				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
036				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
036 Pro				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
STIHL				
036 Pro Arctic				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
036AV				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
036QS				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
038 Magnum				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
038AV				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
038AVE				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
038AVMEQ				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
038AVS				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
039				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
040				
Light Service	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
Severe Service	893 / RCJ4	---	---	0.020in
040AV				
Light Service	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
Severe Service	893 / RCJ4	---	---	0.020in
040G				
Light Service	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
Severe Service	893 / RCJ4	---	---	0.020in
041				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
041AV				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
041AVE				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
041AVE Super				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
041FB				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
042AV				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
042AVE				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
042AVEQ				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
044				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
044 Arctic				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
044AVE				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
044CSA				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
045AV				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
STIHL				
045AVE				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
045AVE Super				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
046				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
046 Arctic				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
046 Magnum				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
048				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
048AV				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
048AVE				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
050AV				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
051AV				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
051AVE				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
056				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
056AV				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
056AVE				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
056AVS				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
06				
	327 / RL87YC	934-1 / QL87YC	---	0.020in
064				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
064AVEP				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
064AVEQ				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
064AVREQ				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
065				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
066				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
066 Magnum				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
07				
	327 / RL87YC	934-1 / QL87YC	---	0.020in
070				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
070AV				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
STIHL				
075AV				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
075AVE				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
076AV				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
078AVE				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
07S				
	327 / RL87YC	934-1 / QL87YC	---	0.020in
08				
	327 / RL87YC	934-1 / QL87YC	---	0.020in
084				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
084AVEQ				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
084Z				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
088				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
08H				
	327 / RL87YC	934-1 / QL87YC	---	0.020in
08S				
	830 / RL86C	933-1 / QL86C	---	0.030in
090				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
090AV				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
090E				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
090G				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
090N				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
090R				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
090S				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
1106 Contra 1601				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
1601				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.020in
FS560CEM				
3.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
GS461 Rock Boss				
5.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
HT100				
1.4hp;4-MIX	965 / RZ7C	---	---	0.020in
HT101				
1.4hp;4-MIX	965 / RZ7C	---	---	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
STIHL				
HT102; 4 Stroke; 1.92cid\31.4cc; 1 Cyl.				
1.4hp	965 / RZ7C	---	---	0.020in
HT103; 4 Stroke; 1.92cid\31.4cc; 1 Cyl.				
1.4hp	965 / RZ7C	---	---	0.020in
HT130				
1.9hp	965 / RZ7C	---	---	0.020in
HT131				
1.9hp	965 / RZ7C	---	---	0.020in
HT132; 4 Stroke; 2.22cid\36.3cc; 1 Cyl.				
1.9hp	965 / RZ7C	---	---	0.020in
HT133; 4 Stroke; 2.22cid\36.3cc; 1 Cyl.				
1.9hp	965 / RZ7C	---	---	0.020in
HT250				
2.1hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
HT56C				
1.1hp	965 / RZ7C	---	---	0.020in
HT56CE				
1.1hp	965 / RZ7C	---	---	0.020in
HT70				
1.3hp	978 / RY4C	---	---	0.024in
HT73				
1.2hp	978 / RY4C	---	---	0.024in
HT75				
1.3hp	978 / RY4C	---	---	0.024in
KS43				
	541 / RD16	516 / D16	---	0.025in
MS015; 2 Stroke; 1.95cid\32cc; 1 Cyl.				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS150C				
1.3hp	965 / RZ7C	---	---	0.020in
MS150CE				
1.3hp	965 / RZ7C	---	---	0.020in
MS150TC; 2 Stroke; 1.44cid\23.6cc; 1 Cyl.				
1.3hp	965 / RZ7C	---	---	0.020in
MS150TCE				
1.3hp	965 / RZ7C	---	---	0.020in
MS170				
1.7hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS171				
1.7hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS180				
2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS180C				
2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS180CBE				
2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
MS181				
2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS181C				
2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS181CBE				
2hp	965 / RZ7C	---	---	0.020in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
STIHL				
MS191T				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS192				
1.7hp	965 / RZ7C	---	---	0.020in
MS192C				
1.7hp	965 / RZ7C	---	---	0.020in
MS192CE				
1.7hp	965 / RZ7C	---	---	0.020in
MS192T				
1.7hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS192TC				
1.7hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS192TCE				
1.7hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
MS193				
1.7hp	965 / RZ7C	---	---	0.020in
MS193CE				
1.7hp	965 / RZ7C	---	---	0.020in
MS193T				
1.7hp	965 / RZ7C	---	---	0.020in
MS194C; 1.94cid\31.8cc; 1 Cyl.				
1.9hp	965 / RZ7C	---	---	0.020in
MS194CE; 1.94cid\31.8cc; 1 Cyl.				
1.9hp	965 / RZ7C	---	---	0.020in
MS194T; 1.94cid\31.8cc; 1 Cyl.				
1.9hp	965 / RZ7C	---	---	0.020in
MS200				
2.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS200T				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS201				
2.4hp	965 / RZ7C	---	---	0.020in
MS201CE				
2.4hp	965 / RZ7C	---	---	0.020in
MS201CEM				
2.4hp	965 / RZ7C	---	---	0.020in
MS201CM				
2.4hp	965 / RZ7C	---	---	0.020in
MS201T				
2.4hp	965 / RZ7C	---	---	0.020in
MS201TCM				
2.4hp	965 / RZ7C	---	---	0.020in
MS210				
2.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS210C				
2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS211				
2.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS211C				
2.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS211CBE				
2.3hp	965 / RZ7C	---	---	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
STIHL				
MS230				
2.5hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS230C				
2.5hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS241CM				
3.1hp	965 / RZ7C	---	---	0.020in
MS250				
3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS250C				
3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS251				
3hp	965 / RZ7C	---	---	0.020in
MS251 Wood Boss				
2.95hp	965 / RZ7C	---	---	0.020in
MS251C				
	965 / RZ7C	---	---	0.020in
MS251CBE				
2.95hp	965 / RZ7C	---	---	0.020in
MS260				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
MS260 Pro				
3.2hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS261				
3.8hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS261C				
3.8hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS261CM				
3.9hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
MS261CMQ				
3.9hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
MS261CQ				
3.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
MS270				
3.4hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS270C				
3.4hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS271				
3.5hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS271 Farm Boss				
3.5hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
MS271C				
3.5hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS280				
3.6hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS280C				
3.6hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS290				
3.8hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS291				
3.8hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS291C				
3.8hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
STIHL				
MS291CBEQ				
3.5hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
MS291CQ				
3.8hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
MS310				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS311				
4.2hp	852 / RCJ6Y	852 / RCJ6Y	852ECO	0.020in
MS341				
4.4hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS360				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS360C				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS361				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS361C				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
MS361CQ				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS362				
4.6hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS362C				
4.6hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS362CM				
4.7hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
MS362CMQ				
4.7hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
MS362RCM				
4.7hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
MS390				
4.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS391				
4.4hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS440				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS441				
5.5hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS441C				
5.5hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS441CM Magnum				
5.6hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
MS441CMQ Magnum				
5.6hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
MS441CQ				
5.6hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
MS460				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
MS460 Magnum Rescue				
6hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS461				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
STIHL				
MS461 Rescue				
6hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
MS461R				
6hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
MS462CM; 4.41cid\72.2cc; 1 Cyl.				
5.9hp	965 / RZ7C	---	---	0.020in
MS462CMR; 4.41cid\72.2cc; 1 Cyl.				
5.9hp	965 / RZ7C	---	---	0.020in
MS500i; 4.83cid\79.2cc; 1 Cyl.				
6.7hp	965 / RZ7C	---	---	0.020in
MS500iR; 4.83cid\79.2cc; 1 Cyl.				
6.7hp	965 / RZ7C	---	---	0.020in
MS650				
6.4hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS660				
7hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS661CM				
7.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
MS661RCM				
7.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
MS880 Magnum				
8.6hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
MS880R Magnum				
8.6hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
O42AVEQ				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
S10				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
TS08				
From: X18735399	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
To: X18735398	830 / RL86C	933-1 / QL86C	---	0.020in
TS200				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
TS350				
From: X17451128	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
To: X17451127	830 / RL86C	933-1 / QL86C	---	0.020in
TS350S				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
TS360				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
TS360AVE				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
TS400				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
TS410				
4.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
TS420				
4.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
TS440; 2 Stroke; 4.07cid\66.7cc; 1 Cyl.				
4.3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
TS460				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
STIHL				
TS480				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
TS480i				
5.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
TS500i				
5.2hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
TS510; 2 Stroke; 5.43cid\89.2cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
TS510AVE				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
TS700				
6.7hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
TS760; 2 Stroke; 6.77cid\111cc; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
TS760AVE				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
TS800				
6.7hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
Stow				
All Model(s); (Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
All Model(s); (Kohler)				
16hp	854 / RH10C	844 / H10C	---	0.030in
All Model(s); (Wisconsin)				
65hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
All Model(s); 1 Cyl.; (Briggs & Stratton)				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
All Model(s); 1 Cyl.; (Honda)				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
All Model(s); 1 Cyl.; (Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
All Model(s); 1 Cyl.; (Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
14hp	854 / RH10C	844 / H10C	---	0.030in
8hp	854 / RH10C	844 / H10C	---	0.030in
All Model(s); 1 Cyl.; (Robin)				
1.5hp	846 / CJ14	---	846ECO	0.025in
11hp	933-1 / QL86C	306 / L86C	---	0.025in
2.5hp	931-1 / QL82C	811 / L82C	---	0.025in
3hp	592 / RJ12C	511 / J11C	---	0.025in
3.3hp	933-1 / QL86C	306 / L86C	---	0.025in
4hp	933-1 / QL86C	306 / L86C	---	0.025in
4.6hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
All Model(s); 1 Cyl.; (Wisconsin)				
9.2hp	541 / RD16	516 / D16	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Stow				
All Model(s); 2 Cyl.; (Wisconsin)				
18hp	541 / RD16	516 / D16	---	0.025in
All Model(s); 4 Cyl.; Gas; (Wisconsin)				
35hp	541 / RD16	516 / D16	---	0.025in
All Model(s); Vanguard; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
All Model(s); Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
SFCG1; GX200QX39; 196cc; 1 Cyl.; (Honda); OHV				
6.4hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
Strunk				
EBC-1				
	871 / RJ8C	841 / J8C	---	0.030in
EBC-3				
	871 / RJ8C	841 / J8C	---	0.030in
GCV530U				
	871 / RJ8C	841 / J8C	---	0.030in
Tall Timber				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Tanaka				
(Kawasaki)				
	893 / RCJ4	849 / CJ6	852ECO	0.028in
EBC-1				
	102 / RJ6C	823 / J6C	---	0.030in
ECS-290				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
ECS-3				
	102 / RJ6C	823 / J6C	---	0.030in
ECS-300				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
ECS-307				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
ECS-320				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
ECS-330				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
ECS-3301				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
ECS-3351				
	840 / RCJ8	843 / CJ8	843ECO	0.024in
ECS-35				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
ECS-350				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
ECS-3500B				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
ECS-351				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
ECS-355				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
ECS-356				
	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Tanaka				
ECS-357				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
ECS-35B				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
ECS-35E				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
ECS-370				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
ECS-4000B				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
ECS-405				
Since 1986	840 / RCJ8	843 / CJ8	843ECO	0.028in
To 1985	893 / RCJ4	849 / CJ6	852ECO	0.028in
ECS-415				
Since 1986	840 / RCJ8	843 / CJ8	843ECO	0.028in
To 1985	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
ECS-5				
	102 / RJ6C	823 / J6C	---	0.030in
ECS-505				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
ECS-506				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
ECS-650				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
ECS-655				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
ECT-3401				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
ECT-3801				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
ECT-6501				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
ECV-4501				
2.5hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
ECV-5601				
3hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.024in
EHC-120				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
EHC-140				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
EHG-120				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
ES-650/20				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
ES-650/24				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
ESC-655				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
SP-351				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.028in
SP-37				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.028in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Tanaka				
SP-411				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.028in
SP-502				
	840 / RCJ8	843 / CJ8	843ECO	0.028in
TCS-33EB				
1.7hp	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
TCS-3401				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.028in
Target				
All Model(s); (Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
All Model(s); (Kohler)				
16hp	854 / RH10C	844 / H10C	---	0.030in
All Model(s); (Wisconsin)				
65hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
All Model(s); (Wisconsin); OHV				
13hp	541 / RD16	516 / D16	---	0.030in
All Model(s); 1 Cyl.; (Honda)				
2.2hp	846 / CJ14	---	846ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
All Model(s); 1 Cyl.; (Honda); OHV				
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
8hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
All Model(s); 1 Cyl.; (Kohler)				
14hp	854 / RH10C	844 / H10C	---	0.030in
8hp	854 / RH10C	844 / H10C	---	0.030in
All Model(s); 1 Cyl.; (Kohler); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
All Model(s); 1 Cyl.; (Wisconsin)				
5hp	933-1 / QL86C	306 / L86C	---	0.025in
9hp	541 / RD16	516 / D16	---	0.030in
All Model(s); 2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
All Model(s); 2 Cyl.; (Wisconsin)				
18hp	541 / RD16	516 / D16	---	0.030in
All Model(s); 4 Cyl.; Gas; (Wisconsin)				
35hp	541 / RD16	516 / D16	---	0.030in
All Model(s); 795L; (McCulloch)				
	871 / RJ8C	841 / J8C	---	0.025in
All Model(s); Vanguard; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
All Model(s); Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
All Model(s); VG4D; 2.5L (154cid); V4; Gas; (Wisconsin); L-HEAD				
37hp	541 / RD16	516 / D16	---	0.030in
Super Quickie; 2 Stroke				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
Terrill				
24000A				
	893 / RCJ4	849 / CJ6	852ECO	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Terrill				
50				
	592 / RJ12C	511 / J11C	---	0.030in
60				
	512 / H12	---	---	0.030in
CS5				
	592 / RJ12C	511 / J11C	---	0.030in
CS5A				
	592 / RJ12C	511 / J11C	---	0.030in
CS5B				
	592 / RJ12C	511 / J11C	---	0.030in
CS5C				
	592 / RJ12C	511 / J11C	---	0.030in
CS6				
	512 / H12	---	---	0.030in
CS7				
	512 / H12	---	---	0.030in
FA				
	592 / RJ12C	511 / J11C	---	0.030in
Timber Harvester				
2 Cyl.; (Onan)				
24hp	909 / RS17YX	---	---	0.025in
Troy-Bilt				
41AY4214766; 2 Stroke; 42cc; 1 Cyl.				
	965 / RZ7C	---	---	0.025in
41AY4216766; 2 Stroke; 42cc; 1 Cyl.				
	965 / RZ7C	---	---	0.025in
41AY4218766; 2 Stroke; 42cc; 1 Cyl.				
	965 / RZ7C	---	---	0.025in
41BD25PS766; 2 Stroke; 25cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
TB25PS; 2 Stroke; 25cc; 1 Cyl.				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
TB3516CC; 1 Cyl.				
	965 / RZ7C	---	---	0.025in
TB3518CC; 1 Cyl.				
	965 / RZ7C	---	---	0.025in
TB4214; 2 Stroke; 42cc; 1 Cyl.				
	965 / RZ7C	---	---	0.025in
TB4216; 2 Stroke; 42cc; 1 Cyl.				
	965 / RZ7C	---	---	0.025in
TB4218; 2 Stroke; 42cc; 1 Cyl.				
	965 / RZ7C	---	---	0.025in
TB4218CC; 1 Cyl.				
	965 / RZ7C	---	---	0.025in
TB4620C; 1 Cyl.				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
TB4620CC; 1 Cyl.				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
TB4920CC; 1 Cyl.				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
TB5018CC; 1 Cyl.				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
TB5020CC; 1 Cyl.				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
TB5518; 1 Cyl.				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Turf-Mite				
(Honda)				
4hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Wacker				
BTS10				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
BTS11				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
BTS12				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
BTS13				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
BTS14				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
BTS9				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
Wacker-Neuson				
BTS10				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
BTS1030L3				
5.6hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
BTS1035L3				
5.6hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
BTS11				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
BTS12				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
BTS13				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
BTS14				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
BTS9				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
BTS930L3				
4.5hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
BTS935LS				
4.5hp	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
CTS12				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
West Bend				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
White Motor Co.				
WM19				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
WM21				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
WM360				
	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Wizard				
010				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
012				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
014				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
110				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
112				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
212				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
314				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
316				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
420				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
430				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
430B				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
AV10				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
AV14				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
AV16				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
AV18				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
BO13				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Wood-Mizer				
V2; (Kohler); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Wright				
104				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
104D				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
111				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
121				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
122A				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
122CVA				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
136				
	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Wright				
137A				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
140				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
141A				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
B316				
	58 / RJ18YC	---	---	0.030in
B520				
	846 / CJ14	---	846ECO	0.030in
C40				
	102 / RJ6C	823 / J6C	---	0.030in
C40D				
	102 / RJ6C	823 / J6C	---	0.030in
C50				
	592 / RJ12C	511 / J11C	---	0.030in
C50D				
	592 / RJ12C	511 / J11C	---	0.030in
C50SG				
	592 / RJ12C	511 / J11C	---	0.030in
C70				
	102 / RJ6C	823 / J6C	---	0.030in
C70D				
	102 / RJ6C	823 / J6C	---	0.030in
C70G				
	102 / RJ6C	823 / J6C	---	0.030in
GS2016				
	58 / RJ18YC	---	---	0.030in
GS218				
	592 / RJ12C	511 / J11C	---	0.030in
GS2520				
	592 / RJ12C	511 / J11C	---	0.030in
GS4520				
	846 / CJ14	---	846ECO	0.030in
GS5020				
	846 / CJ14	---	846ECO	0.030in
GS5020A				
	846 / CJ14	---	846ECO	0.030in
Xenoah				
G320AV				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
G320AVS				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
G36AV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
G36AVS				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
G380AV				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
G380AVS				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
G50AV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in



CHAIN SAWS
SCIES À CHAÎNE
SIERRAS DE CADENAS

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Xenoah				
G560AV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
G560AVS				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
G620AV				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
G620AVS				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Yankee Clipper				
110125				
	871 / RJ8C	841 / J8C	---	0.030in
1-36 MKI				
	893 / RCJ4	849 / CJ6	852ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Yankee Clipper				
1-36 MKII				
	865 / RDJ8J	847 / DJ8J	847ECO	0.030in
1-71-SS				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
2-36-SS				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
55LH				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
55RH				
	893 / RCJ4	849 / CJ6	852ECO	0.030in
76				
	849 / CJ6	---	852ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Allis-Chalmers				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	58 / RJ18YC	871 / RJ8C	---	0.035in
B70				
	102 / RJ6C	823 / J6C	---	0.025in
AMF				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Ariens				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Clinton)				
	854 / RH10C	844 / H10C	---	0.025in
(Kawasaki); OHV				
9hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
(Lauson)				
	871 / RJ8C	841 / J8C	---	0.020in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); L-HEAD				
5hp	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); OHV				
	104 / RN4C	803 / N4C	---	0.030in
7hp	104 / RN4C	803 / N4C	---	0.030in
9hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
2 Cyl.; (Briggs & Stratton); OHV				
24hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
2 Cyl.; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vertical; (Tecumseh)				
16.5hp;OHV165	104 / RN4C	803 / N4C	---	0.030in
Vertical; (Tecumseh); OHV				
11.5hp;OHV115	104 / RN4C	803 / N4C	---	0.030in
13hp	104 / RN4C	803 / N4C	---	0.030in
10-30E; (Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
11526DLE; Vertical; (Tecumseh); OHV				
11.5hp;OHV115	104 / RN4C	803 / N4C	---	0.030in
11528DLE; Vertical; (Tecumseh); OHV				
11.5hp;OHV115	104 / RN4C	803 / N4C	---	0.030in
11528LE; Vertical; (Tecumseh); OHV				
11.5hp;OHV115	104 / RN4C	803 / N4C	---	0.030in
1332DLE; Vertical; (Tecumseh); OHV				
13hp	104 / RN4C	803 / N4C	---	0.030in
1336DLE; Snow King; (Tecumseh); OHV				
13hp;OHSK130;Spec. #223000 & Up	104 / RN4C	803 / N4C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ariens				
520; Snow King; (Tecumseh)				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
522; (Tecumseh)				
5hp	104 / RN4C	803 / N4C	---	0.030in
522EC; Snow King; (Tecumseh)				
5hp;HSK850	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
5520; Snow King; (Tecumseh)				
5.5hp;OHSK55	104 / RN4C	803 / N4C	---	0.030in
5524E; (Tecumseh)				
5.5hp	104 / RN4C	803 / N4C	---	0.030in
624E; (Tecumseh)				
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7-23; (Tecumseh)				
7hp	871 / RJ8C	841 / J8C	---	0.030in
724E; Horizontal; (Tecumseh); OHV				
7hp	104 / RN4C	803 / N4C	---	0.030in
8526DLE; Snow King; (Tecumseh)				
8.5hp;HMSK85	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
926DLE; (Tecumseh)				
9hp	856 / RJ17LM	845 / J17LM	861ECO	0.030in
9-26E; (Tecumseh)				
9hp	871 / RJ8C	841 / J8C	---	0.030in
Classic 24 920025; 208cc; 1 Cyl.; (Ariens Ax (LCT))				
9.5 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
Classic 24+ 920030; 223cc; 1 Cyl.; (Ariens Ax (LCT))				
10 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
Compact 24 920021; (Ariens Ax (LCT))				
6.5hp;AX208	415 / RN9YC	300 / N9YC	415ECO	0.030in
Compact 24 920029; 223cc; 1 Cyl.; (Ariens Ax (LCT))				
10 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
Compact 24 Track 920028; 223cc; 1 Cyl.; (Ariens Ax (LCT))				
10 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
Compact Track 24 920022; (Ariens Ax (LCT))				
6.5hp;AX208	415 / RN9YC	300 / N9YC	415ECO	0.030in
Crossover 20 932050; 179cc; 1 Cyl.; (Ariens Ax (LCT))				
8.25 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
Deluxe 24 921024; (Ariens Ax (LCT))				
7.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Deluxe 24 921045; GEN 2; 254cc; 1 Cyl.; (Ariens Ax (LCT))				
AX254;12.5 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
Deluxe 28 921030; (Ariens Ax (LCT))				
7.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Deluxe 28 921046; GEN 2; 254cc; 1 Cyl.; (Ariens Ax (LCT))				
AX254;12.5 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
Deluxe 28 SHO 921044; (Ariens Ax (LCT))				
9.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Deluxe 28 SHO 921048; 306cc; 1 Cyl.; (Ariens Ax (LCT))				
15 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
Deluxe 30 921032; (Ariens Ax (LCT))				
9.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Deluxe 30 921047; 306cc; 1 Cyl.; (Ariens Ax (LCT))				
15 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in



SNOW REMOVAL EQUIPMENT
ÉQUIPEMENT DE DÉNEIGEMENT
EQUIPOS QUITANIEVES

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ariens				
Deluxe 30 EFI 921049; EZ-Launch EFI; 306cc; 1 Cyl.; (Ariens Ax (LCT))				
15 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
Hydro Pro Track 28 926056; 25.63cid\420cc; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
M21; (Tecumseh)				
3hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Path-Pro 208E 21 938032; (Ariens Ax (LCT))				
6.5hp;AX208	415 / RN9YC	300 / N9YC	415ECO	0.030in
Path-Pro 208EC 21 938033; (Ariens Ax (LCT))				
6.5hp;AX208	415 / RN9YC	300 / N9YC	415ECO	0.030in
Path-Pro 208R 21 938031; (Ariens Ax (LCT))				
6.5hp;AX208	415 / RN9YC	300 / N9YC	415ECO	0.030in
Path-Pro I36E 21 938034; (Ariens Ax (LCT))				
4hp;AX136	415 / RN9YC	300 / N9YC	415ECO	0.030in
Path-Pro I36R 21 938030; (Ariens Ax (LCT))				
4hp;AX136	415 / RN9YC	300 / N9YC	415ECO	0.030in
Platinum 24 SHO 921038; (Ariens Ax (LCT))				
10hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Platinum 24 SHO 921050; GEN 3; 369cc; 1 Cyl.; (Ariens Ax (LCT))				
17 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
Platinum 24 SHO EFI 921053; EZ-Launch EFI; 369cc; 1 Cyl.; (Ariens Ax (LCT))				
17 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
Platinum 28 Rapidtrak 921057; 369cc; 1 Cyl.; (Ariens Ax (LCT))				
17 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
Platinum 30 SHO 921040; (Ariens Ax (LCT))				
10hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Platinum 30 SHO 921051; GEN 3; 414cc; 1 Cyl.; (Ariens Ax (LCT))				
20 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
Platinum SHO Track 28 921039; (Ariens Ax (LCT))				
10hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Power Brush 28; Command Pro; 4 Stroke; Horizontal; 10.8cid\177cc; 1 Cyl.; (Kohler); OHV				
5.5hp;CH255	810 / RA8HC	7972 / RA8PHP	---	0.030in
Power Brush 36; Command Pro; 4 Stroke; Horizontal; 277cc; 1 Cyl.; (Kohler); OHV				
9.5hp;CH395	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Power Brush 36 Hydro; Command Pro; 4 Stroke; Horizontal; 277cc; 1 Cyl.; (Kohler); OHV				
9.5hp;CH395	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional 21 SSR 938024; 208cc; 1 Cyl.; (Ariens Ax (LCT))				
9.5 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
Professional 21 SSRC 938025; 208cc; 1 Cyl.; (Ariens Ax (LCT))				
9.5 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
Professional 28 926038; 25.63cid\420cc; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional 28 926077; 25.6cid\420cc; 1 Cyl.; (Ariens Ax (LCT))				
21 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ariens				
Professional 28 Hydro 926053; 25.63cid\420cc; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional 28 Hydro EFI 926068; 25.6cid\420cc; 1 Cyl.; (Ariens Ax (LCT))				
21 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
Professional 28 Hydro RapidTrak 926078; 25.6cid\420cc; 1 Cyl.; (Ariens Ax (LCT))				
21 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
Professional 32 926039; 25.63cid\420cc; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional 32 926076; 25.6cid\420cc; 1 Cyl.; (Ariens Ax (LCT))				
21 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
Professional 32 Hydro 926517; 25.63cid\420cc; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Professional 32 Hydro Rapidtrak 926079; 25.6cid\420cc; 1 Cyl.; (Ariens Ax (LCT))				
21 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
Professional 36 Hydro 926055; 25.63cid\420cc; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
S18 938026; 99cc; 1 Cyl.; (Ariens Ax (LCT))				
4.1 ft.-lb. Torque	327 / RL87YC	312 / L87YC	---	0.030in
SS322; (Tecumseh)				
3hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
SS522; (Tecumseh)				
5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
ST1024; (Tecumseh); L-HEAD				
10hp;3/8in Reach Spark Plugs	871 / RJ8C	841 / J8C	---	0.030in
ST1024; (Tecumseh); OHV				
10hp;3/4in Reach Spark Plugs	104 / RN4C	803 / N4C	---	0.030in
11hp;3/4in Reach Spark Plugs	104 / RN4C	803 / N4C	---	0.030in
ST1028DL; (Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
ST1032DL; (Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
ST1128LE; (Tecumseh); OHV				
10hp	104 / RN4C	803 / N4C	---	0.030in
11hp	104 / RN4C	803 / N4C	---	0.030in
ST1236DL; (Tecumseh)				
12hp	830 / RL86C	933-1 / QL86C	---	0.030in
ST1332; (Tecumseh); OHV				
13hp	104 / RN4C	803 / N4C	---	0.030in
ST1336LE; (Tecumseh); OHV				
13hp	104 / RN4C	803 / N4C	---	0.030in
ST5+2; (Tecumseh)				
5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
ST520; (Tecumseh)				
5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
ST521				
	871 / RJ8C	841 / J8C	---	0.030in
ST5224				
	871 / RJ8C	841 / J8C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ariens				
ST524; (Tecumseh)				
5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
ST624; (Tecumseh); OHV				
6hp	104 / RN4C	803 / N4C	---	0.030in
ST724; (Tecumseh)				
7hp	871 / RJ8C	841 / J8C	---	0.030in
ST824DL; (Tecumseh)				
8hp	871 / RJ8C	841 / J8C	---	0.030in
ST824LC; (Tecumseh)				
8hp	871 / RJ8C	841 / J8C	---	0.030in
ST924; (Tecumseh)				
9hp	871 / RJ8C	841 / J8C	---	0.030in
Atlas				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Lauson)				
	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Bear Cat				
(Honda); OHV				
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Tecumseh); OHV				
	104 / RN4C	803 / N4C	---	0.030in
Blue Diamond				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Bobcat				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Bolens				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Briggs & Stratton); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
17hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Lauson)				
	871 / RJ8C	841 / J8C	---	0.030in
(MTD/Powermore); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Briggs & Stratton); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
21hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Bros				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Canadiana				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Champion Power Equipment				
100434; (Champion); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Climax				
R-165; Blue Streak; 6 Cyl.; Gas				
Requires 2 Plugs Per Cylinder	555 / UD16	---	---	0.025in
Columbia				
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	830 / RL86C	933-1 / QL86C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
Horizontal; Powermore; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Powermore; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
10528GC; Horizontal; Powermore; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
10528PC; Horizontal; Powermore; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
11530GC; Horizontal; Powermore; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
11530PC; Horizontal; Powermore; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
12533GC; Horizontal; Powermore; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
21XC; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
21XPES; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
21XPL; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
40021MS; Horizontal; Powermore; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
60024PC; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
65021MSE; Horizontal; Powermore; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
71024PC; Horizontal; Powermore; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
90026PC; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
95026PC; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
CA230 PRO; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
CA234 PRO; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in



SNOW REMOVAL EQUIPMENT
ÉQUIPEMENT DE DÉNEIGEMENT
EQUIPOS QUITANIEVES

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Columbia				
CA324; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
CA326; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
CA326HD; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
CA328; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
CA328HD; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
CA328HDT; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
CA330; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Craftsman				
(Briggs & Stratton); L-HEAD				
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
4hp	863 / RCJ8Y	868 / RJ19LM	843ECO	0.030in
5hp	104 / RN4C	803 / N4C	---	0.030in
5.5hp	104 / RN4C	803 / N4C	---	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
8.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
7.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
247.11683; 123cc; 1 Cyl.; OHV				
161-JWA-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.116830; 123cc; 1 Cyl.; OHV				
161-JWA-12	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.88045; 4 Stroke; 1 Cyl.; (Tecumseh); OHV				
	104 / RN4C	803 / N4C	---	0.030in
247.881700; 1 Cyl.; OHV				
265-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.881701; 1 Cyl.; OHV				
265-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.881720; 1 Cyl.; OHV				
265-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.881721; 1 Cyl.; OHV				
265-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.881730; 1 Cyl.; OHV				
270-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.881731; 1 Cyl.; OHV				
270-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.881732; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
247.88190; 4 Stroke; 1 Cyl.; (Tecumseh)				
9hp;LH318SP	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.881900; 1 Cyl.; L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.881980; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.881990; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.88255; 4 Stroke; Snow King; 1 Cyl.; (Tecumseh); L-HEAD				
5.5hp;LH195SP	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.88269CARB; 19.43cid; 1 Cyl.				
9hp;143.979007	871 / RJ8C	841 / J8C	---	0.030in
247.883550; 4 Stroke; Snow King; 1 Cyl.; (Tecumseh); L-HEAD				
5.5hp;LH195SP	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.883700; 4 Stroke; Snow King; 1 Cyl.; (Tecumseh); OHV				
OH195SA	104 / RN4C	803 / N4C	---	0.030in
247.883950; 1 Cyl.; OHV				
478-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.883951; 1 Cyl.; OHV				
478-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.883960; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.883961; 1 Cyl.; OHV				
483-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.883971; 1 Cyl.; OHV				
483-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.883980; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.883981; 1 Cyl.; OHV				
490-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.884410; 2 Stroke; Snow King; 1 Cyl.; (Tecumseh)				
4hp;HSK840	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
247.88455; 4 Stroke; Snow King; 1 Cyl.; (Tecumseh); L-HEAD				
5.5hp;LH195SP	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.88455.1; 4 Stroke; Snow King; 1 Cyl.; (Tecumseh); L-HEAD				
5.5hp;LH195SP	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.885500; 1 Cyl.; L-HEAD				
143.988501	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.5hp;143.988501	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.885550; 1 Cyl.; (Tecumseh); L-HEAD				
LH195SP	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.885550; 4 Stroke; 13.53cid; 1 Cyl.; (Tecumseh); L-HEAD				
5hp;HSSK50	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.885680; Snow King; 19.43cid; 1 Cyl.; (Tecumseh); L-HEAD				
8hp;HMSK80	856 / RJ17LM	845 / J17LM	861ECO	0.030in
247.885690; 19.43cid; 1 Cyl.				
9hp;143.979001	871 / RJ8C	841 / J8C	---	0.030in
247.886510; 1 Cyl.				
5hp;143.974082	871 / RJ8C	841 / J8C	---	0.030in
247.886640; 1 Cyl.; L-HEAD				
5hp;143.045001	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
247.886700; 1 Cyl.; L-HEAD				
8hp;143.796132	871 / RJ8C	841 / J8C	---	0.030in
247.88690; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
11hp;15C103	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.886911; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.886912; 1 Cyl.; OHV				
270-SU-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.886913; 1 Cyl.; OHV				
270-SU-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.886914; 1 Cyl.; OHV				
270-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.886940; 1 Cyl.; OHV				
270-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.887000; 1 Cyl.; L-HEAD				
5hp;143.045003	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.88704; 1 Cyl.; OHV				
ZS161-JWA	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.88705; 1 Cyl.; OHV				
ZS365-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.88755; 1 Cyl.; OHV				
ZS365-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.88779; 1 Cyl.; OHV				
265-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.887791; 1 Cyl.; OHV				
265-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.88780; 1 Cyl.; OHV				
265-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.887801; 1 Cyl.; OHV				
265-JU-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.887802; 1 Cyl.; OHV				
265-JU-12	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.88782; 1 Cyl.; OHV				
370-JU-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.887820; 1 Cyl.; OHV				
370-JUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.887821; 1 Cyl.; OHV				
370-JUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.88787; 1 Cyl.; OHV				
165-SUB-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.88790; 4 Stroke; Snow King; 1 Cyl.; (Tecumseh)				
9hp;LH318SA	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.887900; 4 Stroke; Snow King; 1 Cyl.; (Tecumseh)				
9hp;LH318SA	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.888160; 4 Stroke; 172cc; 1 Cyl.; OHV				
6.5hp;143.026503	104 / RN4C	803 / N4C	---	0.030in
247.88830; 357cc; 1 Cyl.; OHV				
483-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.888301; 1 Cyl.; OHV				
483-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.88833; 1 Cyl.; OHV				
3/4 inch spark plugs	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
247.88835; 1 Cyl.; OHV				
483-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.88845; 1 Cyl.; OHV				
3/4 inch spark plugs	71 / RC12YC	946 / QC12YC	71ECO	0.030in
247.88846; 1 Cyl.; OHV				
ZS490-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.888510; 1 Cyl.; L-HEAD				
9hp;143.999005	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.888520; 1 Cyl.; L-HEAD				
9hp;143.999005	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.888530; 1 Cyl.; L-HEAD				
9hp;143.039001	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.888550; 1 Cyl.; L-HEAD				
9hp;143.999005	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
247.88955; 1 Cyl.; OHV				
ZS365-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.88957; 1 Cyl.; OHV				
ZS365-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.889571; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.88970; 1 Cyl.; OHV				
ZS370-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.889702; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.889703; 1 Cyl.; OHV				
270-SU-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.889704; 1 Cyl.; OHV				
270-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.889705; 1 Cyl.; OHV				
270-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.88999; 1 Cyl.; (Briggs & Stratton); OHV				
15C104	71 / RC12YC	946 / QC12YC	71ECO	0.020in
247.985360; 1 Cyl.; OHV				
270-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.985370; 1 Cyl.; OHV				
270-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.985380; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.9854; 1 Cyl.; OHV				
265-JU-11	415 / RN9YC	300 / N9YC	415ECO	0.030in
536.881110; 4 Stroke; 1 Cyl.; L-HEAD				
11hp;143.011101	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.881112; 4 Stroke; 1 Cyl.; L-HEAD				
11hp;143.021101	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.881121; 4 Stroke; 1 Cyl.; OHV				
12.5hp;143.011201	104 / RN4C	803 / N4C	---	0.030in
536.881130; 4 Stroke; 21.82cid; 1 Cyl.; L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.881230; 4 Stroke; 21.82cid; 1 Cyl.; L-HEAD				
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.881400; 4 Stroke; 190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;120502	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in



SNOW REMOVAL EQUIPMENT
EQUIPEMENT DE DÉNEIGEMENT
EQUIPOS QUITANIEVES

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
536.881410; 4 Stroke; 190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;120502;6.50 ft.-lbs. Torque	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.881500; 4 Stroke; 148cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;9A413	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.881750; 206cc; 1 Cyl.; (Briggs & Stratton); OHV				
7.5hp;12C113	71 / RC12YC	946 / QC12YC	71ECO	0.020in
536.881800; 206cc; 1 Cyl.; (Briggs & Stratton); OHV				
8hp;12E114	71 / RC12YC	946 / QC12YC	71ECO	0.020in
536.881851; 249cc; 1 Cyl.; (Briggs & Stratton); OHV				
8.5hp;15A114	71 / RC12YC	946 / QC12YC	71ECO	0.020in
536.882650; 4 Stroke; 21.82cid; 1 Cyl.; L-HEAD				
10hp;143.971003	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.884581; 2 Stroke; 1 Cyl.				
4hp;143.973091	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
536.884670; 2 Stroke; 8.46cid; 1 Cyl.				
5hp;143.955071	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
536.884681; 2 Stroke; 8.46cid; 1 Cyl.				
5hp;143.975071	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
536.884780; 4 Stroke; 12.04cid; 1 Cyl.; L-HEAD				
5hp;143.965003	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.884791; 4 Stroke; 12.04cid; 1 Cyl.; L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.884811; 4 Stroke; 12.04cid; 1 Cyl.; L-HEAD				
5hp;143.804072	871 / RJ8C	841 / J8C	---	0.030in
536.884821; 4 Stroke; 10.49cid; 1 Cyl.; (Tecumseh); L-HEAD				
5hp;HS50	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.885020; 4 Stroke; 21.82cid; 1 Cyl.; L-HEAD				
10hp;143.816012	871 / RJ8C	841 / J8C	---	0.030in
536.885201; 4 Stroke; 10cid; 1 Cyl.; L-HEAD				
3.8hp;143.023800	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.885203; 4 Stroke; 10cid; 1 Cyl.; L-HEAD				
3.8hp;143.023800	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.885210; 2 Stroke; 8.46cid; 1 Cyl.				
5hp;143.955071	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
536.885211; 2 Stroke; 8.46cid; 1 Cyl.				
5hp;143.955071	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
536.885213; 2 Stroke; 1 Cyl.; (Tecumseh)				
5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
536.885213; 2 Stroke; 8.46cid; 1 Cyl.				
5hp;143.025071	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
536.885214; 2 Stroke; 8.46cid; 1 Cyl.				
5hp;143.025071	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
536.885410; 10.49cid; 1 Cyl.				
4hp;143.804062	871 / RJ8C	841 / J8C	---	0.030in
536.885410; 4 Stroke; 10.49cid; 1 Cyl.; L-HEAD				
4hp;143.804062	871 / RJ8C	841 / J8C	---	0.030in
536.885570; 15.04cid; 1 Cyl.				
7hp;143.977001	871 / RJ8C	841 / J8C	---	0.030in
536.885910; 4 Stroke; 19.43cid; 1 Cyl.; L-HEAD				
8hp;143.806082	871 / RJ8C	841 / J8C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
536.886120; 4 Stroke; 12.04cid; 1 Cyl.; L-HEAD				
5hp;143.955001	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.886122; 4 Stroke; 12.04cid; 1 Cyl.; L-HEAD				
5hp;143.975001	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.886140; 4 Stroke; 12.04cid; 1 Cyl.; L-HEAD				
5hp;143.985003	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.886141; 4 Stroke; 12.04cid; 1 Cyl.; L-HEAD				
5hp;143.995001	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.886150; 4 Stroke; 11.88cid; 1 Cyl.; OHV				
5.5hp	104 / RN4C	803 / N4C	---	0.030in
536.886180; 4 Stroke; Snow Series; 12.5cid\205cc; 1 Cyl.; (Briggs & Stratton); OHV				
12D107;9.0 lbs.-ft. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
536.886220; 4 Stroke; 21.82cid; 1 Cyl.; L-HEAD				
11hp;143.981001	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.886260; 4 Stroke; 19.34cid; 1 Cyl.; L-HEAD				
9hp;143.019003	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.886261; 4 Stroke; 19.34cid; 1 Cyl.; L-HEAD				
9hp;143.029003	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.886331; 4 Stroke; 21.82cid; 1 Cyl.; L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.886350; 4 Stroke; 21.82cid; 1 Cyl.; L-HEAD				
10hp;143.971001	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.886440; 4 Stroke; 1 Cyl.; L-HEAD				
5hp;143.015005	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.886531; 4 Stroke; 12.04cid; 1 Cyl.				
5hp;143.834012	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.886621; 2 Stroke; 1 Cyl.; L-HEAD				
8hp;143.948001	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.887750; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
7.75hp;12C414	71 / RC12YC	946 / QC12YC	---	0.030in
7.75hp;12C414;9.0 lbs.-ft. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
536.887752; 4 Stroke; 206cc; 1 Cyl.; (Briggs & Stratton); OHV				
7.75hp;12C414	71 / RC12YC	946 / QC12YC	71ECO	0.030in
536.887990; 4 Stroke; 19.34cid; 1 Cyl.; L-HEAD				
9hp;143.029003	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.887991; 4 Stroke; 19.34cid; 1 Cyl.; L-HEAD				
9hp;143.035005	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.887993; 4 Stroke; 19.34cid; 1 Cyl.; L-HEAD				
9hp;143.049001	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.887994; 4 Stroke; 19.34cid; 1 Cyl.; L-HEAD				
9hp;143.049001	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.887995; 4 Stroke; 19.34cid; 1 Cyl.; L-HEAD				
9hp;143.059013	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.887996; 4 Stroke; 19.34cid; 1 Cyl.; L-HEAD				
9hp;143.059013	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
536.888110; 4 Stroke; 305cc; 1 Cyl.; (Briggs & Stratton); OHV				
11hp;20C114	71 / RC12YC	946 / QC12YC	71ECO	0.030in
536.888400; 4 Stroke; 11.88cid; 1 Cyl.; OHV				
6hp;143.985503	104 / RN4C	803 / N4C	---	0.030in
536.918300; 4 Stroke; 1 Cyl.; L-HEAD				
10hp;143.696102;Canada 856 / RJ17LM		947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
536.918300; 4 Stroke; 1 Cyl.; L-HEAD				
10hp;143.696102;USA	871 / RJ8C	841 / J8C	---	0.030in
768.884900; 4 Stroke; 1 Cyl.; L-HEAD				
8hp;143.766152	871 / RJ8C	841 / J8C	---	0.030in
917.881050; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
10.5hp;20E114	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.881060; 4 Stroke; 1450 Series; 1 Cyl.; (Briggs & Stratton); OHV				
20M314	71 / RC12YC	946 / QC12YC	71ECO	0.030in
917.881064; 4 Stroke; 1450 Series; 1 Cyl.; (Briggs & Stratton); OHV				
20M314	71 / RC12YC	946 / QC12YC	71ECO	0.030in
944.524593; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
9.5hp;20B414	71 / RC12YC	946 / QC12YC	71ECO	0.028in
944.528117; 4 Stroke; 1150 Series; 250cc; 1 Cyl.; (Briggs & Stratton); OHV				
15C114	946 / QC12YC	982 / XC12YC	71ECO	0.030in
944.528398; 4 Stroke; 1350 Series; 1 Cyl.; (Briggs & Stratton); OHV				
20M114	946 / QC12YC	982 / XC12YC	71ECO	0.030in
944.529571; 4 Stroke; 1450 Series; 1 Cyl.; (Briggs & Stratton); OHV				
20M314	946 / QC12YC	982 / XC12YC	71ECO	0.030in
944.529950; 4 Stroke; 1150 Series; 250cc; 1 Cyl.; (Briggs & Stratton); OHV				
15C114	946 / QC12YC	982 / XC12YC	71ECO	0.030in
C459-52100; 1 Cyl.; OHV				
370-JUA	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
C459-52101; 1 Cyl.; OHV				
265-SUA	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
C459-52261; 1 Cyl.; OHV				
370-JUA	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
C459-52306; 1 Cyl.; OHV				
265-SUA	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
C459-527860; 4 Stroke; Snow King; 1 Cyl.; (Tecumseh)				
9hp;LH318SA	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
C950-52005-0; 4 Stroke; 1 Cyl.; (Tecumseh)				
5hp;143.015003	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
C950-52021-0; 4 Stroke; 1 Cyl.; (Tecumseh)				
10.5hp;143.011103	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
C950-52060-0; 4 Stroke; Snow Series; 12.48cid\205cc; 1 Cyl.; (Briggs & Stratton); OHV				
12A103;8 ft.-lbs. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
C950-52060-1; 4 Stroke; Snow Series; 12.48cid\205cc; 1 Cyl.; (Briggs & Stratton); OHV				
12A103;8 ft.-lbs. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
C950-52119-3; 4 Stroke; 1 Cyl.; (Tecumseh)				
9hp;143.039005	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
C950-52122-0; 4 Stroke; Snow Series; 12.5cid\205cc; 1 Cyl.; (Briggs & Stratton); OHV				
12A113;8 ft.-lbs. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
C950-52123-0; 4 Stroke; Snow Series; 12.5cid\205cc; 1 Cyl.; (Briggs & Stratton); OHV				
12A113;8 ft.-lbs. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
C950-52124-0; 4 Stroke; Snow Series; 15.2cid\249cc; 1 Cyl.; (Briggs & Stratton); OHV				
15C114;11.5 ft.-lbs. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
C950-52133-0; 4 Stroke; 20.9cid\342cc; 1 Cyl.; (Briggs & Stratton); OHV				
21M314;16.5 ft.-lbs. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
C950-52301-0; 4 Stroke; Professional Series; 15.26cid\250cc; 1 Cyl.; (Briggs & Stratton); OHV				
15C114	946 / QC12YC	982 / XC12YC	71ECO	0.030in
15C114;11.5 ft.-lbs. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
C950524302A; 4 Stroke; Snow Series; 305cc; 1 Cyl.; (Briggs & Stratton); OHV				
9.5hp;20A114	71 / RC12YC	946 / QC12YC	71ECO	0.030in
C950-52846-0; 4 Stroke; Professional Series; 12.48cid\206cc; 1 Cyl.; (Briggs & Stratton); OHV				
12D114;9 ft.-lbs. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
C950-52850-0; 4 Stroke; Professional Series; 305cc; 1 Cyl.; (Briggs & Stratton); OHV				
21M114;13.5 ft.-lbs. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
C950-52915-0; 4 Stroke; 1 Cyl.; (Tecumseh)				
5hp;143.005003	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
C950-52919-0; 4 Stroke; 1 Cyl.; (Tecumseh); L-HEAD				
9hp;143.009003	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
C950-52930-0; 4 Stroke; 1 Cyl.; (Tecumseh); L-HEAD				
11hp;143.001103	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
C950-52935-1; 2 Stroke; Snow King; 1 Cyl.; (Tecumseh)				
5hp;HSK850	863 / RCJ8Y	---	843ECO	0.030in
C950-52943-0; 4 Stroke; Snow Series; 18.6cid\305cc; 1 Cyl.; (Briggs & Stratton); OHV				
20M114;13.5 ft.-lbs. Torque	946 / QC12YC	982 / XC12YC	71ECO	0.030in
C950-52948-0; 4 Stroke; Snow Series; 18.6cid\305cc; 1 Cyl.; (Briggs & Stratton); OHV				
20M114;13.5 ft.-lbs. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CMXGBA1054545; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Cub Cadet				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
3hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
5hp	871 / RJ8C	841 / J8C	---	0.030in
7hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
9hp	871 / RJ8C	841 / J8C	---	0.030in



SNOW REMOVAL EQUIPMENT
ÉQUIPEMENT DE DÉNEIGEMENT
EQUIPOS QUITANIEVES

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
(Tecumseh); OHV				
5.5hp	104 / RN4C	803 / N4C	---	0.030in
1030E				
	871 / RJ8C	841 / J8C	---	0.030in
1030W				
	871 / RJ8C	841 / J8C	---	0.030in
11530C 31AH75KU596; 1 Cyl.				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
1x21"; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
1x21" HP; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
1x21" LHP; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
1X221HP; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
1X221LHP; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
221HP 31AS2S5D710; 1 Cyl.				
265-JU	415 / RN9YC	300 / N9YC	415ECO	0.030in
2X; (MTD/Zongshen); OHV				
24" Horsepower	415 / RN9YC	300 / N9YC	415ECO	0.028in
26" Horsepower	415 / RN9YC	300 / N9YC	415ECO	0.028in
2X 30" 31AH8DVS710; 357cc; 1 Cyl.; OHV				
683-WUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
2x24"; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
2x24" HP; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
2x26" HP; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
2x28" HP; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
2X524SWE; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
2X524WE; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
2X526SWE; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.028in
2X528SWE; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.028in
2X933SWE; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
2X945SWE; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.028in
321				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
3X; (MTD/Zongshen); OHV				
24" HD	415 / RN9YC	300 / N9YC	415ECO	0.028in
26" HD	415 / RN9YC	300 / N9YC	415ECO	0.028in
26" HD Trac	415 / RN9YC	300 / N9YC	415ECO	0.028in
28"	415 / RN9YC	300 / N9YC	415ECO	0.028in
28" HD	415 / RN9YC	300 / N9YC	415ECO	0.028in
30" HD	415 / RN9YC	300 / N9YC	415ECO	0.028in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
3X; (MTD/Zongshen); OHV				
30" HD Trac	415 / RN9YC	300 / N9YC	415ECO	0.028in
522E	415 / RN9YC	300 / N9YC	415ECO	0.028in
3X 30" MAX 31AH8EVU710; 420cc; 1 Cyl.; OHV				
690-WUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
3X 34" MAX H 31AH8E4V710; 420cc; 1 Cyl.; OHV				
690-WUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
3x24"; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
3x24" HD; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
3x26"; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
3x26" HD; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
3x26" TRAC; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
3x28"; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
3x28" HD; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
3x30" PRO; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
3x30" PRO H; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
3x30" TRAC; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
3x34" PRO; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
3x34" PRO H; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
520E				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
520R				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
522E				
	104 / RN4C	803 / N4C	---	0.030in
524				
	871 / RJ8C	841 / J8C	---	0.030in
524T				
	871 / RJ8C	841 / J8C	---	0.030in
721E				
	104 / RN4C	803 / N4C	---	0.030in
724E				
	871 / RJ8C	841 / J8C	---	0.030in
724TE				
	871 / RJ8C	841 / J8C	---	0.030in
724WE				
	104 / RN4C	803 / N4C	---	0.030in
726TDE 31BM73TS710; 1 Cyl.; OHV				
370-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
826				
	871 / RJ8C	841 / J8C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
826T				
	871 / RJ8C	841 / J8C	---	0.030in
90026C 31AH54KS596; 1 Cyl.; OHV				
478-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
926E				
	871 / RJ8C	841 / J8C	---	0.030in
926TE				
	871 / RJ8C	841 / J8C	---	0.030in
930SWE 31AH95SU710; 1 Cyl.; OHV				
483-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
Dayton				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Derby				
1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
8hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Dynamark				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
4.5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
Eaglestar				
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Echo				
(Tecumseh)				
	863 / RCJ8Y	871 / RJ8C	843ECO	0.025in
ST-1033E				
	871 / RJ8C	841 / J8C	---	0.030in
ST-4500				
4.5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
ST-4500E				
4.5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
ST-5000				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
ST-5000E				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
ST-5024				
	871 / RJ8C	841 / J8C	---	0.030in
ST-8027E				
	871 / RJ8C	841 / J8C	---	0.030in
Eska				
	868 / RJ19LM	871 / RJ8C	861ECO	0.030in
Finn				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Finn				
(Kohler)				
8hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
(Kohler); OHV				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4 Cyl.; Gas; (Wisconsin)				
35hp;W4-1770	541 / RD16	516 / D16	---	0.030in
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
FMC				
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Ford				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Giere				
Vanguard; V2; (Briggs & Stratton); OHV				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Mountaineer; Vanguard; V2; (Briggs & Stratton); OHV				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Gilson				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Lauson)				
	871 / RJ8C	841 / J8C	---	0.030in
(OMC)				
	846 / CJ14	---	846ECO	0.025in
(Tecumseh)				
	58 / RJ18YC	871 / RJ8C	---	0.030in
Gravely				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Haban				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Hahn				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
	854 / RH10C	844 / H10C	---	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Homelite-Jacobsen				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in



SNOW REMOVAL EQUIPMENT
EQUIPEMENT DE DÉNEIGEMENT
EQUIPOS QUITANIEVES

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Homelite-Jacobsen				
(Jacobsen)				
	592 / RJ12C	511 / J11C	---	0.030in
(Tecumseh)				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
320				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.035in
320E				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.035in
420				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.035in
420E				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.035in
523				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
624				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
824				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Sno-Blitz				
	846 / CJ14	---	846ECO	0.035in
Snowburst				
	592 / RJ12C	511 / J11C	---	0.030in
Homko				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Honda				
with 10mm Diameter Threads	808 / Z9Y	705 / P-RZ9HC	---	0.030in
OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
EZ6500CXS; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; OHV				
11.7hp;GX390	404 / RN12YC	38 / N12YC	332ECO	0.030in
HS1132TA				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS1132TAS				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS1336				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS35; G-Series; 4 Stroke; 8.8cid\144cc; 1 Cyl.; L-HEAD				
3.5hp;G150;After 1909579	929 / RL95YC	806 / L92YC	---	0.039in
3.5hp;G150;Before 1909578	929 / RL95YC	806 / L92YC	---	0.025in
HS50; G-Series; 4 Stroke; 12cid\197cc; 1 Cyl.; L-HEAD				
5hp;G200;After 1556008	929 / RL95YC	806 / L92YC	---	0.039in
5hp;G200;Before 1556008	929 / RL95YC	806 / L92YC	---	0.025in
HS520A				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS520AS				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS521				
	404 / RN12YC	38 / N12YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
HS521K1; GC-Series; 4 Stroke; Horizontal; 9.8cid\160cc; 1 Cyl.; OHV				
4.6hp;GC160	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS522; GX-Series; 4 Stroke; Horizontal; 8.8cid\144cc; 1 Cyl.; OHV				
5hp;GX140	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS55; GX-Series; 4 Stroke; Horizontal; 8.8cid\144cc; 1 Cyl.; OHV				
5hp;GX140	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS55K1; GX-Series; 4 Stroke; Horizontal; 8.8cid\144cc; 1 Cyl.; OHV				
5hp;GX140	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS55K2; GX-Series; 4 Stroke; Horizontal; 8.8cid\144cc; 1 Cyl.; OHV				
5hp;GX140	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS621; GX-Series; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
5.5hp;GX160K1	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS621AS				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS622; GX-Series; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
5.5hp;GX160K1	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS622TA				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS624; GX-Series; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
5.5hp;GX160K1	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS624KITA				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS624KIWAS				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS724; GX-Series; 4 Stroke; Horizontal; 12cid\196cc; 1 Cyl.; OHV				
6.5hp;GX200	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS724TA				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS724WA				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS760; 4 Stroke; Horizontal; 12cid\196cc; 1 Cyl.; OHV				
6.5hp;GX200	404 / RN12YC	38 / N12YC	332ECO	0.030in
HS80; GX-Series; 4 Stroke; Horizontal; 14.8cid\242cc; 1 Cyl.; OHV				
8hp;GX240K1	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS80K1; GX-Series; 4 Stroke; Horizontal; 14.8cid\242cc; 1 Cyl.; OHV				
8hp;GX240K1	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS828; GX-Series; 4 Stroke; Horizontal; 14.8cid\242cc; 1 Cyl.; OHV				
8hp;GX240	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS828K1; GX-Series; 4 Stroke; Horizontal; 14.8cid\242cc; 1 Cyl.; OHV				
8hp;GX240K1	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS828KITAS				
	404 / RN12YC	38 / N12YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
HS828KIWAS				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS928; GXV-Series; 4 Stroke; Vertical; 16.5cid\270cc; 1 Cyl.; Gas; OHV				
8.5hp;GXV270	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS928TA				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS928TAS				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
HS970; 4 Stroke; Horizontal; 16.5cid\270cc; 1 Cyl.; OHV				
9hp;GX270	415 / RN9YC	300 / N9YC	415ECO	0.030in
HSM1336i; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; OHV				
13hp;GX390T2	404 / RN12YC	38 / N12YC	332ECO	0.030in
HSM1336iK2; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; OHV				
13hp;GX390T2	404 / RN12YC	38 / N12YC	332ECO	0.030in
HSM1380i; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; OHV				
13hp;GX390T2	404 / RN12YC	38 / N12YC	332ECO	0.030in
HSM1380iK1; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; OHV				
13hp;GX390T2	404 / RN12YC	38 / N12YC	332ECO	0.030in
HSM1390i; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; OHV				
13hp;GX390T2	404 / RN12YC	38 / N12YC	332ECO	0.030in
HSM1390iK1; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; OHV				
13hp;GX390T2	404 / RN12YC	38 / N12YC	332ECO	0.030in
HSS1332A; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; OHV				
11.7hp;GX390	404 / RN12YC	38 / N12YC	332ECO	0.030in
HSS724A; 4 Stroke; Horizontal; 12cid\196cc; 1 Cyl.; OHV				
5.5hp;GX200T2	404 / RN12YC	38 / N12YC	332ECO	0.030in
HSS760A; 4 Stroke; Horizontal; 12cid\196cc; 1 Cyl.; OHV				
5.5hp;GX200T2	404 / RN12YC	38 / N12YC	332ECO	0.030in
HSS928A; 4 Stroke; Horizontal; 16.5cid\270cc; 1 Cyl.; OHV				
9hp;GX270	404 / RN12YC	38 / N12YC	332ECO	0.030in
Huskee				
(Powermore); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Husqvarna				
1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
SnowKing				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
1027STE; 4 Stroke; Horizontal; Snow King; 1 Cyl.; (Tecumseh); L-HEAD				
10.5hp;HMSK105	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10527SBE; 4 Stroke; Horizontal; Snow King; 358cc; 1 Cyl.; (Tecumseh); L-HEAD				
10hp;LH358SA	871 / RJ8C	841 / J8C	---	0.030in
10527SB-LS; 4 Stroke; 1450 Series; 1 Cyl.; (Briggs & Stratton); OHV				
20M314	946 / QC12YC	982 / XC12YC	71ECO	0.030in
10527STE; 4 Stroke; Horizontal; Snow King; 358cc; 1 Cyl.; (Tecumseh); L-HEAD				
10hp;LH358SA	871 / RJ8C	841 / J8C	---	0.030in
10530SBEB; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
10.5hp;20E114	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
1130SB; 4 Stroke; Horizontal; Snow King; 358cc; 1 Cyl.; (Tecumseh); OHV				
OH358SA;Spec. #223000 & Up	104 / RN4C	803 / N4C	---	0.030in
1130SBE0V; 4 Stroke; Horizontal; Snow King; 318cc; 1 Cyl.; (Tecumseh); OHV				
11hp;OH318SA	104 / RN4C	803 / N4C	---	0.030in
1130SBEXP; 4 Stroke; Horizontal; Snow King; 318cc; 1 Cyl.; (Tecumseh); OHV				
11hp;OH318SA	104 / RN4C	803 / N4C	---	0.030in
1130SB-LS; 4 Stroke; Horizontal; Snow King; 358cc; 1 Cyl.; (Tecumseh); L-HEAD				
10hp;LH358SA	871 / RJ8C	841 / J8C	---	0.030in
1130SB-LSB; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
21P214	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
1130SB-XLS; 4 Stroke; Horizontal; Snow King; 318cc; 1 Cyl.; (Tecumseh); OHV				
11hp;OH318SA	104 / RN4C	803 / N4C	---	0.030in
1130SB-XLSB; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
21P214	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
1130STE; 4 Stroke; Snow King; 1 Cyl.; (Tecumseh)				
11hp;OHSK90	104 / RN4C	803 / N4C	---	0.030in
11524E; 1150 Series; 250cc; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
11527SB; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
12524HV; 1 Cyl.				
	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
12524SB; 1 Cyl.				
	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
12527HV; (LCT)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
12527HVX; 4 Stroke; 1 Cyl.; OHV				
	946 / QC12YC	982 / XC12YC	71ECO	0.030in
12527SB; 1 Cyl.				
	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
1330SB; 4 Stroke; Horizontal; Snow King; 358cc; 1 Cyl.; (Tecumseh); OHV				
OH358SA;Spec. #223000 & Up	104 / RN4C	803 / N4C	---	0.030in
1330SBE-0V; 4 Stroke; Horizontal; Snow King; 358cc; 1 Cyl.; (Tecumseh); OHV				
OH358SA;Spec. #223000 & Up	104 / RN4C	803 / N4C	---	0.030in
1330SBEXP; 4 Stroke; Horizontal; Snow King; 358cc; 1 Cyl.; (Tecumseh); OHV				
OH358SA;Spec. #223000 & Up	104 / RN4C	803 / N4C	---	0.030in
1330SB-XLSB; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
21M414	946 / QC12YC	982 / XC12YC	71ECO	0.030in
13524SB-XLS; 4 Stroke; 1 Cyl.; OHV				
	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in



SNOW REMOVAL EQUIPMENT
ÉQUIPEMENT DE DÉNEIGEMENT
EQUIPOS QUITANIEVES

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
14527E; 1450 Series; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14527-LS; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
15530SB-LS; 4 Stroke; 1 Cyl.; OHV				
	946 / QC12YC	982 / XC12YC	71ECO	0.030in
1827EXLT; (LCT)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
1830EXL; 1 Cyl.				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
1830EXL; 1650 Series; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1830EXLT; (LCT)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
1830HV; (LCT)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
524STE; Snow King; (Tecumseh)				
11hp	104 / RN4C	803 / N4C	---	0.030in
5524SE; Snow King; (Tecumseh)				
5hp	104 / RN4C	803 / N4C	---	0.030in
5524ST; Snow King; (Tecumseh); OHV				
5.5hp	104 / RN4C	803 / N4C	---	0.030in
8024STE; (Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
8027STE; Snow King; (Tecumseh); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8527SBE; Snow King; (Tecumseh)				
8.5hp	104 / RN4C	803 / N4C	---	0.030in
9027ST; 4 Stroke; Snow King; 1 Cyl.; (Tecumseh)				
9hp;OHSK90	104 / RN4C	803 / N4C	---	0.030in
9027STE; (Tecumseh)				
9hp	871 / RJ8C	841 / J8C	---	0.030in
924HV; (LCT)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
ST1030EC; (Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
ST111				
4.51hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
ST121E; (LCT)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
ST131				
5.4hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
ST151				
5.4hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
ST20; (Tecumseh)				
4.5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
ST20E; (Tecumseh)				
4.5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
ST21; (Tecumseh)				
5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
ST21E; (Tecumseh)				
5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
ST224				
6.3hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
ST224P; 208cc; 1 Cyl.				
9.5 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
ST227P				
8.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
ST230P				
9.6hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
ST324; 254cc; 1 Cyl.				
12.5 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
ST324P				
8.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
ST327; 291cc; 1 Cyl.				
14.5 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
ST327P				
9.6hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
ST330; 369cc; 1 Cyl.				
17 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.030in
ST330P				
11hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
ST330T				
12.2hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
ST424; 291cc; 1 Cyl.				
14.5 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.027in
ST424T; 306cc; 1 Cyl.				
14.5 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.027in
ST427; 369cc; 1 Cyl.				
17 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.027in
ST427T; 369cc; 1 Cyl.				
17 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.027in
ST430; 414cc; 1 Cyl.				
20 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.027in
ST430T; 420cc; 1 Cyl.				
21 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	0.027in
ST521; (Tecumseh)				
5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
ST521E; (Tecumseh)				
5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
ST522H; (Tecumseh)				
5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
ST523; (Tecumseh)				
5hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
ST623C; (Tecumseh)				
6hp	871 / RJ8C	841 / J8C	---	0.030in
ST624E; (Tecumseh)				
6hp	871 / RJ8C	841 / J8C	---	0.030in
ST723C; (Tecumseh)				
7hp	871 / RJ8C	841 / J8C	---	0.030in
ST723R; (Tecumseh)				
7hp	871 / RJ8C	841 / J8C	---	0.030in
ST724; (Tecumseh)				
7hp	871 / RJ8C	841 / J8C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
ST824E; (Tecumseh)				
8hp	871 / RJ8C	841 / J8C	---	0.030in
ST826E; (Tecumseh)				
5hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
ST926EC; (Tecumseh)				
9hp	871 / RJ8C	841 / J8C	---	0.030in
ST927E; (Tecumseh)				
9hp	871 / RJ8C	841 / J8C	---	0.030in
Indian				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
International				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
AH520	58 / RJ18YC	---	---	0.030in
10				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
268				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
328				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Model 265				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Model 8				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Jacobsen				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
321				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
Other Models				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
Sno-Blitz				
	840 / RCJ8	843 / CJ8	843ECO	0.035in
Snowburst				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
Jari				
	871 / RJ8C	841 / J8C	---	0.025in
John Deere				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Tecumseh)				
	863 / RCJ8Y	871 / RJ8C	843ECO	0.030in
1650 Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
MAX Engine; Snow Series; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
John Deere				
Snow King; (Tecumseh); OHV				
11hp;OHSK110;Spec. #223000 & Up	104 / RN4C	803 / N4C	---	0.030in
13hp;OHSK130;Spec. #223000 & Up	104 / RN4C	803 / N4C	---	0.030in
7hp;OHSK70	104 / RN4C	803 / N4C	---	0.030in
1026; (Kioritz)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1028E; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1032D				
	871 / RJ8C	841 / J8C	---	0.030in
1128DDE; Snow King; (Tecumseh); OHV				
11hp;OHSK110;Spec. #223000 & Up	104 / RN4C	803 / N4C	---	0.030in
1128DE; Snow King; (Tecumseh); OHV				
11hp;OHSK110;Spec. #223000 & Up	104 / RN4C	803 / N4C	---	0.030in
1330SE; 1650 Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1332DDE; Snow King; (Tecumseh); OHV				
13hp;OHSK130;Spec. #223000 & Up	104 / RN4C	803 / N4C	---	0.030in
1332PE; MAX Engine; Snow Series; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1338PE; 1650 Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
320				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
321				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
322				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
520				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
522				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
524D				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
526				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
724D; Snow King; (Tecumseh); OHV				
7hp;OHSK70	104 / RN4C	803 / N4C	---	0.030in
726				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
726E; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
732				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
824				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
826D				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

**SNOW REMOVAL EQUIPMENT**
ÉQUIPEMENT DE DÉNEIGEMENT
EQUIPOS QUITANIEVES

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
John Deere				
828D				
	871 / RJ8C	841 / J8C	---	0.030in
TRS21				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
TRS22				
	871 / RJ8C	841 / J8C	---	0.030in
TRS24				
	871 / RJ8C	841 / J8C	---	0.030in
TRS26				
	871 / RJ8C	841 / J8C	---	0.030in
TRS27				
	871 / RJ8C	841 / J8C	---	0.030in
TRS32				
	871 / RJ8C	841 / J8C	---	0.030in
TRX24				
	871 / RJ8C	841 / J8C	---	0.030in
TRX26				
	871 / RJ8C	841 / J8C	---	0.030in
Jonsered				
(LCT); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
J621ES; (LCT); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
J627; (LCT); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
J627ES; (LCT); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
J630ES; (LCT); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
ST1153EP; (LCT); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
ST2361EP; (LCT); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
ST2368EP; (LCT); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
ST2376EP; (LCT); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
ST3368EP; (LCT); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
ST3368P; (LCT); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Klauer				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lambert				
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Landmark				
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lawn-Boy				
	846 / CJ14	---	846ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Lawn-Boy				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
3hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
5hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
120R				
	846 / CJ14	---	846ECO	0.030in
1850				
	846 / CJ14	---	846ECO	0.030in
1851				
	846 / CJ14	---	846ECO	0.030in
1871				
	846 / CJ14	---	846ECO	0.030in
320E				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
320R				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
522R				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
824E				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Insight 34001				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Insight 34002				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
ST1032				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
ST320				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
ST320e				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
ST524				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
ST824				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
ST826				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lazy Boy				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lesco				
(Tecumseh)				
5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
9hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Loftness				
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Massey-Ferguson				
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Massey-Ferguson				
MF305				
	871 / RJ8C	841 / J8C	---	0.030in
MF308				
	871 / RJ8C	841 / J8C	---	0.030in
Mastercraft				
(Tecumseh)				
	863 / RCJ8Y	868 / RJ19LM	843ECO	0.030in
12hp	830 / RL86C	933-1 / QL86C	---	0.030in
Mastercut				
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	830 / RL86C	933-1 / QL86C	---	0.030in
Maxim				
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Mcdonough				
	871 / RJ8C	841 / J8C	---	0.025in
Montgomery-Ward				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
MTD				
370-SU	415 / RN9YC	300 / N9YC	415ECO	0.028in
(Tecumseh)				
10hp;HMSK100	871 / RJ8C	841 / J8C	---	0.030in
3hp;HSK600	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
4hp	871 / RJ8C	841 / J8C	---	0.030in
4.5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh); OHV				
12hp	830 / RL86C	933-1 / QL86C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Snow King; (Tecumseh)				
3.5hp;HSK35	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.5hp;HSK845	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
5hp;HSK850	871 / RJ8C	841 / J8C	---	0.030in
5.5hp;OHSK55	104 / RN4C	803 / N4C	---	0.030in
Murray				
(Tecumseh)				
3hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
4.5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Noma				
(Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Noma				
(Tecumseh)				
12hp	871 / RJ8C	841 / J8C	---	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
Novo				
L7M-2 Pronto Prime				
	541 / RD16	516 / D16	---	0.025in
Parmi				
1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Poloron				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Poulan/Poulan Pro				
(LCT)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
PP10527ES; Snow King; (Tecumseh)				
10.5hp	123 / RN5C	120 / N5C	---	0.030in
PP1130ES; Snow King; (Tecumseh); OHV				
11hp	123 / RN5C	120 / N5C	---	0.030in
PP524; Snow King; (Tecumseh)				
5hp	123 / RN5C	120 / N5C	---	0.030in
PP5524ES; Snow King; (Tecumseh)				
5.5hp	123 / RN5C	120 / N5C	---	0.030in
PP8527ES; Snow King; (Tecumseh)				
8.5hp	123 / RN5C	120 / N5C	---	0.030in
PP927ES; Snow King; (Tecumseh)				
9hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PR100; Horizontal; (LCT)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
PR111; (LCT)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
PR121ES; (LCT)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
PR12530; (LCT)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
PR240; (LCT)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
PR241; (LCT)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
PR270; (LCT)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
PR270A; (LCT)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
PR271; (LCT)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
PR300ES; (LCT)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in



SNOW REMOVAL EQUIPMENT
ÉQUIPEMENT DE DÉNEIGEMENT
EQUIPOS QUITANIEVES

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Poulan/Poulan Pro				
PR621; (LCT); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
PR621ES; (LCT)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
PR624ES; (LCT)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
PR627ES; (LCT)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
PR8P27ES; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Power Smart				
(LCT)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
12.6929cid\208cc; (LTC)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Pro Series Products				
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
13hp;GX270	415 / RN9YC	300 / N9YC	415ECO	0.030in
Horizontal; (Honda); OHV				
13hp;GX360K1	327 / RL87YC	934-1 / QL87YC	---	0.039in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Remington				
Horizontal; Powermore; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
RM2120; Horizontal; Powermore; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
RM2140; Horizontal; Powermore; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
RM2460; Horizontal; Powermore; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
RM2860; Horizontal; Powermore; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Robin				
L-HEAD				
EY18-3;D, B	814 / RL82YC	931-1 / QL82C	---	0.025in
6hp;EY23;D, DS, B, BS	929 / RL95YC	---	---	0.025in
7.5hp;EY28;D, DS, B, BS	830 / RL86C	933-1 / QL86C	---	0.025in
OHV				
6hp;EH17	327 / RL87YC	934-1 / QL87YC	---	0.025in
4 Stroke; 1 Cyl.; OHV				
9hp;EH30;V, VS, BS	415 / RN9YC	300 / N9YC	415ECO	0.025in
SL550; L-HEAD				
EY18-3;D, B	814 / RL82YC	931-1 / QL82C	---	0.025in
SL550S; L-HEAD				
EY18-3;D, B	814 / RL82YC	931-1 / QL82C	---	0.025in
SL552; L-HEAD				
6hp;EY23;D, DS, B, BS	929 / RL95YC	---	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Robin				
SL552S; L-HEAD				
6hp;EY23;D, DS, B, BS	929 / RL95YC	---	---	0.025in
SL652 S; L-HEAD				
7.5hp;EY28;D, DS, B, BS	830 / RL86C	933-1 / QL86C	---	0.025in
SL680 HS; OHV				
6hp;EH17	327 / RL87YC	934-1 / QL87YC	---	0.025in
SL902 HS; 4 Stroke; 1 Cyl.; OHV				
9hp;EH30;V, VS, BS	415 / RN9YC	300 / N9YC	415ECO	0.025in
SL903 HS; 4 Stroke; 1 Cyl.; OHV				
9hp;EH30;V, VS, BS	415 / RN9YC	300 / N9YC	415ECO	0.025in
Roper				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Roto-Hoe				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Signature				
(Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
12hp	830 / RL86C	933-1 / QL86C	---	0.030in
3hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
5hp	863 / RCJ8Y	871 / RJ8C	843ECO	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
9hp	871 / RJ8C	841 / J8C	---	0.030in
1029ET				
	830 / RL86C	933-1 / QL86C	---	0.030in
1031DE				
	871 / RJ8C	841 / J8C	---	0.030in
320E				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
320M				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
521E				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
521M				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
522E				
	871 / RJ8C	841 / J8C	---	0.030in
523M				
	871 / RJ8C	841 / J8C	---	0.030in
824E				
	871 / RJ8C	841 / J8C	---	0.030in
825DE				
	871 / RJ8C	841 / J8C	---	0.030in
825ET				
	871 / RJ8C	841 / J8C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Signature				
929DE				
	871 / RJ8C	841 / J8C	---	0.030in
Simplicity				
(Briggs & Stratton); OHV				
19J1	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
10hp	871 / RJ8C	841 / J8C	---	0.030in
5hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
9hp	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); L-HEAD				
7hp	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); OHV				
	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp;91202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;135292	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp;192402	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12.6929cid\208cc; (Briggs & Stratton); OHV				
13D1	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1150 Snow Series; 250cc; 1 Cyl.; (Briggs & Stratton); OHV				
150000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1450 Professional Series Snow; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1650 Professional Series Snow; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2100 Professional Series Snow; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
750 Snow Series; (Briggs & Stratton); OHV				
100000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
900 Snow Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horizontal; (Briggs & Stratton)				
15C114-0117-E8	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25D1	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25M1	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horizontal; (Tecumseh)				
7hp;H70	856 / RJ17LM	845 / J17LM	861ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
10.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
11.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
8hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
8.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Simplicity				
Snow King; (Tecumseh)				
10hp;HMSK100	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11hp;OHSK110;Spec. #223000 & Up	104 / RN4C	803 / N4C	---	0.030in
3hp;HSK300	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
5hp;HS50	856 / RJ17LM	845 / J17LM	861ECO	0.030in
5hp;HSK50	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp;HSK850	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp;OHSK70	104 / RN4C	803 / N4C	---	0.030in
8hp;HMSK80	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp;OHSK80	104 / RN4C	803 / N4C	---	0.030in
9hp;HMSK90	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9hp;OHSK90	104 / RN4C	803 / N4C	---	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1022; 12.6929cid\208cc; (Briggs & Stratton); OHV				
13D1	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1022E; 12.6929cid\208cc; (Briggs & Stratton); OHV				
13D1	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1022EX; 12.6929cid\208cc; (Briggs & Stratton); OHV				
13D1	71 / RC12YC	946 / QC12YC	71ECO	0.030in
10560E; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1060DLXE; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1080 ST; Snow King; (Tecumseh)				
10hp;HMSK100	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11570E; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
11.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1170E; Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1180 ST; Snow King; (Tecumseh)				
11hp;OHSK110;Spec. #223000 & Up	104 / RN4C	803 / N4C	---	0.030in
1222EE; Horizontal; (Briggs & Stratton)				
15C114-0117-E8	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1280E; 1 Cyl.; (Briggs & Stratton); L-HEAD				
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1380E; Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1390E; Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
319E; Snow King; (Tecumseh)				
3hp;HSK300	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
319M; Snow King; (Tecumseh)				
3hp;HSK300	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
413RT; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp;91202	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
516RT; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;135292	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
520E ST; Snow King; (Tecumseh)				
5hp;HSK850	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in



SNOW REMOVAL EQUIPMENT
EQUIPEMENT DE DÉNEIGEMENT
EQUIPOS QUITANIEVES

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Simplicity				
520M ST; Snow King; (Tecumseh)				
5hp;HSK850	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
5-51 ST; Snow King; (Tecumseh)				
5hp;HSK850	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
555 ST; Snow King; (Tecumseh)				
5hp;HS50	856 / RJ17LM	845 / J17LM	861ECO	0.030in
555E ST; Snow King; (Tecumseh)				
5hp;HSK50	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
555M; Snow King; (Tecumseh)				
5hp;HSK850	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
6016RT; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7016RT; 1 Cyl.; (Briggs & Stratton); L-HEAD				
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
755 ST; Horizontal; (Tecumseh)				
7hp;H70	856 / RJ17LM	845 / J17LM	861ECO	0.030in
7555M; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
7.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
755M; Snow King; (Tecumseh)				
7hp;OHSK70	104 / RN4C	803 / N4C	---	0.030in
821RT; 1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp;192402	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8560E; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
8.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
860 DLX; Snow King; (Tecumseh)				
8hp;OHSK80	104 / RN4C	803 / N4C	---	0.030in
860 ST; Snow King; (Tecumseh)				
8hp;HMSK80	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
860E ST; Snow King; (Tecumseh)				
8hp;HMSK80	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
860EI; Snow King; (Tecumseh)				
8hp;HMSK80	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
870 ST; Snow King; (Tecumseh)				
8hp;HMSK80	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9560E; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
8hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9-70 CM; Snow King; (Tecumseh)				
9hp;HMSK90	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
970M; Snow King; (Tecumseh)				
9hp;HMSK90	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9hp;OHSK90	104 / RN4C	803 / N4C	---	0.030in
Baron; 1 Cyl.; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
H1226E; Horizontal; (Briggs & Stratton)				
15C114-0117-E8	71 / RC12YC	946 / QC12YC	71ECO	0.030in
H1528E; (Briggs & Stratton); OHV				
19J1	71 / RC12YC	946 / QC12YC	71ECO	0.030in
H1730E; Horizontal; (Briggs & Stratton)				
25D1	71 / RC12YC	946 / QC12YC	71ECO	0.030in
HSK70; Snow King; (Tecumseh)				
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Simplicity				
M1024E; 12.6929cid\208cc; (Briggs & Stratton); OHV				
13D1	71 / RC12YC	946 / QC12YC	71ECO	0.030in
M1227E; Horizontal; (Briggs & Stratton)				
15C114-0117-E8	71 / RC12YC	946 / QC12YC	71ECO	0.030in
P1524E; (Briggs & Stratton); OHV				
19J1	71 / RC12YC	946 / QC12YC	71ECO	0.030in
P1728E; Horizontal; (Briggs & Stratton)				
25D1	71 / RC12YC	946 / QC12YC	71ECO	0.030in
P2132E; Horizontal; (Briggs & Stratton)				
25M1	71 / RC12YC	946 / QC12YC	71ECO	0.030in
P2138E; Horizontal; (Briggs & Stratton)				
25M1	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Snapper				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	868 / RJ19LM	871 / RJ8C	861ECO	0.030in
(Tecumseh); OHV				
	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
2.2hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
8hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1150 Snow Series; 250cc; 1 Cyl.; (Briggs & Stratton); OHV				
150000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1450 Professional Series Snow; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1650 Professional Series Snow; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2100 Professional Series Snow; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
750 Snow Series; (Briggs & Stratton); OHV				
100000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
800 Snow Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
900 Snow Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Snow King; (Tecumseh)				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Sno Power				
(Tecumseh)				
	863 / RCJ8Y	868 / RJ19LM	843ECO	0.030in
12hp	830 / RL86C	933-1 / QL86C	---	0.030in
Sno-Blo				
	871 / RJ8C	841 / J8C	---	0.030in
(Cushman)				
	541 / RD16	516 / D16	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Snoflite				
(Tecumseh)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Snogo				
	569 / W14	---	---	0.025in
FLMU				
	510 / W10	---	---	0.025in
LTR And All Others				
	569 / W14	---	---	0.025in
MTR				
	510 / W10	---	---	0.025in
Snow Champ				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
Snow Chief				
(Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Snow Flite				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Snow King				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
Snow Trac				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	856 / RJ17LM	845 / J17LM	861ECO	0.030in
Sperry-New Holland				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Stiga				
1 Cyl.; (Briggs & Stratton); L-HEAD				
10.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1130e; L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
320; L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Stiga				
524; L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
929e; L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Snow Buster; L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Sunbeam				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
Sweepster				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tecumseh				
247.88890; 4 Stroke; Snow King; 1 Cyl.; L-HEAD				
9.0hp;HMSK90	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Theo Turgeon				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Toro				
1028; (Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
1232; (Tecumseh); OHV				
12hp	830 / RL86C	933-1 / QL86C	---	0.030in
521				
	871 / RJ8C	841 / J8C	---	0.030in
622; (Tecumseh)				
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
72; (Tecumseh)				
7hp	871 / RJ8C	841 / J8C	---	0.030in
824; (Tecumseh)				
8hp	871 / RJ8C	841 / J8C	---	0.030in
824 XL; (Tecumseh)				
8hp	871 / RJ8C	841 / J8C	---	0.030in
All Other 4-Cycle Engs.				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
CCR 1000; (Tecumseh)				
3hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
CCR 2000; (Tecumseh)				
4.5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
CCR 2400; (Tecumseh)				
4hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
CCR 2450 GTS; 1 Cyl.; (Briggs & Stratton)				
5hp	863 / RCJ8Y	---	---	0.030in
CCR 2450 GTS; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	848 / CJ8Y	---	843ECO	0.030in
CCR 2500; (Tecumseh)				
5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
CCR 3000 GTS; (Suzuki)				
5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
CCR 3650 GTS; 1 Cyl.; (Briggs & Stratton)				
5hp	863 / RCJ8Y	---	---	0.030in



SNOW REMOVAL EQUIPMENT
ÉQUIPEMENT DE DÉNEIGEMENT
EQUIPOS QUITANIEVES

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Toro				
CCR 3650 GTS; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	848 / CJ8Y	---	843ECO	0.030in
CCR Powerlite; (Tecumseh)				
3hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
S-140				
	58 / RJ18YC	---	---	0.030in
S-200				
	58 / RJ18YC	---	---	0.030in
S-521; (Tecumseh)				
5hp	58 / RJ18YC	---	---	0.030in
S-620; (Tecumseh)				
7hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
Troy-Bilt				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Tecumseh)				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Powermore); Troy-Bilt; Horizontal; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
31AH55Q5711; 1 Cyl.; OHV				
483-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
31AH55Q5766; 1 Cyl.; OHV				
483-SUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
31AH95P6711; 1 Cyl.; OHV				
483-SUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
42000				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
42010				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
42010; Snow King; 1 Cyl.; (Tecumseh)				
8hp;HMSK80	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
42012				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
42012; Snow King; 1 Cyl.; (Tecumseh)				
10hp;HMSK100	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
42013				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
42013; Snow King; 1 Cyl.; (Tecumseh)				
4hp;HSK40	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
42020; Snow King; 1 Cyl.; (Tecumseh)				
3hp;HSK600	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
42021; Snow King; 1 Cyl.; (Tecumseh)				
3hp;HSK600	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
42033; Snow King; 1 Cyl.; (Tecumseh)				
10hp;HMSK100	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
42034; Snow King; 1 Cyl.; (Tecumseh)				
8hp;HMSK80	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
42036; Snow King; 1 Cyl.; (Tecumseh)				
13hp;OHSK130;Spec. #222999 & Below	830 / RL86C	933-1 / QL86C	---	0.025in
13hp;OHSK130;Spec. #223000 & Up	104 / RN4C	803 / N4C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
42039; Snow King; 1 Cyl.; (Tecumseh)				
8hp;HMSK80	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
42040; Snow King; 1 Cyl.; (Tecumseh)				
10hp;HMSK100	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
42041; Snow King; 1 Cyl.; (Tecumseh)				
13hp;OHSK130;Spec. #222999 & Below	830 / RL86C	933-1 / QL86C	---	0.025in
13hp;OHSK130;Spec. #223000 & Up	104 / RN4C	803 / N4C	---	0.030in
5210R; 4 Stroke; 12.04cid197.34cc; 1 Cyl.; (Tecumseh); L-HEAD				
5hp;HSSK50	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5210RS; 4 Stroke; 12.04cid197.34cc; 1 Cyl.; (Tecumseh); L-HEAD				
5hp;HSSK50	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
826R; Snow King; 1 Cyl.; (Tecumseh)				
8hp;HMSK80	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Arctic Storm 30; 357cc; 1 Cyl.; OHV				
683-WU	415 / RN9YC	300 / N9YC	415ECO	0.030in
Arctic Storm 34; 420cc; 1 Cyl.; OHV				
690-WUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
Flurry 1400; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Polar Blast 3310; (Powermore); Troy-Bilt; Horizontal; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Polar Blast 4510; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Polar Blast 4510; (Powermore); Troy-Bilt; Vertical; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Squall 123R; 123cc; 1 Cyl.; OHV				
161-JU	415 / RN9YC	300 / N9YC	415ECO	0.030in
161-JWA	415 / RN9YC	300 / N9YC	415ECO	0.030in
Squall 179E; 1 Cyl.; OHV				
265-JU	415 / RN9YC	300 / N9YC	415ECO	0.030in
Squall 179E; 179cc; 1 Cyl.; OHV				
265-JU	415 / RN9YC	300 / N9YC	415ECO	0.030in
Squall 208 XP; 1 Cyl.; OHV				
670-JUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
Squall 208E; 208cc; 1 Cyl.; OHV				
270-JUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
Squall 208EX; 208cc; 1 Cyl.; OHV				
670-JUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
Squall 210; (Powermore); Troy-Bilt; Vertical; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Squall 2100; (Powermore); Troy-Bilt; Horizontal; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Squall 280EX; 1 Cyl.; OHV				
670-JUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
Squall 521; 1 Cyl.; (Tecumseh)				
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Storm 10028; 1 Cyl.; (Tecumseh); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Storm 13045; 195cc; 1 Cyl.; (Tecumseh); OHV				
13hp	104 / RN4C	803 / N4C	---	0.030in
Storm 2410; OHV				
MTD-365	415 / RN9YC	300 / N9YC	415ECO	0.030in
Storm 2420; (Powermore); Troy-Bilt; Horizontal; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Storm 2460; 208cc; 1 Cyl.; OHV				
670-WUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
Storm 2600; 208cc; 1 Cyl.; OHV				
270-XU	415 / RN9YC	300 / N9YC	415ECO	0.030in
Storm 2620; OHV				
MTD-370	415 / RN9YC	300 / N9YC	415ECO	0.030in
Storm 2620; Snow Series; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Storm 2625; (Powermore); Troy-Bilt; Horizontal; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Storm 2660; 208cc; 1 Cyl.; OHV				
670-WU	415 / RN9YC	300 / N9YC	415ECO	0.030in
Storm 2665; 243cc; 1 Cyl.; OHV				
675-WUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
Storm 2665 XP; 243cc; 1 Cyl.; OHV				
675-WUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
Storm 2690; 243cc; 1 Cyl.; OHV				
675-WU	415 / RN9YC	300 / N9YC	415ECO	0.030in
Storm 2690XP; (Powermore); Troy-Bilt; Horizontal; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Storm 2840; OHV				
MTD-478	415 / RN9YC	300 / N9YC	415ECO	0.030in
Storm 2840; Snow Series; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Storm 2860; 243cc; 1 Cyl.; OHV				
675-WU	415 / RN9YC	300 / N9YC	415ECO	0.030in
675-WUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
Storm 2890; (Powermore); Troy-Bilt; Horizontal; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Storm 30 31AH8DR5766; 357cc; 1 Cyl.; OHV				
683-WUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
Storm 3090; (Powermore); Troy-Bilt; Horizontal; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Storm 3090 XP; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Storm 3090 XP; Snow Series; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Storm 5024; 1 Cyl.; (Tecumseh)				
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
Storm 8526; 1 Cyl.; (Tecumseh)				
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Storm 9528; 1 Cyl.; (Tecumseh)				
9.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Storm Tracker 2690 XP; OHV				
MTD-370	415 / RN9YC	300 / N9YC	415ECO	0.030in
Storm Tracker 2690XP; (Powermore); Troy-Bilt; Horizontal; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Storm Tracker 2890; (Powermore); Troy-Bilt; Horizontal; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Vortex 2490; 272cc; 1 Cyl.; OHV				
675-SU	415 / RN9YC	300 / N9YC	415ECO	0.030in
Vortex 2490; (Powermore); Troy-Bilt; Horizontal; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Vortex 2890; (Powermore); Troy-Bilt; Horizontal; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Vortex 3090XP; (Powermore); Troy-Bilt; Vertical; (MTD/Zongshen); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Vortex Tracker 2890; 1 Cyl.; OHV				
483-SUC	415 / RN9YC	300 / N9YC	415ECO	0.030in
Vortex Tracker 2890 XP; 357cc; 1 Cyl.; OHV				
683-WUB	415 / RN9YC	300 / N9YC	415ECO	0.030in
XP208				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
XP357				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
TurfMaster				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
White				
(Tecumseh)				
12hp	830 / RL86C	933-1 / QL86C	---	0.030in
3hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
4.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
9hp	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); OHV				
5.5hp	104 / RN4C	803 / N4C	---	0.030in
SB-1050				
	871 / RJ8C	841 / J8C	---	0.030in
SB-50				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
SB-55				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
SB-550				
	104 / RN4C	803 / N4C	---	0.030in



SNOW REMOVAL EQUIPMENT
ÉQUIPEMENT DE DÉNEIGEMENT
EQUIPOS QUITANIEVES

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
White				
SB-750				
	871 / RJ8C	841 / J8C	---	0.030in
SB-750T				
	871 / RJ8C	841 / J8C	---	0.030in
SB-950				
	871 / RJ8C	841 / J8C	---	0.030in
SB-950T				
	871 / RJ8C	841 / J8C	---	0.030in
Wizard				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
WorldLawn				
1450 Snow Series; (Briggs & Stratton); OHV				
200000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
800 Snow Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
900 Snow Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Yamaha				
YS240 "Ricky"				
	404 / RN12YC	38 / N12YC	322ECO	0.028in
Yard Marvel				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Yardman				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Yardman				
140; (Tecumseh)				
3hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
20"; (Tecumseh); L-HEAD				
5hp	871 / RJ8C	841 / J8C	---	0.030in
22"; (Tecumseh)				
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
28"; (Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
9hp	871 / RJ8C	841 / J8C	---	0.030in
9.5hp	871 / RJ8C	841 / J8C	---	0.030in
30"; (Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
12hp	871 / RJ8C	841 / J8C	---	0.030in
522E; (Tecumseh)				
7hp	871 / RJ8C	841 / J8C	---	0.030in
611D; (Tecumseh); L-HEAD				
5hp	871 / RJ8C	841 / J8C	---	0.030in
740F; (Tecumseh)				
8hp	871 / RJ8C	841 / J8C	---	0.030in
E150; (Tecumseh)				
4.5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
E640F; (Tecumseh)				
8hp	871 / RJ8C	841 / J8C	---	0.030in
E644E; (Tecumseh)				
8hp	871 / RJ8C	841 / J8C	---	0.030in
E660G; (Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
E9801; (Tecumseh)				
12hp	830 / RL86C	306 / L86C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Acme				
Gasoline				
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
Agtronic				
B&S Engine				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Allis-Chalmers				
14; LPG				
	102 / RJ6C	823 / J6C	---	0.020in
14; Natural Gas				
	102 / RJ6C	823 / J6C	---	0.020in
B-125; 2.0L (125cid); L4; OHV				
	592 / RJ12C	511 / J11C	---	0.025in
G-138; 2.3L (138cid); L4; Gas; OHV				
	871 / RJ8C	841 / J8C	---	0.025in
G-138; 2.3L (138cid); L4; LPG; OHV				
	102 / RJ6C	823 / J6C	---	0.020in
G-138; 2.3L (138cid); L4; Natural Gas; OHV				
	102 / RJ6C	823 / J6C	---	0.020in
G-14; Gas				
	871 / RJ8C	841 / J8C	---	0.025in
G-14; LPG				
	102 / RJ6C	823 / J6C	---	0.020in
G-14; Natural Gas				
	102 / RJ6C	823 / J6C	---	0.020in
G-149; 2.4L (149cid); L4; Gas; OHV				
	871 / RJ8C	841 / J8C	---	0.025in
G-149; 2.4L (149cid); L4; LPG; OHV				
	102 / RJ6C	823 / J6C	---	0.020in
G-149; 2.4L (149cid); L4; Natural Gas; OHV				
	102 / RJ6C	823 / J6C	---	0.020in
G-160; 2.6L (160cid); L4; Gas; OHV				
	871 / RJ8C	841 / J8C	---	0.025in
W-201; Gas				
3/8in Reach Spark Plugs	871 / RJ8C	841 / J8C	---	0.025in
W-201; Low Grade Fuel				
3/8in Reach Spark Plugs	592 / RJ12C	511 / J11C	---	0.030in
W-226; 3.7L (226cid); L4; OHV				
	871 / RJ8C	841 / J8C	---	0.025in
W-25; 201cid; 4 Cyl.				
	592 / RJ12C	511 / J11C	---	0.030in
Arctic Cat				
AC1400G				
3.8hp	415 / RN9YC	300 / N9YC	415ECO	0.024in
AC1800GD				
	415 / RN9YC	300 / N9YC	415ECO	0.024in
AC2200G				
	415 / RN9YC	300 / N9YC	415ECO	0.024in
AC2500G				
5.3hp	415 / RN9YC	300 / N9YC	415ECO	0.024in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Arctic Cat				
AC2500GD				
5.3hp	415 / RN9YC	300 / N9YC	415ECO	0.024in
AC3000GD2				
6.8hp	327 / RL87YC	934-1 / QL87YC	---	0.024in
AC4000G2				
9hp	404 / RN12YC	38 / N12YC	322ECO	0.028in
AC4000GD2E				
9hp	404 / RN12YC	38 / N12YC	322ECO	0.028in
AC750GT				
1.8hp	327 / RL87YC	934-1 / QL87YC	---	0.024in
Ardisam (Earthquake)				
IG800W; Viper				
	978 / RY4C	---	---	0.028in
Atlas				
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Automatic				
	569 / W14	---	---	0.025in
Bear Cat				
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
8.5hp;GX270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GN5200; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
8.5hp;GX270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
GN7100E; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
Blue Max				
GEN4000B				
6.5hp	332 / RN7YC	315 / N6YC	332ECO	0.030in
Briggs & Stratton				
1 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12.6929cid\208cc; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1150 Professional Series Snow; 250cc; 1 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1650 Series; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2100 Series; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Elite Series; 1 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Horizontal; 1 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; Commercial Series; OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; Commercial Series; V2; OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
10000 Watt; Vanguard; Elite Series; V2				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
10000 Watt; Vanguard; Pro Series; V2				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
12kw 040626; Vanguard; 38.3cid\627cc; V2; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15kW; Vanguard; V2; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
16KW; Vanguard; V2; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20KW; Vanguard; V2; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
20kw 040621; 993cc; 2 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
30469; 1 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
30554; 1 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
30555; Horizontal; 1 Cyl.				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
30556; 1 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
30607; Horizontal; 1 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
30658; 1 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
30659; Horizontal; 1 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
30663; Horizontal; 1 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
30664; Horizontal; 1 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
30676; 12.6929cid\208cc; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
30679; Horizontal; 1 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
3250; 1 Cyl.				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
3500 Watt; 1150 Series; 250cc; 1 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4000 Watt; Vanguard; OHV				
7.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5000; 1 Cyl.; L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
5000 Watt; 1650 Series; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5000 Watt; Vanguard; OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5500; 1 Cyl.; L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
5500 Watt; 1650 Series; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Briggs & Stratton				
5500 Watt STORM RESPONDER; 1450 Series; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6000; 1 Cyl.; L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
6000 Watt; 1650 Series; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6500 Watt; Vanguard; OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6500W 030834; 389cc; 1 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7000; 1 Cyl.				
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7000 Watt; 2100 Series; OHV				
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7500 Watt; 2100 Series; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
8000 Watt; 2100 Series; OHV				
21hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
8000 Watt; Vanguard; V2; OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pro4000; Vanguard; 1 Cyl.; OHV				
7.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pro6500; Vanguard; 1 Cyl.; OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pro8000; Vanguard; V2; OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Campbell-Hausfeld				
(Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton)				
5.5hp;GS160	861 / J19LM	---	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5.5hp;GS160	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton)				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Caterpillar				
with 14mm Diameter Threads	592 / RJ12C	511 / J11C	---	0.025in
with 7/8in Diameter Threads	569 / W14	---	---	0.025in
D-13000; Gas Conversion				
	102 / RJ6C	823 / J6C	---	0.025in
Champion Power Equipment				
(Champion); OHV				
190F	415 / RN9YC	300 / N9YC	415ECO	0.028in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Champion Power Equipment				
V2; (Champion); OHV				
	332 / RN7YC	315 / N6YC	332ECO	0.030in
100103; (Champion); OHV				
YF172FD-011	415 / RN9YC	300 / N9YC	415ECO	0.028in
100109; (Champion); OHV				
	332 / RN7YC	315 / N6YC	332ECO	0.030in
100110; (Champion); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
100111; V2; (Champion); OHV				
	332 / RN7YC	315 / N6YC	332ECO	0.030in
100156; (Champion); OHV				
YF116FD-331	415 / RN9YC	300 / N9YC	415ECO	0.030in
100161; (Champion); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
100165; (Champion); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
100174; (Champion); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
100176; V2; (Champion); OHV				
	332 / RN7YC	315 / N6YC	332ECO	0.030in
100177; (Champion); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
100179; V2; (Champion); OHV				
	332 / RN7YC	315 / N6YC	332ECO	0.030in
100216; (Champion); OHV				
YF172FD-010	415 / RN9YC	300 / N9YC	415ECO	0.028in
100219; (Champion); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
100231; (Champion); OHV				
	332 / RN7YC	315 / N6YC	332ECO	0.030in
100233; (Champion); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
100261; (Champion); OHV				
YF170FD-331	415 / RN9YC	300 / N9YC	415ECO	0.030in
100263; (Champion); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
100291; V2; (Champion); OHV				
	332 / RN7YC	315 / N6YC	332ECO	0.030in
100292; V2; (Champion); OHV				
	332 / RN7YC	315 / N6YC	332ECO	0.030in
100294; V2; (Champion); OHV				
	332 / RN7YC	315 / N6YC	332ECO	0.030in
100295; V2; (Champion); OHV				
	332 / RN7YC	315 / N6YC	332ECO	0.030in
100297; (Champion); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
100307; (Champion); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
100331; (Champion); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
40023; (Champion); OHV				
	332 / RN7YC	315 / N6YC	332ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Champion Power Equipment				
41135; (Champion); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
41151; (Champion); OHV				
YF182FD-01	415 / RN9YC	300 / N9YC	415ECO	0.030in
46539; (Champion); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
46596; (Champion); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
75531i; (Champion); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
76533; (Champion); OHV				
YF172FD-L_G	415 / RN9YC	300 / N9YC	415ECO	0.030in
Chicago Electric				
1 Cyl.; (Briggs & Stratton); L-HEAD				
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Clarke				
(Honda); OHV				
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Subaru/Robin)				
8hp	830 / RL86C	933-1 / QL86C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Clinton				
350W				
	592 / RJ12C	511 / J11C	---	0.025in
750W				
	592 / RJ12C	511 / J11C	---	0.025in
Chief Miniature				
	592 / RJ12C	511 / J11C	---	0.025in
Coleman				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Kawasaki)				
3.1hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
5000; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
PC0101100				
3hp	327 / RL87YC	934-1 / QL87YC	---	0.031in
PC0401850				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in



LIGHTING PLANTS & GENERATORS
GROUPES D'ÉCLAIRAGE ET GÉNÉRATEURS
PLANTAS DE ILUMINACIÓN Y GENERADORES

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Coleman				
PC0401851				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PC0401853; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PC0401855; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PC0422507; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PMO454024				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PMO454025				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PMO455024				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PMO456025				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PMO522000				
	871 / RJ8C	841 / J8C	---	0.030in
PMO524000				
	871 / RJ8C	841 / J8C	---	0.030in
PMO525000				
	871 / RJ8C	841 / J8C	---	0.030in
PMO544202				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PMO544222				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PMO545202				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PMO545305				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
PMO554222				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Consolidated				
D1430				
	589 / W89D	---	---	0.025in
D1850				
	589 / W89D	---	---	0.025in
D615				
	543 / D89D	---	---	0.025in
D925				
	543 / D89D	---	---	0.025in
G210				
	541 / RD16	516 / D16	---	0.025in
G415				
	541 / RD16	516 / D16	---	0.025in
G930				
	569 / W14	---	---	0.025in
Construction Machinery Co.				
10EL				
	854 / RH10C	844 / H10C	---	0.025in
10LS				
	509 / D9	---	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Construction Machinery Co.				
15DAL/20				
	509 / D9	---	---	0.025in
15HK				
	541 / RD16	516 / D16	---	0.025in
25HN				
	541 / RD16	516 / D16	---	0.025in
358RS				
	102 / RJ6C	823 / J6C	---	0.025in
36JT				
	541 / RD16	516 / D16	---	0.025in
5GO				
	592 / RJ12C	511 / J11C	---	0.025in
68AL/20				
	102 / RJ6C	823 / J6C	---	0.025in
6GO				
	592 / RJ12C	511 / J11C	---	0.025in
W3D/206				
	509 / D9	---	---	0.025in
W3S/206				
	509 / D9	---	---	0.025in
Coronada				
	509 / D9	---	---	0.025in
Craftsman				
2200i; 80cc; 1 Cyl.; (U/K); OHV				
2.4hp	327 / RL87YC	312 / L87YC	---	0.026in
3000 Watt; 1 Cyl.; (Briggs & Stratton)				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5600 Watt; GenTek; 1 Cyl.; (Briggs & Stratton)				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.323300; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
6hp;120312	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.323300; 4 Stroke; 206cc; 1 Cyl.; (Briggs & Stratton); OHV				
7hp;120412	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.323601; 4 Stroke; 206cc; 1 Cyl.; (Briggs & Stratton); OHV				
7hp;120412	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.323602; 4 Stroke; 12.48cid\206cc; 1 Cyl.; (Briggs & Stratton); OHV				
7hp;120312	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.323610; 4 Stroke; 12.48cid\206cc; 1 Cyl.; (Briggs & Stratton); OHV				
7hp;121012	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.325650; 4 Stroke; Model 200000; 18.64cid\305cc; 1 Cyl.; (Briggs & Stratton); OHV				
7hp;204415	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.326300; 4 Stroke; Model 210000; 20.85cid\342cc; 1 Cyl.; (Briggs & Stratton); OHV				
11hp;210415	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.326301; 4 Stroke; Model 210000; 20.85cid\342cc; 1 Cyl.; (Briggs & Stratton); OHV				
11hp;210415	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.326310; 4 Stroke; Model 210000; 20.85cid\342cc; 1 Cyl.; (Briggs & Stratton); OHV				
11hp;210415	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
580.326311; 4 Stroke; Model 210000; 20.85cid\342cc; 1 Cyl.; (Briggs & Stratton); OHV				
11hp;210415	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.326720; 191cc; 1 Cyl.; OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.327060; 4 Stroke; 19.3cid; 1 Cyl.; L-HEAD				
8hp;143.796202	856 / RJ17LM	845 / J17LM	861ECO	0.030in
580.327071; GN-Series; 480cc; 2 Cyl.; OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.327122; 4 Stroke; 195cc; 1 Cyl.; OHV				
6hp;143.986003	104 / RN4C	803 / N4C	---	0.030in
580.327130; 1 Cyl.; (Generac); OHV				
7.8hp;EHC00955	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.327140; 220cc; 1 Cyl.; OHV				
7.8hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.327141; 220cc; 1 Cyl.; OHV				
7.8hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.327160; 320cc; 1 Cyl.; (Generac); OHV				
11hp;EHF00945	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.327181; 410cc; 1 Cyl.; (Generac); OHV				
15hp;EHF00935	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.327182; 410cc; 1 Cyl.; (Generac); OHV				
15hp;EHF00935	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.327203; 570cc; 2 Cyl.; (Briggs & Stratton); OHV				
19hp;350445	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.327203; 4 Stroke; Model 120000; 11.57cid; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp;128812	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
580.327360; Model 120000; 12.57cid\206cc; 1 Cyl.; (Briggs & Stratton); OHV				
121012	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.327700; 4 Stroke; Model 120000; 11.57cid; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp;128812	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
580.327750; GC-Series; Horizontal; 9.8cid\160cc; 1 Cyl.; (Honda); OHC				
4.6hp;GC160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
580.328300; 4 Stroke; Horizontal; 39.9cid\653cc; V2; (Robin); OHV				
18hp;EH63	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
580.328301; 4 Stroke; Horizontal; 39.9cid\653cc; V2; (Robin); OHV				
18hp;EH63	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
580.328310; Model 120000; 34.7cid\570cc; 2 Cyl.; (Briggs & Stratton); OHV				
18hp;350445	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.328330; 4 Stroke; 12.67cid\207cc; 1 Cyl.; (Kawasaki)				
5hp;FA210;3/8in Reach Spark Plugs	840 / RCJ8	843 / CJ8	843ECO	0.025in
580.328391; 1 Cyl.; (Generac); OHV				
7.8hp;EHC00955	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.328391; GN-Series; 480cc; 2 Cyl.; OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.329100; 80cc; 1 Cyl.; (Mitsubishi); OHV				
2.4hp;GM82	327 / RL87YC	312 / L87YC	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
580.329120; 4 Stroke; 195cc; 1 Cyl.; OHV				
6hp;143.016005	104 / RN4C	803 / N4C	---	0.030in
580.329130; 1 Cyl.; (Generac); OHV				
7.8hp;EHC00955	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.329140; 1 Cyl.; (Generac); OHV				
7.8hp;EHC04276	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.329160; 1 Cyl.; (Generac); OHV				
13hp;EHF00958	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.329180; 410cc; 1 Cyl.; (Generac); OHV				
15hp;EHF00935	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.675511; 4 Stroke; Model 200000; 18.64cid\305cc; 1 Cyl.; (Briggs & Stratton); OHV				
204412	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.675611; 4 Stroke; Model 200000; 18.64cid\305cc; 1 Cyl.; (Briggs & Stratton); OHV				
204412	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.676512; 4 Stroke; Model 200000; 18.64cid\305cc; 1 Cyl.; (Briggs & Stratton); OHV				
204412	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6300 Watt; GenTek; 1 Cyl.; (Briggs & Stratton)				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
919.670030; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
121412	71 / RC12YC	946 / QC12YC	71ECO	0.030in
919.670040; GX-Series; 4 Stroke; Horizontal; 270cc; 1 Cyl.; Gas; (Honda); OHV				
8.5hp;GX270	404 / RN12YC	38 / N12YC	---	0.030in
919.670041; GX-Series; 4 Stroke; Horizontal; 270cc; 1 Cyl.; Gas; (Honda); OHV				
8.5hp;GX270	404 / RN12YC	38 / N12YC	---	0.030in
919.670070; 4 Stroke; V2; (Briggs & Stratton); OHV				
14hp;294447	71 / RC12YC	946 / QC12YC	71ECO	0.030in
919.679370; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
7.5hp;138432	71 / RC12YC	946 / QC12YC	71ECO	0.030in
919.679501; 4 Stroke Horizontal; 1 Cyl.; (Tecumseh); L-HEAD				
10hp;HM100	856 / RJ17LM	947 / QJ19LM	861ECO	0.030in
Many Model; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
Cushman				
with 18mm Diameter Threads	509 / D9	---	---	0.025in
with 7/8in Diameter Threads	510 / W10	---	---	0.025in
Danarm				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
(Subaru/Robin)				
	830 / RL86C	933-1 / QL86C	---	0.025in
Delco-Lite				
1000W				
	871 / RJ8C	841 / J8C	---	0.025in
15 Series A1				
	541 / RD16	514 / D14	---	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Delco-Lite				
1500W				
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
with 18mm Diameter Threads	541 / RD16	514 / D14	---	0.025in
20 Series AB3				
	871 / RJ8C	841 / J8C	---	0.025in
200W				
	842 / UY6	---	---	0.025in
25 Series AD1				
	871 / RJ8C	841 / J8C	---	0.025in
2500W				
	871 / RJ8C	841 / J8C	---	0.025in
2B12				
	842 / UY6	---	---	0.025in
2B6				
	842 / UY6	---	---	0.025in
400W				
	871 / RJ8C	841 / J8C	---	0.025in
50 Series AA1				
	871 / RJ8C	841 / J8C	---	0.025in
50 Series HA1				
	541 / RD16	514 / D14	---	0.025in
5KW; (Hercules)				
	569 / W14	---	---	0.025in
60 Series AD1				
	541 / RD16	514 / D14	---	0.025in
6G3				
	871 / RJ8C	841 / J8C	---	0.025in
6KW; (Hercules)				
	569 / W14	---	---	0.025in
8 Series A3				
	871 / RJ8C	841 / J8C	---	0.025in
8 Series EAB3				
	871 / RJ8C	841 / J8C	---	0.025in
8 Series EABW3				
	541 / RD16	514 / D14	---	0.025in
8 Series ERBW3				
	541 / RD16	514 / D14	---	0.025in
800W				
	871 / RJ8C	841 / J8C	---	0.025in
AD1				
	871 / RJ8C	841 / J8C	---	0.025in
B1				
	541 / RD16	514 / D14	---	0.025in
B12				
	842 / UY6	---	---	0.025in
B3				
	871 / RJ8C	841 / J8C	---	0.025in
B6				
	842 / UY6	---	---	0.025in
BK3				
	871 / RJ8C	841 / J8C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Delco-Lite				
BP				
	541 / RD16	514 / D14	---	0.025in
C1				
	541 / RD16	514 / D14	---	0.025in
C3				
	871 / RJ8C	841 / J8C	---	0.025in
CK1				
	871 / RJ8C	841 / J8C	---	0.025in
EB3				
	871 / RJ8C	841 / J8C	---	0.025in
EBW3				
	541 / RD16	514 / D14	---	0.025in
ECW3				
	541 / RD16	514 / D14	---	0.025in
EW3				
	541 / RD16	514 / D14	---	0.025in
FA1				
	541 / RD16	514 / D14	---	0.025in
G3				
	871 / RJ8C	841 / J8C	---	0.025in
GW3				
	541 / RD16	514 / D14	---	0.025in
H1				
	541 / RD16	514 / D14	---	0.025in
HD1				
	871 / RJ8C	841 / J8C	---	0.025in
M3				
	871 / RJ8C	841 / J8C	---	0.025in
RA1				
	541 / RD16	514 / D14	---	0.025in
RD1				
	871 / RJ8C	841 / J8C	---	0.025in
Dolmar				
G5800				
	104 / RN4C	803 / N4C	---	0.030in
G6100R				
	104 / RN4C	803 / N4C	---	0.030in
Duplex				
PE127				
	541 / RD16	514 / D14	---	0.025in
QX				
	592 / RJ12C	511 / J11C	---	0.025in
Dyna				
(Honda); OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
9hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Kawasaki)				
3.1hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
5.2hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Onan)				
24hp	909 / RS17YX	---	---	0.025in
(Tecumseh)				
18hp	104 / RN4C	803 / N4C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Dyna				
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Dynablast				
Electric Start; (Honda); OHV				
20hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
Echo				
(Kohler)				
8hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); OHV				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
2300				
	806 / L92YC	---	---	0.025in
2600				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
3501				
	806 / L92YC	---	---	0.025in
4300				
	806 / L92YC	---	---	0.025in
4300E				
	806 / L92YC	---	---	0.025in
5500E				
	806 / L92YC	---	---	0.025in
650				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
750				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
7600E				
	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EG-1200				
	830 / RL86C	933-1 / QL86C	---	0.025in
EG-1500				
	806 / L92YC	---	---	0.025in
EG-1800				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
EG-2400				
	806 / L92YC	---	---	0.025in
EG-2600				
	846 / CJ14	---	846ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Echo				
EG-3501				
Before 1994	929 / RL95YC	---	---	0.024in
Since 1994	327 / RL87YC	934-1 / QL87YC	---	0.024in
EG-4600; (Kohler)				
8hp;M8	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
EG-4601; Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EG-550				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
EG-5600E; Command Series; 4 Stroke; 24.3cid\398cc; 1 Cyl.; (Kohler); OHV				
11hp;CV11	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EG-5601				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
EG-650				
Since 1994	846 / CJ14	---	846ECO	0.025in
EG-7600E; Command Series; 4 Stroke; 24.3cid\398cc; 1 Cyl.; (Kohler); OHV				
11hp;CV14	71 / RC12YC	946 / QC12YC	71ECO	0.040in
EG-7601				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Fairbanks Morse				
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
with 18mm Diameter Threads	541 / RD16	514 / D14	---	0.025in
All Other 7/8"-18 Heads				
	518 / W18	---	---	0.025in
A				
1hp	569 / W14	---	---	0.025in
ZC				
6hp	569 / W14	---	---	0.025in
8hp	569 / W14	---	---	0.025in
Farm Electric				
	425 / X	525 / 25	---	0.025in
Ford				
KOH-175; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
KOH-350; (Kohler)				
8hp	854 / RH10C	844 / H10C	---	0.025in
KOH-500; (Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.025in
Fuller & Johnson				
	569 / W14	---	---	0.025in
Model J				
	425 / X	525 / 25	---	0.025in
Genco				
	569 / W14	---	---	0.025in
Generac				
	7415 / RN9PYP	9804 / RN8WYPB3	---	0.035in
562SXL	806 / L92YC	---	---	0.025in
MC40	806 / L92YC	---	---	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Generac				
TXP45	871 / RJ8C	841 / J8C	---	0.025in
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kawasaki)				
1.6hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
3hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
5hp	830 / RL86C	933-1 / QL86C	---	0.025in
(Lauson)				
	871 / RJ8C	841 / J8C	---	0.030in
(Subaru/Robin)				
	830 / RL86C	933-1 / QL86C	---	0.025in
(Tecumseh); L-HEAD				
	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); OHV				
6hp	104 / RN4C	803 / N4C	---	0.030in
6.5hp	104 / RN4C	803 / N4C	---	0.030in
(Wisconsin)				
	541 / RD16	516 / D16	---	0.030in
1000cc; (Opel)				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
1100cc; (Opel)				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
1.0L				
	415 / RN9YC	300 / N9YC	415ECO	0.035in
1.2L				
	415 / RN9YC	300 / N9YC	415ECO	0.035in
1.2L; (Nissan)				
	404 / RN12YC	38 / N12YC	322ECO	0.035in
1.6L; (Fiat)				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
2.5L; (GMC)				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
5.7L; 8 Cyl.; (GMC)				
	18 / RV15YC4	3018 / RV17PMC4	---	0.035in
7.4L; 8 Cyl.; (GMC)				
	18 / RV15YC4	3018 / RV17PMC4	---	0.035in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
04582				
	985 / RC14YC4	946 / QC12YC	71ECO	0.040in
05308				
	985 / RC14YC4	946 / QC12YC	71ECO	0.040in
1470				
14hp;OHVI	71 / RC12YC	946 / QC12YC	71ECO	0.030in
14kw 7225; 816cc; 2 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1645				
7.8hp;OHVI	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Generac				
1646; GenTek; 1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1850 Home & Away				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18kw 7228; 816cc; 2 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22kw 70432; 999cc; 2 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.040in
24kw 7210; 999cc; 2 Cyl.; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.040in
2500T				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3250XE				
	104 / RN4C	803 / N4C	---	0.030in
3300W 6431; 208cc; 1 Cyl.; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
3500XEP				
	104 / RN4C	803 / N4C	---	0.030in
C10000				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
C2400				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
C4000				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
C5000				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
C5000E				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
C8000				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Centurion 3250; 3.25KW				
	415 / RN9YC	300 / N9YC	415ECO	0.035in
EPS-12				
	404 / RN12YC	38 / N12YC	322ECO	0.035in
EPS-20				
	404 / RN12YC	38 / N12YC	322ECO	0.035in
EPS-25				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
EPS-8-AC				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
G1000				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
G1000M; (Mitsubishi)				
2.4hp;GM82	814 / RL82YC	328 / L82YC	---	0.025in
G1600				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
G2600				
	830 / RL86C	933-1 / QL86C	---	0.025in
Generac II				
	415 / RN9YC	300 / N9YC	415ECO	0.035in
Generac II; Vanguard; V2				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Generac				
GP15000E				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GP17500E				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GP1800				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
GP2200i 7108; 80cc; 1 Cyl.; OHV				
	327 / RL87YC	312 / L87YC	---	0.026in
GP3000i 7129; 149cc; 1 Cyl.; OHV				
	327 / RL87YC	312 / L87YC	---	0.026in
GP3250				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
GP5500				
	332 / RN7YC	315 / N6YC	332ECO	0.030in
GP6500/E				
	332 / RN7YC	315 / N6YC	332ECO	0.030in
GP7500E				
	332 / RN7YC	315 / N6YC	332ECO	0.030in
IM60G				
	592 / RJ12C	511 / J11C	---	0.030in
iX1400				
	814 / RL82YC	328 / L82YC	---	0.028in
iX1600				
5792-3	814 / RL82YC	328 / L82YC	---	0.028in
iX2000				
5793-2	415 / RN9YC	300 / N9YC	415ECO	0.028in
5793-3	415 / RN9YC	300 / N9YC	415ECO	0.028in
iX800				
	965 / RZ7C	---	---	0.028in
L4000				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
L4000E				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
L5000				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
L5000E				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
LP3250				
	332 / RN7YC	315 / N6YC	332ECO	0.031in
LP5500				
	332 / RN7YC	315 / N6YC	332ECO	0.031in
MC Series; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
MC Series; V2				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Mega 2500				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Mega 3000				
	104 / RN4C	803 / N4C	---	0.030in
MF6500				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
NP100G				
	415 / RN9YC	300 / N9YC	415ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Generac				
NP45G				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
NP55G				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
NP65G				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
NP80G				
	415 / RN9YC	300 / N9YC	415ECO	0.025in
R10000				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
R10000E				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
R3500XL				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
R4000				
	830 / RL86C	933-1 / QL86C	---	0.025in
R6000				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
R8000				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
R8000E				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
RS5500; OHV				
5.5 kW	415 / RN9YC	300 / N9YC	415ECO	0.035in
RS7000E; OHV				
7.0 kW	415 / RN9YC	300 / N9YC	415ECO	0.035in
RS8000E G0079510; 420cc; 1 Cyl.; OHV				
	332 / RN7YC	315 / N6YC	332ECO	0.030in
S1000				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
S1500				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
S1600				
	830 / RL86C	933-1 / QL86C	---	0.025in
S2400				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
S4000				
	871 / RJ8C	841 / J8C	---	0.030in
S4000E				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
S5000				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
SG012				
	415 / RN9YC	300 / N9YC	415ECO	0.035in
SG015				
	401 / RS12YC	9204 / RS12WYPB4	---	0.035in
SG016				
	415 / RN9YC	300 / N9YC	415ECO	0.035in
SG020				
	415 / RN9YC	300 / N9YC	415ECO	0.035in
SV1850				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Generac				
SV2400				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
SV4200				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
SVP5000				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
SVP5000E				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
SVP500T				
	871 / RJ8C	841 / J8C	---	0.030in
SVT4200				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
SVT5000				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Various Model				
TXP45	814 / RL82YC	931-1 / QL82C	---	0.025in
XE Series; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XG10000E; XE Series				
	814 / RL82YC	328 / L82YC	---	0.028in
XG4000; XE Series				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XG6500E; XE Series				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XG7000E; XE Series				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XG8000E; XE Series				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XL Series; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XL Series; V2				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
XP10000E; XL Series				
	814 / RL82YC	328 / L82YC	---	0.028in
XP4000; XL Series				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XP6500E; XL Series				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XP8000E; XL Series				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
General				
(Kawasaki)				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Gen-Pro				
GP105E				
	431 / RC14YC	946 / QC12YC	71ECO	0.025in
GP-110E; 2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
GP-150E				
	415 / RN9YC	300 / N9YC	415ECO	0.035in
GP200E				
	415 / RN9YC	300 / N9YC	415ECO	0.035in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Gen-Pro				
GP2-30H; (Honda)				
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
GP2-40H; (Honda)				
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
GP2-50; Vanguard; V2; (Briggs & Stratton)				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
GP2-50E; Vanguard; V2; (Briggs & Stratton)				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
GP2-65EH; (Honda)				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
GP2-65H; (Honda)				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
GP-28H				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
GP2-90E; Vanguard; 1 Cyl.; (Briggs & Stratton)				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
GP-30				
	431 / RC14YC	946 / QC12YC	71ECO	0.025in
GP-40				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
GP-40E				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
GP-45				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
GP-45E				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
GP-45H				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
GP-48				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
GP-48E				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
GP-50				
	431 / RC14YC	946 / QC12YC	71ECO	0.025in
GP-50E				
	431 / RC14YC	946 / QC12YC	71ECO	0.025in
GP-60				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
GP-60E				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
GP-60H				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
GP-70EH				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
GP-75E				
	431 / RC14YC	946 / QC12YC	71ECO	0.025in
GP-90E				
	431 / RC14YC	946 / QC12YC	71ECO	0.025in
GP-98E; (Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Gillette				
(Honda)				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Gillette				
(Honda)				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Subaru/Robin)				
	830 / RL86C	933-1 / QL86C	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
1.1L; (Ford)				
	415 / RN9YC	300 / N9YC	415ECO	0.035in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Globe Light				
	569 / W14	---	---	0.025in
Goodall				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
(Kohler)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.025in
Grass Wand				
500A				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Gravely				
2000l; 4.82088cid\79cc; (Loncin)				
LC148F	332 / RN7YC	315 / N6YC	332ECO	0.028in
5000 Watt; (Subaru/Robin)				
9.5hp;EX30	814 / RL82YC	931-1 / QL82C	---	0.028in
7500 Watt; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.028in
Gray				
	871 / RJ8C	841 / J8C	---	0.025in
Groban				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Groban				
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Honda)				
18hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
20hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
300cid; (Ford)				
	129 / RF10C	---	---	0.030in
460cid; (Ford)				
	406 / RV12YC	---	---	0.035in
1.1L; (Ford)				
	304 / RS9YC	3401 / RS10PYC4	---	0.035in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Hearth				
	871 / RJ8C	841 / J8C	---	0.025in
Hercules				
G3400				
Magneto Ignition;Normal Service	102 / RJ6C	823 / J6C	---	0.025in
Hobart				
(Chrysler)				
Industrial 30	592 / RJ12C	511 / J11C	---	0.025in
Industrial 32	592 / RJ12C	511 / J11C	---	0.025in
(Onan)				
20hp	909 / RS17YX	---	---	0.025in
(Willys)				
	871 / RJ8C	841 / J8C	---	0.025in
(Wisconsin)				
VF-4	541 / RD16	516 / D16	---	0.025in
2 Cyl.; (Wisconsin)				
16.8hp;THD	541 / RD16	516 / D16	---	0.025in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
L6; Gas; (Chrysler)				
H170	404 / RN12YC	38 / N12YC	322ECO	0.025in
H225	404 / RN12YC	38 / N12YC	322ECO	0.025in
8 Cyl.; Gas; (IHC)				
UV-549	102 / RJ6C	823 / J6C	---	0.030in
V8; Gas; (Chrysler)				
HB361	14 / RJ12YC	10 / J12YC	---	0.025in
HB383	123 / RN5C	120 / N5C	---	0.025in
HT413	404 / RN12YC	38 / N12YC	322ECO	0.025in
170cid; (Ford)				
	129 / RF10C	---	---	0.025in
200cid; (Ford)				
	22 / RF11YC	---	---	0.025in
JD Engines; (Wisconsin)				
	541 / RD16	516 / D16	---	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Home-Gard				
(Kawasaki)				
3.1hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
5.2hp	840 / RCJ8	843 / CJ8	843ECO	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
Homelite				
14mm Diameter Threads;3/8in Reach Spark Plugs	102 / RJ6C	823 / J6C	---	0.025in
with 18mm Diameter Threads	541 / RD16	514 / D14	---	0.025in
(Subaru/Robin)				
11hp	830 / RL86C	933-1 / QL86C	---	0.025in
7.6hp	327 / RL87YC	934-1 / QL87YC	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
176BI40A				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
176R142A				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
178HI48				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
178VI52				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
180HIE63				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
180R162				
	830 / RL86C	933-1 / QL86C	---	0.025in
180RIE62				
	830 / RL86C	933-1 / QL86C	---	0.025in
190HY50				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
CG4800/178H148				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
CG5200				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
CG6300/180H163				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
CGE6300/180H1E63				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
CHY5000/190HHY50				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
EH2500HD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EH4400HD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Homelite				
EH5500HD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EHE4400HD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EHE5500HD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
EHRL4400HD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
HG1800; (Subaru/Robin); OHV				
4.5hp;EX13	830 / RL86C	933-1 / QL86C	---	0.025in
HG3500				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
HG50-1400				
	830 / RL86C	933-1 / QL86C	---	0.025in
HG50-2000				
	830 / RL86C	933-1 / QL86C	---	0.025in
HG50-2500				
	830 / RL86C	933-1 / QL86C	---	0.025in
HG600				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
HGE3500				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
HL2500				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
HL4400				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
HLE4400				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
LR2500				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
LR4400				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
LR5500				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
LRE4400				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
LRE5500				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
LRI2500				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
LRI4400				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
LRI5500				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
LRIE4400				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
LRIE5500				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
UT905700; (Yamaha); OHV				
10hp;MZ300	405 / RN14YC	3405 / RN14PMC	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
E100				
	978 / RY4C	---	---	0.025in
E1000				
	830 / RL86C	933-1 / QL86C	---	0.025in
E1500				
	830 / RL86C	933-1 / QL86C	---	0.025in
E1500K1				
	830 / RL86C	933-1 / QL86C	---	0.025in
E1500K2				
	830 / RL86C	933-1 / QL86C	---	0.025in
E1500K3				
	830 / RL86C	933-1 / QL86C	---	0.025in
E2000				
	814 / RL82YC	931-1 / QL82C	---	0.025in
E2500				
	830 / RL86C	933-1 / QL86C	---	0.025in
E2500K1				
	830 / RL86C	933-1 / QL86C	---	0.025in
E2500K2				
	830 / RL86C	933-1 / QL86C	---	0.025in
E2500K3				
	830 / RL86C	933-1 / QL86C	---	0.025in
E300				
	978 / RY4C	---	---	0.025in
E300C				
	978 / RY4C	---	---	0.025in
E300K1				
	978 / RY4C	---	---	0.025in
E300K2				
	978 / RY4C	---	---	0.025in
E300K3				
	978 / RY4C	---	---	0.025in
E40				
	978 / RY4C	---	---	0.025in
E400				
	978 / RY4C	---	---	0.025in
E4500				
	806 / L92YC	---	---	0.025in
E4500K1				
	806 / L92YC	---	---	0.025in
E600				
	808 / Z9Y	705 / P-RZ9HC	---	0.025in
E80				
	978 / RY4C	---	---	0.025in
E800A				
	808 / Z9Y	705 / P-RZ9HC	---	0.025in
E900				
	808 / Z9Y	705 / P-RZ9HC	---	0.025in
EB11000				
	404 / RN12YC	38 / N12YC	322ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
EB2200X				
	415 / RN9YC	300 / N9YC	415ECO	0.025in
EB2500C				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EB2500XK1				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EB3000C				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EB3000CK1				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EB3500X				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EB3500XK1				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EB3800XA				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EB5000I; GX-Series; 4 Stroke; Horizontal; 20.6cid\337cc; 1 Cyl.; OHV				
11hp;GX340	404 / RN12YC	38 / N12YC	322ECO	0.030in
EB5000IS; GX-Series; 4 Stroke; Horizontal; 20.6cid\337cc; 1 Cyl.; OHV				
11hp;GX340	404 / RN12YC	38 / N12YC	322ECO	0.030in
EB5000X				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EB5000XK1				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EB5000XK1A				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EB6500SX				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
EB6500SXA				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EB6500X; GX-Series; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; OHV				
13hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
EB7000I				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EB7000IS				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EC1500				
	830 / RL86C	933-1 / QL86C	---	0.025in
ED1000				
	830 / RL86C	933-1 / QL86C	---	0.025in
ED1000A				
	830 / RL86C	933-1 / QL86C	---	0.025in
ED250				
	978 / RY4C	---	---	0.025in
EG1400X				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EG1400XK1				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EG1500K3				
	830 / RL86C	933-1 / QL86C	---	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
EG200Z; G-Series; 4 Stroke; 12cid\197cc; 1 Cyl.; L-HEAD				
5hp;G200;Since 1556008	929 / RL95YC	---	---	0.025in
EG2500XK1				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EG3500X				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EG3500XK1				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EG4000CL; GX-Series; 4 Stroke; Horizontal; 16.5cid\270cc; 1 Cyl.; OHV				
9hp;GX270T2	404 / RN12YC	38 / N12YC	322ECO	0.030in
EG5000CL; GX-Series; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; OHV				
13hp;GX390T2	404 / RN12YC	38 / N12YC	322ECO	0.030in
EG5000X				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EG5000XK1				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EG650				
	846 / CJ14	---	846ECO	0.025in
EL5000				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
EL80				
	978 / RY4C	---	---	0.025in
EM1000; GX-Series; 4 Stroke; Horizontal; 41.97cid\688cc; V2; OHV				
21.1hp;GX630	71 / RC12YC	946 / QC12YC	71ECO	0.030in
EM1600X				
	415 / RN9YC	300 / N9YC	415ECO	0.025in
EM1800				
	806 / L92YC	---	---	0.025in
EM1800X				
	415 / RN9YC	300 / N9YC	415ECO	0.025in
EM1800XK1				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EM2200				
	806 / L92YC	---	---	0.025in
EM2200X				
	415 / RN9YC	300 / N9YC	415ECO	0.025in
EM2500C				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
EM2500XK1				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EM2500XKI				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EM300				
8hp;GE300;K1, K2, K3	978 / RY4C	---	---	0.025in
EM3000				
	806 / L92YC	---	---	0.025in
EM3000C				
	404 / RN12YC	38 / N12YC	322ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
EM3500SX				
	830 / RL86C	933-1 / QL86C	---	0.025in
EM3500X				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EM3500XK1; GX-Series; 4 Stroke; Horizontal; 14.8cid\242cc; 1 Cyl.; OHV				
8hp;GX240K1	404 / RN12YC	38 / N12YC	322ECO	0.030in
EM3800SX; GX-Series; 4 Stroke; Horizontal; 14.8cid\242cc; 1 Cyl.; OHV				
8hp;GX240	404 / RN12YC	38 / N12YC	322ECO	0.030in
EM400				
	978 / RY4C	---	---	0.025in
EM4000S; iGX-Series; 4 Stroke; Horizontal; 16.5cid\270cc; 1 Cyl.; OHV				
8.4hp;iGX270	404 / RN12YC	38 / N12YC	322ECO	0.030in
EM400K1				
	978 / RY4C	---	---	0.025in
EM500				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
EM5000				
	104 / RN4C	803 / N4C	---	0.025in
EM5000IS; GX-Series; 4 Stroke; Horizontal; 20.6cid\337cc; 1 Cyl.; OHV				
11hp;GX340;After 1253117	404 / RN12YC	38 / N12YC	322ECO	0.032in
11hp;GX340;Before 1253118	322 / RN11YC4	302 / N11YC	322ECO	0.044in
EM5000SX; GX-Series; 4 Stroke; Horizontal; 20.6cid\337cc; 1 Cyl.; OHV				
11hp;GX340;After 1253117	322 / RN11YC4	302 / N11YC	322ECO	0.032in
11hp;GX340;Before 1253118	322 / RN11YC4	302 / N11YC	322ECO	0.044in
EM5000SX; iGX-Series; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; OHV				
13hp;iGX390	404 / RN12YC	---	322ECO	0.032in
EM5000SXXK1; GX-Series; 4 Stroke; Horizontal; 20.6cid\337cc; 1 Cyl.; OHV				
11hp;GX340K1	404 / RN12YC	38 / N12YC	322ECO	0.030in
EM5000SXXK2; GX-Series; 4 Stroke; Horizontal; 20.6cid\337cc; 1 Cyl.; OHV				
11hp;GX340K1	404 / RN12YC	38 / N12YC	322ECO	0.030in
EM5000X; GX-Series; 4 Stroke; Horizontal; 20.6cid\337cc; 1 Cyl.; OHV				
11hp;GX340;After 1253117	404 / RN12YC	38 / N12YC	322ECO	0.032in
11hp;GX340;Before 1253118	322 / RN11YC4	302 / N11YC	322ECO	0.032in
EM500K1				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
EM600				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
EM6000				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
EM6000GPA; GX-Series; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; OHV				
13hp;GX390K1	415 / RN9YC	300 / N9YC	415ECO	0.028in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
EM650				
	846 / CJ14	---	846ECO	0.025in
EM6500SX; iGX-Series; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; OHV				
13hp;iGX390	404 / RN12YC	---	322ECO	0.030in
EM6500SXX1; GX-Series; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; OHV				
13hp;GX390K1	415 / RN9YC	300 / N9YC	415ECO	0.028in
EM7000IS; GX-Series; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; OHV				
13hp;GX390K1	415 / RN9YC	300 / N9YC	415ECO	0.028in
EMS4000				
	806 / L92YC	---	---	0.025in
EMS4500				
	806 / L92YC	---	---	0.025in
EN2000; GC-Series; 4 Stroke; Horizontal; 9.8cid\160cc; 1 Cyl.; OHC				
4.6hp;GC160	415 / RN9YC	300 / N9YC	415ECO	0.024in
EN2500; OHC				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
EN3500; GX-Series; 4 Stroke; Horizontal; 14.8cid\242cc; 1 Cyl.; OHV				
8hp;GX240K1	404 / RN12YC	38 / N12YC	322ECO	0.030in
EN5000; GX-Series; 4 Stroke; Horizontal; 20.6cid\337cc; 1 Cyl.; OHV				
11hp;GX340K1	404 / RN12YC	38 / N12YC	322ECO	0.030in
EP1000N; GX-Series; 4 Stroke; 79.7cc; 1 Cyl.; OHV				
GX80D	705 / P-RZ9HC	---	---	0.026in
EP2500CX1				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
ER2500CX; GP-Series; 4 Stroke; 9.9cid\163cc; 1 Cyl.; OHV				
4.8hp;GP160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
ER400				
	978 / RY4C	---	---	0.025in
ES3500				
	830 / RL86C	933-1 / QL86C	---	0.025in
ES4500				
	806 / L92YC	---	---	0.025in
ES4500K1				
	806 / L92YC	---	---	0.025in
ES6500				
	806 / L92YC	---	---	0.025in
ES6500K1				
	806 / L92YC	---	---	0.025in
ET12000; GX-Series; 4 Stroke; Horizontal; 41.97cid\688cc; V2; OHV				
21.1hp;GX630	71 / RC12YC	---	---	0.030in
ET4500; G-Series; 4 Stroke; 24.8cid\406cc; 1 Cyl.; L-HEAD				
10hp;G400;2.3 ft.-lb. Torque;With CDI	929 / RL95YC	---	---	0.037in
EU1000i; 4 Stroke; 2.99cid\49cc; 1 Cyl.; OHV				
2.5hp;GXH50	705 / P-RZ9HC	---	---	0.026in
EU1000iA2				
	808 / Z9Y	705 / P-RZ9HC	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
EU10i; 4 Stroke; 2.99cid\49cc; 1 Cyl.; OHV				
2.5hp;GXH50	705 / P-RZ9HC	---	---	0.026in
EU2000i				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EU200i				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EU20i; GX-Series; 4 Stroke; Horizontal; 6cid\98cc; 1 Cyl.; OHC				
3hp;GX100;with 10mm Diameter Threads	705 / P-RZ9HC	---	---	0.030in
EU22i; 4 Stroke; 7.38cid\121cc; 1 Cyl.; OHC				
3.7hp;GXR120T	705 / P-RZ9HC	---	---	0.026in
EU22iT; 4 Stroke; 7.38cid\121cc; 1 Cyl.; OHC				
3.7hp;GXR120T	705 / P-RZ9HC	---	---	0.026in
EU3000is				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EU3000ISA; GX-Series; 4 Stroke; Horizontal; 12cid\196cc; 1 Cyl.; OHV				
6.5hp;GX200	415 / RN9YC	300 / N9YC	415ECO	0.028in
EU30i; GX-Series; 4 Stroke; Horizontal; 12cid\196cc; 1 Cyl.; OHV				
5.5hp;GX200D	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
EU30is; GX-Series; 4 Stroke; Horizontal; 12cid\196cc; 1 Cyl.; OHV				
5.5hp;GX200D	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
EU6500IS				
6.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
EU6500IS; GX-Series; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; OHV				
13hp;GX390K1	404 / RN12YC	3405 / RN14PMC	---	0.028in
EU65is; GX-Series; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; OHV				
13hp;GX390K1	404 / RN12YC	3405 / RN14PMC	---	0.028in
EU7000is; GX-Series; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; OHV				
11.7hp;GX390T2	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
EU7000isN; GX-Series; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; OHV				
11.7hp;GX390T2	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
EV4000				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
EV6010; GX-Series; 4 Stroke; Horizontal; Liquid Cooled; 21.9cid\359cc; 2 Cyl.; OHC				
13hp;GX360K1	929 / RL95YC	---	---	0.030in
EW140				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EW171K1				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EX1000				
	846 / CJ14	---	846ECO	0.025in
EX2200				
	415 / RN9YC	300 / N9YC	415ECO	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
EX3300S				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EX3300SKI				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EX350				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
EX4500S				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EX4500SK1; GX-Series; 4 Stroke; Horizontal; 20.6cid\337cc; 1 Cyl.; OHV				
11hp;GX340K1	404 / RN12YC	38 / N12YC	322ECO	0.030in
EX4500SK1A				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EX5500				
	806 / L92YC	---	---	0.025in
EX5500K1				
	806 / L92YC	---	---	0.025in
EX5500K2A				
	806 / L92YC	---	---	0.025in
EX650				
	846 / CJ14	---	846ECO	0.025in
EX700c				
	808 / Z9Y	705 / P-RZ9HC	---	0.030in
EX800				
	806 / L92YC	---	---	0.025in
EXW171S; GX-Series; 4 Stroke; Horizontal; 20.6cid\337cc; 1 Cyl.; OHV				
11hp;GX340	404 / RN12YC	3405 / RN14PMC	---	0.040in
EZ1400; GX-Series; 4 Stroke; Horizontal; 7.2cid\118cc; 1 Cyl.; OHV				
4hp;GX120K1	415 / RN9YC	300 / N9YC	415ECO	0.028in
EZ1400A; OHV				
4hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
EZ2500; GX-Series; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
5.5hp;GX160K1	415 / RN9YC	300 / N9YC	415ECO	0.028in
EZ2500A; OHV				
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
EZ3000CX; GP-Series; 4 Stroke; 11.4cid\196cc; 1 Cyl.; OHV				
5.6hp;GP200	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
EZ3500; GX-Series; 4 Stroke; Horizontal; 14.8cid\242cc; 1 Cyl.; OHV				
8hp;GX240K1	404 / RN12YC	38 / N12YC	322ECO	0.028in
EZ3500A; OHV				
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
EZ5000; GX-Series; 4 Stroke; Horizontal; 20.6cid\337cc; 1 Cyl.; OHV				
11hp;GX340K1	404 / RN12YC	38 / N12YC	322ECO	0.028in
EZ5000A; OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
EZ6500CXS; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; OHV				
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
GP2500A; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
1055GN; 4 Stroke; 18.64cid\305cc; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Ingersoll-Rand				
G150				
	526 / RD15Y	515 / D15Y	---	0.025in
International				
UD16; 501.8cid; 6 Cyl.; (Allis-Chalmers); (1948-1954)				
	543 / D89D	---	---	0.025in
UD9; 5.7L (335cid); L4; (Allis-Chalmers); OHV				
	543 / D89D	---	---	0.025in
UD9A; 5.7L (335cid); L4; (Allis-Chalmers); OHV				
	543 / D89D	---	---	0.025in
Jackson				
	541 / RD16	516 / D16	---	0.030in
John Deere				
1000				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
1400				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
1750W				
	871 / RJ8C	841 / J8C	---	0.025in
1800				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
225				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
250G				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
3000W				
	871 / RJ8C	841 / J8C	---	0.025in
325				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
375				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
4000W				
	871 / RJ8C	841 / J8C	---	0.025in
440G				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
500				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
5000W				
	814 / RL82YC	931-1 / QL82C	---	0.025in
550				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
550GE				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
650				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
750				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
DP6000; (Kohler); OHV				
12hp	854 / RH10C	844 / H10C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
John Deere				
G2500K; (Kawasaki); OHV				
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
G4400K; (Kawasaki); OHV				
8hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
G5500K; (Kawasaki); OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
G5500KE; (Kawasaki); OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
Katolight				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
(Chrysler)				
Industrial 24	123 / RN5C	120 / N5C	---	0.025in
Industrial 32	102 / RJ6C	823 / J6C	---	0.025in
(Continental)				
F-162	541 / RD16	516 / D16	---	0.025in
M330	541 / RD16	516 / D16	---	0.025in
Y112	541 / RD16	516 / D16	---	0.025in
Y69	541 / RD16	516 / D16	---	0.025in
450.99cid; 6 Cyl.; Gas; (IHC)				
U-450	102 / RJ6C	823 / J6C	---	0.025in
2-cylinder Liquid Cooled D.C.				
	854 / RH10C	844 / H10C	---	0.025in
4-cylinder Liquid Cooled D.C.				
	541 / RD16	516 / D16	---	0.025in
One-cyl. Air Cooled D.C.				
	871 / RJ8C	841 / J8C	---	0.025in
Kawasaki				
6000; OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
AS				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
GA1000A1				
	871 / RJ8C	841 / J8C	---	0.025in
GA1400A1				
	871 / RJ8C	841 / J8C	---	0.025in
GA1800A1				
	806 / L92YC	---	---	0.025in
GA2300A				
	806 / L92YC	---	---	0.025in
GA2800A				
	806 / L92YC	---	---	0.025in
GA3200A				
	806 / L92YC	---	---	0.025in
GA550A1				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
GD550				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
GD700A				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
GD700A1				
	840 / RCJ8	843 / CJ8	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kawasaki				
GD700AS1				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
GE2200A1; OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
GE2900A; OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
GE4000; OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
GE4300A; OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
GE4500A; OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
GE5000AS; OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
KG1000				
	871 / RJ8C	841 / J8C	---	0.025in
KG1100				
	871 / RJ8C	841 / J8C	---	0.025in
KG1300				
	806 / L92YC	---	---	0.025in
KG1500				
	830 / RL86C	933-1 / QL86C	---	0.025in
KG1600				
	830 / RL86C	933-1 / QL86C	---	0.025in
KG2300				
	871 / RJ8C	841 / J8C	---	0.025in
KG2600				
	871 / RJ8C	841 / J8C	---	0.025in
KG2900				
	871 / RJ8C	841 / J8C	---	0.025in
KG4000A51				
	830 / RL86C	933-1 / QL86C	---	0.025in
KG500				
	830 / RL86C	933-1 / QL86C	---	0.025in
KG5000A53				
	830 / RL86C	933-1 / QL86C	---	0.025in
KG600				
	830 / RL86C	933-1 / QL86C	---	0.025in
KG700				
	830 / RL86C	933-1 / QL86C	---	0.025in
KG750				
	830 / RL86C	933-1 / QL86C	---	0.025in
KG750B1				
	871 / RJ8C	841 / J8C	---	0.025in
KG900				
	871 / RJ8C	841 / J8C	---	0.025in
Ninja 700				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Power Partner 4000; OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
Kingston				
King Aurora				
	592 / RJ12C	511 / J11C	---	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kipor				
IG1000p; Vertical; OHC				
1.74hp;KG144	406 / RV12YC	---	---	0.026in
IG2000p; Vertical; OHC				
2.95hp;KG158	406 / RV12YC	---	---	0.026in
IG2600hp; Vertical; OHC				
4.4hp;KG166	415 / RN9YC	300 / N9YC	415ECO	0.026in
IG3000; Oblique; OHV				
5.36hp;KG205GETI	415 / RN9YC	300 / N9YC	415ECO	0.030in
IG3000E; Oblique; OHV				
5.36hp;KG205GEXi	415 / RN9YC	300 / N9YC	415ECO	0.030in
IG4300; Oblique; OHV				
7.4hp;KG280GETi	415 / RN9YC	300 / N9YC	415ECO	0.030in
IG6000; Oblique; OHV				
10.3hp;KG390GTi	415 / RN9YC	300 / N9YC	415ECO	0.030in
IG6000h; Oblique; OHV				
10.3hp;KG390GTi	415 / RN9YC	300 / N9YC	415ECO	0.030in
IG770; Vertical; OHC				
1.34hp;KG140	406 / RV12YC	---	---	0.026in
KGE1000Ti; OHV				
1.3hp	406 / RV12YC	---	---	0.026in
KGE1300TC				
KG55	965 / RZ7C	---	---	0.026in
KGE2000Ti; OHV				
2.2hp	406 / RV12YC	---	---	0.026in
KGE2400X; OHV				
4hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
KGE3000Ti; OHV				
4hp;KG205	415 / RN9YC	300 / N9YC	415ECO	0.030in
KGE5500E; OHV				
7.7hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Kodiak				
2 Cyl.; (Honda)				
GX620	404 / RN12YC	38 / N12YC	322ECO	0.030in
GC-Series; Horizontal; (Honda); OHC				
4.6hp;GC160	404 / RN12YC	38 / N12YC	322ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	404 / RN12YC	38 / N12YC	322ECO	0.030in
5.5hp;GX160	404 / RN12YC	38 / N12YC	322ECO	0.030in
8.5hp;GX270	404 / RN12YC	38 / N12YC	322ECO	0.030in
Kohler				
(Daihatsu)				
FE	404 / RN12YC	38 / N12YC	322ECO	0.025in
(Wisconsin)				
VH4D	541 / RD16	516 / D16	---	0.025in
1.5KW				
K90	871 / RJ8C	841 / J8C	---	0.025in
1.75MBFM				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
1.75MBM25				
	871 / RJ8C	841 / J8C	---	0.025in
1.75MM25				
	871 / RJ8C	841 / J8C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kohler				
100kW				
	541 / RD16	555 / UD16	---	0.025in
100kW; Natural Gas				
	509 / D9	---	---	0.017in
10C; 1.1L; (Ford)				
	304 / RS9YC	3401 / RS10PYC4	---	0.035in
10C; 1.3L; (Ford)				
	304 / RS9YC	3401 / RS10PYC4	---	0.035in
10KW				
FC;with 18mm Diameter Threads	541 / RD16	555 / UD16	---	0.030in
10KW; (Hess)				
	597 / K97F	---	---	0.018in
10KW; (Waukesha)				
180GLB	541 / RD16	555 / UD16	---	0.025in
12.5C; 1.1L; (Ford)				
	304 / RS9YC	3401 / RS10PYC4	---	0.035in
12.5C; 1.3L; (Ford)				
	304 / RS9YC	3401 / RS10PYC4	---	0.035in
14000 Watts (LP)/12000Watts (NG); Command Pro; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15kW; (Waukesha)				
185GLB	541 / RD16	555 / UD16	---	0.025in
175MFM				
	871 / RJ8C	841 / J8C	---	0.025in
1KW				
D;with 18mm Diameter Threads	541 / RD16	555 / UD16	---	0.025in
D;with 7/8in Diameter Threads	561 / W16Y	---	---	0.025in
K160	871 / RJ8C	841 / J8C	---	0.025in
2.25MBFM25				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
2.25MBFM45				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
2.25MBM25				
	871 / RJ8C	841 / J8C	---	0.025in
2.5KW				
K160	871 / RJ8C	841 / J8C	---	0.025in
2.5MV55				
	871 / RJ8C	841 / J8C	---	0.025in
20000 Watts (LP)/18000Watts (NG); Command Pro; OHV				
	946 / QC12YC	988 / XC10YC	---	0.030in
25KW				
	102 / RJ6C	823 / J6C	---	0.017in
25KW; LPG				
	102 / RJ6C	102 / RJ6C	---	0.017in
25R81				
	102 / RJ6C	102 / RJ6C	---	0.017in
25R81; LPG				
	102 / RJ6C	823 / J6C	---	0.017in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kohler				
2KW				
K241	854 / RH10C	844 / H10C	---	0.025in
L600	592 / RJ12C	511 / J11C	---	0.025in
3.5CFZ; (Honda)				
13hp	327 / RL87YC	934-1 / QL87YC	---	0.025in
3.5KW				
K331	871 / RJ8C	841 / J8C	---	0.025in
L600	592 / RJ12C	511 / J11C	---	0.025in
3.5MBFM45				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
3.5MBFM65				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
3.5MBM25				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
3.5MBM65				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
3.5MFM65				
	871 / RJ8C	841 / J8C	---	0.025in
3.5MM25				
	871 / RJ8C	841 / J8C	---	0.025in
3.5MM65				
	871 / RJ8C	841 / J8C	---	0.025in
350 Watt				
K7	592 / RJ12C	511 / J11C	---	0.025in
35KW; (Waukesha)				
195GL	541 / RD16	555 / UD16	---	0.030in
3MM25				
	871 / RJ8C	841 / J8C	---	0.025in
3MMV55				
	871 / RJ8C	841 / J8C	---	0.025in
4A-23				
	871 / RJ8C	841 / J8C	---	0.025in
4CM21				
	854 / RH10C	844 / H10C	---	0.025in
4CZ; (Honda)				
13hp	327 / RL87YC	934-1 / QL87YC	---	0.025in
4EF; V2; (Kawasaki)				
16hp	846 / CJ14	---	846ECO	0.025in
500 Watt				
K90	871 / RJ8C	841 / J8C	---	0.025in
50KW				
	541 / RD16	555 / UD16	---	0.025in
50KW; Natural Gas				
	509 / D9	---	---	0.017in
5CFZ; (Honda)				
13hp	327 / RL87YC	934-1 / QL87YC	---	0.025in
5E; V2; (Kawasaki)				
16hp	846 / CJ14	---	846ECO	0.025in
5KW				
FC;with 18mm Diameter Threads	541 / RD16	555 / UD16	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kohler				
5KW				
FC;with 7/8in Diameter Threads	561 / W16Y	---	---	0.025in
K21	854 / RH10C	844 / H10C	---	0.025in
L160	871 / RJ8C	841 / J8C	---	0.025in
L600	592 / RJ12C	511 / J11C	---	0.025in
5KW; 67.2cid\1101cc; 2 Cyl.; L-HEAD				
24hp;K662	592 / RJ12C	511 / J11C	---	0.025in
5MBM25				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
5MBM65				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
5MFM45				
	871 / RJ8C	841 / J8C	---	0.025in
5MM25				
	854 / RH10C	844 / H10C	---	0.025in
5MM65				
	854 / RH10C	844 / H10C	---	0.025in
6.5CZ; (Honda)				
13hp	327 / RL87YC	934-1 / QL87YC	---	0.025in
6.5KW; 67.2cid\1101cc; 2 Cyl.; L-HEAD				
24hp;K662	592 / RJ12C	511 / J11C	---	0.025in
6EF; V2; (Kawasaki)				
16hp	846 / CJ14	---	846ECO	0.025in
7.3E; V2; (Kawasaki)				
16hp	846 / CJ14	---	846ECO	0.025in
7.5A-23				
	871 / RJ8C	841 / J8C	---	0.025in
750 Watt				
K12	592 / RJ12C	511 / J11C	---	0.025in
75R81				
	541 / RD16	555 / UD16	---	0.025in
800W; (Briggs & Stratton)				
with 18mm Diameter Threads	541 / RD16	555 / UD16	---	0.025in
800W; (Briggs & Stratton); L-HEAD				
	861 / J19LM	---	---	0.025in
with 14mm Diameter Threads	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
800W; For Fouling; 1 Cyl.; (Briggs & Stratton)				
	502 / D21	---	---	0.025in
8C; 1.1L; (Ford)				
	304 / RS9YC	3401 / RS10PYC4	---	0.035in
8C; 1.3L; (Ford)				
	304 / RS9YC	3401 / RS10PYC4	---	0.035in
8E; 1.1L; (Ford)				
	304 / RS9YC	3401 / RS10PYC4	---	0.035in
8E; 1.3L; (Ford)				
	304 / RS9YC	3401 / RS10PYC4	---	0.035in
KT17				
	18 / RV15YC4	3018 / RV17PMC4	---	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kohler				
KT19				
	18 / RV15YC4	3018 / RV17PMC4	---	0.025in
KT21				
	18 / RV15YC4	3018 / RV17PMC4	---	0.025in
L160				
	871 / RJ8C	841 / J8C	---	0.025in
L161				
	871 / RJ8C	841 / J8C	---	0.025in
L654				
	871 / RJ8C	841 / J8C	---	0.025in
Kubota				
450				
	846 / CJ14	---	846ECO	0.025in
A1000				
	806 / L92YC	---	---	0.025in
A1400				
	806 / L92YC	---	---	0.025in
A2200				
	806 / L92YC	---	---	0.025in
A3000				
	806 / L92YC	---	---	0.025in
A350				
GN550	846 / CJ14	---	846ECO	0.025in
A3500				
	806 / L92YC	---	---	0.025in
A400				
GN550	846 / CJ14	---	846ECO	0.025in
A500				
GN550	846 / CJ14	---	846ECO	0.025in
A5000				
	806 / L92YC	---	---	0.025in
A650				
	806 / L92YC	---	---	0.025in
ARX2500				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
ARX4000				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
AV1600				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
AV2500				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
AV3800				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
AV4500				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
AV5500B				
	327 / RL87YC	934-1 / QL87YC	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kubota				
AV650				
GS90	846 / CJ14	---	846ECO	0.025in
AV6500B				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
NA400				
GS90	846 / CJ14	---	846ECO	0.025in
NA500				
GS90	846 / CJ14	---	846ECO	0.025in
NA510				
GS90	846 / CJ14	---	846ECO	0.025in
NA600				
GS90	846 / CJ14	---	846ECO	0.025in
Lear				
(McCulloch)				
	860 / RDJ7J	851 / DJ6J	851ECO	0.025in
(Roper)				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
Led-O-Lite				
1/2in Reach -14 Pipe Threads 21mm Diameter Threads	425 / X	525 / 25	---	0.025in
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
with 7/8in Diameter Threads	569 / W14	---	---	0.025in
Little Wonder				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Lucolite				
	569 / W14	---	---	0.025in
Makita				
(Subaru/Robin); OHC				
5.7hp;EX17	830 / RL86C	933-1 / QL86C	---	0.026in
5.7hp;EX17D	830 / RL86C	933-1 / QL86C	---	0.026in
7hp;EX21D	830 / RL86C	933-1 / QL86C	---	0.026in
39.9cid/653cc; V2; (Subaru/Robin); OHV				
22hp;EH65D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Horizontal; (Subaru/Robin); OHC				
12hp;EX35D	830 / RL86C	933-1 / QL86C	---	0.026in
14hp;EX40D	830 / RL86C	933-1 / QL86C	---	0.026in
9.5hp;EX30D	830 / RL86C	933-1 / QL86C	---	0.026in
EG301A; (Subaru/Robin); OHC				
5.7hp;EX17D	830 / RL86C	933-1 / QL86C	---	0.026in
EG381A; (Subaru/Robin); OHC				
7hp;EX21D	830 / RL86C	933-1 / QL86C	---	0.026in
EG381AE; (Subaru/Robin); OHC				
7hp;EX21D	830 / RL86C	933-1 / QL86C	---	0.026in
EG511A; Horizontal; (Subaru/Robin); OHC				
9.5hp;EX30D	830 / RL86C	933-1 / QL86C	---	0.026in
EG511AE; Horizontal; (Subaru/Robin); OHC				
9.5hp;EX30D	830 / RL86C	933-1 / QL86C	---	0.026in
EG711A; Horizontal; (Subaru/Robin); OHC				
12hp;EX35D	830 / RL86C	933-1 / QL86C	---	0.026in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Makita				
EG711AE; Horizontal; (Subaru/Robin); OHC				
12hp;EX35D	830 / RL86C	933-1 / QL86C	---	0.026in
EG781A; Horizontal; (Subaru/Robin); OHC				
14hp;EX40D	830 / RL86C	933-1 / QL86C	---	0.026in
EG781AE; Horizontal; (Subaru/Robin); OHC				
14hp;EX40D	830 / RL86C	933-1 / QL86C	---	0.026in
G12000R; 39.9cid/653cc; V2; (Subaru/Robin); OHV				
22hp;EH65D	322 / RN11YC4	302 / N11YC	322ECO	0.030in
G1200R				
	830 / RL86C	933-1 / QL86C	---	0.030in
G2400R				
	830 / RL86C	933-1 / QL86C	---	0.030in
G2410R				
	830 / RL86C	933-1 / QL86C	---	0.030in
G2800I; (Subaru/Robin); OHC				
5.7hp;EX17	830 / RL86C	933-1 / QL86C	---	0.026in
G3500R				
	830 / RL86C	933-1 / QL86C	---	0.030in
G3501R				
	806 / L92YC	---	---	0.030in
G3510R				
	830 / RL86C	933-1 / QL86C	---	0.030in
G3511R				
	830 / RL86C	933-1 / QL86C	---	0.030in
G5500R				
	806 / L92YC	---	---	0.030in
G5501R				
	806 / L92YC	---	---	0.030in
G5710R				
	104 / RN4C	803 / N4C	---	0.030in
G5711R				
	104 / RN4C	803 / N4C	---	0.030in
Mall				
with 14mm Diameter Threads	102 / RJ6C	823 / J6C	---	0.025in
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
Mase				
SX 2200; (Subaru/Robin)				
6hp;EH17/EX17	327 / RL87YC	934-1 / QL87YC	---	0.025in
Master				
with 18mm Diameter Threads	502 / D21	---	---	0.025in
with 7/8in Diameter Threads	569 / W14	---	---	0.025in
(Honda)				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
9hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
LTG235				
	871 / RJ8C	841 / J8C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Master				
MG1500				
	871 / RJ8C	841 / J8C	---	0.025in
MG2000				
	871 / RJ8C	841 / J8C	---	0.025in
MG3000				
	871 / RJ8C	841 / J8C	---	0.025in
MG4000				
	871 / RJ8C	841 / J8C	---	0.025in
MGH3000				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGH4000				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGH4000BI				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGH5000				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGH5000BI				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGH6000				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGH6000BI				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGH7000				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGH7000BI				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
McCulloch				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
2300E				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
3500E				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
800E				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
H-1500				
	871 / RJ8C	841 / J8C	---	0.025in
H-2000				
	871 / RJ8C	841 / J8C	---	0.025in
H-3000				
	871 / RJ8C	841 / J8C	---	0.025in
HP-1200				
	871 / RJ8C	841 / J8C	---	0.025in
HP-2000				
	871 / RJ8C	841 / J8C	---	0.025in
HP-3000				
	871 / RJ8C	841 / J8C	---	0.025in
HP-3500				
	871 / RJ8C	841 / J8C	---	0.025in
HP-3500 Deluxe				
	871 / RJ8C	841 / J8C	---	0.025in
HP-5000				
	871 / RJ8C	841 / J8C	---	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
McCulloch				
HP-5000 Deluxe				
	871 / RJ8C	841 / J8C	---	0.025in
II				
	871 / RJ8C	841 / J8C	---	0.025in
III				
	871 / RJ8C	841 / J8C	---	0.025in
Mark I				
	871 / RJ8C	841 / J8C	---	0.025in
Pro 1500E				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
Pro 600E				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
RA120				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
RA150				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
RA200				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
RA330				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
RA330ES				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Merc-O-Tronic				
Lighting Alternator/Generator				
	871 / RJ8C	841 / J8C	---	0.025in
Meyerlite				
	569 / W14	---	---	0.025in
Midco				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
(Lauson)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
(Wisconsin)				
	541 / RD16	514 / D14	---	0.025in
Mitsubishi				
GM131				
	404 / RN12YC	38 / N12YC	322ECO	0.026in
GM181				
	404 / RN12YC	38 / N12YC	322ECO	0.026in
GM291				
	404 / RN12YC	38 / N12YC	322ECO	0.026in
GM301				
	404 / RN12YC	38 / N12YC	322ECO	0.026in
GM391				
	71 / RC12YC	946 / QC12YC	71ECO	0.026in
GM401				
	71 / RC12YC	946 / QC12YC	71ECO	0.026in
MG1300-D				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
MG2000-D				
	840 / RCJ8	843 / CJ8	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Mitsubishi				
MG3000-D				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
MG650-D				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
MGA1300-F02				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGA1800DX-F02				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGA2900X-F02				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGB1800				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGB2900				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGB4000				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGB40001				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGB4800				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGB48001				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGC1101				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
MGE1800-F02				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGE1801				
	327 / RL87YC	934-1 / QL87YC	---	0.030in
MGE2900-F02				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGE2901				
	327 / RL87YC	934-1 / QL87YC	---	0.030in
MGE4000-R02				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGE4800-R02				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGE5800-R02				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGE6700-R02				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGW1500-F02				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGW150A				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGW1800				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGW18001				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MGW200A				
	404 / RN12YC	38 / N12YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Mitsubishi				
MGW200A-F02				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
Motor Generator				
424				
	871 / RJ8C	841 / J8C	---	0.025in
595				
	871 / RJ8C	841 / J8C	---	0.025in
596				
	871 / RJ8C	841 / J8C	---	0.025in
597				
	871 / RJ8C	841 / J8C	---	0.025in
606				
	871 / RJ8C	841 / J8C	---	0.025in
609				
	871 / RJ8C	841 / J8C	---	0.025in
619				
	592 / RJ12C	511 / J11C	---	0.030in
620				
	592 / RJ12C	511 / J11C	---	0.030in
621				
	592 / RJ12C	511 / J11C	---	0.030in
622				
	871 / RJ8C	841 / J8C	---	0.025in
623				
	871 / RJ8C	841 / J8C	---	0.025in
624				
	871 / RJ8C	841 / J8C	---	0.025in
625				
	871 / RJ8C	841 / J8C	---	0.025in
626				
	871 / RJ8C	841 / J8C	---	0.025in
MQ Power				
(Honda); OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Wisconsin)				
4.6hp	830 / RL86C	933-1 / QL86C	---	0.025in
7.5hp	327 / RL87YC	934-1 / QL87YC	---	0.025in
EY-25; (Subaru/Robin)				
	830 / RL86C	933-1 / QL86C	---	0.025in
EY-40DS; (Subaru/Robin)				
	830 / RL86C	933-1 / QL86C	---	0.025in
MTA				
(Honda)				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
MTD				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Nissan				
GX1000				
	840 / RCJ8	843 / CJ8	843ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Nissan				
GX1600				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
GX2600; (Kawasaki)				
5hp	830 / RL86C	933-1 / QL86C	---	0.030in
GX4000; (Kawasaki)				
7.5hp	806 / L92YC	---	---	0.030in
Northern Pro				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
9hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
V2; (Honda)				
20hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
NorthStar				
(Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
9hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
O & R				
Online				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Onan				
(Honda); OHV				
9hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
2.5				
	538 / RH8C	587 / H8C	---	0.025in
2.7 AJ; 1 Cyl.				
Spec. K-N	840 / RCJ8	843 / CJ8	843ECO	0.025in
3.0 AJ; 1 Cyl.				
	909 / RS17YX	---	---	0.025in
3.0 MAJB				
	538 / RH8C	---	---	0.025in
	587 / H8C	---	---	0.025in
3.5				
	573 / XMJ20	---	---	0.025in
3.6				
	405 / RN14YC	3405 / RN14PMC	---	0.025in
4.0 BF; 2 Cyl.				
	857 / RH18Y	---	---	0.025in
4.0 BGD/E				
	909 / RS17YX	---	---	0.025in
4.0 Micro				
	405 / RN14YC	3405 / RN14PMC	---	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Onan				
4.0BFA; 2 Cyl.				
	857 / RH18Y	---	---	0.025in
4.5				
	909 / RS17YX	---	---	0.025in
4000E				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
4CKM				
	25 / RV17YC	3018 / RV17PMC4	---	0.030in
5.0 BG				
	857 / RH18Y	---	---	0.025in
5.0 BGA; 2 Cyl.				
	857 / RH18Y	---	---	0.025in
5.5				
	573 / XMJ20	---	---	0.025in
5000E				
	909 / RS17YX	---	---	0.025in
5CKM				
	25 / RV17YC	3018 / RV17PMC4	---	0.030in
6.5 MCCK; 2 Cyl.				
	573 / XMJ20	---	---	0.025in
6.5 MCE				
	909 / RS17YX	---	---	0.025in
6.5 NH; 2 Cyl.				
3CR-16004N	123 / RN5C	120 / N5C	---	0.025in
3CR-16004P	909 / RS17YX	---	---	0.025in
Spec. A & D	538 / RH8C	587 / H8C	---	0.025in
Spec. J & K	123 / RN5C	120 / N5C	---	0.025in
6.5 NHE; 2 Cyl.				
	909 / RS17YX	---	---	0.025in
6000E				
	909 / RS17YX	---	---	0.025in
7CCKM21RV; 2 Cyl.				
	854 / RH10C	844 / H10C	---	0.030in
7CKM21RV				
	854 / RH10C	844 / H10C	---	0.030in
7CM21RV				
	854 / RH10C	844 / H10C	---	0.030in
8.0				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
9.0 MME				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
AJ; 14.9cid; 1 Cyl.				
	538 / RH8C	587 / H8C	---	0.020in
BF; 2 Cyl.				
	857 / RH18Y	---	---	0.030in
BF Gemini; 2 Cyl.				
	538 / RH8C	587 / H8C	---	0.020in
BG				
	857 / RH18Y	---	---	0.030in
CCK Series; 2 Cyl.				
CCKB-MS	538 / RH8C	587 / H8C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Onan				
CCK Series; 2 Cyl.; Natural Gas				
	102 / RJ6C	825 / J4C	---	0.015in
CCK Series; Light Service; 2 Cyl.				
	854 / RH10C	844 / H10C	---	0.030in
MAJ				
	538 / RH8C	587 / H8C	---	0.025in
Marquis I/III				
	909 / RS17YX	---	---	0.025in
MCK				
	538 / RH8C	587 / H8C	---	0.025in
MJA				
	538 / RH8C	587 / H8C	---	0.025in
MJB				
	538 / RH8C	587 / H8C	---	0.025in
MJC				
	538 / RH8C	587 / H8C	---	0.025in
MKH				
	538 / RH8C	587 / H8C	---	0.025in
NH Gimini; 2 Cyl.				
	538 / RH8C	587 / H8C	---	0.020in
NHD/E; 2 Cyl.				
	909 / RS17YX	---	---	0.025in
Pro 4000				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
Pro 5000				
	909 / RS17YX	---	---	0.025in
Pro 6000E				
	909 / RS17YX	---	---	0.025in
Over-Lite				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Subaru/Robin)				
	830 / RL86C	933-1 / QL86C	---	0.025in
(Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.025in
2 Cyl.; (Onan)				
10hp;CCK	538 / RH8C	587 / H8C	---	0.025in
Owen				
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
with 7/8in Diameter Threads	569 / W14	---	---	0.025in
Palmer				
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
with 7/8in Diameter Threads	569 / W14	---	---	0.025in
Diesel				
with 7/8in Diameter Threads	589 / W89D	---	---	0.040in
Perfection				
	569 / W14	---	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Phelps				
(Lauson)				
	541 / RD16	516 / D16	---	0.025in
(Wisconsin)				
	425 / X	525 / 25	---	0.030in
Pincor				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
(Subaru/Robin)				
EY21	871 / RJ8C	841 / J8C	---	0.025in
Pioneer				
(Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
700F; Heavy Service				
	102 / RJ6C	825 / J4C	---	0.030in
700F; Light Service				
	871 / RJ8C	841 / J8C	---	0.025in
700G; Heavy Service				
	102 / RJ6C	825 / J4C	---	0.030in
700G; Light Service				
	871 / RJ8C	841 / J8C	---	0.025in
Plus Power				
(Wisconsin)				
3hp	830 / RL86C	933-1 / QL86C	---	0.025in
4hp	830 / RL86C	933-1 / QL86C	---	0.025in
8hp	830 / RL86C	933-1 / QL86C	---	0.025in
DLG1200				
	830 / RL86C	933-1 / QL86C	---	0.025in
DLG2000				
	830 / RL86C	933-1 / QL86C	---	0.025in
DLG3500				
	830 / RL86C	933-1 / QL86C	---	0.025in
DLG3500S				
	830 / RL86C	933-1 / QL86C	---	0.025in
Polaris				
P12000; (Subaru/Robin); OHV				
22hp	415 / RN9YC	300 / N9YC	415ECO	0.025in
P1300; (Subaru/Robin)				
3.5hp;EY15	830 / RL86C	933-1 / QL86C	---	0.025in
P2800; (Subaru/Robin); OHV				
6hp	327 / RL87YC	934-1 / QL87YC	---	0.025in
P4100; (Subaru/Robin); OHV				
8.5hp	327 / RL87YC	934-1 / QL87YC	---	0.025in
P6100; (Subaru/Robin); OHV				
11hp;EH34	415 / RN9YC	300 / N9YC	415ECO	0.025in
P7500; (Subaru/Robin); OHV				
13.5hp	404 / RN12YC	38 / N12YC	322ECO	0.025in
Porter Cable				
BS600W; Industrial; 1 Cyl.; (Briggs & Stratton)				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
BSI525W; GenPower; 1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Porter Cable				
BSI550W; GenPower; 1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
BSV750W; Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
BSV800W; Vanguard; V2; (Briggs & Stratton); OHV				
14hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CH250; (Honda); OHC				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.028in
CH350CS; (Honda); OHV				
6.5hp	415 / RN9YC	300 / N9YC	415ECO	0.028in
DBSI325; GenPower; 1 Cyl.; (Briggs & Stratton); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
H1000; V2; (Honda); OHV				
20hp	415 / RN9YC	300 / N9YC	415ECO	0.028in
H450CS; (Honda)				
9hp	404 / RN12YC	38 / N12YC	322ECO	0.028in
H451CS-W; (Honda)				
9hp	404 / RN12YC	38 / N12YC	322ECO	0.028in
H650CS; (Honda)				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.028in
Poulan				
PA1250				
	871 / RJ8C	841 / J8C	---	0.025in
PA2250				
	871 / RJ8C	841 / J8C	---	0.025in
PA35001				
	871 / RJ8C	841 / J8C	---	0.025in
PA4000				
	871 / RJ8C	841 / J8C	---	0.025in
PA5000-I				
	871 / RJ8C	841 / J8C	---	0.025in
PA5000IES				
	871 / RJ8C	841 / J8C	---	0.025in
Power Partner				
4000; OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
6000; OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
PowerBoss				
1700 Watt; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Powerbox				
Command Pro; (Kohler); OHV				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Command Pro; V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
27hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Powerlite				
	854 / RH10C	844 / H10C	---	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Powerlite				
with 14mm Diameter Threads; 3/8in Reach Spark Plugs	871 / RJ8C	841 / J8C	---	0.025in
with 18mm Diameter Threads	541 / RD16	514 / D14	---	0.025in
with 7/8in Diameter Threads	569 / W14	---	---	0.025in
Powermate				
1500				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
3000				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
7500W P0080801; 420cc; 1 Cyl.; (Generac); OHV				
	332 / RN7YC	315 / N6YC	332ECO	0.030in
PM1600; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.025in
PM2800; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.025in
PM3500				
	806 / L92YC	---	---	0.025in
PM4500				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
PM500				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
PM800				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Powr-Pak				
(Briggs & Stratton); L-HEAD				
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
Pro Force				
6500				
	332 / RN7YC	315 / N6YC	332ECO	0.030in
Quicksilver				
QS-4.0G				
	415 / RN9YC	300 / N9YC	415ECO	0.035in
QS-6.5G				
	415 / RN9YC	300 / N9YC	415ECO	0.035in
QS-8.0G				
	415 / RN9YC	300 / N9YC	415ECO	0.035in
Reiner				
(Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
CRF2				
	830 / RL86C	933-1 / QL86C	---	0.025in
CRF3				
	830 / RL86C	933-1 / QL86C	---	0.025in
ERF2				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
ERF3				
	840 / RCJ8	843 / CJ8	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Remington				
	102 / RJ6C	823 / J6C	---	0.025in
Robin-Subaru				
R1100; OHV				
2.4hp;EH09D	846 / CJ14	---	846ECO	0.028in
R1300				
	830 / RL86C	933-1 / QL86C	---	0.025in
R1700i; OHV				
2.4hp;EH09D	846 / CJ14	---	846ECO	0.028in
RG10C				
	830 / RL86C	933-1 / QL86C	---	0.025in
RG10DC				
	830 / RL86C	933-1 / QL86C	---	0.025in
RG121C				
	830 / RL86C	933-1 / QL86C	---	0.025in
RG121DC				
	830 / RL86C	933-1 / QL86C	---	0.025in
RG15				
	830 / RL86C	933-1 / QL86C	---	0.025in
RG15C				
	830 / RL86C	933-1 / QL86C	---	0.025in
RG17				
	830 / RL86C	933-1 / QL86C	---	0.025in
RG17D				
	830 / RL86C	933-1 / QL86C	---	0.025in
RG201				
	830 / RL86C	933-1 / QL86C	---	0.025in
RG201D				
	830 / RL86C	933-1 / QL86C	---	0.025in
RG25				
	830 / RL86C	933-1 / QL86C	---	0.025in
RG25D				
	830 / RL86C	933-1 / QL86C	---	0.025in
RG301				
	830 / RL86C	933-1 / QL86C	---	0.025in
RG302				
	830 / RL86C	933-1 / QL86C	---	0.025in
RG3200iS; OHC				
7hp;EX21D	830 / RL86C	933-1 / QL86C	---	0.024in
RG33				
	830 / RL86C	933-1 / QL86C	---	0.025in
RG33D				
	830 / RL86C	933-1 / QL86C	---	0.025in
RG401				
	830 / RL86C	933-1 / QL86C	---	0.025in
RG401D				
	830 / RL86C	933-1 / QL86C	---	0.025in
RG4300iS; OHC				
EX27D	830 / RL86C	933-1 / QL86C	---	0.024in
RGRG301D				
	830 / RL86C	933-1 / QL86C	---	0.025in
RGRG33				
	830 / RL86C	933-1 / QL86C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Robin-Subaru				
RGV12000				
	415 / RN9YC	300 / N9YC	415ECO	0.025in
RGV12100				
	415 / RN9YC	300 / N9YC	415ECO	0.025in
RGV1300				
	830 / RL86C	933-1 / QL86C	---	0.025in
RGV1300T				
	415 / RN9YC	300 / N9YC	415ECO	0.025in
RGV2800				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
RGV4100				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
RGV4101				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
RGV6100				
	415 / RN9YC	300 / N9YC	415ECO	0.025in
RGV7500				
	415 / RN9YC	300 / N9YC	415ECO	0.025in
RGX2400				
	830 / RL86C	933-1 / QL86C	---	0.025in
RGX2900; OHC				
5.7hp;EX17D	830 / RL86C	933-1 / QL86C	---	0.028in
RGX3500				
	830 / RL86C	933-1 / QL86C	---	0.025in
RGX3600; OHC				
7hp;EX21D	830 / RL86C	933-1 / QL86C	---	0.024in
RGX4800; OHC				
EX27D	830 / RL86C	933-1 / QL86C	---	0.024in
RGX4800E; OHC				
EX27D	830 / RL86C	933-1 / QL86C	---	0.024in
RGX6500; Horizontal; OHC				
12hp;EX35D	830 / RL86C	933-1 / QL86C	---	0.028in
RGX6500E; Horizontal; OHC				
12hp;EX35D	830 / RL86C	933-1 / QL86C	---	0.028in
RGX7500; Horizontal; OHC				
14hp;EX40D	830 / RL86C	933-1 / QL86C	---	0.028in
RGX7500E; Horizontal; OHC				
14hp;EX40	830 / RL86C	933-1 / QL86C	---	0.025in
SG1000-II				
EY15D	830 / RL86C	933-1 / QL86C	---	0.024in
SG550				
EY08D	846 / CJ14	---	846ECO	0.025in
SGL1500-II				
EY15D	830 / RL86C	933-1 / QL86C	---	0.024in
SGL2000-II				
EY20D	830 / RL86C	933-1 / QL86C	---	0.024in
SGL2200-II				
EY17D	830 / RL86C	933-1 / QL86C	---	0.024in
SGL3000-II				
EY28D	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Robin-Subaru				
SGV2200				
EY17D	830 / RL86C	933-1 / QL86C	---	0.024in
SGV2600				
EY17D	830 / RL86C	933-1 / QL86C	---	0.024in
SGV4000				
EY25D	830 / RL86C	933-1 / QL86C	---	0.024in
SGX3500; OHC				
7hp;EX21	830 / RL86C	933-1 / QL86C	---	0.028in
SGX5000				
9.5hp;EX30	830 / RL86C	933-1 / QL86C	---	0.028in
SGX7000E; Horizontal; OHC				
14hp;EX40	830 / RL86C	933-1 / QL86C	---	0.028in
Royal				
Signal Unit				
	541 / RD16	516 / D16	---	0.025in
Shindaiwa				
G1000				
	830 / RL86C	933-1 / QL86C	---	0.025in
G2000				
	830 / RL86C	933-1 / QL86C	---	0.025in
G3000				
	830 / RL86C	933-1 / QL86C	---	0.025in
Skil				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
All Model(s)				
with 14mm Diameter Threads	840 / RCJ8	843 / CJ8	843ECO	0.025in
with 18mm Diameter Threads	564 / D16J	---	---	0.025in
Snapper				
G10000; (Mitsubishi); OHV				
2.4hp	327 / RL87YC	934-1 / QL87YC	---	0.025in
G30000; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
G55000; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Strunk				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
Suzuki				
SE1000				
	806 / L92YC	---	---	0.025in
SE1200				
	806 / L92YC	---	---	0.025in
SE1500				
	806 / L92YC	---	---	0.025in
SE1800				
	806 / L92YC	---	---	0.025in
SE2500				
	806 / L92YC	---	---	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Suzuki				
SE300				
	978 / RY4C	---	---	0.025in
SE3000AD				
	806 / L92YC	---	---	0.025in
SE4000SED				
	806 / L92YC	---	---	0.025in
SE700-A				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
SV1400				
	415 / RN9YC	300 / N9YC	415ECO	0.025in
SV1800				
	415 / RN9YC	300 / N9YC	415ECO	0.025in
SV2200				
	415 / RN9YC	300 / N9YC	415ECO	0.025in
SV4000D				
	415 / RN9YC	300 / N9YC	415ECO	0.025in
SW140SE				
	806 / L92YC	---	---	0.025in
Sycamore				
APEX 3				
7hp	332 / RN7YC	315 / N6YC	332ECO	0.030in
APEX 6				
11hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
APEX 7				
15hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
EGS 3.2; (Subaru/Robin); OHC				
7hp;EX21	830 / RL86C	933-1 / QL86C	---	0.030in
EGS 4.8; Horizontal; (Subaru/Robin); OHC				
9hp;EX27	830 / RL86C	933-1 / QL86C	---	0.030in
EGS 7.2; (Subaru/Robin); OHV				
13.5hp;EH41	415 / RN9YC	300 / N9YC	415ECO	0.030in
SPG 3500				
7hp	332 / RN7YC	315 / N6YC	332ECO	0.030in
SPG 7000				
15hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Tanaka				
DEG-600				
	871 / RJ8C	841 / J8C	---	0.025in
LEG1200				
	871 / RJ8C	841 / J8C	---	0.025in
QEG-250				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
QEG-300				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
REG-1000				
	102 / RJ6C	823 / J6C	---	0.025in
REG-80				
	871 / RJ8C	841 / J8C	---	0.025in
REG-800				
	102 / RJ6C	823 / J6C	---	0.025in
SEG-100				
	871 / RJ8C	841 / J8C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Tanaka				
SEG-221				
	830 / RL86C	933-1 / QL86C	---	0.025in
Thor				
(Clinton)				
	592 / RJ12C	511 / J11C	---	0.025in
(Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
TML				
All 34 cc Engs.				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
Troy-Bilt				
1850 Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2100 Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
52400 4000 Watt; 1 Cyl.; OHV				
7.8hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
52401 6000 Watt; 1 Cyl.; OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6000 Watt; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6250 Watt; 1850 Series; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
XP7000; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
U.S. Motors				
(AMC)				
	404 / RN12YC	412 / RC12LYC	322ECO	0.035in
(Briggs & Stratton)				
with 18mm Diameter Threads	541 / RD16	514 / D14	---	0.025in
(Briggs & Stratton); L-HEAD				
	861 / J19LM	---	---	0.025in
with 14mm Diameter Threads	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
(Hercules)				
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
with 7/8in Diameter Threads	569 / W14	---	---	0.025in
(Lauson)				
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
with 18mm Diameter Threads	541 / RD16	514 / D14	---	0.025in
(Own)				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Stover)				
DV2	538 / RH8C	587 / H8C	---	0.025in
(Waukesha)				
WAK	510 / W10	---	---	0.025in
BxB; (Hercules)				
	538 / RH8C	587 / H8C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
U.S. Motors				
ZX; (Hercules)				
	538 / RH8C	587 / H8C	---	0.025in
ZXB; (Hercules)				
	538 / RH8C	587 / H8C	---	0.025in
United				
	569 / W14	---	---	0.025in
Universal				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
(Wisconsin)				
	541 / RD16	514 / D14	---	0.025in
Vac-Master				
Vanguard; V2; (Briggs & Stratton)				
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vigor				
152F				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
168F				
	880 / RN3C	801 / N3C	---	0.030in
168F-1				
	880 / RN3C	801 / N3C	---	0.030in
173F				
	880 / RN3C	801 / N3C	---	0.030in
182F				
	880 / RN3C	801 / N3C	---	0.030in
188F				
	880 / RN3C	801 / N3C	---	0.030in
Volt Master				
(Briggs & Stratton); L-HEAD				
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Onan)				
24hp	909 / RS17YX	---	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Honda)				
18hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
V2; (Kohler); OHV				
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Wacker				
G2400E				
	871 / RJ8C	841 / J8C	---	0.025in
G3000E				
	871 / RJ8C	841 / J8C	---	0.025in
G4000E				
	871 / RJ8C	841 / J8C	---	0.025in
G5000E				
	871 / RJ8C	841 / J8C	---	0.025in
G6000E; (Robin)				
	306 / L86C	---	---	0.025in
GH3500E				
	306 / L86C	---	---	0.025in
Wacker-Neuson				
G 2.5A/B; (Honda)				
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
G 2.5A/B; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
G 4.5A/B; (Honda)				
9hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
G 4.5A/B; 1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
GH 3500E; (Wisconsin)				
8hp	327 / RL87YC	934-1 / QL87YC	---	0.025in
GP2500A; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
5.5hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
GP2600; (Wacker); OHV				
5.7hp;WM170	830 / RL86C	933-1 / QL86C	---	0.026in
GP3800; GX-Series; 4 Stroke; Horizontal; 14.8cid/242cc; 1 Cyl.; (Honda); OHV				
7.1hp;GX240	415 / RN9YC	300 / N9YC	415ECO	0.030in
GP4000; (Wacker); OHV				
9hp;WM270	830 / RL86C	933-1 / QL86C	---	0.026in
GP5600A; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11hp;GX340K1	415 / RN9YC	300 / N9YC	415ECO	0.030in
GP6600; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
13hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
GP9700V; Vanguard; V2; (Briggs & Stratton); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GS 5.5A/B; (Honda)				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
GS 5.5A/B; 1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
GS 6.5A/B; (Honda)				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
HGG3/180/240				
	871 / RJ8C	841 / J8C	---	0.025in
Waukesha				
All Model(s); Gas				
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.030in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Waukesha				
F1197GRSI				
Intermediate Series;with 18mm Diameter Threads	223 / RTM77PP	233 / RM82WPCC	---	0.015in
VSG Series;with 18mm Diameter Threads	223 / RTM77PP	233 / RM82WPCC	---	0.015in
F1905GRSI				
Intermediate Series;with 18mm Diameter Threads	223 / RTM77PP	233 / RM82WPCC	---	0.015in
VSG Series;with 18mm Diameter Threads	223 / RTM77PP	233 / RM82WPCC	---	0.015in
Weco				
	541 / RD16	514 / D14	---	0.025in
Wesco				
	541 / RD16	516 / D16	---	0.025in
Westerbeke				
11				
	404 / RN12YC	38 / N12YC	322ECO	0.035in
12.5				
	404 / RN12YC	38 / N12YC	322ECO	0.035in
15				
	404 / RN12YC	38 / N12YC	322ECO	0.035in
20 KW				
	404 / RN12YC	38 / N12YC	322ECO	0.035in
4 KW				
	415 / RN9YC	300 / N9YC	415ECO	0.035in
4.5				
	404 / RN12YC	38 / N12YC	322ECO	0.035in
6.5				
	404 / RN12YC	38 / N12YC	322ECO	0.035in
7 KW				
	415 / RN9YC	300 / N9YC	415ECO	0.035in
8				
	404 / RN12YC	38 / N12YC	322ECO	0.035in
8.5 KW				
	404 / RN12YC	38 / N12YC	322ECO	0.035in
9 KW				
	404 / RN12YC	38 / N12YC	322ECO	0.035in
Westinghouse				
with 18mm Diameter Threads	541 / RD16	514 / D14	---	0.025in
with 7/8in Diameter Threads	569 / W14	---	---	0.025in
Willyslite				
	569 / W14	---	---	0.025in
Wincharger				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
(Clinton)				
	871 / RJ8C	841 / J8C	---	0.025in
(Wisconsin)				
	541 / RD16	514 / D14	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Winco				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
(Ford)				
LSG-423	401 / RS12YC	9204 / RS12WYPB4	---	0.020in
(Honda)				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
9hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Kawasaki)				
8.2hp	830 / RL86C	933-1 / QL86C	---	0.030in
(Tecumseh)				
12hp	814 / RL82YC	931-1 / QL82C	---	0.020in
18hp	104 / RN4C	803 / N4C	---	0.020in
8hp	871 / RJ8C	841 / J8C	---	0.030in
2 Cyl.; (Wisconsin)				
16.8hp;THD	509 / D9	---	---	0.020in
L6; Gas; (Chrysler)				
LH-318	404 / RN12YC	38 / N12YC	322ECO	0.030in
460cid; (Ford)				
	406 / RV12YC	---	---	0.030in
FA Series; (Kawasaki)				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Winpower				
(Honda); OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Subaru/Robin)				
	830 / RL86C	933-1 / QL86C	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
V2; (Kohler); OHV				
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
V4; (Wisconsin); OHV				
65hp;V465D	404 / RN12YC	38 / N12YC	322ECO	0.025in
Vanguard; V2; (Briggs & Stratton)				
12.5hp	431 / RC14YC	946 / QC12YC	71ECO	0.025in
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.025in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.025in
15000KES				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4400E				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Winpower				
4400H				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
4400HE				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
4400PRO				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
5500E				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
5500ES				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
5500HE				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
5500PROS				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
6500HE				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
8500ES/2				
	431 / RC14YC	946 / QC12YC	71ECO	0.025in
CD2500				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
CHD11000KES				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
COV3000H				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
COV5500H				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
COV7500ES				
	431 / RC14YC	946 / QC12YC	71ECO	0.025in
EL2500				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
EL4400				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
Witte				
with 14mm Diameter Threads	830 / RL86C	933-1 / QL86C	---	0.020in
with 18mm Diameter Threads	541 / RD16	514 / D14	---	0.025in
Yamaha				
EC2000				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
EC2800				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
EC4000DV				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
EC50000DVE				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
EF1000				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
EF1000A				
	327 / RL87YC	934-1 / QL87YC	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Yamaha				
EF1200				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
EF12000DE				
	415 / RN9YC	300 / N9YC	415ECO	0.024in
EF1400				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
EF1600				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
EF1600A				
	405 / RN14YC	3405 / RN14PMC	---	0.025in
EF1600R				
	327 / RL87YC	934-1 / QL87YC	---	0.024in
EF1600X				
	405 / RN14YC	3405 / RN14PMC	---	0.025in
EF1800				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
EF2000				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
EF2000iS				
	327 / RL87YC	934-1 / QL87YC	---	0.028in
EF2000iSH				
	327 / RL87YC	934-1 / QL87YC	---	0.028in
EF2300S				
	405 / RN14YC	3405 / RN14PMC	---	0.025in
EF2400				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
EF2400A				
	405 / RN14YC	3405 / RN14PMC	---	0.031in
EF2400iS				
5.5hp	405 / RN14YC	3405 / RN14PMC	---	0.025in
EF2400iSHC				
	405 / RN14YC	3405 / RN14PMC	---	0.031in
EF2500				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
EF2500R				
	327 / RL87YC	934-1 / QL87YC	---	0.024in
EF2600				
	327 / RL87YC	405 / RN14YC	---	0.025in
EF2600A				
	327 / RL87YC	934-1 / QL87YC	---	0.025in



Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Yamaha				
EF2800				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
EF2800i				
5.5hp	405 / RN14YC	3405 / RN14PMC	---	0.025in
EF3000				
	405 / RN14YC	3405 / RN14PMC	---	0.025in
EF3000I				
	405 / RN14YC	3405 / RN14PMC	---	0.025in
EF3000iS; OHV				
	405 / RN14YC	3405 / RN14PMC	---	0.030in
EF3000iSE				
	405 / RN14YC	3405 / RN14PMC	---	0.030in
EF3000iSEB				
	405 / RN14YC	3405 / RN14PMC	---	0.030in
EF3800				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
EF3800DV				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
EF3800E				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
EF3800R				
	327 / RL87YC	934-1 / QL87YC	---	0.024in
EF4000A				
	405 / RN14YC	3405 / RN14PMC	---	0.025in
EF4000DE				
	405 / RN14YC	3405 / RN14PMC	---	0.025in
EF4000DV				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
EF4000DVE				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
EF4000iSE				
	405 / RN14YC	3405 / RN14PMC	---	0.030in
EF4500iSE				
	405 / RN14YC	3405 / RN14PMC	---	0.031in
EF4600DE				
	405 / RN14YC	3405 / RN14PMC	---	0.025in
EF4600DEX				
	405 / RN14YC	3405 / RN14PMC	---	0.025in
EF5000DV				
	327 / RL87YC	934-1 / QL87YC	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Yamaha				
EF5000DVE				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
EF5000E				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EF5200DE				
	405 / RN14YC	3405 / RN14PMC	---	0.030in
EF5500D; OHV				
8.4hp;MZ360	405 / RN14YC	3405 / RN14PMC	---	0.030in
EF600				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
EF6000DVE				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
EF63000E				
	405 / RN14YC	3405 / RN14PMC	---	0.025in
EF6300iSDE				
	405 / RN14YC	3405 / RN14PMC	---	0.031in
EF6300iSE				
	405 / RN14YC	3405 / RN14PMC	---	0.030in
EF6600A				
	405 / RN14YC	3405 / RN14PMC	---	0.025in
EF6600DE				
	405 / RN14YC	3405 / RN14PMC	---	0.030in
EF6600DEX				
	405 / RN14YC	3405 / RN14PMC	---	0.025in
EF7200D; OHV				
8.4hp;MZ360	405 / RN14YC	3405 / RN14PMC	---	0.030in
EF900				
	327 / RL87YC	934-1 / QL87YC	---	0.024in
EFC1400				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
EFC2000				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
EFC2800				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
ET1500				
	830 / RL86C	933-1 / QL86C	---	0.025in
ET500				
	123 / RN5C	120 / N5C	---	0.025in
ET600				
	123 / RN5C	120 / N5C	---	0.025in
ET900				
	123 / RN5C	120 / N5C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Yamaha				
YG2600				
	405 / RN14YC	3405 / RN14PMC	---	0.025in
YG2800I				
	405 / RN14YC	3405 / RN14PMC	---	0.025in
YG300S				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
YG4000D				
	405 / RN14YC	3405 / RN14PMC	---	0.025in
YG400D				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
YG450D				
	327 / RL87YC	934-1 / QL87YC	---	0.024in
YG4600D				
	405 / RN14YC	3405 / RN14PMC	---	0.025in
YG500D				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
YG5200D				
	405 / RN14YC	3405 / RN14PMC	---	0.025in
YG550D				
	405 / RN14YC	3405 / RN14PMC	---	0.025in
YG600D				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
YG600DE				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
YG6500				
	405 / RN14YC	3405 / RN14PMC	---	0.025in
YG650D				
	405 / RN14YC	3405 / RN14PMC	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Yamaha				
YG650DE				
	405 / RN14YC	3405 / RN14PMC	---	0.025in
YG6600D				
	405 / RN14YC	3405 / RN14PMC	---	0.025in
YG6600DE				
	405 / RN14YC	3405 / RN14PMC	---	0.025in
Yanmar				
YSG1300BE				
	806 / L92YC	---	---	0.025in
YSG2000BE				
	806 / L92YC	---	---	0.025in
YSG3000BE				
	806 / L92YC	---	---	0.025in
YSG3800BE				
	806 / L92YC	---	---	0.025in
Yardman				
5hp	871 / RJ8C	841 / J8C	---	0.025in
8hp	871 / RJ8C	841 / J8C	---	0.025in
Zongshen				
4 Stroke; BT Series; 420cc; 1 Cyl.; OHV				
10.9hp;BT190F	315 / N6YC	---	332ECO	0.030in
BT-Series; OHV				
10.3hp;BT188F	332 / RN7YC	315 / N6YC	332ECO	0.030in
4.4hp;BT168FA	332 / RN7YC	315 / N6YC	332ECO	0.030in
5.2hp;BT168FB	332 / RN7YC	315 / N6YC	332ECO	0.030in
9.3hp;BT182F	332 / RN7YC	315 / N6YC	332ECO	0.030in
BT-Series; SHV				
1.6hp;BT152F	806 / L92YC	---	---	0.030in



PUMPS, COMPRESSORS, & REFRIGERATION UNITS
POMES, COMPRESSEURS ET UNITÉS DE RÉFRIGÉRATION
BOMBAS, COMPRESORES Y UNIDADES DE REFRIGERACIÓN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Acme				
with 14mm Diameter Threads	306 / L86C	---	---	0.030in
ACT280; OHC				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ACT340; OHC				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Gasoline				
with 14mm Diameter Threads	830 / RL86C	933-1 / QL86C	---	0.030in
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.030in
Kerosene				
with 18mm Diameter Threads	502 / D21	---	---	0.030in
Ajax-Cooper Energy Services				
DPC-105; 1 Cyl.				
101hp	518 / W18	---	---	0.030in
DPC-115; 1 Cyl.				
110hp	518 / W18	---	---	0.030in
DPC-120; 2 Cyl.				
115hp	518 / W18	---	---	0.030in
DPC-140; 1 Cyl.				
134hp	518 / W18	---	---	0.030in
DPC-160; 2 Cyl.				
154hp	518 / W18	---	---	0.030in
DPC-162; 2 Cyl.				
156hp	518 / W18	---	---	0.030in
DPC-180; 1 Cyl.				
173hp	518 / W18	---	---	0.030in
DPC-180LE; 1 Cyl.				
173hp;Main Chamber	518 / W18	---	---	0.030in
173hp;Pre Chamber	510 / W10	1207 / RW80PP	---	0.015in
DPC-230; 2 Cyl.				
221hp	518 / W18	---	---	0.030in
DPC-280; 2 Cyl.				
269hp	518 / W18	---	---	0.030in
DPC-300; 2 Cyl.				
288hp	518 / W18	---	---	0.030in
DPC-360; 2 Cyl.				
356hp	518 / W18	---	---	0.030in
DPC-360LE; 2 Cyl.				
356hp;Main Chamber	518 / W18	---	---	0.030in
356hp;Pre Chamber	510 / W10	1207 / RW80PP	---	0.015in
DPC-540; 3 Cyl.				
540hp	518 / W18	---	---	0.030in
DPC-60; 1 Cyl.				
58hp	518 / W18	---	---	0.030in
DPC-600; 3 Cyl.				
576hp	518 / W18	---	---	0.030in
DPC-600LE; 3 Cyl.				
576hp;Main Chamber	518 / W18	---	---	0.030in
576hp;Pre Chamber	510 / W10	1207 / RW80PP	---	0.015in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ajax-Cooper Energy Services				
DPC-80; 1 Cyl.				
77hp	518 / W18	---	---	0.030in
DPC-800; 4 Cyl.				
768hp	518 / W18	---	---	0.030in
DPC-800LE; 4 Cyl.				
768hp;Main Chamber	518 / W18	---	---	0.030in
768hp;Pre Chamber	510 / W10	1207 / RW80PP	---	0.015in
DPC-82; 1 Cyl.				
78hp	518 / W18	---	---	0.030in
Alkota				
(Honda); OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Kohler); OHV				
12.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
15hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Tecumseh)				
8hp	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); OHV				
5.5hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
20hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Alladin				
(Honda); OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Kohler)				
	25 / RV17YC	3018 / RV17PMC4	---	0.030in
10hp	854 / RH10C	844 / H10C	---	0.030in
12hp	854 / RH10C	844 / H10C	---	0.030in
(Kohler); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
(Tecumseh)				
	871 / RJ8C	841 / J8C	---	0.030in
(Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
23hp	854 / RH10C	844 / H10C	---	0.030in
Vanguard; V2; (Briggs & Stratton)				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
American Cleaning Equipment				
(Honda); OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Kohler)				
18hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
(Wisconsin)				
30hp	123 / RN5C	120 / N5C	---	0.035in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
American IMC				
(Honda); OHV				
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Aqua Stripper				
(Honda)				
11hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Honda); OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
5hp	871 / RJ8C	841 / J8C	---	0.030in
5.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	868 / RJ19LM	871 / RJ8C	861ECO	0.030in
(Tecumseh); OHV				
5.5hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Banjo				
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Banjo				
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11hp;GX340;with Electric Start	404 / RN12YC	38 / N12YC	322ECO	0.030in
13hp;GX390;with Electric Start	404 / RN12YC	38 / N12YC	322ECO	0.030in
4.8hp;GX160;with Electric Start	404 / RN12YC	38 / N12YC	322ECO	0.030in
5.5hp;GX160;with Electric Start	404 / RN12YC	38 / N12YC	322ECO	0.030in
5.5hp;GX200;with Electric Start	404 / RN12YC	38 / N12YC	322ECO	0.030in
GX-Series; 4 Stroke; Horizontal; 14.8cid\242cc; 1 Cyl.; (Honda); OHV				
8hp;GX240;with Electric Start	404 / RN12YC	38 / N12YC	322ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Barnes				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.030in
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp	854 / RH10C	844 / H10C	---	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Teledyne)				
	541 / RD16	516 / D16	---	0.025in
(Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
LPG; (Teledyne)				
	509 / D9	---	---	0.020in
LPG; (Wisconsin)				
	509 / D9	---	---	0.020in
2 Cyl.; (Kohler)				
24hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
172cid; Gas; (Ford)				
	854 / RH10C	844 / H10C	---	0.035in
240cid; (Ford)				
	129 / RF10C	---	---	0.030in
300cid; (Ford)				
	129 / RF10C	---	---	0.030in
361cid; (Ford)				
	129 / RF10C	---	---	0.030in
477cid; (Ford)				
	129 / RF10C	---	---	0.030in
534cid; (Ford)				
	129 / RF10C	---	---	0.030in
10M				
	871 / RJ8C	841 / J8C	---	0.025in



PUMPS, COMPRESSORS, & REFRIGERATION UNITS
POMPES, COMPRESSEURS ET UNITÉS DE RÉFRIGÉRATION
BOMBAS, COMPRESORES Y UNIDADES DE REFRIGERACIÓN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Barnes				
15M				
	871 / RJ8C	841 / J8C	---	0.025in
20M				
	871 / RJ8C	841 / J8C	---	0.025in
30M				
	871 / RJ8C	841 / J8C	---	0.025in
3N				
	871 / RJ8C	841 / J8C	---	0.025in
40M				
	871 / RJ8C	841 / J8C	---	0.025in
40MV				
	871 / RJ8C	841 / J8C	---	0.025in
7M				
	871 / RJ8C	841 / J8C	---	0.025in
7MK				
	871 / RJ8C	841 / J8C	---	0.025in
90M				
	592 / RJ12C	511 / J11C	---	0.025in
Barton				
AKN; (Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
AKS; (Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
T-118; (Chrysler)				
	102 / RJ6C	823 / J6C	---	0.025in
VF; (Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
BE Power Equipment				
CD-3513HWBSCAT; 1 Cyl.; (Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
CD-3513HWBSGEN; 1 Cyl.; (Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
CD-4013HWBSCOMA; 1 Cyl.; (Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-2005HWCORG; 1 Cyl.; (Honda); OHV				
5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-2005HWCORXE; 1 Cyl.; (Honda); OHV				
5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-2055HWCAT; 1 Cyl.; (Honda); OHC				
5.5hp	415 / RN9YC	300 / N9YC	415ECO	0.028in
PE-2055HWCOR; 1 Cyl.; (Honda); OHC				
5.5hp	415 / RN9YC	300 / N9YC	415ECO	0.028in
PE-2055HWCORX; 1 Cyl.; (Honda); OHC				
5.5hp	415 / RN9YC	300 / N9YC	415ECO	0.028in
PE-2055HWGEN; 1 Cyl.; (Honda); OHC				
5.5hp	415 / RN9YC	300 / N9YC	415ECO	0.028in
PE-2055HWCAT; 1 Cyl.; (Honda); OHC				
5.5hp	415 / RN9YC	300 / N9YC	415ECO	0.028in
PE-2055HWCOR; 1 Cyl.; (Honda); OHC				
5.5hp	415 / RN9YC	300 / N9YC	415ECO	0.028in
PE-2055HWSGEN; 1 Cyl.; (Honda); OHC				
5.5hp	415 / RN9YC	300 / N9YC	415ECO	0.028in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
BE Power Equipment				
PE-2524HWEBSCOM; V2; (Honda); OHV				
24hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
PE-2565HWCAT; GX-Series; 4 Stroke; Horizontal; 1 Cyl.; (Honda); OHV				
6.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
PE-2565HWCOM; GX-Series; 4 Stroke; Horizontal; 1 Cyl.; (Honda); OHV				
6.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
PE-2565HWGEN; GX-Series; 4 Stroke; Horizontal; 1 Cyl.; (Honda); OHV				
6.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
PE-2565HWSCAT; GX-Series; 4 Stroke; Horizontal; 1 Cyl.; (Honda); OHV				
6.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
PE-2565HWSCOM; GX-Series; 4 Stroke; Horizontal; 1 Cyl.; (Honda); OHV				
6.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
PE-2565HWSCOMSP; GX-Series; 4 Stroke; Horizontal; 1 Cyl.; (Honda); OHV				
6.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
PE-2565HWSGEN; GX-Series; 4 Stroke; Horizontal; 1 Cyl.; (Honda); OHV				
6.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
PE-2760HWCORG; 1 Cyl.; (Honda); OHC				
6hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
PE-2760HWCOMX; 1 Cyl.; (Honda); OHC				
6hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
PE-2765BWCOMX; GX-Series; 4 Stroke; Horizontal; 1 Cyl.; (Honda); OHV				
6.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
PE-2765BWCOMX; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
PE-2960HWAR; 1 Cyl.; (Honda); OHC				
6hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
PE-3009HWCCOMZ; 4 Stroke; Vertical; 1 Cyl.; (Honda); OHV				
9hp;GXV270	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-3009HWCOMZ; 4 Stroke; Vertical; 1 Cyl.; (Honda); OHV				
9hp;GXV270	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-3011HWCAT; 4 Stroke; Vertical; 1 Cyl.; (Honda); OHV				
11hp;GXV340	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-3011HWCOMZ; 4 Stroke; Vertical; 1 Cyl.; (Honda); OHV				
11hp;GXV340	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-3011HWGEN; 4 Stroke; Vertical; 1 Cyl.; (Honda); OHV				
11hp;GXV340	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-3011HWSCAT; 4 Stroke; Vertical; 1 Cyl.; (Honda); OHV				
11hp;GXV340	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-3011HWSCOMZ; 4 Stroke; Vertical; 1 Cyl.; (Honda); OHV				
11hp;GXV340	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-3011HWSGEN; 4 Stroke; Vertical; 1 Cyl.; (Honda); OHV				
11hp;GXV340	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-3024HWEBSCOM; V2; (Honda); OHV				
24hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
PE-3513HWPBSCAT; 1 Cyl.; (Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
BE Power Equipment				
PE-3513HWBSGEN; 1 Cyl.; (Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-4013HWBCOM; 1 Cyl.; (Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-4013HWBSCOMA; 1 Cyl.; (Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-4013HWECA; 1 Cyl.; (Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-4013HWECOMZ; 1 Cyl.; (Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-4013HWEGEN; 1 Cyl.; (Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-4013HWP; 1 Cyl.; (Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-4013HWPCAT; 1 Cyl.; (Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-4013HWPCOMK; 1 Cyl.; (Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-4013HWPCOMZ; 1 Cyl.; (Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-4013HWPGEN; 1 Cyl.; (Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-4013HWPGENTX; 1 Cyl.; (Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-4013HWPSCAT; 1 Cyl.; (Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-4013HWPSCOMZ; 1 Cyl.; (Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-4013HWPSGEN; 1 Cyl.; (Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
PE-4020HWEBSCOM; V2; (Honda); OHV				
20hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
PE-4020HWEBSGEN; V2; (Honda); OHV				
20hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
PE-5024HWEBSCOM; V2; (Honda); OHV				
24hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
PE-5024HWEBSGEN; V2; (Honda); OHV				
24hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
Bear Cat				
PW3000; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
5.5hp;GX200	415 / RN9YC	300 / N9YC	415ECO	0.030in
PW4200; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
TP2158; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
5.5hp;GX200	415 / RN9YC	300 / N9YC	415ECO	0.030in
TP3264; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
5.5hp;GX200	415 / RN9YC	300 / N9YC	415ECO	0.030in
WP2158; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
5.5hp;GX200	415 / RN9YC	300 / N9YC	415ECO	0.030in
WP3264; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
5.5hp;GX200	415 / RN9YC	300 / N9YC	415ECO	0.030in
WP4422; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Bell & Gossett				
(IHC)				
	102 / RJ6C	823 / J6C	---	0.018in
Berkely				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
4 Cyl.; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in
6 Cyl.; (Ford)				
	538 / RH8C	587 / H8C	---	0.025in
Binks				
1141				
	871 / RJ8C	841 / J8C	---	0.025in
1143				
	871 / RJ8C	841 / J8C	---	0.025in
1144				
	871 / RJ8C	841 / J8C	---	0.025in
1151				
	871 / RJ8C	841 / J8C	---	0.025in
1154				
	871 / RJ8C	841 / J8C	---	0.025in
1157				
	871 / RJ8C	841 / J8C	---	0.025in
1174				
	871 / RJ8C	841 / J8C	---	0.025in
1220				
	541 / RD16	516 / D16	---	0.030in
1221				
	541 / RD16	516 / D16	---	0.030in
1256				
	541 / RD16	516 / D16	---	0.030in
1259				
	541 / RD16	516 / D16	---	0.030in
33-1129				
	871 / RJ8C	841 / J8C	---	0.025in
33-1150				
	871 / RJ8C	841 / J8C	---	0.025in
33-1173				
	541 / RD16	516 / D16	---	0.030in
33-1258				
	541 / RD16	516 / D16	---	0.030in
33-1280				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
Blue Bird				
SA27E				
	893 / RCJ4	---	---	0.025in
SA38E				
	830 / RL86C	933-1 / QL86C	---	0.025in
SE52E				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in



PUMPS, COMPRESSORS, & REFRIGERATION UNITS
POMES, COMPRESSEURS ET UNITÉS DE RÉFRIGÉRATION
BOMBAS, COMPRESORES Y UNIDADES DE REFRIGERACIÓN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
BlueBird				
SA27E				
	849 / CJ6	---	852ECO	0.025in
Bradson				
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
6.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
9hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Tecumseh)				
3.8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4.5hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); OHV				
6.5hp	104 / RN4C	803 / N4C	---	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5; (Tecumseh); OHV				
	104 / RN4C	803 / N4C	---	0.030in
5.5; (Tecumseh); OHV				
	104 / RN4C	803 / N4C	---	0.030in
Brewt				
(Honda); OHV				
4hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
Briggs & Stratton				
L-HEAD				
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
OHV				
4.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5.5hp	71 / RC12YC	71 / RC12YC	71ECO	0.030in
6.5hp	71 / RC12YC	71 / RC12YC	71ECO	0.030in
1150 Series; 250cc; 1 Cyl.; OHV				
150000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2100 Series; OHV				
250000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
850 Series; Professional; OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
875 Series; Professional Series; OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.020in
900 Series; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Intek; OHV				
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; OHV				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2200 PSI; OHV				
4.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2300 PSI; OHV				
4.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2500 MAX PSI; OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2500 PSI; OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap	
	Stk # / Plug Type	Stk # / Plug Type	Stk #		
Briggs & Stratton					
2550 PSI; OHV					
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
2600 PSI; OHV					
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
2650 PSI; OHV					
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
2700 MAX PSI; Professional Series; OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
2900 PSI; L-HEAD					
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
3000 PSI; Vanguard; 1 Cyl.; OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
3000 PSI With QUIET SENSE; Professional Series; OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
3300 MAX PSI; 1150 Series; 250cc; 1 Cyl.; OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
3400 MAX PSI; 1150 Series; 250cc; 1 Cyl.; OHV					
	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
3400 PSI; Intek; OHV					
10hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
3400 PSI; Vanguard; OHV					
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Brister's Thunderwash					
(Honda); OHV					
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in	
5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in	
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in	
1 Cyl.; (Briggs & Stratton); L-HEAD					
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in	
Brute					
020793; 208cc; 1 Cyl.; (Briggs & Stratton); OHV					
CR950	71 / RC12YC	946 / QC12YC	71ECO	0.030in	
Byron Jackson					
All Older Models					
	541 / RD16	516 / D16	---	0.025in	
Cairns Mfg.					
(Kawasaki); OHV					
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in	
5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in	
Campbell-Hausfeld					
(Honda)					
11hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in	
5.5hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in	
6.5hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in	
(Kohler)					
10hp	854 / RH10C	854 / RH10C	---	0.030in	
8hp	868 / RJ19LM	868 / RJ19LM	861ECO	0.025in	
(Kohler); OHV					
12.5hp	71 / RC12YC	71 / RC12YC	71ECO	0.030in	
(Tecumseh)					
10hp	868 / RJ19LM	868 / RJ19LM	861ECO	0.030in	

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Campbell-Hausfeld				
(Tecumseh); OHV				
5.5hp	104 / RN4C	104 / RN4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.75hp	868 / RJ19LM	868 / RJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	868 / RJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	868 / RJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	868 / RJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	868 / RJ19LM	861ECO	0.030in
1 Cyl.; (Briggs & Stratton); OHV				
6hp	71 / RC12YC	71 / RC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
13hp	71 / RC12YC	71 / RC12YC	71ECO	0.030in
Carver				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Continental)				
	541 / RD16	516 / D16	---	0.025in
(Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
134cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in
215cid; (Ford)				
	538 / RH8C	587 / H8C	---	0.025in
223cid; (Ford)				
	129 / RF10C	---	---	0.025in
254cid; (Ford)				
	538 / RH8C	587 / H8C	---	0.025in
D-140; (Leroi)				
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
D-201; (Leroi)				
	871 / RJ8C	841 / J8C	---	0.025in
56; (Chrysler)				
	123 / RN5C	120 / N5C	---	0.025in
7-263; (Chrysler)				
	102 / RJ6C	823 / J6C	---	0.025in
A-2100; (Clinton)				
	854 / RH10C	844 / H10C	---	0.025in
D-700-900; (Clinton)				
	871 / RJ8C	841 / J8C	---	0.025in
KN10L				
	541 / RD16	516 / D16	---	0.025in
KN11/2				
	871 / RJ8C	841 / J8C	---	0.025in
KN2H				
	541 / RD16	516 / D16	---	0.025in
KN2LL				
	541 / RD16	516 / D16	---	0.025in
KN3H				
	541 / RD16	516 / D16	---	0.025in
KN3L				
	541 / RD16	516 / D16	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Carver				
KN3YL				
	541 / RD16	516 / D16	---	0.025in
KN4H				
	541 / RD16	516 / D16	---	0.025in
KN4L				
	541 / RD16	516 / D16	---	0.025in
KN4M				
	541 / RD16	516 / D16	---	0.025in
KN6M				
	871 / RJ8C	841 / J8C	---	0.025in
KN8L				
	541 / RD16	516 / D16	---	0.025in
UD-264; (IHC)				
	543 / D89D	---	---	0.025in
UD-6; (IHC)				
	543 / D89D	---	---	0.025in
Cat Pumps				
(Honda); OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
9hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
Caterpillar				
G333; 8.6L (525cid); L6; LPG; OHV				
1/2in Reach Spark Plugs	535 / RL15B	---	---	0.015in
Champion				
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
with 18mm Diameter Threads	541 / RD16	514 / D14	---	0.025in
Champion Power Equipment				
66520; (Champion); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
66525; (Champion); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
66526; (Champion); OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
Chicago Pneumatic (C-P)				
105				
	871 / RJ8C	841 / J8C	---	0.025in
125RG-1				
	871 / RJ8C	841 / J8C	---	0.025in
125RG-2				
	871 / RJ8C	841 / J8C	---	0.025in
160				
	871 / RJ8C	841 / J8C	---	0.025in
160RG-1				
	541 / RD16	516 / D16	---	0.025in
175				
	541 / RD16	516 / D16	---	0.025in
185GZ-1				
	871 / RJ8C	841 / J8C	---	0.025in



PUMPS, COMPRESSORS, & REFRIGERATION UNITS
POMES, COMPRESSEURS ET UNITÉS DE RÉFRIGÉRATION
BOMBAS, COMPRESORES Y UNIDADES DE REFRIGERACIÓN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Chicago Pneumatic (C-P)				
210RG-2				
	569 / W14	---	---	0.025in
219				
	569 / W14	---	---	0.025in
250RG-2				
	871 / RJ8C	841 / J8C	---	0.025in
315				
	569 / W14	---	---	0.025in
60				
	871 / RJ8C	841 / J8C	---	0.025in
85				
	871 / RJ8C	841 / J8C	---	0.025in
85RG-1				
	541 / RD16	516 / D16	---	0.025in
Clarke				
(Honda); OHV				
5hp	415 / RN9YC	415 / RN9YC	415ECO	0.030in
8hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	868 / RJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	868 / RJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	868 / RJ19LM	861ECO	0.030in
Clarke Delco				
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Clinton				
404T				
	854 / RH10C	844 / H10C	---	0.025in
492T				
	871 / RJ8C	841 / J8C	---	0.025in
500P				
	854 / RH10C	844 / H10C	---	0.025in
Coleman				
(Tecumseh)				
6hp	871 / RJ8C	841 / J8C	---	0.030in
Compressco				
Gas Jack; 4 Cyl.				
	1220 / RTV85G	---	---	0.018in
Contree				
(Honda); OHV				
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Contree				
(Tecumseh); OHV				
5.5hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Copeland				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Cornelius				
130R1405				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
130R1411				
	871 / RJ8C	841 / J8C	---	0.025in
32-1505				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Coulter-Automatic				
Model 1930 And After				
	569 / W14	---	---	0.025in
Model Prior To 1930				
	518 / W18	---	---	0.025in
Craftsman				
1 Cyl.; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
1750 559.741720; 11.57cid; 1 Cyl.; L-HEAD				
5hp	868 / RJ19LM	861 / J19LM	861ECO	0.030in
20736; GC-Series; Horizontal; OHC				
5.2hp;GC190	415 / RN9YC	300 / N9YC	415ECO	0.030in
247.794520; 9.02cid\147.8cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
90000	868 / RJ19LM	861 / J19LM	861ECO	0.030in
536.255880; 11.58cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12S902	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
580.676620; 9.02cid\147.8cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
90000	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.676630; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
120000	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.676631; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
120000	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.676640; 9.67cid\158.6cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.75hp;100000	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.676642; 9.02cid\147.8cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.75hp;90000	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.676650; 9.67cid\158.6cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.75hp;100000	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.676651; 9.02cid\147.8cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.75hp;90000	868 / RJ19LM	861 / J19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
580.676660; 9.67cid\158.6cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4.5hp;100000	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.676661; 9.67cid\158.6cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4.5hp;100000	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.676662; 9.67cid\158.6cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4.5hp;100000	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
580.741380; 4 Stroke; 9.67cid\158cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.8hp;12E802	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.741700; 4 Stroke; 9.06cid\148cc; 1 Cyl.				
3hp	856 / RJ17LM	845 / J17LM	861ECO	0.030in
580.750400; 8.64cid\140cc; 1 Cyl.; (Briggs & Stratton); OHV				
3.75hp;09P702	71 / RC12YC	3071 / RC12PYC	71ECO	0.020in
580.750401; 8.64cid\140cc; 1 Cyl.; (Briggs & Stratton); OHV				
3.75hp;09P702	71 / RC12YC	3071 / RC12PYC	71ECO	0.020in
580.750700; 100000; 9.67cid\158.6cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4.5hp;10L802	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.750840; 150000; 15.22cid\250cc; 1 Cyl.; (Briggs & Stratton); OHV				
15T212	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.750900; 9.67cid\158.6cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4.5hp;10L802	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.750910; 9.8cid\161cc; 1 Cyl.; (Honda); OHC				
GCV160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
580.751500; 4 Stroke; 12.6cid; 1 Cyl.; L-HEAD				
5hp;133212	840 / RCJ8	843 / CJ8	843ECO	0.030in
580.751510; 4 Stroke; 12.6cid; 1 Cyl.; L-HEAD				
5hp;133212	840 / RCJ8	843 / CJ8	843ECO	0.030in
580.751651; GN-Series; 190cc; 1 Cyl.				
6.5hp	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
580.751781; 220cc; 1 Cyl.				
7.8hp	71 / RC12YC	3071 / RC12PYC	71ECO	0.030in
580.752000; 4 Stroke; 9.67cid\158.6cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.75hp;10D902	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752010; 9.67cid\158.6cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;10D902	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752011; 9.67cid\158.6cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;10J902	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752011; 100000; 9.67cid\158.6cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;10J902	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752030; 90000; 9.02cid\147.8cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
09T702	868 / RJ19LM	861 / J19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
580.752040; 100000; 9.67cid\158.6cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
10T502	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752050; 120000; 11.57cid\190cc; 1 Cyl.; L-HEAD				
126T02	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752051; 120000; 11.57cid\190cc; 1 Cyl.; L-HEAD				
126T02	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752052; 120000; 11.57cid\190cc; 1 Cyl.; L-HEAD				
126T02	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752060; 9.8cid\161cc; 1 Cyl.; (Honda); OHC				
GCV160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
580.752070; 120000; 11.58cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12S512	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752080; 120000; 12.48cid\206cc; 1 Cyl.; (Briggs & Stratton); OHV				
121012	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.752090; 120000; 15.22cid\249cc; 1 Cyl.; (Briggs & Stratton); OHV				
150212	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.752100; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12R512	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752101; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12R512	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752110; 9.02cid\147.8cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
90000	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752120; 100000; 9.67cid\158.6cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;10T502	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752130; 120000; 11.57cid\190cc; 1 Cyl.; L-HEAD				
126T02	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752131; 120000; 11.57cid\190cc; 1 Cyl.; L-HEAD				
126L02	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752140; 120000; 11.58cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12S512	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752150; 120000; 12.48cid\206cc; 1 Cyl.; (Briggs & Stratton); OHV				
121012	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.752160; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12R512	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752180; 100000; 9.67cid\158.6cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;10T502	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752181; 100000; 9.67cid\158.6cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;10T502	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752182; 100000; 9.67cid\158.6cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;10T502	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752190; 120000; 11.57cid\190cc; 1 Cyl.; L-HEAD				
126T02	868 / RJ19LM	861 / J19LM	861ECO	0.030in



PUMPS, COMPRESSORS, & REFRIGERATION UNITS
POMES, COMPRESSEURS ET UNITÉS DE RÉFRIGÉRATION
BOMBAS, COMPRESORES Y UNIDADES DE REFRIGERACIÓN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
580.752191; 120000; 11.57cid\190cc; 1 Cyl.; L-HEAD				
126T02	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752192; 120000; 11.57cid\190cc; 1 Cyl.; L-HEAD				
126T02	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752193; 120000; 11.57cid\190cc; 1 Cyl.; L-HEAD				
126T02	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752200; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12R512	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752201; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12R502	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752210; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12S512	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752211; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12S512	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752212; 120000; 11.58cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12S912	71 / RC12YC	3071 / RC12PYC	71ECO	0.020in
580.752220; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12R505	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752230; 120000; 12.48cid\206cc; 1 Cyl.; (Briggs & Stratton); OHV				
121012	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.752240; 100000; 9.67cid\158.6cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;10L502	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752241; 100000; 9.67cid\158.6cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;10L502	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752242; 100000; 9.67cid\158.6cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;10L502	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752250; 120000; 11.57cid\190cc; 1 Cyl.; L-HEAD				
126L02	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752251; 120000; 11.57cid\190cc; 1 Cyl.; L-HEAD				
126L02	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752252; 120000; 11.57cid\190cc; 1 Cyl.; L-HEAD				
126L02	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752260; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12R602	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752270; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12S612	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752271; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
121S12	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752280; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12R605	71 / RC12YC	946 / QC12YC	71ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
580.752290; 120000; 12.48cid\206cc; 1 Cyl.; (Briggs & Stratton); OHV				
12T412	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.752300; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;12Q802	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752300; GX-Series; 4 Stroke; 23.7cid\389cc; 1 Cyl.; (Honda)				
13hp	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
580.752301; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;12Q802	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752310; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6.75hp;125K02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
580.752330; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6.75hp;125K02	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752340; 100000; 9.67cid\158.6cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4.5hp;10H902	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752342; 100000; 9.67cid\158.6cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4.5hp;10H902	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752352; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;122K02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
580.752381; GX-Series; 4 Stroke; 23.7cid\389cc; 1 Cyl.; (Honda); OHC				
13hp;GX390	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
580.752382; GX-Series; 4 Stroke; 23.7cid\389cc; 1 Cyl.; (Honda); OHC				
13hp;GX390	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
580.752400; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
7hp;12G612	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752410; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
7hp;129612	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752420; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
7hp;129612	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752500; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126T02	868 / RJ19LM	861 / J19LM	861ECO	0.020in
580.752501; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126T02	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752510; 9.8cid\161cc; 1 Cyl.; (Honda); OHC				
GCV160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
580.752520; 110000; 10.69cid\175cc; 1 Cyl.; (Briggs & Stratton); OHV				
11P902	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752521; 110000; 10.69cid\175cc; 1 Cyl.; (Briggs & Stratton); OHV				
11P902	71 / RC12YC	946 / QC12YC	71ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
580.752530; 120000; 11.58cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12S912	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752531; 120000; 11.58cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12S902	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752532; 11.58cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12S902	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752532; 120000; 11.58cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12S902	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752540; 120000; 12.48cid\206cc; 1 Cyl.; (Briggs & Stratton); OHV				
121012	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.752541; 120000; 12.48cid\206cc; 1 Cyl.; (Briggs & Stratton); OHV				
121012	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.752550; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
6.5hp;120412	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752560; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126L02	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752561; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126L02	868 / RJ19LM	861 / J19LM	861ECO	0.030in
580.752570; 110000; 10.69cid\175cc; 1 Cyl.; (Briggs & Stratton); OHV				
111P02	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752571; 110000; 10.69cid\175cc; 1 Cyl.; (Briggs & Stratton); OHV				
111P02	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752580; 120000; 11.58cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
121S12	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752581; 120000; 11.58cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
121S12	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752582; 120000; 11.58cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
121S02	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752590; 120000; 12.48cid\206cc; 1 Cyl.; (Briggs & Stratton); OHV				
12T412	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.752591; 120000; 12.48cid\206cc; 1 Cyl.; (Briggs & Stratton); OHV				
12T412	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.752600; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
7hp;12F612	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752601; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
7hp;12F612	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752610; 9.8cid\161cc; 1 Cyl.; (Honda); OHC				
GCV160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
580.752620; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
12R512	71 / RC12YC	946 / QC12YC	71ECO	0.020in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
580.752630; 11.4cid\187cc; 1 Cyl.; (Honda); OHC				
GCV190	415 / RN9YC	300 / N9YC	415ECO	0.030in
580.752700; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
6.75hp;129602	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.752710; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6.75hp;125K02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
580.752722; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6.75hp;125K02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
580.754980; 120000; 11.58cid\190cc; 1 Cyl.; (Briggs & Stratton); OHV				
124P02	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.761652; 158cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.8hp;10A902	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
580.761800; 190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4.5hp;12F802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
580.762010; GC-Series; Horizontal; 4 Stroke; 9.8cid\160cc; 1 Cyl.; (Honda); OHC				
5hp;GC160	415 / RN9YC	300 / N9YC	415ECO	0.030in
580.762012; GC-Series; Horizontal; 4 Stroke; 9.8cid\160cc; 1 Cyl.; (Honda); OHC				
5hp;GC160	415 / RN9YC	300 / N9YC	415ECO	0.030in
580.762200; 4 Stroke; 172cc; 1 Cyl.; OHV				
6.75hp;143.986714	104 / RN4C	803 / N4C	---	0.030in
580.762201; 4 Stroke; 172cc; 1 Cyl.; (Tecumseh); OHV				
6.75hp;143.986714	104 / RN4C	803 / N4C	---	0.030in
580.762202; 4 Stroke; 172cc; 1 Cyl.; (Tecumseh); OHV				
6.75hp;143.986714	104 / RN4C	803 / N4C	---	0.030in
580.763000; 4 Stroke; 220cc; 1 Cyl.; (Briggs & Stratton); OHV				
7.8hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.767100; 4 Stroke; 12.6cid; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;128802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
580.767101; 4 Stroke; 12.6cid; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;128802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
580.767200; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
5.5hp;110602	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.767201; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
5.5hp;110602	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.767202; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
5.5hp;120612	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.767300; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
6.5hp;120412	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.767301; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
6.5hp;120412	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.767302; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
6.5hp;120412	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.767450; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
6.75hp;128612	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.767451; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
6.75hp;128612	71 / RC12YC	946 / QC12YC	71ECO	0.020in



PUMPS, COMPRESSORS, & REFRIGERATION UNITS
POMPES, COMPRESSEURS ET UNITÉS DE RÉFRIGÉRATION
BOMBAS, COMPRESORES Y UNIDADES DE REFRIGERACIÓN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
580.767700; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
7hp;120412	71 / RC12YC	946 / QC12YC	71ECO	0.020in
580.768000; 4 Stroke; Sprint; 12.6cid; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3.75hp;98902	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
580.768020; Quantum; 4 Stroke; 11.5cid; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;12H802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
580.768030; 4 Stroke; Enduro; 1 Cyl.; (Tecumseh); OHV				
6hp;143.996005	104 / RN4C	803 / N4C	---	0.030in
580.768040; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
6.5hp;121412	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.768050; Guardian I; 216.5cc; 1 Cyl.; (Generac); OHV				
7.8hp;GN-220	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.768110; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;12F802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
580.768210; 4 Stroke; Vertical; 1 Cyl.; (Tecumseh)				
5.5hp;LEV120	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
580.768310; 4 Stroke; 1 Cyl.; (Tecumseh)				
6.25hp;143.006204	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
580.768311; 4 Stroke; 1 Cyl.; (Tecumseh)				
6.25hp;143.006204	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
580.768320; GCV-Series; 4 Stroke; Vertical; 135cc; 1 Cyl.; (Honda); OHC				
4.5hp;GCV135	415 / RN9YC	300 / N9YC	415ECO	0.030in
580.768321; GCV-Series; 4 Stroke; Vertical; 135cc; 1 Cyl.; (Honda); OHC				
4.5hp;GCV135	415 / RN9YC	300 / N9YC	415ECO	0.030in
580.768322; GCV-Series; 4 Stroke; Vertical; 135cc; 1 Cyl.; (Honda); OHC				
4.5hp;GCV135	415 / RN9YC	300 / N9YC	415ECO	0.030in
580.768323; GCV-Series; 4 Stroke; Vertical; 135cc; 1 Cyl.; (Honda); OHC				
4.5hp;GCV135	415 / RN9YC	300 / N9YC	415ECO	0.030in
580.768324; GCV-Series; 4 Stroke; Vertical; 135cc; 1 Cyl.; (Honda); OHC				
4.5hp;GCV135	415 / RN9YC	300 / N9YC	415ECO	0.030in
580.768325; GCV-Series; 4 Stroke; Vertical; 135cc; 1 Cyl.; (Honda); OHC				
4.5hp;GCV135	415 / RN9YC	300 / N9YC	415ECO	0.030in
580.768330; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
6hp;120612	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.768331; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
6hp;120612	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.768332; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
6hp;120612	71 / RC12YC	946 / QC12YC	71ECO	0.030in
580.768340; GCV-Series; Vertical; 1 Cyl.; (Honda); OHC				
5.5hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
580.768341; GCV-Series; Vertical; 1 Cyl.; (Honda); OHC				
5.5hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
580.768342; GCV-Series; Vertical; 1 Cyl.; (Honda); OHC				
5.5hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
580.768350; GCV-Series; Vertical; 1 Cyl.; (Honda); OHC				
5.5hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Craftsman				
580.988400; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
126M02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
919.670280; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
6hp;120612	71 / RC12YC	946 / QC12YC	71ECO	0.030in
919.672101; 4 Stroke; Model 120000; 11.57cid; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp;128812	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
919.672180; 4 Stroke; Model 120000; 11.57cid; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;128812	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
919.672190; GCV-Series; Vertical; 1 Cyl.; (Honda); OHC				
5.5hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
919.672241; GCV-Series; Vertical; 1 Cyl.; (Honda); OHC				
5.5hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
919.678250; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
6.5hp;138432	71 / RC12YC	946 / QC12YC	---	0.030in
919.679180; 190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp;12F802	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
919.679240; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
6hp;120602	71 / RC12YC	946 / QC12YC	71ECO	0.030in
919.762350; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
6hp;121602	71 / RC12YC	946 / QC12YC	71ECO	0.020in
919.762700; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
7.5hp;138432	71 / RC12YC	946 / QC12YC	---	0.030in
919.763010; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
9hp;185432	71 / RC12YC	946 / QC12YC	---	0.030in
919.763500; Command Series; 4 Stroke; Horizontal; 398cc; 1 Cyl.; (Kohler); OHV				
13hp;CH13	71 / RC12YC	946 / QC12YC	71ECO	0.040in
919.769010; 4 Stroke; 1 Cyl.; (Briggs & Stratton); OHV				
6hp;120602	71 / RC12YC	946 / QC12YC	---	0.030in
919.769063; GCV-Series; Vertical; 1 Cyl.; (Honda); OHC				
5.5hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
C950.672160; 110000; 10.69cid\175cc; 1 Cyl.; (Briggs & Stratton); OHV				
111P02	71 / RC12YC	946 / QC12YC	71ECO	0.020in
C950.679620; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;126T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
C950.679621; 120000; 11.57cid\190cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp;126T02	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
C950.679630; 550 Series; 9.67cid\158.6cc; 1 Cyl.; (Briggs & Stratton); L-HEAD				
10T702	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Cub Cadet				
(Kohler)				
10hp	538 / RH8C	587 / H8C	---	0.030in
2200H; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2500C; Command Pro; 4 Stroke; Horizontal; (Kohler); OHV				
6hp;CS6	405 / RN14YC	3405 / RN14PMC	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Cub Cadet				
3000C; Command Pro; 4 Stroke; Horizontal; (Kohler); OHV				
10hp;CS10	405 / RN14YC	3405 / RN14PMC	---	0.030in
CC3000; GCV-Series; Vertical; 9.8cid\160cc; 1 Cyl.; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
CC3224; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
CC3400; 208cc; 1 Cyl.				
170PUA	415 / RN9YC	300 / N9YC	415ECO	0.030in
CC3425; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
CC3700; GX-Series; 4 Stroke; Horizontal; 12cid\196cc; 1 Cyl.; (Honda); OHV				
5.5hp;GX200	322 / RN11YC4	302 / N11YC	322ECO	0.030in
CC4000; GX-Series; 4 Stroke; Horizontal; 16.5cid\270cc; 1 Cyl.; Gas; (Honda); OHV				
8.0hp;GX270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
CC4033; OHV				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
PW3224H; GCV-Series; Vertical; (Honda); OHC				
5.2hp;GCV190	415 / RN9YC	300 / N9YC	415ECO	0.030in
Curtis				
(Briggs & Stratton)				
with 18mm Diameter Threads	541 / RD16	555 / UD16	---	0.025in
(Briggs & Stratton); L-HEAD				
	861 / J19LM	---	---	0.030in
with 14mm Diameter Threads	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.025in
(Wisconsin)				
	541 / RD16	555 / UD16	---	0.025in
Refrigerator Compressor				
	541 / RD16	555 / UD16	---	0.025in
Davey				
(Briggs & Stratton)				
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
(Continental)				
	541 / RD16	516 / D16	---	0.025in
(Hercules)				
HXC	569 / W14	---	---	0.025in
HXE	569 / W14	---	---	0.025in
RXC	569 / W14	---	---	0.025in
RXLD	569 / W14	---	---	0.025in
(Kiekhaefer)				
	871 / RJ8C	841 / J8C	---	0.030in
ABND; (Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
GO198A				
	871 / RJ8C	841 / J8C	---	0.025in
IXB; (Hercules)				
	592 / RJ12C	511 / J11C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Davey				
JXD; (Hercules)				
	569 / W14	---	---	0.025in
JXLD; (Hercules)				
	592 / RJ12C	511 / J11C	---	0.025in
QXB; (Hercules)				
	592 / RJ12C	511 / J11C	---	0.025in
QXLD; (Hercules)				
	592 / RJ12C	511 / J11C	---	0.025in
UD-14A; (IHC)				
	589 / W89D	---	---	0.025in
UD-18A; (IHC)				
	589 / W89D	---	---	0.025in
VE4; (Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
VP4; (Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
De Laval				
	539 / W77N	---	---	0.015in
Demco				
(Honda)				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Honda); OHV				
4hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
DeVilbiss				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.025in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
(Tecumseh)				
5hp	868 / RJ19LM	868 / RJ19LM	861ECO	0.030in
5.5hp	868 / RJ19LM	868 / RJ19LM	861ECO	0.030in
(Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	868 / RJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
24hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11hp;GX340K1	415 / RN9YC	415 / RN9YC	415ECO	0.028in
11.7hp;GX390	415 / RN9YC	415 / RN9YC	415ECO	0.028in
9hp;GX270	415 / RN9YC	415 / RN9YC	415ECO	0.028in
GX-Series; 4 Stroke; Horizontal; 14.8cid\242cc; 1 Cyl.; (Honda); OHV				
8hp;GX240	415 / RN9YC	415 / RN9YC	415ECO	0.028in
PLE-501EG				
	840 / RCJ8	843 / CJ8	843ECO	0.025in



PUMPS, COMPRESSORS, & REFRIGERATION UNITS
POMES, COMPRESSEURS ET UNITÉS DE RÉFRIGÉRATION
BOMBAS, COMPRESORES Y UNIDADES DE REFRIGERACIÓN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
DeVilbiss				
PLE-502EG				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
PME-501EG				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
PME-502EG				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
TAPE-5031EG				
	830 / RL86C	933-1 / QL86C	---	0.025in
UALE-5030EG				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
UANE-5031EG				
	871 / RJ8C	841 / J8C	---	0.025in
UC-524EG				
	871 / RJ8C	841 / J8C	---	0.025in
USC-521EG				
	871 / RJ8C	841 / J8C	---	0.025in
VAPE-5030EG				
	830 / RL86C	933-1 / QL86C	---	0.025in
Dirt Killer				
(Honda); OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
Dolmar				
HP450				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.030in
MP352.4; OHV				
1.6hp;EH035	978 / RY4C	---	---	0.024in
Dorman				
12S				
	529 / D14N	---	---	0.015in
12STCAG				
	529 / D14N	---	---	0.015in
12STCWG				
	529 / D14N	---	---	0.015in
3-DAG				
	880 / RN3C	801 / N3C	---	0.018in
4-DAG				
	880 / RN3C	801 / N3C	---	0.018in
6-DAG				
	880 / RN3C	801 / N3C	---	0.018in
Dynablast				
(Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Echo				
HDTP2001				
	830 / RL86C	933-1 / QL86C	---	0.025in
HDTP3001				
	830 / RL86C	933-1 / QL86C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Echo				
TP2001				
	830 / RL86C	933-1 / QL86C	---	0.025in
TP3000				
	830 / RL86C	933-1 / QL86C	---	0.025in
TP3001				
	830 / RL86C	933-1 / QL86C	---	0.025in
WP100				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
WP1000				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
WP1500				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
WP2000				
	830 / RL86C	933-1 / QL86C	---	0.025in
WP2001				
	830 / RL86C	933-1 / QL86C	---	0.025in
WP3000				
	830 / RL86C	933-1 / QL86C	---	0.025in
Edson				
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Efco				
MP 3000				
1.34hp	893 / RCJ4	---	---	0.020in
Electro-Magic				
1800-5				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
2000-6				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
4700GED				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Elgin Sweeper				
All Model(s)				
Eductor;with 7/8in Diameter Threads	569 / W14	---	---	0.030in
All Model(s); 4.9L (300.0cid); L6; (Ford); OHV				
Eductor	22 / RF11YC	---	---	0.030in
Emglo				
(Honda); OHV				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
ESI (Equipment Synergy International)				
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	404 / RN12YC	38 / N12YC	322ECO	0.030in
3.5hp;GX120	415 / RN9YC	300 / N9YC	415ECO	0.030in
4.8hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
8.5hp;GX270	404 / RN12YC	38 / N12YC	322ECO	0.030in
Evinrude				
Centrifugal & Light Pressure				
	541 / RD16	516 / D16	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ex-Cell				
(Honda); OHC				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
6.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Ford				
CH-4000; 1 Cyl.; (Briggs & Stratton); L-HEAD				
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
SP-150; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
SP-200; (Kohler)				
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Fuel-A-Plane				
	854 / RH10C	844 / H10C	---	0.025in
Gardner-Denver				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Buda)				
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
with 18mm Diameter Threads	541 / RD16	514 / D14	---	0.025in
(Caterpillar)				
with 18mm Diameter Threads	509 / D9	---	---	0.025in
with 7/8in Diameter Threads	518 / W18	---	---	0.025in
(Chrysler)				
	871 / RJ8C	841 / J8C	---	0.030in
(Climax)				
	518 / W18	---	---	0.025in
(Clinton)				
	871 / RJ8C	841 / J8C	---	0.030in
(Continental)				
F-162	541 / RD16	514 / D14	---	0.030in
F-163	541 / RD16	514 / D14	---	0.030in
F-226	541 / RD16	514 / D14	---	0.030in
F-227	541 / RD16	514 / D14	---	0.030in
(Cushman)				
with 18mm Diameter Threads	509 / D9	---	---	0.025in
with 7/8in Diameter Threads	569 / W14	---	---	0.025in
(Ford)				
240hp	22 / RF11YC	---	---	0.030in
(H&H)				
	871 / RJ8C	841 / J8C	---	0.030in
(Hercules)				
with 14mm Diameter Threads	102 / RJ6C	823 / J6C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Gardner-Denver				
(Hercules)				
HXB	518 / W18	---	---	0.025in
HXC	518 / W18	---	---	0.025in
HXE	518 / W18	---	---	0.025in
(Wisconsin)				
	541 / RD16	514 / D14	---	0.025in
8 Cyl.; (Ford)				
300hp	22 / RF11YC	---	---	0.030in
V8; (Ford)				
	538 / RH8C	587 / H8C	---	0.030in
7/8" Heads; (Buda)				
	569 / W14	---	---	0.025in
155; (Waukesha)				
	541 / RD16	516 / D16	---	0.025in
6M0-779; (Buda)				
	509 / D9	---	---	0.025in
All Other Herc.				
with 7/8in Diameter Threads	569 / W14	---	---	0.025in
GF6; (Buda)				
	523 / D23	---	---	0.025in
GF638; (Buda)				
	523 / D23	---	---	0.025in
K325; (Buda)				
	523 / D23	---	---	0.025in
K369; (Buda)				
	523 / D23	---	---	0.025in
K393; (Buda)				
	523 / D23	---	---	0.025in
K428; (Buda)				
	523 / D23	---	---	0.025in
L468; (Buda)				
	523 / D23	---	---	0.025in
L525; (Buda)				
	523 / D23	---	---	0.025in
UC-135B; (IHC)				
	593 / RD18Y	549 / D18Y	---	0.025in
V104; (Ford)				
	415 / RN9YC	300 / N9YC	415ECO	0.025in
Generac				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	868 / RJ19LM	861ECO	0.030in
(Tecumseh); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh); OHV				
	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Horizontal; (Subaru); OHC				
5.7hp;SP170	830 / RL86C	933-1 / QL86C	---	0.025in
7hp;SP210	830 / RL86C	933-1 / QL86C	---	0.025in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	71 / RC12YC	71ECO	0.030in



PUMPS, COMPRESSORS, & REFRIGERATION UNITS
POMES, COMPRESSEURS ET UNITÉS DE RÉFRIGÉRATION
BOMBAS, COMPRESORES Y UNIDADES DE REFRIGERACIÓN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Generac				
Vanguard; V2; (Briggs & Stratton)				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
3000 PSI; (Subaru/Robin); OHV				
	830 / RL86C	933-1 / QL86C	---	0.025in
3500 PSI; (Subaru/Robin); OHV				
	830 / RL86C	933-1 / QL86C	---	0.025in
4000 PSI; (Subaru/Robin); OHV				
	830 / RL86C	933-1 / QL86C	---	0.025in
6921; OHV				
G33;2500 PSI	415 / RN9YC	300 / N9YC	415ECO	0.030in
6922; OHV				
G33;2800 PSI	415 / RN9YC	300 / N9YC	415ECO	0.030in
6923; OHV				
G33;3100 PSI	415 / RN9YC	300 / N9YC	415ECO	0.030in
7954; 196cc; 1 Cyl.; OHV				
	332 / RN7YC	315 / N6YC	332ECO	0.030in
7955; 196cc; 1 Cyl.; OHV				
	332 / RN7YC	315 / N6YC	332ECO	0.030in
AP Series				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
AP Series; OHV				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
CP Series; OHV				
	104 / RN4C	803 / N4C	---	0.030in
CP Series; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
CP Series; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CP Series; Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
CW15K; OHV				
UP152	814 / RL82YC	328 / L82YC	---	0.030in
CW20; OHV				
2500 PSI	415 / RN9YC	300 / N9YC	415ECO	0.030in
MC Series				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
MC1009				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
MC1259				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ST20; Horizontal; (Subaru); OHC				
5.7hp;SP170	830 / RL86C	933-1 / QL86C	---	0.025in
ST20K				
OK9552	415 / RN9YC	300 / N9YC	415ECO	0.030in
T20S; Horizontal; (Subaru); OHC				
7hp;SP210	830 / RL86C	933-1 / QL86C	---	0.025in
WP2				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
WP2T				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
WP3				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
General Equipment				
82005; (Chrysler)				
	814 / RL82YC	931-1 / QL82C	---	0.025in
Global Marine Pumpout				
(Honda)				
2.5hp	846 / CJ14	---	846ECO	0.030in
Golden Star				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Gordon Smith				
(Ford)				
	406 / RV12YC	---	---	0.035in
100				
	406 / RV12YC	---	---	0.035in
125				
	541 / RD16	516 / D16	---	0.035in
150				
	406 / RV12YC	---	---	0.035in
160				
	509 / D9	---	---	0.025in
45				
	541 / RD16	516 / D16	---	0.035in
60				
	561 / W16Y	---	---	0.030in
70				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
75				
	592 / RJ12C	511 / J11C	---	0.035in
90				
	22 / RF11YC	---	---	0.035in
V465D; (Wisconsin)				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
Gorman-Rupp				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Kohler)				
12hp	854 / RH10C	844 / H10C	---	0.025in
14hp	854 / RH10C	844 / H10C	---	0.025in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
7hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	854 / RH10C	844 / H10C	---	0.025in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
104cid; (Ford)				
	404 / RN12YC	302 / N11YC	322ECO	0.025in
140cid; (Ford)				
	401 / RS12YC	9204 / RS12WYPB4	---	0.035in
172cid; Gas; (Ford)				
	854 / RH10C	844 / H10C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Gorman-Rupp				
172cid; LPG; (Ford)				
	854 / RH10C	844 / H10C	---	0.020in
200cid; (Ford)				
	22 / RF11YC	---	---	0.050in
240cid; Gas; (Ford)				
	129 / RF10C	---	---	0.030in
240cid; LPG; (Ford)				
	129 / RF10C	---	---	0.020in
300cid; Gas; (Ford)				
	129 / RF10C	---	---	0.030in
300cid; LPG; (Ford)				
	129 / RF10C	---	---	0.020in
302cid; (Ford)				
	406 / RV12YC	---	---	0.035in
351cid; (Ford)				
	406 / RV12YC	---	---	0.035in
361cid; Gas; (Ford)				
	854 / RH10C	844 / H10C	---	0.030in
361cid; LPG; (Ford)				
	854 / RH10C	844 / H10C	---	0.020in
370cid; (Ford)				
	406 / RV12YC	---	---	0.035in
400cid; (Ford)				
	406 / RV12YC	---	---	0.035in
460cid; (Ford)				
	406 / RV12YC	---	---	0.035in
Vanguard; V2; (Briggs & Stratton)				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
3102				
	871 / RJ8C	841 / J8C	---	0.025in
3201				
	541 / RD16	516 / D16	---	0.025in
3202				
	541 / RD16	516 / D16	---	0.025in
3203				
	541 / RD16	516 / D16	---	0.025in
3205				
	541 / RD16	516 / D16	---	0.025in
3301				
	541 / RD16	516 / D16	---	0.025in
3302				
	541 / RD16	516 / D16	---	0.025in
3303				
	541 / RD16	516 / D16	---	0.025in
33TF				
	541 / RD16	516 / D16	---	0.025in
3401				
	541 / RD16	516 / D16	---	0.025in
3402				
with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
with 7/8in Diameter Threads	569 / W14	---	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Gorman-Rupp				
3403				
	541 / RD16	516 / D16	---	0.025in
3601				
	871 / RJ8C	841 / J8C	---	0.025in
3602				
	871 / RJ8C	510 / W10	---	0.025in
3609				
	102 / RJ6C	823 / J6C	---	0.025in
3801				
	102 / RJ6C	823 / J6C	---	0.025in
53H-VF4D				
	871 / RJ8C	841 / J8C	---	0.025in
53M-TFD				
	871 / RJ8C	841 / J8C	---	0.025in
54A-VG-4D				
	871 / RJ8C	841 / J8C	---	0.025in
54B-6FB				
	871 / RJ8C	841 / J8C	---	0.025in
54B-Ind. 30				
	871 / RJ8C	841 / J8C	---	0.025in
54E-6FB				
	871 / RJ8C	841 / J8C	---	0.025in
54M-134				
	871 / RJ8C	841 / J8C	---	0.025in
54M-CJ3A				
	871 / RJ8C	841 / J8C	---	0.025in
55A-265				
	871 / RJ8C	841 / J8C	---	0.025in
55A-Ind. 16A				
	871 / RJ8C	841 / J8C	---	0.025in
55A-JG				
	854 / RH10C	844 / H10C	---	0.025in
55H-503				
	102 / RJ6C	823 / J6C	---	0.025in
55M-Ind. 20A				
	102 / RJ6C	823 / J6C	---	0.025in
55M-Ind. 24A				
	102 / RJ6C	823 / J6C	---	0.025in
55M-Ind. 56				
	871 / RJ8C	841 / J8C	---	0.025in
55M-JB				
	854 / RH10C	844 / H10C	---	0.025in
6201				
	871 / RJ8C	841 / J8C	---	0.025in
6301				
	871 / RJ8C	841 / J8C	---	0.025in
820; (West Bend)				
	830 / RL86C	933-1 / QL86C	---	0.030in
82003; (Chrysler)				
	814 / RL82YC	931-1 / QL82C	---	0.025in
AENLD; (Wisconsin)				
	541 / RD16	516 / D16	---	0.030in



PUMPS, COMPRESSORS, & REFRIGERATION UNITS
POMES, COMPRESSEURS ET UNITÉS DE RÉFRIGÉRATION
BOMBAS, COMPRESORES Y UNIDADES DE REFRIGERACIÓN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Gorman-Rupp				
BKND; (Wisconsin)				
	541 / RD16	516 / D16	---	0.030in
CCKB; (Onan)				
	538 / RH8C	587 / H8C	---	0.025in
S10D; (Wisconsin)				
	541 / RD16	516 / D16	---	0.030in
S12D; (Wisconsin)				
	541 / RD16	516 / D16	---	0.030in
S7D; (Wisconsin)				
	541 / RD16	516 / D16	---	0.030in
S8D; (Wisconsin)				
	541 / RD16	516 / D16	---	0.030in
THD; (Wisconsin)				
	541 / RD16	516 / D16	---	0.030in
TJD; (Wisconsin)				
	541 / RD16	516 / D16	---	0.030in
UB-264; (IHC)				
	102 / RJ6C	823 / J6C	---	0.025in
UV-549; (IHC)				
	102 / RJ6C	823 / J6C	---	0.025in
V461D; (Wisconsin)				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
V465D; (Wisconsin)				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
VE4D; (Wisconsin)				
	541 / RD16	516 / D16	---	0.030in
VF4D; (Wisconsin)				
	541 / RD16	516 / D16	---	0.030in
VG4D; (Wisconsin)				
	541 / RD16	516 / D16	---	0.030in
VH4D; (Wisconsin)				
	541 / RD16	516 / D16	---	0.030in
Gould				
Gas Pump Model DU				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Green Machine				
Port-a-Flo				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Gregson-Clark				
(Honda)				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
20hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
4hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
6.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
9hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
16hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Grimmer-Schmidt				
302cid; (Ford)				
	406 / RV12YC	---	---	0.035in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Grimmer-Schmidt				
351cid; (Ford)				
	406 / RV12YC	---	---	0.035in
Hale Fire Pumps				
15B				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
15FC-B23				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
15FD-B23				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
15TA-B6				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
20FD-B32				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
20FD-WTJ				
	541 / RD16	516 / D16	---	0.025in
20FS-C225				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
20FS-WVG4				
	541 / RD16	516 / D16	---	0.025in
20GA-B8				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
20GP-B8				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
20TA-B8				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
20TM-WS7				
	541 / RD16	516 / D16	---	0.025in
20TN-B13				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
25FA-B23				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
25FA-WAENL				
	541 / RD16	516 / D16	---	0.025in
25FR-WTJ				
	541 / RD16	516 / D16	---	0.025in
25FZZ-B23				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
25FZZ-WAENL				
	541 / RD16	516 / D16	---	0.025in
30FC9-WTJ				
	541 / RD16	516 / D16	---	0.025in
30FS-C225				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
30FS-WG4				
	541 / RD16	516 / D16	---	0.025in
30FZA-B23				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
30FZA-WAENL				
	541 / RD16	516 / D16	---	0.025in
30GA-B8				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
30GP-B8				
	840 / RCJ8	843 / CJ8	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Hale Fire Pumps				
30SA-W512				
	541 / RD16	516 / D16	---	0.025in
30TA-B23				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
30TA-WAENL				
	541 / RD16	516 / D16	---	0.025in
40FA-C318				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
40FA-F250				
	129 / RF10C	---	---	0.025in
40FC9-C225				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
40FC9-WVH4				
	541 / RD16	516 / D16	---	0.025in
40FC-F250				
	129 / RF10C	---	---	0.025in
40GC-B19				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
40TA-WVH4				
	541 / RD16	516 / D16	---	0.025in
45FA-C318				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
45FA-C413				
	123 / RN5C	120 / N5C	---	0.025in
50FA-F250				
	129 / RF10C	---	---	0.025in
50FB2-C225				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
50FB3-C318				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
50FB3-C440				
	14 / RJ12YC	10 / J12YC	---	0.025in
50FR-C318				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
50FR-C413				
	123 / RN5C	120 / N5C	---	0.025in
60FBI-C318				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
60FBI-C440				
	14 / RJ12YC	10 / J12YC	---	0.025in
60FR-C318				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
60FR-C413				
	123 / RN5C	120 / N5C	---	0.025in
FA50-C225				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
FA50-C318				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
FB100-C440				
	14 / RJ12YC	10 / J12YC	---	0.025in
FB50-C225				
	404 / RN12YC	38 / N12YC	322ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Hale Fire Pumps				
FB50-C318				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
FB75-C318				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
FB75-C440				
	14 / RJ12YC	10 / J12YC	---	0.025in
V465D; (Wisconsin)				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
HMC				
(Xenoah)				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Hoffco				
(Fuji)				
	814 / RL82YC	931-1 / QL82C	---	0.025in
Homart				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Lauson)				
	871 / RJ8C	841 / J8C	---	0.025in
(Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
Homelite				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Robin)				
	830 / RL86C	933-1 / QL86C	---	0.025in
Vanguard; V2; (Briggs & Stratton)				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
110SU1.5				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
111B1				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
111DP2-1A				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
111DP3-1A				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
111S1.5				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
111S2				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
120S3				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
120TP3				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
121TP2-1C				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
160TP4-1C				
	431 / RC14YC	946 / QC12YC	71ECO	0.025in
20DPS-1				
	871 / RJ8C	841 / J8C	---	0.025in



PUMPS, COMPRESSORS, & REFRIGERATION UNITS
POMES, COMPRESSEURS ET UNITÉS DE RÉFRIGÉRATION
BOMBAS, COMPRESORES Y UNIDADES DE REFRIGERACIÓN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Homelite				
20S1-1/2-1A				
	871 / RJ8C	841 / J8C	---	0.025in
221432				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
250DP3				
	592 / RJ12C	511 / J11C	---	0.025in
250S2				
	871 / RJ8C	841 / J8C	---	0.025in
250TP2				
	871 / RJ8C	841 / J8C	---	0.025in
270S2-1				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
270S2-1P				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
270TP2-1				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
36S				
	592 / RJ12C	511 / J11C	---	0.025in
37S				
	592 / RJ12C	511 / J11C	---	0.025in
8S				
	871 / RJ8C	841 / J8C	---	0.025in
9S3-1				
	592 / RJ12C	511 / J11C	---	0.025in
AP120				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
AP125				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
AP215				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
AP220C				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
AP315				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
AP320				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
AP520				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
CBPW2500				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
CBPW3000				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
CBWPW2800				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
CC200				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
CC205				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
CPW2000				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
CPW2800				
	404 / RN12YC	38 / N12YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Homelite				
FP150				
	893 / RCJ4	---	---	0.025in
FP250				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
HAC500B				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
HC-320				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
HC-520				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
HCP420				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
HCP630				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
HDP2				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
HDP3				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
HPW1200B				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
HPW1550B				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
HPW2000B				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
HPW2250V				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
HPW3000B				
	431 / RC14YC	946 / QC12YC	71ECO	0.025in
HPW305H				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
HST-320				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
HST-520				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
HTP2				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
HTP3				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MB-1000				
	872 / RDJ7Y	855 / DJ7Y	851ECO	0.025in
P-100				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in
PW1500				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
PW1750				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
PW2200				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
VTP4				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Waterbug				
	860 / RDJ7J	850 / DJ7J	851ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Homelite				
XLS1-1/2-1				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
XLS1-1/2-1H				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Honda				
2.2hp	846 / CJ14	---	846ECO	0.030in
2.5hp	846 / CJ14	---	846ECO	0.030in
OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
4hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
Mini				
1.5hp	808 / Z9Y	705 / P-RZ9HC	---	0.030in
WA15; G-Series; 4 Stroke; 6.0cid\98cc; 1 Cyl.; L-HEAD				
2.2hp;G100	846 / CJ14	---	846ECO	0.028in
WA20X; GX-Series; 4 Stroke; Horizontal; 6.5cid\107cc; 1 Cyl.; OHV				
3.5hp;GX110	415 / RN9YC	300 / N9YC	415ECO	0.030in
WA30X; GX-Series; 4 Stroke; Horizontal; 8.8cid\144cc; 1 Cyl.; OHV				
5hp;GX140	415 / RN9YC	300 / N9YC	415ECO	0.030in
WB15; G-Series; 4 Stroke; L-HEAD				
2.2hp;G100K2	846 / CJ14	---	846ECO	0.030in
WB15K2				
	846 / CJ14	---	846ECO	0.030in
WB20TDR				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
WB20X; GX-Series; 4 Stroke; Horizontal; 6.5cid\107cc; 1 Cyl.; OHV				
3.5hp;GX110	415 / RN9YC	300 / N9YC	415ECO	0.030in
WB20XK1; GX-Series; 4 Stroke; Horizontal; 7.2cid\118cc; 1 Cyl.; OHV				
4hp;GX120K1	404 / RN12YC	38 / N12YC	322ECO	0.030in
WB20XT; GX-Series; 4 Stroke; Horizontal; 7.2cid\118cc; 1 Cyl.; OHV				
3.5hp;GX120	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
WB20XT2; 4 Stroke; Horizontal; 7.2cid\118cc; 1 Cyl.; OHV				
3.5hp;GX120T2	415 / RN9YC	300 / N9YC	415ECO	0.030in
WB30; G-Series; 4 Stroke; 12cid\197cc; 1 Cyl.; L-HEAD				
5hp;G200	929 / RL95YC	---	---	0.025in
WB30; G-Series; 4 Stroke; 16.6cid\272cc; 1 Cyl.; L-HEAD				
7hp;G300	806 / L92YC	---	---	0.026in
WB30TDR				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
WB30X; GX-Series; 4 Stroke; Horizontal; 8.8cid\144cc; 1 Cyl.; OHV				
5hp;GX140	415 / RN9YC	300 / N9YC	415ECO	0.030in
WB30XK1; GX-Series; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
5.5hp;GX160K1	415 / RN9YC	300 / N9YC	415ECO	0.030in
WB30XK2; GX-Series; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
5.5hp;GX160K1	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
WB30XT; GX-Series; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
5.5hp;GX160	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
WB30XT2; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
4.8hp;GX160T2	415 / RN9YC	300 / N9YC	415ECO	0.030in
WD20X; GX-Series; 4 Stroke; Horizontal; 6.5cid\107cc; 1 Cyl.; OHV				
3.5hp;GX110	415 / RN9YC	300 / N9YC	415ECO	0.030in
WD20XK1; GX-Series; 4 Stroke; Horizontal; 7.2cid\118cc; 1 Cyl.; OHV				
4hp;GX120K1	404 / RN12YC	38 / N12YC	322ECO	0.030in
WD30X; GX-Series; 4 Stroke; Horizontal; 8.8cid\144cc; 1 Cyl.; OHV				
5hp;GX140	415 / RN9YC	300 / N9YC	415ECO	0.030in
WD30XK1; GX-Series; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
5.5hp;GX160K1	415 / RN9YC	300 / N9YC	415ECO	0.030in
WD30XK1C1				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
WDP20X; GX-Series; 4 Stroke; Horizontal; 7.2cid\118cc; 1 Cyl.; OHV				
4hp;GX120K1	404 / RN12YC	38 / N12YC	322ECO	0.030in
WDP20XT; GX-Series; 4 Stroke; Horizontal; 7.2cid\118cc; 1 Cyl.; OHV				
4hp;GX120K1	415 / RN9YC	300 / N9YC	415ECO	0.030in
WDP30X; GX-Series; 4 Stroke; Horizontal; 7.2cid\118cc; 1 Cyl.; OHV				
4hp;GX120K1	415 / RN9YC	300 / N9YC	415ECO	0.030in
WDP30XK1; 4 Stroke; Horizontal; 7.2cid\118cc; 1 Cyl.; OHV				
4hp;GX120K1	415 / RN9YC	300 / N9YC	415ECO	0.030in
4hp;GX120UT1	415 / RN9YC	300 / N9YC	415ECO	0.030in
4hp;GX120UT2	415 / RN9YC	300 / N9YC	415ECO	0.030in
WDP30XK2; 4 Stroke; Horizontal; 7.2cid\118cc; 1 Cyl.; OHV				
4hp;GX120K1	415 / RN9YC	300 / N9YC	415ECO	0.030in
4hp;GX120UT1	415 / RN9YC	300 / N9YC	415ECO	0.030in
4hp;GX120UT2	415 / RN9YC	300 / N9YC	415ECO	0.030in
WDP30XT; GX-Series; 4 Stroke; Horizontal; 7.2cid\118cc; 1 Cyl.; OHV				
4hp;GX120K1	415 / RN9YC	300 / N9YC	415ECO	0.030in
WH15X; 4 Stroke; Horizontal; 7.2cid\118cc; 1 Cyl.; OHV				
4hp;GX120K1	415 / RN9YC	300 / N9YC	415ECO	0.030in
WH15X; GX-Series; 4 Stroke; Horizontal; 6.5cid\107cc; 1 Cyl.; OHV				
3.5hp;GX110	415 / RN9YC	300 / N9YC	415ECO	0.030in
WH15XK1; GX-Series; 4 Stroke; Horizontal; 7.2cid\118cc; 1 Cyl.; OHV				
4hp;GX120K1	415 / RN9YC	300 / N9YC	415ECO	0.030in
WH15XT; GX-Series; 4 Stroke; Horizontal; 7.2cid\118cc; 1 Cyl.; OHV				
4hp;GX120T;5.4 ft.-lb. Torque	415 / RN9YC	300 / N9YC	415ECO	
WH20X; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
5.5hp;GX160K1	415 / RN9YC	300 / N9YC	415ECO	0.030in
WH20X; GX-Series; 4 Stroke; Horizontal; 8.8cid\144cc; 1 Cyl.; OHV				
5hp;GX140	415 / RN9YC	300 / N9YC	415ECO	0.030in



PUMPS, COMPRESSORS, & REFRIGERATION UNITS
POMES, COMPRESSEURS ET UNITÉS DE RÉFRIGÉRATION
BOMBAS, COMPRESORES Y UNIDADES DE REFRIGERACIÓN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
WH20XK1; GX-Series; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
5.5hp;GX160K1	415 / RN9YC	300 / N9YC	415ECO	0.030in
WH20XT; GX-Series; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
5.5hp;GX160T	415 / RN9YC	300 / N9YC	415ECO	0.030in
WL20XH; 4 Stroke; 9.9cid\163cc; 1 Cyl.; OHV				
4.8hp;GP160	415 / RN9YC	300 / N9YC	415ECO	0.030in
WL30XH; 4 Stroke; 9.9cid\163cc; 1 Cyl.; OHV				
4.8hp;GP160	415 / RN9YC	300 / N9YC	415ECO	0.030in
WMP20X; GX-Series; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
5.5hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
WMP20X1E; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
4.8hp;GX160T2	415 / RN9YC	300 / N9YC	415ECO	0.030in
WMP20XE; GX-Series; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
5.5hp;GX160K1	415 / RN9YC	7415 / RN9PYP	415ECO	0.030in
WMP20XE1T; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
4.8hp;GX160T2	415 / RN9YC	300 / N9YC	415ECO	0.030in
WN20; GC-Series; 4 Stroke; Horizontal; 8.2cid\135cc; 1 Cyl.; OHC				
4hp;GC135	415 / RN9YC	300 / N9YC	415ECO	0.030in
WN20A				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
WN30; GC-Series; 4 Stroke; Horizontal; 9.8cid\160cc; 1 Cyl.; OHC				
4.6hp;GC160	415 / RN9YC	300 / N9YC	415ECO	0.030in
WN30A				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
WP20; G-Series; 4 Stroke; 12cid\197cc; 1 Cyl.; L-HEAD				
5hp;G200	929 / RL95YC	---	---	0.025in
WP20X; GX-Series; 4 Stroke; Horizontal; 7.2cid\118cc; 1 Cyl.; OHV				
4hp;GX120K1	415 / RN9YC	300 / N9YC	415ECO	0.030in
WP30X; GX-Series; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
5.5hp;GX160K1	415 / RN9YC	300 / N9YC	415ECO	0.030in
WT20X; GX-Series; 4 Stroke; Horizontal; 8.8cid\144cc; 1 Cyl.; OHV				
5hp;GX140	415 / RN9YC	300 / N9YC	415ECO	0.030in
WT20XK1; GX-Series; 4 Stroke; Horizontal; 8.8cid\144cc; 1 Cyl.; OHV				
5hp;GX140	415 / RN9YC	300 / N9YC	415ECO	0.030in
WT20XK2; GX-Series; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
5.5hp;GX160K1	415 / RN9YC	300 / N9YC	415ECO	0.030in
WT20XK3; GX-Series; 4 Stroke; Horizontal; 9.9cid\163cc; 1 Cyl.; OHV				
5.5hp;GX160K1	415 / RN9YC	300 / N9YC	415ECO	0.030in
WT30X; GX-Series; 4 Stroke; Horizontal; 14.8cid\242cc; 1 Cyl.; OHV				
8hp;GX240	415 / RN9YC	300 / N9YC	415ECO	0.030in
WT30XK1; GX-Series; 4 Stroke; Horizontal; 14.8cid\242cc; 1 Cyl.; OHV				
8hp;GX240	415 / RN9YC	300 / N9YC	415ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Honda				
WT30XK2; GX-Series; 4 Stroke; Horizontal; 14.8cid\242cc; 1 Cyl.; OHV				
8hp;GX240K1	415 / RN9YC	300 / N9YC	415ECO	0.030in
WT30XK3; GX-Series; 4 Stroke; Horizontal; 14.8cid\242cc; 1 Cyl.; OHV				
8hp;GX240K1	415 / RN9YC	300 / N9YC	415ECO	0.030in
WT30XK4; 4 Stroke; Horizontal; 16.5cid\270cc; 1 Cyl.; OHV				
9hp;GX270T2	415 / RN9YC	300 / N9YC	415ECO	0.030in
WT40X; GX-Series; 4 Stroke; Horizontal; 20.6cid\337cc; 1 Cyl.; OHV				
11hp;GX340	415 / RN9YC	300 / N9YC	415ECO	0.030in
WT40XK3; 4 Stroke; Horizontal; 23.7cid\389cc; 1 Cyl.; OHV				
11.7hp;GX390T2	415 / RN9YC	300 / N9YC	415ECO	0.030in
WX10				
	808 / Z9Y	705 / P-RZ9HC	---	0.030in
WX10A2				
	808 / Z9Y	705 / P-RZ9HC	---	0.030in
WX10A4				
	808 / Z9Y	705 / P-RZ9HC	---	0.030in
WX10T; 4 Stroke; 1.53cid\25cc; 1 Cyl.; OHC				
1.0hp;GX25T	965 / RZ7C	---	---	0.026in
WX15				
	808 / Z9Y	705 / P-RZ9HC	---	0.030in
WX15T; 4 Stroke; 2.99cid\49cc; 1 Cyl.; OHV				
2.5hp;GXH50T	808 / Z9Y	705 / P-RZ9HC	---	0.026in
Hurricane				
(Honda); OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Tecumseh)				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Husqvarna				
3100 PSI; 900 Series; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
3300 PSI; 1150 Series; 250cc; 1 Cyl.; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6030PW; (Robin/Subaru); OHC				
5.7hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in
9030PW; Horizontal; (Robin/Subaru); OHC				
9hp;EX27	830 / RL86C	933-1 / QL86C	---	0.030in
HB32 3200 PSI; 190cc; 1 Cyl.; (Briggs & Stratton); OHV				
	340 / RC7YC	---	---	0.020in
HB32 3200 PSI; 12.69cid\208cc; 1 Cyl.; (Briggs & Stratton); OHV				
13R2;12.88 ft.-lb. Torque	71 / RC12YC	946 / QC12YC	71ECO	0.030in
HH36 3600 PSI; 196cc; 1 Cyl.; (Honda); OHV				
5.5hp;GX200	322 / RN11YC4	302 / N11YC	322ECO	0.030in
HH42 4200 PSI; Horizontal; 389cc; 1 Cyl.; (Honda); OHV				
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
PW3100; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Husqvarna				
PW3300; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Hydra Storm				
(Honda); OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5.5hp	322 / RN11YC4	415 / RN9YC	322ECO	0.030in
(Tecumseh)				
10hp	871 / RJ8C	841 / J8C	---	0.030in
3.5hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
(Tecumseh); OHV				
5.5hp	104 / RN4C	803 / N4C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Hypro				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
12hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
14hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
IMC				
(Honda); OHV				
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
Industrial Engineering				
VA				
	102 / RJ6C	823 / J6C	---	0.025in
VM High Pressure				
	102 / RJ6C	823 / J6C	---	0.025in
Ingersoll-Rand				
(Honda); OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Kawasaki); OHV				
11.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Kohler)				
12.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ingersoll-Rand				
12				
	541 / RD16	516 / D16	---	0.025in
16A				
	541 / RD16	516 / D16	---	0.025in
18				
	541 / RD16	516 / D16	---	0.025in
1KA315				
	589 / W89D	---	---	0.035in
24				
	541 / RD16	516 / D16	---	0.025in
2420F11G; (Kohler)				
	854 / RH10C	844 / H10C	---	0.025in
315; (Waukesha)				
140GS	541 / RD16	516 / D16	---	0.025in
3-R-30				
	871 / RJ8C	841 / J8C	---	0.025in
3-R-36				
	871 / RJ8C	841 / J8C	---	0.025in
55				
	541 / RD16	516 / D16	---	0.025in
CR125				
	541 / RD16	516 / D16	---	0.025in
D60				
	541 / RD16	516 / D16	---	0.025in
D85				
	569 / W14	---	---	0.025in
ER210				
	541 / RD16	516 / D16	---	0.025in
G125; 4 Cyl.; Gas; (IHC)				
40hp;UC-200	526 / RD15Y	515 / D15Y	---	0.025in
G175				
	526 / RD15Y	515 / D15Y	---	0.025in
G175; 4 Cyl.; Gas; (IHC)				
40hp;UC-200	526 / RD15Y	515 / D15Y	---	0.025in
GH160; 4 Cyl.; Gas; (IHC)				
C196	14 / RJ12YC	10 / J12YC	---	0.025in
GH85				
	102 / RJ6C	823 / J6C	---	0.025in
GIH160				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
GK				
	541 / RD16	516 / D16	---	0.025in
GK105				
	569 / W14	---	---	0.025in
GKA160				
	541 / RD16	516 / D16	---	0.025in
GKA210				
	541 / RD16	516 / D16	---	0.025in
GKA315				
	541 / RD16	516 / D16	---	0.025in
GKA500				
	541 / RD16	516 / D16	---	0.025in



PUMPS, COMPRESSORS, & REFRIGERATION UNITS
POMPES, COMPRESSEURS ET UNITÉS DE RÉFRIGÉRATION
BOMBAS, COMPRESORES Y UNIDADES DE REFRIGERACIÓN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ingersoll-Rand				
GKAC				
	541 / RD16	516 / D16	---	0.025in
GKRC				
	541 / RD16	516 / D16	---	0.025in
GKRC16				
	541 / RD16	516 / D16	---	0.025in
GKRC8				
	569 / W14	---	---	0.025in
GR105; (Waukesha)				
140GS	541 / RD16	516 / D16	---	0.025in
GR250; (Waukesha)				
WAKO	541 / RD16	516 / D16	---	0.025in
GR85; (Waukesha)				
140GS	541 / RD16	516 / D16	---	0.025in
GRA125				
	871 / RJ8C	841 / J8C	---	0.025in
GRB125				
	871 / RJ8C	841 / J8C	---	0.025in
GRR150; 4 Cyl.; Gas; (IHC)				
40hp;UC-200	526 / RD15Y	515 / D15Y	---	0.025in
GRR160				
	526 / RD15Y	515 / D15Y	---	0.025in
GRR160; (White-Hercules)				
G2300	102 / RJ6C	823 / J6C	---	0.025in
GRR160; 4 Cyl.; Gas; (IHC)				
40hp;UC-200	526 / RD15Y	515 / D15Y	---	0.025in
GRR85; (White-Hercules)				
G1600	102 / RJ6C	823 / J6C	---	0.025in
GRR85; 4 Cyl.; Gas; (IHC)				
UC-135B	526 / RD15Y	515 / D15Y	---	0.025in
GRRH85				
	102 / RJ6C	823 / J6C	---	0.025in
GXL175				
	102 / RJ6C	823 / J6C	---	0.025in
IK315				
	589 / W89D	---	---	0.035in
IKA210				
	589 / W89D	---	---	0.035in
IKA500				
	589 / W89D	---	---	0.035in
IKQ				
	589 / W89D	---	---	0.035in
K500				
	541 / RD16	516 / D16	---	0.025in
MF185				
	541 / RD16	516 / D16	---	0.025in
P100WF; 2.3L; (Ford)				
	401 / RS12YC	7963 / RS12PYPB5	---	0.044in
P-100-W-W				
	871 / RJ8C	841 / J8C	---	0.030in
P-125-W-W; (White-Hercules)				
G1600	871 / RJ8C	841 / J8C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Ingersoll-Rand				
P-175-W-W				
	871 / RJ8C	841 / J8C	---	0.030in
T40				
	541 / RD16	516 / D16	---	0.025in
XL-SPL; (Waukesha)				
WAKO	541 / RD16	516 / D16	---	0.025in
IPT				
(Honda); OHV				
5.5hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	868 / RJ19LM	861ECO	0.030in
Jacuzzi				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	868 / RJ19LM	861ECO	0.030in
(Wisconsin)				
S10D	541 / RD16	516 / D16	---	0.025in
S8D	541 / RD16	516 / D16	---	0.025in
2 Cyl.; (Wisconsin)				
16.8hp;THD	541 / RD16	516 / D16	---	0.025in
10M				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
15M				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
15ZJH				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
12RM2				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
20M				
	541 / RD16	516 / D16	---	0.025in
25M				
	541 / RD16	516 / D16	---	0.025in
30M				
	541 / RD16	516 / D16	---	0.025in
5M				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
8M				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Jaeger				
with 14mm Diameter Threads	592 / RJ12C	511 / J11C	---	0.025in
(Stover)				
	541 / RD16	516 / D16	---	0.025in
(Wisconsin)				
VE4	541 / RD16	516 / D16	---	0.030in
1 Cyl.; (Wisconsin)				
AG	541 / RD16	516 / D16	---	0.030in
AGH	541 / RD16	516 / D16	---	0.030in
Jenny				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Kohler)				
14hp	854 / RH10C	844 / H10C	---	0.030in
4hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Jenny				
1200				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
1800				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3000				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Series 900				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
John Deere				
15				
	871 / RJ8C	841 / J8C	---	0.025in
20 Portable				
	871 / RJ8C	841 / J8C	---	0.025in
235AP				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
235CP				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
235CT				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
250AP				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3800 PSI; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	404 / RN12YC	38 / N12YC	322ECO	0.030in
A300 Compressor				
	871 / RJ8C	841 / J8C	---	0.025in
TA92				
	854 / RH10C	844 / H10C	---	0.025in
Jonsered				
WP25				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
Joy				
(Buda)				
4B-182	871 / RJ8C	841 / J8C	---	0.025in
6B-273	871 / RJ8C	841 / J8C	---	0.025in
BTH	569 / W14	---	---	0.025in
ET-350	569 / W14	---	---	0.025in
H-173;with 14mm Diameter Threads	592 / RJ12C	511 / J11C	---	0.025in
H-173;with 18mm Diameter Threads	502 / D21	---	---	0.025in
HP-205;with 14mm Diameter Threads	592 / RJ12C	511 / J11C	---	0.025in
HP-205;with 18mm Diameter Threads	502 / D21	---	---	0.025in
HP-234	523 / D23	---	---	0.025in
JK-4	569 / W14	---	---	0.025in
JL-877	569 / W14	---	---	0.025in
JV-4	569 / W14	---	---	0.025in
JV-6	569 / W14	---	---	0.025in
(Case)				
SE;with 14mm Diameter Threads	592 / RJ12C	511 / J11C	---	0.025in
SE;with 18mm Diameter Threads	502 / D21	---	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Joy				
(Continental)				
	541 / RD16	555 / UD16	---	0.025in
(Hercules)				
G-3400	102 / RJ6C	823 / J6C	---	0.025in
GO-339	102 / RJ6C	823 / J6C	---	0.025in
HXE	569 / W14	---	---	0.025in
6 Cyl.; Gas; (IHC)				
UD-1091	589 / W89D	---	---	0.025in
UD-16	543 / D89D	---	---	0.025in
UD-18A	589 / W89D	---	---	0.025in
UD-24	589 / W89D	---	---	0.025in
217cid; 4 Cyl.; Gas; (Buda)				
47hp;HP-217	523 / D23	---	---	0.025in
335cid; 4 Cyl.; Gas; (IHC)				
UD-9	543 / D89D	---	---	0.025in
351.2cid; L6; Gas; (Buda)				
85hp;HP-351	541 / RD16	516 / D16	---	0.025in
428cid; L6; Gas; (Buda)				
107hp;K-428	523 / D23	---	---	0.025in
524.7cid; 6 Cyl.; Gas; (Buda); OHV				
139hp;LO-525;with 14mm Diameter Threads	871 / RJ8C	841 / J8C	---	0.025in
139hp;LO-525;with 18mm Diameter Threads	523 / D23	---	---	0.025in
All Other Buda Engs.				
	518 / W18	---	---	0.025in
Karcher				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Kawasaki)				
3hp	840 / RCJ8	843 / CJ8	843ECO	0.030in
(Tecumseh)				
3.8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Tecumseh); OHV				
5hp	104 / RN4C	803 / N4C	---	0.030in
Intek; 1 Cyl.; (Briggs & Stratton)				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
2500 PSI; GC-Series; (Honda)				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
2800 PSI; GC-Series; (Honda)				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
3200 PSI; GX-Series; 4 Stroke; (Honda)				
	404 / RN12YC	38 / N12YC	322ECO	0.030in



PUMPS, COMPRESSORS, & REFRIGERATION UNITS
POMES, COMPRESSEURS ET UNITÉS DE RÉFRIGÉRATION
BOMBAS, COMPRESORES Y UNIDADES DE REFRIGERACIÓN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Kawasaki				
OHV				
4hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in
5.5hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in
8hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in
9.5hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in
Keco				
Pump-A-Head Jr.; 1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Kellogg-American				
All Model(s); (Kellogg American)				
with 14mm Diameter Threads	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
with 18mm Diameter Threads	541 / RD16	514 / D14	---	0.025in
KEW				
3002KB				
	806 / L92YC	---	---	0.025in
4203KB				
	806 / L92YC	---	---	0.025in
Kipor				
KGP20; Horizontal; OHV				
6.6hp;GK205	415 / RN9YC	300 / N9YC	415ECO	0.030in
KGP30; Horizontal; OHV				
6.6hp;GK205	415 / RN9YC	300 / N9YC	415ECO	0.030in
KGP40T; Horizontal; OHV				
GK400	415 / RN9YC	300 / N9YC	415ECO	0.030in
KMI				
(Honda); OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
9hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Robin)				
11hp	830 / RL86C	933-1 / QL86C	---	0.025in
4.8hp	830 / RL86C	933-1 / QL86C	---	0.025in
8hp	830 / RL86C	933-1 / QL86C	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Koshin				
KTH-100X; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11hp;GX340	404 / RN12YC	38 / N12YC	322ECO	0.030in
KTH-50X; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
5.5hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.028in
KTH-80X; GX-Series; 4 Stroke; Horizontal; 14.8cid/242cc; 1 Cyl.; (Honda); OHV				
8hp;GX240	404 / RN12YC	38 / N12YC	322ECO	0.030in
PGH-50; GC-Series; Horizontal; (Honda); OHC				
4hp;GC135	404 / RN12YC	38 / N12YC	322ECO	0.030in
SE-50EX; (Robin)				
4.5hp;EX13	830 / RL86C	933-1 / QL86C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Koshin				
SE-80EX; (Robin); OHC				
6hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in
SEH-25L; (Honda)				
1hp;GX25	978 / RY4C	---	---	0.024in
SEH-50T; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4hp;GX120	404 / RN12YC	38 / N12YC	322ECO	0.030in
SEH-50X; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
4hp;GX120	404 / RN12YC	38 / N12YC	322ECO	0.030in
SEH-80T; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
5.5hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.028in
SEH-80X; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
5.5hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.028in
SEM-25E; (Mitsubishi)				
0.8hp;TLE20	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.028in
SEM-50V; (Mitsubishi)				
4hp;GM132	404 / RN12YC	38 / N12YC	322ECO	0.030in
SERH-50B; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
5.5hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.028in
SERM-50V; (Mitsubishi)				
6hp;GM182	404 / RN12YC	38 / N12YC	322ECO	0.030in
Kubota				
GS130				
	806 / L92YC	---	---	0.025in
GS200				
	806 / L92YC	---	---	0.025in
GS288				
	806 / L92YC	---	---	0.025in
KVP20				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
KVP20S				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
KVP20T				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
KVP30				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
KVP30T				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
KVP40				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
KVP40T				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
Kysor Leader Evaporator Co.				
All Model(s); AH47; (Power Products)				
	871 / RJ8C	841 / J8C	---	0.025in
Lancaster				
	871 / RJ8C	841 / J8C	---	0.025in
Mini-Pump				
	846 / CJ14	---	846ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Landa				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
9hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Onan)				
24hp	909 / RS17YX	---	---	0.025in
V2; (Honda)				
20hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Leroi				
(Kohler)				
10hp	854 / RH10C	844 / H10C	---	0.025in
12hp	854 / RH10C	844 / H10C	---	0.025in
(Wisconsin)				
VH4D	541 / RD16	516 / D16	---	0.025in
2 Cyl.; (Onan)				
NHCV	538 / RH8C	587 / H8C	---	0.025in
60.0cid; 2 Cyl.; (Onan)				
14hp;NH	538 / RH8C	587 / H8C	---	0.025in
100RG1				
	526 / RD15Y	515 / D15Y	---	0.025in
105G1				
Magneto	592 / RJ12C	511 / J11C	---	0.025in
105G1T				
Magneto	592 / RJ12C	511 / J11C	---	0.025in
105G1U				
Magneto	592 / RJ12C	511 / J11C	---	0.025in
105G2				
Magneto	592 / RJ12C	511 / J11C	---	0.025in
125G1				
3/4in Reach Spark Plugs	123 / RN5C	120 / N5C	---	0.025in
125G1; Gas				
Distributor;3/8in Reach Spark Plugs	58 / RJ18YC	---	---	0.025in
Magneto;3/8in Reach Spark Plugs	592 / RJ12C	511 / J11C	---	0.025in
125G2				
Distributor;3/8in Reach Spark Plugs	58 / RJ18YC	---	---	0.025in
Magneto;3/8in Reach Spark Plugs	592 / RJ12C	511 / J11C	---	0.025in
125RG-1				
	123 / RN5C	120 / N5C	---	0.025in
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Leroi				
125RG-1; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in
125RG2				
3/4in Reach Spark Plugs	123 / RN5C	120 / N5C	---	0.025in
125TA				
3/4in Reach Spark Plugs	123 / RN5C	120 / N5C	---	0.025in
Distributor;3/8in Reach Spark Plugs	58 / RJ18YC	---	---	0.025in
Magneto;3/8in Reach Spark Plugs	592 / RJ12C	511 / J11C	---	0.025in
130RG1				
	526 / RD15Y	515 / D15Y	---	0.025in
150RG1				
	526 / RD15Y	515 / D15Y	---	0.025in
150RG2				
3/4in Reach Spark Plugs	123 / RN5C	120 / N5C	---	0.025in
Distributor;3/8in Reach Spark Plugs	58 / RJ18YC	---	---	0.025in
Magneto;3/8in Reach Spark Plugs	592 / RJ12C	511 / J11C	---	0.025in
160RG1				
	526 / RD15Y	515 / D15Y	---	0.025in
175SG1				
	526 / RD15Y	515 / D15Y	---	0.025in
250RG2				
	526 / RD15Y	515 / D15Y	---	0.025in
60G1				
Magneto	592 / RJ12C	511 / J11C	---	0.025in
75RG1				
	541 / RD16	516 / D16	---	0.025in
85G1				
3/4in Reach Spark Plugs	123 / RN5C	120 / N5C	---	0.025in
Distributor;3/8in Reach Spark Plugs	58 / RJ18YC	---	---	0.025in
Magneto;3/8in Reach Spark Plugs	592 / RJ12C	511 / J11C	---	0.025in
85RG1				
	541 / RD16	516 / D16	---	0.025in
Lesco				
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Lincoln				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Continental)				
	541 / RD16	555 / UD16	---	0.025in
(Wisconsin)				
	541 / RD16	555 / UD16	---	0.025in
Lorain				
A9				
	545 / W85N	---	---	0.025in



PUMPS, COMPRESSORS, & REFRIGERATION UNITS
POMES, COMPRESSEURS ET UNITÉS DE RÉFRIGÉRATION
BOMBAS, COMPRESORES Y UNIDADES DE REFRIGERACIÓN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Lorain				
Type 07				
	545 / W85N	---	---	0.025in
Makita				
(Robin); OHC				
EX13	830 / RL86C	933-1 / QL86C	---	0.026in
5.7hp;EX17	830 / RL86C	933-1 / QL86C	---	0.026in
(Robin); OHV				
EH025	978 / RY4C	---	---	0.028in
Horizontal; (Robin); OHC				
9hp;EX27	830 / RL86C	933-1 / QL86C	---	0.026in
Slant Horizontal; (Robin); OHC				
4.3hp;EX16	830 / RL86C	933-1 / QL86C	---	0.026in
DBC340				
	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.025in
EHW120				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
EW100R; (Robin)				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.020in
EW1050H				
	978 / RY4C	---	---	0.028in
EW1050HG				
	978 / RY4C	---	---	0.028in
EW1060H				
	978 / RY4C	---	---	0.028in
EW1060HG				
	978 / RY4C	---	---	0.028in
EW120R; (Robin); OHV				
EH025	978 / RY4C	---	---	0.028in
EW200R; (Robin)				
EY15D	830 / RL86C	933-1 / QL86C	---	0.025in
EW200TR; (Robin)				
EY20D	830 / RL86C	933-1 / QL86C	---	0.025in
EW2050H; Slant Horizontal; (Robin); OHC				
4.3hp;EX16	830 / RL86C	933-1 / QL86C	---	0.026in
EW2051H; Slant Horizontal; (Robin); OHC				
4.3hp;EX16	830 / RL86C	933-1 / QL86C	---	0.026in
EW220R; (Robin); OHC				
EX13	830 / RL86C	933-1 / QL86C	---	0.026in
EW300R; (Robin)				
EY20D	830 / RL86C	933-1 / QL86C	---	0.025in
EW300TR; (Robin)				
EY26D	327 / RL87YC	934-1 / QL87YC	---	0.025in
EW3050H; (Robin); OHC				
5.7hp;EX17	830 / RL86C	933-1 / QL86C	---	0.026in
EW3051H; (Robin); OHC				
5.7hp;EX17	830 / RL86C	933-1 / QL86C	---	0.026in
EW310TR				
	830 / RL86C	933-1 / QL86C	---	0.025in
EW320TR; Horizontal; (Robin); OHC				
9hp;EX27	830 / RL86C	933-1 / QL86C	---	0.026in
EW400TR; (Robin)				
EY40D	327 / RL87YC	934-1 / QL87YC	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Mall				
	102 / RJ6C	871 / RJ8C	---	0.025in
Mark				
-20				
	830 / RL86C	933-1 / QL86C	---	0.025in
-30				
	830 / RL86C	933-1 / QL86C	---	0.025in
-40				
	830 / RL86C	933-1 / QL86C	---	0.025in
QP-15				
	830 / RL86C	933-1 / QL86C	---	0.025in
QP-60				
	871 / RJ8C	841 / J8C	---	0.025in
Maruyama				
ML23P				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.024in
MP2500E2				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
MP2520EZM				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
MP2531CE-1CA				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
MP2532E2				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.030in
MP4020EH				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MP5020EH				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MP8010EH				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
MP8020EH				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MS154-50P; (Honda)				
2.2hp	846 / CJ14	---	846ECO	0.030in
MS154-50PTR; (Honda)				
2.2hp	846 / CJ14	---	846ECO	0.030in
MS154PS100; (Honda)				
2.2hp	846 / CJ14	---	846ECO	0.030in
MS154PS30; (Honda)				
2.2hp	846 / CJ14	---	846ECO	0.030in
MS154PS50; (Honda)				
2.2hp	846 / CJ14	---	846ECO	0.030in
MS330-100P; (Honda)				
4hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
MS330-100PBU; (Honda)				
4hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
MS330PS100; (Honda)				
4hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
MS330PS50; (Honda)				
4hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
MS413-100P; (Honda)				
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
MS413-200P; (Honda)				
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Maruyama				
MS413PS100; (Honda)				
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
MS413PS50; (Honda)				
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
Master				
10M				
	541 / RD16	516 / D16	---	0.025in
17M				
	541 / RD16	516 / D16	---	0.025in
20M				
	502 / D21	---	---	0.025in
30M				
	541 / RD16	516 / D16	---	0.025in
40M				
	541 / RD16	516 / D16	---	0.025in
40MW				
	854 / RH10C	844 / H10C	---	0.025in
5M				
	871 / RJ8C	841 / J8C	---	0.025in
90MW; 240cid; (Ford)				
	129 / RF10C	---	---	0.025in
90MW; 256cid; (Ford)				
	123 / RN5C	120 / N5C	---	0.025in
MK70				
	871 / RJ8C	841 / J8C	---	0.025in
ML153				
	871 / RJ8C	841 / J8C	---	0.025in
ML203				
	871 / RJ8C	841 / J8C	---	0.025in
ML305				
	871 / RJ8C	841 / J8C	---	0.025in
ML307				
	871 / RJ8C	841 / J8C	---	0.025in
ML309				
	871 / RJ8C	841 / J8C	---	0.025in
ML4014				
	541 / RD16	516 / D16	---	0.025in
MR2D1				
	871 / RJ8C	841 / J8C	---	0.025in
MR3D1				
	871 / RJ8C	841 / J8C	---	0.025in
McCulloch				
	102 / RJ6C	823 / J6C	---	0.025in
200				
	871 / RJ8C	841 / J8C	---	0.025in
300				
	871 / RJ8C	841 / J8C	---	0.025in
400				
	871 / RJ8C	841 / J8C	---	0.025in
7FP				
Normal Service	871 / RJ8C	841 / J8C	---	0.025in
Severe Service	102 / RJ6C	823 / J6C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
McCulloch				
Aqua Mac				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Model 150				
	871 / RJ8C	841 / J8C	---	0.025in
Pro Deluxe				
	865 / RDJ8J	847 / DJ8J	847ECO	0.025in
Mcgowan				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Clinton)				
	871 / RJ8C	841 / J8C	---	0.025in
(Continental)				
	541 / RD16	516 / D16	---	0.025in
(Leroi)				
	592 / RJ12C	511 / J11C	---	0.025in
(Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
Michigan Power Cleaning				
OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Midco Pumps				
	871 / RJ8C	841 / J8C	---	0.025in
Mi-T-M				
(Honda); OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
6.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
9hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
11hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
14hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Vertical; (Honda); OHV				
5hp;GC150V	415 / RN9YC	415 / RN9YC	415ECO	0.030in



PUMPS, COMPRESSORS, & REFRIGERATION UNITS
POMES, COMPRESSEURS ET UNITÉS DE RÉFRIGÉRATION
BOMBAS, COMPRESORES Y UNIDADES DE REFRIGERACIÓN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Mitsubishi				
MP050				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MP080				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
MP-100				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
MP-25				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
MP-40				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
MP-50				
4hp;GM132P	840 / RCJ8	843 / CJ8	843ECO	0.025in
MP-80				
6hp;GM182P	840 / RCJ8	843 / CJ8	843ECO	0.025in
MPT080				
8hp;GM291PN	404 / RN12YC	38 / N12YC	322ECO	0.030in
MPT100				
10hp;GM301PN	404 / RN12YC	38 / N12YC	322ECO	0.030in
Monarch				
10MG				
	830 / RL86C	933-1 / QL86C	---	0.025in
12MG				
	541 / RD16	516 / D16	---	0.025in
12MGW				
	541 / RD16	516 / D16	---	0.025in
17MG				
	541 / RD16	516 / D16	---	0.025in
20MGA				
	541 / RD16	516 / D16	---	0.025in
20MGS				
	541 / RD16	516 / D16	---	0.025in
2JAG				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
2JG				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
3JAG				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
3JG				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
40MGTJ				
	541 / RD16	516 / D16	---	0.025in
40MGV				
	541 / RD16	516 / D16	---	0.025in
5ACGF-6				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
5ACGF-8				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
5BSGF-8				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
73-2PWB				
	541 / RD16	516 / D16	---	0.025in
73-2PWF				
	541 / RD16	516 / D16	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Monarch				
73EDB				
	541 / RD16	516 / D16	---	0.025in
73EDF				
	541 / RD16	516 / D16	---	0.025in
74-2PWB				
	541 / RD16	516 / D16	---	0.025in
74-2PWF				
	541 / RD16	516 / D16	---	0.025in
772G				
	541 / RD16	516 / D16	---	0.025in
772GW				
	541 / RD16	516 / D16	---	0.025in
773GA				
	541 / RD16	516 / D16	---	0.025in
773GBA				
	541 / RD16	516 / D16	---	0.025in
773GBS				
	541 / RD16	516 / D16	---	0.025in
774GTJ				
	541 / RD16	516 / D16	---	0.025in
774GV				
	541 / RD16	516 / D16	---	0.025in
776G				
	541 / RD16	516 / D16	---	0.025in
776GV				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
8MG				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
90MG				
	541 / RD16	516 / D16	---	0.025in
90MGV				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
ACG-4				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
ACG-5				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
ACG-6				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
AGG-4				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
AGG-5				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
AGG-6				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
AOG-4				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
AOG-5				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
AOG-6				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
BSG-4				
	840 / RCJ8	843 / CJ8	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Monarch				
BSG-5				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
BSG-6				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
BSG-8				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
BSG8R				
	830 / RL86C	933-1 / QL86C	---	0.025in
BSGF-6				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
BSGF-8				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
BVG-4				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
BVG-5				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
BVG-6				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
BVG-8				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
E12MG				
	541 / RD16	516 / D16	---	0.025in
E17MG				
	541 / RD16	516 / D16	---	0.025in
E20MGA				
	541 / RD16	516 / D16	---	0.025in
E20MGS				
	541 / RD16	516 / D16	---	0.025in
E40MG TJ				
	541 / RD16	516 / D16	---	0.025in
E40MGV				
	541 / RD16	516 / D16	---	0.025in
E772G				
	541 / RD16	516 / D16	---	0.025in
E772GW				
	541 / RD16	516 / D16	---	0.025in
E773GA				
	541 / RD16	516 / D16	---	0.025in
E773GBA				
	541 / RD16	516 / D16	---	0.025in
E773GBS				
	541 / RD16	516 / D16	---	0.025in
E774GTJ				
	541 / RD16	516 / D16	---	0.025in
E774GV				
	541 / RD16	516 / D16	---	0.025in
EFFN20				
	541 / RD16	516 / D16	---	0.025in
EFFN30				
	541 / RD16	516 / D16	---	0.025in
EFFN40				
	541 / RD16	516 / D16	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Monarch				
EFFS20				
	541 / RD16	516 / D16	---	0.025in
ENG30W				
	541 / RD16	516 / D16	---	0.025in
ENG37W				
	541 / RD16	516 / D16	---	0.025in
ENG8W				
	541 / RD16	516 / D16	---	0.025in
ENG9W				
	541 / RD16	516 / D16	---	0.025in
ENSPG8W				
	541 / RD16	516 / D16	---	0.025in
FFN20				
	541 / RD16	516 / D16	---	0.025in
FFN25				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
FFN30				
	541 / RD16	516 / D16	---	0.025in
FFN40				
	541 / RD16	516 / D16	---	0.025in
FFS15				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
FFS20				
	541 / RD16	516 / D16	---	0.025in
NG1.5L8S				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
NG16R				
	871 / RJ8C	841 / J8C	---	0.025in
NG2.5L8S				
	541 / RD16	516 / D16	---	0.025in
NG2.5M9S; (Robin)				
EY21W	871 / RJ8C	841 / J8C	---	0.025in
NG2.5M9S; (Wisconsin)				
S14D	541 / RD16	516 / D16	---	0.025in
NG2L8S				
	541 / RD16	516 / D16	---	0.025in
NG30W				
	541 / RD16	516 / D16	---	0.025in
NG37W				
	541 / RD16	516 / D16	---	0.025in
NG3L11S				
	541 / RD16	516 / D16	---	0.025in
NG4L13S				
	541 / RD16	516 / D16	---	0.025in
NG5B				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
NG8W				
	541 / RD16	516 / D16	---	0.025in
NG9W				
	541 / RD16	516 / D16	---	0.025in
NSPG5B				
	840 / RCJ8	843 / CJ8	843ECO	0.025in



PUMPS, COMPRESSORS, & REFRIGERATION UNITS
POMES, COMPRESSEURS ET UNITÉS DE RÉFRIGÉRATION
BOMBAS, COMPRESORES Y UNIDADES DE REFRIGERACIÓN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Monarch				
NSPG8W				
	541 / RD16	516 / D16	---	0.025in
PBG-12				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
PBG-6				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
PBG-8				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
PBGF-12				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
PBGF-6				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
PBGF-8				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
MP Pumps				
(Honda); OHV				
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Tecumseh)				
3.8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
MQ Power				
(Honda); OHV				
11hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
3.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
8hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
(Robin)				
EY-28W	830 / RL86C	933-1 / QL86C	---	0.025in
EY-44W	830 / RL86C	933-1 / QL86C	---	0.025in
(Wisconsin)				
3.5hp	830 / RL86C	933-1 / QL86C	---	0.025in
4.6hp	830 / RL86C	933-1 / QL86C	---	0.025in
MTA				
(Honda); OHV				
11hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in
13hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in
5.5hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in
9hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in
V2; (Honda)				
18hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in
NorthStar				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	868 / RJ19LM	861ECO	0.030in
(Honda); OHV				
11hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in
13hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in
4hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in
5hp	415 / RN9YC	415 / RN9YC	415ECO	0.030in
5.5hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in
6.5hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in
(Robin)				
	830 / RL86C	830 / RL86C	---	0.025in
(Tecumseh)				
10hp	868 / RJ19LM	868 / RJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
NorthStar				
(Tecumseh)				
5hp	868 / RJ19LM	868 / RJ19LM	861ECO	0.030in
8hp	871 / RJ8C	871 / RJ8C	---	0.030in
(Tecumseh); OHV				
5.5hp	104 / RN4C	104 / RN4C	---	0.030in
V2; (Honda)				
18hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	71 / RC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
13hp	71 / RC12YC	71 / RC12YC	71ECO	0.030in
9hp	71 / RC12YC	71 / RC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	431 / RC14YC	71ECO	0.030in
Novo				
133				
	871 / RJ8C	841 / J8C	---	0.025in
3W2				
	541 / RD16	516 / D16	---	0.025in
47				
	541 / RD16	514 / D14	---	0.025in
4W				
	541 / RD16	516 / D16	---	0.025in
4W2				
	541 / RD16	516 / D16	---	0.025in
66				
	541 / RD16	514 / D14	---	0.025in
95				
	541 / RD16	514 / D14	---	0.025in
A-16				
with 18mm Diameter Threads	541 / RD16	514 / D14	---	0.025in
AD3W Diaphragm				
	541 / RD16	516 / D16	---	0.025in
AU Pressure				
	541 / RD16	516 / D16	---	0.025in
BA-23				
	102 / RJ6C	823 / J6C	---	0.025in
CA-33				
with 18mm Diameter Threads	541 / RD16	514 / D14	---	0.025in
CW Series 33				
	541 / RD16	514 / D14	---	0.025in
DA-33				
with 14mm Diameter Threads	102 / RJ6C	823 / J6C	---	0.025in
with 18mm Diameter Threads	541 / RD16	514 / D14	---	0.025in
DV				
	592 / RJ12C	511 / J11C	---	0.025in
DW Pressure				
	592 / RJ12C	511 / J11C	---	0.025in
L10M-2				
	541 / RD16	516 / D16	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Novo				
L15M-3				
	541 / RD16	516 / D16	---	0.025in
L20M-3 Pronto Prime				
	541 / RD16	516 / D16	---	0.025in
L30M-4				
	541 / RD16	516 / D16	---	0.025in
L3M-11/2				
	871 / RJ8C	841 / J8C	---	0.025in
L40M-4N Pronto Prime				
	541 / RD16	516 / D16	---	0.025in
L9M-6C Pronto Pump				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
Oldest Models				
1/2in Reach -14 Pipe Threads 21mm Diameter Threads	425 / X	525 / 25	---	0.025in
O & R				
Online				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Ohler				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Clinton)				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
Olympia Ross				
Fire Pump Type-D				
	541 / RD16	514 / D14	---	0.025in
Olympyk				
PA1030				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PA1040				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
PA1100H				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SA18				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SA30				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
SA45				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.025in
Onan				
AJ-MC				
	538 / RH8C	587 / H8C	---	0.025in
CCK-MC; 2 Cyl.				
	538 / RH8C	587 / H8C	---	0.025in
J60-13-MCHV				
	538 / RH8C	---	---	0.025in
J60-13-MCHV; 2 Cyl.				
	587 / H8C	---	---	0.025in
LK-MC; 1 Cyl.				
	538 / RH8C	587 / H8C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Otterbine				
1 Cyl.; (Briggs & Stratton); L-HEAD				
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Pacer				
(Honda); OHV				
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Kohler); OHV				
8.5hp	405 / RN14YC	3405 / RN14PMC	---	0.030in
(Tecumseh)				
7hp	871 / RJ8C	841 / J8C	---	0.030in
8hp	871 / RJ8C	841 / J8C	---	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
3hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
3.5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
5.5hp;GX160	415 / RN9YC	300 / N9YC	415ECO	0.030in
Intek; 1 Cyl.; (Briggs & Stratton)				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
8hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Pacific Hydrostar				
(Honda); OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Pacific Pumper				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Wisconsin)				
	541 / RD16	516 / D16	---	0.030in
5A				
	871 / RJ8C	841 / J8C	---	0.025in
6Y-8				
	592 / RJ12C	511 / J11C	---	0.025in
A				
with 18mm Diameter Threads	509 / D9	---	---	0.025in
BE				
	871 / RJ8C	841 / J8C	---	0.025in
GA				
	102 / RJ6C	823 / J6C	---	0.025in
MK-2				
	509 / D9	---	---	0.025in



PUMPS, COMPRESSORS, & REFRIGERATION UNITS
POMES, COMPRESSEURS ET UNITÉS DE RÉFRIGÉRATION
BOMBAS, COMPRESORES Y UNIDADES DE REFRIGERACIÓN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Pacific Pumper				
MK-25				
	509 / D9	---	---	0.025in
MK-26				
	814 / RL82YC	931-1 / QL82C	---	0.025in
MK-2M				
	509 / D9	---	---	0.025in
MK-3				
	509 / D9	---	---	0.025in
MK-75				
	509 / D9	---	---	0.025in
MK-I				
	102 / RJ6C	823 / J6C	---	0.025in
N				
with 18mm Diameter Threads	509 / D9	---	---	0.025in
NY				
with 18mm Diameter Threads	509 / D9	---	---	0.025in
S				
	871 / RJ8C	841 / J8C	---	0.025in
TJD-14S				
	541 / RD16	516 / D16	---	0.025in
TSA-8				
	541 / RD16	516 / D16	---	0.025in
U				
with 18mm Diameter Threads	509 / D9	---	---	0.025in
WA				
	541 / RD16	516 / D16	---	0.030in
WGC-4				
	541 / RD16	516 / D16	---	0.025in
WX				
	541 / RD16	516 / D16	---	0.030in
Y				
with 18mm Diameter Threads	509 / D9	---	---	0.025in
YB				
with 18mm Diameter Threads	509 / D9	---	---	0.025in
Z				
	569 / W14	---	---	0.025in
with 14mm Diameter Threads	102 / RJ6C	823 / J6C	---	0.025in
with 18mm Diameter Threads	509 / D9	---	---	0.025in
with 7/8in Diameter Threads	569 / W14	---	---	
Plus Power				
(Wisconsin)				
3hp	830 / RL86C	830 / RL86C	---	0.025in
5hp	830 / RL86C	830 / RL86C	---	0.025in
8hp	830 / RL86C	830 / RL86C	---	0.025in
1040W				
	830 / RL86C	933-1 / QL86C	---	0.025in
4090W				
	830 / RL86C	933-1 / QL86C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Plus Power				
DEP5013				
	830 / RL86C	933-1 / QL86C	---	0.025in
DEP8018				
	830 / RL86C	933-1 / QL86C	---	0.025in
Polaris				
(Robin)				
	871 / RJ8C	841 / J8C	---	0.025in
P101; (Robin)				
8.5hp;EH025	830 / RL86C	933-1 / QL86C	---	0.025in
P201; (Robin)				
4.5hp;EX13	830 / RL86C	933-1 / QL86C	---	0.025in
P201T; (Robin); OHC				
6hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in
P301; (Robin)				
6hp;EX18	830 / RL86C	933-1 / QL86C	---	0.025in
P301T; Horizontal; (Robin); OHC				
9hp;EX27	830 / RL86C	933-1 / QL86C	---	0.025in
PP205T; (Robin); OHC				
6hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in
PPS205; (Robin)				
4.5hp;EX13	830 / RL86C	933-1 / QL86C	---	0.025in
PPS305; (Robin); OHC				
6hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in
PPS305D; (Robin); OHV				
4hp;EH12	104 / RN4C	803 / N4C	---	0.030in
PPS305T; Horizontal; (Robin); OHC				
9hp;EX27	830 / RL86C	933-1 / QL86C	---	0.025in
Porter Cable				
PCH1140; (Honda); OHC				
5.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
PCH2401; (Honda); OHC				
5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
PCH2600C; (Honda)				
6.5hp;CS	415 / RN9YC	300 / N9YC	415ECO	0.030in
PCH3500C; (Honda)				
13hp;CS	404 / RN12YC	38 / N12YC	322ECO	0.030in
PCH3600GRC; (Honda)				
13hp;CS	404 / RN12YC	38 / N12YC	322ECO	0.030in
Porto-Pump				
Camel Model				
	541 / RD16	516 / D16	---	0.025in
Standard				
	541 / RD16	516 / D16	---	0.025in
Poulan Pumps				
3H-151				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
3H-5M				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
3H-8M				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
5H-10M				
	840 / RCJ8	843 / CJ8	843ECO	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Poulan Pumps				
5H-173				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
5H-212T				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Power Pak				
	592 / RJ12C	511 / J11C	---	0.025in
Pressure Queen				
	592 / RJ12C	511 / J11C	---	0.025in
Pumptec				
(Tecumseh)				
3.8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Redline				
SA18				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
SA30				
	859 / RCJ7Y	853 / CJ7Y	843ECO	0.030in
SA45				
	840 / RCJ8	843 / CJ8	843ECO	0.030in
Remington				
	102 / RJ6C	823 / J6C	---	0.025in
Rex				
40MW; (Continental)				
	541 / RD16	516 / D16	---	0.025in
Robco				
Rascal				
	102 / RJ6C	823 / J6C	---	0.025in
Robin				
EC025GR				
	830 / RL86C	933-1 / QL86C	---	0.025in
EC041ETR				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
PKV101				
	814 / RL82YC	931-1 / QL82C	---	0.025in
PKX201				
	814 / RL82YC	931-1 / QL82C	---	0.025in
PKX201H				
	814 / RL82YC	931-1 / QL82C	---	0.025in
PKX201ST				
	814 / RL82YC	931-1 / QL82C	---	0.025in
PKX201T				
	814 / RL82YC	931-1 / QL82C	---	0.025in
PKX301				
	814 / RL82YC	931-1 / QL82C	---	0.025in
PKX301ST				
	814 / RL82YC	931-1 / QL82C	---	0.025in
PT305T				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
PTG109				
	830 / RL86C	933-1 / QL86C	---	0.025in
PTV205				
	104 / RN4C	803 / N4C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Robin				
PTV205H				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
PTV205ST				
	104 / RN4C	803 / N4C	---	0.025in
PTV205T				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
PTV305				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
PTV305D				
	104 / RN4C	803 / N4C	---	0.025in
PTV305ST				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
PTV405				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
PTV405T				
	415 / RN9YC	300 / N9YC	415ECO	0.025in
RGV12000				
	415 / RN9YC	300 / N9YC	415ECO	0.025in
RGV13000T				
	415 / RN9YC	300 / N9YC	415ECO	0.025in
SD04				
	814 / RL82YC	931-1 / QL82C	---	0.025in
SD04-2B				
	814 / RL82YC	931-1 / QL82C	---	0.025in
SD06				
	830 / RL86C	933-1 / QL86C	---	0.025in
SD06-B				
	830 / RL86C	933-1 / QL86C	---	0.025in
SDE04				
	814 / RL82YC	931-1 / QL82C	---	0.025in
SDE041				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
SDT250				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
SDT400				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
SP06B				
	830 / RL86C	933-1 / QL86C	---	0.025in
Roiline				
A114				
	592 / RJ12C	511 / J11C	---	0.025in
Sanborn				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Schramm				
100 Pneumapower				
	91 / H14Y	---	---	0.030in
105; (IHC)				
U-6	541 / RD16	516 / D16	---	0.025in



PUMPS, COMPRESSORS, & REFRIGERATION UNITS
POMES, COMPRESSEURS ET UNITÉS DE RÉFRIGÉRATION
BOMBAS, COMPRESORES Y UNIDADES DE REFRIGERACIÓN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Schramm				
105; 217cid; 4 Cyl.; Gas; (Buda)				
47hp;HP-217	541 / RD16	516 / D16	---	0.025in
125				
	526 / RD15Y	515 / D15Y	---	0.030in
125 GOH				
	854 / RH10C	844 / H10C	---	0.025in
125 Pneumapower				
	541 / RD16	516 / D16	---	0.025in
125 Pneumatic Diesel; 6 Cyl.				
	597 / K97F	---	---	0.025in
160 Pneumapower				
	526 / RD15Y	515 / D15Y	---	0.030in
20				
	541 / RD16	555 / UD16	---	0.025in
210; (Buda)				
LS-525	541 / RD16	516 / D16	---	0.025in
210; 4 Cyl.; Gas; (IHC)				
UD-14A	589 / W89D	---	---	0.025in
250; Diesel				
	589 / W89D	---	---	0.025in
250 Pneumatic; Diesel				
	589 / W89D	---	---	0.025in
250 Pneumatractor; Diesel				
	589 / W89D	---	---	0.025in
250 Unistage				
	541 / RD16	555 / UD16	---	0.025in
315; (Buda)				
MS-766	102 / RJ6C	823 / J6C	---	0.025in
315; (IHC)				
PD-40	589 / W89D	---	---	0.025in
PD-80	589 / W89D	---	---	0.025in
315; 6 Cyl.; Gas; (IHC)				
UD-18A	589 / W89D	---	---	0.025in
35				
	541 / RD16	555 / UD16	---	0.025in
40 Pneumapower				
	541 / RD16	555 / UD16	---	0.025in
60				
	91 / H14Y	---	---	0.030in
600; 6 Cyl.; Gas; (IHC)				
UD-1091	589 / W89D	---	---	0.025in
UD-24A	589 / W89D	---	---	0.025in
600TC				
	589 / W89D	---	---	0.025in
75				
	91 / H14Y	---	---	0.030in
80				
	91 / H14Y	---	---	0.030in
85				
	91 / H14Y	---	---	0.030in
Fordair				
	854 / RH10C	844 / H10C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Shark				
(Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.025in
(Honda)				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
20hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
24hp	404 / RN12YC	---	---	0.028in
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
6.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
9hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Honda); OHV				
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
(Robin/Subaru); OHC				
5.7hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in
7hp;EX21	830 / RL86C	933-1 / QL86C	---	0.025in
Quantum; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
BG Series; (Honda)				
11hp	301 / RN9YC4	415 / RN9YC	415ECO	0.030in
13hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
6.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
9hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
BG Series; Vanguard; 1 Cyl.; (Briggs & Stratton)				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
BR Series; (Honda)				
11hp	301 / RN9YC4	415 / RN9YC	415ECO	0.030in
13hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
24hp	404 / RN12YC	---	---	0.028in
BR Series; Vanguard; 1 Cyl.; (Briggs & Stratton)				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
DG Series; (Honda)				
11hp	301 / RN9YC4	415 / RN9YC	415ECO	0.030in
DG Series; (Honda); OHV				
13hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
9hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
DG Series; Quantum; 1 Cyl.; (Briggs & Stratton); L-HEAD				
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
HE-CD Series; (Honda)				
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
SGP Series; (Honda)				
11hp	301 / RN9YC4	415 / RN9YC	415ECO	0.030in
13hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
9hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
SGP-Mini; (Robin/Subaru); OHC				
5.7hp;EX17	830 / RL86C	933-1 / QL86C	---	0.025in
7hp;EX21	830 / RL86C	933-1 / QL86C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Shark				
SSG Series; (Honda)				
20hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
24hp	404 / RN12YC	---	---	0.028in
SSG Series; Vanguard; 1 Cyl.; (Briggs & Stratton)				
16hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Sharpe				
	871 / RJ8C	841 / J8C	---	0.025in
(Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
Shindaiwa				
GP25				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
GP45				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
GP450				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Simpson				
(Honda); OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
6.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
9hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Kohler)				
16hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
(Robin)				
W1-185	830 / RL86C	933-1 / QL86C	---	0.025in
W1-280	327 / RL87YC	934-1 / QL87YC	---	0.025in
W1-390	830 / RL86C	933-1 / QL86C	---	0.025in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
9hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp	25 / RV17YC	3018 / RV17PMC4	---	0.025in
V2; (Honda)				
18hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
20hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
V2; (Kohler); OHV				
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
22hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp;GX200	415 / RN9YC	300 / N9YC	415ECO	0.030in
8.5hp;GX270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Horizontal; (Kohler); OHV				
14hp;CH440	71 / RC12YC	946 / QC12YC	71ECO	0.030in
6.5hp;SH265	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7hp;CH270	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9.5hp;CH395	71 / RC12YC	946 / QC12YC	71ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Simpson				
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
5.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
18hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
2200 PSI; 550 Series; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
2600 PSI; GCV-Series; (Honda)				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
3000 PSI; GCV-Series; (Honda)				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
3000 PSI; Intek; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
3100 PSI; GCV-Series; (Honda)				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
3200 PSI; GX-Series; 4 Stroke; (Honda)				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
3800 PSI; GX-Series; 4 Stroke; (Honda)				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
4000 PSI; Vanguard; 1 Cyl.; (Briggs & Stratton)				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
4200 PSI; GX-Series; 4 Stroke; (Honda)				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
5000 PSI; Commercial; GX-Series; (Honda)				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
ALH3225(-S); Horizontal; (Kohler); OHV				
6.5hp;SH265	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ALH3228(-S); GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
5.5hp;GX200	415 / RN9YC	300 / N9YC	415ECO	0.030in
ALH3425(-S); GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
5.5hp;GX200	415 / RN9YC	300 / N9YC	415ECO	0.030in
ALH3835; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
8.5hp;GX270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
ALH4033; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
8.5hp;GX270	322 / RN11YC4	302 / N11YC	322ECO	0.030in
ALH4240; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
13hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
ALK3228-S; Horizontal; (Kohler); OHV				
7hp;CH270	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ALK4033; Horizontal; (Kohler); OHV				
9.5hp;CH395	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ALK4240; Horizontal; (Kohler); OHV				
14hp;CH440	71 / RC12YC	946 / QC12YC	71ECO	0.030in
ALWB60827; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
11.7hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
ALWB60828; GX-Series; 4 Stroke; Horizontal; (Honda); OHV				
13hp;GX390	415 / RN9YC	300 / N9YC	415ECO	0.030in
Smith				
(Chrysler)				
16	592 / RJ12C	511 / J11C	---	0.025in
16A	592 / RJ12C	511 / J11C	---	0.025in



PUMPS, COMPRESSORS, & REFRIGERATION UNITS
POMES, COMPRESSEURS ET UNITÉS DE RÉFRIGÉRATION
BOMBAS, COMPRESORES Y UNIDADES DE REFRIGERACIÓN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Smith				
(Chrysler)				
22	592 / RJ12C	511 / J11C	---	0.025in
22A	592 / RJ12C	511 / J11C	---	0.025in
32	592 / RJ12C	511 / J11C	---	0.025in
8	592 / RJ12C	511 / J11C	---	0.025in
(Continental)				
B-427	541 / RD16	514 / D14	---	0.025in
F-227	541 / RD16	514 / D14	---	0.025in
F-427	541 / RD16	514 / D14	---	0.025in
R-602	509 / D9	---	---	0.025in
(Hercules)				
RXC	871 / RJ8C	841 / J8C	---	0.025in
154cid\2524cc; V4; (Wisconsin)				
37hp;VG4D	541 / RD16	514 / D14	---	0.025in
254cid; (Ford)				
	538 / RH8C	587 / H8C	---	0.025in
302cid; (Ford)				
	129 / RF10C	---	---	0.025in
15 Series; (Chrysler)				
	592 / RJ12C	511 / J11C	---	0.025in
Snapper				
(Briggs & Stratton); OHV				
6.75hp	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Intek; 1 Cyl.; (Briggs & Stratton); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Quantum Vertical; (Briggs & Stratton); L-HEAD				
6hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
7.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
020785; 208cc; 1 Cyl.; (Briggs & Stratton); OHV				
CR950	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Solo				
Floating Pump 830				
	830 / RL86C	933-1 / QL86C	---	0.025in
Spartan				
SP30				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
Sprak				
(Briggs & Stratton); L-HEAD				
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Honda); OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5hp	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
2 Cyl.; (Kohler)				
20hp	854 / RH10C	844 / H10C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Sprak				
2 Cyl.; (Kohler)				
23hp	854 / RH10C	844 / H10C	---	0.025in
V2; (Honda)				
18hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
20hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
V2; (Kohler); OHV				
18hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
20hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
25hp	71 / RC12YC	946 / QC12YC	71ECO	0.040in
Vanguard; 1 Cyl.; (Briggs & Stratton); OHV				
13hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
9hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Vanguard; V2; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
Spray Clean				
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Sterling				
with 18mm Diameter Threads	541 / RD16	516 / D16	---	0.025in
with 7/8in Diameter Threads	569 / W14	---	---	0.025in
STIHL				
P840				
	830 / RL86C	933-1 / QL86C	---	0.030in
P840; 2 Stroke; 3.4cid/56cc; 1 Cyl.				
0.375in Reach Spark Plugs	852 / RCJ6Y	972-1 / QCJ6Y	852ECO	0.020in
RB200; Courage; 4 Stroke; Vertical; (Kohler); OHV				
XT173	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RB220K				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
RB400; Courage; SH Series; Horizontal; (Kohler); OHV				
6.5hp;SH265	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RB400K				
	415 / RN9YC	300 / N9YC	415ECO	0.030in
RB600; Command Pro; 4 Stroke; Horizontal; (Kohler); OHV				
7hp;CH270	71 / RC12YC	946 / QC12YC	71ECO	0.030in
RB800; Command Pro; 4 Stroke; Horizontal; (Kohler); OHV				
14hp;CH440	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Stow				
(Honda); OHV				
4hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in
5.5hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in
8hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	868 / RJ19LM	861ECO	0.030in
8hp	868 / RJ19LM	868 / RJ19LM	861ECO	0.030in
Strunk				
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Sunset				
1 Cyl.; (Briggs & Stratton); L-HEAD				
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Tanaka				
JP-25				
	102 / RJ6C	823 / J6C	---	0.025in
MCP-50				
	102 / RJ6C	823 / J6C	---	0.025in
PCP-3				
	102 / RJ6C	823 / J6C	---	0.025in
QCP-12				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
QCP-121				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
TCP-210				
1.1hp	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
TCP-38				
	871 / RJ8C	841 / J8C	---	0.025in
TCP-381				
	871 / RJ8C	841 / J8C	---	0.025in
TCP-500				
	830 / RL86C	933-1 / QL86C	---	0.025in
TCP-600				
	830 / RL86C	933-1 / QL86C	---	0.025in
Target				
(Honda); OHV				
13hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
8hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
(Wisconsin)				
11hp	830 / RL86C	933-1 / QL86C	---	0.025in
5hp	830 / RL86C	933-1 / QL86C	---	0.025in
7.5hp	327 / RL87YC	934-1 / QL87YC	---	0.025in
Teledyne				
(Continental)				
B-427	509 / D9	---	---	0.025in
Thermo-King				
2 Cyl.; (Onan)				
NHA	123 / RN5C	120 / N5C	---	0.025in
AM				
	538 / RH8C	587 / H8C	---	0.025in
HK				
	538 / RH8C	587 / H8C	---	0.025in
KL				
	538 / RH8C	587 / H8C	---	0.025in
KW				
	538 / RH8C	587 / H8C	---	0.025in
MWC				
	541 / RD16	516 / D16	---	0.025in
NWG				
	541 / RD16	516 / D16	---	0.025in
NWG; LPG				
	541 / RD16	541 / RD16	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Thermo-King				
ROL				
	538 / RH8C	587 / H8C	---	0.025in
UK				
	538 / RH8C	587 / H8C	---	0.025in
XKL				
	538 / RH8C	587 / H8C	---	0.025in
XROL				
	538 / RH8C	587 / H8C	---	0.025in
Thomas				
3052				
	871 / RJ8C	841 / J8C	---	0.025in
3062				
	871 / RJ8C	841 / J8C	---	0.025in
T4100				
	871 / RJ8C	841 / J8C	---	0.025in
T4200				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
T8200				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Titan				
(Honda); OHV				
11hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
4hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
1 Cyl.; (Briggs & Stratton); L-HEAD				
10hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
5hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Transit				
23"x36" Double				
Acting Stationary	569 / W14	---	---	0.025in
6"x9" Vertical				
	569 / W14	---	---	0.025in
Troy-Bilt				
550 Series; (Briggs & Stratton); OHV				
90000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
GCV-Series; Vertical; (Honda); OHC				
4.4hp;GCV160	415 / RN9YC	300 / N9YC	415ECO	0.030in
5.1hp;GCV190	415 / RN9YC	300 / N9YC	415ECO	0.030in
Professional Series 800; (Briggs & Stratton); OHV				
110000	71 / RC12YC	946 / QC12YC	71ECO	0.020in
Professional Series 850; (Briggs & Stratton); OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.020in
2200 PSI; 500 Series; (Briggs & Stratton); OHV				
90000	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2500 PSI; 4 Stroke; 1 Cyl.; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.020in
2600 PSI; (Honda); OHC				
GVC160	415 / RN9YC	300 / N9YC	415ECO	0.030in
2700 PSI; 775 Professional; (Briggs & Stratton); OHV				
	71 / RC12YC	946 / QC12YC	71ECO	0.030in
2800 PSI; Professional Series 850; (Briggs & Stratton); OHV				
120000	71 / RC12YC	946 / QC12YC	71ECO	0.020in



PUMPS, COMPRESSORS, & REFRIGERATION UNITS
POMPES, COMPRESSEURS ET UNITÉS DE RÉFRIGÉRATION
BOMBAS, COMPRESORES Y UNIDADES DE REFRIGERACIÓN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Troy-Bilt				
3000 PSI; (Honda); OHC				
GVC190	415 / RN9YC	300 / N9YC	415ECO	0.030in
41050-01; 1 Cyl.; (Briggs & Stratton); OHV				
6.5hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
41056; Intek; 1 Cyl.; (Briggs & Stratton); OHV				
6hp	71 / RC12YC	946 / QC12YC	71ECO	0.030in
Tru-Kooler				
(Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
Tsurumi Pump				
(Honda); OHV				
11hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in
4hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in
5.5hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in
8hp	404 / RN12YC	404 / RN12YC	322ECO	0.030in
Tuff				
(Honda)				
5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
5.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
6.5hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
V2; (Honda)				
20hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
24hp	322 / RN11YC4	302 / N11YC	322ECO	0.030in
Vanguard; 1 Cyl.; (Briggs & Stratton)				
16hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
21hp	431 / RC14YC	946 / QC12YC	71ECO	0.030in
U.S. Motors				
USM-100-2				
2in Pump	840 / RCJ8	843 / CJ8	843ECO	0.030in
U.S.A.				
1 Cyl.; (Briggs & Stratton); L-HEAD				
3.75hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Universal				
Aquamaster				
	840 / RCJ8	843 / CJ8	843ECO	0.025in
Vacuboard				
(Honda)				
2.5hp	846 / CJ14	---	846ECO	0.030in
(Honda); OHV				
5.5hp	404 / RN12YC	38 / N12YC	322ECO	0.030in
Vigor				
139F				
	808 / Z9Y	705 / P-RZ9HC	---	0.030in
152F				
	863 / RCJ8Y	848 / CJ8Y	843ECO	0.025in
168F				
	880 / RN3C	801 / N3C	---	0.030in
168F-1				
	880 / RN3C	801 / N3C	---	0.030in
177F				
	880 / RN3C	801 / N3C	---	0.030in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Wacker				
B3000				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
B5000				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Wacker-Neuson				
PD2B				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PD3A				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
PD3B				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PG2; (Honda); OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
PG2; (Robin)				
	830 / RL86C	933-1 / QL86C	---	0.025in
PG3; (Honda); OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
PG3; (Robin)				
	830 / RL86C	933-1 / QL86C	---	0.025in
PG4; (Robin)				
	830 / RL86C	933-1 / QL86C	---	0.025in
PT2A				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
PT2B				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PT2R				
	830 / RL86C	933-1 / QL86C	---	0.025in
PT3A				
	404 / RN12YC	38 / N12YC	322ECO	0.030in
PT3B				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
PT3R				
	830 / RL86C	933-1 / QL86C	---	0.025in
PT3V				
	431 / RC14YC	946 / QC12YC	71ECO	0.030in
PT4B				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Wajax				
	569 / W14	---	---	0.025in
(Lauson)				
	871 / RJ8C	841 / J8C	---	0.025in
BE				
	871 / RJ8C	841 / J8C	---	0.025in
MK-1				
	102 / RJ6C	823 / J6C	---	0.025in
MK-2				
	509 / D9	---	---	0.025in
MK-25				
	509 / D9	---	---	0.025in
MK-26				
	814 / RL82YC	931-1 / QL82C	---	0.025in
MK-2M				
	509 / D9	---	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Wajax				
MK-3				
	509 / D9	---	---	0.025in
MK-75				
	509 / D9	---	---	0.025in
TSA-8				
	541 / RD16	516 / D16	---	0.025in
Typhon Ice Pump				
	814 / RL82YC	931-1 / QL82C	---	0.025in
WA-7				
	541 / RD16	516 / D16	---	0.025in
WA-7S				
	541 / RD16	516 / D16	---	0.025in
WGC-4				
	541 / RD16	516 / D16	---	0.025in
WX				
	541 / RD16	516 / D16	---	0.025in
Wambo				
D200				
	830 / RL86C	933-1 / QL86C	---	0.035in
P35				
	830 / RL86C	933-1 / QL86C	---	0.035in
S170				
	830 / RL86C	933-1 / QL86C	---	0.035in
Waterous				
11hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
18hp	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
(Chrysler)				
82011	814 / RL82YC	931-1 / QL82C	---	0.025in
82029	814 / RL82YC	931-1 / QL82C	---	0.025in
Waubauskene				
(Honda)				
2.2hp	846 / CJ14	---	846ECO	0.030in
2.5hp	846 / CJ14	---	846ECO	0.030in
Wayne				
	871 / RJ8C	841 / J8C	---	0.025in
Worthington				
(Continental)				
B-427	541 / RD16	516 / D16	---	0.025in
F-124	541 / RD16	516 / D16	---	0.025in
F-226	541 / RD16	516 / D16	---	0.025in
G-193	409 / RF9YC	---	---	0.025in
M-330	541 / RD16	516 / D16	---	0.025in
R-602	509 / D9	---	---	0.025in
Y-91	541 / RD16	516 / D16	---	0.025in
(Hercules)				
G2300	102 / RJ6C	823 / J6C	---	0.025in
HXA	569 / W14	---	---	0.025in
HXB	569 / W14	---	---	0.025in
HXDW	569 / W14	---	---	0.025in
HXE	569 / W14	---	---	0.025in
IXB	569 / W14	---	---	0.025in
IXB-3	569 / W14	---	---	0.025in
JX4D	871 / RJ8C	841 / J8C	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Worthington				
(Hercules)				
JX4D3	871 / RJ8C	841 / J8C	---	0.025in
JXC;with 14mm Diameter Threads	102 / RJ6C	823 / J6C	---	0.025in
JXC;with 7/8in Diameter Threads	569 / W14	---	---	0.025in
JXD;with 14mm Diameter Threads	102 / RJ6C	823 / J6C	---	0.025in
JXD;with 7/8in Diameter Threads	569 / W14	---	---	0.025in
QXB	510 / W10	---	---	0.025in
QXC	569 / W14	---	---	0.025in
QXD	510 / W10	---	---	0.025in
RXLD	510 / W10	---	---	0.025in
10.191cid\167cc; (Clinton)				
700	592 / RJ12C	511 / J11C	---	0.025in
172cid; (Ford)				
	854 / RH10C	844 / H10C	---	0.025in
B-45; (Leroi)				
	541 / RD16	514 / D14	---	0.025in
D-140; (Leroi)				
	541 / RD16	514 / D14	---	0.025in
D-91; (Leroi)				
	541 / RD16	514 / D14	---	0.025in
Starting Engs.; (Caterpillar)				
	541 / RD16	516 / D16	---	0.022in
20AG; (Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
30AG; (Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
3AG; (Wisconsin)				
	509 / D9	---	---	0.025in
40AG; (Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
7AG; (Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
AK; (Wisconsin)				
	541 / RD16	514 / D14	---	0.030in
All Other Cont. Engs.				
	569 / W14	---	---	0.025in
All Other Herc. Engs.				
	569 / W14	---	---	0.025in
All Other Wisc. Engs.				
	541 / RD16	516 / D16	---	0.030in
B-3; (Wisconsin)				
	569 / W14	---	---	0.030in
D-91; (Wisconsin)				
	541 / RD16	516 / D16	---	0.025in
K; (Wisconsin)				
	569 / W14	---	---	0.030in
NP; (Briggs & Stratton); L-HEAD				
	868 / RJ19LM	947 / QJ19LM	861ECO	0.030in
Starting Engs.; (Hercules)				
	854 / RH10C	844 / H10C	---	0.025in



PUMPS, COMPRESSORS, & REFRIGERATION UNITS
POMES, COMPRESSEURS ET UNITÉS DE RÉFRIGÉRATION
BOMBAS, COMPRESORES Y UNIDADES DE REFRIGERACIÓN

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Worthington				
TF; (Wisconsin)				
	541 / RD16	514 / D14	---	0.030in
UD-1091; (IHC)				
	589 / W89D	---	---	0.025in
UD-14; (IHC)				
	589 / W89D	---	---	0.025in
UD-14A; (IHC)				
	589 / W89D	---	---	0.025in
UD-18; (IHC)				
	589 / W89D	---	---	0.025in
UD-18A; (IHC)				
	589 / W89D	---	---	0.025in
UD-24; (IHC)				
	589 / W89D	---	---	0.025in
UD-264; (IHC)				
	543 / D89D	---	---	0.025in
UD-350; (IHC)				
	543 / D89D	---	---	0.025in
UD-6; (IHC)				
	543 / D89D	---	---	0.025in
UD-6A; (IHC)				
	543 / D89D	---	---	0.025in
UD-9; (IHC)				
	543 / D89D	---	---	0.025in
UD-9A; (IHC)				
	543 / D89D	---	---	0.025in
YXC-2; (Hercules)				
	569 / W14	---	---	0.025in
ZXB; (Hercules)				
	854 / RH10C	844 / H10C	---	0.025in
Yamaha				
PW3028; OHV				
	405 / RN14YC	3405 / RN14PMC	---	0.030in
PW4040; OHV				
8.4hp;MZ360	405 / RN14YC	3405 / RN14PMC	---	0.030in
YBP401D				
	806 / L92YC	---	---	0.025in
YBP501ST				
	806 / L92YC	---	---	0.025in
YBP801ST				
	806 / L92YC	---	---	0.025in
YP20				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
YP20G				
Before 2000	327 / RL87YC	934-1 / QL87YC	---	0.025in

Model/Engine	Standard	Alternate	Premium	Gap
	Stk # / Plug Type	Stk # / Plug Type	Stk #	
Yamaha				
YP20G; Horizontal 4 Stroke Liquid Cooled; V2; OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
YP20GA				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
YP20GN				
	806 / L92YC	---	---	0.025in
YP20NT				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
YP20TA				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
YP30; Horizontal 4 Stroke Liquid Cooled; V2; OHV				
	404 / RN12YC	38 / N12YC	322ECO	0.025in
YP30G				
Before 2000	327 / RL87YC	934-1 / QL87YC	---	0.025in
YP30GA				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
YP30NT				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
YP30TA				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
YP40T; OHV				
8.4hp;MZ360	405 / RN14YC	3405 / RN14PMC	---	0.030in
YP40TA				
	327 / RL87YC	934-1 / QL87YC	---	0.025in
Zenoah				
PE25				
	893 / RCJ4	849 / CJ6	852ECO	0.025in
PE40				
	830 / RL86C	933-1 / QL86C	---	0.025in
Zongshen				
BT-Series; OHV				
10.3hp;BT188F	332 / RN7YC	315 / N6YC	332ECO	0.030in
5.2hp;BT168FB	332 / RN7YC	315 / N6YC	332ECO	0.030in
7.5hp;BT177F	332 / RN7YC	315 / N6YC	332ECO	0.030in
GH-Series				
5.4hp;GH210	415 / RN9YC	415 / RN9YC	415ECO	0.028in
XP-Series				
3.5hp;XP160A	415 / RN9YC	300 / N9YC	415ECO	0.026in
4.8hp;XP200A	404 / RN12YC	38 / N12YC	322ECO	0.026in
HB15; BT-Series; OHV				
BT170F	315 / N6YC	---	332ECO	0.030in

NOTES

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Thread Size/Type	Heat Range	Non-Resistor, Non-Projected		Resistor, Non-Projected		Non-Resistor, Projected		Resistor, Projected	
		Stock No.	Plug Type	Stock No.	Plug Type	Stock No.	Plug Type	Stock No.	Plug Type
10mm Diameter, 1/4" Reach, 5/8" Hex, Gasket	Hotter Colder	842	UY6						
10mm Diameter, 5/16" Reach, 14mm Hex, Gasket	Hotter Colder			978	RY4C				
10mm Diameter, .492" Reach, 5/8" Hex, Gasket	Hotter Colder			965	RZ7C	808	Z9Y		
10mm Diameter, 1/2" Reach, 5/8" Hex, Tapered	Hotter Colder			940 979	RDZ19H RDZ4H				
10mm Diameter, 3/4" Reach, 5/8" Hex, Gasket	Hotter Colder			309	RG4HC				
12mm Diameter, .492" Reach, 11/16" Hex, Gasket	Hotter Colder					888	P8Y		
12mm Diameter, 3/4" Reach, 16mm Hex, Gasket	Hotter Colder			810	RA8HC				
12mm Diameter, 3/4" Reach, 18mm Hex, Gasket	Hotter Colder					88151	8815		
14mm Diameter, .325" Reach, 5/8" Hex, Tapered	Hotter Colder	847 850 851	DJ8J DJ7J DJ6J	865 860 870	RDJ8J RDJ7J RDJ6J	872	DJ7Y	872	RDJ7Y
14mm Diameter, 3/8" Reach, 13/16" Hex, Gasket	Hotter Colder	861 845 511 533 841 823 825	J19LM J17LM J11C UJ11G J8C J6C J4C	868 947 868LMC 973 856 592 871	RJ19LM QJ19LM RJ19LMC RJ19HX RJ17LM RJ12C RJ8C	10	J12YC	58 14 644	RJ18YC RJ12YC RJ88P
14mm Diameter, 3/8" Reach, 3/4" Hex, Gasket	Hotter Colder	846 843 849 862	CJ14 CJ8 CJ6 CJ4	840 893	RCJ8 RCJ4	848 853 858	CJ8Y CJ7Y CJ6Y	863 859 852	RCJ8Y RCJ7Y RCJ6Y
14mm Diameter, 3/8" Reach, .805" Hex, Gasket	Hotter Colder							573 588	XMJ20 XMJ14
14mm Diameter, 3/8" Reach, .813" Hex, Gasket	Hotter Colder							557	XEJ8
14mm Diameter, 3/8" Reach, 7/8" Hex, Gasket	Hotter Colder							517	XMJ17
14mm Diameter, 7/16" Reach, 13/16" Hex, Gasket	Hotter Colder	512 844 587	H12 H10C H8C	537 854 538	RH12 RH10C RH8C	91	H14Y	857	RH18Y
14mm Diameter, .460" Reach, 5/8" Hex, Tapered	Hotter Colder			113	RV12C			25 18 406	RV17YC RV15YC4 RV12YC

Thread Size/Type	Heat Range	Non-Resistor, Non-Projected		Resistor, Non-Projected		Non-Resistor, Projected		Resistor, Projected	
		Stock No.	Plug Type	Stock No.	Plug Type	Stock No.	Plug Type	Stock No.	Plug Type
14mm Diameter, 1/2" Reach, 13/16" Hex, Gasket	Hotter	896	L90C			806	L92YC	929	RL95YC
						312	L87YC	327	RL87YC
								9341	QL87YC
		306	L86C	830	RL86C				
		811	L82C	874	RL82C			814	RL82YC
	Colder	807	L78C						
		8921	L16V						
14mm Diameter, .708" Reach, 5/8" Hex, Tapered	Hotter							909	RS17YX
								408	RS14YC
								401	RS12YC
	Colder							304	RS9YC
14mm Diameter, 3/4" Reach, 5/8" Hex, Gasket	Hotter							980	XC92YC
								985	RC14YC4
								431	RC14YC
								71	RC12YC
								412	RC12LYC
								2412	---
								3720	RC12P-MCB3
								946	QC12YC
								982	XC12YC
								988	XC10YC
								344	RC9YC
	Colder							444	RC7YC3
								218	RC78PYP
14mm Diameter, 3/4" Reach, 13/16" Hex, Gasket	Hotter							105	RN16YC5
								31	RN14MC5
								405	RN14YC
						38	N12YC	404	RN12YC
						302	N11YC	322	RN11YC4
						300	N9YC	415	RN9YC
						813	N7YC	332	RN7YC
						315	NY6C	339	RN6YC
	Colder	120	N5C	123	RN5C				
		803	N4C	104	RN4C				
		801	N3C	880	RN3C				
18mm Diameter, .460" Reach, 13/16" Hex, Tapered	Hotter								
				129	RF10C			22	RF11YC
	Colder							409	RF9YC
18mm Diameter, 1/2" Reach, 7/8" Hex, Gasket	Hotter	502	D21			549	D18Y	593	RD18Y
		516	D16	541	RD16				
		555	UD16			515	D15Y	526	RD15Y
		529	D14N						
		514	D14						
		543	D89D						
	Colder	509	D9						



Thread Size/Type	Heat Range	Non-Resistor, Non-Projected		Resistor, Non-Projected		Non-Resistor, Projected		Resistor, Projected	
		Stock No.	Plug Type	Stock No.	Plug Type	Stock No.	Plug Type	Stock No.	Plug Type
18mm Diameter, .531" Reach, 7/8" Hex, Gasket	Hotter Colder	566	M58N						
18mm Diameter, 5/8" Reach, 7/8" Hex, Gasket	Hotter Colder	523	D23						
18mm Diameter, .691" Reach, 1" Hex, Gasket	Hotter Colder	597	K97F						
18mm Diameter, 1" Reach, 15/16" Hex, Tapered	Hotter Colder	525	25						
7/8" Diameter, 5/8" Reach, 15/16" Hex, Gasket	Hotter	518	W18			561	W16Y		
		569	W14						
		589	W89D						
		545	W85N						
		510	W10						
	Colder	539	W77N						
**Note: This chart denotes the heat ranges for the small engine spark plugs listed in this specific catalog. Please consult the Champion #1015 automotive master catalog for additional part numbers.									

SPARK PLUG REMOVAL & INSTALLATION DÉPOSE ET POSE DES BOUGIES DESMONTAJE E INSTALACIÓN DE BUJÍAS

After the normal service life of a spark plug, one or more of the plugs may be a little difficult to loosen. Allowing the engine ample cool-down time will facilitate plug removal. The use of penetrating oil is also recommended if the plug appears to be dangerously tight. Apply steady pressure with a plug wrench until the plug loosens. Before removing the plug, blow any dirt from the port area that might be present to prevent it from falling into the combustion chamber. If the plug appeared to be overly tight when removed by hand, it may be due to carbon collection in the threaded area of the cylinder head. This condition is common in older engines. The threads should be cleaned with a chaser tool, and the seat wiped clean to assure good seat contact before installing a new plug.

Use the Champion torque recommendation below as a guide for tightening all spark plugs.

Après une durée normale de service, il est possible qu'une ou plusieurs bougies soient difficiles à desserrer. Laisser le moteur se refroidir suffisamment peut alors faciliter la dépose des bougies. L'utilisation d'une huile pénétrante est également recommandée si la bougie semble dangereusement serrée. Appliquer une pression constante avec une clé à bougie jusqu'à ce que la bougie se desserre. Avant de la retirer, enlever toute trace de saleté autour de son orifice pour empêcher qu'elle ne contamine la chambre de combustion. Si une bougie enlevée à la main semblait trop serrée, il est possible qu'il y ait un dépôt de carbone dans le filetage du couvercle de culasse. Ce problème est commun sur les anciens modèles de moteur. Le filetage doit alors être nettoyé à l'aide d'une filière, et le siège doit être essuyé avec soin pour lui assurer un bon contact avant d'installer une nouvelle bougie.

Utiliser le guide de serrage Champion ci-dessous recommandé pour toutes les bougies Champion.

Después de la duración de servicio normal de una bujía, es posible que sea difícil aflojar una o más bujías. Se debe dejar que el motor se enfríe durante un largo tiempo para facilitar el desmontaje de las bujías. También se recomienda usar aceite penetrante si la bujía parece estar peligrosamente apretada. Ejercer una presión constante con una llave para bujías hasta que se afloje la bujía. Antes de quitar la bujía, limpie la suciedad que pueda haber presente en el área del orificio para impedir que entre en la cámara de combustión. Si la bujía parece estar demasiado apretada cuando se quita con la mano, puede deberse a la acumulación de carbón en el área roscada de la cabeza del cilindro. Esto es común en los motores más antiguos. Se deben limpiar las roscas con un peine de roscar, y el asiento debe limpiarse para asegurar un buen contacto antes de instalar una bujía nueva.

Use la siguiente recomendación de apriete de Champion como guía para apretar todas las bujías.

	TAPERED SEAT PLUGS	BOUGIES À SIÈGE CONIQUE	BUJÍAS DE ASIENTO CÓNICO
	Finger Tight. Install the new plug finger tight, and complete the installation with a plug wrench.	Serrer avec les doigts. Installer les nouvelles bougies à la main, puis compléter l'installation à l'aide d'une clé pour bougie.	Apretada a mano. Instale la nueva bujía apretándola con la mano, y complete la instalación con una llave para bujías.
	Turn Finger Tight. A tapered seat plug does not use gaskets and requires about one-sixteenth (1/16) turn.	Serrer avec les doigts. Une bougie à siège conique ne comporte pas de joints et nécessite environ 1/16 de tour.	Giro con la mano. Las bujías cónicas no usan empaquetaduras y requieren aproximadamente un dieciseisavo (1/16) de vuelta.

	GASKET TYPE PLUGS	BOUGIES DE TYPE À JOINT	BUJÍAS TIPO EMPAQUETADURA
	Turn Finger Tight. A new or reinstalled plug with a new gasket will require 3/8-5/8 turn to effect a gas tight seal depending on head material. (See below).	Serrer avec les doigts. Une bougie neuve ou réinstallée avec un nouveau joint nécessitera 3/8-5/8 de tour pour composer un joint de gaz étanche, selon le matériau de la culasse (Voir ci-dessous).	Giro con la mano. Una bujía nueva o vuelta a instalar con una empaquetadura nueva requiere de 3/8-5/8 de vuelta para lograr una estanqueidad al gas dependiendo del material de la cabeza. (Vea abajo).
	1/4 Turn Finger Tight. For reinstalled plugs with used gasket only a 1/4 turn is required for gas tight seal for both cast iron and aluminum.	Serrer avec les doigts. Pour les bougies réinstallées avec le vieux joint, seulement 1/4 de tour est requis pour composer un joint de gaz étanche, autant pour la fonte moulée que pour l'aluminium.	Giro con la mano de 1/4 de vuelta. Para bujías vueltas a instalar con empaquetadura usada solamente se requiere 1/4 de vuelta para lograr una estanqueidad al gas para hierro colado y aluminio.

TORQUE RECOMMENDATIONS RECOMMANDATIONS DE SERRAGE RECOMENDACIONES DE APRIETE	SPARK PLUG THREAD SIZE	GASKET PART NO.	CAST IRON HEADS		ALUMINUM HEADS	
			WITH TORQUE WRENCH	WITHOUT TORQUE WRENCH	WITH TORQUE WRENCH	WITHOUT TORQUE WRENCH
GASKET TYPE*	10mm	Y678	8-12 lb.ft.	1/4 Turn	8-12 lb.ft.	1/4 Turn
	12mm	P678	10-18 lb.ft.	1/4 Turn	10-18 lb.ft.	1/4 Turn
	14mm	N678	26-30 lb.ft.	1/2 to 5/8 Turn	18-22 lb.ft.	3/8 to 1/2 Turn
	18mm	A678	32-38 lb.ft.	1/2 to 5/8 Turn	28-34 lb.ft.	3/8 to 1/2 Turn
	7/8"	A478	50-55 lb.ft.	1/2 to 5/8 Turn	—	—
TAPERED SEAT	14mm	—	7-15 lb.ft.	1/16 Turn (Snug)	7-15 lb.ft.	1/16 Turn (Snug)
	18mm	—	15-20 lb.ft.	1/16 Turn (Snug)	15-20 lb.ft.	1/16 Turn (Snug)

*Torque recommendations are for new gaskets.

*Les recommandations de serrage concernent les nouveaux joints d'étanchéité.

*Las recomendaciones de apriete son para empaquetaduras nuevas.

COMBUSTION

COMBUSTION CONDITIONS

Normal

Power delivered by an internal combustion engine is developed by the expanding gasses which result from the burning of the air/fuel charge. If spark timing is proper and the quality of the fuel meets the engine requirements, then the burning process should progress in a steady, even flame front (Figure 4).

COMBUSTION

CONDITIONS DE COMBUSTION

Normale

La puissance fournie par un moteur à combustion interne est formée par les gaz en expansion qui résultent de la combustion de la charge air-carburant. Si la distribution de l'allumage est correcte et que la qualité du carburant répond aux exigences du moteur, le processus de combustion devrait progresser de manière à former une flamme uniforme et égale (figure 4).


COMBUSTIÓN

CONDICIONES DE LA COMBUSTIÓN

Normal

La potencia suministrada por un motor de combustión interna es producida por la expansión de los gases resultantes de la combustión de la carga de aire/combustible. Si la sincronización de la chispa es apropiada y la calidad del combustible cumple con el requisito del motor, entonces el proceso de combustión debe avanzar rápidamente, en un frente de llama uniforme (Figura 4).

Figure 4




A. Spark occurs
B. Combustion begins
C. Continues rapidly
D. And is completed

Figure 4




A. Formation de l'étincelle
B. La combustion débute
C. Se poursuit rapidement
D. Et se termine

Figura 4



A. Se produce la chispa
B. Empieza la combustión
C. Continúa rápidamente
D. Y se completa



Detonation

Detonation occurs when a portion of the air/fuel charge begins to burn spontaneously from increased heat and pressures just after ignition. In Figure 5, the instantaneous combustion of the fuel charge and resulting shockwave applies extreme hammering pressures on the piston and other engine parts. Piston damage occurs from the pounding pressures of severe detonation, and the increased heat factor can cause preignition.


Détonation

La détonation survient lorsqu'une portion de la charge air-carburant commence à se consumer spontanément en raison de la chaleur et des pressions accrues juste après l'allumage. Dans la figure 5, la combustion instantanée du carburant et l'onde de choc qui en résulte oppose des pressions de martèlement sur le piston et les autres pièces du moteur. Les dommages des pistons sont causés par les martèlements qu'entraînent les fortes détonations, et l'augmentation de la chaleur qui en résulte peut causer le préallumage.

Detonación


La detonación se produce cuando parte de la carga de aire/combustible empieza a quemarse espontáneamente debido a las mayores temperaturas y presiones justo después del encendido. En la Figura 5, la combustión instantánea de la carga de combustible y la onda de choque resultante ejerce unas presiones de golpeo extremas sobre el pistón y demás piezas del motor. Los pistones se dañan debido a las presiones de golpeo de la fuerte detonación, y el mayor factor de temperaturas puede causar un encendido prematuro.

Figure 5




A. Spark occurs
B. Combustion begins
C. Instant combustion of remaining fuel charge
D. Pressure increase/shock wave cause mechanical damage

Figure 5



A. Formation de l'étincelle
B. La combustion débute
C. Combustion instantanée du carburant résiduel
D. Augmentation de pression/onde de choc cause des dommages mécaniques

Figura 5



A. Se produce la chispa
B. Empieza la combustión
C. Combustión instantánea de la carga de combustible restante
D. Aumento de presión/onda de choque causan daños mecánicos



Detonation is usually the result of any of the following conditions:

- ☐ Ignition timing advanced too far;
- ☐ Fuel octane rating too low;
- ☐ Lean mixtures—poor fuel distribution and/or leaks in manifolds-crankcase and/or air intake system;
- ☐ Compression ratio increase due to accumulation of combustion chamber deposits or a modification made to the engine;
- ☐ Excessive intake manifold temperatures;
- ☐ Lugging the engine.

Detonation can seriously overheat spark plugs (Figure A). In addition, the high frequency shock waves associated with severe detonation may mechanically damage the plug either by insulator fracture or by eventual ground electrode breakage.

La détonation est généralement le résultat de l'une ou l'autre des conditions suivantes :

- ☐ Avance à l'allumage exagérée;
- ☐ Indice d'octane du carburant trop faible;
- ☐ Mélanges pauvres—distribution de carburant pauvre ou fuites dans le carter ou les collecteurs ou le système d'admission d'air;
- ☐ Augmentation du taux de compression résultant de l'accumulation de dépôts dans les chambres de combustion ou d'une modification apportée au moteur;
- ☐ Températures exagérées dans le collecteur d'admission;
- ☐ Surcharge du moteur.

La détonation peut surchauffer gravement les bougies d'allumage (figure A). De plus, les ondes de choc à haute fréquence associées une forte détonation peut causer des dommages mécaniques aux bougies, soit en fracturant l'isolant ou, à la longue, en provoquant le bris de l'électrode de masse.

La detonación se debe normalmente a cualquiera de las condiciones siguientes:



- ☐ Sincronización de encendido demasiado avanzada;
- ☐ Octanaje de combustible demasiado bajo;
- ☐ Mezclas pobres—distribución de combustible deficiente y fugas en múltiples-carter y sistema de admisión de aire;
- ☐ La relación de compresión aumenta debida a la acumulación de depósitos en la cámara de combustión o una modificación efectuada en el motor;
- ☐ Temperaturas excesivas del múltiple de admisión;
- ☐ Sobrecarga del motor.

La detonación puede recalentar seriamente las bujías (Figura A). Además, las ondas de choque de alta frecuencia asociadas con la fuerte detonación puede dañar mecánicamente la bujía, ya sea por fractura del aislador o por rotura del electrodo de tierra con el tiempo.

COMBUSTION cont.

COMBUSTION suite

COMBUSTIÓN cont.



Severe pressures and temperatures associated with detonation can also be extremely harmful to pistons, valves, bearings and other engine components.

Les pressions et les températures intenses associées à la détonation peuvent également être extrêmement néfastes pour les pistons, les soupapes, les paliers et d'autres composantes du moteur.

Las presiones y temperaturas fuertes asociadas con la detonación pueden ser muy dañinas para las válvulas de los pistones, cojinetes y otros componentes del motor.

Preignition

Preignition, the ignition of the air/fuel charge prior to the timed spark (Figure 7), will generally cause a very rapid and severe rise of the spark plug operating temperature and other combustion chamber components (Figure B). Any hot spot in the combustion chamber can cause preignition. Preignition can damage the engine and spark plugs.

Préallumage

Le préallumage, c'est-à-dire l'allumage du mélange air-carburant avant la formation prévue de l'étincelle (figure 7), entraîne généralement une augmentation rapide et intense de la température de fonctionnement des bougies et des autres composantes des chambres de combustion (figure B). Tout point chaud dans la chambre de combustion peut provoquer le préallumage. Le préallumage peut endommager le moteur et les bougies.

Encendido prematuro

El encendido prematuro, el encendido de la carga de aire/combustible antes de la chispa sincronizada (Figura 7), causará generalmente un aumento muy rápido y grande de la temperatura de operación de la bujía y otros componentes de la cámara de combustión (Figura B). Cualquier punto caliente de la cámara de combustión puede causar un encendido prematuro. El encendido prematuro puede dañar el motor y las bujías.

Preignition is usually the result of any of the following conditions:

- ❑ Combustion chamber deposits which become incandescent;
- ❑ Hot spots in the combustion chamber due to poor heat dissipation into the cooling system;
- ❑ Scuffing due to inadequate lubrication or improper clearance between engine parts,
- ❑ Detonation or an engine operating condition leading to it;
- ❑ Head gasket protrusion into the combustion chamber—thin edges on valves in 4-cycle engines;
- ❑ Cross firing—electrical induction between spark plug wires;
- ❑ Spark plug heat range too hot for the engine's operating condition.

On occasion, even if the original source of preignition, such as deposits, disappears from the engine, the plug or some other combustion chamber component may be overheated to the extent that it will sustain preignition.

Le préallumage est habituellement le résultat de l'une ou l'autre des causes suivantes :


- ❑ Dépôts qui deviennent incandescents dans les chambres de combustion;
- ❑ Points chauds dans les chambres de combustion, en raison d'une piètre dissipation de la chaleur dans le système de refroidissement;
- ❑ Rayures causées par un manque de lubrification ou un dégagement incorrect entre les pièces du moteur;
- ❑ Détonation ou moteur appelé à fonctionner dans des conditions qui la favorisent;
- ❑ Saillie du joint de culasse dans les chambres de combustion—rebords minces sur les soupapes des moteurs à 4 temps;
- ❑ Allumage à contretemps—induction électrique entre les câbles de bougie;
- ❑ Gamme de chaleur des bougies trop élevée pour les conditions de fonctionnement du moteur.

À l'occasion, même si la source originale de préallumage, comme les dépôts, se résorbe, la bougie et d'autres composantes des chambres de combustion peuvent être surchauffées à un point tel que le problème de préallumage persistera.

El encendido prematuro normalmente es consecuencia de cualquiera de las condiciones siguientes:

- ❑ Depósitos incandescentes de la cámara de combustión;
- ❑ Puntos calientes en la cámara de combustión debido a una disipación deficiente del calor en el sistema de enfriamiento;
- ❑ Restregaduras debido a la lubricación inadecuada u holgura indebida entre piezas del motor;
- ❑ Detonación o condición de operación de un motor que conduce a la detonación;
- ❑ Empaquetadura de la culata que sobresale dentro de la cámara de combustión—bordes finos en la válvulas de los motores de 4 tiempos;
- ❑ Encendido por inducción—inducción eléctrica entre los cables de las bujías;
- ❑ La gama de temperaturas de la bujía es demasiado alta para la condición de operación del motor.

A veces, incluso si desaparece del motor la fuente original del encendido prematuro, tales como los depósitos, la bujía o algún componente de la cámara de combustión puede recalentarse hasta el punto que sostenga el encendido prematuro.



2 & 4 CYCLE ENGINE TROUBLESHOOTING GUIDE

This guide provides an introduction into used spark plug analysis and diagnostic procedures for 2 & 4 cycle engines. It examines the three primary areas necessary for the proper operation of any engine: fuel delivery, ignition and mechanical functions.

Since the spark plug is an ignition system component and is located within the combustion chamber, it is an excellent tool for diagnosing engine problems. Though spark plugs themselves are rarely the cause of the problem, they do interact with fuel delivery, spark delivery and mechanical functions. Examination of the spark plugs can sometimes give a physical clue to the underlying cause.

HOW TO USE THE GUIDE

- Your problem engine is 2-cycle.
- Your problem is *idles poorly*.
- Using the 2-cycle chart, locate "idles poorly" on the vertical symptom column. At each dot in the horizontal column, consider the *possible cause*. In this example, *idles poorly* reveals possible cause in four areas: #3 improper fuel/air ratio, #6 ignition system, #10 low compression, #14 exhaust restriction.
- Locate each *possible cause*, consider and check each item.

GUIDE DE DÉPANNAGE-MOTEURS À 2 ET À 4 TEMPS

Ce guide sert d'introduction aux procédures d'analyse et de diagnostic des bougies usées des moteurs à 2 et à 4 temps. Il traite des trois principaux facteurs de bon fonctionnement du moteur : l'alimentation en carburant, l'allumage et les fonctions mécaniques.

Comme la bougie d'allumage est une composante du système d'allumage et qu'elle est située dans la chambre de combustion, elle constitue un excellent outil pour diagnostiquer les problèmes de moteur. Bien que les bougies soient rarement elles-mêmes la cause du problème, elles interagissent avec l'alimentation en carburant, l'allumage et les fonctions mécaniques. Par conséquent, l'examen des bougies peut parfois donner des indices physiques des causes sous-jacentes d'un problème.

MODE D'UTILISATION DU GUIDE

- Le problème provient d'un moteur à 2 temps.
- Il s'agit d'un problème de ralenti irrégulier.
- Dans le tableau relatif aux moteurs à 2 temps, repérer « ralenti irrégulier » dans la colonne verticale de symptômes. Considérer la cause possible pour chaque point figurant dans la colonne horizontale. Dans cet exemple, ralenti irrégulier révèle quatre causes possibles : n° 3 rapport air/carburant incorrect, n° 6 système d'allumage, n° 10 faible taux de compression et n° 14 restriction de l'échappement.
- Trouver chaque cause possible, puis considérer et vérifier chacun des points.

GUÍA PARA AVERÍAS DE MOTORES DE 2 Y 4 TIEMPOS

Esta guía contiene una introducción del análisis de bujías y procedimiento de diagnóstico para motores de 2 y 4 tiempos. Examina las tres áreas principales necesarias para la operación apropiada en cualquier motor: suministro de combustible, encendido y funciones mecánicas.

Como la bujía es un componente del sistema de encendido y está ubicada dentro de la cámara de combustión, es una herramienta excelente para diagnosticar problemas del motor. Aunque las bujías mismas raramente son la causa del problema, tienen que ver con el suministro de combustible, la producción de chispas y las funciones mecánicas. El examen de las chispas a veces puede dar una pista física de la causa del problema.

CÓMO USAR ESTA GUÍA

- El motor con problemas es un motor de 2 tiempos.
- El problema es que funciona en vacío de forma deficiente.
- Usando la tabla de 2 tiempos, localice "funciona en vacío de forma deficiente" en la columna de síntomas vertical. En cada cuadrado de la columna horizontal, tenga en cuenta la Causa posible, en este ejemplo, funciona en vacío de forma deficiente, apunta a la causa posible en cuatro áreas No. 3 Relación indebida de combustible/aire, No. 6 Sistema de encendido, No. 10 Baja compresión, No. 14 Restricción del escape.
- Localice cada causa posible, tenga en cuenta y compruebe cada uno de los apartados.

		POSSIBLE CAUSES														
		CAUSES POSSIBLES														
		CAUSAS POSIBLES														
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
		No fuel Pas de carburant No hay carburante	Improper fuel Carburant incorrect Combustible indebido	Improper fuel/air ratios Rapports air-carburant incorrects Relaciones indebidas de combustible/aire	Improper oil or fuel-oil ratios Huile ou rapports huile-carburant incorrects Aceite o relación de comb./aceite indebida	No spark Absence d'allumage No se producen chispas	Ignition system Système d'allumage Sistema de encendido	Battery condition État de la batterie Estado de la batería	Improper cooling Refroidissement incorrect Enfriamiento indebido	Improper lubrication Lubrification incorrecte Lubricación indebida	Low or loss of compression Faible taux ou perte de compression Baja compresión o falta de compresión	Carbon build-up Dépôts de carbone Acumulación de carbón	Faulty governors Régulateurs défectueux Reguladores defectuosos	Engine overload Surcharge du moteur Sobrecarga del motor	Exhaust restriction Restriction de l'échappement Obstrucción del escape	Valve problems Problèmes de soupapes Problemas de válvulas
SYMPTOMS	SYMPTÔMES	Will not start Pas de démarrage No arranca	■	■	■	■	■	■	■	■	■	■	■	■	■	■
		Hard starting Démarrage difficile Arranque difícil	■	■	■	■	■	■	■	■	■	■	■	■	■	■
		Stops suddenly Moteur s'arrête soudainement Se para súbitamente	■	■	■	■	■	■	■	■	■	■	■	■	■	■
		Lacks power Manque de puissance Falta de potencia	■	■	■	■	■	■	■	■	■	■	■	■	■	■
		Operates erratically Fonctionnement erratique Opera de forma irregular	■	■	■	■	■	■	■	■	■	■	■	■	■	■
		Knocks or pings Cognements ou détonations Detonaciones	■	■	■	■	■	■	■	■	■	■	■	■	■	■
		Misfires or "skips" Ratés d'allumage Fallas de encendido	■	■	■	■	■	■	■	■	■	■	■	■	■	■
		Backfires Retours de flammes Retorno de llama	■	■	■	■	■	■	■	■	■	■	■	■	■	■
		Overheats Surchauffe Se recalienta	■	■	■	■	■	■	■	■	■	■	■	■	■	■
		Idles poorly Ralenti irrégulier Marcha en vacío de deficiente	■	■	■	■	■	■	■	■	■	■	■	■	■	■

TROUBLESHOOTING GUIDE *cont.*

GUIDE DE DÉPANNAGE *suite*

GUÍA PARA AVERÍAS *cont.*

POSSIBLE CAUSES

- 1. No fuel**
 - tank empty;
 - fuel shut-off valve;
 - filler cap vent plugged;
 - filter or delivery lines clogged;
 - fuel pump faulty;
 - carburetor needle & seat inoperative.
- 2. Improper fuel**
 - stale fuel;
 - water in fuel tank;
 - octane rating too low;
 - 2-cycle oil not to engine manufacturer's specs;
 - contaminated fuel.
- 3. Improper fuel/air ratios**
 - choke operation;
 - improper carburetion settings and adjustments;
 - restricted air intake, dirty air cleaner;
 - dirty carburetion, restricted internally, carburetion icing;
 - air leak in intake system;
 - damaged head gasket or cracked head or cylinder;
 - leaking crankcase seals (2-cycle);
 - engine flooded;
 - dirty fuel filter;
 - defective fuel pump.
- 4. Improper oil or fuel-oil ratio**
 - improper mix;
 - fuel/oil separation;
 - main bearing seal leaking
 - (2-cycle-if main is pressure fed).
- 5. No spark**
 - ignition switch off;
 - wiring in primary or secondary circuit disconnected, broken, or corroded;
 - contact breakers stuck or oxidized;
 - coil and condenser faulty;
 - battery condition;
 - ignition module;
 - poor or loose connections.
- 6. Ignition system**
 - faulty ignition switch;
 - broken, damaged, or corroded wire (abnormally high resistance);
 - ignition timing wrong;
 - wrong spark plug gap;
 - bad ignition coil;
 - faulty spark plug wire.
- 7. Battery condition**
 - low voltage—inadequate charge;
 - internal short circuit;
 - corrosion;
 - poor or loose connections;
 - faulty starter;
 - faulty starter solenoid;
 - lack of battery fluid.
- 8. Improper cooling**
 - restriction in cooling system or fins;
 - lack of coolant;
 - cooling fin damage;
 - blown head gasket.
- 9. Improper lubrication**
 - out of oil;
 - improper oil;
 - improper fuel/oil ratio (2-cycle);
 - oil gauge defective.
- 10. Low or loss of compression**
 - cracked or broken piston rings;
 - blown head gasket or cracked cylinder or head;
 - valve sticking or broken push rod;
 - preignition damage;
 - detonation damage.

CAUSES POSSIBLES

- 1. Pas de carburant**
 - réservoir vide;
 - vanne d'arrêt de carburant;
 - évent du bouchon de remplissage obstrué;
 - filtre ou canalisations d'alimentation bouchées;
 - pompe à carburant défectueuse;
 - siège et pointeau de carburateur inopérants.
- 2. Carburant incorrect**
 - carburant vicié;
 - présence d'eau dans le réservoir;
 - indice d'octane trop faible;
 - huile 2 temps qui ne respecte pas les spécifications du fabricant du moteur;
 - carburant contaminé.
- 3. Rapports air-carburant incorrects**
 - fonctionnement de l'étrangleur;
 - réglages et ajustements de carburation incorrects;
 - admission d'air restreinte, filtre à air sale;
 - carburation sale, restriction interne, givrage de carburation;
 - fuite d'air dans le système d'admission;
 - joint de culasse endommagé, culasse ou cylindre fissuré;
 - fuite des joints de carter (2 temps);
 - moteur noyé;
 - filtre à carburant sale;
 - pompe à carburant défectueuse.
- 4. Huile ou rapport huile-carburant incorrect**
 - dosage incorrect;
 - séparation huile/carburant;
 - fuite des joints de paliers principaux
 - (2 temps-si alimenté sous pression).
- 5. Absence d'allumage**
 - contact d'allumage à off;
 - filage du circuit primaire ou secondaire débranché, brisé ou corrodé;
 - coupe-circuit coincé ou oxydé;
 - bobine et condensateur défectueux;
 - état de la batterie;
 - module d'allumage;
 - branchements lâches ou incorrects.
- 6. Système d'allumage**
 - contact d'allumage défectueux;
 - fil brisé, endommagé ou corrodé (résistance anormalement haute);
 - mauvaise distribution de l'allumage;
 - écartement incorrect des bougies;
 - bobine d'allumage défectueuse;
 - câble d'allumage défectueux.
- 7. État de la batterie**
 - faible tension-charge inadéquate;
 - cour-circuit interne;
 - corrosion;
 - branchements lâches ou incorrects;
 - démarrateur défectueux;
 - solenóide de démarrage défectueux;
 - manque de liquide dans la batterie.
- 8. Refroidissement incorrect**
 - restriction dans le systèmes de refroidissement ou les ailettes;
 - manque de liquide de refroidissement;
 - ailettes de refroidissement endommagées;
 - joint de culasse brisé.
- 9. Lubrification incorrecte**
 - absence d'huile;
 - huile incorrecte;
 - rapport huile-carburant incorrect (2 temps);
 - indicateur de niveau d'huile défectueux.
- 10. Faible taux ou perte de compression**
 - segments de piston fissurés ou brisés;
 - joint de culasse brisé, cylindre ou culasse fissuré;
 - soupape saisie ou poussoir brisé;
 - dommages causés par le préallumage;
 - dommages causés par la détonation.

CAUSAS POSIBLES

- 1. No hay combustible**
 - tanque vacío;
 - válvula de corte de combustible;
 - respiradero de la tapa de llenado taponado;
 - filtro o tuberías de suministro obstruidas;
 - bomba de combustible defectuosa;
 - aguja y asiento del carburador inoperativos
- 2. Combustible indebido**
 - combustible viejo;
 - agua en el tanque de combustible;
 - octanaje demasiado bajo;
 - el aceite de 2 tiempos no cumple con las especificaciones del fabricante;
 - combustible contaminado.
- 3. Relaciones indebidas de combustible/aire**
 - operación del estrangulador;
 - ajustes indebidos de carburación;
 - admisión de aire obstruida, filtro de aire sucio;
 - carburation sucia, obstrucción interna, formación de escarcha en el carburador;
 - fuga de aire en el sistema de admisión;
 - empaquetadura de culata dañada o culata o cilindro rajado;
 - fugas en las juntas del cárter (2 tiempos);
 - motor anegado;
 - filtro de combustible sucio;
 - bomba de combustible defectuosa.
- 4. Aceite o relación de combustible-aceite indebida**
 - mezcla indebida;
 - separación de combustible/aceite;
 - fugas de los sellos de los cojinetes de bancada;
 - (2 tiempos-si el tubo principal se alimenta a presión).
- 5. No se producen chispas**
 - interruptor de encendido en la posición de apagado;
 - cables desconectados, rotos o corroidos en el circuito primario o secundario;
 - disyuntores de contactos agarrados u oxidados;
 - serpentin y condensador defectuosos;
 - estado de la batería;
 - módulo de encendido;
 - conexiones deficientes o sueltas.
- 6. Sistema de encendido**
 - interruptor de encendido defectuoso;
 - cable roto, dañado o corroido (resistencia anormalmente alta);
 - sincronización de encendido equivocada;
 - distancia entre puntas equivocada;
 - bobina de encendido defectuosa;
 - cable de buja defectuoso.
- 7. Estado de la batería**
 - bajo voltaje - carga inadecuada;
 - cortocircuito interno;
 - corrosión;
 - conexiones deficientes o sueltas;
 - motor de arranque defectuoso;
 - solenóide defectuoso del motor de arranque;
 - falta de fluido de baterías.
- 8. Enfriamiento indebido**
 - restricción en el sistema de enfriamiento o aletas;
 - falta de refrigerante;
 - daños en las aletas de enfriamiento;
 - empaquetadura de culata reventada.
- 9. Lubricación indebida**
 - falta de aceite;
 - aceite indebido;
 - relación indebida de combustible/aceite (2 tiempos);
 - indicador de aceite defectuoso.
- 10. Baja compresión o falta de compresión**
 - aros de pistón rajados o rotos.
 - empaquetadura de culata reventada o cilindro o culata rajada;
 - válvula agarrada o varilla de empuje rota;
 - daños de encendido prematuro;
 - daños de detonación.

TROUBLESHOOTING GUIDE <i>cont.</i>	GUIDE DE DÉPANNAGE <i>suite</i>	GUÍA PARA AVERÍAS <i>cont.</i>
11. Carbon build-up -normal accumulation; -excessive rich mixtures; -excessive fuel/oil ratios; -incorrect oil type. 12. Faulty governors -governor assembly malfunctioning; -linkage out of adjustment; -linkage worn or disconnected; -governor spring sensitivity too great; -linkage binding. 13. Engine overload -engine operated in conditions above those for which designed. 14. Exhaust restriction -damaged exhaust system; -clogged or restricted baffles; -clogged or restricted exhaust port. 15. Valve problems -improper adjustment in lash; -improper seating due to burned, bent or stuck valve; -broken valve spring; -valve or valve seal leaking.	11. Dépôts de carbone -accumulation normale; -mélanges excessivement riches; -rapports huile-carburant exagérés; -mauvais type d'huile. 12. Régulateurs défectueux -mauvais fonctionnement de l'assemblage de régulateur; -tringlerie déréglée; -tringlerie usée ou débranchée; -ressort de régulateur trop sensible; -tringlerie saisie. 13. Surcharge du moteur -moteur appelé à fonctionner dans des conditions pour lesquelles il n'est pas conçu. 14. Restriction de l'échappement -système d'échappement endommagé; -chicanes bouchées ou restreintes; -orifices d'échappement bouchés ou restreints. 15. Problèmes de soupapes -mauvais réglage du jeu des soupapes; -calage inadéquat en raison d'une soupape brûlée, courbée ou saisie; -siège de ressort brisé; -fuite d'une soupape ou d'un joint de soupape.	11. Acumulación de carbón -acumulación normal; -mezclas excesivas ricas; -relaciones excesivas de combustible/aceite; -tipo de aceite incorrecto. 12. Reguladores defectuosos -funcionamiento defectuoso del conjunto de regulador; -articulación desajustada; -articulación desgastada o desconectada; -demasiada sensibilidad del resorte del regulador; -agarratamiento de la articulación. 13. Sobrecarga del motor -motor operado en condiciones más exigentes que las condiciones para las que se ha diseñado. 14. Obstrucción del escape -sistema de escape dañado; -deflectores obstruidos o taponados; -orificio de escape obstruido o taponado. 15. Problemas de las válvulas -ajuste indebido de la luz de las válvulas; -asentamiento inadecuado debido a válvulas quemadas, dobladas o agarratadas; -resorte de válvula roto; -fugas de válvula o de sellos de válvula.

CHAMPION'S SUPPRESSORS AND RFI	LES SUPPESSEURS CHAMPION ET IFR	LOS SUPRESORES DE CHAMPION Y LAS INTERFERENCIAS DE RADIOFRECUENCIA
CHAMPION RESISTORS Radio Frequency Interference (RFI) Each time the spark jumps across a gap, an electromagnetic field (EMI) is created that can affect on-board computer systems, AM and FM radio reception, TV broadcasts and even airplane communications. By placing a resistor in the spark plug, we can substantially reduce this radio frequency interference (RFI). By comparison, it wasn't until recent years that small engine manufacturers began using resistance to suppress RFI. By contrast automotive engines have been using resistance spark plugs for over 40 years (in computer equipped vehicles it is imperative that resistor plugs are used to prevent driveability problems, loss of performance and even cause false trouble codes). Champion manufactured its first suppressor-type spark plugs in 1931. Today Champion uses several types of suppressors to reduce RFI. SAC-9 Suppressor Champion developed the SAC-9 suppressor in the early 1980's. This extremely reliable resistor/suppressor is formed from strontium carbonate, aluminum oxide and copper oxide powders. In fact, out of billions made, not a single SAC-9 suppressor has ever been found to fail in service. They are used in many Champion "R" type resistor plugs. An important feature of Champion plugs with the SAC-9 suppressor is that the resistance of the plug cannot be accurately measured with typical low voltage ohmmeters. <i>An example of a Champion SAC-9 Small Engine Plug would be the RJ19LM.</i> "Q" Type Inductive Suppressors Today more Small Engine manufacturers are using "Q" Type spark plugs for their ability to control RFI while maintaining adequate spark output levels. The "Q" type plug is primarily designated for high performance, capacitive discharge (CD) ignition systems, where spark output can be greatly	LES RÉSISTANCES ANTIPARASITE CHAMPION Les Parasites radioélectriques Chaque fois qu'une étincelle franchit un écartement, un champ électromagnétique (EMI) se crée, pouvant nuire aux ordinateurs de bord, à la réception des ondes radio AM et FM, aux ondes de télévision et même aux communications des avions. En plaçant une résistance dans la bougie, on arrive à réduire considérablement ces parasites radioélectriques. Ce n'est qu'il y a quelques années que les fabricants de petites cylindrées ont commencé à utiliser la résistance pour supprimer les parasites radioélectriques (RFI). Par contre, les moteurs des automobiles sont dotés de bougies à résistance depuis plus de 40 ans (dans les véhicules munis d'ordinateurs, l'utilisation de bougies à résistance est impérative afin de prévenir les problèmes de fonctionnement, la perte de performance et les faux codes d'anomalie). Champion a fabriqué sa première bougie à résistance en 1931. Aujourd'hui, Champion utilise plusieurs types de suppresseurs de parasites pour réduire les parasites radioélectriques. Suppresseur SAC-9 Champion a mis au point le suppresneur SAC-9 au début des années 1980. Cette résistance/suppresseur extrêmement fiable se compose de poudres de carbonate de strontium, d'oxyde d'aluminium et d'oxyde de cuivre. En fait, sur les milliards de suppresseurs fabriqués, aucun suppresneur SAC-9 n'a jamais fait défaut. Ces suppresseurs sont utilisés dans bon nombre de bougies à résistance de type "R" Champion. L'une des caractéristiques importantes des bougies Champion à suppresneur SAC-9 est que la résistance ne peut être mesurée avec précision au moyen d'un ohmmètre ordinaire à faible tension. <i>Un bon exemple d'une bougie pour petite cylindrée Champion SAC-9 : la bougie RJ19LM.</i> Suppresseur à induction de type Q Aujourd'hui, de plus en plus de fabricants de petites cylindrées utilisent des bougies de type Q en raison de leur capacité de contrôler les parasites radioélectriques tout en maintenant des niveaux de puissance d'allumage adéquats. La bougie de type Q est principalement conçue pour les systèmes d'allumage à décharge capacitive de haute	RESISTORES CHAMPION Interferencias de radiofrecuencia Cada vez que salta una chispa entre las puntas de los electrodos se forma un campo electromagnético que puede afectar los sistemas de computadoras interiores, la recepción de radio de AM y FM, las retransmisiones de TV e incluso las comunicaciones con aviones. Al poner un resistor en la bujía, podemos reducir sustancialmente estas interferencias de radiofrecuencia. No fue hasta recientemente que los fabricantes de motores pequeños empezaron a usar resistencias para suprimir estas interferencias. Por el contrario, los motores automotrices han venido usando bujías con resistencia durante más de 40 años (en vehículos equipados con computadoras es esencial que se usen bujías con resistores para impedir los problemas de capacidad de conducción, pérdida de rendimiento e incluso códigos de falla falsos). Champion fabricó sus primeras bujías tipo supresión en 1931. Hoy Champion usa varios tipos de supresores para reducir estas interferencias. Supresor SAC-9 Champion desarrolló el supresor SAC-9 a principios de los 80. Este resistor/supresor de gran fiabilidad está formado por polvos de carbonato de estroncio, óxido de aluminio y óxido de cobre. De hecho, de los miles de millones que se han fabricado, no se ha encontrado un solo supresor SAC-9 que haya fallado durante el servicio. Se usan en muchas bujías de resistores tipo "R" de Champion. Una característica importante de las bujías Champion con supresor SAC-9 es que la resistencia de la bujía no puede medirse con ohmímetros típicos de bajo voltaje. <i>Un ejemplo de una bujía de motores pequeños con supresor SAC-9 sería la RJ19LM.</i> Supresores inductores tipo "Q" Hoy hay más fabricantes de motores pequeños que usan bujías tipo "Q" por su capacidad de controlar las interferencias de radiofrecuencia a la vez que por mantener unos niveles adecuados de chispas producidas. La bujía tipo "Q" está diseñada principalmente para sistemas de encendido de descarga capacitiva de alto rendimiento, en que la producción de chispas puede reducirse considerablemente por la

**CHAMPION'S SUPPRESSORS
AND RFI *cont.***

reduced by a spark plug's resistance. In the early 1970's Champion developed these suppressor plugs which use a wire wound inductive coil to reduce RFI without negatively affecting ignition performance. These coils are used in all Champion "Q" type suppressor plugs. "Q" type suppressor plugs are specified for many engines exported to countries like Canada and Australia where industry and government RFI standards require additional suppression.

The QJ19LM is a perfect example of a "Q" type replacement over a traditional RJ19LM spark plug. "Q" type spark plugs should always be replaced with a similar design. It can also be beneficial for engines using standard resistor styles (e.g. RJ19LM) to upgrade to the "Q" type in the same family.

Never replace a "Q" type spark plug with another resistor plug or a non-resistor plug. Usage of non-"Q" types can actually cause engine misfire and a loss in performance

**LES SUPPRESSEURS CHAMPION
ET IFR *suite***

performance dont la puissance d'allumage serait considérablement réduite par une résistance. Au début des années 1970, Champion a mis au point ces bougies à supresseur munies d'une bobine d'induction spiralee pour réduire les parasites radioélectriques sans nuire à la performance de l'allumage. Ces bobines sont utilisées sur toutes les bougies à supresseur de type Q Champion. Ces bougies sont spécifiées pour de nombreux moteurs exportés vers des pays comme le Canada et l'Australie, où l'industrie et le gouvernement exigent une suppression supérieure des parasites radioélectriques.

La bougie QJ19LM est un exemple parfait d'une bougie de rechange de type Q plutôt qu'une bougie traditionnelle RJ19LM. Les bougies de type Q doivent toujours être remplacées par une bougie de conception similaire. Elles sont également un excellent choix pour les moteurs dotés de bougies à résistances ordinaires (ex. : RJ19LM).


On ne doit jamais remplacer une bougie de type Q par une bougie dotée d'une résistance différente ou sans résistance. L'utilisation d'une bougie autre que de type Q peut en fait entraîner des ratés d'allumages et une perte de performance.

**LOS SUPRESORES DE CHAMPION Y LAS
INTERFERENCIAS DE RADIOFRECUENCIA *cont.***

resistencia de una bujía. A principios de los 70, Champion desarrolló estas bujías con supresor que usan una bobina inductora de hilo arrollado para reducir las interferencias de radiofrecuencia sin afectar negativamente el rendimiento de encendido. Estas bobinas se usan en todas las bujías con supresor tipo "Q" de Champion. Las bujías supresoras tipo "Q" están especificadas para muchos motores exportados a países como Canadá y Australia donde las normas de la industria y del gobierno acerca de las interferencias de radiofrecuencia requieren una supresión adicional.

La bujía QJ19LM es un ejemplo perfecto de una bujía de repuesto tipo "Q" comparada con la bujía tradicional RJ19LM. Las bujías tipo "Q" deben ser reemplazadas siempre por bujías con un diseño similar. También pueden ser beneficiosas para motores que usen estilos de resistores normales (por ejemplo, RJ19LM) para actualizarlos al tipo "Q" de la misma familia.

No reemplace nunca una bujía tipo "Q" por otra bujía con resistor o sin resistor. El uso de bujías que no son del tipo "Q" puede realmente causar fallas de encendido y una pérdida de rendimiento.



F.I.S.S. Resistor (Fired In Suppressor Seal)

The F.I.S.S. resistor was added to the Champion spark plug line in the mid-1990's. Although primarily used in automotive plugs, this unique and highly durable suppressor can be easily identified in all Champion automotive plugs that have a black terminal end. The Champion F.I.S.S. process uses a proprietary glass mixture that has inherent resistive qualities to help suppress RFI in the ignition system. The glass mixture is melted in a heated kiln and forms a solid glass seal when the plug terminal is assembled and the mixture cools inside the insulator. The cooling action also produces a perfect hermetic seal for the center electrode. The Champion F.I.S.S. resistor provides technicians the ability to check resistance with a conventional DVOM (Digital Volt Ohmmeter). The Champion F.I.S.S. resistor will produce a terminal resistance in the range of 3,000-10,000 ohms at room temperature.

Résistance F.I.S.S. (allumage dans le supresseur)

La résistance F.I.S.S. a été ajoutée à la ligne de bougies Champion au milieu des années 1990. Bien que principalement utilisé dans les bougies automobiles, ce supresseur unique et très durable est facilement identifiable dans toutes les bougies automobiles Champion grâce à sa borne noire. Le procédé F.I.S.S. de Champion commence par le remplissage de l'isolant avec un mélange de verre breveté possédant des qualités de résistance qui contribuent à supprimer les parasites radioélectriques dans le système d'allumage. Le mélange de verre est ensuite fondu lorsque la bougie est passée dans un four chaud. Une fois que la borne de la bougie est assemblée dans le corps de l'isolant, le mélange refroidit et forme un joint de verre solide dans l'isolant. Son action refroidissante produit un scellement parfaitement hermétique pour l'électrode centrale ainsi qu'un supresseur magnétique très durable. La résistance F.I.S.S. offre aux techniciens la capacité de vérifier la résistance au moyen d'un voltmètre numérique ordinaire. La résistance F.I.S.S. de Champion produit une résistance de 3 000 à 10 000 ohms à la borne à la température ambiante.

Resistor F.I.S.S. (sello de supresor fundido)

Se ha agregado el resistor F.I.S.S. a la gama de bujías Champion a mediados de los 90. Aunque se usa principalmente en las bujías automotrices, este supresor exclusivo de alta duración puede identificarse fácilmente en todas las bujías automotrices Champion que tengan una punta de terminal de color negro. El proceso F.I.S.S. de Champion usa una mezcla de vidrio propietaria que tiene cualidades resistivas inherentes para contribuir a suprimir las interferencias de radiofrecuencia en el sistema de encendido. La mezcla de vidrio se funde en un horno rotatorio calentado y forma un sello de vidrio macizo cuando se monta el terminal de la bujía y la mezcla se enfría dentro del aislante. La acción de enfriamiento también produce un sello hermético perfecto para el electrodo central. El resistor F.I.S.S. de Champion proporciona a los técnicos la capacidad de comprobar la resistencia con un voltímetro/ohmímetro digital convencional. El resistor F.I.S.S. de Champion producirá una resistencia de terminales que oscila entre 3.000 y 10.000 ohmios a la temperatura ambiente.



Ash Deposits

CAUSES. Light brown deposits encrusted on the center and/or ground electrode are signs of ash deposits.

These deposits are caused by excessive oil or gas additives.

If the deposits are on one side of the plug, this is an indication of upper engine wear (valves, seals, cylinder head).

If the deposits appear all around the electrode this usually means lower engine wear (cylinders, pistons).



Oil / Fuel Fouled

CAUSES. Oil fouling occurs when oil is allowed to enter the combustion chamber.

Oil deposits cover the spark plug which keeps the spark from "arcing across the gap".

Instead it takes the shorter path to ground through the oil.

Usually a sign of advanced engine wear.



Carbon Fouled

CAUSES. Soft, black, sooty dry deposits on plug indicate carbon fouling.

Carbon fouling is an indication of a rich air-fuel mixture, weak ignition or improper heat range (too cold).

Carbon deposits are conductive and can create a path for spark plug misfire.

Check fuel, ignition, engine performance before plug replacement.



Too Hot

CAUSES. Chalky white insulator (with no tan coloring) pitted or blistered electrodes indicate the plug is running too hot.

In some cases the insulator will begin to turn gray or dark blue. Improper heat range plug, lean air fuel mixture or ignition timing may cause this condition.

Pay attention to exhaust restrictions or engine overheating which may also cause plug overheating.

Dépôts de cendre

CAUSES. Des dépôts brun clair incrustés sur l'électrode centrale ou de masse indiquent des dépôts de cendre.

Ces dépôts sont causés par un excès d'additifs dans l'huile ou dans l'essence.

Si ces dépôts se trouvent sur un seul côté de la bougie, ils indiquent une usure dans la partie supérieure du moteur (soupapes, joints d'étanchéité, culasse).

Si les dépôts sont incrustés tout autour de l'électrode, ils indiquent une usure dans la partie inférieure du moteur (cylindres, pistons).

Encrassement par l'huile / le carburant

CAUSES. L'encrassement par l'huile se produit lorsque de l'huile pénètre dans la chambre de combustion.

Des dépôts d'huile recouvrent la bougie, empêchant l'étincelle de former son arc dans l'écartement de la bougie.

L'étincelle emprunte plutôt le chemin le plus court vers la masse, c'est-à-dire le dépôt d'huile.

Généralement le signe d'une forte usure du moteur.

Calaminage

CAUSES. Des dépôts de suie noirs, mous et secs sur la bougie indiquent un calaminage.

Le calaminage est le résultat d'un mélange carburé riche, d'un piètre allumage et d'une gamme thermique inadéquate (trop froide).

Le calaminage est conducteur et peut former un chemin idéal pour les ratés d'allumage.

Vérifier le carburant, l'allumage et la performance du moteur avant de remplacer les bougies.

Surchauffe des bougies

CAUSES. Un isolant présentant des dépôts blancs crayeux (sans coloration jaunâtre) ou des électrodes présentant des piqûres ou des cloques indiquent que la bougie devient trop chaude.

Dans certains cas, l'isolant commence à devenir gris ou bleu foncé.

Ce problème peut être causé par une gamme thermique de bougie inadéquate, un mélange carburé pauvre ou une piètre distribution de l'allumage.

Porter une attention particulière aux restrictions d'échappement et à la surchauffe du moteur, lesquels peuvent aussi entraîner une surchauffe des bougies.

Depósitos de ceniza

CAUSAS. La presencia de depósitos de color pardo claro incrustados en el electrodo central y de tierra son indicios de depósitos de ceniza.

Estos depósitos se deben a un contenido excesivo de aditivos en el aceite y la gasolina.

Si los depósitos están a un lado de la bujía, esto es indicativo de un desgaste de la parte superior del motor (válvulas, sellos, culata).

Si los depósitos aparecen alrededor del electrodo, normalmente esto significa que existe un desgaste en la parte inferior del motor (cilindros, pistones).

Incrustaciones de aceite / combustible

CAUSAS. Las incrustaciones de aceite se producen cuando se permite el paso de aceite a la cámara de combustión.

Los depósitos de aceite cubren la bujía, lo que impide que la chispa forme un arco entre las puntas de los electrodos.

La chispa, en vez de saltar, se propaga por la vía más corta pasando a tierra por el aceite.

Normalmente es un indicio de desgaste avanzado del motor.

Incrustaciones de carbón

CAUSAS. La presencia en la bujía de depósitos secos y blandos tipo hollín de color negro es indicativa de las incrustaciones de carbón.

Las incrustaciones de carbón se deben a una mezcla rica de aire y combustible, encendido débil o gama térmica indebida (demasiado frío).

Los depósitos de carbón son conductores y pueden formar una vía para las fallas de encendido de la bujía.

Compruebe el combustible, el sistema de encendido y el rendimiento del motor antes de reemplazar la bujía.

Demasiado caliente

CAUSAS. La presencia de un aislador con aspecto de polvo de tiza y color blanco (sin tonos de color tostado) o de electrodos con ampollas indican que la bujía está funcionando a una temperatura demasiado alta.

En algunos casos el aislador empezará a volverse de color gris o azul oscuro.

Este problema se puede deber a bujías de gama térmica indebida, mezcla pobre de aire y combustible o la sincronización del encendido puede ser la causa de este problema.

Preste atención a las restricciones de escape o al recalentamiento del motor, lo que también puede recalentar las bujías.



Briggs & Stratton
Quantum Series
Quick Reference

Briggs & Stratton
OE Plug Number

RJ19LMC

RJ2YLE

799876

RJ2YXLE

RJ2PYLE



Champion Plug Number

868 / 868LMC

868-1 / 868-LMC1



The 868LMC is the same as the 868 but contains greater copper content. The copper aids in combustion heat transfer & helps reduce occurrence of "after-bang". After-bang is a potentially damaging pre-ignition condition that often surfaces as a back-fire like sound that occurs as the engine shuts off and winds down to a full and complete stop.



This is for reference ONLY : For model specific coverage , please see the Briggs & Stratton listings under the "Lawn & Garden" and "Power Equipment" segments of this catalog.

**COMPETITIVE INTERCHANGE**
TABLEAU DU RENVOIS
REFERENCIA CRUZADA

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
Accel		Accel		ACDelco	
112	315 / N6YC	574	406 / RV12YC	26	525 / 25
113	332 / RN7YC	574S	406 / RV12YC	40TS	400 / RV9YC
114	300 / N9YC	576	18 / RV15YC4	40XLS	315 / N6YC
115	300 / N9YC	576S	18 / RV15YC4	41F	807 / L78C
116	302 / N11YC	577	25 / RV17YC	41TS	400 / RV9YC
116	38 / N12YC	577	37 / RV17YC6	41XL	805 / N2C
117	31 / RN14MC5	586	18 / RV15YC4	42	811 / L82C
117	405 / RN14YC	675	409 / RF9YC	42CF	306 / L86C
123	825 / J4C	736	412 / RC12LYC	42CXLS	300 / N9YC
124	823 / J6C	736	82 / RFN14LY	42F	811 / L82C
124	841 / J8C	742	810 / RA8HC	42FF	811 / L82C
124	102 / RJ6C	761	791 / C57YC	42FS	328 / L82YC
124	871 / RJ8C	762	792 / C59YC	42LTS	304 / RS9YC
134	10 / J12YC	763	794 / C61YC	42S	10 / J12YC
137	10 / J12YC	784	344 / RC9YC	42TS	406 / RV12YC
138	58 / RJ18YC	784	434 / RC9MC4	42XL	801 / N3C
141	805 / N2C	784	430 / RC9YC4	42XLS	300 / N9YC
141	818 / RN2C	784	426 / RC9YC5	43	823 / J6C
142	880 / RN3C	784	346 / RC10YC4	43C	823 / J6C
142	673 / N59DR	784	418 / RC9YCN4	43CXLS	322 / RN11YC4
142	801 / N3C	786	436 / RC12LC4	43F	811 / L82C
143	803 / N4C	786	71 / RC12YC	43FS	929 / RL95YC
143	123 / RN5C	786	7346 / RC10PYP4	43L	587 / H8C
143	120 / N5C	786	89 / RC12YC5	43LS	91 / H14Y
143	104 / RN4C	842	810 / RA8HC	43N	120 / N5C
146	120 / N5C	882	809 / RA6HC	43S	10 / J12YC
154	811 / L82C	882	810 / RA8HC	43TS	18 / RV15YC4
156	306 / L86C	P526S	401 / RS12YC	43XL	120 / N5C
166	587 / H8C	UR6	400 / RV9YC	43XLS	38 / N12YC
168	512 / H12	ACDelco		44	841 / J8C
168	844 / H10C	1	3015 / RS14PMC4	44CF	306 / L86C
194	415 / RN9YC	2	3025 / RV19PMC	44FFS	929 / RL95YC
196	322 / RN11YC4	3	9204 / RS12WYPB4	44N	120 / N5C
262	669 / V57C	4	9804 / RN8WYPB3	44NS	405 / RN14YC
263	670 / V59C	4	7415 / RN9PYP	44OXLS	315 / N6YC
265	802 / V63C	5	3071 / RC12PYC	44S	10 / J12YC
274	400 / RV9YC	6	7983 / RS14PMPB5	44T	113 / RV12C
274	406 / RV12YC	6	9405 / RS12WMPB4	44TS	25 / RV17YC
276	18 / RV15YC4	8	3401 / RS10PYC4	44XL	120 / N5C
276S	18 / RV15YC4	9	3071 / RC12PYC	44XLO	405 / RN14YC
375	409 / RF9YC	14	3013 / RS14PYC6	44XLS	38 / N12YC
378	22 / RF11YC	14	597 / K97F	44XLS	405 / RN14YC
416	71 / RC12YC	14	9404 / RS14WYPB5	45	841 / J8C
437	14 / RJ12YC	16	3408 / RS10PYC	45C	841 / J8C
437	63 / RJ14YC	16	7963 / RS12PYPB5	45FFS	929 / RL95YC
437S	63 / RJ14YC	16	597 / K97F	45L	844 / H10C
442	880 / RN3C	16	7401 / RS12PYP	45LS	857 / RH18Y
453	814 / RL82YC	16L	597 / K97F	45NS	405 / RN14YC
494	301 / RN9YC4	17	562 / W95D	45S	58 / RJ18YC
494	415 / RN9YC	17	9901 / RE10WYPB5	45TS	25 / RV17YC
496	322 / RN11YC4	18	589 / W89D	45XL	120 / N5C
496	404 / RN12YC	18	7436 / RC10PLPB4	45XLS	405 / RN14YC
496	308 / RN12MC4	18A	543 / D89D	46	511 / J11C
496	7031 / RN14PMP5	19	9802 / RC8WYPB4	46FFS	929 / RL95YC
506	407 / RS14LC	19	7344 / RC9PYP	46N	120 / N5C
514	304 / RS9YC	19	3344 / RC9PYC	46S	58 / RJ18YC
516	408 / RS14YC	20	9055 / REC12WMPB5	46TS	25 / RV17YC
526	401 / RS12YC	21	9033 / REC8WYPB4	46XL	120 / N5C
566	113 / RV12C			46XLS	405 / RN14YC

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
ACDelco		ACDelco		ACDelco	
47XL	120 / N5C	41606	13 / RS14YC6	41902	7013 / RS14PYP5
48	592 / RJ12C	41608	89 / RC12YC5	41904	7013 / RS14PYP5
74	569 / W14	41610	71 / RC12YC	41905	18 / RV15YC4
75Com	569 / W14	41611	89 / RC12YC5	41905	7018 / RV17PMP4
76	520 / W20	41617	71 / RC12YC	41906	7013 / RS14PYP5
78	520 / W20	41618	431 / RC14YC	41907	7346 / RC10PYP4
78S	520 / W20	41627	71 / RC12YC	41908	7020 / RS12PLP6
83TS	409 / RF9YC	41628	71 / RC12YC	41910	7013 / RS14PYP5
84T	129 / RF10C	41629	431 / RC14YC	41913	7346 / RC10PYP4
84TS	22 / RF11YC	41630	89 / RC12YC5	41919	7963 / RS12PYPB5
85T	129 / RF10C	41800	7071 / RC12PYP	41921	7013 / RS14PYP5
86	516 / D16	41801	3346 / RC10PYC	41921	7940 / RS14PYPB5
86Com	516 / D16	41801	7071 / RC12PYP	41928	7020 / RS12PLP6
87	502 / D21	41801	7546 / RC10PYPB4	41929	7013 / RS14PYP5
88	502 / D21	41801	9001 / RC10WYPB4	41931	7013 / RS14PYP5
104	842 / UY6	41803	7018 / RV17PMP4	41932	7940 / RS14PYPB5
104COM	842 / UY6	41804	7415 / RN9PYP	41933	7940 / RS14PYPB5
373	506 / D6	41804	9804 / RN8WYPB3	41936	7013 / RS14PYP5
373	509 / D9	41805	7015 / RS14PMP4	41937	7940 / RS14PYPB5
412XLS	315 / N6YC	41806	9202 / RC12WMPB4	41940	7940 / RS14PYPB5
420Z	811 / L82C	41806	7318 / RC12PMPB4	41942	7013 / RS14PYP5
422Z	811 / L82C	41806	3318 / RC12PMC4	41942	7940 / RS14PYPB5
425F	811 / L82C	41806	7071 / RC12PYP	41943	7013 / RS14PYP5
425Z	811 / L82C	41807	3412 / RC10PEC	41943	7940 / RS14PYPB5
426FS	312 / L87YC	41807	7071 / RC12PYP	41947	7013 / RS14PYP5
430Z	811 / L82C	41807	7712 / QC12PEP	41948	7940 / RS14PYPB5
436T	802 / V63C	41808	7071 / RC12PYP	41948	9204 / RS12WYPB4
438T	265 / V63Y	41809	400 / RV9YC	41950	7401 / RS12PYP
438T	802 / V63C	41810	3401 / RS10PYC4	41950	7940 / RS14PYPB5
438TS	265 / V63Y	41810	7963 / RS12PYPB5	41950	7963 / RS12PYPB5
440T	802 / V63C	41810	7401 / RS12PYP	41952	7983 / RS14PMPB5
440XLS	315 / N6YC	41810	3408 / RS10PYC	41962	9405 / RS12WMPB4
445Z	807 / L78C	41811	7407 / RS14ZPYPB	41963	7963 / RS12PYPB5
700Y	580 / W80N	41812	9808 / RS8WYPB5	41974	7983 / RS14PMPB5
700YX	580 / W80N	41814	7437 / RES11PYP5	41975	7940 / RS14PYPB5
701	510 / W10	41815	7071 / RC12PYP	41978	7940 / RS14PYPB5
701Y	545 / W85N	41816	7018 / RV17PMP4	41979	7940 / RS14PYPB5
801	514 / D14	41817	7018 / RV17PMP4	41979	9404 / RS14WYPB5
41100	9405 / RS12WMPB4	41818	58 / RJ18YC	41980	7940 / RS14PYPB5
41101	3013 / RS14PYC6	41819	3031 / RN14PMC5	41983	7983 / RS14PMPB5
41101	7940 / RS14PYPB5	41819	7031 / RN14PMP5	41983	9405 / RS12WMPB4
41101	9404 / RS14WYPB5	41821	121 / RV8C	41984	7940 / RS14PYPB5
41103	7437 / RES11PYP5	41822	7407 / RS14ZPYPB	41985	9405 / RS12WMPB4
41103	9901 / RE10WYPB5	41823	130 / RF14LC	41985	7983 / RS14PMPB5
41105	7437 / RES11PYP5	41824	7407 / RS14ZPYPB	41986	7940 / RS14PYPB5
41105	9901 / RE10WYPB5	41825	7318 / RC12PMPB4	41987	7963 / RS12PYPB5
41106	7548 / KC10PYPB4	41825	7346 / RC10PYP4	41988	7437 / RES11PYP5
41107	9901 / RE10WYPB5	41826	7018 / RV17PMP4	41990	9901 / RE10WYPB5
41108	9300 / RES12WYPB4	41827	3405 / RN14PMC	41991	7304 / RS9PYP
41109	9299 / RES8WYPB4	41828	3405 / RN14PMC	41991	9808 / RS8WYPB5
41110	9405 / RS12WMPB4	41829	430 / RC9YC4	41993	7940 / RS14PYPB5
41121	9770 / RC7WYPB3	41829	9770 / RC7WYPB3	B43	823 / J6C
41600	13 / RS14YC6	41831	431 / RC14YC	B44S	10 / J12YC
41600	408 / RS14YC	41831	7070 / RC11PYPB4	B45	841 / J8C
41601	13 / RS14YC6	41831	9201 / RC12WYPB4	BR42TS	406 / RV12YC
41602	71 / RC12YC	41832	123 / RN5C	C41CXLS	315 / N6YC
41603	431 / RC14YC	41833	63 / RJ14YC	C42CFS	328 / L82YC
41604	130 / RF14LC	41900	7013 / RS14PYP5	C42CXLS	300 / N9YC
41605	31 / RN14MC5	41902	3013 / RS14PYC6	C42N	803 / N4C



COMPETITIVE INTERCHANGE
TABLEAU DU RENVOIS
REFERNCIA CRUZADA

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
ACDelco		ACDelco		ACDelco	
C43	823 / J6C	CS45T	847 / DJ8J	R42CLTS	401 / RS12YC
C43CXLS	300 / N9YC	CS49	846 / CJ14	R42CLTS6	13 / RS14YC6
C43L	587 / H8C	CSR42S	852 / RCJ6Y	R42CT	121 / RV8C
C43N	120 / N5C	CSR45	840 / RCJ8	R42CTS	406 / RV12YC
C44	841 / J8C	FR1LS	430 / RC9YC4	R42CXL	104 / RN4C
C44N	120 / N5C	FR2CLS	344 / RC9YC	R42CXLS	415 / RN9YC
C44NS	405 / RN14YC	FR2LS	71 / RC12YC	R42FS	814 / RL82YC
C44S	10 / J12YC	FR2LSK	71 / RC12YC	R42LTS	401 / RS12YC
C44XL	120 / N5C	FR3CLS	71 / RC12YC	R42LTS6	13 / RS14YC6
C45L	844 / H10C	FR3LM	412 / RC12LYC	R42S	14 / RJ12YC
C45W	843 / CJ8	FR3LS	71 / RC12YC	R42T	121 / RV8C
C47W	843 / CJ8	FR3LS6	89 / RC12YC5	R42TS	400 / RV9YC
C49	592 / RJ12C	FR3LSC6	89 / RC12YC5	R42TS	406 / RV12YC
C73	510 / W10	FR3LSJ	71 / RC12YC	R42TSM	406 / RV12YC
C75	569 / W14	FR3LSK	71 / RC12YC	R42XL	880 / RN3C
C77	561 / W16Y	FR3LX	71 / RC12YC	R42XLS	415 / RN9YC
C77L	518 / W18	FR4LE	412 / RC12LYC	R42XLS6	415 / RN9YC
C81	529 / D14N	FR4LS	431 / RC14YC	R43	102 / RJ6C
C82	509 / D9	FR4LSJ	431 / RC14YC	R43C	102 / RJ6C
C83	509 / D9	FR5LM	431 / RC14YC	R43CFS	929 / RL95YC
C83T	129 / RF10C	FR5LS	431 / RC14YC	R43CS	14 / RJ12YC
C84T	129 / RF10C	G56	525 / 25	R43CT	121 / RV8C
C85	514 / D14	G59	525 / 25	R43CTS	18 / RV15YC4
C85S	526 / RD15Y	LM46	845 / J17LM	R43CTS	406 / RV12YC
C86	514 / D14	LM49	846 / CJ14	R43CXL	123 / RN5C
C86	529 / D14N	M8	842 / UY6	R43CXLS	322 / RN11YC4
C86S	549 / D18Y	M40FFX	821 / L77JC4	R43FS	929 / RL95YC
C87	516 / D16	M41FF	821 / L77JC4	R43L	587 / H8C
C88	502 / D21	M41G	825 / J4C	R43LTS	401 / RS12YC
C88L	523 / D23	M41K	825 / J4C	R43LTSX	401 / RS12YC
C421	825 / J4C	M42FF	811 / L82C	R43NTS6	13 / RS14YC6
CFR1CLS	344 / RC9YC	M42K	825 / J4C	R43S	14 / RJ12YC
CR42CFS	814 / RL82YC	M43FF	306 / L86C	R43T	121 / RV8C
CR42LTS	304 / RS9YC	M43S	10 / J12YC	R43TS	18 / RV15YC4
CR42N	104 / RN4C	M44C	841 / J8C	R43TSK	18 / RV15YC4
CR42TS	406 / RV12YC	M44L	844 / H10C	R43XL	123 / RN5C
CR43	102 / RJ6C	M45	841 / J8C	R43XLS	404 / RN12YC
CR43K	102 / RJ6C	M47	592 / RJ12C	R44	871 / RJ8C
CR43L	587 / H8C	MB42K	825 / J4C	R44CXL	123 / RN5C
CR43N	123 / RN5C	MR41T	802 / V63C	R44CXLS	405 / RN14YC
CR43S	14 / RJ12YC	MR42K	102 / RJ6C	R44LT	304 / RS9YC
CR43TS	18 / RV15YC4	MR43FF	830 / RL86C	R44LTS	408 / RS14YC
CR43TSM	18 / RV15YC4	MR43LTS	401 / RS12YC	R44LTS6	13 / RS14YC6
CR44N	123 / RN5C	MR43T	121 / RV8C	R44LTS6K	13 / RS14YC6
CR44NS	405 / RN14YC	MR44C	871 / RJ8C	R44LTSMA	20 / RS13LYC5
CR44TS	25 / RV17YC	MR44T	113 / RV12C	R44N	123 / RN5C
CR45L	854 / RH10C	MR45	871 / RJ8C	R44NS	405 / RN14YC
CR45TS	25 / RV17YC	MR47	592 / RJ12C	R44NTSE	407 / RS14LC
CR82	509 / D9	R40TS	400 / RV9YC	R44S	14 / RJ12YC
CR83	509 / D9	R41CF	807 / L78C	R44T	113 / RV12C
CR83T	129 / RF10C	R41CSL	880 / RN3C	R44TS	25 / RV17YC
CS40	849 / CJ6	R41CXL	818 / RN2C	R44TS	406 / RV12YC
CS41	843 / CJ8	R41CXLS	332 / RN7YC	R44TS6	37 / RV17YC6
CS41T	851 / DJ6J	R41F	883 / QL78C	R44TS8	37 / RV17YC6
CS42	845 / J17LM	R41T	802 / V63C	R44TSX	37 / RV17YC6
CS42S	853 / CJ7Y	R41TS	400 / RV9YC	R44XL	123 / RN5C
CS42T	850 / DJ7J	R41XL	818 / RN2C	R44XLS	405 / RN14YC
CS44TA	847 / DJ8J	R41XLS	332 / RN7YC	R45	871 / RJ8C
CS45	843 / CJ8	R42CFS	814 / RL82YC	R45LS	854 / RH10C

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
ACDelco		ACDelco		Autolite	
R45LTS6	13 / RS14YC6	S123XL	810 / RA8HC	72	10 / J12YC
R45LTS6K	13 / RS14YC6	S408XLG	696 / C59R	73	10 / J12YC
R45NS	405 / RN14YC	S425Z	306 / L86C	74	10 / J12YC
R45NTSE	407 / RS14LC	S426FS	312 / L87YC	75	10 / J12YC
R45S	58 / RJ18YC	S438XLS	315 / N6YC	76	58 / RJ18YC
R45T	113 / RV12C	SB41	825 / J4C	77	58 / RJ18YC
R45TS	25 / RV17YC	SV4XL	890 / N19V	84	14 / RJ12YC
R45TS6	37 / RV17YC6	SVB4XL	890 / N19V	85	14 / RJ12YC
R45TS8	37 / RV17YC6	TC85	514 / D14	86	58 / RJ18YC
R45TSX	37 / RV17YC6	TC86	516 / D16	87	58 / RJ18YC
R45XL	123 / RN5C	TC88L	523 / D23	94	304 / RS9YC
R45XLS	405 / RN14YC	V4OFFG	833-1 / L78V	103	304 / RS9YC
R46	511 / J11C	V4OFFK	833M / L78V	104	401 / RS12YC
R46LTS	408 / RS14YC	V4OFFM	827M / L76V	105	401 / RS12YC
R46N	120 / N5C	V4OFFS	833M / L78V	106	408 / RS14YC
R46S	58 / RJ18YC	V40K	825 / J4C	113	129 / RF10C
R46SX	58 / RJ18YC	V400S	825 / J4C	115	129 / RF10C
R46SZ	58 / RJ18YC	VB40FFM	831 / UL77V	117	129 / RF10C
R46T	113 / RV12C	VR40FFM	898 / QL76V	124	129 / RF10C
R46TS	19 / RV19YC	WR86	521 / XMD21	125	130 / RF14LC
R46XL	120 / N5C	WR87	521 / XMD21	127	129 / RF10C
R46XLS	405 / RN14YC	Arctic Cat		132	669 / V57C
R47S	58 / RJ18YC	0217727	977 / RG6YC	133	670 / V59C
R83CT	129 / RF10C	0217799	977 / RG6YC	134	802 / V63C
R83CTS	409 / RF9YC	Autolite		135	802 / V63C
R83T	129 / RF10C	12	400 / RV9YC	136	121 / RV8C
R83TS	409 / RF9YC	13	400 / RV9YC	143	802 / V63C
R84TS	22 / RF11YC	14	406 / RV12YC	144	121 / RV8C
R84TSX	22 / RF11YC	15	406 / RV12YC	145	113 / RV12C
R85T	129 / RF10C	16	18 / RV15YC4	145	121 / RV8C
R86T	129 / RF10C	23	400 / RV9YC	146	113 / RV12C
R121XLS	809 / RA6HC	24	406 / RV12YC	147	113 / RV12C
R426FS	814 / RL82YC	25	18 / RV15YC4	147	25-1 / RV17YC
R800	519 / RM77N	26	18 / RV15YC4	147	25 / RV17YC
S40F	811 / L82C	26	25 / RV17YC	156	22 / RF11YC
S40FR	883 / QL78C	26	25-1 / RV17YC	166	22 / RF11YC
S40XL	686 / C57	27	25 / RV17YC	175	10 / J12YC
S40XLG	687 / C59	32	409 / RF9YC	203	406 / RV12YC
S40XLR	686 / C57	33	409 / RF9YC	215	844 / H10C
S41F	807 / L78C	34	409 / RF9YC	216	844 / H10C
S41FR	807 / L78C	35	22 / RF11YC	217	844 / H10C
S41XL	805 / N2C	36	22 / RF11YC	218	512 / H12
S41XLG	688 / C61	44	409 / RF9YC	225	854 / RH10C
S41XLR	818 / RN2C	45	22 / RF11YC	227	854 / RH10C
S42	825 / J4C	46	22 / RF11YC	235	843 / CJ8
S42F	811 / L82C	51	315 / N6YC	245	840 / RCJ8
S42FR	811 / L82C	53	300 / N9YC	254	849 / CJ6
S42XL	801 / N3C	54	302 / N11YC	255	843 / CJ8
S42XLR	880 / RN3C	55	38 / N12YC	258	846 / CJ14
S43XL	120 / N5C	56	405 / RN14YC	273	328 / L82YC
S43XLR	123 / RN5C	57	405 / RN14YC	274	312 / L87YC
S44	841 / J8C	62	332 / RN7YC	275	806 / L92YC
S44XL	120 / N5C	63	415 / RN9YC	275	929 / RL95YC
S82F	509 / D9	64	322 / RN11YC4	284	327 / RL87YC
S83F	509 / D9	64	322-1 / RN11YC4	292	825 / J4C
S85F	514 / D14	65	404 / RN12YC	292	825C / J4C
S102F	808 / Z9Y	66	405 / RN14YC	294	841 / J8C
S104F	808 / Z9Y	67	405 / RN14YC	295	841 / J8C
S121XL	809 / RA6HC			297	511 / J11C

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
Autolite		Autolite		Autolite	
298	511 / J11C	495	587 / H8C	2654	811 / L82C
302	102 / RJ6C	497	844 / H10C	2655	811 / L82C
303	102 / RJ6C	515	929 / RL95YC	2656	306 / L86C
304	871 / RJ8C	516	929 / RL95YC	2675	587 / H8C
306	511 / J11C	517	929 / RL95YC	2676	844 / H10C
306	592 / RJ12C	535	306 / L86C	2677	844 / H10C
306	592-1 / RJ12C	584	129 / RF10C	2693	506 / D6
306	592C / RJ12C	603	13 / RS14YC6	2695	506 / D6
306	592M / RJ12C	604	13 / RS14YC6	2696	509 / D9
308	592 / RJ12C	605	401 / RS12YC	2697	514 / D14
312	825 / J4C	605	13 / RS14YC6	2744	308 / RN12MC4
313	825 / J4C	606	13 / RS14YC6	2755	809 / RA6HC
314	823 / J6C	646	31 / RN14MC5	2772	509 / D9
315	841 / J8C	667	37 / RV17YC6	2773	509 / D9
316	511 / J11C	683	802 / V63C	2775	516 / D16
317	511 / J11C	704	400 / RV9YC	2795	808 / Z9Y
318	592 / RJ12C	724	400 / RV9YC	2796	808 / Z9Y
344	129 / RF10C	725	406 / RV12YC	2812	825 / J4C
353	825 / J4C	726	18 / RV15YC4	2832	506 / D6
354	823 / J6C	745	409 / RF9YC	2852	827M / L76V
355	841 / J8C	746	22 / RF11YC	2872	833M / L78V
356	841 / J8C	764	401 / RS12YC	2892	831 / UL77V
357	511 / J11C	765	401 / RS12YC	2932	890 / N19V
358	592 / RJ12C	766	408 / RS14YC	2954	850 / DJ7J
363	102 / RJ6C	767	408 / RS14YC	2956	847 / DJ8J
372	506 / D6	784	129 / RF10C	2974	858 / CJ6Y
373	509 / D9	804	129 / RF10C	2976	848 / CJ8Y
374	509 / D9	865	401 / RS12YC	2984	852 / RCJ6Y
375	514 / D14	884	13 / RS14YC6	2985	859 / RCJ7Y
376	516 / D16	893	300 / N9YC	2995	843 / CJ8
377	502 / D21	935	412 / RC12LYC	2996	843 / CJ8
378	523 / D23	965	406 / RV12YC	3013	825 / J4C
379	543 / D89D	966	37 / RV17YC6	3014	823 / J6C
386	541 / RD16	985	412 / RC12LYC	3017	592 / RJ12C
388	502 / D21	985	436 / RC12LC4	3035	555 / UD16
393	801 / N3C	2224	521 / XMD21	3055	129 / RF10C
394	120 / N5C	2226	521 / XMD21	3064	129 / RF10C
395	120 / N5C	2227	521 / XMD21	3074	510 / W10
396	120 / N5C	2247	573 / XMJ20	3075	569 / W14
397	120 / N5C	2415	696 / C59R	3076	569 / W14
398	504 / N21	2544	407 / RS14LC	3077	589 / W89D
402	818 / RN2C	2545	407 / RS14LC	3095	525 / 25
403	880 / RN3C	2546	407 / RS14LC	3116	549 / D18Y
404	104 / RN4C	2553	855 / DJ7Y	3136	842 / UY6
405	123 / RN5C	2554	855 / DJ7Y	3176	120 / N5C
406	123 / RN5C	2592	687 / C59	3303	400 / RV9YC
411	807 / L78C	2593	688 / C61	3895	412 / RC12LYC
413	811 / L82C	2594	801 / N3C	3922	340 / RC7YC
414	306 / L86C	2611	686 / C57	3922	430 / RC9YC4
415	306 / L86C	2612	805 / N2C	3923	346 / RC10YC4
417	306 / L86C	2614	805 / N2C	3923	430 / RC9YC4
425	830 / RL86C	2615	803 / N4C	3924	71 / RC12YC
436	91 / H14Y	2616	120 / N5C	3924	89 / RC12YC5
437	857 / RH18Y	2634	821 / L77JC4	3926	431 / RC14YC
447	857 / RH18Y	2635	807 / L78C	3926	71 / RC12YC
456	845 / J17LM	2636	811 / L82C	3926	71-1 / RC12YC
458	861 / J19LM	2645	886M / QL6VC	3926	71G / RC12YC
483	304 / RS9YC	2652	807 / L78C	3927	431 / RC14YC
494	587 / H8C	2653	807 / L78C	3954	810 / RA8HC

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
Autolite		Autolite		Autolite	
3964	810 / RA8HC	AP666	3018 / RV17PMC4	APP3926	7071 / RC12PYP
4051	805 / N2C	AP764	3401 / RS10PYC4	APP5143	7200 / RS10ZPYPB5
4053	805 / N2C	AP765	3401 / RS10PYC4	APP5144	7200 / RS10ZPYPB5
4054	805 / N2C	AP766	3408 / RS10PYC	APP5144	7407 / RS14ZPYPB
4055	801 / N3C	AP985	3071 / RC12PYC	APP5145	7407 / RS14ZPYPB
4056	803 / N4C	AP985	3436 / RC12PLC4	APP5224	7071 / RC12PYP
4092	807 / L78C	AP2543	3407 / RS14ZPYC5	APP5243	3015 / RS14PMC4
4093	811 / L82C	AP2544	3407 / RS14ZPYC5	APP5245	7015 / RS14PMP4
4113	328 / L82YC	AP2545	3407 / RS14ZPYC5	APP5263	7437 / RES11PYP5
4114	312 / L87YC	AP2546	3407 / RS14ZPYC5	APP5325	7975 / REC10PYPB4
4123	814 / RL82YC	AP2546	7407 / RS14ZPYPB	APP5364	7032 / RE10PMPB5
4132	905 / RA4HC	AP2744	3031 / RN14PMC5	APP5364	7437 / RES11PYP5
4133	809 / RA6HC	AP3922	3340 / RC7PYCB4	APP5405	7034 / RC12PEPB5
4143	809 / RA6HC	AP3923	3346 / RC10PYC	APP5426	7440 / RE14PLP5
4152	905 / RA4HC	AP3923	7545 / RC8PYPB4	APP5503	7318 / RC12PMPB4
4153	809 / RA6HC	AP3924	3071 / RC12PYC	APP5503	7546 / RC10PYPB4
4162	905 / RA4HC	AP3924	7545 / RC8PYPB4	AR93	685 / S59YC
4163	809 / RA6HC	AP3932	295 / C57CX	AR132	669 / V57C
4164	810 / RA8HC	AP5143	3407 / RS14ZPYC5	AR133	670 / V59C
4194	808 / Z9Y	AP5144	3407 / RS14ZPYC5	AR3911	794 / C61YC
4251	315 / N6YC	AP5145	3407 / RS14ZPYC5	AR3932	295 / C57CX
4253	300 / N9YC	AP5184	3071 / RC12PYC	AR3933	296 / C59CX
4263	415 / RN9YC	AP5224	3071 / RC12PYC	HT0	7989 / High Thread
4265	404 / RN12YC	AP5243	7015 / RS14PMP4	HT1	7989 / High Thread
4275	10 / J12YC	AP5245	3015 / RS14PMC4	HT2	7989 / High Thread
4316	844 / H10C	AP5263	3017 / RES8PYB5	HT15	7989 / High Thread
5125	130 / RF14LC	AP5263	7437 / RES11PYP5	P4	842 / UY6
5144	407 / RS14LC	AP5325	7975 / REC10PYPB4	XP63	9804 / RN8WYPB3
5184	89 / RC12YC5	AP5364	7437 / RES11PYP5	XP64	9007 / RN10WYPB5
5224	347 / RC10MCC	AP5405	3034 / RC12PEC5	XP103	9808 / RS8WYPB5
5224	71 / RC12YC	AP5426	7440 / RE14PLP5	XP104	9204 / RS12WYPB4
5243	401 / RS12YC	AP5503	3318 / RC12PMC4	XP105	9404 / RS14WYPB5
5245	408 / RS14YC	AP5503	7346 / RC10PYP4	XP106	9404 / RS14WYPB5
5245	408S / RS14YC	APP24	7018 / RV17PMP4	XP605	9404 / RS14WYPB5
5285	113 / RV12C	APP25	7018 / RV17PMP4	XP606	9404 / RS14WYPB5
5325	975 / REC10YC4	APP26	7018 / RV17PMP4	XP985	9203 / RC12WLPB4
5438	940 / RDZ19H	APP63	7415 / RN9PYP	XP3922	9800 / RC7WYPB4
5503	430 / RC9YC4	APP103	7401 / RS12PYP	XP3923	9001 / RC10WYPB4
5924	71 / RC12YC	APP103	7304 / RS9PYP	XP3923	9003 / RC10WYPB4
6003	446 / REC12MCC4	APP104	7963 / RS12PYPB5	XP3924	9201 / RC12WYPB4
AP24	3018 / RV17PMC4	APP105	7940 / RS14PYPB5	XP3926	9201 / RC12WYPB4
AP25	3018 / RV17PMC4	APP605	7401 / RS12PYP	XP5143	9200 / RS10ZWYPB5
AP26	3018 / RV17PMC4	APP605	7940 / RS14PYPB5	XP5144	9200 / RS10ZWYPB5
AP64	3322 / RN14PMC3	APP605	7963 / RS12PYPB5	XP5145	9402 / RS14WLPB6
AP65	3405 / RN14PMC	APP606	7013 / RS14PYP5	XP5224	9001 / RC10WYPB4
AP66	3322 / RN14PMC3	APP606	7940 / RS14PYPB5	XP5224	9003 / RC10WYPB4
AP66	3405 / RN14PMC	APP646	7031 / RN14PMP5	XP5243	9405 / RS12WMPB4
AP103	3408 / RS10PYC	APP666	3018 / RV17PMC4	XP5245	9404 / RS14WYPB5
AP103	7304 / RS9PYP	APP764	7200 / RS10ZPYPB5	XP5263	9299 / RES8WYPB4
AP104	3408 / RS10PYC	APP764	7401 / RS12PYP	XP5263	9901 / RE10WYPB5
AP104	3401 / RS10PYC4	APP765	7401 / RS12PYP	XP5325	9006 / REC10WYPB4
AP105	3013 / RS14PYC6	APP765	7940 / RS14PYPB5	XP5363	9299 / RES8WYPB4
AP106	3408 / RS10PYC	APP2544	7200 / RS10ZPYPB5	XP5364	9300 / RES12WYPB4
AP605	3013 / RS14PYC6	APP2544	7407 / RS14ZPYPB	XP5405	9034 / RC12WEPB5
AP605	3401 / RS10PYC4	APP2545	7407 / RS14ZPYPB	XP5426	9440 / RE14WLPB5
AP606	3013 / RS14PYC6	APP3923	7546 / RC10PYPB4	XP5503	9001 / RC10WYPB4
AP646	3031 / RN14PMC5	APP3923	3346 / RC10PYC	XP5503	9003 / RC10WYPB4
AP664	3018 / RV17PMC4	APP3924	7070 / RC11PYPB4	XP5682	9412 / REA9WYPB4
AP665	3018 / RV17PMC4	APP3924	7071 / RC12PYP	XP5683	9412 / REA9WYPB4

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
Autolite		Beru		Beru	
XP5684	9412 / REA9WYPB4	145DU	315 / N6YC	Z74	354 / RC10DMC
XP5701	9407 / RER8ZWYCB4	145DU0	315 / N6YC	Z76	300 / N9YC
XP5702	9408 / RER8WYCB4	146BU	814 / RL82YC	Z79	335 / RC10YC
XP5703	9409 / RER8WMB	147AU	306 / L86C	Z95	304 / RS9YC
XP5863	9299 / RES8WYPB4	147AU	811 / L82C	Z101	354 / RC10DMC
XP6003	9055 / REC12WMPB5	147BU	312 / L87YC	Z112	823 / J6C
XP6203	9409 / RER8WMB	147BU	806 / L92YC	Z118	312 / L87YC
Beru		147CU	120 / N5C	Z127	304 / RS9YC
14F7DPURX2	7545 / RC8PYPB4	147CU	803 / N4C	Z130	3340 / RC7PYCB4
14F7HPURX2	7547 / KC8ZPYPB4	147DU	300 / N9YC	Z132	848 / CJ8Y
14F8DUR	344 / RC9YC	147DU0	300 / N9YC	Z149	9803 / RC8WMPB4
14F8LDUSR	354 / RC10DMC	148A	306 / L86C	Z150	9803 / RC8WMPB4
14F8LUR	97 / RC9MCC	148AU	306 / L86C	Z152	436 / RC12LC4
14F9DU0	335 / RC10YC	148B	806 / L92YC	Z153	335 / RC10YC
14FR4DPU0	243 / RC78PYP15	148C	120 / N5C	Z154	335 / RC10YC
14FR6DU	340 / RC7YC	148DU	302 / N11YC	Z155	97 / RC9MCC
14FR6DU	344 / RC9YC	148DU	38 / N12YC	Z156	97 / RC9MCC
14FR7DPU3	7545 / RC8PYPB4	148E	823 / J6C	Z158	434 / RC9MC4
14FR7DU	344 / RC9YC	149DU	302 / N11YC	Z170	7545 / RC8PYPB4
14FR7DUX	430 / RC9YC4	149EO	845 / J17LM	Z171	7545 / RC8PYPB4
14FR7KPUV	9803 / RC8WMPB4	184A1	509 / D9	Z176	7547 / KC8ZPYPB4
14FR7KPUX	9803 / RC8WMPB4	188A	514 / D14	Z183	975 / REC10YC4
14FR7KU	97 / RC9MCC	1410A	306 / L86C	Z190	354 / RC10DMC
14FR7KU0	97 / RC9MCC	1410B	806 / L92YC	Z220	439 / RC12MCC4
14FR8DU	344 / RC9YC	1810A	516 / D16	Z227	344 / RC9YC
14FR8DUX	430 / RC9YC4	Z1	38 / N12YC	Z240	7548 / KC10PYPB4
14FR8HU	436 / RC12LC4	Z4	97 / RC9MCC	Z307	7545 / RC8PYPB4
14FR8KU	335 / RC10YC	Z9	322 / RN11YC4	BG Automotive	
14FR8LDUOX4	354 / RC10DMC	Z11	300 / N9YC	BG883T	129 / RF10C
14FR8LU2T	347 / RC10MCC	Z15	344 / RC9YC	RB126SD	577 / RHW77N
14FR8MU2	975 / REC10YC4	Z16	430 / RC9YC4	RB212	582 / RW82P
14FR9KUX2	439 / RC12MCC4	Z19	814 / RL82YC	RB312S	505 / ED89D
14KGR7KQU	304 / RS9YC	Z20	415 / RN9YC	RB412	582 / RW82P
14KR6BU	400 / RV9YC	Z21	301 / RN9YC4	RB442SAW	583 / RHM83N
14KR7DU	304 / RS9YC	Z27	332 / RN7YC	RB442SW	583 / RHM83N
14KR7DUX	304 / RS9YC	Z28	332 / RN7YC	RB590	1224 / RL85G
14KR8DPU0V	7401 / RS12PYP	Z35	8809-1 / 8809	RB792S	551 / RHL79G
14KR9DUX	304 / RS9YC	Z37	821 / L77JC4	RB842S	532 / RHW80N
14R4ADP	1224 / RL85G	Z38	805 / N2C	RB959S	596 / RHM77N
14R4CDP	530 / RN79G	Z39	807 / L78C	RB959SA	596 / RHM77N
14R4CIU	1218 / RC78WYP11	Z40	811 / L82C	RB993R	530 / RN79G
14R5DU	339 / RN6YC	Z41	328 / L82YC	RB1141	565 / RW77N
14R5DU	315 / N6YC	Z42	315 / N6YC	Bosch	
14R6DU	332 / RN7YC	Z43	315 / N6YC	71	7401 / RS12PYP
14R6DUX	332 / RN7YC	Z47	315 / N6YC	71	7963 / RS12PYPB5
14R7BU	327 / RL87YC	Z47	339 / RN6YC	113	7983 / RS14PMPB5
14R7BU	814 / RL82YC	Z48	328 / L82YC	406	7975 / REC10PYPB4
14R7CU	104 / RN4C	Z49	400 / RV9YC	430	7953 / QC12PEPB
14R7DU	415 / RN9YC	Z57	811 / L82C	3408	431-1 / RC14YC
14R7DUX	301 / RN9YC4	Z58	120 / N5C	4001	3318 / RC12PMC4
14R8DU	302 / N11YC	Z59	104 / RN4C	4002	3071 / RC12PYC
14R8DU	404 / RN12YC	Z61	300 / N9YC	4002	418 / RC9YCN4
14R9EO	856 / RJ17LM	Z62	300 / N9YC	4003	3405 / RN14PMC
14S7F	848 / CJ8Y	Z67	304 / RS9YC	4004	406 / RV12YC
18GZ577	242 / RB75WPCC	Z68	306 / L86C	4005	3013 / RS14PYC6
18GZ7	576 / RB76N	Z69	38 / N12YC	4006	19 / RV19YC
143CPU	530 / RN79G	Z70	38 / N12YC	4007	3025 / RV19PMC
145AU	811 / L82C	Z72	344 / RC9YC	4008	3018 / RV17PMC4
		Z73	430 / RC9YC4		

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
Bosch		Bosch		Bosch	
4011	7401 / RS12PYP	4419	7071 / RC12PYP	7555	71 / RC12YC
4012	3407 / RS14ZPYC5	4428	7034 / RC12PEPB5	7555	430 / RC9YC4
4013	3013 / RS14PYC6	4431	7975 / REC10PYPB4	7556	430 / RC9YC4
4014	306 / L86C	4448	7940 / RS14PYPB5	7556	346 / RC10YC4
4015	104 / RN4C	4449	7018 / RV17PMP4	7558	89 / RC12YC5
4020	405 / RN14YC	4457	9808 / RS8WYPB5	7560	71 / RC12YC
4021	3405 / RN14PMC	4458	7401 / RS12PYP	7562	318 / RC12MC4
4024	406 / RV12YC	4459	7940 / RS14PYPB5	7564	400 / RV9YC
4025	415 / RN9YC	4469	7983 / RS14PMPB5	7565	304 / RS9YC
4028	3344 / RC9PYC	4477	9804 / RN8WYPB3	7567	304 / RS9YC
4030	3071 / RC12PYC	4481	7346 / RC10PYP4	7568	121 / RV8C
4031	304 / RS9YC	4488	7437 / RES11PYP5	7569	406 / RV12YC
4033	104 / RN4C	4501	9202 / RC12WMPB4	7571	13 / RS14YC6
4035	120 / N5C	4503	9202 / RC12WMPB4	7571	408 / RS14YC
4036	58 / RJ18YC	4504	9404 / RS14WYPB5	7572	113 / RV12C
4038	332 / RN7YC	4505	9204 / RS12WYPB4	7577	37 / RV17YC6
4039	7013 / RS14PYP5	4506	9804 / RN8WYPB3	7578	401 / RS12YC
4041	3013 / RS14PYC6	4507	9804 / RN8WYPB3	7580	13 / RS14YC6
4201	3318 / RC12PMC4	4508	9202 / RC12WMPB4	7582	13 / RS14YC6
4202	3071 / RC12PYC	4509	9405 / RS12WMPB4	7583	113 / RV12C
4202	418 / RC9YCN4	4510	9804 / RN8WYPB3	7586	18 / RV15YC4
4204	406 / RV12YC	4512	9201 / RC12WYPB4	7593	312 / L87YC
4205	3013 / RS14PYC6	4515	9901 / RE10WYPB5	7598	104 / RN4C
4206	19 / RV19YC	4516	9006 / REC10WYPB4	7599	104 / RN4C
4208	3018 / RV17PMC4	6213	7013 / RS14PYP5	7700	809 / RA6HC
4211	7401 / RS12PYP	6224	406 / RV12YC	7701	809 / RA6HC
4212	3407 / RS14ZPYC5	6231	304 / RS9YC	7801	868 / RJ19LM
4214	306 / L86C	6239	7013 / RS14PYP5	7805	302 / N11YC
4215	104 / RN4C	6241	3013 / RS14PYC6	7807	846 / CJ14
4218	404 / RN12YC	7302	225 / RB75PP	7809	841 / J8C
4219	404 / RN12YC	7307	242 / RB75WPCC	7810	843 / CJ8
4220	404 / RN12YC	7311	642 / RN79G	7811	853 / CJ7Y
4220	405 / RN14YC	7313	123 / RN5C	7812	853 / CJ7Y
4221	405 / RN14YC	7321	1218 / RC78WYP11	7813	852 / RCJ6Y
4225	415 / RN9YC	7401	71 / RC12YC	7815	847 / DJ8J
4226	409 / RF9YC	7403	430 / RC9YC4	7900	415 / RN9YC
4227	3344 / RC9PYC	7409	809 / RA6HC	7905	404 / RN12YC
4228	3344 / RC9PYC	7416	809 / RA6HC	7907	322 / RN11YC4
4230	7071 / RC12PYP	7502	306 / L86C	7908	871 / RJ8C
4232	312 / L87YC	7506	404 / RN12YC	7911	405 / RN14YC
4233	104 / RN4C	7510	123 / RN5C	7913	405 / RN14YC
4235	120 / N5C	7512	405 / RN14YC	7914	322 / RN11YC4
4236	58 / RJ18YC	7513	405 / RN14YC	7915	592 / RJ12C
4238	332 / RN7YC	7515	592 / RJ12C	7916	58 / RJ18YC
4301	3318 / RC12PMC4	7526	318 / RC12MC4	7918	304 / RS9YC
4301	7318 / RC12PMPB4	7527	71 / RC12YC	7919	58 / RJ18YC
4302	3018 / RV17PMC4	7530	801 / N3C	7922	404 / RN12YC
4303	3318 / RC12PMC4	7533	803 / N4C	7923	322 / RN11YC4
4304	3408 / RS10PYC	7534	825 / J4C	7927	71 / RC12YC
4305	3401 / RS10PYC4	7535	823 / J6C	7950	409 / RF9YC
4306	3322 / RN14PMC3	7539	851 / DJ6J	7951	22 / RF11YC
4307	3322 / RN14PMC3	7540	847 / DJ8J	7953	430 / RC9YC4
4308	3034 / RC12PEC5	7542	849 / CJ6	7955	71 / RC12YC
4311	3408 / RS10PYC	7543	843 / CJ8	7956	346 / RC10YC4
4312	3071 / RC12PYC	7545	853 / CJ7Y	7957	71 / RC12YC
4313	3436 / RC12PLC4	7546	853 / CJ7Y	7958	89 / RC12YC5
4314	7346 / RC10PYP4	7547	852 / RCJ6Y	7962	318 / RC12MC4
4417	7318 / RC12PMPB4	7553	430 / RC9YC4	7963	71 / RC12YC
4418	7318 / RC12PMPB4	7554	430 / RC9YC4	7964	400 / RV9YC



COMPETITIVE INTERCHANGE
TABLEAU DU RENVOIS
REFERNCIA CRUZADA

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
Bosch		Bosch		Bosch	
7966	304 / RS9YC	F7DC0R	430 / RC9YC4	FR6DP	7548 / KC10PYPB4
7968	121 / RV8C	F7HPP222	7547 / KC8ZYPB4	FR6DP1	7548 / KC10PYPB4
7969	406 / RV12YC	F7LC0R2	3344 / RC9PYC	FR6DPP332	9770 / RC7WYPB3
7970	401 / RS12YC	F7LDCR	318 / RC12MC4	FR6DPX	9001 / RC10WYPB4
7971	408 / RS14YC	F7LDCR	430 / RC9YC4	FR6KI332S	9802 / RC8WYPB4
7972	113 / RV12C	F8DC	71 / RC12YC	FR6KPP33X+	7545 / RC8PYPB4
7975	406 / RV12YC	F8DC0	71 / RC12YC	FR6KTC	353 / RC89TMC
7978	401 / RS12YC	F8DPER	7071 / RC12PYP	FR6LI330X	9014 / RC8ZWYPB
7979	401 / RS12YC	F8DPER	71 / RC12YC	FR6NPP332	9030 / REC8WYPB3
7980	13 / RS14YC6	F8DPER	9201 / RC12WYPB4	FR7DC	344 / RC9YC
7981	20 / RS13LYC5	F8DPER	3071 / RC12PYC	FR7DC	430 / RC9YC4
7982	13 / RS14YC6	F8KTCR	353 / RC89TMC	FR7DC	71 / RC12YC
7983	113 / RV12C	F8LCR	318 / RC12MC4	FR7DCO	344 / RC9YC
7985	18 / RV15YC4	F8LCR	412 / RC12LYC	FR7DCX	346 / RC10YC4
7986	18 / RV15YC4	F8LDCR	71 / RC12YC	FR7DCX	430 / RC9YC4
7989	408 / RS14YC	F09CS	686 / C57	FR7DE	337 / RC8YC
7989	7989 / High Thread	F9DC0	71 / RC12YC	FR7DE	344 / RC9YC
7992	332 / RN7YC	F9DCO	335 / RC10YC	FR7DII33X	9001 / RC10WYPB4
7995	415 / RN9YC	FGR5KQE	353 / RC89TMC	FR7DP	3344 / RC9PYC
7998	104 / RN4C	FGR5KQE0	353 / RC89TMC	FR7DPP+	7548 / KC10PYPB4
7999	104 / RN4C	FGR6KQE	353 / RC89TMC	FR7DPP+	3071 / RC12PYC
60999Z	237 / RB77CC	FGR7DDP	3318 / RC12PMC4	FR7DPP10	7548 / KC10PYPB4
241229588	38 / N12YC	FGR7DQE	353 / RC89TMC	FR7DPP22U	7545 / RC8PYPB4
241229612	306 / L86C	FGR7DQE0	71 / RC12YC	FR7DPP22U	7548 / KC10PYPB4
241235602	300 / N9YC	FGR7DQI	9202 / RC12WMPB4	FR7DPP33	7548 / KC10PYPB4
0241235769	9782 / RC8ZWYPB4	FGR7DQP	7318 / RC12PMPB4	FR7DPX	3318 / RC12PMC4
241245665	9770 / RC7WYPB3	FGR7KQE	353 / RC89TMC	FR7DPX	3344 / RC9PYC
241245670	9770 / RC7WYPB3	FGR7KQE0	353 / RC89TMC	FR7DTC	353 / RC89TMC
242235537	415 / RN9YC	FGR8DDP	3318 / RC12PMC4	FR7HPP22	7547 / KC8ZYPB4
D6B	409 / RF9YC	FGR8DQI	9202 / RC12WMPB4	FR7HPP222	7547 / KC8ZYPB4
D6BC	409 / RF9YC	FGR8DQP	7318 / RC12PMPB4	FR7HPP33+	7547 / KC8ZYPB4
D7A	129 / RF10C	FGR8KQC	7071 / RC12PYP	FR7KC	97 / RC9MCC
D7AC	129 / RF10C	FGR8KQE	347 / RC10MCC	FR7KI332S	9803 / RC8WMPB4
D7B	409 / RF9YC	FGR8KQE	353 / RC89TMC	FR7KII33X	9001 / RC10WYPB4
D7BC	409 / RF9YC	FGR8KQE0	347 / RC10MCC	FR7KPP33	7545 / RC8PYPB4
D8A	129 / RF10C	FGR8KQE0	353 / RC89TMC	FR7KPP332	7545 / RC8PYPB4
D8AC	129 / RF10C	FGR8LDPO	3034 / RC12PEC5	FR7KPP332	9202 / RC12WMPB4
D8B	409 / RF9YC	FGR8LQIO	9202 / RC12WMPB4	FR7KPP332	9806 / RC8WMPB4
D8BC	409 / RF9YC	FGR8LQPO	7034 / RC12PEPB5	FR7KPP332U	7545 / RC8PYPB4
D9B	22 / RF11YC	FGR8MQI	9006 / REC10WYPB4	FR7KPP33U+	9803 / RC8WMPB4
D9BC	22 / RF11YC	FGR8MQP	7975 / REC10PYPB4	FR7LC2	97 / RC9MCC
DR8B	409 / RF9YC	FGR9DDP	3071 / RC12PYC	FR7LTC	353 / RC89TMC
DR8BC	409 / RF9YC	FGR9DQI	9201 / RC12WYPB4	FR7NI33	9006 / REC10WYPB4
DR8BPX	409 / RF9YC	FGR9DQP	7071 / RC12PYP	FR7NII35U	9006 / REC10WYPB4
DR9B	22 / RF11YC	FLR8LDCU	354 / RC10DMC	FR8DC	344 / RC9YC
DR9BC	22 / RF11YC	FLR8LDU+	354 / RC10DMC	FR8DC	71 / RC12YC
DR10BC	22 / RF11YC	FLR9LTE	3071 / RC12PYC	FR8DCX	430 / RC9YC4
DR10GC0	130 / RF14LC	FQR8DE	344 / RC9YC	FR8DCX	71 / RC12YC
F3CS	1008 / QC59C	FQR8LEU2	347 / RC10MCC	FR8DCY	89 / RC12YC5
F03DAR	430 / RC9YC4	FR3KI332	1218 / RC78WYP11	FR8DE	344 / RC9YC
F04DAR	430 / RC9YC4	FR3KII332	1221 / RC78WYP15	FR8DE	430 / RC9YC4
F6DC	430 / RC9YC4	FR5DC	430 / RC9YC4	FR8DII33X	9201 / RC12WYPB4
F6DC0R	430 / RC9YC4	FR5DP0R	3344 / RC9PYC	FR8DPP33	7548 / KC10PYPB4
F6DP	3344 / RC9PYC	FR5DPP222	7545 / RC8PYPB4	FR8DPX	418 / RC9YCN4
F6DPP332	9805 / KC8WYPB4	FR5DTC	430 / RC9YC4	FR8DPX	3071 / RC12PYC
F6DSR	430 / RC9YC4	FR5LDC	434 / RC9MC4	FR8DS	71 / RC12YC
F6DTC	430 / RC9YC4	FR6DC	340 / RC7YC	FR8HC	412 / RC12LYC
F6DTC1	430 / RC9YC4	FR6DCP	7548 / KC10PYPB4	FR8HC	436 / RC12LC4
F7DC	430 / RC9YC4	FR6DCX	430 / RC9YC4	FR8HC0X	318 / RC12MC4

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
Bosch		Bosch		Bosch	
FR8HDC	354 / RC10DMC	HR6DC	304 / RS9YC	HS7F	855 / DJ7Y
FR8HP	412 / RC12LYC	HR6DP	304 / RS9YC	HS8E	847 / DJ8J
FR8HP0	3071 / RC12PYC	HR6DS	304 / RS9YC	M4A	506 / D6
FR8KCU	430 / RC9YC4	HR6KI332S	9808 / RS8WYPB5	M4A1	506 / D6
FR8KII33X	9201 / RC12WYPB4	HR7DC	304 / RS9YC	M4A2	506 / D6
FR8LC	97 / RC9MCC	HR7DII33V	9808 / RS8WYPB5	M4AC	506 / D6
FR8LCX	318 / RC12MC4	HR8A	121 / RV8C	M5A	506 / D6
FR8LDC	354 / RC10DMC	HR8AC	121 / RV8C	M5AC	506 / D6
FR8LPX	3071 / RC12PYC	HR8AP	113 / RV12C	M5AS	506 / D6
FR8LPX	7071 / RC12PYP	HR8B	406 / RV12YC	M7A	506 / D6
FR8SII33X	9010 / REC10WMPB	HR8BC	406 / RV12YC	M7AC	506 / D6
FR8T1332	9055 / REC12WMPB5	HR8BP	406 / RV12YC	M8A	509 / D9
FR8TE2	446 / REC12MCC4	HR8BPX	406 / RV12YC	M8A0	509 / D9
FR9HC	412 / RC12LYC	HR8DC	401 / RS12YC	M8AC	514 / D14
FR9HP	3405 / RN14PMC	HR8DCV+	401 / RS12YC	M8AC0	509 / D9
FR9LCX	318 / RC12MC4	HR8DCX	13 / RS14YC6	M10A	514 / D14
FR9LTE	3071 / RC12PYC	HR8DCX	304 / RS9YC	M10A0	514 / D14
FR10DCX	71 / RC12YC	HR8DCX	401 / RS12YC	M10AC	516 / D16
FR10DX	71 / RC12YC	HR8DCX	408 / RS14YC	M10AC0	514 / D14
H2CS	683 / S59C	HR8DCY	13 / RS14YC6	M12A	516 / D16
H5DC	685 / S59YC	HR8DPP15V	7304 / RS9PYP	M175T1	516 / D16
H6B	400 / RV9YC	HR8DPP15V	7401 / RS12PYP	M225T1	509 / D9
H6BC	400 / RV9YC	HR8DPP22U	7304 / RS9PYP	M240T1	506 / D6
H6D	304 / RS9YC	HR8DPX	3013 / RS14PYC6	MR3DPP33	225 / RB75PP
H6DC	304 / RS9YC	HR8LPX	7013 / RS14PYP5	MR3DPP330	1230 / FB77WPCC
H6DC0	304 / RS9YC	HR8NPP302	9901 / RE10WYPB5	U3CC	654 / G59C
H7DC	304 / RS9YC	HR9AC	113 / RV12C	U4A	808 / Z9Y
H7DC0	304 / RS9YC	HR9APX	19 / RV19YC	U5AC	965 / RZ7C
H8B	406 / RV12YC	HR9AY	113 / RV12C	U7A	808 / Z9Y
H8BC	406 / RV12YC	HR9B	406 / RV12YC	U7E	842 / UY6
H8DC	401 / RS12YC	HR9BC	18 / RV15YC4	UR4AS	808 / Z9Y
H8DC0	401 / RS12YC	HR9BC	406 / RV12YC	UR5AC	965 / RZ7C
H9B	406 / RV12YC	HR9BCZ	37 / RV17YC6	UR6DE	349 / RG4PHP
H9BC	406 / RV12YC	HR9BP	3025 / RV19PMC	USR4AC	965 / RZ7C
H9BP	18 / RV15YC4	HR9BPX	3018 / RV17PMC4	USR7AC	965 / RZ7C
H9BPX	18 / RV15YC4	HR9BPZ	37 / RV17YC6	VR7NII33X	9412 / REA9WYPB4
H9DC	401 / RS12YC	HR9D	401 / RS12YC	VR8NII35U	9412 / REA9WYPB4
H9DC0	401 / RS12YC	HR9DC	401 / RS12YC	W2C	805 / N2C
H10B	18 / RV15YC4	HR9DCX	401 / RS12YC	W2C0	805 / N2C
HGR7KQC	3401 / RS10PYC4	HR9DCY	13 / RS14YC6	W2CC	805 / N2C
HGR7MDPO	3436 / RC12PLC4	HR9DPX	7401 / RS12PYP	W2CS	687 / C59
HGR7MQPO	7346 / RC10PYP4	HR9DPY	3013 / RS14PYC6	W2D	792 / C59YC
HGR8BDP	3408 / RS10PYC	HR9DX	401 / RS12YC	W3A	678 / QL57
HGR8BQP	7940 / RS14PYPB5	HR9HC	20 / RS13LYC5	W3A0	678 / QL57
HGR8DDP	3401 / RS10PYC4	HR9HP0	3407 / RS14ZPYC5	W3AC	807 / L78C
HGR8DQI	9204 / RS12WYPB4	HR9HPO	3407 / RS14ZPYC5	W3AC	821 / L77JC4
HGR8DQP	7401 / RS12PYP	HR9LCX	13 / RS14YC6	W3AP	678 / QL57
HGR8MDPO	7346 / RC10PYP4	HR9LPX	3013 / RS14PYC6	W3AS	678 / QL57
HGR8MQI	9901 / RE10WYPB5	HR9LPX	7013 / RS14PYP5	W3C	805 / N2C
HGR8MQPO	7437 / RES11PYP5	HR10A	113 / RV12C	W3C0	805 / N2C
HGR9BDP	3018 / RV17PMC4	HR10AC	113 / RV12C	W3CC	805 / N2C
HGR9BQP	7018 / RV17PMP4	HR10B	18 / RV15YC4	W3CS	687 / C59
HGR9DDP	3408 / RS10PYC	HR10BC	18 / RV15YC4	W3D	315 / N6YC
HGR9DQI	9404 / RS14WYPB5	HR10BCX	18 / RV15YC4	W3DP	315 / N6YC
HGR9DQP	7940 / RS14PYPB5	HR10BX	18 / RV15YC4	W3DP0	315 / N6YC
HGR9LQIO	9405 / RS12WMPB4	HR10DCX	408 / RS14YC	W3DP2	315 / N6YC
HGR9LQPO	7983 / RS14PMPB5	HR10HC0	407 / RS14LC	W4A	821 / L77JC4
HR6B	400 / RV9YC	HS5E	851 / DJ6J	W4A1	821 / L77JC4
HR6BC	400 / RV9YC	HS7E	850 / DJ7J	W4A2	821 / L77JC4

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
Bosch		Bosch		Bosch	
W4A5	821 / L77JC4	W7F	10 / J12YC	W95T2	120 / N5C
W4AC	811 / L82C	W7FC	10 / J12YC	W95TR3	871 / RJ8C
W4AC	821 / L77JC4	W8A	306 / L86C	W95TR6	14 / RJ12YC
W4AS	821 / L77JC4	W8A0	306 / L86C	W125T30	38 / N12YC
W4B2	328 / L82YC	W8AC	306 / L86C	W125T37	38 / N12YC
W4C1	801 / N3C	W8AP	306 / L86C	W125T6	10 / J12YC
W4C2	801 / N3C	W8AS	306 / L86C	W125TR3	871 / RJ8C
W4C3	801 / N3C	W08AS	678 / QL57	W125TR30	404 / RN12YC
W4CC	801 / N3C	W8B	929 / RL95YC	W145M1	306 / L86C
W4CS	801 / N3C	W8BC	929 / RL95YC	W145M2	120 / N5C
W4DP	315 / N6YC	W8C	120 / N5C	W145T1	306 / L86C
W4DP0	315 / N6YC	W8C0	120 / N5C	W145T2	120 / N5C
W4E2	825 / J4C	W8CC	120 / N5C	W145T3	511 / J11C
W5A	807 / L78C	W8CD	120 / N5C	W145T3	823 / J6C
W5AC	807 / L78C	W08CS	687 / C59	W145T30	302 / N11YC
W5AC	811 / L82C	W8D	302 / N11YC	W145T30	38 / N12YC
W5AS	807 / L78C	W8DC	302 / N11YC	W145T35	312 / L87YC
W5B	328 / L82YC	W8DC0	404 / RN12YC	W145T6	10 / J12YC
W5BC	328 / L82YC	W8DCO	38 / N12YC	W145TR2	123 / RN5C
W5C	803 / N4C	W8DCX	322 / RN11YC4	W145TR3	871 / RJ8C
W5CC	803 / N4C	W8DP	302 / N11YC	W145TR30	404 / RN12YC
W5CS	803 / N4C	W8DPX	302 / N11YC	W145TR6	14 / RJ12YC
W5DC	315 / N6YC	W8DTC	302 / N11YC	W150M11S	306 / L86C
W5DCO	315 / N6YC	W8DX	322 / RN11YC4	W175M30	300 / N9YC
W5E	825 / J4C	W8E	841 / J8C	W175T1	811 / L82C
W5EC	825 / J4C	W8EC	841 / J8C	W175T2	120 / N5C
W6AC	811 / L82C	W8F	63 / RJ14YC	W175T27	302 / N11YC
W6AS	811 / L82C	W8FC	63 / RJ14YC	W175T3	823 / J6C
W6B	312 / L87YC	W8LCR	404 / RN12YC	W175T30	300 / N9YC
W6BC	312 / L87YC	W9A	306 / L86C	W175T35	328 / L82YC
W6BP	811 / L82C	W9A0	844 / H10C	W175T6	10 / J12YC
W6CC	803 / N4C	W9AC	811 / L82C	W175TR30	415 / RN9YC
W6D	300 / N9YC	W9AC	306 / L86C	W175TR6	14 / RJ12YC
W6D1	300 / N9YC	W9AC0	306 / L86C	W190M11S	306 / L86C
W6DC	300 / N9YC	W9ACO	811 / L82C	W200P1	306 / L86C
W6DP	300 / N9YC	W9C	120 / N5C	W200T35	328 / L82YC
W6DP0	300 / N9YC	W9CC	120 / N5C	W200TR30	415 / RN9YC
W7A	306 / L86C	W9CL	120 / N5C	W215P21	300 / N9YC
W7AC	306 / L86C	W9D	405 / RN14YC	W225T1	811 / L82C
W7B	312 / L87YC	W9DC	405 / RN14YC	W225T2	120 / N5C
W7BC	312 / L87YC	W9DC0	405 / RN14YC	W225T3	825 / J4C
W7C	803 / N4C	W9DCO	300 / N9YC	W225T30	803 / N4C
W7CC	803 / N4C	W9E	511 / J11C	W225T35	328 / L82YC
W7CC0	803 / N4C	W9E0	511 / J11C	W225T7	328 / L82YC
W7CCO	120 / N5C	W9EC	511 / J11C	W240P11S	811 / L82C
W7CCX	104 / RN4C	W9EC0	845 / J17LM	W240S11S	811 / L82C
W7CX	803 / N4C	W9EO	306 / L86C	W240T1	807 / L78C
W7D	300 / N9YC	W9F	58 / RJ18YC	W240T2	801 / N3C
W7D0	300 / N9YC	W9FC	58 / RJ18YC	W240T3	825 / J4C
W7DC	300 / N9YC	W10C	504 / N21	W240T35	328 / L82YC
W7DC0	300 / N9YC	W10CC	504 / N21	W240T3M	825 / J4C
W7DCO	300 / N9YC	W10D	405 / RN14YC	W250T28	801 / N3C
W7DCX	415 / RN9YC	W10DC	405 / RN14YC	W260M21	811 / L82C
W7DP	300 / N9YC	W10E	511 / J11C	W260M22	801 / N3C
W7DSR	300 / N9YC	W10EC	511 / J11C	W260S1S	811 / L82C
W7DTC	300 / N9YC	W10F	58 / RJ18YC	W260T1	811 / L82C
W7DX	301 / RN9YC4	W10FC	58 / RJ18YC	W260T1	807 / L78C
W7E	823 / J6C	W12E	846 / CJ14	W260T2	801 / N3C
W7EC	823 / J6C	W95T1	811 / L82C	W260T2	805 / N2C

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
Bosch		Bosch		Bosch	
W260T30	315 / N6YC	WR7CC	104 / RN4C	WS5F	858 / CJ6Y
W275T2	805 / N2C	WR7CCX	104 / RN4C	WS7E	849 / CJ6
W280MZ1	807 / L78C	WR7CE+	123 / RN5C	WS7F	853 / CJ7Y
W280MZ2	805 / N2C	WR7CP	104 / RN4C	WS8E	843 / CJ8
W280T30	315 / N6YC	WR7CPX	104 / RN4C	WS8F	853 / CJ7Y
W300MZ2	805 / N2C	WR7DC	415 / RN9YC	WS9E	846 / CJ14
W310S1S	807 / L78C	WR7DCX	301 / RN9YC4	WS9EC	843 / CJ8
WA95T40	25 / RV17YC	WR7DS	415 / RN9YC	WS9EC	846 / CJ14
WA95TR4	113 / RV12C	WR7DSR	415 / RN9YC	WS12E	846 / CJ14
WA95TR40	25 / RV17YC	WR7DTC	415 / RN9YC	WSR5F	852 / RCJ6Y
WA95TR40X6	37 / RV17YC6	WR7EC	102 / RJ6C	WSR6F	852 / RCJ6Y
WA125TR30	401 / RS12YC	WR7F	14 / RJ12YC	WSR7F	859 / RCJ7Y
WA125TR4	121 / RV8C	WR8AC	306 / L86C	WSR8F	863 / RCJ8Y
WA125TR40	406 / RV12YC	WR8AP	830 / RL86C	X4C	809 / RA6HC
WA145TR4	121 / RV8C	WR8BC	806 / L92YC	X4DC	809 / RA6HC
WA145TR40	406 / RV12YC	WR8CC	123 / RN5C	X5DC	809 / RA6HC
WAK145T3	847 / DJ8J	WR8CP	120 / N5C	XR2CS	809 / RA6HC
WAK175T3	850 / DJ7J	WR8D	404 / RN12YC	XR2CS	905 / RA4HC
WAK225T3	851 / DJ6J	WR8DC	404 / RN12YC	XR4CS	809 / RA6HC
WEC	890 / N19V	WR8DC4	322 / RN11YC4	XR4DC	809 / RA6HC
WGR7DQI	9804 / RN8WYPB3	WR8DCX	322 / RN11YC4	XR5DC	809 / RA6HC
WGR8DDP	3322 / RN14PMC3	WR8DP	404 / RN12YC	XR7LDC	810 / RA8HC
WGR8DQI	9804 / RN8WYPB3	WR8DPX	404 / RN12YC	Y5DDC	1006 / RA59GC
WGR9DDP	3322 / RN14PMC3	WR8DS	322 / RN11YC4	Y6DC	809 / RA6HC
WGR9DQI	9804 / RN8WYPB3	WR8E	871 / RJ8C	YR5DDE	905 / RA4HC
WK145T1	843 / CJ8	WR8EC	871 / RJ8C	YR6LDE	810 / RA8HC
WK175T1	843 / CJ8	WR8F	63 / RJ14YC	YR6SII330X	9407 / RER8ZWYCB4
WKA125T3	846 / CJ14	WR8FC	63 / RJ14YC	YR7DE	905 / RA4HC
WKA145T3	843 / CJ8	WR9A0	854 / RH10C	YR7LPP332W	9702 / KA7ZWYPB4
WKA145T6	863 / RCJ8Y	WR9C	123 / RN5C	YR7NE	445 / RER8MC
WKA175T3	849 / CJ6	WR9CC	123 / RN5C	Z45T4	569 / W14
WKA175T36	853 / CJ7Y	WR9D	405 / RN14YC	Briggs & Stratton	
WKA175T38	849 / CJ6	WR9DC	404 / RN12YC	4173	3071 / RC12PYC
WKA175T6	853 / CJ7Y	WR9DC	405 / RN14YC	4174	3071 / RC12PYC
WKA200TR6	852 / RCJ6Y	WR9DCX	404 / RN12YC	5062	973 / RJ19HX
WKA225T6	853 / CJ7Y	WR9DCX	405 / RN14YC	5066	3071 / RC12PYC
WR3CC	818 / RN2C	WR9DCY	322 / RN11YC4	5092	431 / RC14YC
WR3CPP33	642 / RN79G	WR9DP	405 / RN14YC	5095	868 / RJ19LM
WR3CTC	818 / RN2C	WR9DPX	3405 / RN14PMC	72347GS	71 / RC12YC
WR4AC	807 / L78C	WR9DPX	405 / RN14YC	72347GS	71G / RC12YC
WR4CC	880 / RN3C	WR9DS	405 / RN14YC	293918	868 / RJ19LM
WR4CP	880 / RN3C	WR9E	592 / RJ12C	394539	868 / RJ19LM
WR4DP0	339 / RN6YC	WR9EC	592 / RJ12C	491055	71 / RC12YC
WR5CC	880 / RN3C	WR9ECO	856 / RJ17LM	491055	71G / RC12YC
WR5CP	104 / RN4C	WR9F	58 / RJ18YC	491055S	71 / RC12YC
WR5DC	315 / N6YC	WR9FC	58 / RJ18YC	491055S	71G / RC12YC
WR5DC	332 / RN7YC	WR9FP	58 / RJ18YC	492167	868 / RJ19LM
WR5DC	339 / RN6YC	WR9LS	405 / RN14YC	492167S	868 / RJ19LM
WR5DP	332 / RN7YC	WR10A	830 / RL86C	496018	431 / RC14YC
WR5DS	332 / RN7YC	WR10AC	830 / RL86C	496018S	431 / RC14YC
WR6DC	332 / RN7YC	WR10E	592 / RJ12C	499608	71G / RC12YC
WR6DC	415 / RN9YC	WR10F	58 / RJ18YC	499608	71 / RC12YC
WR6DCX	332 / RN7YC	WR10FC	58 / RJ18YC	499730	973 / RJ19HX
WR6DP	415 / RN9YC	WR10LC	404 / RN12YC	591040	868 / RJ19LM
WR6DS	415 / RN9YC	WR10LCV	322 / RN11YC4	591868	868 / RJ19LM
WR6FC	102 / RJ6C	WR10LCV	31 / RN14MC5	594056	71 / RC12YC
WR7AC	830 / RL86C	WR11E0	868 / RJ19LM	691043	946 / QC12YC
WR7BC	814 / RL82YC	WR11EC0	592 / RJ12C	692051	71G / RC12YC
WR7BP	312 / L87YC	WR11F	63 / RJ14YC		



COMPETITIVE INTERCHANGE
TABLEAU DU RENVOIS
REFERNCIA CRUZADA

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
Briggs & Stratton		Caterpillar		Chrysler	
692051	71 / RC12YC	1286238	530 / RN79G	SPLZFR5C11	446 / REC12MCC4
692720	946 / QC12YC	1593219	227 / FI21505	SPLZTR5A13	7570 / RE14PMPB
694385	71-1 / RC12YC	1593275	227 / FI21505	SPRC12PEC5	3034 / RC12PEC5
694385	71G / RC12YC	3016663	1230 / FB77WPCC	SPTE10PMC5	3232 / TE10PMC5
696073	71-1 / RC12YC	Chrysler		SPZFR6F11G	9002 / RC10WMPB4
696073	71G / RC12YC	04606402AB	470 / RE14MCC5	SVRE10PMC5	3032 / RE10PMC5
696130	3071 / RC12PYC	04606402AC	470 / RE14MCC5	SZFR5LP13G	7034 / RC12PEPB5
696130	71 / RC12YC	04606402AD	470 / RE14MCC5	SZFR5000AA	9034 / RC12WEPB5
696202	3071 / RC12PYC	04606591AB	7034 / RC12PEPB5	Cub Cadet	
696798	71G / RC12YC	4606759AA	9001 / RC10WYPB4	759336	71 / RC12YC
696798	71-1 / RC12YC	4609040	436 / RC12LC4	75110292	415 / RN9YC
697451	868 / RJ19LM	4609076	436 / RC12LC4	9807956846	415 / RN9YC
711252	71G / RC12YC	04609087AB	3034 / RC12PEC5	Daihatsu	
792015	71 / RC12YC	4609096	3032 / RE10PMC5	9004851106	430 / RC9YC4
792015	71G / RC12YC	4686742AE	9440 / RE14WLPB5	Denso	
793541	3071 / RC12PYC	05018976AA	470 / RE14MCC5	3000	322 / RN11YC4
796112	868 / RJ19LM	5149002AA	443 / RE16MC	3004	3322 / RN14PMC3
796112S	868 / RJ19LM	05269897	9001 / RC10WYPB4	3005	7071 / RC12PYP
798615	302 / N11YC	56027275	436 / RC12LC4	3006	71 / RC12YC
799876	868 / RJ19LM	56028189	436 / RC12LC4	3007	430 / RC9YC4
799876	868-1 / RJ19LM	56028236AA	439 / RC12MCC4	3008	430 / RC9YC4
802592	868 / RJ19LM	56028374AB	570 / RE14MCC4	3009	430 / RC9YC4
802592S	868 / RJ19LM	56041402AB	438 / RC12ECC	3010	430 / RC9YC4
805015	71 / RC12YC	68005667AA	9408 / RER8WYCB4	3011	405 / RN14YC
805015	71G / RC12YC	68005667AB	9408 / RER8WYCB4	3013	405 / RN14YC
RJ2PYLE	868 / RJ19LM	68303917AA	9440 / RE14WLPB5	3014	405 / RN14YC
RJ2YLE	868 / RJ19LM	68303920AA	443 / RE16MC	3015	31 / RN14MC5
RJ2YXLE	868 / RJ19LM	68304018AA	3232 / TE10PMC5	3016	322 / RN11YC4
Brisk		68304194AA	435 / QC9MC4	3018	302 / N11YC
3VR14S	7989 / High Thread	68307021AA	470 / RE14MCC5	3020	322 / RN11YC4
3VR17YS	7989 / High Thread	A1005N04	322 / RN11YC4	3021	322 / RN11YC4
DOR12LGS	335 / RC10YC	MN163235	9001 / RC10WYPB4	3022	322 / RN11YC4
DR15YC	344 / RC9YC	S3RE14PLP5	7440 / RE14PLP5	3025	120 / N5C
DR15YC1	430 / RC9YC4	SP00QC9MC4	435 / QC9MC4	3027	302 / N11YC
DR15YPP	335 / RC10YC	SPORC12LC4	7436 / RC10PLPB4	3028	322 / RN11YC4
DR17YC	335 / RC10YC	SPORC12LYC	415 / RN9YC	3031	322 / RN11YC4
DR17YS	335 / RC10YC	SPORC8PYP4	7345 / RC8PYP4	3032	322 / RN11YC4
F17YC	409 / RF9YC	SP0RE10PM5	3132 / RE10PM5	3033	830 / RL86C
Case		SP00RE16MC	443 / RE16MC	3034	306 / L86C
AO5999AB	841 / J8C	SP00ZFR5AP	3720 / RC12PMCB3	3035	587 / H8C
O5999B	841 / J8C	SP0ZFR5F11	9202 / RC12WMPB4	3037	63 / RJ14YC
TG44840	516 / D16	SP070507AC	9700 / RA7WYB	3041	415 / RN9YC
TM20007	844 / H10C	SP079888AB	9010 / REC10WMPB	3043	300 / N9YC
TM20699	306 / L86C	SP138239AC	9055 / REC12WMPB5	3045	300 / N9YC
Caterpillar		SP142582AB	9055 / REC12WMPB5	3047	322 / RN11YC4
2A3643	516 / D16	SP143877AA	446 / REC12MCC4	3048	322 / RN11YC4
2B9548	569 / W14	SP143877AA	9055 / REC12WMPB5	3049	322 / RN11YC4
2N0553	1224 / RL85G	SP143877AB	446 / REC12MCC4	3051	803 / N4C
2N2839	530 / RN79G	SP143877AB	9055 / REC12WMPB5	3052	308 / RN12MC4
2W9486	300 / N9YC	SP149125AD	9407 / RER8ZWYCB4	3054	803 / N4C
3B6583	844 / H10C	SP149125AE	9407 / RER8ZWYCB4	3057	104 / RN4C
4W2256	540 / RTN79G	SP149212AC	3032 / RE10PMC5	3058	104 / RN4C
8F6347	843 / CJ8	SP196724AA	9044 / REC8WMPB4	3060	415 / RN9YC
9B0444	823 / J6C	SP196724AB	9044 / REC8WMPB4	3062	300 / N9YC
9M4141	10 / J12YC	SPFR8TE2AA	446 / REC12MCC4	3063	300 / N9YC
9M4142	10 / J12YC	SPFR8TE2AA	9055 / REC12WMPB5	3066	415 / RN9YC
1043170	530 / RN79G	SPFR8TI332	9055 / REC12WMPB5	3067	415 / RN9YC
1225975	227 / FI21505	SPLZFR5B13	3232 / TE10PMC5	3068	312 / L87YC

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
Denso		Denso		Denso	
3070	929 / RL95YC	3356	9201 / RC12WYPB4	5016	71 / RC12YC
3073	306 / L86C	3374	430 / RC9YC4	5017	89 / RC12YC5
3075	823 / J6C	3377	9812 / RC8ZWYPB4	5018	412 / RC12LYC
3076	102 / RJ6C	3381	975 / REC10YC4	5022	408 / RS14YC
3078	880 / RN3C	3395	9001 / RC10WYPB4	5023	13 / RS14YC6
3085	300 / N9YC	3403	9802 / RC8WYPB4	5024	18 / RV15YC4
3086	300 / N9YC	3417	9006 / REC10WYPB4	5025	18 / RV15YC4
3087	322 / RN11YC4	3419	9800 / RC7WYPB4	5026	18 / RV15YC4
3088	415 / RN9YC	3421	9006 / REC10WYPB4	5029	113 / RV12C
3089	415 / RN9YC	3426	9006 / REC10WYPB4	5031	401 / RS12YC
3091	805 / N2C	3427	991 / REA8MCX	5032	401 / RS12YC
3092	805 / N2C	3432	9812 / RC8ZWYPB4	5033	13 / RS14YC6
3093	801 / N3C	3442	9412 / REA9WYPB4	5034	406 / RV12YC
3098	880 / RN3C	3443	9802 / RC8WYPB4	5035	406 / RV12YC
3108	405 / RN14YC	3458	9006 / REC10WYPB4	5036	406 / RV12YC
3110	123 / RN5C	3478	9047 / RER12WMPB4	5038	121 / RV8C
3112	318 / RC12MC4	3479	9060 / RER11WMPB3	5040	344 / RC9YC
3113	7071 / RC12PYP	4002	808 / Z9Y	5044	841 / J8C
3114	3322 / RN14PMC3	4004	808 / Z9Y	5046	14 / RJ12YC
3115	7346 / RC10PYP4	4006	808 / Z9Y	5047	407 / RS14LC
3116	7346 / RC10PYP4	4008	808 / Z9Y	5071	7983 / RS14PMPB5
3117	7071 / RC12PYP	4013	929 / RL95YC	5344	9006 / REC10WYPB4
3119	71 / RC12YC	4014	929 / RL95YC	6001	827M / L76V
3120	89 / RC12YC5	4019	929 / RL95YC	6007	58 / RJ18YC
3121	430 / RC9YC4	4020	929 / RL95YC	6008	841 / J8C
3121	89 / RC12YC5	4022	327 / RL87YC	6013	844 / H10C
3122	3071 / RC12PYC	4024	830 / RL86C	6021	58 / RJ18YC
3123	7071 / RC12PYP	4025	306 / L86C	FK16HQR11	9006 / REC10WYPB4
3125	430 / RC9YC4	4030	801 / N3C	FK16HR11	9006 / REC10WYPB4
3127	7071 / RC12PYP	4033	880 / RN3C	FK20HBR11	9006 / REC10WYPB4
3128	7071 / RC12PYP	4034	688 / C61	FK20HR11	9006 / REC10WYPB4
3129	71 / RC12YC	4035	688 / C61	FXE20HR11	9410 / REA12WMPB4
3130	318 / RC12MC4	4037	830 / RL86C	FXE22HR11	9412 / REA9WYPB4
3131	318 / RC12MC4	4038	811 / L82C	FXU16HR11	9047 / RER12WMPB4
3132	318 / RC12MC4	4045	818 / RN2C	GE31	642 / RN79G
3133	318 / RC12MC4	4046	805 / N2C	GI35A	1230 / FB77WPCC
3134	7071 / RC12PYP	4047	688 / C61	GK31A	243 / RC78PYP15
3135	318 / RC12MC4	4049	688 / C61	GK35A	1218 / RC78WYP11
3137	71 / RC12YC	4052	807 / L78C	GL31A	242 / RB75WPCC
3139	89 / RC12YC5	4054	883 / QL78C	GL33A	242 / RB75WPCC
3140	430 / RC9YC4	4059	687 / C59	GN31A	1224 / RL85G
3141	7071 / RC12PYP	4062	686 / C57	GT31	233 / RM82WPCC
3142	7071 / RC12PYP	4065	821 / L77JC4	IK16	9001 / RC10WYPB4
3143	318 / RC12MC4	4085	810 / RA8HC	IK16TT	7070 / RC11PYPB4
3144	89 / RC12YC5	4090	810 / RA8HC	IK16TT	7547 / KC82PYPB4
3145	71 / RC12YC	4091	810 / RA8HC	IK16TT	9001 / RC10WYPB4
3157	7346 / RC10PYP4	4093	809 / RA6HC	IK20	9802 / RC8WYPB4
3158	7346 / RC10PYP4	4096	809 / RA6HC	IK20G	9802 / RC8WYPB4
3165	430 / RC9YC4	4099	809 / RA6HC	IK20L	9803 / RC8WMPB4
3166	318 / RC12MC4	4100	809 / RA6HC	IK20TT	9805 / KC8WYPB4
3167	318 / RC12MC4	4101	809 / RA6HC	IK22	9802 / RC8WYPB4
3168	7071 / RC12PYP	4111	905 / RA4HC	IKH16	9006 / REC10WYPB4
3169	318 / RC12MC4	4125	810 / RA8HC	IKH20	9006 / REC10WYPB4
3191	71 / RC12YC	4136	332 / RN7YC	IQ16	3071 / RC12PYC
3212	415 / RN9YC	5003	509 / D9	IT16	9204 / RS12WYPB4
3247	7071 / RC12PYP	5008	22 / RF11YC	IT20	9808 / RS8WYPB5
3253	7071 / RC12PYP	5009	22 / RF11YC	IT20TT	9808 / RS8WYPB5
3324	9001 / RC10WYPB4	5013	409 / RF9YC	ITL16	9300 / RES12WYPB4
3329	354 / RC10DMC	5014	129 / RF10C	ITV16	9901 / RE10WYPB5



COMPETITIVE INTERCHANGE
TABLEAU DU RENVOIS
REFERNCIA CRUZADA

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
Denso		Denso		Denso	
ITV20	9299 / RES8WYPB4	KJ16CR11	318 / RC12MC4	Q14RU11	430 / RC9YC4
ITV20	9901 / RE10WYPB5	KJ16CRL11	318 / RC12MC4	Q16HRU	412 / RC12LYC
ITV22	9016 / RES8WYPB3	KJ20CR11	318 / RC12MC4	Q16PRU	71 / RC12YC
IU22	349 / RG4PHP	KJ20CRL11	318 / RC12MC4	Q16PRU11	71 / RC12YC
IU27	349 / RG4PHP	L14RU	541 / RD16	Q16PRU15	89 / RC12YC5
IU27A	349 / RG4PHP	L14U	516 / D16	Q16PRZU11	7071 / RC12PYP
IUF22	965 / RZ7C	M14	516 / D16	Q16PRZU15	7071 / RC12PYP
IW16	9804 / RN8WYPB3	M17	514 / D14	Q16PU11	89 / RC12YC5
IW20	9804 / RN8WYPB3	M22	509 / D9	Q16RU	71 / RC12YC
IW22	9804 / RN8WYPB3	M24S	506 / D6	Q16RU11	71 / RC12YC
IW24	880 / RN3C	MA16PRU	22 / RF11YC	Q20PRU	430 / RC9YC4
IW27	818 / RN2C	MA16PRU11	22 / RF11YC	Q20PRU11	430 / RC9YC4
IW31	818 / RN2C	MA16PRU15	22 / RF11YC	Q20PRZU11	7346 / RC10PYP4
IXEH22TT	9412 / REA9WYPB4	MA16PU	22 / RF11YC	Q20PU	430 / RC9YC4
IXU22	9701 / RA8WHP	MA16RU	129 / RF10C	Q20PU11	430 / RC9YC4
IXU24	9701 / RA8WHP	MA17PU	22 / RF11YC	Q20RU	430 / RC9YC4
IXU27	1006 / RA59GC	MA20PRU	409 / RF9YC	Q20RU11	430 / RC9YC4
J16ARU11	322 / RN11YC4	MA20PU	409 / RF9YC	Q22PRU	430 / RC9YC4
K16GPRU11	318 / RC12MC4	MA20RU	129 / RF10C	Q22PRZU	7346 / RC10PYP4
K16HPRU11	975 / REC10YC4	MA20RU11	129 / RF10C	Q24PRZU11	340 / RC7YC
K16HRU11	975 / REC10YC4	MW17	514 / D14	QJ16ARU	438 / RC12ECC
K16PR	71 / RC12YC	MW17U	514 / D14	QJ16ARU	436 / RC12LC4
K16PRL11	318 / RC12MC4	MW22U	509 / D9	QJ16CR11	439 / RC12MCC4
K16PRP11	346 / RC10YC4	P16PR11	3322 / RN14PMC3	QJ16HRU	412 / RC12LYC
K16PRT11	318 / RC12MC4	P16R	3322 / RN14PMC3	QJ20CR11	318 / RC12MC4
K16PRU	71 / RC12YC	P16R13	7031 / RN14PMP5	RER8ZWYCB4	9407 / RER8ZWYCB4
K16PRU11	318 / RC12MC4	P20PR11	7346 / RC10PYP4	SC16HR11	9412 / REA9WYPB4
K16PSRB8	9001 / RC10WYPB4	P20PR13	7346 / RC10PYP4	SC20HR11	9412 / REA9WYPB4
K16PU	335 / RC10YC	P20PR8	332 / RN7YC	SF10	824 / UL18V
K16R4	89 / RC12YC5	P20PRS11	7346 / RC10PYP4	SF50	827M / L76V
K16RU	71 / RC12YC	P20R11	301 / RN9YC4	SF51	833M / L78V
K16RU11	89 / RC12YC5	PK16PR11	7548 / KC10PYPB4	SK16HR11	9006 / REC10WYPB4
K16TNR9	354 / RC10DMC	PK16PRL11	7070 / RC11PYPB4	SK16PRA11	9201 / RC12WYPB4
K16TR11	354 / RC10DMC	PK16PRL11	7548 / KC10PYPB4	SK16PRE11	9201 / RC12WYPB4
K20HRU11	975 / REC10YC4	PK16PRP11	7545 / RC8PYPB4	SK16PRE13	9008 / RC10WYPB5
K20PBR	353 / RC89TMC	PK16R	7071 / RC12PYP	SK16PRL11	9001 / RC10WYPB4
K20PBR10	353 / RC89TMC	PK16R11	7071 / RC12PYP	SK16R11	9001 / RC10WYPB4
K20PR	340 / RC7YC	PK16R8	7071 / RC12PYP	SK20BR11	9803 / RC8WMPB4
K20PRL11	89 / RC12YC5	PK16TR11	7071 / RC12PYP	SK20HPRL11	9033 / REC8WYPB4
K20PRT11	9802 / RC8WYPB4	PK20GR8	7547 / KC8ZYPB4	SK20HR11	9006 / REC10WYPB4
K20PRU	71 / RC12YC	PK20PR11	7071 / RC12PYP	SK20PRA11	9802 / RC8WYPB4
K20PRU11	89 / RC12YC5	PK20PRL11	3344 / RC9PYC	SK20PRA8	9802 / RC8WYPB4
K20PRZU11	7548 / KC10PYPB4	PK20PRL11	7071 / RC12PYP	SK20PRL11	9805 / KC8WYPB4
K20PSRB8	9801 / RC8WYPB3	PK20PRP11	7071 / RC12PYP	SK20PRL11	9802 / RC8WYPB4
K20PSRB8	9802 / RC8WYPB4	PK20R11	7071 / RC12PYP	SK20R11	9806 / RC8WMPB4
K20RU	71 / RC12YC	PK20R13	7071 / RC12PYP	SK20R11	7318 / RC12PMPB4
K20RU	9201 / RC12WYPB4	PK20R13	9803 / RC8WMPB4	SK20R11	318 / RC12MC4
K20RU	9202 / RC12WMPB4	PK20R8	7071 / RC12PYP	SK20R11	3318 / RC12PMC4
K20RU	7318 / RC12PMPB4	PK20TR11	7071 / RC12PYP	SK20RP11	7071 / RC12PYP
K20RU	3318 / RC12PMC4	PKJ16CR8	7548 / KC10PYPB4	SK22PRM11	9800 / RC7WYPB4
K20RU	3071 / RC12PYC	PKJ16CRL11	7547 / KC8ZYPB4	SK22PRM11S	9800 / RC7WYPB4
K20RU	318 / RC12MC4	PKJ20CRL11	7071 / RC12PYP	SKJ16CRA8	9013 / RC10WMPB3
K20RU	7071 / RC12PYP	PQ16R	7071 / RC12PYP	SKJ16CRA8	9202 / RC12WMPB4
K20RU11	89 / RC12YC5	PQ16R8	7071 / RC12PYP	SKJ16CRL11	7547 / KC8ZYPB4
K20TNR9	353 / RC89TMC	PQ20PRP8	7071 / RC12PYP	SKJ16DRM11	9202 / RC12WMPB4
K20TNR9	353 / RC89TMC	PQ20R	7071 / RC12PYP	SKJ20DRM11	9812 / RC8ZWYCB4
K22PRU	430 / RC9YC4	PQ20R11	7071 / RC12PYP	SKJ20DRM11S	9812 / RC8ZWYCB4
KJ14CR11	439 / RC12MCC4	PQ20RP8	7071 / RC12PYP	SKJ20DRM13	9813 / RC8ZWYCB5
KJ14CRL11	318 / RC12MC4	PT16EPRL13	7401 / RS12PYP	SVK20RZ11	9802 / RC8WYPB4

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
Denso		Denso		Denso	
SVK20RZ8	9802 / RC8WYPB4	W9LMRUS	868 / RJ19LM	W16FSR	830 / RL86C
SXU22HCR11S	9407 / RER8ZWYCB4	W9LMUS	861 / J19LM	W16FSU	306 / L86C
SXU22PR9	9701 / RA8WHP	W9PRU	58 / RJ18YC	W16LS	587 / H8C
T16EPRU	408 / RS14YC	W9PU	58 / RJ18YC	W16PRU	63 / RJ14YC
T16EPRU15	13 / RS14YC6	W9U	592 / RJ12C	W16PU	63 / RJ14YC
T16NRU11	407 / RS14LC	W14E	120 / N5C	W16SU	841 / J8C
T16PRU	18 / RV15YC4	W14EKRS11	405 / RN14YC	W17	823 / J6C
T16PRU11	18 / RV15YC4	W14EP	38 / N12YC	W17ES	120 / N5C
T16PU	18 / RV15YC4	W14EPRU	405 / RN14YC	W17ESU	120 / N5C
T16RU	113 / RV12C	W14EPU	405 / RN14YC	W17EWU	300 / N9YC
T20EPRU	401 / RS12YC	W14EXRU	405 / RN14YC	W17FU	306 / L86C
T20EPRU15	13 / RS14YC6	W14EXRU11	405 / RN14YC	W17PU	10 / J12YC
T20EPU	401 / RS12YC	W14EXRU15	31 / RN14MC5	W17U	823 / J6C
T20EXU	401 / RS12YC	W14EXU	405 / RN14YC	W20EKPRS11	415 / RN9YC
T20MPU	855 / DJ7Y	W14EXU11	405 / RN14YC	W20EKRS11	415 / RN9YC
T20MU	847 / DJ8J	W14FP	328 / L82YC	W20EP	300 / N9YC
T20PRU	406 / RV12YC	W14FPR	929 / RL95YC	W20EPRU	322 / RN11YC4
T20PRU11	406 / RV12YC	W14FPRUL	929 / RL95YC	W20EPRU10	322 / RN11YC4
T20PU	406 / RV12YC	W14FPU	929 / RL95YC	W20EPRU11	322 / RN11YC4
T20RU	121 / RV8C	W14FPUL	929 / RL95YC	W20EPU	300 / N9YC
T22EPU	344 / RC9YC	W14FPUL10	929 / RL95YC	W20EPU11	322 / RN11YC4
T22MPU	855 / DJ7Y	W14FRU	830 / RL86C	W20EPZU	300 / N9YC
T22MU	851 / DJ6J	W14L	844 / H10C	W20ESL	803 / N4C
TJ14RP15	7983 / RS14PMPB5	W14LMRUS	856 / RJ17LM	W20ESL11	803 / N4C
TR14PRU	25 / RV17YC	W14LMU	861 / J19LM	W20ESRL	104 / RN4C
TR14PRU15	37 / RV17YC6	W14LMUS	861 / J19LM	W20ESRL11	104 / RN4C
U14U	842 / UY6	W14MPRU10	863 / RCJ8Y	W20ESRU	104 / RN4C
U16FSRU	808 / Z9Y	W14MPU10	848 / CJ8Y	W20ESU	803 / N4C
U16FSU	808 / Z9Y	W14MRU	868 / RJ19LM	W20ESU11	308 / RN12MC4
U17FU	808 / Z9Y	W14MU	846 / CJ14	W20ESZU	803 / N4C
U17U	842 / UY6	W14MU10	846 / CJ14	W20ETRS	415 / RN9YC
U20FBU	808 / Z9Y	W14MUS	846 / CJ14	W20ETS	300 / N9YC
U20FSGU	808 / Z9Y	W14PRU	58 / RJ18YC	W20EXRU	415 / RN9YC
U20FSRU	808 / Z9Y	W14PU	58 / RJ18YC	W20EXRU11	415 / RN9YC
U20FSU	808 / Z9Y	W14U	841 / J8C	W20EXU	300 / N9YC
U20FSZU	808 / Z9Y	W14US	841 / J8C	W20EXU11	300 / N9YC
U20FU	808 / Z9Y	W16EKRS11	322 / RN11YC4	W20EXU13	300 / N9YC
U22ETR	349 / RG4PHP	W16EP	300 / N9YC	W20FP	328 / L82YC
U22FBU	808 / Z9Y	W16EPRS11	322 / RN11YC4	W20FPRL	929 / RL95YC
U22FSRU	808 / Z9Y	W16EPRU	322 / RN11YC4	W20FPRU	929 / RL95YC
U22FSU	808 / Z9Y	W16EPRU10	322 / RN11YC4	W20FPU	312 / L87YC
U22FSZU	808 / Z9Y	W16EPRU11	322 / RN11YC4	W20FPU	929 / RL95YC
U22FU	808 / Z9Y	W16EPU	302 / N11YC	W20FRL	929 / RL95YC
U24ESRNZU	349 / RG4PHP	W16EPU10	322 / RN11YC4	W20FSR	830 / RL86C
VK16	9001 / RC10WYPB4	W16EPZU	302 / N11YC	W20FSRU	830 / RL86C
VK20	9802 / RC8WYPB4	W16ESL	120 / N5C	W20FSU	306 / L86C
VK20PRZ11	9802 / RC8WYPB4	W16ESL11	120 / N5C	W20FSZU	306 / L86C
VK20Y	9805 / KC8WYPB4	W16ESRL11	322 / RN11YC4	W20FTU	328 / L82YC
VK22	9802 / RC8WYPB4	W16ESRU	123 / RN5C	W20MPRU	863 / RCJ8Y
VKH16	9006 / REC10WYPB4	W16ESU	120 / N5C	W20MPRU10	863 / RCJ8Y
VKH20	9006 / REC10WYPB4	W16EX	38 / N12YC	W20MPU	848 / CJ8Y
VQ16	3071 / RC12PYC	W16EXRU	322 / RN11YC4	W20MPU10	848 / CJ8Y
VX22BC	8812-1 / 8812	W16EXRU11	322 / RN11YC4	W20MRU	840 / RCJ8
VXU22	9701 / RA8WHP	W16EXU	302 / N11YC	W20MU	843 / CJ8
W9EP	405 / RN14YC	W16EXU11	322 / RN11YC4	W20MUS	843 / CJ8
W9EU	504 / N21	W16EXU13	322 / RN11YC4	W20PRU	14 / RJ12YC
W9EXRU	405 / RN14YC	W16FPR	929 / RL95YC	W20PU	10 / J12YC
W9EXU	405 / RN14YC	W16FPRU	806 / L92YC	W20SRU	102 / RJ6C
W9FP	929 / RL95YC	W16FPU	929 / RL95YC	W20SU	823 / J6C

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
Denso		Denso		Denso	
W20TT	415 / RN9YC	W27ESU	805 / N2C	ZC20HPR11	9412 / REA9WYPB4
W21ESL11	801 / N3C	W27ESV	688 / C61	ZXU20HCR8	9060 / RER11WMPB3
W21ESRL11	880 / RN3C	W27ESZU	687 / C59	Ducati	
W22EP	315 / N6YC	W27FSR	883 / QL78C	67040071A	905 / RA4HC
W22EPRS11	322 / RN11YC4	W27FSU	807 / L78C	67040081A	905 / RA4HC
W22EPRU	332 / RN7YC	W27FSU10	807 / L78C	67040141A	809 / RA6HC
W22EPRU	415 / RN9YC	W27FSZU	807 / L78C	67040171A	809 / RA6HC
W22EPRU11	415 / RN9YC	W27SU	825 / J4C	67040331A	905 / RA4HC
W22EPU	300 / N9YC	W29ESRV	687 / C59	67040351A	809 / RA6HC
W22EPZU	300 / N9YC	W29ESV	687 / C59	67090121A	1006 / RA59GC
W22ES	805 / N2C	W29ESZU	687 / C59	E3 Spark Plugs	
W22ESL	805 / N2C	W31EMRC	818 / RN2C	E310	861 / J19LM
W22ESL11	805 / N2C	W31ENU	695 / C55R	E310	868 / RJ19LM
W22ESRL	332 / RN7YC	W31ESRU	818 / RN2C	E312	852 / RCJ6Y
W22ESRL11	415 / RN9YC	W31ESU	686 / C57	E312	858 / CJ6Y
W22ESRU	880 / RN3C	W31ESZU	687 / C59	E314	846 / CJ14
W22ESU	801 / N3C	W31FS	821 / L77JC4	E316	855 / DJ7Y
W22ESU11	801 / N3C	W31SU	825 / J4C	E316	872 / RDJ7Y
W22ESZU	801 / N3C	WA20MU	847 / DJ8J	E318	803 / N4C
W22EU	120 / N5C	WA22MU	851 / DJ6J	E318	104 / RN4C
W22EXRU	332 / RN7YC	WS20SU	102 / RJ6C	E320	71 / RC12YC
W22FPRU	327 / RL87YC	WU9EU	120 / N5C	E322	300 / N9YC
W22FPU	312 / L87YC	WU14EU	120 / N5C	E322	415 / RN9YC
W22FRU	328 / L82YC	X16EPRU9	810 / RA8HC	E324	965 / RZ7C
W22FSR	830 / RL86C	X16FSRU	910 / P10Y	E352	10 / J12YC
W22FSU	306 / L86C	X16FSU	910 / P10Y	E352	592 / RJ12C
W22FSZU	306 / L86C	X20EPRU9	810 / RA8HC	E368	975 / REC10YC4
W22FU	306 / L86C	X20ESU	810 / RA8HC	E370	7989 / High Thread
W22MPRU	859 / RCJ7Y	X20EU	810 / RA8HC	FF10	861 / J19LM
W22MPU	853 / CJ7Y	X22EPRGL	810 / RA8HC	FF10	868 / RJ19LM
W22MPUS	853 / CJ7Y	X22EPRZU9	810 / RA8HC	FF11	863 / RCJ8Y
W22MU	849 / CJ6	X22EPU9	810 / RA8HC	FF12	852 / RCJ6Y
W22MUS	849 / CJ6	X22EPZU9	810 / RA8HC	FF13	852 / RCJ6Y
W22S	825 / J4C	X22ESRU	810 / RA8HC	FF14	846 / CJ14
W22SU	823 / J6C	X22ESRU9	810 / RA8HC	FF16	851 / DJ6J
W22U	823 / J6C	X22ESU	810 / RA8HC	FF18	104 / RN4C
W24EPRU	332 / RN7YC	X22ESZU	810 / RA8HC	FF18	803 / N4C
W24ES	805 / N2C	X22EU	810 / RA8HC	FF20	71 / RC12YC
W24ESR	880 / RN3C	X24EPRU9	809 / RA6HC	FF22	300 / N9YC
W24ESRU	880 / RN3C	X24EPRZU9	809 / RA6HC	FF22	415 / RN9YC
W24ESRV	688 / C61	X24EPU9	809 / RA6HC	Fiat	
W24ESU	801 / N3C	X24EPZU9	809 / RA6HC	1L45JR	332 / RN7YC
W24ESU11	801 / N3C	X24ESRU	809 / RA6HC	1L4J	300 / N9YC
W24ESV	688 / C61	X24ESU	809 / RA6HC	1L4JR	415 / RN9YC
W24ESZU	801 / N3C	X24ESZU	809 / RA6HC	1S3	811 / L82C
W24EU	801 / N3C	X24EU	809 / RA6HC	1S5J	328 / L82YC
W24FPRU10	814 / RL82YC	X24GPRU	809 / RA6HC	04NE	300 / N9YC
W24FPU	328 / L82YC	X27EPRU9	905 / RA4HC	7FYSR	332 / RN7YC
W24FSR	830 / RL86C	X27EPRZU9	905 / RA4HC	7FYSSR	332 / RN7YC
W24FSU	811 / L82C	X27EPZU9	905 / RA4HC	9FY	300 / N9YC
W24FSZU	811 / L82C	X31ESZU	905 / RA4HC	9FYSR	332 / RN7YC
W24FU	811 / L82C	XU20EPRU	810 / RA8HC	9FYSR	415 / RN9YC
W24SU	825 / J4C	XU22EPRU	449 / RA7YC	9FYSSR	415 / RN9YC
W24U	825 / J4C	XU22EPRU	809 / RA6HC	12NE	344 / RC9YC
W25ECU	807 / L78C	XU22EPU	809 / RA6HC	14NC	332 / RN7YC
W27ENU	696 / C59R	XU22HDR9	445 / RER8MC	2301710	315 / N6YC
W27ESC	805 / N2C	XU24EPRU	809 / RA6HC	4113022	811 / L82C
W27ESRU	818 / RN2C	XU27EPRU	905 / RA4HC	4170472	315 / N6YC
W27ESRV	688 / C61	XU27EPRZU	905 / RA4HC		

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
Fiat		Fiat		Honda	
4172173	315 / N6YC	SP070500AA	3720 / RC12PMCB3	12290R41L01	9407 / RER8ZWYCB4
4346196	415 / RN9YC	SP070507AC	9700 / RA7WYB	12290R48H01	9407 / RER8ZWYCB4
4346796	415 / RN9YC	SP192435AA	9700 / RA7WYB	12290R70A01	9407 / RER8ZWYCB4
4346797	332 / RN7YC	V45LSR	332 / RN7YC	12290R70A02	9407 / RER8ZWYCB4
4347776	332 / RN7YC	Ford		12290R71L01	9407 / RER8ZWYCB4
4359422	300 / N9YC	3L3E12405KD	7989 / High Thread	12290R9PA01	9407 / RER8ZWYCB4
4359423	300 / N9YC	5F1E12405AA	401 / RS12YC	12290RBOJ01	9008 / RC10WYPB5
4359424	415 / RN9YC	7C3E12405AB	7989 / High Thread	12290RBOJ11	9008 / RC10WYPB5
4361799	328 / L82YC	7T4E12405AA	3017 / RES8PYB5	12290RB1003	9813 / RC8ZWYPB5
4361800	328 / L82YC	8L3E12405BB	7406 / RET9ZPMPB	12290RB1004	9813 / RC8ZWYPB5
4378107	814 / RL82YC	9S7E12405AA	9808 / RS8WYPB5	12290RBJ003	9033 / REC8WYPB4
4401547	328 / L82YC	AGSF34N	7407 / RS14ZPYPB	12290RDF001	9412 / REA9WYPB4
4401549	300 / N9YC	AGSP22YE13	9806 / RC8WMPB4	12290RMX003	9006 / REC10WYPB4
4401550	415 / RN9YC	AT4E12405AA	3017 / RES8PYB5	12290RMX003	9033 / REC8WYPB4
4401551	300 / N9YC	AU2J12405BA	3066 / RS7PYB5	12290RMX004	9006 / REC10WYPB4
4401552	332 / RN7YC	BL3E12405DB	9016 / RES8WYPB3	12290RMX013	9006 / REC10WYPB4
4401586	811 / L82C	BU2J12405AA	7304 / RS9PYP	12290RMX013	9033 / REC8WYPB4
4425057	328 / L82YC	BU2J12405CA	3026 / RS7PYB4	12290RMX014	9033 / REC8WYPB4
5882087	328 / L82YC	CV6E12405AA	9901 / RE10WYPB5	12290RMX014	9006 / REC10WYPB4
5984036	415 / RN9YC	F43E12405EC	7304 / RS9PYP	12290RN0A01	9407 / RER8ZWYCB4
7507837	404 / RN12YC	YL3E12405BB	3026 / RS7PYB4	12290RTW004	9008 / RC10WYPB5
7546519	344 / RC9YC	Harley Davidson		12290RW0003	9033 / REC8WYPB4
7554420	300 / N9YC	4R	814 / RL82YC	12293PHMA01	9033 / REC8WYPB4
7554421	300 / N9YC	4R5	814 / RL82YC	122905A2A01	9412 / REA9WYPB4
7554436	332 / RN7YC	5	10 / J12YC	122905A2A02	9412 / REA9WYPB4
7554437	332 / RN7YC	5A6	404 / RN12YC	98079571BH	3340 / RC7PYCB4
7554438	315 / N6YC	5R6A	404 / RN12YC	98079571CH	3340 / RC7PYCB4
7554444	415 / RN9YC	5R6APP	8405-1 / 8405	98079571CV	9014 / RC8ZWYPB
7554445	328 / L82YC	6R12	810 / RA8HC	98079578BU	9770 / RC7WYPB3
7554447	328 / L82YC	6R12G	810 / RA8HC	980795514N	3318 / RC12PMC4
7554448	328 / L82YC	6R12PP	7972 / RA8PHP	980795515N	3318 / RC12PMC4
7554449	315 / N6YC	6R7	332 / RN7YC	980795515V	9201 / RC12WYPB4
7554449	339 / RN6YC	10R12	905 / RA4HC	980795517V	9201 / RC12WYPB4
7554451	415 / RN9YC	10R12A	905 / RA4HC	980795614E	430 / RC9YC4
7554452	315 / N6YC	34	10 / J12YC	980795614G	318 / RC12MC4
7565476	880 / RN3C	56	38 / N12YC	980795614N	3318 / RC12PMC4
7571541	430 / RC9YC4	Hercules		980795614P	318 / RC12MC4
7760381	332 / RN7YC	298087006	811 / L82C	980795615E	430 / RC9YC4
7760383	344 / RC9YC	998004001	811 / L82C	980795615G	318 / RC12MC4
7772515	332 / RN7YC	Honda		980795615N	3318 / RC12PMC4
46417010	430 / RC9YC4	9807B5515W	9000 / RC10ZWYPB4	980795615V	9812 / RC8ZWYPB4
46471078	353 / RC89TMC	9807B5517W	9812 / RC8ZWYPB4	980795617V	9802 / RC8WYPB4
46480362	344 / RC9YC	9807B5615P	430 / RC9YC4	980795787T	3318 / RC12PMC4
46480363	344 / RC9YC	9807B5615W	9201 / RC12WYPB4	8971702680	9201 / RC12WYPB4
46481273	809 / RA6HC	9807B5615W	9812 / RC8ZWYPB4	9807354744	856 / RJ17LM
46531935	430 / RC9YC4	9807B5617W	9202 / RC12WMPB4	9807955846	415 / RN9YC
60504563	315 / N6YC	9807B561BW	9770 / RC7WYPB3	9807955871	415 / RN9YC
60512929	315 / N6YC	9807B561CW	9812 / RC8ZWYPB4	9807955881	415 / RN9YC
60800325	332 / RN7YC	9807B56A5W	9813 / RC8ZWYPB5	9807955946	415 / RN9YC
71711638	344 / RC9YC	9807B56A7W	9202 / RC12WMPB4	9807956832	415 / RN9YC
71711639	332 / RN7YC	9807B56A7W	9813 / RC8ZWYPB5	9807956946	415 / RN9YC
71711640	415 / RN9YC	12290PGEA01	3318 / RC12PMC4	Husqvarna	
71711806	415 / RN9YC	12290PNE004	430 / RC9YC4	502236501	868 / RJ19LM
71736275	300 / N9YC	12290R1AA01	9407 / RER8ZWYCB4	503235108	859 / RCJ7Y
71736278	332 / RN7YC	12290R1ZA01	9407 / RER8ZWYCB4	503235109	852 / RCJ6Y
72002410	805 / N2C	12290R40A01	9407 / RER8ZWYCB4	510180101	71 / RC12YC
9151700180	38 / N12YC	12290R40A02	9407 / RER8ZWYCB4	530030058	840 / RCJ8
9619624580	354 / RC10DMC			530030074	863 / RCJ8Y
9636393480	975 / REC10YC4				

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
Husqvarna		John Deere		Kohler	
530030075	863 / RCJ8Y	TY6080	846 / CJ14	4713205S	854 / RH10C
530030155	859 / RCJ7Y	TY6081	863 / RCJ8Y	5213202	25 / RV17YC
530030179	852 / RCJ6Y	TY6082	857 / RH18Y	5213202S	25 / RV17YC
530030180	852 / RCJ6Y	TY6129	868 / RJ19LM	5213203	25 / RV17YC
531029742	404 / RN12YC	TY21719	322 / RN11YC4	6213203	988 / XC10YC
531029776	946 / QC12YC	Kawasaki		6213204	988 / XC10YC
531029975	982 / XC12YC	920702077	415 / RN9YC	6213204S	988 / XC10YC
588247601	868 / RJ19LM	920702088	415 / RN9YC	6213206	335 / RC10YC
588247701	859 / RCJ7Y	920707003	863 / RCJ8Y	6213207	335 / RC10YC
HQT1	859 / RCJ7Y	Kohler		6213208	335 / RC10YC
Z163073110	859 / RCJ7Y	11299	431 / RC14YC	6613201	405 / RN14YC
Z560273110	852 / RCJ6Y	85397	71 / RC12YC	6613201	431 / RC14YC
Z560273110	859 / RCJ7Y	235041S	854 / RH10C	6613201S	431 / RC14YC
Iveco		258276	401 / RS12YC	6613201S	405 / RN14YC
8022622	243 / RC78PYP15	267713	929 / RL95YC	GM16531	7940 / RS14PYPB5
8030405	244 / RC78PYP21	279147	304 / RS9YC	GM35826	415 / RN9YC
504082651	9802 / RC8WYPB4	326801	22 / RF11YC	GM38998	7013 / RS14PYP5
5047082651	9802 / RC8WYPB4	326802	406 / RV12YC	Kubota	
John Deere		359452	408 / RS14YC	790922250	843 / CJ8
508R	525 / 25	359796	840 / RCJ8	790922260	849 / CJ6
AA4053R	514 / D14	359979	405 / RN14YC	1020267716	514 / D14
AA4369R	516 / D16	1213201	71 / RC12YC	1026167716	569 / W14
AA5593R	523 / D23	1213202	71 / RC12YC	1216867711	929 / RL95YC
AC600R	518 / W18	1213202S	71 / RC12YC	1226867711	300 / N9YC
AE38392	406 / RV12YC	1213206	71 / RC12YC	1227367711	806 / L92YC
AH80481	113 / RV12C	1413201	71 / RC12YC	1236667716	830 / RL86C
AL2005T	569 / W14	1413203	71 / RC12YC	1239267711	38 / N12YC
AM514T	844 / H10C	1413206	8815-1 / 8815	1264767711	814 / RL82YC
AM36791	38 / N12YC	1413206S	8815-1 / 8815	1268167741	123 / RN5C
AM37129	854 / RH10C	1413211	810 / RA8HC	1286367711	38 / N12YC
AM37145	856 / RJ17LM	2013202	946 / QC12YC	1286667711	38 / N12YC
AM37234	306 / L86C	2413203	71 / RC12YC	1307867716	300 / N9YC
AM37246	871 / RJ8C	2413207	3071 / RC12PYC	1315767712	846 / CJ14
AM38027	18 / RV15YC4	2413214	982 / XC12YC	1321167716	511 / J11C
AM39011	592 / RJ12C	2513202	868 / RJ19LM	1330167716	523 / D23
AM39011	592M / RJ12C	2513208	9809 / QC8WEP	1337367741	846 / CJ14
AM54450	843 / CJ8	2513210	854 / RH10C	1337467741	929 / RL95YC
AM54611	853 / CJ7Y	2513210S	854 / RH10C	1337567740	38 / N12YC
AP19170	841 / J8C	2513212	3071 / RC12PYC	1337567741	929 / RL95YC
AR26544	509 / D9	2513212S	3071 / RC12PYC	1340167716	823 / J6C
AT21177	120 / N5C	2513213	982 / XC12YC	1341267716	823 / J6C
AT21343	302 / N11YC	2513214	982 / XC12YC	1345167716	811 / L82C
CJ8	843 / CJ8	2513214S	982 / XC12YC	1358167716	811 / L82C
FC80WYPB	1233 / FC80WYPB	2513215	3980 / XC92PYC	1358267711	811 / L82C
GA10075	849 / CJ6	2513216	3980 / XC92PYC	1371167716	511 / J11C
GA11342	123 / RN5C	2513217	982 / XC12YC	1374267716	929 / RL95YC
GA11417	541 / RD16	2513219	3071 / RC12PYC	1390167716	312 / L87YC
M78543	71 / RC12YC	2513219S	3071 / RC12PYC	1397967711	312 / L87YC
M143270	71 / RC12YC	2513224	810 / RA8HC	MAN	
M805853	405 / RN14YC	2513225	810 / RA8HC	5125923005	530 / RN79G
MG508171	415 / RN9YC	2513226	436 / RC12LC4	51259230049	1221 / RC78WYP15
PT21132	104 / RN4C	2513227	436 / RC12LC4	51259230051	1218 / RC78WYP11
RCJ6Y	852 / RCJ6Y	4113202	840 / RCJ8	51586230049	530 / RN79G
RJ19LM	868 / RJ19LM	4113202S	840 / RCJ8	Mitsubishi	
TY4589	220 / FI21501	4113205S	871 / RJ8C	1822A002	9802 / RC8WYPB4
TY6040	502 / D21	4113206	871 / RJ8C	1822A011	9409 / RER8WMB
TY6062	859 / RCJ7Y	4113206s	871 / RJ8C	1822A021	9001 / RC10WYPB4
TY6079	848 / CJ8Y	4113207S	840 / RCJ8	1822A022	89 / RC12YC5

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
Mitsubishi		Mopar		Motorcraft	
1822A030	9201 / RC12WYPB4	4141705	406 / RV12YC	A1	825 / J4C
1822A068	9002 / RC10WMPB4	4289155	25 / RV17YC	A2	825 / J4C
1822A069	9806 / RC8WMPB4	4289165	129 / RF10C	A2C	825 / J4C
1822A078	9001 / RC10WYPB4	4318130	302 / N11YC	A2C	102 / RJ6C
1822A079	9001 / RC10WYPB4	4318131	322 / RN11YC4	A2NX	825 / J4C
AW350015	9201 / RC12WYPB4	4318134	401 / RS12YC	A3	823 / J6C
MD313442	3318 / RC12PMC4	4318135	406 / RV12YC	A3NX	849 / CJ6
MD313443	7545 / RC8PYPB4	4318138	82 / RFN14LY	A3X	823 / J6C
MD361067	9201 / RC12WYPB4	4339413	18 / RV15YC4	A4	841 / J8C
MD365108	3322 / RN14PMC3	4339415	25 / RV17YC	A5	841 / J8C
MD372553	318 / RC12MC4	4339416	37 / RV17YC6	A5X	841 / J8C
MD374841	89 / RC12YC5	4339420	113 / RV12C	A7	841 / J8C
MD378582	3318 / RC12PMC4	4339425	14 / RJ12YC	A7C	841 / J8C
MN119487	9013 / RC10WMPB3	4339427	22 / RF11YC	A7CLM	845 / J17LM
MN119487	9802 / RC8WYPB4	4339429	400 / RV9YC	A7CX	841 / J8C
MN119942	353 / RC89TMC	4339430	409 / RF9YC	A7LM	845 / J17LM
MN158596	7975 / REC10PYPB4	4339491	841 / J8C	A7N	843 / CJ8
MN158596	9006 / REC10WYPB4	4339492	121 / RV8C	A7NX	843 / CJ8
MN163235	9001 / RC10WYPB4	4419643	843 / CJ8	A7X	841 / J8C
MN163236	9001 / RC10WYPB4	4504278	304 / RS9YC	A9	511 / J11C
MN163236	9802 / RC8WYPB4	4504279	430 / RC9YC4	A9X	511 / J11C
MN163807	9801 / RC8WYPB3	4504290	844 / H10C	A11	592 / RJ12C
MN163807	9802 / RC8WYPB4	4609076	439 / RC12MCC4	A11LM	861 / J19LM
MN176628	9044 / REC8WMPB4	4609079	439 / RC12MCC4	A11NX	846 / CJ14
MR984646	3318 / RC12PMC4	4609079	89 / RC12YC5	A11X	592 / RJ12C
MR984943	9802 / RC8WYPB4	4609081	308 / RN12MC4	A21X	825 / J4C
MS851183	300 / N9YC	4671057	344 / RC9YC	A22	10 / J12YC
MS851232	415 / RN9YC	4686083	31 / RN14MC5	A22NX	853 / CJ7Y
MS851233	415 / RN9YC	4727114	7031 / RN14PMP5	A32	10 / J12YC
MS851234	315 / N6YC	4796779	7346 / RC10PYP4	A42	10 / J12YC
MS851234	339 / RN6YC	4864455	3071 / RC12PYC	A42C	10 / J12YC
MS851237	322 / RN11YC4	4864463	322 / RN11YC4	A52	63 / RJ14YC
MS851238	301 / RN9YC4	4864464	82 / RFN14LY	A82	58 / RJ18YC
MS851336	7545 / RC8PYPB4	4864465	434 / RC9MC4	A901	825 / J4C
MS851357	89 / RC12YC5	5213693	404 / RN12YC	AE1C	807 / L78C
MS851358	430 / RC9YC4	5234975	304 / RS9YC	AE1X	807 / L78C
MS851412	415 / RN9YC	5369556	426 / RC9YC5	AE2	811 / L82C
MS851413	315 / N6YC	56006240	71 / RC12YC	AE2C	811 / L82C
MS851413	339 / RN6YC	56027108	434 / RC9MC4	AE2X	811 / L82C
MS851473	7545 / RC8PYPB4	56027275	412 / RC12LYC	AE3	811 / L82C
MS851502	7545 / RC8PYPB4	82300312	880 / RN3C	AE3X	811 / L82C
MS851728	430 / RC9YC4	82300313	430 / RC9YC4	AE3XF	811 / L82C
SPRC12MCC4	439 / RC12MCC4	82300314	89 / RC12YC5	AE4	306 / L86C
Mopar		82300315	308 / RN12MC4	AE4C	306 / L86C
OSP00485	470 / RE14MCC5	82300317	405 / RN14YC	AE4X	306 / L86C
2098360	38 / N12YC	82300318	407 / RS14LC	AE8	306 / L86C
2444870	63 / RJ14YC	82300319	408 / RS14YC	AE22	328 / L82YC
2642475	63 / RJ14YC	82300320	13 / RS14YC6	AE22C	328 / L82YC
2642913	10 / J12YC	82300325	909 / RS17YX	AE32	312 / L87YC
3438334	63 / RJ14YC	82300326	129 / RF10C	AE32C	312 / L87YC
3874934	18 / RV15YC4	S2RE14MCC5	470 / RE14MCC5	AE32C	328 / L82YC
4091678	25 / RV17YC	S3RE14MCC5	470 / RE14MCC5	AE42	929 / RL95YC
4091713	404 / RN12YC	SP000ZFR5N	438 / RC12ECC	AE42C	929 / RL95YC
4091933	14 / RJ12YC	SP149125AE	9407 / RER8ZWYCB4	AE52	811 / L82C
4091936	63 / RJ14YC	SPRE14MCC4	570 / RE14MCC4	AE62	929 / RL95YC
4091938	400 / RV9YC	SPRE14MCC5	470 / RE14MCC5	AE091	807 / L78C
4106117	415 / RN9YC	SPRE16MC	443 / RE16MC	AE091X	821 / L77JC4
4106122	300 / N9YC			AE901Racing	821 / L77JC4
				AER4	830 / RL86C

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
Motorcraft		Motorcraft		Motorcraft	
AER4X	830 / RL86C	AG901X	805 / N2C	AGS22C	332 / RN7YC
AER6	830 / RL86C	AG902	315 / N6YC	AGS22C	415 / RN9YC
AER32	327 / RL87YC	AGF12	304 / RS9YC	AGS32	415 / RN9YC
AES4C	830 / RL86C	AGF32C	401 / RS12YC	AGS32C	404 / RN12YC
AF1	802 / V63C	AGF42C	401 / RS12YC	AGS42	404 / RN12YC
AF2	802 / V63C	AGF52C	401 / RS12YC	AGS42C	404 / RN12YC
AF2C	802 / V63C	AGFS22C1	304 / RS9YC	AGS52C	404 / RN12YC
AF3	121 / RV8C	AGFS22CM1	7304 / RS9PYP	AGS52C	405 / RN14YC
AF3C	121 / RV8C	AGFS22FE13J	9808 / RS8WYPB5	AGS081C	805 / N2C
AF3NX	851 / DJ6J	AGKO	890 / N19V	AGSF2	304 / RS9YC
AF5NX	850 / DJ7J	AGN42	38 / N12YC	AGSF22C	304 / RS9YC
AF12	400 / RV9YC	AGPR12C	340 / RC7YC	AGSF22FCM	3066 / RS7PYB5
AF22	400 / RV9YC	AGPR22C	344 / RC9YC	AGSF22FM	7963 / RS12PYPB5
AF32	406 / RV12YC	AGPR22CD	344 / RC9YC	AGSF22FM	3026 / RS7PYB4
AF42	406 / RV12YC	AGPR32C	344 / RC9YC	AGSF22FM1	3026 / RS7PYB4
AF42C	406 / RV12YC	AGPR32C1	430 / RC9YC4	AGSF22FM1	3401 / RS10PYC4
AF52	18 / RV15YC4	AGPR32C1	71 / RC12YC	AGSF22FSM	401 / RS12YC
AF52C	18 / RV15YC4	AGPR32CD	344 / RC9YC	AGSF22PP	7401 / RS12PYP
AF701	670 / V59C	AGPR32CD	71 / RC12YC	AGSF22PPJ	7304 / RS9PYP
AF901	802 / V63C	AGPR32CD1	430 / RC9YC4	AGSF22WM	3066 / RS7PYB5
AFR42	406 / RV12YC	AGPR32PD	347 / RC10MCC	AGSF22WM	9204 / RS12WYPB4
AG1C	801 / N3C	AGR1X	880 / RN3C	AGSF22YPC	7963 / RS12PYPB5
AG1CX	801 / N3C	AGR2C	104 / RN4C	AGSF24FM	7407 / RS14ZPYPB
AG1X	801 / N3C	AGR2X	104 / RN4C	AGSF32C	401 / RS12YC
AG2	803 / N4C	AGR3X	123 / RN5C	AGSF32FEC	7401 / RS12PYP
AG2C	803 / N4C	AGR12	339 / RN6YC	AGSF32FM	7963 / RS12PYPB5
AG2X	803 / N4C	AGR12	332 / RN7YC	AGSF32FM	7304 / RS9PYP
AG3	120 / N5C	AGR12C	332 / RN7YC	AGSF32FM	7940 / RS14PYPB5
AG3C	120 / N5C	AGR21	104 / RN4C	AGSF32M	7401 / RS12PYP
AG3X	120 / N5C	AGR22	415 / RN9YC	AGSF32N	401 / RS12YC
AG4	120 / N5C	AGR22C	415 / RN9YC	AGSF32PM	7304 / RS9PYP
AG5	120 / N5C	AGR31	123 / RN5C	AGSF32PM	7963 / RS12PYPB5
AG7	120 / N5C	AGR32	322 / RN11YC4	AGSF32PMF4	7963 / RS12PYPB5
AG9	504 / N21	AGR32C	404 / RN12YC	AGSF32PP	7401 / RS12PYP
AG12C	315 / N6YC	AGR41	123 / RN5C	AGSF32W	13 / RS14YC6
AG12Racing	315 / N6YC	AGR42	404 / RN12YC	AGSF32WM	9808 / RS8WYPB5
AG22	300 / N9YC	AGR42C	404 / RN12YC	AGSF32WM1	9808 / RS8WYPB5
AG22C	300 / N9YC	AGR51	123 / RN5C	AGSF32YPC	7963 / RS12PYPB5
AG25	300 / N9YC	AGR52	404 / RN12YC	AGSF32YPC	9404 / RS14WYPB5
AG32	302 / N11YC	AGR52A	405 / RN14YC	AGSF32YR	9404 / RS14WYPB5
AG32A	302 / N11YC	AGR82	405 / RN14YC	AGSF34EE	7407 / RS14ZPYPB
AG32C	38 / N12YC	AGRF2	304 / RS9YC	AGSF34FM	7407 / RS14ZPYPB
AG040	415 / RN9YC	AGRF22	304 / RS9YC	AGSF34FPF6	7200 / RS10ZPYPB5
AG42	38 / N12YC	AGRF22C	304 / RS9YC	AGSF42C6	13 / RS14YC6
AG42C	38 / N12YC	AGRF22C1	304 / RS9YC	AGSF42FM	7940 / RS14PYPB5
AG52	38 / N12YC	AGRF22CD	304 / RS9YC	AGSF42FM	3401 / RS10PYC4
AG52C	38 / N12YC	AGRF22PP1	7304 / RS9PYP	AGSF44FMF6	7940 / RS14PYPB5
AG82	405 / RN14YC	AGRF32	401 / RS12YC	AGSF52C	408 / RS14YC
AG091	332 / RN7YC	AGRF32C1	304 / RS9YC	AGSP22C	71 / RC12YC
AG092C	315 / N6YC	AGRF42	401 / RS12YC	AGSP32	71 / RC12YC
AG092C	339 / RN6YC	AGRF52	408 / RS14YC	AGSP32C	71 / RC12YC
AG152C	300 / N9YC	AGRF52	401 / RS12YC	AGSP32F	3071 / RC12PYC
AG224	300 / N9YC	AGRP54	82 / RFN14LY	AGSP32FM	3071 / RC12PYC
AG501	686 / C57	AGS1C	880 / RN3C	AGSP32FP	7545 / RC8PYPB4
AG501X	686 / C57	AGS2C	104 / RN4C	AGSP32FSM	7071 / RC12PYP
AG603	696 / C59R	AGS3C	123 / RN5C	AGSP32PP	7071 / RC12PYP
AG701	688 / C61	AGS4C	123 / RN5C	AGSP33C	318 / RC12MC4
AG901	805 / N2C	AGS12	332 / RN7YC	AGSP52	71 / RC12YC
AG901C	801 / N3C	AGS12C	332 / RN7YC	AGSP52C	71 / RC12YC

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
Motorcraft		Motorcraft		Motorcraft	
AGSP54	412 / RC12LYC	ASF42	406 / RV12YC	AYFS22YR	9901 / RE10WYPB5
AGSP54C	412 / RC12LYC	ASF42C	406 / RV12YC	AYFS32YR	9901 / RE10WYPB5
AL5	844 / H10C	ASF42P	3018 / RV17PMC4	AYFS092FEC	7437 / RES11PYP5
AL5X	587 / H8C	ASF52	18 / RV15YC4	AYSF32YPC	9901 / RE10WYPB5
AL7	844 / H10C	ASF52C	18 / RV15YC4	AZ2	825 / J4C
AL7C	844 / H10C	ASWF32F	7304 / RS9PYP	AZ3	823 / J6C
AL7X	844 / H10C	AT1	825 / J4C	AZ9	592 / RJ12C
AL9	844 / H10C	AT2	825 / J4C	AZFS22FE	7437 / RES11PYP5
AL9X	844 / H10C	AT3	823 / J6C	AZFS32FE	7437 / RES11PYP5
AL11	512 / H12	AT4	823 / J6C	B2W	506 / D6
AL52	91 / H14Y	AT6	841 / J8C	B3W	509 / D9
AL82	857 / RH18Y	AT8	511 / J11C	B3X	509 / D9
AR5	871 / RJ8C	AT10	592 / RJ12C	B4X	509 / D9
AR7N	840 / RCJ8	AT42	10 / J12YC	B6W	514 / D14
AR7X	871 / RJ8C	ATL4	587 / H8C	B8X	516 / D16
AR9S	573 / XMJ20	ATL8	844 / H10C	B8XM	502 / D21
AR10	592 / RJ12C	AV1X	807 / L78C	B82	515 / D15Y
AR21X	825 / J4C	AV2X	811 / L82C	BF12	409 / RF9YC
AR31	871 / RJ8C	AV4	306 / L86C	BF22	409 / RF9YC
AR32	14 / RJ12YC	AV42	929 / RL95YC	BF32	409 / RF9YC
AR41	871 / RJ8C	AV52	929 / RL95YC	BF42	22 / RF11YC
AR42	14 / RJ12YC	AV82	929 / RL95YC	BF42C	22 / RF11YC
AR51	871 / RJ8C	AV091X4	821 / L77JC4	BF82	22 / RF11YC
AR52	63 / RJ14YC	AVKO	827M / L76V	BF82C	22 / RF11YC
AR80	511 / J11C	AVKOD	833M / L78V	BF92	22 / RF11YC
AR82	58 / RJ18YC	AVZKO	831 / UL77V	BR7S	521 / XMD21
ARF2	802 / V63C	AWRF42	401 / RS12YC	BR8	541 / RD16
ARF3	121 / RV8C	AWRF325	13 / RS14YC6	BR9S	521 / XMD21
ARF4	121 / RV8C	AWSF22C	304 / RS9YC	BR15S	543 / D89D
ARF6	113 / RV12C	AWSF22E	3401 / RS10PYC4	BRF3M	129 / RF10C
ARF8	113 / RV12C	AWSF22EE	7401 / RS12PYP	BRF32	409 / RF9YC
ARF22	400 / RV9YC	AWSF22FS	7304 / RS9PYP	BRF32C	409 / RF9YC
ARF26	802 / V63C	AWSF32	401 / RS12YC	BRF32X	409 / RF9YC
ARF32	406 / RV12YC	AWSF32C	401 / RS12YC	BRF42	22 / RF11YC
ARF32M	406 / RV12YC	AWSF32E	3401 / RS10PYC4	BRF42X	22 / RF11YC
ARF42	406 / RV12YC	AWSF32EE	7401 / RS12PYP	BRF82	22 / RF11YC
ARF52	18 / RV15YC4	AWSF32F	3401 / RS10PYC4	BS9S	521 / XMD21
ARF62	25 / RV17YC	AWSF32P	3401 / RS10PYC4	BSF3	129 / RF10C
ARF528	37 / RV17YC6	AWSF32PP	7401 / RS12PYP	BSF6	129 / RF10C
ARF626	37 / RV17YC6	AWSF34EE	7407 / RS14ZPYPB	BSF31	129 / RF10C
ARL5	587 / H8C	AWSF34PP	7407 / RS14ZPYPB	BSF42	22 / RF11YC
ARL8	854 / RH10C	AWSF42	401 / RS12YC	BSF42C	22 / RF11YC
ARL82	854 / RH10C	AWSF42C	401 / RS12YC	BSF44C	130 / RF14LC
AS4C	102 / RJ6C	AWSF42EE	7401 / RS12PYP	BSF82	22 / RF11YC
AS8	861 / J19LM	AWSF42P	3401 / RS10PYC4	BSF82C	22 / RF11YC
AS42C	14 / RJ12YC	AWSF42PP	7401 / RS12PYP	BSF92	22 / RF11YC
AS52C	63 / RJ14YC	AWSF44	407 / RS14LC	BSF314	129 / RF10C
ASF3C	121 / RV8C	AWSF44C	407 / RS14LC	BT2	506 / D6
ASF4C	113 / RV12C	AWSF44EE	7407 / RS14ZPYPB	BT3	509 / D9
ASF4C	121 / RV8C	AWSF44P	3407 / RS14ZPYC5	BT4	509 / D9
ASF8	113 / RV12C	AWSF44PP	7407 / RS14ZPYPB	BT6	514 / D14
ASF22C	400 / RV9YC	AWSF52	401 / RS12YC	BT8	516 / D16
ASF32	406 / RV12YC	AWSF52C	401 / RS12YC	BT9	502 / D21
ASF32C	406 / RV12YC	AWSF54	407 / RS14LC	BT10	502 / D21
ASF32C	400 / RV9YC	AWSF54C	407 / RS14LC	BT15	543 / D89D
ASF32CM	406 / RV12YC	AWSFA12C	304 / RS9YC	BTF1	129 / RF10C
ASF32M	406 / RV12YC	AWSFA32C	401 / RS12YC	BTF3	129 / RF10C
ASF32P	3018 / RV17PMC4	AYFS22FB	7437 / RES11PYP5	BTF6	129 / RF10C
ASF34	406 / RV12YC	AYFS22FM	3017 / RES8PYB5	BTF31	129 / RF10C



COMPETITIVE INTERCHANGE
TABLEAU DU RENVOIS
REFERNCIA CRUZADA

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
Motorcraft		MTD Products		NGK	
BTF42	22 / RF11YC	34654	104 / RN4C	1094	344 / RC9YC
BTF314	129 / RF10C	1763891	104 / RN4C	1097	123 / RN5C
BTRF42	22 / RF11YC	7593331	840 / RCJ8	1111	801 / N3C
BTS8	516 / D16	7593336	71 / RC12YC	1127	18 / RV15YC4
BZ8	555 / UD16	7593338	868 / RJ19LM	1128	332 / RN7YC
CGSF22F	9204 / RS12WYPB4	7593339	841 / J8C	1142	332 / RN7YC
CGSF22N	9204 / RS12WYPB4	75114437	404 / RN12YC	1145	344 / RC9YC
CYFS12F3	9016 / RES8WYPB3	75305255	940 / RDZ19H	1146	97 / RC9MCC
CYFS12F5	3017 / RES8PYB5	75305784	979 / RDZ4H	1147	861 / J19LM
CYFS12Y	3017 / RES8PYB5	75305874	979 / RDZ4H	1149	415 / RN9YC
CYFS12Y2	9016 / RES8WYPB3	75306193	860 / RDJ7J	1157	883 / QL78C
CYFS12Y3	9016 / RES8WYPB3	75306847	847 / DJ8J	1188	3071 / RC12PYC
CYFS12YEC	9016 / RES8WYPB3	79400042	979 / RDZ4H	1208	9044 / REC8WMPB4
CYFS12YP	9016 / RES8WYPB3	79400043	979 / RDZ4H	1212	300 / N9YC
CYFS12YPC	9016 / RES8WYPB3	79400046	865 / RDJ8J	1223	978 / RY4C
CYFS12YT3	9016 / RES8WYPB3	79400050	860 / RDJ7J	1228	845 / J17LM
F11	525 / 25	79400055	847 / DJ8J	1266	71 / RC12YC
HG2	809 / RA6HC	79400055A	847 / DJ8J	1268	855 / DJ7Y
HG22C	809 / RA6HC	79400082	979 / RDZ4H	1269	344 / RC9YC
HGS22C	809 / RA6HC	79400098	979 / RDZ4H	1270	872 / RDJ7Y
HJFS24FP	9406 / RET8ZWMPB4	95110292	415 / RN9YC	1273	71 / RC12YC
HJFS24FP	7406 / RET9ZPMPB	95114437	404 / RN12YC	1275	654 / G59C
P6	842 / UY6	791180852	979 / RDZ4H	1312	9806 / RC8WMPB4
PE2	808 / Z9Y	791180852B	979 / RDZ4H	1313	9001 / RC10WYPB4
PE3	808 / Z9Y	791610311B	872 / RDJ7Y	1675	9770 / RC7WYPB3
PV2	808 / Z9Y	9111310002	872 / RDJ7Y	1748	9812 / RC8ZWYPB4
PV3	808 / Z9Y	9111310002CH	872 / RDJ7Y	1959	9006 / REC10WYPB4
PV3F	808 / Z9Y	9295310501	965 / RZ7C	2023	332 / RN7YC
PZH1F	7989 / High Thread	9295310502	965 / RZ7C	2027	843 / CJ8
PZH14F	7989 / High Thread	9295310801	965 / RZ7C	2055	695 / C55R
PZT1F	7989 / High Thread	9295320001	865 / RDJ8J	2057	858 / CJ6Y
PZT1FF4	7989 / High Thread	9807956846	415 / RN9YC	2074	436 / RC12LC4
PZT2F	7989 / High Thread	BS491055	71 / RC12YC	2075	346 / RC10YC4
PZT2FF4	7989 / High Thread	BS691043	946 / QC12YC	2077	818 / RN2C
SP405	3026 / RS7PYB4	BS697451	868 / RJ19LM	2097	7548 / KC10PYPB4
SP411	3017 / RES8PYB5	BS796112S	868 / RJ19LM	2120	809 / RA6HC
SP413	401 / RS12YC	CC7593336	71 / RC12YC	2129	811 / L82C
SP432	7304 / RS9PYP	GW1763891	104 / RN4C	2144	847 / DJ8J
SP462	7989 / High Thread	GWJ8	841 / J8C	2144	865 / RDJ8J
SP479	3066 / RS7PYB5	GWJ8C	841 / J8C	2145	818 / RN2C
SP493	7304 / RS9PYP	IHJ8C	841 / J8C	2147	898 / QL76V
SP500	3026 / RS7PYB4	KH1213202	71 / RC12YC	2171	818 / RN2C
SP506	7407 / RS14ZPYB	KH1213202S	71 / RC12YC	2191	695 / C55R
SP509	7406 / RET9ZPMPB	KM920702077	415 / RN9YC	2197	353 / RC89TMC
SP514	7989 / High Thread	KM920702088	415 / RN9YC	2202	9701 / RA8WHP
SP515	7989 / High Thread	KMBPR5ES	415 / RN9YC	2210	129 / RF10C
SP520	3017 / RES8PYB5	TC34645	104 / RN4C	2218	852 / RCJ6Y
SP527	9016 / RES8WYPB3	TC611049	863 / RCJ8Y	2223	401 / RS12YC
SP530	9901 / RE10WYPB5	NGK		2227	409 / RF9YC
SP534	9016 / RES8WYPB3	2G7	415 / RN9YC	2249	3071 / RC12PYC
SP537	9016 / RES8WYPB3	1015	805 / N2C	2249	7071 / RC12PYP
TT4	510 / W10	1029	859 / RCJ7Y	2249	71 / RC12YC
TT8	569 / W14	1049	683 / S59C	2249	9201 / RC12WYPB4
TT10	569 / W14	1052	306 / L86C	2262	318 / RC12MC4
TT15	589 / W89D	1085	683 / S59C	2264	405 / RN14YC
MTD Products		1090	830 / RL86C	2285	300 / N9YC
49M0852K006	979 / RDZ4H	1090	933M / QL86C	2288	71 / RC12YC
49M0852L034	979 / RDZ4H	1092	814 / RL82YC	2300	7071 / RC12PYP
				2314	3032 / RE10PMC5

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
NGK		NGK		NGK	
2316	905 / RA4HC	3020	523 / D23	3568	846 / CJ14
2319	841 / J8C	3027	802 / V63C	3573	404 / RN12YC
2322	890 / N19V	3028	322 / RN11YC4	3579	828M / QL77JC4
2330	344 / RC9YC	3028	404 / RN12YC	3584	9800 / RC7WYPB4
2341	7545 / RC8PYPB4	3035	818 / RN2C	3586	9800 / RC7WYPB4
2351	335 / RC10YC	3066	965 / RZ7C	3588	9006 / REC10WYPB4
2363	809 / RA6HC	3106	9804 / RN8WYPB3	3605	9701 / RA8WHP
2382	71 / RC12YC	3108	810 / RA8HC	3606	9701 / RA8WHP
2411	805 / N2C	3110	592 / RJ12C	3611	806 / L92YC
2417	306 / L86C	3112	844 / H10C	3612	400 / RV9YC
2420	905 / RA4HC	3112	857 / RH18Y	3623	401 / RS12YC
2421	811 / L82C	3121	805 / N2C	3626	821 / L77JC4
2423	18 / RV15YC4	3122	22 / RF11YC	3630	693 / C55
2434	8904-1 / 8904	3123	810 / RA8HC	3641	9701 / RA8WHP
2460	71 / RC12YC	3132	430 / RC9YC4	3656	7975 / REC10PYPB4
2477	9202 / RC12WMPB4	3133	938M / QL78YC	3657	9202 / RC12WMPB4
2527	18 / RV15YC4	3141	7071 / RC12PYP	3672	975 / REC10YC4
2528	332 / RN7YC	3154	322 / RN11YC4	3688	7545 / RC8PYPB4
2546	3071 / RC12PYC	3177	304 / RS9YC	3696	71 / RC12YC
2550	7545 / RC8PYPB4	3188	8809-1 / 8809	3710	823 / J6C
2550	9803 / RC8WMPB4	3195	954 / RN57YCC	3712	401 / RS12YC
2563	9802 / RC8WYPB4	3199	353 / RC89TMC	3725	814 / RL82YC
2611	805 / N2C	3200	9804 / RN8WYPB3	3764	9802 / RC8WYPB4
2621	807 / L78C	3201	858 / CJ6Y	3783	71 / RC12YC
2622	827M / L76V	3210	511 / J11C	3784	304 / RS9YC
2623	406 / RV12YC	3212	844 / H10C	3784	7304 / RS9PYP
2630	936M / L78YC	3228	808 / Z9Y	3789	9901 / RE10WYPB5
2633	327 / RL87YC	3232	332 / RN7YC	3810	825 / J4C
2641	905 / RA4HC	3236	880 / RN3C	3811	9901 / RE10WYPB5
2667	9770 / RC7WYPB3	3245	818 / RN2C	3812	401 / RS12YC
2680	843 / CJ8	3252	818 / RN2C	3823	936M / L78YC
2684	7545 / RC8PYPB4	3271	7071 / RC12PYP	3830	954 / RN57YCC
2687	9801 / RC8WYPB3	3311	929 / RL95YC	3837	9803 / RC8WMPB4
2689	818 / RN2C	3320	569 / W14	3850	840 / RCJ8
2721	821 / L77JC4	3321	805 / N2C	3869	9002 / RC10WMPB4
2743	7071 / RC12PYP	3326	910 / P10Y	3901	977 / RG6YC
2756	430 / RC9YC4	3327	669 / V57C	3903	9804 / RN8WYPB3
2761	7070 / RC11PYPB4	3346	344 / RC9YC	3922	830 / RL86C
2792	811 / L82C	3350	7548 / KC10PYPB4	3923	339 / RN6YC
2821	805 / N2C	3350	9803 / RC8WMPB4	3932	810 / RA8HC
2887	810 / RA8HC	3365	965 / RZ7C	3967	71 / RC12YC
2890	347 / RC10MCC	3403	3408 / RS10PYC	3972	818 / RN2C
2910	516 / D16	3410	845 / J17LM	3975	328 / L82YC
2911	63 / RJ14YC	3412	18 / RV15YC4	3987	404 / RN12YC
2912	315 / N6YC	3419	933-1 / QL86C	4014	7071 / RC12PYP
2921	120 / N5C	3436	404 / RN12YC	4043	439 / RC12MCC4
2923	809 / RA6HC	3437	8809-1 / 8809	4055	9804 / RN8WYPB3
2924	18 / RV15YC4	3440	7071 / RC12PYP	4085	8814-1 / 8814
2927	121 / RV8C	3452	7071 / RC12PYP	4111	929 / RL95YC
2950	7071 / RC12PYP	3467	405 / RN14YC	4114	859 / RCJ7Y
2963	853 / CJ7Y	3481	810 / RA8HC	4120	71 / RC12YC
2976	129 / RF10C	3483	809 / RA6HC	4123	113 / RV12C
2978	7071 / RC12PYP	3508	9001 / RC10WYPB4	4129	120 / N5C
2983	808 / Z9Y	3510	841 / J8C	4133	856 / RJ17LM
2985	71 / RC12YC	3512	406 / RV12YC	4179	809 / RA6HC
3000	7071 / RC12PYP	3522	871 / RJ8C	4221	818 / RN2C
3010	514 / D14	3524	71 / RC12YC	4224	405 / RN14YC
3011	63 / RJ14YC	3546	7071 / RC12PYP	4226	849 / CJ6
3014	807 / L78C	3566	353 / RC89TMC	4228	415 / RN9YC

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
NGK		NGK		NGK	
4259	349 / RG4PHP	4929	809 / RA6HC	5823	322 / RN11YC4
4292	7548 / KC10PYPB4	4968	7304 / RS9PYP	5831	293 / C53CX
4294	9812 / RC8ZWYPB4	4984	332 / RN7YC	5838	3346 / RC10PYC
4296	830 / RL86C	4996	9001 / RC10WYPB4	5838	346 / RC10YC4
4297	8809-1 / 8809	5024	929 / RL95YC	5838	7071 / RC12PYP
4323	400 / RV9YC	5044	880 / RN3C	5838	7546 / RC10PYPB4
4339	809 / RA6HC	5084	439 / RC12MCC4	5838	9001 / RC10WYPB4
4364	7545 / RC8PYPB4	5110	811 / L82C	5851	349 / RG4PHP
4371	7545 / RC8PYPB4	5111	328 / L82YC	5874	7346 / RC10PYP4
4377	7545 / RC8PYPB4	5122	880 / RN3C	5921	843 / CJ8
4421	431 / RC14YC	5126	807 / L78C	5944	8814-1 / 8814
4424	322 / RN11YC4	5129	810 / RA8HC	5950	855 / DJ7Y
4424	404 / RN12YC	5146	7401 / RS12PYP	5961	825 / J4C
4455	977 / RG6YC	5165	71 / RC12YC	6002	353 / RC89TMC
4457	818 / RN2C	5216	354 / RC10DMC	6028	863 / RCJ8Y
4477	9001 / RC10WYPB4	5256	863 / RCJ8Y	6044	9204 / RS12WYPB4
4492	880 / RN3C	5329	905 / RA4HC	6046	9701 / RA8WHP
4495	938M / QL78YC	5343	327 / RL87YC	6130	71 / RC12YC
4510	306 / L86C	5344	9805 / KC8WYPB4	6221	847 / DJ8J
4511	312 / L87YC	5411	405 / RN14YC	6222	929 / RL95YC
4522	828M / QL77JC4	5422	818 / RN2C	6223	322 / RN11YC4
4528	818 / RN2C	5423	809 / RA6HC	6289	349 / RG4PHP
4549	808 / Z9Y	5428	415 / RN9YC	6290	7346 / RC10PYP4
4551	828M / QL77JC4	5430	1027 / QC61YC	6314	7545 / RC8PYPB4
4553	814 / RL82YC	5444	570 / RE14MCC4	6321	843 / CJ8
4562	853 / CJ7Y	5459	7071 / RC12PYP	6326	312 / L87YC
4589	9806 / RC8WMPB4	5464	3071 / RC12PYC	6328	863 / RCJ8Y
4623	910 / P10Y	5468	9033 / REC8WYPB4	6341	9001 / RC10WYPB4
4626	852 / RCJ6Y	5476	9901 / RE10WYPB5	6354	8809-1 / 8809
4629	808 / Z9Y	5510	807 / L78C	6361	8809-1 / 8809
4632	327 / RL87YC	5526	831 / UL77V	6376	975 / REC10YC4
4642	7071 / RC12PYP	5531	810 / RA8HC	6378	349 / RG4PHP
4665	304 / RS9YC	5539	807 / L78C	6410	120 / N5C
4669	38 / N12YC	5542	7546 / RC10PYPB4	6411	302 / N11YC
4673	9044 / REC8WMPB4	5542	9802 / RC8WYPB4	6418	9802 / RC8WYPB4
4691	300 / N9YC	5545	8809-1 / 8809	6421	851 / DJ6J
4691	302 / N11YC	5547	9805 / KC8WYPB4	6422	814 / RL82YC
4696	7548 / KC10PYPB4	5567	818 / RN2C	6427	415 / RN9YC
4709	1008 / QC59C	5584	439 / RC12MCC4	6431	885M / L6VC
4717	349 / RG4PHP	5598	7304 / RS9PYP	6441	9803 / RC8WMPB4
4722	123 / RN5C	5626	833M / L78V	6464	415 / RN9YC
4730	8809-1 / 8809	5628	846 / CJ14	6481	9030 / REC8WYPB3
4741	818 / RN2C	5648	9805 / KC8WYPB4	6502	9001 / RC10WYPB4
4759	9701 / RA8WHP	5664	3346 / RC10PYC	6511	302 / N11YC
4772	8809-1 / 8809	5688	9001 / RC10WYPB4	6521	849 / CJ6
4824	415 / RN9YC	5689	9802 / RC8WYPB4	6546	9701 / RA8WHP
4830	905 / RA4HC	5690	9802 / RC8WYPB4	6637	9804 / RN8WYPB3
4838	936M / L78YC	5691	9802 / RC8WYPB4	6644	7304 / RS9PYP
4853	7545 / RC8PYPB4	5722	818 / RN2C	6650	1006 / RA59GC
4855	8809-1 / 8809	5724	430 / RC9YC4	6651	449 / RA7YC
4870	431 / RC14YC	5728	846 / CJ14	6664	9804 / RN8WYPB3
4877	7545 / RC8PYPB4	5730	415 / RN9YC	6681	8809-1 / 8809
4895	1008 / QC59C	5743	9804 / RN8WYPB3	6684	9804 / RN8WYPB3
4896	1008 / QC59C	5757	9805 / KC8WYPB4	6687	9804 / RN8WYPB3
4904	9006 / REC10WYPB4	5798	868 / RJ19LM	6723	123 / RN5C
4912	9412 / REA9WYPB4	5809	7304 / RS9PYP	6726	859 / RCJ7Y
4919	9802 / RC8WYPB4	5809	9808 / RS8WYPB5	6741	9201 / RC12WYPB4
4921	858 / CJ6Y	5810	821 / L77JC4	6774	9813 / RC8ZWYPB5
4922	104 / RN4C	5811	38 / N12YC	6799	991 / REA8MCX

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
NGK		NGK		NGK	
6821	808 / Z9Y	7746	9800 / RC7WYPB4	AR5FS	129 / RF10C
6837	304 / RS9YC	7781	7034 / RC12PEPB5	AR6FS	129 / RF10C
6838	9802 / RC8WYPB4	7795	905 / RA4HC	AR6FS11	129 / RF10C
6853	818 / RN2C	7810	346 / RC10YC4	B2	592 / RJ12C
6872	353 / RC89TMC	7811	300 / N9YC	B2LM	861 / J19LM
6899	977 / RG6YC	7822	415 / RN9YC	B2LMY	861 / J19LM
6928	405 / RN14YC	7823	929 / RL95YC	B4	511 / J11C
6953	71 / RC12YC	7829	328 / L82YC	B4ES	120 / N5C
6955	349 / RG4PHP	7839	810 / RA8HC	B4L	844 / H10C
6955	654 / G59C	7840	808 / Z9Y	B4L	857 / RH18Y
6962	71 / RC12YC	7854	9001 / RC10WYPB4	B4LM	845 / J17LM
6989	7304 / RS9PYP	7862	7983 / RS14PMPB5	B4LMY	845 / J17LM
6993	354 / RC10DMC	7866	9001 / RC10WYPB4	B5EB	120 / N5C
6994	9812 / RC8ZWYPB4	7909	506 / D6	B5ES	120 / N5C
6994	9014 / RC8ZWYPB	7912	810 / RA8HC	B5EV	120 / N5C
7021	853 / CJ7Y	7913	9030 / REC8WYPB3	B6EB	120 / N5C
7022	327 / RL87YC	7917	438 / RC12ECC	B6EB11	120 / N5C
7023	808 / Z9Y	7938	71 / RC12YC	B6EBL	120 / N5C
7052	113 / RV12C	7956	354 / RC10DMC	B6EBL11	415 / RN9YC
7092	3071 / RC12PYC	7968	7318 / RC12PMPB4	B6EM	120 / N5C
7121	430 / RC9YC4	7986	880 / RN3C	B6ES	803 / N4C
7162	809 / RA6HC	7994	430 / RC9YC4	B6ES11	803 / N4C
7164	7401 / RS12PYP	7994	9001 / RC10WYPB4	B6EV	803 / N4C
7164	9808 / RS8WYPB5	8894	434 / RC9MC4	B6FS	121 / RV8C
7210	430 / RC9YC4	9029	9410 / REA12WMPB4	B6HS	306 / L86C
7223	808 / Z9Y	9723	9023 / RER10WMPB4	B6HS10	306 / L86C
7226	332 / RN7YC	90117	9901 / RE10WYPB5	B6HSA	306 / L86C
7252	412 / RC12LYC	93298	9006 / REC10WYPB4	B6HV	306 / L86C
7270	9804 / RN8WYPB3	93482	9035 / REA11WMPB4	B6HVX	306 / L86C
7310	803 / N4C	93815	9060 / RER11WMPB3	B6L	844 / H10C
7311	302 / N11YC	94167	9008 / RC10WYPB5	B6LY	844 / H10C
7321	858 / CJ6Y	94658	9808 / RS8WYPB5	B6S	841 / J8C
7327	302 / N11YC	95264	9407 / RER8ZWYCB4	B6Y	841 / J8C
7390	71 / RC12YC	95369	9016 / RES8WYPB3	B7EB	803 / N4C
7411	977 / RG6YC	95820	9770 / RC7WYPB3	B7EB11	803 / N4C
7415	8809-1 / 8809	96621	9016 / RES8WYPB3	B7ECS	332 / RN7YC
7418	9003 / RC10WYPB4	96779	9006 / REC10WYPB4	B7EG	688 / C61
7421	840 / RCJ8	96870	9016 / RES8WYPB3	B7EM	805 / N2C
7447	886M / QL6VC	99404	9802 / RC8WYPB4	B7ES	801 / N3C
7471	654 / G59C	A5FS	22 / RF11YC	B7ES11	801 / N3C
7496	71 / RC12YC	A6	510 / W10	B7ET	805 / N2C
7512	810 / RA8HC	A6FS	129 / RF10C	B7EV	801 / N3C
7526	792 / C59YC	A7	509 / D9	B7EVX	803 / N4C
7529	300 / N9YC	A7F	129 / RF10C	B7FS	802 / V63C
7543	978 / RY4C	A7FS	129 / RF10C	B7HCS	811 / L82C
7544	965 / RZ7C	A8	506 / D6	B7HS	811 / L82C
7548	818 / RN2C	AB2	523 / D23	B7HS10	811 / L82C
7553	353 / RC89TMC	AB6	516 / D16	B7HV	811 / L82C
7563	9702 / KA7ZWYPB4	AB7	514 / D14	B7HVX	811 / L82C
7569	7304 / RS9PYP	AB8	506 / D6	B7S	823 / J6C
7639	300 / N9YC	AP5FS	22 / RF11YC	B8ECS	805 / N2C
7658	9201 / RC12WYPB4	AP6FS	409 / RF9YC	B8EFS	683 / S59C
7658	9801 / RC8WYPB3	AP7FS	409 / RF9YC	B8EG	687 / C59
7677	846 / CJ14	AP8FS	409 / RF9YC	B8ES	805 / N2C
7682	8809-1 / 8809	AP9FS	409 / RF9YC	B8EV	805 / N2C
7696	7919 / QC10PEPB	APR5FS	22 / RF11YC	B8FS	802 / V63C
7727	300 / N9YC	APR5FS11	22 / RF11YC	B8HCS	807 / L78C
7740	7401 / RS12PYP	APR5FS15	22 / RF11YC	B8HS	807 / L78C
7743	9782 / RC8ZWYPB4	APR6FS	409 / RF9YC	B8HS10	807 / L78C

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
NGK		NGK		NGK	
B8HV	807 / L78C	BCPR7EIX	9802 / RC8WYPB4	BKR6EVXA13	9802 / RC8WYPB4
B8HVX	821 / L77JC4	BCPR7EIX11	9802 / RC8WYPB4	BKR6EY	71 / RC12YC
B8S	825 / J4C	BCPR7ER	340 / RC7YC	BKR6EYA	3071 / RC12PYC
B9EFS	683 / S59C	BCPR7ER	71 / RC12YC	BKR6EYA	7071 / RC12PYP
B9EG	686 / C57	BCPR7ES	340 / RC7YC	BKR6EYA	71 / RC12YC
B9ES	805 / N2C	BCPR7EVX11	3340 / RC7PYCB4	BKR6EYA	9201 / RC12WYPB4
B9EV	805 / N2C	BCPR7EY	340 / RC7YC	BKR7E	340 / RC7YC
B9FS	802 / V63C	BCR8ES	1027 / QC61YC	BKR7EE	340 / RC7YC
B9HCS	821 / L77JC4	BCRE527Y	436 / RC12LC4	BKR7EIX	9770 / RC7WYPB3
B9HS	821 / L77JC4	BKR4E	431 / RC14YC	BKR7EQUP	9800 / RC7WYPB4
B9HS10	821 / L77JC4	BKR4E11	89 / RC12YC5	BKR7ES11	340 / RC7YC
B9HV	821 / L77JC4	BKR4EIX	7071 / RC12PYP	BKRUR6ET	353 / RC89TMC
B9HVX	821 / L77JC4	BKR4EVX	431 / RC14YC	BKUR5ET	353 / RC89TMC
B9S	825 / J4C	BKR5E	71 / RC12YC	BKUR5ET10	353 / RC89TMC
B10EG	693 / C55	BKR5E11	71 / RC12YC	BKUR5ETC10	353 / RC89TMC
B10ES	686 / C57	BKR5EGP	3071 / RC12PYC	BM4A	846 / CJ14
B10FS	669 / V57C	BKR5EIX	9001 / RC10WYPB4	BM4Y	846 / CJ14
B10HS	821 / L77JC4	BKR5EIX11	3071 / RC12PYC	BM6	843 / CJ8
B11EG	695 / C55R	BKR5EK	354 / RC10DMC	BM6A	843 / CJ8
B11EGP	695 / C55R	BKR5EKB11	71 / RC12YC	BM6F	847 / DJ8J
B11EGV	293 / C53CX	BKR5EKC	354 / RC10DMC	BM6FY	847 / DJ8J
B95EGV	818 / RN2C	BKR5EKP11	7071 / RC12PYP	BM6Y	843 / CJ8
B105EGP	818 / RN2C	BKR5EKU	71 / RC12YC	BM7	843 / CJ8
B105EGV	818 / RN2C	BKR5EKUP	347 / RC10MCC	BM7A	849 / CJ6
BCP4ES	335 / RC10YC	BKR5EN11	71 / RC12YC	BM7F	851 / DJ6J
BCP5E11	346 / RC10YC4	BKR5EP11	7071 / RC12PYP	BM7Y	849 / CJ6
BCP5ES	71 / RC12YC	BKR5EQUA	353 / RC89TMC	BMR2A	846 / CJ14
BCP5ES11	346 / RC10YC4	BKR5ES	71 / RC12YC	BMR2A10	846 / CJ14
BCP5ET	346 / RC10YC4	BKR5ES11	71 / RC12YC	BMR4A	846 / CJ14
BCP5EV	71 / RC12YC	BKR5EVX	3071 / RC12PYC	BMR6A	840 / RCJ8
BCP5EVX	3346 / RC10PYC	BKR5EVX11	3071 / RC12PYC	BMR6F	847 / DJ8J
BCP6ES11	430 / RC9YC4	BKR5EVXA13	3071 / RC12PYC	BMR6F	865 / RDJ8J
BCPR4ES	71 / RC12YC	BKR5EY	71 / RC12YC	BMR7A	849 / CJ6
BCPR4ES11	89 / RC12YC5	BKR5EY11	71 / RC12YC	BP2E	405 / RN14YC
BCPR5E	344 / RC9YC	BKR5EYA	71 / RC12YC	BP2ES	405 / RN14YC
BCPR5E11	71 / RC12YC	BKR5EYA11	71 / RC12YC	BP4	63 / RJ14YC
BCPR5EIX	9001 / RC10WYPB4	BKR6E	340 / RC7YC	BP4E	38 / N12YC
BCPR5EIX11	9001 / RC10WYPB4	BKR6E	344 / RC9YC	BP4ES	405 / RN14YC
BCPR5EP11	7548 / KC10PYPB4	BKR6E	71 / RC12YC	BP4EY	38 / N12YC
BCPR5EP8	7071 / RC12PYP	BKR6EIX	9802 / RC8WYPB4	BP4H	929 / RL95YC
BCPR5ES	71 / RC12YC	BKR6EIX11	9802 / RC8WYPB4	BP4HA	929 / RL95YC
BCPR5ES11	71 / RC12YC	BKR6EK	71 / RC12YC	BP4HS	806 / L92YC
BCPR5EVX11	3071 / RC12PYC	BKR6EKP11	7071 / RC12PYP	BP4HS10	929 / RL95YC
BCPR5EY	71 / RC12YC	BKR6EKU	354 / RC10DMC	BP5E	38 / N12YC
BCPR5EY11	71 / RC12YC	BKR6EKUB	9800 / RC7WYPB4	BP5EA	38 / N12YC
BCPR5EYN11	71 / RC12YC	BKR6EN11	430 / RC9YC4	BP5EAL	302 / N11YC
BCPR6E	344 / RC9YC	BKR6EP11	7071 / RC12PYP	BP5EAL11	302 / N11YC
BCPR6E11	430 / RC9YC4	BKR6EP13	7545 / RC8PYPB4	BP5EFS	401 / RS12YC
BCPR6EIX	9802 / RC8WYPB4	BKR6EP13	9803 / RC8WMPB4	BP5EQ13	38 / N12YC
BCPR6EIX11	9802 / RC8WYPB4	BKR6EP8	7346 / RC10PYP4	BP5ES	300 / N9YC
BCPR6EP11	7548 / KC10PYPB4	BKR6EPB11	7071 / RC12PYP	BP5ES	302 / N11YC
BCPR6EP11	9803 / RC8WMPB4	BKR6EPN11	7548 / KC10PYPB4	BP5ES11	302 / N11YC
BCPR6EP13	9803 / RC8WMPB4	BKR6EQU	353 / RC89TMC	BP5ESA	300 / N9YC
BCPR6ES	344 / RC9YC	BKR6EQUA	353 / RC89TMC	BP5ESL	300 / N9YC
BCPR6ES11	430 / RC9YC4	BKR6EQUP	353 / RC89TMC	BP5ESZ	300 / N9YC
BCPR6ET	353 / RC89TMC	BKR6ES	71 / RC12YC	BP5ESZ	302 / N11YC
BCPR6EVX11	3344 / RC9PYC	BKR6ES11	71 / RC12YC	BP5EV	302 / N11YC
BCPR6EY	97 / RC9MCC	BKR6EVX11	3071 / RC12PYC	BP5EVX	300 / N9YC
BCPR6EYN11	430 / RC9YC4	BKR6EVXA11	9802 / RC8WYPB4	BP5EY	302 / N11YC

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
NGK		NGK		NGK	
BP5EZ	38 / N12YC	BPR2E	405 / RN14YC	BPR6EZ	415 / RN9YC
BP5FS	18 / RV15YC4	BPR2ES	405 / RN14YC	BPR6FS	406 / RV12YC
BP5HA	929 / RL95YC	BPR4E	404 / RN12YC	BPR6FS11	406 / RV12YC
BP5HS	806 / L92YC	BPR4ES	405 / RN14YC	BPR6H	814 / RL82YC
BP5HS	929 / RL95YC	BPR4ES11	405 / RN14YC	BPR6HIX	8814-1 / 8814
BP5S	63 / RJ14YC	BPR4ESL11	322 / RN11YC4	BPR6HS	327 / RL87YC
BP6E	300 / N9YC	BPR4EVX	404 / RN12YC	BPR6HS10	327 / RL87YC
BP6EFS	401 / RS12YC	BPR4EY	405 / RN14YC	BPR6HSA	327 / RL87YC
BP6EK	300 / N9YC	BPR4EY11	322 / RN11YC4	BPR6S	14 / RJ12YC
BP6EKA	300 / N9YC	BPR4FS	18 / RV15YC4	BPR7E	332 / RN7YC
BP6EQ13	322 / RN11YC4	BPR4FS11	18 / RV15YC4	BPR7EFS	304 / RS9YC
BP6ES	300 / N9YC	BPR4FS20	37 / RV17YC6	BPR7EIX	9804 / RN8WYPB3
BP6ES11	300 / N9YC	BPR4HS	929 / RL95YC	BPR7ES	332 / RN7YC
BP6ES13	322 / RN11YC4	BPR4HS10	929 / RL95YC	BPR7ES	339 / RN6YC
BP6ESZ	300 / N9YC	BPR4S	58 / RJ18YC	BPR7ES11	332 / RN7YC
BP6ET	300 / N9YC	BPR4S15	58 / RJ18YC	BPR7EY	332 / RN7YC
BP6EV	300 / N9YC	BPR5E11	322 / RN11YC4	BPR7EY11	415 / RN9YC
BP6EY	300 / N9YC	BPR5EA11	322 / RN11YC4	BPR7HIX	8814-1 / 8814
BP6EY11	301 / RN9YC4	BPR5EAL	322 / RN11YC4	BPR7HS	814 / RL82YC
BP6EZ	300 / N9YC	BPR5EAL11	322 / RN11YC4	BPR7HS10	814 / RL82YC
BP6FS	406 / RV12YC	BPR5EAL11	415 / RN9YC	BPR8EIX	9804 / RN8WYPB3
BP6H	328 / L82YC	BPR5EFS	401 / RS12YC	BPR8ES	339 / RN6YC
BP6HS	312 / L87YC	BPR5EFS10	401 / RS12YC	BPR8EVX	315 / N6YC
BP6HS10	312 / L87YC	BPR5EFS13	13 / RS14YC6	BPR8EVX	339 / RN6YC
BP6S	10 / J12YC	BPR5EFVX	7401 / RS12PYP	BPR8HS	814 / RL82YC
BP7E	315 / N6YC	BPR5ES	404 / RN12YC	BPR9EIX	818 / RN2C
BP7EFS	304 / RS9YC	BPR5ES	322 / RN11YC4	BPR9ES	954 / RN57YCC
BP7EVX	9804 / RN8WYPB3	BPR5ES11	404 / RN12YC	BPR9EVX	954 / RN57YCC
BP7FS	400 / RV9YC	BPR5ES11	322 / RN11YC4	BPZ8HN10	938M / QL78YC
BP7HS	328 / L82YC	BPR5ES13	322 / RN11YC4	BPZ8HS10	938M / QL78YC
BP7HS10	328 / L82YC	BPR5EV	322 / RN11YC4	BR2LM	868 / RJ19LM
BP8ES	315 / N6YC	BPR5EVX11	3071 / RC12PYC	BR4ES	123 / RN5C
BP8EV	315 / N6YC	BPR5EY	404 / RN12YC	BR4LM	856 / RJ17LM
BP8HN10	936M / L78YC	BPR5EY11	322 / RN11YC4	BR5EB	123 / RN5C
BP8HS	936M / L78YC	BPR5EY11	404 / RN12YC	BR5EB11	123 / RN5C
BP8HS10	936M / L78YC	BPR5FS	18 / RV15YC4	BR5ES	123 / RN5C
BP9ES	792 / C59YC	BPR5FS11	18 / RV15YC4	BR5ES11	123 / RN5C
BP9EV	792 / C59YC	BPR5HS	929 / RL95YC	BR5FS	113 / RV12C
BPM4A	848 / CJ8Y	BPR5S	63 / RJ14YC	BR5FS15	113 / RV12C
BPM6A	853 / CJ7Y	BPR6E	415 / RN9YC	BR6EB	123 / RN5C
BPM6A10	853 / CJ7Y	BPR6E11	301 / RN9YC4	BR6EB11	123 / RN5C
BPM6F	855 / DJ7Y	BPR6EF	304 / RS9YC	BR6EBL11	415 / RN9YC
BPM6Y	853 / CJ7Y	BPR6EF13	304 / RS9YC	BR6EF	304 / RS9YC
BPM7	58 / RJ18YC	BPR6EFIX10	9808 / RS8WYPB5	BR6ES	104 / RN4C
BPM7A	858 / CJ6Y	BPR6EFIX11	9808 / RS8WYPB5	BR6ES11	104 / RN4C
BPM7F	855 / DJ7Y	BPR6EFIX15	9808 / RS8WYPB5	BR6FS	400 / RV9YC
BPM7Y	858 / CJ6Y	BPR6EFS	401 / RS12YC	BR6FVX	3018 / RV17PMC4
BPM8Y	858 / CJ6Y	BPR6EIX	9804 / RN8WYPB3	BR6HIX	933-1 / QL86C
BPMR4A	863 / RCJ8Y	BPR6EIX11	9804 / RN8WYPB3	BR6HS	830 / RL86C
BPMR4A10	863 / RCJ8Y	BPR6EKA	415 / RN9YC	BR6HS10	933M / QL86C
BPMR6A	859 / RCJ7Y	BPR6EKN	332 / RN7YC	BR6HS10	830 / RL86C
BPMR6A	863 / RCJ8Y	BPR6ES	415 / RN9YC	BR6HSA	830 / RL86C
BPMR6A10	859 / RCJ7Y	BPR6ES11	332 / RN7YC	BR6S	871 / RJ8C
BPMR6F	872 / RDJ7Y	BPR6ES11	415 / RN9YC	BR7EB	104 / RN4C
BPMR6Y	863 / RCJ8Y	BPR6ES13	301 / RN9YC4	BR7EB11	104 / RN4C
BPMR7A	859 / RCJ7Y	BPR6ESN11	301 / RN9YC4	BR7EF	344 / RC9YC
BPMR7A	852 / RCJ6Y	BPR6EV	415 / RN9YC	BR7EFS	344 / RC9YC
BPMR7Y	852 / RCJ6Y	BPR6EY	415 / RN9YC	BR7EIX	9804 / RN8WYPB3
BPMR8Y	852 / RCJ6Y	BPR6EY11	415 / RN9YC	BR7ES	880 / RN3C

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
NGK		NGK		NGK	
BR7ES11	880 / RN3C	C8HSA	808 / Z9Y	DILFR6D11	9044 / REC8WMPB4
BR8ECM	818 / RN2C	CMR5H	965 / RZ7C	DILKAR6A11	9410 / REA12WMPB4
BR8ECMVX	818 / RN2C	CMR6A	978 / RY4C	DILKAR7B11	9412 / REA9WYPB4
BR8ECS	818 / RN2C	CMR6H	965 / RZ7C	DILKR6D11G	9407 / RER8ZWYCB4
BR8EIX	880 / RN3C	CMR7A	978 / RY4C	DILZKR7A11DS	9407 / RER8ZWYCB4
BR8ES	818 / RN2C	CMR7H	965 / RZ7C	DILZKR7A11G	9407 / RER8ZWYCB4
BR8ES11	880 / RN3C	CMR8H	965 / RZ7C	DP6EA9	810 / RA8HC
BR8ESA	818 / RN2C	CPR6EA9	977 / RG6YC	DP7EA9	810 / RA8HC
BR8ET	818 / RN2C	CPR7EA9	977 / RG6YC	DP7EV9	810 / RA8HC
BR8EV	818 / RN2C	CPR8E	977 / RG6YC	DP8EA9	809 / RA6HC
BR8EVX	880 / RN3C	CPR8EA	977 / RG6YC	DP8EV9	809 / RA6HC
BR8HCS10	883 / QL78C	CPR8EB	977 / RG6YC	DP9EV9	905 / RA4HC
BR8HS	883 / QL78C	CPR8EB9	977 / RG6YC	DPR5EA9	810 / RA8HC
BR8HS10	883 / QL78C	CR5HSA	808 / Z9Y	DPR6EA9	810 / RA8HC
BR8HSA	807 / L78C	CR6E	654 / G59C	DPR6EB9	810 / RA8HC
BR8HV	883 / QL78C	CR6HS	808 / Z9Y	DPR7EA9	810 / RA8HC
BR9ECM	818 / RN2C	CR6HSA	808 / Z9Y	DPR7EIX9	8810-1 / 8810
BR9ECMVX	8904-1 / 8904	CR7E	654 / G59C	DPR7EV9	810 / RA8HC
BR9EGN8	818 / RN2C	CR7EKB	977 / RG6YC	DPR7EVX9	8809-1 / 8809
BR9ES	818 / RN2C	CR7HIX	965 / RZ7C	DPR8EA9	809 / RA6HC
BR9ET	818 / RN2C	CR7HS	808 / Z9Y	DPR8EIX9	9701 / RA8WHP
BR9EV	818 / RN2C	CR7HSA	808 / Z9Y	DPR8EV9	809 / RA6HC
BR9EVX	818 / RN2C	CR8E	654 / G59C	DPR8EVX9	809 / RA6HC
BR9EYA	818 / RN2C	CR9EB	349 / RG4PHP	DPR8Z	8809-1 / 8809
BR9HS	828M / QL77JC4	CR9EB	654 / G59C	DPR9EA9	905 / RA4HC
BR9HS10	828M / QL77JC4	CR9EIA9	349 / RG4PHP	DPR9EIX9	8809-1 / 8809
BR10EG	954 / RN57YCC	CS1	861 / J19LM	DPR9EV9	905 / RA4HC
BR527Y11	322 / RN11YC4	CS2	843 / CJ8	DPR9EVX9	905 / RA4HC
BR529Y11	322 / RN11YC4	CS3	841 / J8C	DPR9Z	905 / RA4HC
BU6EB11	315 / N6YC	CS4	845 / J17LM	DR4HS	910 / P10Y
BU6EFSZ	304 / RS9YC	CS5	846 / CJ14	DR5HS	910 / P10Y
BU7EA11	315 / N6YC	CS6	71 / RC12YC	DR7EA	810 / RA8HC
BU7EB11	805 / N2C	D5HS	910 / P10Y	DR7ES	810 / RA8HC
BU8ET	300 / N9YC	D6EA	810 / RA8HC	DR8EA	809 / RA6HC
BU8H	885M / L6VC	D7EA	810 / RA8HC	DR8EB	8809-1 / 8809
BUE	890 / N19V	D7ES	810 / RA8HC	DR8EIX	8809-1 / 8809
BUEW	890 / N19V	D7EV	810 / RA8HC	DR8ES	809 / RA6HC
BUHW	827M / L76V	D8EA	809 / RA6HC	DR8ESL	809 / RA6HC
BUHW2	833M / L78V	D8EV	809 / RA6HC	DR8EVX	8809-1 / 8809
BUHXW1	831 / UL77V	D9EA	905 / RA4HC	DR9EA	8809-1 / 8809
BUR5EB11	332 / RN7YC	DCP7E	809 / RA6HC	DR9EIX	8809-1 / 8809
BUR6EA11	415 / RN9YC	DCPR6E	810 / RA8HC	DR9EVX	8809-1 / 8809
BUR6EB11	415 / RN9YC	DCPR7E	810 / RA8HC	FR4	71 / RC12YC
BUR6EFSZ	304 / RS9YC	DCPR7EA9	449 / RA7YC	FR5	431 / RC14YC
BUR7EA11	332 / RN7YC	DCPR7EIX	9701 / RA8WHP	FR5AP10	71 / RC12YC
BUR7EB11	332 / RN7YC	DCPR8E	809 / RA6HC	FR5AP11	3346 / RC10PYC
BUZ8H	886M / QL6VC	DCPR8EIX	9701 / RA8WHP	FR5AP11	9003 / RC10WYPB4
BUZHW	898 / QL76V	DCPR8EKP	8809-1 / 8809	FR5EI	9001 / RC10WYPB4
BUZHWZ	827-1 / L76V	DCPR9E	905 / RA4HC	FR6AP10	346 / RC10YC4
BUZNW2	898 / QL76V	DCPR9EIX	905 / RA4HC	FR6ED	337 / RC8YC
BZ7HS10	828M / QL77JC4	DCR7EIX	9701 / RA8WHP	FR6EI	9801 / RC8WYPB3
BZ8ES	818 / RN2C	DCR8EIX	9701 / RA8WHP	FR9BI11	1008 / QC59C
C6HA	808 / Z9Y	DCR9EIX	1006 / RA59GC	FR45	89 / RC12YC5
C6HSA	808 / Z9Y	DF7H11B	9412 / REA9WYPB4	FR51	412 / RC12LYC
C7E	654 / G59C	DFH6B11A	9006 / REC10WYPB4	G2Z	569 / W14
C7HSA	808 / Z9Y	DIFR5C11	9002 / RC10WMPB4	GR4	322 / RN11YC4
C7HV	808 / Z9Y	DIFR6C11	9806 / RC8WMPB4	GR4VX	7031 / RN14PMP5
C8E	654 / G59C	DIFR6D13	9008 / RC10WYPB5	GR5	405 / RN14YC
C8HA	808 / Z9Y	DILFR5C11	9006 / REC10WYPB4	GR45	322 / RN11YC4

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
NGK		NGK		NGK	
GR55	301 / RN9YC4	ILTR5K13	9901 / RE10WYPB5	LZTR5AIX13	3032 / RE10PMC5
IFR5A11	9001 / RC10WYPB4	ILTR6A13G	9901 / RE10WYPB5	NILZKR7B11	9407 / RER8ZWYCB4
IFR5D10	7548 / KC10PYPB4	ILTR6E11	9901 / RE10WYPB5	PFR5B	7070 / RC11PYPB4
IFR5E11	430 / RC9YC4	ILTR6G8G	9016 / RES8WYPB3	PFR5B11	7071 / RC12PYP
IFR5E11	9001 / RC10WYPB4	ILTR6H8G	9016 / RES8WYPB3	PFR5B11B	7071 / RC12PYP
IFR5G11	9001 / RC10WYPB4	ILZFR5B	9006 / REC10WYPB4	PFR5C11	7071 / RC12PYP
IFR5G11	9003 / RC10WYPB4	ILZFR6A11	9006 / REC10WYPB4	PFR5G11	7071 / RC12PYP
IFR5G11K	9001 / RC10WYPB4	ILZFR6C11K	9044 / REC8WMPB4	PFR5G11E	7071 / RC12PYP
IFR5J11	9003 / RC10WYPB4	ILZFR6D11	9044 / REC8WMPB4	PFR5G13E	7070 / RC11PYPB4
IFR5L11	9001 / RC10WYPB4	ILZKR7B11	9407 / RER8ZWYCB4	PFR5J11	7071 / RC12PYP
IFR5N10	9001 / RC10WYPB4	ILZKR7B11S	9407 / RER8ZWYCB4	PFR5L11	7071 / RC12PYP
IFR5T11	9001 / RC10WYPB4	IMR9D9H	654 / G59C	PFR5N11	3346 / RC10PYC
IFR5T8N	9001 / RC10WYPB4	IRIMAC8	9701 / RA8WHP	PFR5N11	346 / RC10YC4
IFR6A	9803 / RC8WMPB4	ITR4A13	9404 / RS14WYPB5	PFR5N11	7071 / RC12PYP
IFR6A11	9202 / RC12WMPB4	ITR4A15	9404 / RS14WYPB5	PFR5N11	7546 / RC10PYPB4
IFR6A11	9806 / RC8WMPB4	ITR5F13	9204 / RS12WYPB4	PFR5N11	9001 / RC10WYPB4
IFR6B11	9001 / RC10WYPB4	IZFR5F11	9202 / RC12WMPB4	PFR5R11	7548 / KC10PYPB4
IFR6BK	9801 / RC8WYPB3	IZFR5J	7953 / QC12PEPB	PFR6A11	7346 / RC10PYP4
IFR6BK	9802 / RC8WYPB4	IZFR5K	9000 / RC10ZWYPB4	PFR6A11	7071 / RC12PYP
IFR6C	9805 / KC8WYPB4	IZFR5K11	9202 / RC12WMPB4	PFR6B	7071 / RC12PYP
IFR6D10	9805 / KC8WYPB4	IZFR5K11	9812 / RC8ZWYPB4	PFR6B11	7071 / RC12PYP
IFR6E11	9201 / RC12WYPB4	IZFR5L11	9202 / RC12WMPB4	PFR6B11C	7545 / RC8PYPB4
IFR6G11K	9802 / RC8WYPB4	IZFR5R7G	9013 / RC10WMPB3	PFR6B9	7545 / RC8PYPB4
IFR6J11	9201 / RC12WYPB4	IZFR6F11	9803 / RC8WMPB4	PFR6E10	7545 / RC8PYPB4
IFR6J11	9801 / RC8WYPB3	IZFR6H11	9812 / RC8ZWYPB4	PFR6G	7545 / RC8PYPB4
IFR6QG	9805 / KC8WYPB4	IZFR6J	9812 / RC8ZWYPB4	PFR6G11	7546 / RC10PYPB4
IFR6S	9802 / RC8WYPB4	IZFR6K11	9014 / RC8ZWYPB	PFR6G11	7346 / RC10PYP4
IFR6T11	9806 / RC8WMPB4	IZFR6K11	9812 / RC8ZWYPB4	PFR6G13	7071 / RC12PYP
IFR7F4D	1221 / RC78WYP15	IZFR6K11S	9812 / RC8ZWYPB4	PFR6G13E	7545 / RC8PYPB4
IFR7F8DS	9770 / RC7WYPB3	IZFR6K13	9813 / RC8ZWYPB5	PFR6G9	7545 / RC8PYPB4
IFR7FD	9770 / RC7WYPB3	IZFR6KL	9812 / RC8ZWYPB4	PFR6H10	7346 / RC10PYP4
IFR7G11K	9800 / RC7WYPB4	IZFR7M	9809 / QC8WEP	PFR6J11	7071 / RC12PYP
IFR7G11KS	9800 / RC7WYPB4	IZKR7B	9702 / KA7ZWYPB4	PFR6L11	7071 / RC12PYP
IFR7U4D	1221 / RC78WYP15	IZTR5B11	9405 / RS12WMPB4	PFR6L13	7071 / RC12PYP
IFR7X7G	9770 / RC7WYPB3	JR9B	8809-1 / 8809	PFR6N11	7071 / RC12PYP
IFR7X8G	9770 / RC7WYPB3	KR7AI	9701 / RA8WHP	PFR6Q	7548 / KC10PYPB4
IGR6A11	9804 / RN8WYPB3	KR8AI	809 / RA6HC	PFR6Q	7346 / RC10PYP4
IGR7A	9804 / RN8WYPB3	KR8BI	9701 / RA8WHP	PFR6Q	7546 / RC10PYPB4
IGR7AG	9804 / RN8WYPB3	KR9CI	905 / RA4HC	PFR6T10G	9802 / RC8WYPB4
IJR7A9	7972 / RA8PHP	LFR5A11	975 / REC10YC4	PFR6T10G	7546 / RC10PYPB4
IJR7A9	8812-1 / 8812	LFR5AGP	7975 / REC10PYPB4	PFR6TG	7545 / RC8PYPB4
IKR7A	9701 / RA8WHP	LFR5AIX11	9006 / REC10WYPB4	PFR6U11G	7346 / RC10PYP4
IKR7B	9701 / RA8WHP	LFR6A11	975 / REC10YC4	PFR6WTG	9805 / KC8WYPB4
IKR7C	9701 / RA8WHP	LFR6AIX11	7975 / REC10PYPB4	PFR6X11	9805 / KC8WYPB4
IKR7D	9701 / RA8WHP	LFR6AIX11	9033 / REC8WYPB4	PFR7B	7545 / RC8PYPB4
ILFR5B11	9006 / REC10WYPB4	LFR6C11	975 / REC10YC4	PFR7G	7545 / RC8PYPB4
ILFR5T11	9006 / REC10WYPB4	LKR7B11S	9407 / RER8ZWYCB4	PFR7G11	7545 / RC8PYPB4
ILFR6A	9006 / REC10WYPB4	LTR5GP	7437 / RES11PYP5	PFR7G11S	9800 / RC7WYPB4
ILFR6B	9030 / REC8WYPB3	LTR5IX11	9901 / RE10WYPB5	PFR7G9	7545 / RC8PYPB4
ILFR6D11	9006 / REC10WYPB4	LTR6AI13	3017 / RES8PYB5	PFR7H10	7545 / RC8PYPB4
ILFR6G	9030 / REC8WYPB3	LTR6P13	3017 / RES8PYB5	PFR7M	7545 / RC8PYPB4
ILFR6GE	9030 / REC8WYPB3	LTRA5S9	9016 / RES8WYPB3	PFR7ND	7318 / RC12PMPB4
ILFR6J11K	9033 / REC8WYPB4	LZFR5BI11	9006 / REC10WYPB4	PFR7S8EG	9770 / RC7WYPB3
ILFR6T11	9006 / REC10WYPB4	LZFR5C11	446 / REC12MCC4	PGR5A	404 / RN12YC
ILKAR7B11	9412 / REA9WYPB4	LZFR6A1	975 / REC10YC4	PGR5A11	404 / RN12YC
ILKAR7L11	9412 / REA9WYPB4	LZFR6AI	7975 / REC10PYPB4	PGR6A	332 / RN7YC
ILTR5A13G	9901 / RE10WYPB5	LZTR4A11	570 / RE14MCC4	PGR7A	9804 / RN8WYPB3
ILTR5B11	9901 / RE10WYPB5	LZTR5A13	3032 / RE10PMC5	PKR7A	9701 / RA8WHP
ILTR5D	9901 / RE10WYPB5	LZTR5AGP	3032 / RE10PMC5	PLFR5A11	9006 / REC10WYPB4



COMPETITIVE INTERCHANGE
TABLEAU DU RENVOIS
REFERNCIA CRUZADA

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
NGK		NGK		NGK	
PLFR5A11	7975 / REC10PYPB4	R56739	670 / V59C	ZFR6BPG	9812 / RC8ZWYPB4
PLFR6A11	7975 / REC10PYPB4	R56748	265 / V63Y	ZFR6F11	434 / RC9MC4
PLFR6C10G	9006 / REC10WYPB4	R56868	688 / C61	ZFR6F11G	434 / RC9MC4
PLKR7A	7019 / KER8PYPB	R56869	687 / C59	ZFR6F11G	9002 / RC10WMPB4
PLZFR5B13EG	9055 / REC12WMPB5	R57249	685 / S59YC	ZFR6FIX11	9803 / RC8WMPB4
PLZFR6A11S	9044 / REC8WMPB4	R74358	1008 / QC59C	ZFR6K11	7318 / RC12PMPB4
PLZKAR6A11	9410 / REA12WMPB4	R74359	1008 / QC59C	ZFR6U9	9013 / RC10WMPB3
PLZTR5A13	7032 / RE10PMPB5	R567210	791 / C57YC	ZFR6VG	434 / RC9MC4
PMR7A	349 / RG4PHP	R567310	669 / V57C	ZFR7F	434 / RC9MC4
PMR8A	349 / RG4PHP	R568610	693 / C55	ZFR7F11	9803 / RC8WMPB4
PMR8B	349 / RG4PHP	R737610	818 / RN2C	NSU	
PMR9B	349 / RG4PHP	R743410	294 / C55CX	111700068	811 / L82C
PTR4B15	7401 / RS12PYP	SILFR6A	9030 / REC8WYPB3	481700003	807 / L78C
PTR4G15	7940 / RS14PYPB5	SILFR6A11	9033 / REC8WYPB4	Opel	
PTR5A13	7437 / RES11PYP5	SILFR6C11	9033 / REC8WYPB4	1214007	301 / RN9YC4
PTR5C13	7401 / RS12PYP	SILTR6A7G	9016 / RES8WYPB3	1214008	301 / RN9YC4
PTR5D10	304 / RS9YC	SILZKAR7B11	9035 / REA11WMPB4	1214009	430 / RC9YC4
PTR5D10	7304 / RS9PYP	SILZKR6B10E	9060 / RER11WMPB3	1214019	328 / L82YC
PTR5D13	7304 / RS9PYP	SILZKR6D8E	9060 / RER11WMPB3	1214020	811 / L82C
PTR5F13	7304 / RS9PYP	SILZKR7B11	9023 / RER10WMPB4	1214021	328 / L82YC
PTR6D13	7304 / RS9PYP	TR5	304 / RS9YC	1214023	328 / L82YC
PTR6D13G	7304 / RS9PYP	TR5	408 / RS14YC	1214046	811 / L82C
PTR6F13	7304 / RS9PYP	TR5BP12	9204 / RS12WYPB4	1214108	332 / RN7YC
PZFR5D11	7318 / RC12PMPB4	TR5C12	9204 / RS12WYPB4	1214119	332 / RN7YC
PZFR5F	7071 / RC12PYP	TR5IX	9808 / RS8WYPB5	1214122	332 / RN7YC
PZFR5F11	7071 / RC12PYP	TR6AP13	7304 / RS9PYP	1214123	823 / J6C
PZFR5J11	9782 / RC8ZWYPB4	TR6AP13	9808 / RS8WYPB5	1214132	332 / RN7YC
PZFR5Q11	7547 / KC8ZPYPB4	TR6AP13E	7304 / RS9PYP	1214139	415 / RN9YC
PZFR6F	9803 / RC8WMPB4	TR42	20 / RS13LYC5	1214144	344 / RC9YC
PZFR6F11	7071 / RC12PYP	TR51	13 / RS14YC6	1214148	430 / RC9YC4
PZFR6H	7919 / QC10PEPB	TR51VX	7013 / RS14PYP5	1214193	415 / RN9YC
PZFR6J11	9800 / RC7WYPB4	TR55	13 / RS14YC6	1214702	332 / RN7YC
PZFR7GG	9803 / RC8WMPB4	TR55IX	7401 / RS12PYP	1214802	332 / RN7YC
PZNAR6A11H	7406 / RET9ZPMPB	TR55IX	9808 / RS8WYPB5	1214803	301 / RN9YC4
PZTR5A15	7983 / RS14PMPB5	TR55VX	3013 / RS14PYC6	1214804	344 / RC9YC
R0045J10	709 / G54V	UR4	18 / RV15YC4	1214805	814 / RL82YC
R0179	654 / G59C	UR4GP	3018 / RV17PMC4	1214806	332 / RN7YC
R0373A9	654 / G59C	UR5	406 / RV12YC	1214807	415 / RN9YC
R4118S8	880 / RN3C	UR55	406 / RV12YC	90350018	415 / RN9YC
R4118S9	818 / RN2C	WR5	22 / RF11YC	90414815	97 / RC9MCC
R4118S95	818 / RN2C	WR41	130 / RF14LC	Perkins	
R5671A10	686 / C57	XR4	58 / RJ18YC	2667A301	244 / RC78PYP21
R5671A8	688 / C61	XR5	63 / RJ14YC	CV19238	530 / RN79G
R5671A9	687 / C59	YR5	113 / RV12C	Polaris	
R5672A9	792 / C59YC	YR55	113 / RV12C	0451967	3068 / RC7PYCB
R6021E8	880 / RN3C	ZFR4F11	439 / RC12MCC4	451967	3068 / RC7PYCB
R6021E9	818 / RN2C	ZFR5A11	439 / RC12MCC4	2873084	7972 / RA8PHP
R6021E95	818 / RN2C	ZFR5AP	3720 / RC12PMCB3	3021671	444 / RC7YC3
R6252E9	818 / RN2C	ZFR5D11	318 / RC12MC4	3021671SP	444 / RC7YC3
R6918B8	880 / RN3C	ZFR5E11	439 / RC12MCC4	3021837	3069 / RC7PYCBX
R6918B9	1008 / QC59C	ZFR5F	71 / RC12YC	3022225	991 / REA8MCX
R6918C9	1008 / QC59C	ZFR5F11	318 / RC12MC4	3022559	977 / RG6YC
R56705	10 / J12YC	ZFR5FGP	3318 / RC12PMC4	3070165SP	818 / RN2C
R56708	825 / J4C	ZFR5FIX11	9202 / RC12WMPB4	3070166	880 / RN3C
R56719	785 / C61C	ZFR5J11	439 / RC12MCC4	3070166SP	880 / RN3C
R56728	315 / N6YC	ZFR5LP13G	7034 / RC12PEPB5	3070190	8900-1 / 8900
R56729	792 / C59YC	ZFR5N	438 / RC12ECC	3070190	954 / RN57YCC
R56729	794 / C61YC	ZFR6A	344 / RC9YC		
R56737	802 / V63C	ZFR6A11	318 / RC12MC4		

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
Polaris		Prestolite		Silver Streak	
3085784	444 / RC7YC3	14RF22	400 / RV9YC	773011	861 / J19LM
Prestolite		14RF32	406 / RV12YC	773021	843 / CJ8
10E2	808 / Z9Y	14RF42	18 / RV15YC4	773031	71 / RC12YC
10E3	808 / Z9Y	14RF52	25 / RV17YC	773041	847 / DJ8J
10E4	808 / Z9Y	14RF52	37 / RV17YC6	773051	868 / RJ19LM
12G2	809 / RA6HC	14RF526	37 / RV17YC6	773061	840 / RCJ8
12G3	809 / RA6HC	14RF528	37 / RV17YC6	773071	852 / RCJ6Y
14E1	807 / L78C	14RF52A	37 / RV17YC6	773081	849 / CJ6
14E2	811 / L82C	14RF62	25 / RV17YC	773091	848 / CJ8Y
14E22	328 / L82YC	14RL4	587 / H8C	773101	302 / N11YC
14E32	312 / L87YC	14RL7	854 / RH10C	773111	858 / CJ6Y
14E4	306 / L86C	14WRF44	407 / RS14LC	773121	415 / RN9YC
14E42	929 / RL95YC	14WRF54	407 / RS14LC	773131	845 / J17LM
14E52	929 / RL95YC	18F3	129 / RF10C	773141	322 / RN11YC4
14ER4	830 / RL86C	18F32	409 / RF9YC	773151	300 / N9YC
14ER6	830 / RL86C	18F42	22 / RF11YC	773161	851 / DJ6J
14F22	400 / RV9YC	18RF3	129 / RF10C	773171	841 / J8C
14F32	406 / RV12YC	18RF32	409 / RF9YC	773181	855 / DJ7Y
14F3N	851 / DJ6J	18RF42	22 / RF11YC	773191	863 / RCJ8Y
14F42	18 / RV15YC4	142X	825 / J4C	773201	929 / RL95YC
14F52	18 / RV15YC4	143	823 / J6C	773211	306 / L86C
14F7N	847 / DJ8J	143N	849 / CJ6	773231	805 / N2C
14G01	890 / N19V	143X	823 / J6C	773241	859 / RCJ7Y
14G1	801 / N3C	144	841 / J8C	Stihl	
14G12	315 / N6YC	145	841 / J8C	4050101	328 / L82YC
14G2	803 / N4C	147	841 / J8C	4050102	807 / L78C
14G22	300 / N9YC	147N	843 / CJ8	4050107	807 / L78C
14G3	120 / N5C	147X	841 / J8C	11074007000	811 / L82C
14G32	302 / N11YC	149	511 / J11C	Stitt	
14G4	120 / N5C	149X	511 / J11C	2SGA10	582 / RW82P
14G42	38 / N12YC	183	509 / D9	2SGA40L	1224 / RL85G
14G5	120 / N5C	184	509 / D9	2SGA40XL	530 / RN79G
14G52	405 / RN14YC	188	516 / D16	2SGN10	582 / RW82P
14G7	120 / N5C	189	502 / D21	2SGN40L	1224 / RL85G
14G82	405 / RN14YC	788	569 / W14	2SGN40XL	530 / RN79G
14G902	805 / N2C	1401	825 / J4C	7H	569 / W14
14GF22	408 / RS14YC	1411	592 / RJ12C	7L	518 / W18
14GPR53	82 / RFN14LY	1411N	846 / CJ14	7LX	518 / W18
14GR22	415 / RN9YC	1411X	592 / RJ12C	7M	510 / W10
14GR32	322 / RN11YC4	1432	10 / J12YC	7M3	510 / W10
14GR4	123 / RN5C	1442	10 / J12YC	7MDX	559 / RW83F
14GR42	404 / RN12YC	1452	63 / RJ14YC	7MX	203 / W85N
14GR52	405 / RN14YC	1482	58 / RJ18YC	7MX	545 / W85N
14GR7	123 / RN5C	1810	502 / D21	8D	543 / D89D
14GRF22	408 / RS14YC	1852	515 / D15Y	8DR	597 / K97F
14GRF32	408 / RS14YC	1882	549 / D18Y	8DRX	597 / K97F
14GRF52	408 / RS14YC	7810	569 / W14	8DX	543 / D89D
14L4	587 / H8C	CR56869	686 / C57	8H	516 / D16
14L7	844 / H10C	Rover		8HE	204 / D14N
14L9	512 / H12	GSP9652	7545 / RC8PYPB4	8HE	529 / D14N
14R3	102 / RJ6C	GSP66527	7545 / RC8PYPB4	8L	523 / D23
14R32	14 / RJ12YC	NLP000030	353 / RC89TMC	8LX	523 / D23
14R4	871 / RJ8C	NLP100290	7545 / RC8PYPB4	8M	514 / D14
14R42	14 / RJ12YC	NLP100290L	7545 / RC8PYPB4	8ME	543 / D89D
14R5	871 / RJ8C	NLP100320	7070 / RC11PYPB4	8ME	597 / K97F
14R52	63 / RJ14YC	NPL100190	7545 / RC8PYPB4	8MEX	543 / D89D
14R7N	840 / RCJ8	Silver Streak		8MEX	597 / K97F
14R8	871 / RJ8C	773001	853 / CJ7Y	8MX	514 / D14



COMPETITIVE INTERCHANGE
TABLEAU DU RENVOIS
REFERNCIA CRUZADA

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
Stitt		Stitt		Torch	
10	510 / W10	R807	519 / RM77N	8001	3071 / RC12PYC
13	510 / W10	R817L	643 / RB75N	8002	3071 / RC12PYC
15E	525 / 25	R817L	576 / RB76N	8003	3401 / RS10PYC4
15EX	525 / 25	R847	541 / RD16	8004	415 / RN9YC
17E	562 / W95D	R847	526 / RD15Y	8006	3401 / RS10PYC4
17E	589 / W89D	RE72	559 / RW83F	8007	3071 / RC12PYC
17EX	589 / W89D	RF407L	406 / RV12YC	8008	404 / RN12YC
17EX	562 / W95D	S2SGA40L	551 / RHL79G	8010	332 / RN7YC
26	562 / W95D	S2SGA40XL	575 / RHN79G	8012	304 / RS9YC
73CES	580 / W80N	S2SGN40L	551 / RHL79G	8013	3071 / RC12PYC
75CES	203 / W85N	S2SGN40XL	575 / RHN79G	9001	7401 / RS12PYP
75CES	545 / W85N	S8MEX5	505 / ED89D	9002	7401 / RS12PYP
79	518 / W18	S107	579 / RHW79N	9004	7401 / RS12PYP
82	549 / D18Y	S825	550 / ED14	9005	7071 / RC12PYP
82	506 / D6	SR137	579 / RHW79N	9006	7071 / RC12PYP
82	564 / D16J	SR807	596 / RHM77N	9007	404 / RN12YC
82	625 / D78Y	SR817L	624 / RHB81N	9009	332 / RN7YC
82	516 / D16	SR827	583 / RHM83N	A4RTF	940 / RDZ19H
82	515 / D15Y	SR1072	532 / RHW80N	A5RTC	808 / Z9Y
82	509 / D9	SR7172	577 / RHW77N	A6C	808 / Z9Y
82	514 / D14	U827	541 / RD16	A7C	808 / Z9Y
83CES	519 / RM77N	Subaru		A7TC	808 / Z9Y
83CES	640 / RM77N	22401AA310	9001 / RC10WYPB4	AL6RC	978 / RY4C
83CES	641 / RM77N	22401AA371	7548 / KC10PYPB4	D6RTC9	810 / RA8HC
86	502 / D21	22401AA501	9803 / RC8WMPB4	D6TC9	810 / RA8HC
86	523 / D23	22401AA580	9006 / REC10WYPB4	D7C	809 / RA6HC
107	580 / W80N	22401AA630	9006 / REC10WYPB4	D7CA	809 / RA6HC
117	580 / W80N	22401AA650	9003 / RC10WYPB4	D7RC	809 / RA6HC
137BSP	545 / W85N	22401AA65A	9003 / RC10WYPB4	D7RTC	810 / RA8HC
137BSP	561 / W16Y	22401AA670	9030 / REC8WYPB3	D7TC	810 / RA8HC
137C	580 / W80N	22401AA670	7975 / REC10PYPB4	D7TC9	810 / RA8HC
137SPEC	580 / W80N	22401AA720	9033 / REC8WYPB4	D8C	905 / RA4HC
147B	569 / W14	22401AA751	975 / REC10YC4	D8RC	809 / RA6HC
197	520 / W20	22401AA780	9035 / REA11WMPB4	D8RTC	809 / RA6HC
407L	102 / RJ6C	22401AA781	9412 / REA9WYPB4	D8RTC9	809 / RA6HC
407XL	430 / RC9YC4	22401AA820	991 / REA8MCX	D8TC	809 / RA6HC
719	518 / W18	22401KA210	430 / RC9YC4	DK7RTC	809 / RA6HC
727	539 / W77N	SAB330NG0608	9803 / RC8WMPB4	E4RC	830 / RL86C
877	204 / D14N	SAB330NG0611	9803 / RC8WMPB4	E4RTC	929 / RL95YC
877	519 / RM77N	SAB330NG8608	9803 / RC8WMPB4	E4TC	929 / RL95YC
897	529 / D14N	SAB330NG8611	9803 / RC8WMPB4	E5C	306 / L86C
912	589 / W89D	Suzuki		E5RC	830 / RL86C
1312	510 / W10	1119A78J00	9901 / RE10WYPB5	E5RTC	929 / RL95YC
CPM2SGA40XL	540 / RTN79G	1110985Z10	9013 / RC10WMPB3	E5TC	929 / RL95YC
CPM2SGN40XL	540 / RTN79G	1110986Z20	3344 / RC9PYC	E6C	830 / RL86C
CPM10	638 / RTW80N	1118282Z00	9006 / REC10WYPB4	E6RC	830 / RL86C
CPM80	548 / RTM79	1118282Z01	9006 / REC10WYPB4	E6RTC	814 / RL82YC
CPM80L	646 / RTB80N	9050712	814 / RL82YC	E6TC	312 / L87YC
CPM807	547 / RTM77N	96464000	449 / RA7YC	E7C	811 / L82C
E84	571 / RM79F	0948200549	9003 / RC10WYPB4	E7RTC	814 / RL82YC
R2SGA40L	1224 / RL85G	Tecumseh/Lauson		E7TC	814 / RL82YC
R40L	535 / RL15B	33636	856 / RJ17LM	E8C	807 / L78C
R80L	643 / RB75N	34046	830 / RL86C	E8P	678 / QL57
R107	553 / RW80N	34277	871 / RJ8C	E8RC	807 / L78C
R407L	535 / RL15B	34645	104 / RN4C	E8RTC	936M / L78YC
R407XL	430 / RC9YC4	35395	868 / RJ19LM	E8TC	936M / L78YC
R407XLC	218 / RC78PYP	611049	863 / RCJ8Y	E9RC	828-1 / QL77JC4
R717	565 / RW77N	611100	852 / RCJ6Y	F4C	504 / N21
R717	631 / RW78N			F4RF	404 / RN12YC

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
Torch		Torch		Torch	
F4RTC	405 / RN14YC	K6RTJC	430 / RC9YC4	T5TC	406 / RV12YC
F5C	120 / N5C	K6RTP	7548 / KC10PYPB4	T6C	129 / RF10C
F5RC	123 / RN5C	K6RTP11	7548 / KC10PYPB4	T6RC	129 / RF10C
F5RF	322 / RN11YC4	K6TC	430 / RC9YC4	T6RTC	22 / RF11YC
F5RTC	404 / RN12YC	K6TJC	430 / RC9YC4	T6TC	22 / RF11YC
F5RTC	322 / RN11YC4	K7RTC	430 / RC9YC4	T1137C	808 / Z9Y
F5TC	302 / N11YC	K7TC	430 / RC9YC4	TR5C	129 / RF10C
F5TC	404 / RN12YC	L4C	846 / CJ14	Toro	
F6C	803 / N4C	L4TC	848 / CJ8Y	614009	592 / RJ12C
F6RC	104 / RN4C	L6	840 / RCJ8	614009	592M / RJ12C
F6RD	332 / RN7YC	L6C	843 / CJ8	777330	71 / RC12YC
F6RF	415 / RN9YC	L6RC	843 / CJ8	801254	863 / RCJ8Y
F6RTC	415 / RN9YC	L6RTC	848 / CJ8Y	1214199	327 / RL87YC
F6TC	415 / RN9YC	L6RTC	863 / RCJ8Y	1308380	982 / XC12YC
F6TC	300 / N9YC	L6TC	848 / CJ8Y	Toyota	
F6TC11	301 / RN9YC4	L7RC	849 / CJ6	90919A1002	9033 / REC8WYPB4
F6TP	300 / N9YC	L7RTC	852 / RCJ6Y	90919A1003	9006 / REC10WYPB4
F7C	123 / RN5C	L7RTC	858 / CJ6Y	90919C2002	9002 / RC10WMPB4
F7RC	880 / RN3C	L7T	843 / CJ8	9004851172	9803 / RC8WMPB4
F7RTC	332 / RN7YC	L7TC	858 / CJ6Y	9008091180	9806 / RC8WMPB4
F7RTJC	332 / RN7YC	L8RTC	852 / RCJ6Y	9008091181	9202 / RC12WMPB4
F7TC	332 / RN7YC	L8RTF	859 / RCJ7Y	9008091181	9806 / RC8WMPB4
F7TJC	332 / RN7YC	N6C	847 / DJ8J	9008091184	9202 / RC12WMPB4
F8C	104 / RN4C	N6RC	847 / DJ8J	9008091194	346 / RC10YC4
F8RC	104 / RN4C	N6RTC	855 / DJ7Y	9091901020	38 / N12YC
F8RP	104 / RN4C	N6TC	855 / DJ7Y	9091901056	38 / N12YC
F8RTC	315 / N6YC	N7C	850 / DJ7J	9091901059	38 / N12YC
F8TC	315 / N6YC	N7RC	850 / DJ7J	9091901083	300 / N9YC
F9C	805 / N2C	P4RTV	18 / RV15YC4	9091901122	9803 / RC8WMPB4
F9RC	818 / RN2C	P5RC	113 / RV12C	9091901127	9803 / RC8WMPB4
F9RTC	954 / RN57YCC	P5RTP11	113 / RV12C	9091901155	436 / RC12LC4
F9TC	792 / C59YC	P5RTC	406 / RV12YC	9091901164	3318 / RC12PMC4
G4C	592 / RJ12C	P5RTP	18 / RV15YC4	9091901166	97 / RC9MCC
G4RC	592 / RJ12C	P5RTP11	18 / RV15YC4	9091901166	3344 / RC9PYC
G4RTC	58 / RJ18YC	P5RTV	406 / RV12YC	9091901168	335 / RC10YC
G4RTV	58 / RJ18YC	P5RV	113 / RV12C	9091901169	9803 / RC8WMPB4
G5C	823 / J6C	P5TC	406 / RV12YC	9091901176	318 / RC12MC4
G5RTC	63 / RJ14YC	P6RC	400 / RV9YC	9091901182	9803 / RC8WMPB4
G5RTV	14 / RJ12YC	P6RTC	400 / RV9YC	9091901187	7071 / RC12PYP
G5TC	63 / RJ14YC	P6RTV	400 / RV9YC	9091901191	9006 / REC10WYPB4
G6C	841 / J8C	P6TC	400 / RV9YC	9091901191	9033 / REC8WYPB4
G6RC	511 / J11C	P7RTC	400 / RV9YC	9091901192	3318 / RC12PMC4
G6RTC	14 / RJ12YC	P7TC	400 / RV9YC	9091901192	354 / RC10DMC
G6TC	10 / J12YC	Q5RTC	401 / RS12YC	9091901193	354 / RC10DMC
GL4	845 / J17LM	Q5RTC11	401 / RS12YC	9091901194	3344 / RC9PYC
GL4C	861 / J19LM	Q5RTC15	13 / RS14YC6	9091901194	7071 / RC12PYP
GL4RC	868 / RJ19LM	Q5RTP11	7401 / RS12PYP	9091901196	9002 / RC10WMPB4
K4RTC3	71 / RC12YC	Q5RTP15	7940 / RS14PYPB5	9091901210	9806 / RC8WMPB4
K5RD	354 / RC10DMC	Q5RTV	408 / RS14YC	9091901211	9803 / RC8WMPB4
K5RF11	71 / RC12YC	Q5RTV15	13 / RS14YC6	9091901219	9002 / RC10WMPB4
K5RTC	71 / RC12YC	Q5TC	401 / RS12YC	9091901226	9803 / RC8WMPB4
K5RTC11	71 / RC12YC	Q6RTC	304 / RS9YC	9091901230	9803 / RC8WMPB4
K5RTV	431 / RC14YC	Q6TC	304 / RS9YC	9091901233	9006 / REC10WYPB4
K5TC	302 / N11YC	Q7RC	304 / RS9YC	9091901235	9033 / REC8WYPB4
K6RF	335 / RC10YC	Q8C	683 / S59C	9091901235	975 / REC10YC4
K6RF11	430 / RC9YC4	R7	859 / RCJ7Y	9091901237	9806 / RC8WMPB4
K6RJY	353 / RC89TMC	T5C	129 / RF10C	9091901238	9803 / RC8WMPB4
K6RTC	337 / RC8YC	T5RTC	406 / RV12YC	9091901240	9202 / RC12WMPB4
K6RTC11	430 / RC9YC4	T5RTCV	22 / RF11YC		



COMPETITIVE INTERCHANGE
TABLEAU DU RENVOIS
REFERNCIA CRUZADA

Competitor	Champion®	Competitor	Champion®	Competitor	Champion®
Toyota		Toyota		Waukesha	
9091901247	9006 / REC10WYPB4	9091901265	9013 / RC10WMPB3	60999F	519 / RM77N
9091901249	9010 / REC10WMPB	9091901275	9035 / REA11WMPB4	60999G	214 / RTM77N
9091901253	9412 / REA9WYPB4	9091901276	9044 / REC8WMPB4	69919D	1230 / FB77WPCC
9091901259	9010 / REC10WMPB	9091901279	9010 / REC10WMPB		
9091901263	9010 / REC10WMPB	OS	9808 / RS8WYPB5		

650



AUTOMOTIVE SPARK PLUGS BOUGIES AUTOMOBILES

As a world leader in spark plug manufacturing, Champion® knows what it takes to keep your engine running at its best. When it's time to replace your plugs, Champion® your engine with spark plugs that help improve performance and reduce wear and tear.

En tant que leader mondial dans la fabrication de bougies, Champion® sait ce qu'il faut pour que votre moteur continue à fonctionner de manière optimale. Lorsqu'il est temps de remplacer vos bougies, offrez Champion® à votre moteur avec des bougies qui permettent un meilleur rendement et réduisent l'usure normale.






AN EXTRA ELEMENT OF PERFORMANCE

- Iridium center electrode delivers maximum life
- Fine-wire center electrode for greater excitability
- V-trimmed ground electrode promotes sharper spark focus

UN ÉLÉMENT DE RENDEMENT SUPPLÉMENTAIRE

- Une électrode centrale à l'iridium fournit une durée de vie maximale
- Une électrode centrale à fils fins pour un plus grand allumage
- Les électrodes de masse à garniture en V favorisent une concentration plus nette des étincelles





CHAMPION YOUR MACHINE. VOTRE MACHINE CHAMPION.



© 2022 DRiV Automotive Inc. or one of its affiliates in one or more countries.
© DRiV Automotive Inc., 2022, ou l'une de ses sociétés affiliées dans un ou plusieurs pays.

Southfield, MI 48034
Printed in U.S.A.
Imprimé aux É.-U.

Reorder No. 1065-V2022
N° de réapprovisionnement 1065-V2022

**FOLLOW US
SUIVEZ-NOUS**

