







MATALSKARE




Design and Quality
IKEA of Sweden




ENGLISH	5
ΕΛΛΗΝΙΚΑ	7

Description of the appliance



- 1 Chimney
- 2 Control Panel
- 3 Lamp
- 4 Grease filter

Control Panel




A	Lighting ON/OFF knob
B	Suction speed selection knob
C	Switch-off
D	Low suction speed
E	Average suction speed
F	High suction speed
G	Maximum suction speed

Technical Data



Type of appliance	Wall-mounted Hood		
Dimensions	Width	mm	598
	Depth	mm	458
	Min. height	mm	633
	Max. height	mm	1088
Total power		W	217
Light info	Type		LED
	Number & Power	W	1x7w
	Connection		LED Strip
Minimum installation height - gas cooker		mm	65
Minimum installation height - electric cooker		mm	50
Product weight		Kg	12.9
Product information in accordance with EU Regulation no. 65/2014 - UK SI 2019 No.539			
Name of Supplier			IKEA
Model identification code			MATÅLSKARE 60368806 MATÅLSKARE 70392325
Annual energy consumption - AEC		Kwh/year	40.6
Time increase factor			0.9
Fluid dynamic efficiency FDE		%	29.3
Energy efficiency index			51.7
Air flow speed measured at the optimum efficiency point		m3/h	278.0
Air pressure measured at the optimum efficiency point		Pa	410.0
Maximum air flow		m3/h	510.0
Electrical power input measured at the optimum efficiency point		W	108.0
Rated power of lighting system		W	7
Average illuminance of the lighting system on the cooking surface		Lux	203.0
Power consumption in Standby mode		W	NA
Power consumption in Off mode		W	NA
A-weighted sound power level at maximum speed		dB(A)	65
A-weighted sound power level of noise emissions in boost mode		Db(A)	NA

Περιγραφή της συσκευής



- 1** Καμινάδα
- 2** Πίνακας Ελέγχου
- 3** Λαμπτήρας
- 4** Φίλτρο κατά των λιπαρών ουσιών

Πίνακας Ελέγχου



A	Κουμπί ON/OFF φωτισμού
B	Κουμπί επιλογής ταχύτητας απορρόφησης
C	Απενεργοποίηση
D	Χαμηλή ταχύτητα απορρόφησης
E	Μεσαία ταχύτητα απορρόφησης
F	Υψηλή ταχύτητα απορρόφησης
G	Μέγιστη ταχύτητα απορρόφησης

Τεχνικά Στοιχεία

Τύπος Συσκευής	Απορροφητήρας Τοίχου		
Διαστάσεις	Πλάτος	mm	598
	Βάθος	mm	458
	Ελάχ. ύψος	mm	633
	Μέγ. ύψος	mm	1088
Συνολική ισχύς		W	217
Πληροφορίες φωτισμού	Τύπος		LED
	Αριθμός & Ισχύς	W	1x7w
	Σύνδεσμος		Ταινία led
Ελάχιστο ύψος εγκατάστασης - εστία αερίου		mm	65
Ελάχιστο ύψος εγκατάστασης - ηλεκτρική εστία		mm	50
Βάρος προϊόντος		Kg	12,9
Πληροφορίες σχετικά με το προϊόν σύμφωνα με τον κανονισμό της Επιτροπής (ΕΕ) αρ. 65/2014			
Όνομα του προμηθευτή		IKEA	
Αναγνωριστικός κωδικός του μοντέλου		MATÅLSKARE 60368806 MATÅLSKARE 70392325	
Ετήσια κατανάλωση ενέργειας- AEC	Kwh/a	40,6	
Συντελεστής αύξησης χρόνου		0,9	
Ρευστοδυναμική απόδοση FDE	%	29,3	
Δείκτης ενεργειακής απόδοσης		51,7	
Ταχύτητα ροής αέρα μετρούμενη στο σημείο βέλτιστης απόδοσης	m3/h	278,0	
Πίεση αέρα μετρούμενη στο σημείο βέλτιστης απόδοσης	Pa	410,0	
Μέγιστη ροή αέρα	m3/h	510,0	
Είσοδος ηλεκτρικής ισχύος μετρούμενη στο σημείο βέλτιστης απόδοσης	W	108,0	
Ονομαστική ισχύς συστήματος φωτισμού	W	7	
Μέσος φωτισμός του συστήματος φωτισμού επάνω στη μονάδα εστιών μαγειρέματος	Lux	203,0	
Κατανάλωση ρεύματος σε λειτουργία Standby	W	Μ/Δ	
Κατανάλωση ρεύματος σε κατάσταση απενεργοποίησης (Off)	W	Μ/Δ	
Α-σταθμισμένη στάθμη ηχητικής ισχύος σε μέγιστη ταχύτητα	dB(A)	65	
Α-σταθμισμένη ηχητική ισχύς των εκπομπών θορύβου σε εντατική λειτουργία ή boost	Db(A)	Μ/Δ	

