

UNIQUE[®]

APPLIANCES

OFF-GRID APPLIANCES 2022



No Power, no problem...



TABLE OF CONTENTS

About Us	05
Propane Refrigerators	07
Propane Freezers	12
Propane Ranges	17
Solar Powered DC Refrigerators	25
Basic Solar Setup	26
Solar Powered DC Freezers	30
Bundle Promotion	34
Accessories	35

INFO TAGS

These tags will help you quickly identify the basic function of a Unique appliance at a first glance:



PROPANE



BATTERY IGNITION



SOLAR DC (DIRECT CURRENT)



DC BATTERY



WHO WE ARE

Unique Appliances was founded with a vision over 50 years ago by the Petersen family. Our goal is to bring innovative, quality appliances to wherever you call home by supporting the unique off-grid appliance market. We are proud of how we modernized the off-grid kitchen with battery ignition propane ranges and solar DC appliances, all with beautiful design and quality craftsmanship. And we're equally as proud to be the only off-grid manufacturer to offer matched pairs of propane fridges and ranges in North America.

At Unique Appliances, we are committed to innovation which is why our product line includes refrigerators that directly vent all combustible gases externally. And those that don't feature a smart, fail-safe carbon monoxide safety shut-off valve for extra protection. We also developed the first battery operated ignition system in ranges so there's no need for no standing pilots. This saves you money on fuel and is simply better for our environment – something we really care about.

"The evolution of our line of DC solar powered appliances is a testament to how much we are invested in forwarding off-grid appliance technology," says Steve Petersen, Unique Appliances CEO. "We started our journey with a few refrigerators, and we've grown into an off-grid appliances powerhouse exhibiting an extensive lineup of solar DC appliances. Highly efficient, eco-friendly and stylishly designed, our solar lineup has something for everyone.:"

We are proud of how everyone at Unique Appliances continues to evolve to bring innovation to the off-grid market to help make sure our valued customers continue to bring joy and happiness to their homes.



Steve Petersen
CEO/Second Generation



Kurt Petersen
Founder

UNIQUE[®]
APPLIANCES



PROPANE FRIDGES & FREEZERS

LIVING OFF-GRID HAS NEVER BEEN EASIER





19 cu/ft - 515 liters Propane DV Fridge
UGP-19C W

Unique is the dominant player in the North American propane refrigerator business with an extensive line up of CSA certified refrigerators. With over 50 years of experience, Unique provides “peace of mind”. From the small UGP-3 propane portable fridge to the largest certified propane fridge in the world, the UGP-22, Unique is your “one-stop shop” for all your propane refrigeration needs.

If you’re looking for extended stays at the cottage/cabin, then Unique’s line of larger propane fridges allow just that. Efficient & ergonomically designed to suit all your needs.

FEATURES

- CSA certified for North America
- Thermostat
- Front mounted controls
- Flame indicator
- Battery operated interior light
- Freezer comes with powder coat finish
- Doors are reversible
- DV: Direct Vent model has “DV” designation & must be located on an outside wall (for “tight” residences with minimal air turnover).
- Only recommended for Canada



**All images shown are for marketing purpose only. Actual product may vary depending on model.*



UGP-22 W

CRISPER
Crisper drawers help keep your fruits & vegetables at their best for longer periods



UGP-10C B

CONTROLS
Convenient front mounted controls





IMAGE		
MODEL (shown)	UGP-22 DV W	UGP-19C W
COLOR	White	White, stainless, black
OPERATION	Propane (LPG)	Dual Power (primary propane - 110V backup)
SIZE	Total: 22.1 cu/ft, 625 liters Fridge: 16.2 cu/ft, 458 liters Freezer: 5.9 cu/ft, 167 liters	Total: 19 cu/ft, 538.02 liters Fridge: 14.1 cu/ft, 400 liters Freezer: 4.9 cu/ft, 139 liters
MIN. CLEARANCES FOR INSTALLATION	(From front) left: 2" / top: 10" / right: 2" / back: 1"	(From front) left: 2" / top: 10" / right: 2" / back: 1"
DIMENSIONS (H x W x D)	DV: 69.5" x 31.5" x 42.75"	SM/CM: 78.3" x 34.6" x 33"
GAS CONSUMPTION	Approx. 2.0 lbs. LPG in 24 hr. period	Approx. 2.6 lbs / 1.2 kg. LPG in 24 hr. period at ambient 25°C / 77°F
BTU	2270 max., 684 min.	1620 max., 710 min.
AC POWER	No	110V / 2.5 Amp. / 300 Watts
DC POWER	No	No
IGNITION	Piezo igniter	Battery powered
INTERIOR LIGHT	Yes	Yes
SHELVES	3 glass shelves	3 glass shelves
CRISPER	2 crisper drawers	2 crisper drawers
REVERSIBLE DOOR	Yes	Yes
WEIGHT	DV: 320 lbs / 145 kg	SM/CM: 265 lbs / 120 kg
CSA Certified	Yes	Yes
WARRANTY	1 year parts, 5 year cooling coil, no labor	1 year parts, 5 year cooling coil, no labor



PROPANE REFRIGERATORS

Visit our website for full specs:
www.uniqueappliances.com




IMAGE			
MODEL (shown)	UGP-14C W	UGP-14C CR W	UGP-10C S/S
COLOR	White, black	White	White, black, stainless
OPERATION	Dual power (propane (LPG) - 110V backup)	Dual power (propane (LPG) - 110V backup)	Dual power (propane (LPG) - 110V backup)
SIZE	Total: 14 cu/ft, 400 liters Fridge: 10.5 cu/ft, 301 liters Freezer: 3.5 cu/ft, 99 liters	Total: 14 cu/ft, 400 liters Fridge: 10.5 cu/ft, 301 liters Freezer: 3.5 cu/ft, 99 liters	Total: 9.7 cu/ft, 275 liters Fridge: 7.6 cu/ft, 215 liters Freezer: 2.1 cu/ft, 60 liters
MIN. CLEARANCES FOR INSTALLATION	(From front) left: 2" / top: 6" / right: 2" / back: 1"	(From front) left: 2" / top: 6" / right: 2" / back: 1"	(From front) left: 2" / top: 6" / right: 2" / back: 1"
DIMENSIONS (H x W x D)	SM/CM: 69.3" x 27.2" x 30.7"	SM/CM: 69.3" x 27.2" x 30.7"	SM/CM: 64.5" x 23.5" x 28.25" DV: 65.5" x 23.75" x 33.25"
GAS CONSUMPTION	Approx. 1.8 lbs. LPG in 24 hr. period	Approx. 1.8 lbs. LPG in 24 hr. period	Approx. 1.4 lbs. LPG in 24 hr. period
BTU	1600 max., 700 min.	1600 max., 700 min.	1600 max., 600 min.
AC POWER	110V, 2.5 Amp., 300 Watts	110V, 2.5 Amp., 300 Watts	110V, 2.5 Amp., 300 Watts
DC POWER	No	No	No
IGNITION	Battery powered	Battery powered	Battery powered
INTERIOR LIGHT	Yes	Yes	Yes
SHELVES	4 glass shelves	4 glass shelves	4 glass shelves
CRISPER	Wire crisper basket	Wire crisper basket	1 large crisper drawer
REVERSIBLE DOOR	Yes	Yes	Yes
WEIGHT	SM/CM: 231 lbs / 105 kg	SM/CM: 231 lbs / 105 kg	SM/CM: 176 lbs / 80 kg DV: 196 lbs / 89 kg
CSA Certified	Yes	Yes	Yes
WARRANTY	1 year parts, 5 year cooling coil, no labor	1 year parts, 5 year cooling coil, no labor	1 year parts, 3 year cooling coil, no labor





IMAGE			
MODEL (shown)	UGP-8C B	UGP-6C W	UGP-3 W
COLOR	White, black	White	White, black
OPERATION	Dual power (propane (LPG) - 110V backup)	Dual power (Propane (LPG) - 110V backup)	Propane (LPG) - (110V / 12V backup)
SIZE	Total: 8.0 cu/ft, 227 liters Fridge: 6.3 cu/ft, 179 liters Freezer: 1.7 cu/ft, 48 liters	Total: 6.4 cu/ft, 181 liters Fridge: 4.9 cu/ft, 139 liters Freezer: 1.5 cu/ft, 42 liters	Total: 3.4 cu/ft, 96 liters Fridge: 3.0 cu/ft, 85 liters Freezer: 0.4 cu/ft, 11 liters
MIN. CLEARANCES FOR INSTALLATION	(From front) left: 2" / top: 6" / right: 2" / back: 1"	(From front) left: 2" / top: 6" / right: 2" / back: 1"	(From front) left: 1" / top: 4" / right: 1" / back: 1"
DIMENSIONS (H x W x D)	SM/CM: 64.5" x 23.5" x 25.25" DV: 65.5" x 23.75" x 29.25"	SM/CM: 57.75" x 23.75" x 25.25" DV: 58.75" x 23.75" x 29.75"	SM: 32.25" x 21.25" x 25"
GAS CONSUMPTION	Approx. 1.1 lbs. LPG in 24 hr. period	Approx. 1.1 lbs. LPG in 24 hr. period	Approx. 0.7 lbs. LPG in 24 hr. period
BTU	1600 max., 600 min.	1400 max., 600 min.	850 max., 525 min.
AC POWER	110V, 2.5 Amp., 300 Watts	110V, 2.5 Amp., 300 Watts	110V, 1.45 Amp., 150 Watts
DC POWER	No	No	12V, 13.3 Amp., 150 Watts
IGNITION	Battery powered	Battery powered	Battery powered
INTERIOR LIGHT	Yes	Yes	No
SHELVES	4 glass shelves	3 glass shelves	3 wire shelves
CRISPER	1 large crisper drawer	1 large crisper drawer	1 crisper
REVERSIBLE DOOR	Yes	Yes	Yes
WEIGHT	SM/CM: 172 lbs / 78 kg DV: 192 lbs / 87 kg	SM/CM: 152 lbs / 69 kg DV: 165 lbs / 75 kg	SM: 80 lbs / 36.5 kg
CSA Certified	Yes	Yes	Yes
WARRANTY	1 year parts, 3 year cooling coil, no labor	1 year parts, 3 year cooling coil, no labor	1 year parts, 3 year cooling coil, no labor

* For outdoor use only





6.0 cu/ft (169 liters)
propane freezer - UGP-6F



2.2 cu/ft (61 liters)
propane freezer - UGP-2

If you're looking for extended stays at the cottage/cabin, then the UGF-6F is the perfect size (6.0 cu/ft) for off-grid living. Its chest style design makes for practical storage of food for longer periods of time.

The Unique 2 provides full versatility (3 way functionality) and at 2.2 cu/ft it's the perfect model for extra freezer capacity at the cabin/cottage (certified under the portable gas-fired camping refrigerator standard).

FEATURES

- Thermostat
- Battery operated ignition
- Flame indicator
- Built-in level indicator, unit must be level while operating (Model: UGP-2)



**All images shown are for marketing purpose only. Actual product may vary depending on model.*



UGP-6F

STORAGE
Multiple baskets for convenient storage.



UGP-6F

CONTROLS
Convenient front-mounted controls



IMAGE				
MODEL (shown)	UGP-6F W		UGP-2	
COLOR	White		Grey	
SIZE	Total: 6.0 cu/ft, 169 liters		Total: 2.2 cu/ft, 61 liters	
OPERATION	Propane (LPG) / 110V (dual power)		Propane (LPG) - backup 110V / 12V	
MIN. CLEARANCES FOR INSTALLATION	(From front) left: 2" / top: 27" / right: 2" / back: 4"		(From front) left: 2" / top: 16" / right: 2" / back: 4"	
DIMENSIONS (H x W x D)	SM/CM: 33" x 40.5" x 29"		SM: 26.5" x 25.75" x 20"	
GAS CONSUMPTION	Approx. 1.8 lbs. LPG in 24 hr. period		Approx. 0.7 lbs. LPG in 24 hr. period	
BTU	1800 max., 1200 min.		1000 max., 500 min.	
AC POWER	110V, 2.5 Amp., 300 Watts		110V, 1.45 Amp., 160 Watts	
DC POWER	No		12V, 13.3 Amp., 160 Watts	
WEIGHT	165 lbs / 75 kg		82 lbs / 37 kg	
WARRANTY	1 year parts, 3 year cooling coil, no labor		1 year parts, 3 year cooling coil, no labor	

**All images shown are for marketing purpose only. Actual product may vary depending on model.*



UGP-2

CONNECTORS

The UGP-2 comes with all connectors - 110V, gas hose & regulators & 12V adaptor



UGP-2

CONTROLS

Side mounted controls



UNIQUE'S PATENTED DIRECT VENTING SYSTEM (‘DV’ MODEL)

Not A Kit - Easy to Install!

INSULATED

Exhaust insulated to reduce condensate

EASE OF ASSEMBLY

To save you time, Unique's factory-built system takes under 30 minutes to assemble

SAFETY FIRST

Unique leads the way through:

- Innovation
- Safety
- Product awareness

* Unique first to develop free-standing direct vent propane refrigerators in 1991



INTEGRAL SYSTEM

Factory pre-built - only required to attach horizontal vent extensions through outside wall

SERVICEABILITY

Burner box designed to servicing easier!

DV MODELS MUST BE LOCATED ON AN OUTSIDE/EXTERIOR WALL

Visit our **You Tube** page for the Do's & Don'ts when installing your Unique DV system



UNIQUE'S FIFTH GENERATION PROPANE FRIDGE
CARBON MONOXIDE ALARM WITH SAFETY SHUT-OFF
(BATTERY POWERED)

 ONLY AVAILABLE IN CANADA



Propane fridge carbon monoxide
alarm with safety shut-off
- UGP-9RV-SSO-C

FEATURES

- Designed and CSA approved to Z21.19 items unique to Canada for use with Unique propane refrigerators
- 7 year life span lithium iron disulfide battery included - no more annual replacement of 9V batteries
- Adhesive Velcro mounting strips for easy mounting
- Self-diagnostics determine end of life
- Alarm point 10% COOHb

WHAT'S INCLUDED	
MODEL (shown)	UGP-9RV-SSO-C
INTERRUPTER BLOCK	Yes
CO ALARMING DEVICE	Yes
ADHESIVE VELCRO MOUNTING STRIPS	x 4
WALL MOUNTING BRACKET	Yes
OWNERS MANUAL	Yes
WARRANTY	1 year parts, no labour

**All images shown are for marketing purpose only. Actual product may vary depending on model.*



UGP-9RV-SSO-C

INCLUDED
All items shown above come with your unit



UGP-9RV-SSO-C

SETUP
Place on your Unique appliance
for optimal results







PROPANE RANGES

OFF-GRID COOKING NEVER LOOKED THIS GOOD



Classic Retro by Unique Battery Ignition Propane Range

Classic
(by Unique)



Classic Retro by Unique 30"
Propane Range UGP-30CR OF1 W

The 30" Classic Retro by Unique battery ignition propane range transports you back in time with its timeless retro design and chrome finished accents.

Continuous cast-iron grates and sealed burners make cooking and cleanup effortless, and the off-grid battery ignition system means no more hunting for matches.

Match up with a Classic Retro by Unique propane or solar DC fridge to transform any kitchen.

FEATURES

- Zinc cast handles
- Continuous cast iron grate design
- Sealed cast burners
- Battery operated ignition
- Two adjustable heavy duty oven racks with four shelf positions
- 3.9 cu/ft oven capacity
- Variable BTUs cook-top includes a 10,000 BTU power burner

COLORS:



white



**All images shown are for marketing purpose only. Actual product may vary depending on model.*



UGP-30CR OF1 W

KNOBS

Pro-style knobs with easy to view settings



UGP-30CR OF1 W

IGNITION

Battery operated ignition system
(D-cell battery required for operation)





IMAGE		
MODEL (shown)	UGP-30CR OF1 W	UGP-24CR OF1 W
COLOR	White	White
OPERATION	Set for propane (LPG) - A natural gas (NG) conversion kit is included	Set for propane (LPG) - A natural gas (NG) conversion kit is included
BOTTOM BROILER	Yes	Yes
WEIGHT	168.9 lbs / 76.6 kg	156.5 lbs / 71 kg
DIMENSIONS (H x W x D)	Overall: 41.5" x 30" x 27.5" Oven: (3.9 cu/ft) 13.7" x 24.25" x 20.1" Broil area: 24" W x 22.5" D	Overall: 41.5" x 24" x 27.5" Oven: (2.3 cu/ft) 13.7" x 18.5" x 20" Broil area: 24" W x 22.5" D
BURNERS	4	4
BTU: cooktop (NG & LPG)	Front right: 10,000 Front left: 9,000 Rear right: 3,000 Rear left: 9,000	Front right: 13,000 Front left: 10,000 Rear right: 3,200 Rear left: 10,000
WARRANTY	1 year parts, no labor	1 year parts, no labor

**All images shown are for marketing purpose only. Actual product may vary depending on model.*



UGP-30CR OF1 W

BROILER
Bottom broiler for quick & uniform searing



UGP-30CR OF1 W

BURNERS
Sealed cast burners for easy cleanup



OFF-GRID BY UNIQUE PROPANE RANGES
(BATTERY IGNITION)



Classic 30" Propane Range
UGP-30G OF2 SS

COLORS:



Stainless Steel



The Unique line of off-grid ranges delivers modern design and performance at an affordable price. Cast-iron grates and sealed, variable BTU burners make cooking and cleanup effortless, and the battery ignition system means no more hunting for matches.

Unique brings the quality you deserve to wherever you call home!

FEATURES

- Sleek modern design
- Continuous cast iron grate design
- Sealed cast burners for easy cleanup
- Variable BTUs to allow you to cook how you want
- Heavy duty handles
- Oven window
- Battery operated ignition system (1 x D-cell battery required for operation)

**All images shown are for marketing purpose only. Actual product may vary depending on model.*



UGP-30G OF2 SS

KNOBS

Modern ergonomically designed for cooktop & oven



UGP-30G OF2 SS

IGNITION

Battery operated ignition system (1 x D-cell battery required for operation)





**All images shown are for marketing purpose only. Actual product may vary depending on model.*



UGP-30G OF2 SS

DESIGN

Sleek modern design with all the features one would expect in a conventional gas range



UGP-30G OF2 SS

LARGE DUAL BURNER

13,000 BTU power burner



PROPANE RANGES

Visit our website for full specs:
www.uniqueappliances.com



IMAGE		
MODEL (shown)	UGP-30G OF2 SS	UGP-30G OF1 W
COLOR	Stainless Steel	White, black
OPERATION	Set for propane (LPG) - A natural gas (NG) conversion kit is included	Set for propane (LPG) - A natural gas (NG) conversion kit is included
DIMENSIONS (H x W x D)	Overall: 41.5" x 30" x 27.5" Oven: (3.9 cu/ft) 13.7" x 24.25" x 20.1" Broil area: 24" W x 22.5" D	Overall: 39.4" x 30" x 29.5" Oven: (3.9 cu/ft) 13.7" x 24.25" x 20.1" Broil area: 24" W x 22.5" D
BURNERS	4	4
BTU: cooktop (LPG & NG)	Front right: 13,000 Front left: 9,000 Rear right: 3,000 Rear left: 9,000	Front right: 10,000 Front left: 9,000 Rear right: 3,000 Rear left: 9,000
BOTTOM BROILER	Yes	Yes
WEIGHT	168.9 lbs / 76.6 kg	162 lbs / 73.5 kg
WARRANTY	1 year parts, no labor	1 year parts, no labor

**All images shown are for marketing purpose only. Actual product may vary depending on model.*



UGP-30G OF1 W

KNOBS

Modern ergonomically designed for cooktop & oven



UGP-30G OF1 B

IGNITION

Battery operated ignition system (1 x D-cell battery required for operation)





IMAGE		
MODEL (shown)	UGP-24G OF1 B	UGP-20G OF1 W
COLOR	White, black	White, black
OPERATION	Set for propane (LPG) - A natural gas (NG) conversion kit is included	Set for propane (LPG) - A natural gas (NG) conversion kit is included
DIMENSIONS (H x W x D)	Overall: 39.4" x 24" x 29.5" Oven: (3.1 cu/ft) 13.7" x 18.7" x 20.1" Broil area: 18.5" W x 20.9" D	Overall: 39.4" x 20" x 29.5" Oven: (2.4 cu/ft) 13.7" x 14.7" x 20.1" Broil area: 14.5" W x 20.9" D
BURNERS	4	4
BTU: cooktop (LPG & NG)	Front right: 11,000 Front left: 10,000 Rear right: 3,000 Rear left: 10,000	Front right: 9,000 Front left: 7,000 Rear right: 3,000 Rear left: 9,000
BOTTOM BROILER	Yes	Yes
WEIGHT	143 lbs / 65 kg	128 lbs / 58 kg
WARRANTY	1 year parts, no labor	1 year parts, no labor

**All images shown are for marketing purpose only. Actual product may vary depending on model.*



UGP-30G OF1 W

DESIGN

Sleek modern design paired with all the features one would expect in a conventional gas range



UGP-30G OF1 B

BURNERS

Sealed cast burners for easy cleanup






SOLAR DC FRIDGES & FREEZERS

THE NEXT GENERATION OF
DIRECT CURRENT COOLING



BASIC SETUP FOR USING A DIRECT CURRENT (DC) UNIQUE SOLAR APPLIANCES

Below is an illustration of a basic solar setup using the Unique 13 cu/ft solar DC fridge (UGP-370L W).



IMPORTANT

Each application is different, consult a solar installer for specifics on your setup.



UNIQUE SOLAR POWERED DC REFRIGERATORS



13 cu/ft (370 liters)
Solar Refrigerator - UGP-370L W



Energy efficient appliances are essential to living the “off-grid” lifestyle, and now with Unique’s line-up of solar DC appliances you can harness the power of the sun and wind.

The Unique line of solar DC powered refrigerators are designed for optimal energy savings and easy, dependable use. They boast the world’s most reliable compact DC cooling system (Danfoss/Secop compressor), have efficient insulation throughout and simple effortless controls. With spacious interiors, shelves & crispers these fridges are perfect for your family’s needs.

FEATURES

- Efficient construction throughout
- Features an inline fuse for protection
- Thermostat
- Adjustable shelves
- Crisper drawers
- Interior LED light
- Operational error code warning system
- Danfoss/Secop compressor - the world’s leading DC compressor (2 year warranty)

**All images shown are for marketing purpose only. Actual product may vary depending on model.*



UGP-370L W

STORAGE

Multiple adjustable shelves for easy & convenient food organization & storage



UGP-370L W

CRISPER

Crisper drawers help keep your fruits & vegetables at their best for longer periods



SOLAR DC REFRIGERATORS

Visit our website for full specs:
www.uniqueappliances.com





IMAGE			
			
MODEL (shown)	UGP-385L CR W	UGP-370L B	UGP-290L S/S
COLOR	White	White, black	White, black, stainless
OPERATION	12V/24V	12V/24V	12V/24V
TOTAL SIZE	13.6 cu/ft, 385 liters	13.0 cu/ft, 370 liters	10.3 cu/ft, 290 liters
DIMENSIONS (H x W x D)	66.1" x 27.2" x 27.5"	66.9" x 23.8" x 24.5"	61" x 24" x 27"
TOTAL WATT HR. STABLE RUNNING (24 DC)	645 Wh/ 24 hrs (set to -14°C freezer/+4°C fridge performance in a +25°C ambient)	587 Wh/ 24 hrs (set to 7°F freezer/39°F fridge performance in a 77°F ambient)	524 Wh/ 24 hrs (set to 7°F freezer/39°F fridge performance in a 77°F ambient)
TOTAL AMP HR. STABLE RUNNING (24 DC)	26.4 Ah/ 24 hrs (set to -14°C freezer/+4°C fridge performance in a +25°C ambient)	24 Ah/ 24 hrs (set to 7°F freezer/39°F fridge performance in a 77°F ambient)	24 Ah/ 24 hrs (set to 7°F freezer/39°F fridge performance in a 77°F ambient)
POWER CONSUMPTION	68.2 W on 12V/24V	62 W on 12V/24V	56 W on 12V
MIN. SOLAR PANEL REQUIREMENTS	240 W	240 W	240 W
AVG. RUN CURRENT	5.7A on 12V 2.8A on 24V	5.2A on 12V 2.6A on 24V	4.5A on 12V
FRIDGE TEMP. RANGE	0°C to +46°F	27°F to 50°F	28°F to 50°F
FREEZER TEMP. RANGE	Up to 10°F	5°F to 43°F	-13°F to 68°F
SHELVES	4 glass shelves	4 glass shelves	4 glass shelves
CRISPER	Wire crisper basket	2 crisper drawers	1 crisper drawer
ERROR CODE WARNING SYSTEM	Yes	Yes	Yes
REVERSIBLE DOOR	Yes	Yes	Yes
FROST FREE	Yes	No	No
AC CONVERTOR	Sold separately	Sold separately	Sold separately* *on models manufactured in 2021
ELECTRICAL WIRE	8 ft cut wire end included	8 ft cut wire end included	3.5 ft cut wire end included
WEIGHT	133 lbs / 60.5 kg	133 lbs / 60.5 kg	137 lbs / 62 kg
WARRANTY	1 year parts, 2 year compressor, no labor	1 year parts, 2 year compressor, no labor	1 year parts, 2 year compressor, no labor



IMAGE			
			
MODEL (shown)	UGP-275L W	UGP-260L W	UGP-170L W
COLOR	White	White,	White
OPERATION	12V/24V	12V/24V	12V/24V
TOTAL SIZE	10 cu/ft, 275 liters	9.0 cu/ft, 260 liters	Total: 6.0 cu/ft, 170 liters
DIMENSIONS (H x W x D)	71.2" x 21.6" x 24.2"	64" x 21.4" x 22.4"	50.5" x 19.2" x 22.8"
TOTAL WATT HR. STABLE RUNNING (24 DC)	584 Wh/ 24 hrs (set to 7°F freezer/39°F fridge performance in a 77°F ambient)	572 Wh/ 24 hrs (set to 7°F freezer/39°F fridge performance in a 77°F ambient)	520 Wh/ 24 hrs (set to 7°F freezer/39°F fridge performance in a 77°F ambient)
TOTAL AMP HR. STABLE RUNNING (24 DC)	21.5 Ah/ 24 hrs (set to 7°F freezer/39°F fridge performance in a 77°F ambient)	24 Ah/ 24 hrs (set to 7°F freezer/39°F fridge performance in a 77°F ambient)	19.8 Ah/ 24 hrs (set to 7°F freezer/39°F fridge performance in a 77°F ambient)
POWER CONSUMPTION	63 W on 12V/24V	56 W on 12V/24V	52 W on 12V/24V
MIN. SOLAR PANEL REQUIREMENTS	240 W	240 W	240 W
AVG. RUN CURRENT	5.25A on 12V 2.62A on 24V	4.5A on 12V 2.5A on 24V	4.3A on 12V 2.2A on 24V
FRIDGE TEMP. RANGE	25°F to 50°F	25°F to 50°F	25°F to 50°F
FREEZER TEMP. RANGE	-1°F to 50°F	5°F to 21°F	5°F to 21°F
SHELVES	4 glass shelves	4 glass shelves	4 glass shelves
CRISPER	1 crisper drawer	1 crisper drawer	1 crisper drawer
ERROR CODE WARNING SYSTEM	Yes	Yes	Yes
REVERSIBLE DOOR	No	Yes	Yes
FROST FREE	No	No	No
AC CONVERTOR	Sold separately	Sold separately	Sold separately
ELECTRICAL WIRE	8 ft cut wire end included	8 ft cut wire end included	8 ft cut wire end included
WEIGHT	119 lbs / 54 kg	93 lbs / 42 kg	76 lbs / 34.5 kg
WARRANTY	1 year parts, 2 year compressor, no labor	1 year parts, 2 year compressor, no labor	1 year parts, 2 year compressor, no labor



UNIQUE SOLAR POWERED DC FREEZERS



9.3cu/ft (265 liters)
Solar Chest Freezer - UGP-265L



6.1 cu/ft (175 liters)
Solar DC Upright All Freezer - UGP-175L UF R



Energy efficient appliances are essential to living the “off-grid” lifestyle, and now with Unique’s collection of solar DC freezers you can harness the power of the sun and wind.

The Unique solar DC powered freezers are designed for optimal energy savings and easy, dependable use. They boast the world’s most reliable compact DC cooling system (Danfoss/ Secop compressor), efficient insulation throughout, convenient storage baskets and simple effortless controls. Perfect for longer stays at the cottage/cabin or camp.

FEATURES

- Efficient construction throughout
- Features an in-line fuse for protection
- Thermostat
- Danfoss/Secop compressor - the world’s leading DC compressor (2 year warranty)
- 12V or 24V DC with low voltage disconnect battery protection
- Durable exterior construction
- Easy to clean interior with bottom drain

**All images shown are for marketing purpose only. Actual product may vary depending on model.*



UGP-265L

GLASS SLIDERS & STORAGE

Glass sliders for added temperature retention & adjustable baskets for convenient storage



UGP-265L

CONTROLS

Front mounted controls





IMAGE		
MODEL (shown)	UGP-265L W	UGP-175L UF W Upright all freezer
COLOR	White	White
OPERATION	12V/24V	12V/24V
SIZE	Total: 9.3 cu/ft, 265 liters	Total: 6.1 cu/ft, 175 liters
DIMENSIONS (H x W x D)	33.5" x 45.7" x 26.2"	56.6" x 21" x 24"
TOTAL WATT HR. STABLE RUNNING (24 DC)	627 Wh/ 24 hrs (3°F performance in a 77°F ambient)	532 Wh/ 24 hrs (3°F performance in a 77°F ambient)
TOTAL AMP HR. STABLE RUNNING (24 DC)	22.7 Ah/ 24 hrs (3°F performance in a 77°F ambient)	17 Ah/ 24 hrs (3°F performance in a 77°F ambient)
POWER CONSUMPTION	69 W on 12V/24V	58.8 W on 12V/24V
MIN. SOLAR PANEL REQUIREMENTS	240 W	240 W
AVG. RUN CURRENT	5.75A on 12V 2.88A on 24V	4.9A on 12V 2.5A on 24V
FREEZER TEMP. RANGE	-1°F to 14°F	-9°F to 21°F
BASKET	2 wire baskets	6 drawers
GLASS LID	Yes	No
FRONT CONTROLS	Yes	Yes
ERROR CODE WARNING SYSTEM	Yes	Yes
AC CONVERTOR	Sold separately	Sold separately
ELECTRICAL WIRE	8 ft cut wire end included	8 ft cut wire end included
WEIGHT	119 lbs / 54 kg	102.5 lbs / 46.5 kg
WARRANTY	1 year parts, 2 year compressor, no labor	1 year parts, 2 year compressor, no labor



RETRO FAMILY



*Classic Retro by Unique
14 cu/ft Propane Fridge*

UGP-14C CR W



*Classic Retro by Retro
30" Battery Ignition
Propane Range*

UGP-30CR OF1 W



Classic
by UNIQUE

TIMELESS APPLIANCES
FOR YOUR OFF-GRID MID-
CENTURY MODERN KITCHEN



*Classic Retro by Unique
6.1 cu/ft Solar Powered
DC Upright Freezer*

UGP-175L UF W



*Classic Retro by Unique
10 cu/ft Solar Powered
Bottom Mount Refrigerator*

UGP-275L W



*Classic Retro by Unique
14 cu/ft Solar Powered
Refrigerator*

UGP-385L CR W





Mini Pot Holder
- UGP-MPH AC

MINI POT HOLDER

FEATURES

- Heavy-duty cast-iron construction for optional heat retention and even heat distribution

For use with the following models:

UGP-20G OF1	UGP-24G OF1
UGP-30G OF1	UGP-30CR OF1



Unique AC Converter
- UGP-BCD260JS-24V5A

UNIQUE AC CONVERTOR

FEATURES

- Unique's AC/DC convertor is designed to convert your power from DC to AC if needed.

For use with the following models:

	UGP-170L
UGP-260L	UGP-370L
UGP-175L UF R	UGP-275L W
UGP-265L	UGP-385L CR
UGP-290	

CONTACT US

Toll-free: 1-877-427-2266

Tel: 905-827-6154

Fax: 905-827-2027

Email: info@uniqueappliances.com



Head Office
2245 Wyecroft Road, Oakville,
Ontario, Canada L6L 5L7

U.S.A Warehouse
Tonawanda, NY

Canada Warehouse
Toronto, ON

www.uniqueappliances.com