

SHIPMENT, TITLE AND RISK OF LOSS

All prices quoted are FOB shipping point. Prices apply to continental U.S.A. and Canada (payable in U.S. funds). All prices subject to change without notice. Terms of Sales for all Purchase Orders are outlined in the Distributor contracts for these products. If you would like a copy, call (800) 695-1901.

NOTE: The manufacturer reserves the right to add components (at net prices) when necessary to obtain the operation desired by the customer.

KEY: Base price includes all items listed with a price of 'S'. '-' indicates no change in price. '■' indicates not available



FEATURES:

- Available for natural and LP gas
- 80% thermal efficient
- Intermittent spark pilot
- Single-stage 24-volt gas valve
- Aluminized steel heat exchanger
- Aluminized burners with a stainless steel insert
- 115 volt supply voltage
- 115 volt venter motor with stainless steel shaft
- 24 volt control voltage transformer

SEPARATED-COMBUSTION

SEPARATED-COMBUSTION												
SIZE	Packaged System (Furnace and Blower)		125	150	175	200	225	250	300	350	400	
SCE	3/15/2024		BASE	\$15,138	\$16,709	\$17,436	\$18,435	\$19,804	\$21,875	\$23,234	\$26,407	\$27,521
Ship Wt (lbs)			375	440	440	520	520	645	645	695	716	

VENT TERMINAL SELECTION -- A horizontal (Opt CC6) or vertical (Opt CC2) combustion air/vent terminal kit MUST be ordered with each unit, unless vent kit is ordered in advance of unit (you MUST note this on the order).

Factory-Installed Options

SIZE		Opt	125	150	175	200	225	250	300	350	400
FURNACE RATING PLATE	U.S. Installation, ANSI Standard	BY1	-	-	-	-	-	-	-	-	-
	Canadian Installation, C.S.A. Standard	CGA	-	-	-	-	-	-	-	-	-
FUEL (A)	Natural Gas	AA1	-	-	-	-	-	-	-	-	-
	Propane Gas	AA2	\$122	\$122	\$122	\$122	\$122	\$122	\$122	\$122	\$122
ELEVATION U.S. Installations - Options AB2-8 derated 4% for each 1,000 ft above sea level. Canadian Installations - Options AB2-4 derated 10% of maximum input.	0-2000 ft	AB1	-	-	-	-	-	-	-	-	-
	2001-3000 ft	AB2	-	-	-	-	-	-	-	-	-
	3001-4000 ft	AB3	-	-	-	-	-	-	-	-	-
	4001-5000 ft	AB4	-	-	-	-	-	-	-	-	-
	5001-6000 ft	AB5	-	-	-	-	-	-	-	-	-
	6001-7000 ft	AB6	-	-	-	-	-	-	-	-	-
	7001-8000 ft	AB7	-	-	-	-	-	-	-	-	-
	8001-9000 ft	AB8	-	-	-	-	-	-	-	-	-
HEAT EXCHANGER MATERIAL	Aluminized Steel	AC1	-	-	-	-	-	-	-	-	-
	409 Stainless Steel	AC2	\$823	\$1,117	\$1,117	\$1,383	\$1,383	\$1,799	\$1,799	\$2,084	\$2,341
HEAT EXCHANGER EXTENDED WARRANTY (B)	Limited 5 Year Warranty	XW2	\$402	\$485	\$485	\$592	\$592	\$710	\$710	\$808	\$896
	Limited 10 Year Warranty	XW3	\$478	\$582	\$582	\$704	\$704	\$852	\$852	\$964	\$1,075
BURNER MATERIAL	Aluminized Steel	AD1	-	-	-	-	-	-	-	-	-
	409 Stainless Steel	AD2	\$184	\$261	\$261	\$328	\$328	\$446	\$446	\$522	\$595
BURNER AIR SHUTTERS (A)	None	AE1	-	-	-	-	-	-	-	-	-
	Factory Installed	AE2	\$66	\$66	\$66	\$81	\$81	\$81	\$81	\$83	\$91
DRIP PAN/BOTTOM MATERIAL	Aluminized Steel	AF1	-	-	-	-	-	-	-	-	-
	409 Stainless Steel	AF2	\$113	\$122	\$148	\$148	\$148	\$224	\$224	\$224	\$260

GAS CONTROLS											
SIZE			Opt	125	150	175	200	225	250	300	400
Recirculated Heating Applications	One-Stage Gas Valve	AG1	-	-	-	-	-	-	-	-	-
	Two-Stage Gas Valve	AG2	\$306	\$306	\$306	\$306	\$306	\$306	\$409	\$409	\$409
	Electronic Modulation with Room Thermostat (shipped separately)	AG7	\$2,871	\$3,079	\$3,079	\$3,079	\$3,079	\$3,079	\$3,079	\$3,079	\$3,079
Makeup Air Applications ^C	Two-Stage Gas Valve with unit-mounted Ductstat	AG3	\$1,239	\$1,239	\$1,239	\$1,239	\$1,239	\$1,239	\$1,239	\$1,239	\$1,239
	Two-Stage Gas Valve with Electronic Ductstat with Remote Temperature Selector (0-130 deg F) E	AG15	\$1,901	\$1,901	\$1,901	\$1,901	\$1,901	\$1,901	\$1,901	\$1,901	\$1,901
	Electronic Modulation with Duct Probe, 55-90 deg F	AG8	\$3,328	\$3,538	\$3,538	\$3,538	\$3,538	\$3,538	\$3,538	\$3,538	\$3,538
	Electronic Modulation with Duct Probe with Remote Temperature Selector, 55-90 deg F, (shipped separately)	AG9	\$3,509	\$3,728	\$3,728	\$3,728	\$3,728	\$3,728	\$3,728	\$3,728	\$3,728
	Electronic modulation with 4 to 1 turndown with a remote temperature selector shipped separately (Natural Gas only)	AG39	\$5,532	\$5,744	\$5,744	\$5,744	\$5,744	\$5,744	\$5,744	■	\$5,744
	Electronic modulation with 4 to 1 turndown and DDC Interface (no external sensor or dial) (Natural Gas only)	AG40	\$4,203	\$4,482	\$4,482	\$4,482	\$4,482	\$4,518	\$4,518	■	\$4,518
	Electronic modulation (2 to 1 turndown) with Maxitrol A200 Signal Conditioner (used with customer-supplied 4-10ma or 0-10v signal) and modulating gas regulator (conditioner and regulator are factory installed)	AG21	\$2,610	\$2,821	\$2,821	\$2,821	\$2,821	\$2,821	\$2,821	\$2,821	\$2,821

Factory-Installed Options											
SIZE			Opt	125	150	175	200	225	250	300	400
PILOT IGNITION SYSTEMS ^A	Intermittent Spark Pilot	AH2	-	-	-	-	-	-	-	-	-
	Intermittent Spark Pilot with Timed Lockout	AH3	\$307	\$307	\$307	\$307	\$307	\$307	\$307	\$307	\$307
CONTROL LOCATION	Left Side (facing airstream)	AJ1	-	-	-	-	-	-	-	-	-
	Right Side (facing airstream, not available with AG39 or AG40)	AJ2	-	-	-	-	-	-	-	-	-

UNIT SUPPLY VOLTAGE ^D	115/1/60	AK1	-	-	-	-	-	-	-	-	-
	208/1/60	AK2	\$248	\$248	\$248	\$248	\$248	\$248	\$248	\$248	\$248
	230/1/60	AK3	\$248	\$248	\$248	\$248	\$248	\$248	\$248	\$248	\$248
	208/3/60	AK5	\$376	\$376	\$184	\$184	\$357	\$357	\$95	\$95	\$95
	230/3/60	AK6	\$376	\$376	\$184	\$184	\$357	\$357	\$95	\$95	\$95
	460/3/60	AK7	\$376	\$376	\$184	\$184	\$357	\$357	\$95	\$95	\$95
	575/3/60	AK8	\$460	\$460	\$270	\$270	\$452	\$452	\$184	\$184	\$184

AIR INLET AND DAMPER ARRANGEMENTS	Standard Open Back Horiz Inlet, No Flanges Will not accommodate dampers Does not include insulation (see AY2)	AR1	-	-	-	-	-	-	-	-	-
	Horizontal Inlet with Duct Flange & Insulation	AR5	\$512	\$544	\$544	\$631	\$631	\$637	\$637	\$764	\$774
	100% Outside Air Damper with Motor On/Off	AR8	\$3,506	\$3,592	\$3,592	\$3,877	\$3,877	\$3,877	\$3,877	\$3,932	\$4,172
	Modulating O/A and R/A Mixing Dampers, Mixed Air Temp Control, Min O/A Dial, and Warmup Stat	AR15	\$8,415	\$8,584	\$8,584	\$8,725	\$8,725	\$8,941	\$8,941	\$9,092	\$9,340
	Alternating 100% O/A or 100% R/A with 2-Position Damper Motor	AR17	\$4,403	\$4,545	\$4,545	\$4,733	\$4,733	\$4,917	\$4,917	\$5,070	\$5,311
	Modulating 100% O/A and 100% R/A Mixing Dampers with Remote Manual Dial (potentiometer)	AR18	\$6,490	\$6,640	\$6,640	\$6,792	\$6,792	\$7,015	\$7,015	\$7,166	\$7,408
	Modulating 100% O/A and 100% R/A Mixing Dampers with DDC Control	AR25	\$7,500	\$7,655	\$7,655	\$7,806	\$7,806	\$8,032	\$8,032	\$8,173	\$8,430
FILTER RACKS ^E	None	AW1	S	S	S	S	S	S	S	S	S
	Filter Rack with 2" Disposable Filters	AW7	\$569	\$651	\$651	\$651	\$651	\$668	\$668	\$889	\$896
	Filter Rack with 2" Permanent Filters	AW9	\$774	\$926	\$926	\$926	\$926	\$1,026	\$1,026	\$1,335	\$1,376
	Filter Rack with 2" MERV 8 Disposable Pleated Filters	AW11	\$614	\$715	\$715	\$715	\$715	\$760	\$760	\$995	\$1,020
	Filter Rack with 2" MERV 14 Disposable Pleated Filters	AW40									
BLOWER CABINET INSULATION	Uninsulated	AY1	S	S	S	S	S	S	S	S	S
	Blower Cabinet Insulation for AR1 (Do not order with Options AR5-AR25)	AY2	\$307	\$307	\$307	\$368	\$368	\$401	\$401	\$429	\$429
BLOWER CABINET INLET SCREEN	None	AZ10	S	S	S	S	S	S	S	S	S

BLOWER MOTOR SELECTION												
SIZE		Opt	w/Opt	125	150	175	200	225	250	300	350	400
1/4 HP 1725 RPM Open Dripproof Motor	115/1	AL2	AK1	-	-	■	■	■	■	■	■	■
				16	16							
	208/1		AK2	-	-	■	■	■	■	■	■	■
				16	16							
	230/1		AK3	-	-	■	■	■	■	■	■	■
				16	16							
	208/3		AK5	-	-	■	■	■	■	■	■	■
				16	16							
	230/3		AK6	-	-	■	■	■	■	■	■	■
				16	16							
	460/3		AK7	-	-	■	■	■	■	■	■	■
				16	16							
1/3 HP 1725 RPM Open Dripproof Motor	115/1	AL3	AK1	\$171	\$171	-	-	■	■	■	■	■
				17	17	17	17					
	208/1		AK2	\$171	\$171	-	-	■	■	■	■	■
				17	17	17	17					
	230/1		AK3	\$171	\$171	-	-	■	■	■	■	■
				17	17	17	17					
	208/3		AK5	\$171	\$171	-	-	■	■	■	■	■
				17	17	17	17					
	230/3		AK6	\$171	\$171	-	-	■	■	■	■	■
				17	17	17	17					
	460/3		AK7	\$171	\$171	-	-	■	■	■	■	■
				17	17	17	17					
1/2 HP 1725 RPM Open Dripproof Motor	115/1	AL4	AK1	\$310	\$310	\$115	\$115	-	-	■	■	■
				23	23	23	23	23	23			
	208/1		AK2	\$310	\$310	\$115	\$115	-	-	■	■	■
				23	23	23	23	23	23			
	230/1		AK3	\$310	\$310	\$115	\$115	-	-	■	■	■
				23	23	23	23	23	23			
	208/3		AK5	\$310	\$310	\$115	\$115	-	-	■	■	■
				23	23	23	23	23	23			
	230/3		AK6	\$310	\$310	\$115	\$115	-	-	■	■	■
				23	23	23	23	23	23			
	460/3		AK7	\$310	\$310	\$115	\$115	-	-	■	■	■
				23	23	23	23	23	23			
	575/3		AK8	\$310	\$310	\$115	\$115	-	-	■	■	■
				23	23	23	23	23	23			
3/4 HP 1725 RPM Open Dripproof Motor	115/1	AL5	AK1	\$501	\$501	\$470	\$470	\$232	\$232	-	-	■
				28	28	28	28	28	28	28	28	
	208/1		AK2	\$501	\$501	\$470	\$470	\$232	\$232	-	-	■
				28	28	28	28	28	28	28	28	
	230/1		AK3	\$501	\$501	\$470	\$470	\$232	\$232	-	-	■
				28	28	28	28	28	28	28	28	
	208/3		AK5	\$501	\$501	\$470	\$470	\$232	\$232	-	-	■
				28	28	28	28	28	28	28	28	
	230/3		AK6	\$501	\$501	\$470	\$470	\$232	\$232	-	-	■
				28	28	28	28	28	28	28	28	
	460/3		AK7	\$501	\$501	\$470	\$470	\$232	\$232	-	-	■
				28	28	28	28	28	28	28	28	
	575/3		AK8	\$501	\$501	\$470	\$470	\$232	\$232	-	-	■
				28	28	28	28	28	28	28	28	
1 HP 1725 RPM Open Dripproof Motor	115/1	AL6	AK1	\$823	\$823	\$739	\$739	\$529	\$529	\$249	\$249	-
				31	31	31	31	31	31	31	31	31
	208/1		AK2	\$823	\$823	\$739	\$739	\$529	\$529	\$249	\$249	-
				31	31	31	31	31	31	31	31	31
	230/1		AK3	\$823	\$823	\$739	\$739	\$529	\$529	\$249	\$249	-
				31	31	31	31	31	31	31	31	31
	208/3		AK5	\$823	\$823	\$739	\$739	\$529	\$529	\$249	\$249	-
				31	31	31	31	31	31	31	31	31
	230/3		AK6	\$823	\$823	\$739	\$739	\$529	\$529	\$249	\$249	-
				31	31	31	31	31	31	31	31	31
	460/3		AK7	\$823	\$823	\$739	\$739	\$529	\$529	\$249	\$249	-
				31	31	31	31	31	31	31	31	31
	575/3		AK8	\$823	\$823	\$739	\$739	\$529	\$529	\$249	\$249	-
				31	31	31	31	31	31	31	31	31
1-1/2 HP 1725 RPM Open Dripproof Motor	115/1	AL7	AK1	\$857	\$857	\$801	\$801	\$608	\$608	\$411	\$411	\$155
				40	40	40	40	40	40	40	40	40
	208/1		AK2	\$857	\$857	\$801	\$801	\$608	\$608	\$411	\$411	\$155
				40	40	40	40	40	40	40	40	40
	230/1		AK3	\$857	\$857	\$801	\$801	\$608	\$608	\$411	\$411	\$155
				40	40	40	40	40	40	40	40	40
	208/3		AK5	\$857	\$857	\$801	\$801	\$608	\$608	\$411	\$411	\$155
				40	40	40	40	40	40	40	40	40
	230/3		AK6	\$857	\$857	\$801	\$801	\$608	\$608	\$411	\$411	\$155
				40	40	40	40	40	40	40	40	40
	460/3		AK7	\$857	\$857	\$801	\$801	\$608	\$608	\$411	\$411	\$155
				40	40	40	40	40	40	40	40	40
	575/3		AK8									

BLOWER MOTOR SELECTION - Continued												
SIZE		Opt	w/Opt	125	150	175	200	225	250	300	350	400
2 HP 1725 RPM Open Dripproof Motor	208/3	AL8	AK5	\$877	\$877	\$837	\$837	\$625	\$625	\$428	\$428	\$177
				42	42	42	42	42	42	42	42	42
	230/3		AK6	\$877	\$877	\$837	\$837	\$625	\$625	\$428	\$428	\$177
				42	42	42	42	42	42	42	42	42
	460/3		AK7	\$877	\$877	\$837	\$837	\$625	\$625	\$428	\$428	\$177
				42	42	42	42	42	42	42	42	42
	575/3		AK8	\$877	\$877	\$837	\$837	\$625	\$625	\$428	\$428	\$177
				42	42	42	42	42	42	42	42	42
3 HP 3600 RPM Open Dripproof Motor	208/3	AL9	AK5	\$896	\$896	\$857	\$857	\$640	\$640	\$470	\$470	\$218
				50	50	50	50	50	50	50	50	50
	230/3		AK6	\$896	\$896	\$857	\$857	\$640	\$640	\$470	\$470	\$218
				50	50	50	50	50	50	50	50	50
	460/3		AK7	\$896	\$896	\$857	\$857	\$640	\$640	\$470	\$470	\$218
				50	50	50	50	50	50	50	50	50
	575/3		AK8	\$896	\$896	\$857	\$857	\$640	\$640	\$470	\$470	\$218
				50	50	50	50	50	50	50	50	50
5HP 3600 RPM Open Dripproof Motor	208/3	AL10	AK5	■	■	\$1,216	\$1,216	\$999	\$999	\$827	\$827	\$575
						70	70	70	70	70	70	70
	230/3		AK6	■	■	\$1,216	\$1,216	\$999	\$999	\$827	\$827	\$575
						70	70	70	70	70	70	70
	460/3		AK7	■	■	\$1,216	\$1,216	\$999	\$999	\$827	\$827	\$575
						70	70	70	70	70	70	70
	575/3		AK8	■	■	\$1,216	\$1,216	\$999	\$999	\$827	\$827	\$575
						70	70	70	70	70	70	70
1/2 HP 1725 RPM Totally Enclosed Motor ^(D)	115/1	AL21	AK1	\$669	\$669	\$519	\$519	\$380	\$380	■	■	■
				30	30	30	30	30	30			
	208/1		AK2	\$669	\$669	\$519	\$519	\$380	\$380	■	■	■
				30	30	30	30	30	30			
	230/1		AK3	\$669	\$669	\$519	\$519	\$380	\$380	■	■	■
				30	30	30	30	30	30			
	208/3		AK5	\$669	\$669	\$519	\$519	\$380	\$380	■	■	■
				30	30	30	30	30	30			
	230/3		AK6	\$669	\$669	\$519	\$519	\$380	\$380	■	■	■
				30	30	30	30	30	30			
	460/3		AK7	\$669	\$669	\$519	\$519	\$380	\$380	■	■	■
				30	30	30	30	30	30			
	575/3		AK8	\$669	\$669	\$519	\$519	\$380	\$380	■	■	■
				30	30	30	30	30	30			
3/4 HP 1725 RPM Totally Enclosed Motor ^(D)	115/1	AL22	AK1	\$859	\$859	\$717	\$717	\$573	\$573	\$232	\$232	■
				34	34	34	34	34	34	34	34	
	208/1		AK2	\$859	\$859	\$717	\$717	\$573	\$573	\$232	\$232	■
				34	34	34	34	34	34	34	34	
	230/1		AK3	\$859	\$859	\$717	\$717	\$573	\$573	\$232	\$232	■
				34	34	34	34	34	34	34	34	
	208/3		AK5	\$859	\$859	\$717	\$717	\$573	\$573	\$232	\$232	■
				34	34	34	34	34	34	34	34	
	230/3		AK6	\$859	\$859	\$717	\$717	\$573	\$573	\$232	\$232	■
				34	34	34	34	34	34	34	34	
	460/3		AK7	\$859	\$859	\$717	\$717	\$573	\$573	\$232	\$232	■
				34	34	34	34	34	34	34	34	
	575/3		AK8	\$859	\$859	\$717	\$717	\$573	\$573	\$232	\$232	■
				34	34	34	34	34	34	34	34	

BLOWER MOTOR SELECTION - Continued												
SIZE		Opt	w/Opt	125	150	175	200	225	250	300	350	400
1 HP 1725 RPM Totally Enclosed Motor ^(D)	115/1	AL23	AK1	\$1,012	\$1,012	\$864	\$864	\$729	\$729	\$382	\$382	\$151
				37	37	37	37	37	37	37	37	37
	230/1		AK3	\$1,012	\$1,012	\$864	\$864	\$726	\$726	\$382	\$382	\$151
				37	37	37	37	37	37	37	37	37
	208/3		AK5	\$1,012	\$1,012	\$864	\$864	\$726	\$726	\$382	\$382	\$151
				37	37	37	37	37	37	37	37	37
	230/3		AK6	\$1,012	\$1,012	\$864	\$864	\$726	\$726	\$382	\$382	\$151
				37	37	37	37	37	37	37	37	37
1-1/2 HP 1725 RPM Totally Enclosed Motor ^(D)	460/3	AL24	AK7	\$1,012	\$1,012	\$864	\$864	\$726	\$726	\$382	\$382	\$151
				37	37	37	37	37	37	37	37	37
	575/3		AK8	\$1,012	\$1,012	\$864	\$864	\$726	\$726	\$382	\$382	\$151
				37	37	37	37	37	37	37	37	37
	208/3		AK5	\$1,485	\$1,485	\$1,341	\$1,341	\$1,195	\$1,195	\$853	\$853	\$604
				43	43	43	43	43	43	43	43	43
	230/3		AK6	\$1,485	\$1,485	\$1,341	\$1,341	\$1,195	\$1,195	\$853	\$853	\$604
				43	43	43	43	43	43	43	43	43
2 HP 1725 RPM Totally Enclosed Motor ^(D)	460/3	AL25	AK7	\$1,485	\$1,485	\$1,341	\$1,341	\$1,195	\$1,195	\$853	\$853	\$604
				43	43	43	43	43	43	43	43	43
	575/3		AK8	\$1,485	\$1,485	\$1,341	\$1,341	\$1,195	\$1,195	\$853	\$853	\$604
				43	43	43	43	43	43	43	43	43
	208/3		AK5	\$1,529	\$1,529	\$1,382	\$1,382	\$1,243	\$1,243	\$902	\$902	\$652
				85	85	85	85	85	85	85	85	85
	230/3		AK6	\$1,529	\$1,529	\$1,382	\$1,382	\$1,243	\$1,243	\$902	\$902	\$652
				85	85	85	85	85	85	85	85	85
3 HP 3600 RPM Totally Enclosed Motor ^{(D)(F)}	460/3	AL26	AK7	\$1,529	\$1,529	\$1,382	\$1,382	\$1,243	\$1,243	\$902	\$902	\$652
				85	85	85	85	85	85	85	85	85
	575/3		AK8	\$1,529	\$1,529	\$1,382	\$1,382	\$1,243	\$1,243	\$902	\$902	\$652
				85	85	85	85	85	85	85	85	85
	208/3		AK5	\$2,210	\$2,210	\$2,068	\$2,068	\$1,924	\$1,924	\$1,585	\$1,585	\$1,337
				47	47	47	47	47	47	47	47	47
	230/3		AK6	\$2,210	\$2,210	\$2,068	\$2,068	\$1,924	\$1,924	\$1,585	\$1,585	\$1,337
				47	47	47	47	47	47	47	47	47
	460/3	AL26	AK7	\$2,210	\$2,210	\$2,068	\$2,068	\$1,924	\$1,924	\$1,585	\$1,585	\$1,337
				47	47	47	47	47	47	47	47	47

SUPPLY FAN MOTOR CONTROL OPTION ^{(G)(H)}			
SIZE		Opt	ALL
MOTOR CONTACTOR	IEC Type	AN2	\$113
MOTOR STARTER	IEC Type w/Aux Contact	AN10	\$668

VARIABLE FREQUENCY DRIVE

Prices DO NOT include Motor. Do not order option AN2 or AN10 with option VFD1 or VFD2. Price includes programming drive, if the sequence of operation is supplied with the order. Requires Totally Enclosed Motor type.
Shipped Separately for Remote Field Installation
Provided with unit for remote installation.

SIZE		Opt	w/Opt	w/Opt	125	150	175	200	225	250	300	350	400
1 HP TOTALLY ENCLOSED MOTOR	208/3	VFD2	AL23	AK5	\$1,621	\$1,621	\$1,621	\$1,621	\$1,621	\$1,621	\$1,621	\$1,621	\$1,621
	230/3			AK6	\$1,621	\$1,621	\$1,621	\$1,621	\$1,621	\$1,621	\$1,621	\$1,621	\$1,621
	460/3			AK7	\$1,621	\$1,621	\$1,621	\$1,621	\$1,621	\$1,621	\$1,621	\$1,621	\$1,621
	575/3			AK8	\$1,621	\$1,621	\$1,621	\$1,621	\$1,621	\$1,621	\$1,621	\$1,621	\$1,621
1-1/2 HP TOTALLY ENCLOSED MOTOR	208/3		AL24	AK5	\$1,762	\$1,762	\$1,762	\$1,762	\$1,762	\$1,762	\$1,762	\$1,762	\$1,762
	230/3			AK6	\$1,762	\$1,762	\$1,762	\$1,762	\$1,762	\$1,762	\$1,762	\$1,762	\$1,762
	460/3			AK7	\$1,762	\$1,762	\$1,762	\$1,762	\$1,762	\$1,762	\$1,762	\$1,762	\$1,762
	575/3			AK8	\$1,762	\$1,762	\$1,762	\$1,762	\$1,762	\$1,762	\$1,762	\$1,762	\$1,762
2 HP TOTALLY ENCLOSED MOTOR	208/3		AL25	AK5	\$2,329	\$2,329	\$2,329	\$2,329	\$2,329	\$2,329	\$2,329	\$2,329	\$2,329
	230/3			AK6	\$2,329	\$2,329	\$2,329	\$2,329	\$2,329	\$2,329	\$2,329	\$2,329	\$2,329
	460/3			AK7	\$2,329	\$2,329	\$2,329	\$2,329	\$2,329	\$2,329	\$2,329	\$2,329	\$2,329
	575/3			AK8	\$2,329	\$2,329	\$2,329	\$2,329	\$2,329	\$2,329	\$2,329	\$2,329	\$2,329
3 HP TOTALLY ENCLOSED MOTOR	208/3		AL26	AK5	\$2,760	\$2,760	\$2,760	\$2,760	\$2,760	\$2,760	\$2,760	\$2,760	\$2,760
	230/3			AK6	\$2,760	\$2,760	\$2,760	\$2,760	\$2,760	\$2,760	\$2,760	\$2,760	\$2,760
	460/3			AK7	\$2,760	\$2,760	\$2,760	\$2,760	\$2,760	\$2,760	\$2,760	\$2,760	\$2,760
	575/3			AK8	\$2,760	\$2,760	\$2,760	\$2,760	\$2,760	\$2,760	\$2,760	\$2,760	\$2,760
5 HP OPEN DRIpproof MOTOR	208/3		AL10	AK5	■	■	\$3,556	\$3,556	\$3,556	\$3,556	\$3,556	\$3,556	\$3,556
	230/3			AK6	■	■	\$3,556	\$3,556	\$3,556	\$3,556	\$3,556	\$3,556	\$3,556
	460/3			AK7	■	■	\$3,556	\$3,556	\$3,556	\$3,556	\$3,556	\$3,556	\$3,556
	575/3			AK8	■	■	\$3,556	\$3,556	\$3,556	\$3,556	\$3,556	\$3,556	\$3,556

SIZE		Opt	ALL
VFD CONTROL ^(J) One MUST be selected with Option VFD1 or VFD2	Soft Start	VFCA	-
	Two Speed Control (specify control sequence)	VFCB	-
	DDC signal from remote device	VFC2	-

SUPPLY FAN DRIVE TYPE

Adjustable Motor Sheave, Linked Belt(s)		DR4		-
Adjustable Motor Sheave, Solid V-Belt(s)	1/4 HP 1725 RPM Open Dripproof Motor	DR2	AL2	\$45
	1/3 HP 1725 RPM Open Dripproof Motor		AL3	\$45
	1/2 HP 1725 RPM Open Dripproof Motor		AL4	\$45
	1/2 HP 1725 RPM Totally Enclosed Motor		AL21	\$45
	3/4 HP 1725 RPM Open Dripproof Motor		AL5	\$45
	3/4 HP 1725 RPM Totally Enclosed Motor		AL22	\$45
	1 HP 1725 RPM Open Dripproof Motor		AL6	\$45
	1 HP 1725 RPM Totally Enclosed Motor		AL23	\$45
	1-1/2 HP 1725 RPM Open Dripproof Motor		AL7	\$57
	1-1/2 HP 1725 RPM Totally Enclosed Motor		AL24	\$57
	2 HP 1725 RPM Open Dripproof Motor		AL8	\$57
	2 HP 1725 RPM Totally Enclosed Motor		AL25	\$57
	3 HP 3600 RPM Open Dripproof Motor		AL9	\$73
	3 HP 3600 RPM Totally Enclosed Motor		AL26	\$73
Extra belts: One set of Solid V-Belts - only available if option DR2 is ordered	5HP 3600 RPM Open Dripproof Motor		AL10	\$73
	1/4 HP 1725 RPM Open Dripproof Motor	XB2	AL2	\$45
	1/3 HP 1725 RPM Open Dripproof Motor		AL3	\$45
	1/2 HP 1725 RPM Open Dripproof Motor		AL4	\$45
	1/2 HP 1725 RPM Totally Enclosed Motor		AL21	\$45
	3/4 HP 1725 RPM Open Dripproof Motor		AL5	\$45
	3/4 HP 1725 RPM Totally Enclosed Motor		AL22	\$45
	1 HP 1725 RPM Open Dripproof Motor		AL6	\$45
	1 HP 1725 RPM Totally Enclosed Motor		AL23	\$45
	1-1/2 HP 1725 RPM Open Dripproof Motor		AL7	\$57
	1-1/2 HP 1725 RPM Totally Enclosed Motor		AL24	\$57
	2 HP 1725 RPM Open Dripproof Motor		AL8	\$57
	2 HP 1725 RPM Totally Enclosed Motor		AL25	\$57
	3 HP 3600 RPM Open Dripproof Motor		AL9	\$73
	3 HP 3600 RPM Totally Enclosed Motor		AL26	\$73
	5HP 3600 RPM Open Dripproof Motor		AL10	\$73

SIZE		Opt	125	150	175	200	225	250	300	350	400
FIRESTATS	None	BD0	S	S	S	S	S	S	S	S	S
	One Factory-Installed (200°F) - Discharge	BD2	\$255	\$255	\$255	\$255	\$255	\$255	\$255	\$255	\$255
FREEZESTAT	None	BE0	S	S	S	S	S	S	S	S	S
	One Factory-Installed, Adjustable Reset with Time Delay Relay	BE2	\$1,170	\$1,170	\$1,170	\$1,170	\$1,170	\$1,170	\$1,170	\$1,170	\$1,170
RELAYS ^(K) (Specify Use)	SPST Relay	BG2	\$143	\$143	\$143	\$143	\$143	\$143	\$143	\$143	\$143
	Relay Contacts to Activate Remote Exhaust Fan (pilot duty)	BG9	\$143	\$143	\$143	\$143	\$143	\$143	\$143	\$143	\$143
	24v Relay Starts Unit from remote 24v signal, by others	BG7A	\$143	\$143	\$143	\$143	\$143	\$143	\$143	\$143	\$143
SAFETY SWITCHES	High and Low Gas Pressure Switches	BP4	\$935	\$935	\$935	\$935	\$935	\$935	\$935	\$935	\$935
AIR FLOW PROVING SWITCH	Pressure sensitive - proves airflow across heat exchanger	BW1	\$255	\$255	\$255	\$255	\$255	\$255	\$255	\$255	\$255

LED OPTIONS (Shipped Separately)											
IMPORTANT - VENT											
SIZE		Opt	125	150	175	200	225	250	300	350	400
COMBUSTION AIR/VENT KIT	Vertical Vent Terminal	CC2	\$674	\$674	\$674	\$674	\$674	\$674	\$674	\$674	\$674
	Horizontal Vent Terminal	CC6	\$575	\$575	\$575	\$575	\$575	\$575	\$575	\$575	\$575
MANUAL	Natural Gas	CE1	\$121	\$121	\$121	\$121	\$121	\$121	\$165	\$165	\$165
SHUTOFF	Propane Gas	CE2	\$121	\$121	\$121	\$121	\$121	\$121	\$121	\$121	\$121

STATS AND ACCESSORIES ^(L)											
SIZE										Opt	ALL
1-Stg Heat/Cool 24v snap acting thermostat (50-90°F) with Fan Auto-On and Cool-Off-Heat switches										CL1	\$158
2-stg Heat/Cool 24v Digital (non-programmable) thermostat (40-90°F) with Fan Auto-On function (includes batteries). ^(M)										CL22	\$237
Electronic Modulating Room Override (60-85°F), Low Voltage for Makeup Air -- Use only with Opt AG8, AG9, AG39, AG40										CL9	\$544
Electronic 24v Programmable Thermostat for up to 2 stages										CL33	\$1,057
Thermostat Guard with Locking Cover										CM1	\$133

SIZE										Opt	ALL
CONDENSATE DRAIN KIT for Furnace Section										CS1	\$25
SMOKE DETECTOR	Photoelectric air duct smoke detector									SA1	\$1,086

CONNECT SWITCHES ^(T)											
SIZE										Opt	ALL
UL Listed, Indoor Only (shipped separately)	USA Installation Only	30 Amp, 240 Volt, Non-Fusible								CP1	\$171
		30 Amp, 240 Volt, Fusible								CP2	\$501
		30 Amp, 600 Volt, Non-Fusible								CP3	\$256
	Canada Installation Only	30 Amp, 600 Volt, Fusible								CP41	\$978

MOTOR EXCLUSIONS ^(D)	Voltages	115/1-STD	208/1-AK2	230/1-AK3		208/3-AK5 230/3-AK6 460/3-AK7		575/3-AK8
Totally Enclosed Motors that are NOT AVAILABLE if there is a Filter Rack Option (Option Code AW_)		1/2 (AL21)	1/2 (AL21)	1/2 (AL21)		1 (AL23)		1 (AL23)
		3/4 (AL22)	3/4 (AL22)	3/4 (AL22)		1-1/2 (AL24)		2 (AL25)
		1 (AL23)		1 (AL23)		2 (AL25)		
						3 (AL26)		

Type of Filter ^(E)		*Average Efficiency	*Average Arrestance
Disposable	2"	Less than 20%	0.8
Permanent	2"	Less than 20%	64% to 67%
Pleated Disposable	2"	30% to 35%	90% to 93%

*Tested in accordance with ASHRAE 52-76 Standard

		Opt	ALL
DRIVES ^(G) AM Drive Option, CFM, and Static Pressure Required on All Orders.	450-500 RPM	AM2	-
	501-550 RPM	AM3	-
	551-600 RPM	AM4	-
	601-650 RPM	AM5	-
	651-700 RPM	AM6	-
	701-750 RPM	AM7	-
	751-800 RPM	AM8	-
	801-850 RPM	AM9	-
	851-900 RPM	AM10	-
	901-950 RPM	AM11	-
	951-1000 RPM	AM12	-
	1001-1050 RPM	AM13	-
	1051-1100 RPM	AM14	-
	1101-1150 RPM	AM15	-
	1151-1200 RPM	AM16	-
	1201-1250 RPM	AM17	-
	1251-1300 RPM	AM18	-
	1301-1350 RPM	AM19	-
	1351-1400 RPM	AM20	-
	1401-1450 RPM	AM21	-
	1451-1500 RPM	AM22	-
	1501-1550 RPM	AM23	-
	1551-1600 RPM	AM24	-

MOTOR CONTROL									
Voltage Option			AK2	AK3	AK5	AK6	AK7	AK8	
Motor Type	Motor HP	Mtr Opt	208/1	230/1	208/3	230/3	460/3	575/3	
OPEN DRIPPROOF	1/4 HP	AL2	C or S	C or S	S	S	S	■	
	1/3 HP	AL3	C or S	C or S	S	S	S	■	
	1/2 HP	AL4	C or S	C or S	C or S	C or S	C or S	S	
	3/4 HP	AL5	C or S	C or S	C or S	C or S	C or S	S	
	1 HP	AL6	C or S	C or S	C or S	C or S	C or S	S	
	1 1/2 HP	AL7	C or S	C or S	C or S	C or S	C or S	S	
	2 HP	AL8	■	■	C or S	C or S	C or S	S	
	3 HP	AL9	■	■	C or S	C or S	C or S	S	
TOTALLY ENCLOSED	5 HP	AL10	■	■	S or V	S or V	S or V	S or V	
	1/4 HP	AL19	C or S	C or S	S	S	S	■	
	1/3 HP	AL20	C or S	C or S	S	S	S	■	
	1/2 HP	AL21	C or S	C or S	C or S	C or S	C or S	S	
	3/4 HP	AL22	C or S	C or S	C or S	C or S	C or S	S	
	1 HP	AL23	■	C or S	S or V	S or V	S or V	S or V	
	1 1/2 HP	AL24	■	■	S or V	S or V	S or V	S or V	
	2 HP	AL25	■	■	S or V	S or V	S or V	S or V	
	3 HP	AL26	■	■	S or V	S or V	S or V	■	

Voltage/Phase	Motor HP	Amps	USA Indoor		anada Indoor		
			Fusible	Non-Fuse	Fusible	Non-Fuse	
115/1	1/4 to 1-1/2 HP	30	CP2	CP1	CP41	CP58	
208/1 and 230/1	1/4 to 3 HP	30	CP2	CP1	CP41	CP58	
208/3 and 230/3	1/4 to 5 HP	30	CP2	CP1	CP41	CP58	
460/3 and 575/3	1/4 to 15 HP	30	CP4	CP3	CP41	CP58	

MOUNTING SUPPORT (6" Legs)	Part Number	Quantity Required	List Price Each
	RZ74487	4 per unit	\$42

Additional field-furnished supports between furnace and blower section are required.

- (A) When ordering propane (Option AA2), both burner air shutters (Option AE2) and spark pilot with lockout (Option AH3) must be added.
- (B) Check with Reznor Distributor for complete warranty details.
- (C) Gas controls for makeup air include DPST on/off wall switch, shipped packed inside the furnace control panel or mounted on the optional remote console (if ordered).
- (F) For 3 HP TEFC Motor with 575V power contact factory agent.
- (G) Included in the Unit Base Price
- (H) Select option AN2 Contactor (C), AN10 Starter (S), or VFD1, VFD2 Variable Freq Drive (V) per the availability shown on this chart
- (J) For other VFD control source - sequence, contact your factory representative.
- (K) Additional relays (3-6) depending on the application) are required to accommodate Option CL33 or CL52; appropriate BG Option(s) will be added. Do not order any Remote Console having switches CL33 or CL52.
- (L) All thermostats (except CL9) have Fan Auto-On function. You must add an Option BG2F fan relay to enable this function.
- (M) For CL22 or RCT2 used with Remote Consoles:
- 1) Recirculated Heating and/or Cooling (AG1 and AG2): Use CL22 alone or only with RC1, RC2, RC3, RC4, or RC9 remote consoles. Fan On/ Auto and Heat/Cool/Auto/Off Mode functions on thermostat will control unit operation. Panels with On/Off switch: Off position prevents unit operation.
- 2) Simple Makeup Air (AG3, AG15, AG16, AG60, AG61, AG62): For consoles having a Summer/Winter/Off or Heat/Vent/Cool Switch, unit fan on/ off and heat/cool mode are controlled by toggle switch(es) on the console. CL22 (or RCT2) acts as a room temperature override for additional heating and/or cooling. Thermostat will not cycle fan. Cooling relays and controls are not furnished except with evap cooling. 3) Other: Submit complete control sequence. Additional relays (\$) are required.
- (P) Dirty filter pressure switch is included in the list price of the remote console. Order a remote console with dirty filter light to get pressure switch.
- (Q) Must order Damper Arrangement Option AR18 to get remote potentiometer. Potentiometer is included in list price of Option AR18.
- (R) Must order Gas Control Option AG9 or AG39 to get temperature selector. List price of temperature selector is included in Option AG9.
- (S) Lead time is extended for stainless steel cover.
- (T) General Guide to Indoor Disconnect Options (unit motor/voltage availability varies by model/size)

REZNOR®
