



PORTABLE AIR CONDITIONER Primarilly is follow \$ 200 these harmed and

ELECTRICION SACTERISTICS

115V~60 Fz

It's important to read this manual prior to using your new product for the first time.



## Important safeguard

- · Use this appliance only as described in this Instruction marrial.
- As with any electrical appliance, the instructions : aim to cover as many situations, as possible. Caution and common senses hould be used when operating and installing this air conditioner.
- This applyance has been manufactured to cool. and defunicify comeant environments and must not be used for other purposes.
- It is dangerous to alter or modify the units. dereter's to in arryway.
- The soplance must be installed in accordance. with the relevant national legislation.
- Should regains be necessary, contact a service center.
- Unauthorized servicing can be canderous.
- The appliance is not intended for use by persons. (including children) with reduced physical, serving or montal regalithes, or last of experience and knowledge, unless they have been givensuper vision or insuration concerning. use of the appliance by a person responsible for . chairkaiste.
- Orlaren should be supervised to ensure that they do not play with the appliance.
- If the power code is damaged, it must be replaced by the manufacturer or an authorized echnical service centre in order to avoid all risk.
- Always ensure the appliance is plugged into all grounded 8 pronsport of. Pyrountaweany doubts. check with a qualified electridar.
- Donot use extension sables.
- · Refere dearing or maintenance operations, always unplug the until from the suffet.
- Do not cult or emplace strain on the power codwhen moving the appliance.
- The appliances routing the installed where the atmosphere may contain combustible gases, oil or sulphur or near heat sources.
- Concorest hot or heavy objects an the appliance.
- Gean the filters at least once a week.

- Avoid using testers near the unit.
- The unit should be transported in a vertical position. Fithis is not possible secure the unit at ... an angle, compilie it herbontally.
- Refers transporting the unit, drain the unit. After transportation, wait at least 6 hours before switching the unition.
- the paraging materials can be vegeted, four are therefore recommended to place them in the special containers for differentiated wastecollection.
- This appliance is fifted with a special sarrity. device. When the compressor switches off, this device prevents it from switching on again for atleast 3 millules.
- WARNING Changes, or modifications inch. expressly approved by the carty responsible for a compliance could would the user's authority to querate the equipment.

### Specific warnings for appliances with R410A refrigerant gas.

64100 to a refrigerant that complies with Revocation on equal standards; nevertheless, it is recommended not to prome the rooting group of the machine. At the and at thousand tim, deliver the nopliance to a special waste collection centre for


This hermetically scaled system contains fluorinated greenhouse#XCC

## ENUIRONMENTAL INFORMATION:

This unit outlains fluorinaire greenhouse gases. awared by the Ryoth Assternit.

Maintenance and disposal must be carried out by qualified percented only (3410%,  $QM^2 = 2086$ ).

## Save these instructions This product is for household only



Expensions with a partyl modified to us that cover it. District map is the vention of

#### Download the Appl



Tils applicate can be used also with the App Prioritio that can becown acted from the App Sick Confrom Goods Play. Takain acceptical functions you need a local not Stome MUM ( with access to internet. Further, check there are no costado: to the internet access such as Piews LiProps, authorizations etc.

#### DESCRIPTION

Description of the appliance

- All. Wronfelord
- 43. Only park
- M. West
- ASI, Remote control digral receive A6. Representations
- Mr. Arhibite gill a
- 48. Who teaches housing ATT. With by gift a
- ATT. Intropy broadth rep.
- 612. Awar simplication

### Description of a messacies

- KL Williamstring street,
- 83. Alteria in time
- Rt. bematen er
- B4. Whalescale! 88. Welcela obtach in
- Bit. Additional or more backet with an a
- Bit. Named control

#### Electrical connection

Pelmaphiguing the conformation the outlet, one of both The statlets power supply corresponds to the value inclosed on the rating label on the pack of the pop lance:

# The public and electrical dire. I are adequate for the Appli-

 Installe vollen egwadel calef W. Historia have we until the executed area left failure in his wihearing the itself by instructions absolves from a table. an of the de-

### If it become necessary, the power table most be replaced by a grafified professional only.


The intenctions acrow will enable you to prepare your air. sand renor to operation as efficiently at possible. Before use, make sure their finished and but edgiff ledgic undestructed.

Note: This appliance features on outs exaporative function to remove correct condensate nation during cooling and deburnichtiging modes.

#### COMMITTION IN SMITH INSTALLATION.


For optimal exattanet-up your appliance in this way: Second characters (III) and III to the beween I III as

ANT Francis. F172222mt tetamentus, have 12 in the take not at the




#### COMBIFICATINE WITHOUT INSTALLATION

- Fither in sound have B2 in Level Secret leasing leaster.




#### Other seb-up methods:

Thanks in the looking nine, its providers are the window.



males are be the normalized throughouts. To 10 the co and developed to 84 to heart does low 83 and places, as supothers, i does to so read the hot are.




#### You can also set up in a double hung window:

- Place the window analyst in the window all, extend the bucket fill y will in the binary harm. In the bucket by cáig Jopá ten lava te wholevora te badyt. (finall) the wirdow but called the large for the window, Le pasicion le cut with a say by a qualiful profeor the carrake of the applicate a fig. (1).
- Carret the window callet B4 to Jie other a dell' Jeco.
- hear, the window state. Bit of the expeasules afree the




hookel also for skilling windows. So for the hole of the III. All cymbol (Sorromok) base ( hodelin is allow accommissibility or other shealthce.



# Type was exercised to the (figure) proved a fal-

Fit heaven bedame hand the 82 in Jacobson but-





## DESCRIPTION OF THE CONTROL PAMEL (C)

- CL. CVF/AHD BY (a chiff by
- Qui Anector selection boy VOX reinconditioning, calcumid-Bing for, healing off OPPMPT HeadMLAN settings.
- G. Incoscios
- GL Decrease boy
- G. Tanperatik Indictor Os 4) contributing a risk

- G. Applinete men CIB. 40 flow introduc-
- CITALIS addator CI2-865. Feb. symbol -8fe function it: available only from
- remove portion and appli-
- CB.4.A. E. Indictor
- CM-leating smooth
- CIS. lar symbol
- C16. Defends bying symbol.
- CI2.4 amounted CHARLESON BOOKS

### OPERATING FROM THE CONTROL PANEL TURNING THE APPLIANCE ON/OFF



tekes plugging the appliance check the cap on back of the unit in correctly inserted on distings have \$11. a verticity along in the convet.

live disting amount on the clapity inclosing that the appliance is in-

Touchthe glig Clibyro rum on the appliance. When I is appliance constrout on the

at lender set before it was shot

of nectoral. SCIE Aller (exhering a print herenual parel machady, its brightness with-autoral adequates aid in terrol executivity in it.

te bottermines It furtine appliance of touch the  $\binom{1}{2}$  key.

Note: However, of the air conclute on by simply will agone plug, selecte $\langle \cdot \rangle$  by inside that year an addition asale is a court a representation and authority in the mane, despitable or patient temperating data if ele-



### MEDIS SELECTION

ic select the desired operating mode, touch repeated yithe MODE key until the desired function is selected.



## WIS RINCTION

It what is de-deal the Williams non-less turched the MODE section Number 1

## \*All CONDITIONING MODE




his is ideal for het and humd weather. when the man needs to be born capied. an deburd fiz.

constiyed histories ten violety to NOOL by unit. the air conditioning symbol expects. the display will show the desired rem-

 $\epsilon$  . This large the temperature to be exacted, but in the < 64ur vi@leg.

Note: The nov. -alkale languages, ruting the currier step from (5 to 8. T. However, so, ing the emperature significaor light on the lightest expension and recommended. nand taking male, the arthrover selected original teremote control and app.

#### ♠ DERUMBIENING NODE.



 faut specelt, to WOUE begand. In definitibility and loanse-

Into to less it knowned gram the little.

The best air force

When using this mode, the air eshaust in have \$2 pages of need to be attached to despolarita. Representative this mode. Dud repailed ying NROE covers


> To fee 26 yould appear. - Salest tin gested in New Leadering the in Diamortis on.

#### The available air lights are:

REPRESENTATION

- (8) Without strikes are mediture; km. operation sidestreet.
- Medium air flow when the robelow in exists to Joe July spiccos thy advice

## [4] With Manimum air flow for making reperformance.



#### Into sideal in yang apila tara seber. estiba lempaduro viendi palculary several for this time, the applicate dealth are well also one organist. arranolitically, with the arranast have 99 attached

#### Date thanek

- "cochrepeated yithe A006 Easter diral the having syn-
- te tatabyci. Fouth indexes > Clion secress > CA case to at ust the . desired temperature

## Morrow

- In this mode, the air flow is extered automatically by the conlance and connot be set manual w.
- When operating in very cold come, the applicable deflesses Automatica il momentari Minterpoli ne nome operation, in triskase "B" appeals on the oboley, Durnoth's operation, it knormal further observations through large locatings.


In this mode you may have to walk a territor like before.

- the applicace skirtighing authorality In this made, the ten may operate for short periods, even.
- this gottle set temperature by Albert, been reached. It may happen that the map we show TID's arm. In this aw, empty he interest street to be following the namethat artisted a final to of Service operations. At the end, protegations (C) parameters are the heating time on .

### SELECTTHETEMPERATURE SCALE



The temperature can be displayed in %.





#### OPERATING FROM THE REMOTE CONTROL INSERTING OR REPLACING THE BATTERIES

Pointer time even financial financiazione.

Transcription to actions with two way 33 NAC 159 latais, matriple runs ditable naucion n side the testing compart run (giff it are and copyried). Problem Regions

 $\label{the constraints} \textbf{W} \textbf{ (in constraints) unit is explaced or discarded, the better instance of the second of the secon$ 


Fig. heremovel and disposed of in accordance with current K@dationasthey archamold to the environment. Pentral cold and see satteries.

Spent rails alkalise, standard (cubos of sc) or recharges his 'hikot-codmiumi battedes. Da nat di caou of lotterle in fina. Address may explode or leak. If the senate control is not be

Red for a pertoin length of time, comple the bottleries.


#### VSING THE REVOTE CONTROL

- The applience agreements by measure in . Robot the remark control of the reaction AS on the alas aditioned. The remote control must be no more than 25-0.07 retext axis for the appliance twill out obtained. Labore othere rate control and the receiver's
  - The prior autobioristic rended will the Donot dies iteropse to distinct program as of not.



Motor The remote control for the faith, send in the apage data patient. Mi.

### DESCRIPTION OF THE REMOTE CONTROL



(Batteries Not Included)

## P1. 0H31/12/65 (or/of) Eartin

P2, FEY, F3E, rutton

99. MODE 3/1001 P4. Decressabilities 95. Increase button

96. Airl owbitton

THE MINISTRE APPLICATE OF A

Puglime teoriel Proofine (2) button 01. When turned on, the almonditioner skells specifying in the same mode as when 1 was.

Pondo O butanagir tom kritizagiknost i Potenthoward and engineering the same get or ago

Always switch held by such rights  $\{1\}$  better also well in flew minute: before it now rightly plug. Only in this way the appliand all performing standard modifies.



SELECTING THE OPERATING MODES

Independing modes available on the remote control concessord te these on the appliance control panel C.

SELECTING THE TEMPERATURES

In conditioning any heating modes piece Aution < Oil or > 0.5 tax actitedesire languatura.

#### SELECTING THE AIR FLOW



In ordinary graphs of the  $\kappa_{\rm c}$  provide the  $\kappa_{\rm c}$  BS to relative reaw at low

- in an law or old bear.
- Minimum air flosc of either nun klent glere-La Adease.
- Madage pindout when the care lead new staa kalsavih qadərilət sək
- () (# ii) Vacioumainflow (crossom reportaments
- The approximation stealy chapter the art few expedite the amount to obsted a reflective. on the knowledge of the second stein one@inine nece.

### III REAL FEEL FUNCTION




teditions systems, during working time.

Eutropies are time Win FEX. FE. INFORMATION one opine, and this world. BY councilely noticities in those recommendation to the Hardwise Research in the commendation and sinfine, take pullivenime.

and the Little Township was

Mercaning Contains the Birk Library and Reported and tendings to a view process of to assembly the the blowing classes in









annecerci. ERICHLETT BULLDAL hern den British bir And more that Branching to weights on

- the well-heing the ling is a dig effect whether the lab. year, alternity and sitted in the other states of the Anatab colar
- In particular assessment of a monthly and point transpose. of necesions of the companies of an idipose key. profiles effected the continuous, or pendent control. we have to the some energy expression the element of the  $\Gamma$  . The Decoded Coparison of a SNN Coparis CO CO. demandere beiden mehr bebeiten kallen.

🕆 MELANCION



part alternates the Will and palates makes in the women the Mill it informs the whole or model the emission. clase believe.

Only I aW how suppoped a range Battle AW factors. الدخاء فيرعونه

SWBOLWIR FOED

Linear bands 3. Hot evanante 340 dis Tana A.C. Lecterban.



If to be located up a sea blooding to be

HAST FLASHINI times but to flow MAR as when "Kanadan Awaratra

TUPP CONTROL \*1COM When the MP CONTROL companion for smaller to I'm introngraphic that we have visually

I be removed through the contract of the contract of proceedings to com-Carolina d'in al la (Essant Etha VIIII) est a (Que)

the contributed unit a prolonged help be mitted: t) isotrop lowlettersoft. Hertryckishe ist-

#### SETTING THE TIMER

REAL PRODUCTION INCOMES Definingly. The programme is a new solar backer of his spart solar take by that he is since to caught in the properties of the specified and the isometric position of the specified of the spec

# Ottral confidence, less that FOCARD CANADA EN COMPLIANCE

NORTH-THE CONTRACTOR NAMED TO

controls the matter, plot the botton III or remain control  $|\langle \cdot \rangle|$  . Tasking the control was botton in the bottom  $\omega_{i}$  and (2) Transferrational acquiring the land research, while

agine former than vayous curticular operation. 8800: This was shown but were rectanged mand in county attite intologic with the device promotional Sittell, the testscharpequible seds. made areas gas and referre a talk tari (d.kta. fis adaut (anala acortannobandirfiquing degyne fhohadla. interest in combine with the not other, may also name i meterno y prio caran metable. History Jack in particular terror butter a action and lateral for action recognished and 'a interle encetoració artificiálem empion sent mun accepting two ring to quipment of and in, the serbandings brighter with its means type. material de lollou agrava reci

People in direktorist tid totaly ligaritativity kness the special actions the second material

lines. Legiprecializate del machilità lenni

fur ladavi, i lektava stanckli Constitutional or a reparation with Parallel at

Mark B. operation for the with order profiles at 10 keV 15 keV Don Hilghal Code

Laudians (for programs it sale is in this easy against so by the matalogue code to different authorities partie triode, car

Caution Treoring with the limit of the Case Biogram codes. proprinted Cristal Cities at the extraorpyrial will talk to sentent multiput eded an good by Joseph will neverted explana er and dikilos viny solon itakena taraka naghai.

CHRISTIFACEUR

#### IMBELIESS TRANSPORTER COMPUBLICATION FOR A ROUND REPOSTURE STOTEMENT.

The term fill fletter the rack can fletter random any eight in this equipment country with 100,00 85-102 and since equiles frants et d'areits sonnées ser les font serviné : une le final de la branche monte le endrement : The cases considered incasts (around 10 to accept of 10 section with a Alberta a electropy dediction in a con- We approximate a plate there exists no confidence. The set A. F. A. School about a Set along. (I) This electron may be a meternecian.

(c) Tade or an some agent and error bland raw [1]; kida is a sata kika is rok a fices have a consultant quality of received to construct (Consider RCD). The endoment complete sett. Or and Kinzel discussion is a page of the endoment introduct from commission, venery there men-- null em det acqued-collenner tilbe-Asy Healtheir Labeling

### Heat device Labeling

Normal selection and

translationager sat

WHAT SHOULD LIDE

ara morninina narin-ha (3)

atomite al torac quality in saint to restra. Il this constant has an obacode. As concerning in conjustion with an observation of 2900-270-270.

## King of transit filter. SELF-DIAGNOSIS

IF

Teapl

: Price in the self-ling reclassion to identify a number if washing not fund on: An agree to the right on the engine or digitaly						
IS DISPLAYED	IF	IS DISPLAYED	IF	IS DISPLAYED,	IF	IS DISPLAYED,
<b>L</b> E		P۶		ЖL		Ė١

Tip die (Note an age) Janabach ( . МНИТОНОВИВ 1009 .MUTSECULDI PO?

Total and real of the leading of the edge special table. r per li antoni la legiante i l'il en depresidenti de cofiata setta ovácia svád i vyseca k coving the installation of participation descine col XXXII (DBX) XX

#### TIPS FOR CORRECT USE

The enemals:

Judgmental:

MEACHDOLD LOSS.

possive identification of the Text

profession referring.

appliance of the period again

provident unless

permitted in all to 1 changes of a disease, a political Kanan Malaysia


des de visuas de costi ficios atolesi codidened. With installing the anticonditional semi-partial radiginal disk incominant phily species Histori i i Picat (Lan) regular responsava ibi art



Class cours and windows.

Receive the spill accels way compliments a intellector

Proportion or not area opening to the curry of the year rating mathetic process is finite to make the legal entry. ra za naveznocita los ci-



- Hera and a carliero actions whearetreamner coordinative on.
- imples with a conditional kdyrillion of skiels about



corot cour the speliance

- Meter service, with alterny disclorations of the All conditions,
- Here shall a first an inside one it should see

## **LEANING**

felicy desired in community, for the variables of the Boston (d.) (b) katter, og talk vassorskatern araka fram

#### IT FRIM HIS THE CAPRIMET

to the index live by larger that ignly through lives digos hacrypolis, in oldgrenory, isselved featureherard ota-


Freezeniena Verdice general cand problems to dearth shapfance. Verrang mantabaliga tan dalam

### ILEASME THE DISTRICT STREET, THE

for the independent of a community of the first Karaya') je dominina a na tirovi y je kretios ca this leaves you have been destroy stroy the late. while the recognition the device of the contract of

المعددة عليه والمناد بالمناد فالمعد فبالموراق ويوزاغ ne de die einstaften neur wede.

The filtram asset artists between will se Daka ta ilayetana marintas. Direction (00 etc. etc.) They resolute your expre-THE PROPERTY OF A SECURITION O Benter (krose ser tipli kengilis krise dagi kita eres Jelies Dicardollik, hellikischik coacci.



flower detection and department open flowers. Tradition to Entertain the Applicability (Applicability). fitti wolfigde i asa contaey. with wasting the Manislaw is a copy on peak before. contribit

The Italian block open winds and palled and below-Appropriate belanam militartet la


CHECUS AT THE START OF THE SEASON

Make all one present the adsocration to offset condition. IN NEER TRANSPORT OF TURNITIES APPLIANCE OF DOES NAMED: and makes to the existing system is off that it imply that y is in the level before connects.

#### END OF SEASON OPERATIONS

fedică al viter î an de sătăți en ave de ap AM femilie — Loughte antinaș în câm le cultural actini și adtum de if a legal of the bady of the appliance and allowing water to illuminate and it is called within add of all.

and by the period of the committee over the problem it is continued deficition. lings to colored track to pill.



Miles the spid streets and group and bridge. Courte filtrender, die dan "befor auf auf au-

### TECHNICAL SPECIFICATIONS

lowers pat, as any Par densed communicative harms Magail Sul manages

### LIMITCOVOMONS

For brownia his 64 (S/F) 21 (S/C) aru stong Facilities and 3: 77E D 350 Lake

Transports filling- dearing, recovery and dispisal of retrigerant should be performed by a tertulical certific realty appointed by the manufacture ranks. he see it ances to eld be disposed of two cases to be suite appointed by the manufacturer only.

TO AVOID DAMAGETS THE UNIT:

Logadore a margin terbaligara spicele des la page autour exchange make late proof, a calciappears i francisco vila ne occasioni rance. To not the fighter plug lens ded with the opplicate. hing to destroy the property of the popular type and the electrical entry of a little programmed. The रे करने के कहा करो न्यू प्रशासन को क्रिकेट किया कर कुमा कर Large (fig. gerekaretar) a rohira efisiko distadi. grand, acceptable by an argument constitution. amony died is identificately proteins.

55 15 90 1 1005 (6 10 ), AN LODGE AND CALIBRATIO

HEART CONTRACTOR OF A STORY ACTOR AND A STORY

hope and open residual and an argument are

to a seaso kindon. Without allowing the martin of moth 24-

#### SAFETYPLIS

Tabalaca di eta basa 47 45 timber de secrable Prover includitional a found a conditional inclusions. Demonstrate of the property of the last of the second of the last review on the introduction if preserves of inducity and the place obtained angle in believe the skelder.

#### ОРЕВИТОВ ОРТИВЬЯЛЬНИ РШС

Principle of the resourced in the skip trace of case of the present replacement and a serior in blacked slog as here. symptom in the process could be a supplementally a supplementally a supplementally as a supplemental of the supplemental of th people and more every medicine the page product (57t eine mit 14th erfem eine frege mit SHARLE (Innables operations seemed) кок оразов, или в ТВЗТ или и


## TROUBLESHOOTING

Characteristic coding on mobeling reliably and reference

PROBLOMS	CA BSIS	sammens
Tearror dictioned by not consider	La naphagadia	Ala, La
	darkingse:	ze I
	the mean in 4-th preserveding poli-	
Te ar wediker vels in a slut proof re	Teared and second awards for	zone. Bi position the lair cellulation exist. Insting the longer and carrier as most in to positive and we're again, each other.
	en extreta in especia par eduxe. Grade	kraj erd e noe ta estakete. Tak dio estat k
Texhane for a rail, bit eas not be notion	жом, жоксанда	Les de virture, que un tape, coirg ir nirá no feanmartaides fregues of
	Territoria harmonica in Leintini (senthindiscycle)	And have distinctly date
	tes) and diversion website. Translate	district entress and secretaristic degree the second expenditure (e.g. 1).
	da, flaresque	, ar terique. La Tanta per en y Excita
	the letteral standards on the various and width association per execute point.	
lang genta taka dan erakasat. Skali ta sw	dan Harristania	, ar unqual de l'arte per ar y Exite
he no conditioned first had soot the ero it indicates transmitted	m instant to common the least mentioned that they shallone well a minimum of	Jo I
To lique over the /A, an lot vidio ne official syligheogle. 4,775/9	Tava Avro-Tava of Castron Const. Tall conditions recover a large	# # 1 (1 ± M → 0 #0 1,2 M : M 4#

## Connect your Pinguino


Download the Pinguina De Longhi App



2 Register your account and follow the instructions in the app to conect the appliance to WiFi



3 Use the app to operate the appliance wherever you are



The remote control vary depend of model: The buttons on the remote control may have a different name or location than the remote control shows in this manual

The remote control vary depend of model: The buttons on the remote control may have a different name or location than the remote control shows in this manual.

The image shown here is for illustrative purposes only and may be subject to change. The actual descriptions of control panel and their locations may vary depending on the model.

The actual description may vary depending on the model.

804109903

PRINTED IN MEXICO Fibr. YT Obpn: 5715113181 00 1218 Sc:05/19/2023 TAB MODEL: PACEL276HGRFK1AWH B