
Range test ON on both





TROUBLESHOOTING

SYMPTOM	POSSIBLE CAUSE	SOLUTION
If "link Ok" LED on Matrix III is OFF	Channels not matching on Wi RS 485 Link units	Set the RF Channels on both Wi RS 485 Link units to the same channel
	Wi RS 485 Link units NOT paired	Pair the two Wi RS 485 Link units using their pair buttons. Pair LED should turn ON on both units when properly paired
	Incorrect wiring between Matrix III and Wi RS-485 Link unit (primary and/or secondary operator)	Double check if wiring on Wi RS 485 Link and Matrix III are as follows: (+) Matrix III to (+) Wi RS 485 Link (-) Matrix III to (-) Wi RS 485 Link
	On Matrix III board, Mode A, Dip Switch 8 is OFF	Ensure Matrix III Mode A, Dip Switch 8 is ON




10530 Lawson River Ave., Fountain Valley, CA 92708 (949) 699-0220 | maxsales.us@gmail.com

MAX Wireless RS-485 LINK FOR PRO SERIES








MAX Wireless RS-485 LINK

OR PRO SERIES



The MAX wireless RS-485 is designed to wirelessly communicate between the **PRIMARY** and the **SECONDARY** MAX PRO gate operators.

MATRIX III



PRIMARY Wi RS-485 Link

900MHz Robust Signal Up to 1 Mile using Line-of-Sight

TURN ON MODE A dip switch 8 to enable "wireless communication"


Wiring Primary Wi RS-485 Link to Matrix III as shown

485 (+) to (+) 485 (-) to (-) **GND to GND** +12V to 12V **GND to GND**

Select "RF Channel #" using rotary switch

ONLY use channels 0 thru 6.






SECONDARY Wi RS-485 Link

Wiring Secondary Wi RS-485 Link to Matrix III as shown

485 (+) to (+) 485 (-) to (-) **GND to GND** +12V to 12V **GND to GND**

Select "RF Channel #" Channels **MUST** match in Primary and Secondary units.





6 PAIR LED

Link OK LED Must be ON in Primary and Secondary Matrix III **Boards for Normal** Operation (If not ON do range test below)



TEST RANGE

TURN ON Range Test Switch in Primary Wi RS-485 Link Unit TURN ON Range Test Switch in Seconday Wi RS-485 Link Unit

After few seconds, all three LED's will TURN ON when RF range is ok. If range is poor, reposition Primary or Secondary unit to get better range.

SECONDARY

Wi RS-485 Link

(Check PAIR LED is ON, if not call tech support)

not matter



SIGNAL QUALITY

3 LED's ON - Excellent | 2 LED's ON - Good | 1 LED ON - Poor

TURN OFF TEST RANGE SWITCH in both units **MUST remain OFF for Normal Operation**