

Vol. 12

CPS

SALES & MANUFACTURING

Music your way...

Table of Contents

Pages

Kicker Media Center	4-5
Kicker Speakers	6-9
Kicker Subwoofers	10-11
Kicker Tower Products	12-17
Kicker Amplifiers	18-21
Memphis	22-30
JVC	31
PURE Products and Accessories	32-35



Order Online!

Ordering made easy! CPS' new website gives you the ability to quickly and accurately order any of our products online. Your customers can view specs, features and suggested retail prices on our main page, then you can login and order from our Marine Dealer Login page. Contact CPS to get your password. Visit www.cpsdistributorsinc.com for more information.



Marine Division

Our Marine Dealer Division services over 2500 marinas and dealerships in the US and Canada. With a full team of product specialists, CPS' dealer division can assist you in system design, technical and installation questions, and most importantly; finding creative ways of adding profit to your dealership through aftermarket products.

**Our support staff is available:
Monday through Friday 8:30-5:00 Central Time**

CPS Sales & Manufacturing
6024 Parretta Dr.
Kansas City, MO 64120
800-844-2774 P
816-241-2552 Local
816-483-7965 F
Dealer Sales ext. 1233
Warranty ext. 1227
www.cpsdistributorsinc.com

KMC

Media Center Products



KMC

100.1

Premium Media Center



- AM/FM Weatherband multi-region tuner w/ RDS
- Bluetooth® audio streaming w/ easy pair
- Bluetooth® metadata
- Rear USB w/ 2a charge
- Rear AUX input w/ naming
- 50w x 6 (2-ohm Stable)
- 3.5" Full Color LCD display
- Variable dimmer w/ Day/Night mode
- RGB accent lighting
- Customizable start-up screen
- Two-wire 0 current draw
- EEPROM virtual memory
- Front, Rear, Sub and Zone 2 pre-amp outputs
- NMEA 2000® Certified
- SiriusXM ready
- 2 Zone volume control
- Compatible w/ 47KRC-55 and KRC12 remotes



KMC

50

All-in-One Media Center



- AM/FM Weatherband multi-region tuner w/ RDS
- Bluetooth® audio streaming w/ easy pair
- Bluetooth® metadata
- 3.2" Full Color LCD display
- 50w x 4 (2-ohm Stable)
- Rear USB
- Rear AUX input
- Two-wire 0 current draw
- EEPROM virtual memory
- Front, Rear, Sub, and Zone 2 pre-amp outputs
- Compatible w/ KRC12 remote



KMC45

All-in-One Media Center Bluetooth®

- AM/FM multi-region tuner w/ RDS
- Bluetooth® audio streaming w/ easy pair
- Rear USB
- Rear AUX input
- 50w x 4
- Two-wire 0 current draw
- EEPROM virtual memory
- Rear pre-amp output
- Compatible w/ KRC12 remote

KMC1

Gauge Media Center

Bluetooth®

- AM/FM multi-region tuner w/ RDS
- Bluetooth® audio streaming w/ easy pair
- Rear USB
- Rear AUX input
- Two-wire 0 current draw
- EEPROM virtual memory
- Front and Rear pre-amp output
- Compatible w/ KRC11 remote
- New 3" Heatsink



47KRC55

**Color Digital Remote Commander
Compatible with KMC100.1**

- Digital Color LCD display
- Controls most functions of Media Center
- Compatible with KMC100.1, KMC10/20



KRC11/KRC12

Remote Commander

- Works with KMC1 (KRC11)
- Works with KMC45, KMC50, KMC100.1 (KRC12)
- Simple 1 wire hook-up



45KM84L

8" Premium Marine Coax w/ RGB LED

RGB

- 8" midrange w/ 1" tweeter
- Comes w/ Charcoal and White Grills
- RGB LEDs 7 colors (20 colors w/ 41KMLC)
- 300 Watts peak power
- All connections are marine compliant and sealed
- UV treated and splash resistant
- Retail Packaged Pair



45KM654L

6" Premium Marine Coax w/ RGB LED

RGB

- 6" midrange w/ 3/4" tweeter
- Comes w/ Charcoal and White Grills
- RGB LEDs 7 colors (20 colors w/ 41KMLC)
- 195 Watts peak power
- All connections are marine compliant & sealed
- UV treated and splash resistant
- Retail Packaged Pair



KICKER®

MARINE MADE

KICKER went the extra mile to make these coaxes 100% marine-grade. Built from the ground up to be the best possible speaker for your boat, we added UV treatments to injection-molded cones and Santoprene® surrounds. We made splash-and-spray-resistant sealed motors, cones and locking/sealed terminal covers. Even the grilles have a built-in drainage port to prevent standing water. It's all engineered to maintain top-shelf performance for years to come.



45KM654

6.5" Premium Marine Coax

- 6" midrange w/ 3/4" tweeter
- Comes w/ Charcoal and White Grills
- 195 Watts peak power
- All connections are marine compliant & sealed
- UV treated and splash resistant
- Retail Packaged Pair



45KM44

4" Marine Coax

- 4" midrange w/ 1/2" tweeter
- Comes w/ Charcoal and White Grills
- 140 Watts peak power
- All connections are marine compliant and sealed
- UV treated and splash resistant
- Retail Packaged Pair

BULK Packaged

Products



49BKM604B

6" Black Marine Coax

- 6" midrange w/ 1/2" tweeter
- 150 watts peak power
- Smooth, balanced sound
- Integral grills
- **Sold as each**



49BKM604W

6" White Marine Coax

- 6" midrange w/ 1/2" tweeter
- 150 watts peak power
- Smooth, balanced sound
- Integral grills
- **Sold as each**

BULK Packaged

Products



45BKM84L

Bulk Marine 8" Coax w/ RGB LED

- **DOES NOT COME W/ GRILLS**
- 8" midrange w/ 1" tweeter
- 300 watts peak power
- RGB LEDs 7 colors (20 colors w/ 41KMLC)
- All connections are marine compliant and sealed
- UV treated and splash resistant
- Amphenol ATM06-4S 4-pin Connector for LED
- **Sold as each**



45BKM614L

Bulk Marine 6.5" Coax w/ RGB LED

- **DOES NOT COME W/ GRILLS**
- 6.5" midrange w/ 1/2" tweeter
- 195 watts peak power
- RGB LEDs 7 colors (20 colors w/ 41KMLC)
- All connections are marine compliant and sealed
- UV treated and splash resistant
- Amphenol ATM06-4S 4-pin Connector for LED
- Non RGB version 41BKM614
- **Sold as each**

Thin Series




46BKM614TR & RL

Bulk Marine 6.5" Coax

- **DOES NOT COME W/ GRILLS**
- Slim line 6.5" midrange w/ 1/2" tweeter
- 195 watts peak power
- All connections are marine compliant and sealed
- UV treated and splash resistant
- Optional grill colors silver and charcoal
- Available in RGB
- **Sold as each**

Bulk Grills



Silver



Charcoal



White

45BKMG8S
Silver Grill for
8" Coax, ea

45BKMG6S
Silver Grill for
6.5" Coax, ea

45BKMG8C
Charcoal Grill for
8" Coax, ea

45BKMG6C
Charcoal Grill for
6.5" Coax, ea

45BKMG65C
Charcoal SW
Series Grill for
6.5" Coax, ea

45BKMG8W
White Grill for
8" Coax, ea

45BKMG6W
White Grill for
6.5" Coax, ea

45BKMG65W
White SW
Series Grill for
6.5" Coax, ea

Premium Square Subwoofer

44L7S10 /44L7S12

L7 Premium Sub

- Available in 10" & 12"
- Available in Dual 2-ohm and Dual 4-ohm
- 2000 watts peak power
- **DOES NOT COME W/ GRILL**



Grills

11L710GLC

Charcoal 10" LED Grill for L7S

11L710GLW

White 10" LED Grill for L7S

11L712GLC

Charcoal 12" LED Grill for L7S

11L712GLW

White 12" LED Grill for L7S



RGB



Optional LED Remote

Customize your LED lighting to get the perfect look for your boat.

The **41KMLC** remote provides multi-function control of LED lighting by managing 20 different colors and 19 dynamic modes, including adjustable brightness, fade, speed/strobe and auto save.

Can be used with any **KICKER®** RGB speakers.



Premium Subwoofer

45KM12/45KMF12

12" Marine Subwoofer

- 2 ohm Sealed Enclosure model 45KM122
- 4 ohm Sealed Enclosure model 45KM124
- 2 ohm Free-Air model 45KMF122
- 4 ohm Free-Air model 45KMF124
- 350 watts peak power
- *Subwoofer grill required for LED operation
- **DOES NOT COME W/ GRILL**



Grills

45KMG12W

White 12" LED Grill

45KMG12C

Charcoal 12" LED Grill



45KM10/45KMF10

10" Marine Subwoofer

- 2 ohm Sealed Enclosure model 45KM102
- 4 ohm Sealed Enclosure model 45KM104
- 2 ohm Free-Air model 45KMF102
- 4 ohm Free-Air model 45KMF104
- 300 watts peak power
- *Subwoofer grill required for LED operation
- **DOES NOT COME w/ GRILL**

Grills

45KMG10W

White 10" LED Grill

45KMG10C

Charcoal 10" LED Grill

45BKMCG10S

Silver 10" LED Grill

45BKMCG10W

White SW Series 10" LED Grill

45BKMCG10C

Charcoal SW Series 10" LED Grill

HLCD Tower Systems



(Image Below)

47KMFC11

47KMFC11W

11" Flat Mount HLCD Tower System

(Image Above)

47KMFC9

47KMFC9W

9" Flat Mount HLCD Tower System



(Image Below)

44KMTC114

44KMTC114W

11" Clamp Mount HLCD Tower System



(Image Above)

44KMTC94

KMTC94W

9" Clamp Mount HLCD Tower System



KMTC Tower Systems deliver great looks, total adjustability and incredible sound quality. Your tunes are loud and clear, whether you're in the boat, at Party Cove or the end of a tow rope. Want to aim your sound? Easily rotate the speakers a full 359° without tools, then watch the LED's light up the night in any one of seven colors. Don't just be the life of the party. Be the reason for it.

- Four-Ohm Voice Coil
- High-Frequency Horn Design with Titanium-Dome Compression Drivers
- Stitched Polypropylene Cone With Santoprene® Surround
- UV-Resistant Polymer Basket
- Near full Rotation Swivel with Toolless Locking Cam/Toggle System
- Stainless Steel/ABS Clamp Fits 1.5 - 3.25-Inch Tubing
- Through-Clamp Wiring System with Mating Socket
- Single Bolt Speaker Removal System
- 316L Stainless Mounting Hardware Included
- Seven Color LED Grilles Included*
- Meets or Exceeds ASTM Standards for UV** and Salt/Fog Exposure***

*Upgradeable to 20 Colors and 19 Lighting Modes with KMLC

**ASTM G154 400hr. Accelerated UC Test

***ASTM B117 200hr. Salt Fog Test

- Mounts to Flat Factory Tower-Speaker Headpoints with 2.5" Bolt Spacing and Hidden Wires

Tough, Powerful and Independent

Covered in tough, powder-coated aluminum, the KICKER KPB2 35-inch PowerBar includes eight mid-woofers and two titanium tweeters that fire up the outdoors. This IP66-rated system is driven by a 300-watt power plant, and the included 3.5mm line-output connection lets you add more amplifiers for an even bigger sound system.

A completely self-enclosed system, KICKER PowerBars do not require a head unit. Connect sources wirelessly via Bluetooth® or a full-range AUX stereo input, then control it all with the included steering wheel-mounted wireless remote. Four DSP-controlled EQ presets are easily accessible via oversized buttons in the center of the PowerBar.

Enabling KICKER's Broadcast Mode™ wirelessly connects numerous PowerBars together, allowing everyone to enjoy the same music at the same time while on the trail, stopped at the campsite or gathering around the campfire.

The included bracketing lets you quickly mount the PowerBars on a 1.5", 1.75" or 2" round tube, or you can mount on a 0.75", 1" or 1.25" square tube (available here). Four-Ohm Voice Coil

47KB2

- Eight 3-inch Midranges and Two Titanium 1-inch Tweeters
- Weather-proof with IP66 Rating
- Wireless Remote Control Included
- Controlled via Phone or Remote
- Broadcast Mode Pairs and Shares Music
- 300 Watts (@10% THD)
- Stereo AUX Input
- Stereo Bluetooth Receiver
- Four EQ Settings
- 3.5mm Line-Out Connection to add more audio



47KB1

- Four 3-inch Midranges and Two Titanium 1-inch Tweeters
- Weather-proof with IP66 Rating
- Wireless Remote Control Included
- Controlled via Phone or Remote
- Broadcast Mode Pairs and Shares Music
- 150 Watts (@10% THD)
- Stereo AUX Input
- Stereo Bluetooth Receiver
- Four EQ Settings
- 3.5mm Line-Out Connection to add more audio



KICKER®



45KMTC8

8" Tower System



45KMTC8W

KICKER®

LIFE OF THE PARTY

You want great looks, total adjustability and next-level sound quality on your boat, whether you're cruising to your favorite fishing hole or rockin' at Party Cove. Rotate the speaker in any direction without tools, then watch the LED's light up the night.

- Available in White and Black
- 300 watts (8") 195 watts (6.5") 390 watts (Dual 6.5") Power Handling
- Four-Ohm Voice Coil
- One-Inch Titanium Tweeter (8") 3/4" Titanium Tweeter (6.5")
- UV-Treated Polypropylene Woofer With Santoprene® Surround
- 359° Swivel with Toolless Locking Cam/Toggle System
- Stainless Steel/ABS Clamp Fits 1.5 - 3.25-Inch Tubing
- UV-Resistant Polymer Basket
- Through-Clamp Wiring System
- 316L Stainless Mounting Hardware Included
- Grill with Seven-Color LED System Included*
- Meets or Exceeds ASTM Standards for UV** and Salt/Fog Exposure***





45KMTC6

6.5" Tower System

45KMTC6W

6.5" Tower System

41KMT674

Dual 6.5" Tower System



- Long-range marine tower system
- Dual 6.5" woofers w/ a horn-loaded titanium tweeter
- 300 watts peak/150 watts RMS
- Fits 1 5/8" to 2 1/2" towers
- Sold in pairs



45KMTDC65W

Dual 6.5" Tower System

45KMTDC65



43KMTES8B (Black)

43KMTES8W (White)

8" Single Tower Cans

- 9 degree axis rotation for maximum sound
- Comes w/ clamps (2 5/8") & adapters (2 1/4"-2 1/2")
- KMTAP adapter pack (sold separately) fits add. diameters
- Accepts all KICKER 8" coaxials
- Sold in pairs, available in black and white



12KMTES (Black)

12KMTESW (White)

6.5" Single Tower Cans

- 9 degree axis rotation for maximum sound
- Comes w/ clamps (2 5/8") & adapters (2 1/4"-2 1/2")
- KMTAP adapter pack (sold separately) fits add. diameters
- Accepts all KICKER 6.5" coaxials and horns
- Sold in pairs, available in black and white



12KMTED (Black)

12KMTEDW (White)

Dual 6.5" Tower Cans

- 9 degree axis rotation for maximum sound
- Comes w/ clamps (2 5/8") & adapters (2 1/4"-2 1/2")
- KMTAP adapter pack (sold separately) fits add. diameters
- Accepts all KICKER 6.5" coaxials and horns
- Sold in pairs, available in black and white



40KMMTES (Black)

40KMMTESW (White)

4" Cans for Bimini/Bow

- Mini cans fit 41KM44CW
- Fits 7/8"-1.25" round tubing
- Fits 1" Square tubing
- Extension arms inc. for additional mounting options
- Sold in pairs, available in black and white

www.facebook.com/cpskline

"Inspiring Entertainment"

KICKER®

Illuminating Knob

Get the absolute most out of your amp with a specially designed gain control that lights up when the perfect input signal is detected from your radio.



Made for the Water

All power terminals meet stringent ABYC/NMMA standards, while thick gasketing protects the control cover from unwanted moisture. Even the aluminum chassis is UV treated for extra-long life. All KICKER marine amplifiers also utilize conformal coated circuit boards to protect the heart of the amp from water damage.



KICKER®

48KXMA800.8

8 Channel Marine Amplifier

- 100 watts X 8
- Class D Power Plant
- Small footprint
- Variable 24dB Crossover
- Conformal coated circuit boards
- ABYC/NMMA Compliant Power Terminals
- Gain Control With "Optimal Input" Indicator





48KXMA900.5

5 Channel Marine Amplifier

- 125 watts X 4 + 400 watts X 1
- Class D Power Plant
- Small footprint
- Variable 24dB Crossover
- Conformal coated circuit boards
- ABYC/NMMA Compliant Power Terminals
- Gain Control With "Optimal Input" Indicator



48KXMA500.4

4 Channel Marine Amplifier

- 125 watts x 4
- Class D Power Plant
- Small footprint
- Variable 24dB Crossover
- Conformal coated circuit boards
- ABYC/NMMA Compliant Power Terminals
- Gain Control With "Optimal Input" Indicator



48KXMA1200.2

2 Channel Marine Amplifier

- 600 watts x 2
- Class D Power Plant
- Small footprint
- Variable 24dB Crossover
- Conformal coated circuit boards
- ABYC/NMMA Compliant Power Terminals
- Gain Control With "Optimal Input" Indicator



48KXMA400.2

2 Channel Marine Amplifier

- 200 watts x 2
- Class D Power Plant
- Small footprint
- Variable 24dB Crossover
- Conformal coated circuit boards
- ABYC/NMMA Compliant Power Terminals
- Gain Control With "Optimal Input" Indicator



48KXMA800.4

4 Channel Marine Amplifier

- 200 watts x 4
- Class D Power Plant
- Small footprint
- Variable 24dB Crossover
- Conformal coated circuit boards
- ABYC/NMMA Compliant Power Terminals

48KMA600.6

6 Channel Marine Amplifier

- 100 watts x 6
- Class D Power Plant
- Small footprint
- Variable 12dB Crossover
- Conformal coated circuit boards
- ABYC/NMMA Compliant Power Terminals

48KMA150.2

2 Channel Marine Amplifier

- 75 watts x 2
- Class A/B Power Plant
- Small footprint
- Variable 12dB Crossover
- Conformal coated circuit boards
- ABYC/NMMA Compliant Power Terminals

48KMA600.4

4 Channel Marine Amplifiers

- 150 watts x 4
- Conformal coated circuit board

48KMA360.4

4 Channel Marine Amplifier

- 90 watts x 4
- Class A/B Power Plant
- Small footprint
- Variable 12dB Crossover
- Conformal coated circuit boards
- ABYC/NMMA Compliant Power Terminals

KMA

Amplifiers



48KMA800.1

Mono Marine Amplifier

- 800 watts x 1
- Class D Power Plant
- Small footprint
- Variable 12dB Crossover
- Conformal coated circuit boards
- ABYC/NMMA Compliant Power Terminals

IN THE ZONE



Multiple independent zones allow you to configure the sound system the way you want it. KICKER Media Centers combined with Kicker amplifiers connect in a way that gives you full system control.



MEMPHIS

AUDIO SINCE 1965

Memphis Audio has been a leader in the aftermarket mobile audio industry since Nineteen Sixty-Five. We know what audio enthusiasts demand from their equipment and we've put our decades of experience to work by developing a full line of audio solutions that are engineered for everything you can possibly throw at them. These products were designed from the ground up to perform in the harshest environments. Our products are specifically tuned to perform in open spaces and were meticulously crafted to deliver the best audio performance on the lake. Bring the party to any environment with the innovative Memphis Marine product line.



Memphis Marine Audio.
Engineered For Everywhere.

Line Array Tower Speakers



MM84TB

**8" 4Ω Tower Speaker with
3-Tweeter Array Black 200/400w**

MM84TW

**8" 4Ω Tower Speaker with
3-Array Tweeter White 200/400w**

MM105TB

**10" 4Ω Tower Speaker with
4-Array Tweeter Black 300/600w**

MM105TW

**10" 4Ω Tower Speaker with
4-Array Tweeter Black 300/600w**

- Memphis Marine Tweeter Line Array Tower Speakers
- 10" models have 4 tweeters, 8" models have 3 tweeters
- Available in black or white finish
- Patent Pending tweeter array:**
 - 10" 4-tweeter array, 8" 3-tweeter array
 - Wider coverage, better sound & more output than traditional tweeters
 - Completely sealed design
 - Water, element & UV resistant (IP66)
 - Adjustable stainless steel hardware w/ 360° EZ swivel mount
 - RGB LED translucent cone, rotating rear badge & grill accent ring
- Clamp Size:**
 - 8" & 10" Clamp Mount 1.75" – 3"

Coaxial Tower Speakers



MXA60TB

6.5" 4Ω Black 75/150w coaxial tower

- Water and UV resistant (IP66)
- Polypropylene woofer & PEI dome tweeter
- Adjustable aluminum hardware w/ 360° EZ swivel mount
- RGB LED included

Compact Speaker Pods



MXA62PS

6.5" 4Ω Black 75/150w bar mount pod

- Water, element & UV resistant (IP66)
- Polypropylene woofer and PEI dome tweeter
- Adjustable aluminum hardware w/ 360° mount
- Compact design perfect for smaller marine applications
- RGB LED included

Marine Coaxials

Premium Marine Coax

MXA80L

8" Coax RGB LED
Speaker 60/120w

MXA69L

6x9" Coax RGB LED
Speaker 60/120w

MXA60L

6.5" Coax RGB LED
Speaker 50/100w

- Gunmetal & white grills with removable mesh included
- RGB LED light ready grills
- Swivel mount aluminum tweeter
- Injection molded poly cone
- Butyl rubber surround
- High temp ABS composite basket
- UV coated, water and element resistant



Memphis Marine Premium Coax include both gunmetal and white grills with removable protective mesh.

Standard Marine Coax

MXA602SLB

6.5" Black Coax LED
Speaker 40/80w

MXA602SLW

6.5" White Coax LED
Speaker 40/80w

- 40 watts RMS
- 80 watts Peak
- UV, Element and water resistant
- Protective permanent grill
- Injection molded poly cone



Memphis Marine Premium Amplifiers



MM900.6V

6-CH 4 x 90 + 2 x 300(w) @ 2Ω Marine Amplifier

MM500.4V

4-CH 4 x 125(w) @ 2Ω Marine Amplifier

MM600.2V

2-CH 2 x 300(w) @ 2Ω Marine Amplifier

- IPX5 rated
- Removable power terminal
- Sealed removable signal connectors
- Sealed top mount controls
- Extruded aluminum heat sink
- Signal sensing auto turn on
- 12dB/octave butterworth crossovers
- Input select switch
- LED light strip
- Remote bass knob (MM900.6V & MM600.2V)
- Protection circuitry against:
 - Overload, short circuit, thermal & reverse polarity
- Variable bass boost (0-12dB) centered at 45Hz
- 24dB Infrasonic Filter
- Fully Variable crossover

MX Compact Amplifiers



MX600.6 - 6-CH 600 Watt @ 2Ω Marine Amplifier

MX800.4 - 4-CH 800 Watt @ 2Ω Marine Amplifier

MX400.4 - 4-CH 400 Watt @ 2Ω Marine Amplifier

MX300.2 - 2-CH 300 Watt @ 2Ω Marine Amplifier

- Compact design
- Water/element resistant & conformal coated board
- IP66 rated
- Sealed terminals
- Removable terminals
- Top mount controls

New in 2023!

Memphis Marine Subwoofers

MME1024

**10" FLEX™ 2Ω or 4Ω 300/600 Watt
Marine Subwoofer**

MM1224

**12" FLEX™ 2Ω or 4Ω 300/600 Watt
Marine Subwoofer**

- RGB LED back lit cones
- FLEX™ Selectable Impedance Technology 2Ω or 4Ω
- Gold plated terminals
- Polypropylene UV resistant cone
- High temperature ABS corrosion resistant plastic basket
- UV Resistant high impact gray grill included
- Optional black and white grills available



Marine Subwoofer Grills



MXA12GW

**12" White MXA
Subwoofer Grill**

MXA10GW

**10" White MXA
Subwoofer Grill**

MXA12GB

**12" Black MXA
Subwoofer Grill**

MXA10GB

**10" Black MXA
Subwoofer Grill**

Mini MOJO Marine Subwoofer

MMJ824

**8" FLEX™ 2Ω or 4Ω 600/1200 Watt
Marine Subwoofer 4 ohm DVC 250/500w max**

- RGB LED lighting included
- Gold plated terminals
- Polypropylene UV resistant cone
- Diecast aluminum basket
- Black stainless steel grill



"The Hydra Cube™" Marine Grade Bass System & Loaded Enclosure

MME10TSP

10" Amplified Marine Bass System 400W

MM10T24

10" FLEX™ 2Ω or 4Ω Marine Loaded Enclosure 300/600W

- HDPE rotomolded enclosure
- Die cast aluminum mounting feet
- Dual passive radiator design for increased low end output
- Integrated RGB lighting
- Impact resistant abs grills
- Internal 400W amplifier (MME10TSP only)
- FLEX™ Selectable Impedance Technology 2Ω or 4Ω (MME10T24)

Marine Grade Source Units



 **Bluetooth®**

MXAZ24MC

Premium Media Center

- 2 Zone Media Controller
- Element Resistant IP66 rating
- 3 Zone Volume Control
- Bluetooth, AUX, USB, AM/FM
- 50 watts x 4
- Compatible w/ MXA1MCR Remote



 **Bluetooth®**

SMC3

Multi-Zone Media Center w/ Full Color Display & Video Input

- Independent subwoofer control
- 4 pair RCA pre-outputs - Front/Rear/Sub/Zone 2
- 3" TFT wet bonded color LCD display
- Video input
- Built-in 4 x 50W amplifier
- EEPROM memory
- IP66 waterproof design
- 18 FM Presets/ 12 AM Presets
- Auto dimmer w/ day/night mode
- Optional wired remote - MXA1MCR
- AM/FM, USB, Bluetooth and AUX inputs



MXA1MCR



SMC2A

Multi-Zone Media Center

- **5 Source options:**
AUX/BT/AM/FM/WB
- USB charging
- 50W x 4 built-in amplifier
- RGB LED control output
- Front/Rear/Subwoofer RCA output
- 2.6 Volt pre-amp output
- Conformal coated PCB
- IP66 Rated
- Wired remote fits standard rocker switch cutouts
- Wired remote buttons illuminate
- Rotary knob with RGB LED source indicator



 **Bluetooth®**

MXA1MC

Gauge Media Center

- Rotary volume control
- AM/FM multi-region tuner
- Bluetooth audio streaming w/ easy pair
- Rear AUX & USB (charge & flash drive)
- Front/rear/subwoofer outputs
- EEPROM virtual memory
- 50 watts x 4-CH
- Optional wired remote - MXA1MCR

Marine Grade Bluetooth Units



SBT4

Bluetooth Control w/ AUX & USB

- Rotary knob for easier control
- 3.5mm main output & AUX input
- RGB LED knob illuminates to indicate source selection
- AUX, USB streaming & charging
- Water and element resistant
- 2.6V Output
- Surface, Flush or bar mount
- Volume controls BT & AUX & USB



SBT1

Bluetooth Streaming Device

- Streams from any Bluetooth device
- Micro-sized for easy concealment
- Adds Bluetooth streaming to any amp
- Through-mounting holes for easy secure mounting

Marine Equalizer



MXAZEQ5BT

Dual Zone 5-Band Marine EQ W/ Bluetooth

- 3-Zone controller with 2 separate 5-band EQs (tower zone and cabin zone)
- Independent subwoofer level control
- Direct Bluetooth input
- Auxiliary input
- 6V output
- True marine build with conformal coated PCB's and sealed design

Audio System Linking Device



MXLINK2

2.4 GHz SKAA Transmitter/Receiver

- Wirelessly connects multiple audio systems to a single streaming source
- Includes 2 units, each unit is capable of transmitting or receiving signal
- 230' Foot approximate wireless range
- Operates on 2.4GHz Frequency, does not require Bluetooth or WIFI
- Built-in battery up to 12 hours of play time
- 4 - 3.5mm to RCA adapters (female to male)
- 2 - 1 Meter 3.5mm cords (male to male)
- 1 - USB charging Y adapter (1 male to 2 female)
- 1 - Male 3.5mm Y adapter



Connect multiple audio systems together without WIFI or Bluetooth. Each unit works as either a transmitter or a receiver. Add up to 4 receivers with a single transmitter and connect up to 4 different systems on a single audio source within a 230' range. This versatile unit is the perfect solution to stream music in unison to multiple boats, side-by-sides or motorcycles to create the ultimate party environment.



RGBAMP

30 AMP RGB Amplifier

- Power up to 3000 RGB LED lights with this ultra-compact weather resistant Memphis RGBAMP RGB LED amplifier.



Marine Grade Soundbars



MXA46SB28

28" App Controlled Overhead Soundbar

- Built-in Bluetooth receiver
- 8-Speaker system: 4-6.5" mids, 4 tweeters
- RGB LED speakers
- IP66 Water and element resistant
- App Controls: EQ, balance, RGB color, preset programming & more
- AM/FM/Weatherband
- AUX in
- 5 Volt pre-amp output

MXASB35V3

35" Soundbar w/ Integrated Head Unit 400w

- RGB Illuminated speakers and tweeters with RGB output
- Customizable equalizer
- Optional wired remote (MXA1MCR)
- Backup camera input with trigger wire
- Subwoofer output
- Zone 2 line output
- Sources Include:
- Bluetooth, AUX, Weatherband, USB, AM/FM w/RDS
- 18 FM Presets, 12 AM presets

Day and night mode illumination:

- Wet bonded 3" TFT color display
- IP66 Water resistant rating
- Built-in 400 watt amplifier



MXASB20V3

20" Soundbar w/ FM 200W Soundbar

- Self powered plug & play solution
- Bluetooth Ready
- IP66 water and element resistant
- FM radio (MXASB20V3 only)
- External FM antenna for improved reception (MXASB20V3 only)
- New & improved mesh grill pattern
- AUX Inputs
- M-Bass resonator for enhanced mid bass
- 2-Channel output

Personal Watercraft Fully Submersible Soundbar



YAHFXBRK



SB9SMT

MXASB9 - 9" Personal Watercraft Soundbar 200W

YAHFXBRK - Yamaha WaveRunner FX & VX Bracket

SB9SMT - Surface Mount for MXASB9 Soundbar

- Pair of 3" speakers and 1" tweeters
 - IPX7 Rated waterproof design
 - 200W internal amplifier
 - AUX Input
 - Bluetooth input
 - Line output
 - Impact and UV resistant high strength plastic enclosure
 - Engineered for personal watercraft & powersports use
 - Universal mounting hardware included
 - Hardware fits 0.75"-1.25" and 1.5"-2.25" diameter bars
 - Illuminated control buttons
 - Fits most PWC's and side-by-sides
- SOLD SEPARATELY:**
- YAHFXBRK can be used to mount to Yamaha WaveRunner FX
 - SB9SMT: Surface mount for MXASB9 Soundbar (Sold Separately)



KD-X560BT

Marine Digital Media Receiver

- Mechless AM/FM/SXM Ready
- 3" Color LCD Screen w/ Camera Input
- BT Ready w/ Front USB + AUX Input
- Compatible with RMRK62M Remote



KD-X38MBS

Marine Receiver w/ SXM, Bluetooth, USB

- Mechless AM/FM/SXM Ready
- 50x4 Power w/ 4v Front /Rear/Sub outputs
- Bluetooth ready w/ Front USB + AUX input
- Compatible with RMRK62M Remote



KD-T92MBS

Marine Receiver w/ CD, SXM, Bluetooth, USB

- AM/FM/SXM/CD Playback
- 50x4 power w/ F/R/S outputs
- BT ready w/ front USB + AUX input
- Compatible with RMRK62M remote



CSMS620

6 1/2" 2-Way Marine Speaker

- 6-1/2" 2-Way Coaxial Speakers featuring Water Resistant Woofers / UV Resistant Grilles / Max Power 300W / RMS Power (4Ω) 50W
- CSDR6200M- Black



RMRK62M

Wired Remote for Marine Receivers

JVC

Pure

MARINE AUDIO



CPS802RGB/CPS802N

New DSP Series 8" Coaxial

- 8" high-performance marine coaxial
- 300 watts peak power
- Polypropylene cone
- UV resistant
- RGB LED Lighting (802RGB)

Sold as each:

- Silver, White, and Charcoal Grills Available
- Silver Grill Inserts Sold Separately



CPS650RGB/CPS650N

New DSP Series 6.5" Coaxial

- 6.5" high-performance marine coaxial
- 195 watts peak power
- Polypropylene cone
- UV resistant
- RGB LED Lighting (650RGB)

Sold as each:

- Silver, White and Charcoal Grills Available
- Silver Grill Inserts Sold Separately



CPS650ULTRA

New Ultra Series 6.5" Coaxial

- 6.5" Ultra Thin marine coaxial
- 150 watts peak power
- Polypropylene cone
- UV resistant

Sold as each:

- Silver, Charcoal and Tan grills sold separately

CPS600SS (Silver)

CPS600SC (Charcoal)

Value Series Coaxial

- 6.5" value series marine coaxial
- 80 watts peak power
- Polypropylene cone
- Available in silver and charcoal



SXV300B

SiriusXM Tuner

- Plug and Play installation
- Works with KMC100.1 Media Center
- Uses SRA50B Marine Antenna
- Marine Antenna sold separately



44UL09

Disappearing 3/4" Antenna



WMA

Hideaway Amplified Antenna

AUX35USBCPS

USB Aux & 3.5mm Input Jack



KICKER®

QI series

Premium Cables

- QI121 1 meter (3'3") Premium RCA Cable
- QI123 3 meter (9'10") Premium RCA Cable
- QI126 6 meter (19'8") Premium RCA Cable

KMI series

Upgrade Cables

47KMI1

1 meter (3'3") Upgraded
Marine RCA Cable

47KMI3

3 meter (9'8") Upgraded
Marine RCA Cable

47KMI7

7 meter (23') Upgraded
Marine RCA Cable

47KMI10

10 meter (32'8") Upgraded
Marine RCA Cable

RCA Interconnect cables are a very important component of marine audiosystems. They are responsible for sending the audio signal from the receiver to the amplifier. From the amplifier, that signal is then sent to the speakers and becomes audible to our ears. Quality RCA cables will result in better sound quality. Q Series Interconnects feature split-pin RCAs with silver-tinned, OFC wire and foil shielding for superior bass response and signal clarity. The K-Grip dual-mold connectors offer sure grip and ergonomic shape for slip-free installation. Braided jacketing ensures this rugged cable endures for years to come, and machined metal ends hold their shape on the terminal even through the roughest waters.

Marine SPEAKER Wire

- Speaker wire w/ LED contains 4 LED wires and 2 speaker wires housed in a single, easy to run, waterproof jacket.
- SW16LED120 (6 conductor 120')



Marine AMP Kits

- KMPK4 4ga. Amp Kit
- KMPK8 8ga. Amp Kit



ACM5B

Marine Waterproof Cover

- Easy opening door
- Gasket seal for waterproofing
- UV protected finish

Power

IBPC04R-125

4 gauge power 125'

IBGN04-125

4 gauge ground 125'

IBPC08R-250

8 gauge power 250'

IBGN08-250

8 gauge ground 250'



Speaker

IBSW18-1000

18 gauge speaker 1000'

IBSW16-500

16 gauge speaker 500'



RCA Cables

Standard Series

- 1.5', 3', 6', 10', 14', 17', 20', 25'
- Y-Adapters
- Available in single lot and 10 packs



Fuse/Distribution

FBW701AGU

**Waterproof AGU fuse holder.
Accepts 4 and 8 gauge.**

CB100

**100a waterproof
circuit breaker**

CB140


**140a waterproof
circuit breaker**

CB200

**200a waterproof
circuit breaker**



For a greater selection of parts and accessories, visit www.cpsdistributorsinc.com. Marine accessories, installation parts, iPhone/Android accessories and cables are available on our website today!



CPS Distributors, Inc. • 800-844-2774 • www.cpsdistributorsinc.com