

Shark Navigator POWERED LIFT-AWAY™

OWNER'S GUIDE

804109185

IMPORTANT SAFETY INSTRUCTIONS

FOR HOUSEHOLD USE ONLY

WARNING

To reduce the risk of injury, fire, electric shock, and property damage resulting from improper use of this appliance, carefully observe the following instructions. This unit contains electrical connections and moving parts that potentially present risk to the user.

THE POWER NOZZLE, WAND, AND HANDLE CONTAIN ELECTRICAL CONNECTIONS:

- Do not use on bare wires.
- Do not use on wet, damp, or slippery surfaces.
- Do not use on flammable liquids.
- Do not use on electrical wiring.

1. To prevent personal injury, do not use the vacuum on damaged or damaged-looking surfaces. Do not use the vacuum on damaged or damaged-looking surfaces. Do not use the vacuum on damaged or damaged-looking surfaces. Do not use the vacuum on damaged or damaged-looking surfaces.

2. Do not use the vacuum on wet, damp, or slippery surfaces.

3. To prevent personal injury, do not use the vacuum on damaged or damaged-looking surfaces.

4. Do not use the vacuum on wet, damp, or slippery surfaces.

5. Do not use the vacuum on wet, damp, or slippery surfaces.

6. Do not use the vacuum on wet, damp, or slippery surfaces.

7. Do not use the vacuum on wet, damp, or slippery surfaces.

8. Do not use the vacuum on wet, damp, or slippery surfaces.

9. Do not use the vacuum on wet, damp, or slippery surfaces.

10. Do not use the vacuum on wet, damp, or slippery surfaces.

11. Do not use the vacuum on wet, damp, or slippery surfaces.

12. Do not use the vacuum on wet, damp, or slippery surfaces.

13. Do not use the vacuum on wet, damp, or slippery surfaces.

14. Do not use the vacuum on wet, damp, or slippery surfaces.

15. Do not use the vacuum on wet, damp, or slippery surfaces.

16. Do not use the vacuum on wet, damp, or slippery surfaces.

17. Do not use the vacuum on wet, damp, or slippery surfaces.

18. Do not use the vacuum on wet, damp, or slippery surfaces.

19. Do not use the vacuum on wet, damp, or slippery surfaces.

20. Do not use the vacuum on wet, damp, or slippery surfaces.

21. Do not use the vacuum on wet, damp, or slippery surfaces.

22. Do not use the vacuum on wet, damp, or slippery surfaces.

23. Do not use the vacuum on wet, damp, or slippery surfaces.

24. Do not use the vacuum on wet, damp, or slippery surfaces.

25. Do not use the vacuum on wet, damp, or slippery surfaces.


GETTING TO KNOW YOUR SHARK® NAVIGATOR™ POWERED LIFT-AWAY™

WELCOME!

Congratulations on your purchase. Use this instruction manual to learn about your new vacuum's great features. From assembly to use to maintenance, we will help you get the most out of your Shark® Navigator™ Powered Lift-Away™.

MAIN UNIT

- A Surface Roller
- B Tangle Buster
- C Hose
- D Handle Release Button
- E Head Clip
- F Upper Roll Hook
- G Lift-Away Button
- H Handle Release Button
- I Lift-Away Rod
- J Wand
- K Lower Roll Hook
- L Motorized Floor Nozzle
- M Dust-Away Hard Floor Attachment
- N Head Gears



ASSEMBLING YOUR VACUUM







TIP: To reduce the risk of injury, do not use the vacuum on wet, damp, or slippery surfaces.

STEP 1

1. Plug power cord into back of the vacuum.

STEP 2

2. Insert the motorized floor nozzle into the back of the vacuum.



3. Place pad onto head and slide down to secure.

4. Connect head into back of unit fully and secure with lock.

5. Place foot on that side of the head.

USING YOUR VACUUM IN UPRIGHT MODE

WARNING: DO NOT use to pick up drywall dust, fireplace ash, or embers. **DO NOT** use as an attachment to power tools for dust collection. These applications present a risk of fire.

WHAT DOES THE BRUSHROLL INDICATOR LIGHT MEAN?

Solid Green

The brushroll is not jammed and is rotating.

Solid Red

The brushroll is jammed and is not rotating. Turn your vacuum off and remove the blockage.


Flashing Red*

The motor has overheated. Turn your vacuum off and let it cool for 10 minutes. Then turn it back on. If the brushroll indicator light is still flashing, contact your nearest authorized service center.

No Light

The brushroll is off because the vacuum is in the Lift-Away mode.

STEP 1



*See the troubleshooting section for further information.




1. Plug power cord into back of the vacuum.

STEP 2

2. Insert the motorized floor nozzle into the back of the vacuum.

STEP 3

3. Place the motorized floor nozzle on the floor and turn the vacuum on.




USING YOUR VACUUM IN ABOVE-FLOOR MODE

THE BENEFITS OF SUCTION CONTROL

Suction Control is a way for you to adjust suction power when you vacuum on different types of surfaces. For example, in general, using less suction on a hard floor will help you vacuum faster and with less effort.


STEP 1



1. Place the Hard Floor Attachment on the floor and turn the vacuum on.


OR Place the Hard Floor Attachment on the floor and turn the vacuum on.

STEP 2



2. Press the Hard Floor Attachment button on the motorized floor nozzle.

STEP 3




3. Suction Control offers variable suction based on your needs. Slide toward MIN to minimize suction, and slide toward MAX to maximize suction.

CHANGING YOUR FLOOR NOZZLES

If your vacuum comes with a Dust-Away™ Hard Floor Attachment, see the instructions for that attachment.




Use the motorized floor nozzle for deep cleaning carpets and picking up large debris on hard floors.



Use the Dust-Away™ Hard Floor Attachment for picking up debris on hard floors.

IMPORTANT: Do not use the Dust-Away™ Hard Floor Attachment on a carpeted floor. The attachment is designed for use on hard floors.

STEP 1




1. Press the Lift-Away button on the motorized floor nozzle.

STEP 2



2. Press the Lift-Away button on the motorized floor nozzle.

STEP 3



3. Press the Lift-Away button on the motorized floor nozzle.

1. Press the Lift-Away button on the motorized floor nozzle.

2. Press the Lift-Away button on the motorized floor nozzle.

3. Press the Lift-Away button on the motorized floor nozzle.


USING YOUR VACUUM IN
POWERED LIFT-AWAY™ MODE

WARNING: Ensure solid footing when using in Lift-Away mode. Using for an application where you lack stability may result in personal injury.

NOTE: To use the Powered Lift-Away™ mode, use the motorized floor nozzle.


WHAT IS POWERED LIFT-AWAY?

Our Powered Lift-Away™ feature allows you to turn on the pod, lift the nozzle while maintaining the same power and suction strength mode. This allows for easy cleaning under furniture and in other tight spaces.



POWERED LIFT-AWAY CLEANING

1. Press Lift-Away button to lift pod off floor nozzle. You are now ready to clean hard-to-reach spaces.



LIFT-AWAY™ CLEANING

2. Insert handle into either the motorized floor nozzle or the Lift-Away™ slot. Now you are ready to clean hard-to-reach spaces.

MAINTENANCE

To keep your vacuum's suction power optimal, follow these instructions. Have your unit level and clean every 30 days.

WARNING: To reduce the risk of shock and unintended operation, turn power off and unplug unit before servicing.


Hand wash with water only to prevent damage from cleaning chemicals. Allow ALL filters to dry completely before replacing in the vacuum to prevent liquid from being drawn into electric parts.

IMPORTANT: Do not use bleach when cleaning the lift-off pod.

RECOMMENDED
FILTER CLEANING
SCHEDULE:


Pre-Motor Filter Kit
(Foam & felt)
MF-F1590
Clean every 3 months.

Post-Motor Filter
(HEPA)
MH-EP580
Clean once a year.



EMPTYING THE DUST CUP

1. Lift the dust cup release and pull the dust cup off pod.
2. Hold dust cup over a trash bin and press the empty button on the bottom.




CLEANING THE FILTERS

1. **Pre-Motor (Foam and felt):** With the dust cup removed, pull out the foam and felt filter with water. Do not use hot water. Allow the filter to dry completely before use.
2. **Post-Motor (HEPA):** To clean the HEPA filter, remove the HEPA filter from the motor housing. Do not use water to clean the HEPA filter.

MAINTENANCE


WARNING: To reduce the risk of shock and unintended operation, turn power off and unplug unit before servicing.

TIP: Vacuum has a very sensitive filter. Do not use a coin.



CHECKING FOR BLOCKAGES
& MAINTAINING BRUSHROLL

1. Turn power off and unplug the vacuum. Lift the motor housing.



2. Pull up to expose the brushroll. Shine a flashlight from the bottom of the unit to see the brushroll. Use a coin to remove any debris from the brushroll. Do not use a coin to clean up the debris.
3. Remove the brushroll. Do not use a coin to clean up the debris. Use a coin to remove any debris from the brushroll. Do not use a coin to clean up the debris.
4. To reassemble, place the brushroll back in the unit. Do not use a coin to clean up the debris. Use a coin to remove any debris from the brushroll. Do not use a coin to clean up the debris.

TROUBLESHOOTING
GUIDE

WARNING: To reduce the risk of shock and unintended operation, turn power off and unplug unit before servicing.

Vacuum is not picking up debris. No suction or light suction.
(Refer to Maintenance section for more information.)

- Check filters to see if they need cleaning. Follow instructions for rinsing and drying the filters before re-inserting in the vacuum.
- Dust cup may be full; empty dust cup.
- Check hose, hose connectors, nozzles, and accessories for blockages; clear blockages if required.
- Remove any string, carpet fibers, or hair that may be wrapped around the brushroll.

Vacuum lifts area rugs.

- Turn off unit to disengage the brushroll. Move switch to Hard Floor setting for suction-only cleaning, and turn unit back on.
- Suction is powerful. Take care when vacuuming area rugs or rugs with delicately sewn edges.
- To minimize suction, refer to Suction Control section for more information on how to use.

Brushroll does not spin.

- If Brushroll Indicator Light on the floor nozzle turns red, the brushroll has stopped spinning. Immediately turn off and unplug vacuum, disconnect the nozzle, and remove blockage before reconnecting and turning vacuum back on.
- If brushroll indicator light repeatedly turns red on carpet, try moving suction release to minimum. With the power on, recline the handle, which will automatically turn on the brushroll.
- Make sure the carpet height selector is not set to Hard Floor.

Vacuum turns off on its own or indicator light flashes red.

- This vacuum is equipped with a motor-protective thermostat. If your vacuum overheats, the thermostat will automatically turn the suction motor off. Perform the following steps to reset the thermostat:
 1. Turn vacuum off and unplug it.
 2. Empty dust cup and clean filters (see Maintenance section).
 3. Check for blockages in hose, accessories, and inlet openings.
 4. Allow unit to cool for a minimum of 45 minutes.
 5. Plug in vacuum and turn it on.

- If hose is not fully connected to the pod, it can cause a poor electrical connection and the hose can come loose, turning the vacuum off.

1. Turn vacuum off and unplug it.
2. Empty dust cup and clean filters.
3. Check for blockages in hose, accessories, and inlet openings.
4. Remove cord from cord hook so hose latch can be seen and engaged.
5. Ensure you hear an audible click at all connection points:
 - a. Where hose meets back of pod (may require additional force; pull on hose to ensure latch is fully engaged)
 - b. Where wand plugs into floor nozzle
 - c. Where handle plugs into wand
6. Plug in vacuum and turn it on.


Note: If vacuum still does not start, contact a service center.

Shark Navigator

POWERED LIFT-AWAY®

804009191


What's Inside



- a. Duster Crevice
- b. Pet Multi-Tool
- c. Dust-Away™ Hard Floor Attachment with 1 Pad
- d. Pet Power Brush
- e. Motorized Floor nozzle

NOTE: Accessories may vary depending on the model.

Easy Assembly




- 1. Insert wand into motorized floor nozzle.
- 2. Insert handle.
- 3. Place pod onto wand.
- 4. Insert hose.

It's important to read this instructions prior to using your new product for the first time.

Washing Filters


Wash filters every 3 months to keep the suction strong.

Rinse filters and allow to air dry completely. Tap loose dirt from foam filters as needed between washes.



Emptying the Dust Cup


- 1. Dust Cup Release
- 2. Empty Dust Cup



Motorized Deep Cleaning Anywhere You Want It!



Upright Mode



Lift-Away® Mode

Use for portable cleaning on stairs or above floor



8 0 4 0 0 9 1 9 1

PRINTED IN MEXICO Elbrd: Y.T.
OBPN: N/A SC: 01-03-2019_1P
MODEL: NV585_B