

PRODUCT ROADMAP.

May 2024 Update.



Works with
Samsung SmartThings

Aeotec





Works as a hub
SmartThings


Aeotec

Smart Home Hub

Works as a SmartThings Hub.



More Info:	Page · Tech. Specs. · User guide
SKU:	GP-AEOHUBV3
Availability:	On Sale
Master Carton:	24 pcs
Product Box:	147 x 147 x 79 mm
Z-Wave Regions:	EU (868.4 MHz), US (908.4MHz) AU (921.4 MHz)
Certifications:	FCC IC CE
EAN Code:	EU: 4251295701592 UK: 4251295701615 AU: 4251295701622
UPC Code:	810667025410





Gen5 utilizes 500 series Z-Wave Plus and devices with it offer 50% less power consumption than their predecessors and a faster and further rate of wireless communication.



The Raspberry Pi is a single board computer, which runs on a Linux Open Source system. It is often used by developers to build OS platforms for IoT or other technologies. Besides that it has GPIO's, where antennas and interfaces for IoT protocols like Z-Wave and Zigbee can be connected.



Thread is a low power wireless protocol for the IoT. It's based on 2.4 GHz and proven standards. Thread offers a Ipv6 based mesh Smart Home network topology to integrate devices seamlessly into the IP networks at home. Thread is also the low power protocol for the project matter.



Connect your devices with the world's largest Smart Home eco system. Look for "Works with SmartThings" which is the certification program for manufacturers and service providers. The more than 5000 certified products are connected to the SmartThings platform. With that you can control everything from one app.



Wi-Fi is the most common wireless protocol to connect hubs, computers, smartphones, or cameras. Through a router the Wi-Fi device are interfaced to the internet. Wi-Fi is also commonly used in some IoT use cases, which require a high bandwidth and data rate like video transmitting cameras.



AerQ stands for air quality. With the AerQ line we have dedicated experience and craftsmanship in Smart Home to make your quality of living better. By sensing and monitoring the air around, the aerQ line will help you to prevent long term health issues and other consequences because of bad air quality in your home.



Zigbee is an open standard for IoT based on 2.4 GHz and IEEE 802.15.4. It's made to provide a low cost and low power wireless IoT network in homes. Thanks to its low bandwidth and mesh technology it offers a reliable, secure and quick communication between IoT devices in homes.



It's the latest and state of the art Z-Wave chipset series by SiLabs. With 800 series you will get a full S2, SmartStart and compared with gen7 product with increased range and performance capabilities.



Exclusive to Aeotec, Gen7 devices feature cutting-edge technology optimised for automation. Gen7 devices automate up to 18% faster than non-Gen7 devices and offer up to 500% better battery life.



Select devices from Aeotec and POPP are SmartStart enabled and can be wirelessly connected to an AutoPilot installation simply by scanning an associated QR code using AutoPilot's installer tools.



Devices with the S2 security standard are protected by 3 separate layers of security including unique network keys, AES 128-bit encryption, and ECDH key exchange to help prevent man-in-the-middle hacks.



For a space to be comfortable its lighting has to be fine tuned. illumino switches and dimmers integrate with automation engine to ensure your spaces are always filled with perfect light.

CONTROLLERS



Aeotec

Z-Stick Gen5+

Plus model of Aeotec's leading Z-Stick Gen5 technology. Available for platform building projects only. Offers S2 and SmartStart natively.



More Info:	Page · Tech. Specs. · User guide
SKU:	ZW090
Availability:	On Sale
Master Carton:	500 pcs
Product Box:	50 x 122 x 15 mm
Z-Wave Regions:	EU (868.4 MHz), US (908.4MHz), AU (921.4 MHz)
Certifications:	CE FCC RCM
EAN Code:	EU: 1220000016774 AU: 1220000016774
UPC-A Code:	810667025359



Aeotec

Z-Stick 7™

USB based Z-Wave antenna used to build a gateway. Uses 700 series and Gen7 Z-Wave tech.



More Info:	Page · Tech. Specs. · User guide
SKU:	ZWA010
Availability:	On Sale
Master Carton:	432 pcs
Product Box:	50 x 65 x 20 mm
Z-Wave Regions:	EU (868.4 MHz), US (908.4MHz)
Certifications:	CE FCC
EAN Code:	EU: 1220000016545 AU: 1220000016538
UPC-A Code:	810667025250



Aeotec

Zi-Stick

Zigbee enabled USB Dongle to build a Zigbee DIY gateway. Thread option about to be available as well.



More Info:	Page · Tech. Specs. · User guide
SKU:	ZGA008
Availability:	On Sale
Master Carton:	432 pcs
Product Box:	50 x 65 x 20 mm
Zigbee Regions:	Global (2.4 GHz)
Certifications:	CE FCC
EAN Code:	EU: 1220000017191
UPC-A Code:	810667025618



Aeotec

Z-Pi 7™

GPIO based Z-Wave 700 series antenna used to build a gateway.



More Info:	Page · Tech. Specs. · User guide
SKU:	ZWA025
Availability:	On Sale
Master Carton:	592 pcs
Product Box:	63 x 20 x 68 mm
Z-Wave Regions:	EU (868.4 MHz), US (908.4MHz)
Certifications:	CE FCC
EAN Code:	EU: 1220000016859 AU: 1220000016842
UPC-A Code:	810667025397

ACTUATORS



Aeotec

Range Extender 7™

Z-Wave Plus V2 repeater and amplifier utilising Z-Wave 700 series.



More Info:	Page · Tech. Specs. · User guide
SKU:	ZW189 (available as duo pack)
Availability:	On Sale
Master Carton:	160 pcs
Product Box:	76 x 68 x 58 mm
Z-Wave Regions:	EU (868.4 MHz), US (908.4MHz)
Certifications:	CE FCC ETL RCM
EAN Code:	EU: 1220000016583 UK: 1220000016590
UPC-A Code:	810667025274



Aeotec

Range Extender Zi

Zigbee Range Extender to extend and amplify Zigbee signals in a network.



More Info:	Page · Tech. Specs. · User guide
SKU:	ZGA001
Availability:	On Sale
Master Carton:	160 pcs
Product Box:	76 x 68 x 58 mm
Zigbee Regions:	Global (2.4 GHz)
Certifications:	CE FCC ETL RCM
EAN Code:	EU: 1200000017078 AU: 1220000017061 UK: 1200000017085
UPC-A Code:	810667025533



Aeotec

Smart Switch 7™ (type B)

Our smallest, smartest Z-Wave plug with type B plug. Wholly re-engineered atop of Gen7 and 700 series Z-Wave. Includes power metering.



More Info:	Page · Tech. Specs. · User guide
SKU:	ZWA023
Availability:	On Sale
Master Carton:	152 pcs
Product Box:	78 x 60 x 65 mm
Z-Wave Regions:	US (908.4MHz)
Certifications:	FCC ETL
UPC-A Code:	810667025366



Aeotec

Smart Switch 7™ (type F)

The smallest and safest Z-Wave smart plug engineered with type F plug. Includes power metering.



More Info:	Page · Tech. Specs. · User guide
SKU:	ZW175
Availability:	On Sale
Master Carton:	136 pcs
Product Box:	65 x 75 x 65 mm
Z-Wave Regions:	EU (868.4MHz)
Certifications:	CE
EAN Code:	EU: 1220000016415

ACTUATORS



Aeotec

illumino Switch

All-in-one upgrade to Nano Dimmer in USA Decora wall switch format. Physical switch enhanced with automation control.



More Info:	Page • Tech. Specs. • User guide
SKU:	ZWA038
Availability:	On Sale
Master Carton:	104 pcs
Product Box:	124 x 80 x 52 mm
Z-Wave Regions:	US (908.4MHz)
Certifications:	FCC ETL
UPC-A Code:	810667025502



Aeotec

illumino Dimmer Switch

All-in-one upgrade to Nano Dimmer in USA Decora format. Physical switch enhanced with automation control.



More Info:	Page • Tech. Specs. • User guide
SKU:	ZWA037
Availability:	On Sale
Master Carton:	104 pcs
Product Box:	124 x 80 x 52 mm
Z-Wave Regions:	US (908.4MHz)
Certifications:	FCC ETL
UPC-A Code:	810667025496



Aeotec

Smart Outlet Type F

New

Smallest and safest Works with SmartThings smart plug engineered with type F plug. Includes power metering.



More Info:	TBA
SKU:	GP-AEOWP05
Availability:	TBA
Master Carton:	TBA
Product Box:	TBA
WiFi Frequency:	2.4 GHz
Certifications:	CE ROHS
EAN Code:	TBA

ACTUATORS



Aeotec

Pico Switch

Retrofittable inwall switch to control and read the energy consumptions of sockets or lights via Zigbee, upgradable to Thread and matter ready products.



More Info: [Page](#) · [Tech. Specs.](#) · [User guide](#)
SKU: ZGA002
Availability: On Sale
Master Carton: 280 pcs
Product Box: 73 x 7.3 x 30 mm
Zigbee Regions: Global (2.4 GHz)
Certifications: CE FCC ETL RCM
EAN Code: EU: 1220000016545 AU: 1220000016538
UPC-A Code: 810667025250



Aeotec

Pico Duo Switch

Retrofittable inwall double switch to control and read the energy consumption of sockets or lights via Zigbee, upgradable to Thread and matter ready products.



More Info: [Page](#) · [Tech. Specs.](#) · [User guide](#)
SKU: ZGA003
Availability: On Sale
Master Carton: 280 pcs
Product Box: 73 x 7.3 x 30 mm
Zigbee Regions: Global (2.4 GHz)
Certifications: CE FCC ETL RCM
EAN Code: EU: 1220000017214 AU: 1220000017207
UPC-A Code: 810667020033



Aeotec

Pico Shutter

Retrofittable Inwall motor switch to control shutters and blinds via Zigbee, upgradable to Thread and matter ready products.



More Info: [Page](#)
SKU: ZGA004
Availability: On Sale
Master Carton: 280 pcs
Product Box: 73 x 7.3 x 30 mm
Zigbee Regions: Global (2.4 GHz)
Certifications: CE FCC ETL RCM
EAN Code: EU: 1220000017238 AU: 1220000017221
UPC-A Code: 810667020040

ACTUATORS



Aeotec

Pico Dimmer

New

Retrofittable inwall Dimmer to dim lights via Zigbee, upgradable to Thread and matter ready products.



More Info:	TBA
SKU:	ZGA006
Availability:	Q4 2024
Master Carton:	280 pcs
Product Box:	73 x 73 x 30 mm
Zigbee Regions:	Global (2.4 GHz)
Certifications:	CE FCC ETL RCM
EAN Code:	EU: 1220000017252 AU: 1220000017245
UPC-A Code:	810667020057



Aeotec

Pico Matter Dimmer

New

Retrofittable inwall Dimmer to dim lights via Zigbee, upgradable to Thread and matter ready products.



More Info:	TBA
SKU:	TBA
Availability:	TBA
Master Carton:	280 pcs
Product Box:	73 x 73 x 30 mm
Zigbee Regions:	Global (2.4 GHz)
Certifications:	CE FCC ETL RCM
EAN Code:	TBA
UPC-A Code:	TBA



Aeotec

WallMote Quad™

Z-Wave battery powered remote control with magnetic mounting for walls.



More Info:	Page • Tech. Specs. • User guide
SKU:	ZW130
Availability:	On Sale
Master Carton:	150 pcs
Product Box:	109 x 90 x 17 mm
Z-Wave Regions:	EU (868.4 MHz), US (908.4MHz), AU (921.4 MHz)
Certifications:	CE FCC RCM
EAN Code:	EU: 1220000015876 AU: 1220000015869
UPC-A Code:	810667024000

ACTUATORS



Aeotec

WallMote 7

Wire free battery powered remote control designed as a wall switch.



More Info:	Page · Tech. Specs. · User guide
SKU:	ZWA022
Availability:	On Sale
Master Carton:	104 pcs
Product Box:	124 x 80 x 52 mm
Z-Wave Regions:	US (908.4MHz)
Certifications:	FCC
UPC-A Code:	810667025519



Aeotec

Button

One push Zigbee home control with built in temperature sensor.



More Info:	Page · Tech. Specs. · User guide
SKU:	GP-AEOBTN
Availability:	On Sale
Master Carton:	24 pcs
Product Box:	87 x 52 x 90 mm
Zigbee Regions:	Global (2.4 GHz)
Certifications:	CE FCC IC
EAN Code:	EU: 1220000016941
UPC-A Code:	810667025458



Aeotec

Heavy Duty Smart Switch Gen5

Z-Wave On / off control and energy metering for up to 40 amps.



More Info:	Page · Tech. Specs. · User guide
SKU:	ZW078
Availability:	On Sale
Master Carton:	32 pcs
Product Box:	175 x 160 x 50 mm
Z-Wave Regions:	EU (868.4 MHz), US (908.4MHz), AU (921.4 MHz)
Certifications:	CE FCC ETL
EAN Code:	EU: 1220000012547
UPC-A Code:	810667022921

ACTUATORS



Aeotec

Siren 6™

Z-Wave Indoor siren with 105dB speaker.



More Info: [Page](#) · [Tech. Specs.](#) · [User guide](#)
 SKU: ZW164
 Availability: On Sale
 Master Carton: 46 pcs
 Product Box: 105 x 164 x 55 mm
 Z-Wave Regions: EU (868.4 MHz), US (908.4MHz), AU (921.4 MHz)
 Certifications: CE FCC RCM
 EAN Code: EU: 1220000016224 AU: 1220000016217
 UK: 1220000016477
 UPC-A Code: 810667024154



Aeotec

Cam 360

Indoor 360° Wi-Fi camera for SmartThings. Nightvision, 2 way audio, Motion & Sound detection. Recording via SmartThings Cloud enabled.



More Info: [Page](#) · [Tech. Specs.](#) · [User guide](#)
 SKU: GP-AEOCAM
 Availability: On Sale
 Master Carton: 12 pcs
 Product Box: 86 x 164 x 89 mm
 Z-Wave Regions: EU (868.4 MHz), US (908.4MHz), AU (921.4 MHz)
 Certifications: CE FCC IC
 EAN Code: EU: 1220000016956
 UPC-A Code: 810667025472



POPP

Smart Thermostat

Zigbee Electronic Thermostatic Radiator Valve with built in temperature sensor and open window detection.



More Info: [Page](#) · [Tech. Specs.](#) · [User guide](#)
 SKU: POPZ701721
 Availability: On Sale
 Master Carton: 50 pcs
 Product Box: 117 x 117 x 60 mm
 Zigbee Regions: Global (2.4 GHz)
 Certifications: CE IC UKCA
 EAN Code: 4251295701387

ACTUATORS



POPP Smart Outdoor Plug

IP44 rated Z-Wave smart plug with energy measurement function



More Info: [Page](#) · [Tech.Specs.](#) · [User guide](#)
 SKU: POPE700397
 Availability: On Sale
 Master Carton: 48 pcs
 Product Box: 232 x 60 x 123 mm
 Z-Wave Regions: EU (868.4 MHz)
 Certifications: CE



Aeotec Outdoor Smart Plug

IP44 rated Z-Wave controllable plug.



SKU: ZWA042
 Availability: On Sale
 Master Carton: 70 pcs
 Product Box: 102 x 50 x 134 mm
 Z-Wave Regions: US (908.4MHz)
 Certifications: FCC ETL
 UPC-A Code: 810667025250



Aeotec MultiSensor 7™

Gen7 upgrade of MultiSensor 6. Improved sensor accuracy. Improved battery and wireless performance. 6-in-1 sensor: Motion, light, temperature, humidity, UV and vibration. Ships with 2 x batteries. Alternative 5V USB power sources.



More Info: [Page](#) · [Tech.Specs.](#) · [User guide](#)
 SKU: ZWA024
 Availability: On Sale
 Master Carton: 132 pcs
 Product Box: 63 x 68 x 78 mm
 Z-Wave Regions: EU (868.4 MHz), US (908.4MHz)
 Certifications: CE FCC
 EAN Code: EU: 12200000016873 AU: 12200000016866
 UPC-A Code: 810667025403

ACTUATORS



Aeotec

Recessor

Enables recessed installation MultiSensor 6, MultiSensor 7 or TriSensor within a wall or ceiling cavity.

More Info: [User guide](#)
SKU: DSE010
Availability: On Sale
Master Carton: 90 pcs
Product Box: 100 x 139 x 40 mm
Z-Wave Regions: No wireless tech.
Certifications: Not required.
EAN Code: 1220000013469
UPC-A Code: 810667023355



Aeotec

aërQ Temperature & Humidity Sensor

Coin-cell sized, battery powered, temperature humidity and potential mold sensor.



More Info: [Page](#) • [Tech. Specs.](#) • [User guide](#)
SKU: ZWA039
Availability: On Sale
Master Carton: 408 pcs
Product Box: 62 x 68 x 30 mm
Z-Wave Regions: EU (868.4 MHz), US (908.4MHz), AU (921.4 MHz)
Certifications: CE FCC RCM
EAN Code: EU: 1220000017054 AU: 1220000016637
UPC-A Code: 810667025526



Aeotec

Water Sensor 7 Pro

3-in-1 Z-Wave leak sensor. Water, temperature and humidity sensor. Battery powered.



More Info: [Page](#) • [Tech. Specs.](#) • [User guide](#)
SKU: ZWA019
Availability: On Sale
Master Carton: 177 pcs
Product Box: 72 x 120 x 30 mm
Z-Wave Regions: EU (868.4 MHz), US (908.4MHz)
Certifications: CE FCC
EAN Code: EU: 1220000016729 AU: 1220000016712
UPC-A Code: 810667025335

SMART SENSORS



Aeotec

Water Sensor 7

Z-Wave Leak sensor with sensor probe. Battery powered.



More Info: [Tech. Specs.](#) · [User guide](#)

SKU: ZWA018
Availability: On Sale
Master Carton: 177 pcs
Product Box: 72 x 120 x 30 mm
Z-Wave Regions: EU (868.4 MHz), US (908.4MHz)
Certifications: CE FCC
EAN Code: EU: 1220000016705 AU: 1220000016699
UPC-A Code: 810667025328



Aeotec

Multipurpose Sensor

3-in-1 Sensor. Detect open/close, temperature and acceleration. Can also be set as a garage door sensor.



More Info: [Page](#) · [Tech. Specs.](#) · [User guide](#)

SKU: GP-AEOMPS
Availability: On Sale
Master Carton: 24 pcs
Product Box: 87 x 52 x 89 mm
Zigbee Regions: Global (2.4 GHz)
Certifications: Zigbee, FCC, IC, CE
EAN Code: EU: 1220000016910
UPC-A Code: 810667025427



Aeotec

TriSensor 8

Latest 3 in 1 Z-Wave Sensor. Motion, temperature and light.



More Info: [Page](#) · [Tech. Specs.](#) · [User guide](#)

SKU: ZWA045
Availability: On Sale
Master Carton: 144 pcs
Product Box: 80 x 80 x 45 mm
Z-Wave Regions: EU (868.4 MHz), US (908.4MHz), AU (921.4 MHz)
Certifications: CE FCC RCM
EAN Code: EU: 1220000017276 AU: 1220000017269
UPC-A Code: 810667020064

SMART SENSORS



Aeotec

Home Energy Meter Gen5 (1 Phase)

Monitor and log electricity consumption in real-time on 1 phases through clamp meter technology.



More Info: [Page](#) · [Tech. Specs.](#) · [User guide](#)
SKU: ZW095
Availability: On Sale
Master Carton: 24 pcs
Product Box: 185 x 170 x 65 mm
Z-Wave Regions: EU (868.4 MHz)
Certifications: CE
EAN Code: EU(1P,60A):1220000014381



Aeotec

Home Energy Meter Gen5 (2 Phase)

Monitor and log electricity consumption in real-time on 2 phases through clamp meter technology.



More Info: [Page](#) · [Tech. Specs.](#) · [User guide](#)
SKU: ZW095
Availability: On Sale
Master Carton: 24 pcs
Product Box: 185 x 170 x 65 mm
Z-Wave Regions: US (908.4MHz)
Certifications: FCC ETL
UPC-A Code: (2P,200A)810667023058



Aeotec

Home Energy Meter Gen5 (3 Phase)

Monitor and log electricity consumption in real-time on 3 phases through clamp meter technology.



More Info: [Page](#) · [Tech. Specs.](#) · [User guide](#)
SKU: ZW095
Availability: On Sale
Master Carton: 24 pcs
Product Box: 185 x 170 x 65 mm
Z-Wave Regions: EU (868.4 MHz)
Certifications: CE
EAN Code: EU(3P4,60A):1220000015548

SMART SENSORS



Aeotec

Home Energy Meter 8 (1 Phase)

New

Analyses electricity produced and spent for a more sustainable home.



More Info: [Page](#)
SKU: ZWA046-1P60A
Availability: Q3 2024
Master Carton: 30 pcs
Product Box: 178×168×60 mm
Z-Wave Regions: EU (868.4 MHz), AU (921.4 MHz)
Certifications: CE RCM
EAN Code: EU: 1220000017337(1P-60A)



Aeotec

Home Energy Meter 8 (2 Phase)

New

Analyses electricity produced and spent for a more sustainable home.



More Info: [Page](#)
SKU: ZWA046-2P200A
Availability: Q3 2024
Master Carton: 30 pcs
Product Box: 178×168×60 mm
Z-Wave Regions: US (908.4MHz)
Certifications: FCC
UPC-A Code: 810667020071(2P-200A)



Aeotec

Home Energy Meter 8 (3 Phase)

New

Analyses electricity produced and spent for a more sustainable home.



More Info: [Page](#)
SKU: ZWA046-3P60A
Availability: Q3 2024
Master Carton: 30 pcs
Product Box: 178×168×60 mm
Z-Wave Regions: EU (868.4 MHz), AU (921.4 MHz)
Certifications: CE RCM
EAN Code: EU: 1220000017306(3P-60A)

SMART SENSORS



Aeotec

Z-Module for Smoke Sensor

Z-Wave 800 series Module for EI 10-year Smoke Sensor.

New



SKU: TBA
Availability: Q3 2024
Master Carton: TBA
Product Box: TBA
Z-Wave Regions: EU (868.4 MHz)
Certifications: CE
EAN Code: TBA

Aeotec

Recessed Door Sensor 7

Open/close sensor designed for invisible, recessed installation.



More Info: [Page](#) • [Tech. Specs.](#) • [User guide](#)
SKU: ZW187
Availability: On Sale
Master Carton: 228 pcs
Product Box: 80 x 85 x 30 mm
Z-Wave Regions: EU (868.4 MHz), US (908.4MHz), AU (921.4 MHz)
Certifications: CE FCC RCM
EAN Code: EU: 1220000016569 AU: 1220000016552
UPC-A Code: 810667025267



Aeotec

Door / Window Sensor 7™

Non Pro edition (single sensor only, not 3-in-1) of Aeotec's best selling security sensor. Engineered and priced for large volume projects and bundling.



More Info: [Page](#) • [Tech. Specs.](#) • [User guide](#)
SKU: ZWA011
Availability: On Sale
Master Carton: 177 pcs
Product Box: 72 x 32 x 120 mm
Z-Wave Regions: EU (868.4 MHz), US (908.4MHz), AU (921.4 MHz)
Certifications: CE FCC
EAN Code: EU: 1220000016668 AU: 1220000016651
UPC-A Code: 810667025304



Aeotec

Door / Window Sensor 7 Pro™

3-in-1 Z-Wave safety and security sensor with patented technology to detect open, close or tilted state. Features also a binary dry input.



More Info: [Page](#) • [Tech. Specs.](#) • [User guide](#)
SKU: ZWA012
Availability: On Sale
Master Carton: 177 pcs
Product Box: 72 x 32 x 120 mm
Z-Wave Regions: EU (868.4 MHz), US (908.4MHz), AU (921.4 MHz)
Certifications: CE FCC RCM
EAN Code: EU: 1220000016682 AU: 1220000016675
UPC-A Code: 810667025311

SMART SENSORS



Aeotec

Motion Sensor

2-in 1 Motion and Temperature sensor. With pivotable magnetic holder.



More Info: [Page](#) • [Tech.Specs.](#) • [User guide](#)
SKU: GP-AEOMSS
Availability: On Sale
Master Carton: 24 pcs
Product Box: 87 x 79 x 90 mm
Zigbee Regions: Global (2.4 GHz)
Certifications: Zigbee FCC IC CE
EAN Code: EU: 1220000016927
UPC-A Code: 810667025434



Aeotec

Water Leak Sensor

Zigbee Leak detector with built in temperature sensor.



More Info: [Page](#) • [Tech.Specs.](#) • [User guide](#)
SKU: GP-AEOWLS
Availability: On Sale
Master Carton: 24 pcs
Product Box: 87 x 52 x 90 mm
Zigbee Regions: Global (2.4 GHz)
Certifications: Zigbee FCC IC CE
EAN Code: EU: 1220000016934
UPC-A Code: 810667025441



POPP

Smoke Sensor with controllable siren V 1.2

Detects smoke and fire, additional function as independent indoor siren.



More Info: [Page](#) • [Tech.Specs.](#) • [User guide](#)
SKU: POPE701486
Availability: On Sale
Master Carton: 100 pcs
Product Box: 125 x 120 x 55 mm
Z-Wave Regions: EU (868.4 MHz)
Certifications: CE
EAN Code: 4251295701486

SMART SENSORS



POPP Z-Weather

Energy-self-sufficient wind and weather sensor, powered by a solar cell, wind speed, air temp., humidity, light intensity, air pressure, dew point



More Info: [Page](#) · [Tech. Specs.](#) · [User guide](#)
SKU: POPE005206
Availability: On Sale
Master Carton: 50 pcs
Product Box: 92 x 99 x 244 mm
Z-Wave Regions: EU (868.4 MHz)
Certifications: CE
EAN Code: 0019962005206



POPP 10 Years Smoke Detector

10 years smoke selector without separate siren function.



More Info: [Page](#) · [Tech. Specs.](#) · [User guide](#)
SKU: POPE700342
Availability: On Sale
Master Carton: 100 pcs
Product Box: 121 x 160 x 57 mm
Z-Wave Regions: EU (868.4 MHz)
Certifications: CE
EAN Code: 4251295700342



POPP Z-Rain

Rain sensor/ rain gauge, measures volume of rainfall in mm/h.



More Info: [Tech. Specs.](#) · [User guide](#)
SKU: POPE700168
Availability: On Sale
Master Carton: 36 pcs
Product Box: 140 x 140 x 152 mm
Z-Wave Regions: EU (868.4 MHz)
Certifications: CE
EAN Code: 4251295700168

SPECIAL ORDER AND OEM ONLY



Aeotec

Nano Dimmer™

Retrofittable inwall Dimmer to dim lights via Z-Wave.



More Info: [Page](#) · [Tech. Specs.](#) · [User guide](#)
 SKU: ZW111
 Availability: On Sale
 MOQ: 1000 pcs
 Product Box: 73 x 73 x 30 mm
 Z-Wave Regions: EU (868.4 MHz), US (908.4MHz), AU (921.4 MHz)
 Certifications: CE FCC ETL RCM
 EAN Code: EU: 1220000013971
 AU: 1220000013964
 UPC-A Code: 810667023447



Aeotec

Dual Nano Switch with power metering

Retrofittable inwall double switch to control and read the energy consumption of sockets or lights via Z-Wave.



More Info: [Tech. Specs.](#) · [User guide](#)
 SKU: ZW132
 Availability: On Sale
 MOQ: 1000 pcs
 Product Box: 73 x 73 x 30 mm
 Z-Wave Regions: EU (868.4 MHz), US (908.4MHz), AU (921.4 MHz)
 Certifications: CE FCC ETL RCM
 EAN Code: EU: 1220000015418
 AU: 1220000015395
 UPC-A Code: 810667023928



Aeotec

Nano Switch with power metering

Retrofittable inwall single switch to control and read the energy consumption of sockets or lights via Z-Wave.



More Info: [Page](#) · [Tech. Specs.](#) · [User guide](#)
 SKU: ZW116
 Availability: On Sale
 MOQ: 1000 pcs
 Product Box: 73 x 73 x 30 mm
 Z-Wave Regions: EU (868.4 MHz), US (908.4MHz), AU (921.4 MHz)
 Certifications: CE FCC ETL RCM
 EAN Code: EU: 1220000015333
 AU: 1220000015319
 UPC-A Code: 810667023881



Aeotec

Nano Shutter™

Retrofittable Inwall motor switch to control shutters and blinds via Z-Wave.



More Info: [Page](#) · [Tech. Specs.](#) · [User guide](#)
 SKU: ZW141
 Availability: On Sale
 MOQ: 1000 pcs
 Product Box: 73 x 73 x 35 mm
 Z-Wave Regions: EU (868.4 MHz), US (908.4MHz), AU (921.4 MHz)
 Certifications: CE FCC ETL RCM
 EAN Code: EU: 1220000016033
 AU: 1220000016026
 UPC-A Code: 810667024031



Aeotec

Dual Nano Switch

Retrofittable inwall double switch to control sockets or lights via Z-Wave.



More Info: [Tech. Specs.](#) · [User guide](#)
 SKU: ZW140
 Availability: On Sale
 MOQ: 1000 pcs
 Product Box: 73 x 73 x 30 mm
 Z-Wave Regions: EU (868.4 MHz), US (908.4MHz), AU (921.4 MHz)
 Certifications: CE FCC ETL RCM
 EAN Code: EU: 1220000015135
 AU: 1220000015111
 UPC-A Code: 810667023782



Aeotec

Nano Switch™

Retrofittable inwall single switch to control sockets or lights via Z-Wave.



More Info: [Page](#) · [Tech. Specs.](#) · [User guide](#)
 SKU: ZW139
 Availability: On Sale
 MOQ: 1000 pcs
 Product Box: 73 x 73 x 30 mm
 Z-Wave Regions: EU (868.4 MHz), US (908.4MHz), AU (921.4 MHz)
 Certifications: CE FCC ETL RCM
 EAN Code: EU: 1220000015050
 AU: 1220000015036
 UPC-A Code: 810667023744

SPECIAL ORDER AND OEM ONLY



Aeotec

Smart Switch 6 without USB

Smart plug with energy monitoring and visual energy-use indicator.



More Info: [Tech. Specs.](#) • [User guide](#)
SKU: ZW110
Availability: EOL
MOQ: 1000 pcs
Product Box: 75 x 86 x 75 mm
Z-Wave Regions: US (908.4MHz), AU (921.4 MHz)
Certifications: FCC ETL RCM
UPC-A Code: 810667024116



Aeotec

Smart Switch 6 with USB

Smart plug with USB charging port, energy consumption monitoring & LED feedback.



More Info: [Tech. Specs.](#) • [User guide](#)
SKU: ZW096
Availability: EOL
MOQ: 1000 pcs
Product Box: 75 x 86 x 75 mm
Z-Wave Regions: EU (868.4MHz)
Certifications: CE
EAN Code: EU: 1220000016354



Aeotec

Siren 8

Smart indoor siren.



SKU: TBA
Availability: EOL
MOQ: 1000 pcs
Product Box: TBA
Z-Wave Regions: US (908.4MHz),
Certifications: TBA
UPC-A Code: TBA



Aeotec

Doorbell 6

Connected doorbell system with backup battery and safety siren functions.



More Info: [Page](#) • [Tech. Specs.](#) • [User guide](#)
SKU: ZW162
Availability: EOL
MOQ: 1000 pcs
Product Box: 165 x 108 x 70 mm
Z-Wave Regions: US (908.4MHz), EU (868.4MHz)
Certifications: CE FCC ETL
EAN Code: EU: 1220000015982 AU: 1220000015975
UK: 1220000016460
UPC-A Code: 810667024024

SPECIAL ORDER AND OEM ONLY



Aeotec

Button for Doorbell 6 & Siren 6

Convert Siren 6 to Doorbell 6 with Button. Or add extra outdoor push-button to Doorbell 6.

More Info: [Tech. Specs.](#) · [User guide](#)
SKU: ZW166
Availability: EOL
MOQ: 1000 pcs
Product Box: 63 x 103 x 26 mm
Z-Wave Regions: No Z-Wave tech.
Certifications: Not required.
EAN Code: 1220000015999
UPC-A Code: 810667024222



Aeotec

WallMote™

Wireless wall switch. Touch to control. Slide to dim. Battery powered. Two button edition.



More Info: [Tech. Specs.](#) · [User guide](#)
SKU: ZW129
Availability: EOL
MOQ: 1000 pcs
Product Box: 109 x 90 x 17 mm
Z-Wave Regions: EU (868.4 MHz), US (908.4MHz), AU (921.4 MHz)
Certifications: CE FCC RCM
EAN Code: EU: 1220000015852 AU: 1220000015845
UPC-A Code: 810667023997



Aeotec

NanoMote One™

1-button, key-chain sized remote control.



More Info: [Page](#) · [Tech. Specs.](#) · [User guide](#)
SKU: ZWA004
Availability: EOL
MOQ: 1000 pcs
Product Box: 67 x 77 x 35 mm
Z-Wave Regions: US (908.4MHz), EU (868.4MHz)
Certifications: CE FCC
EAN Code: 1220000016125
UPC-A Code: 810667024086

SPECIAL ORDER AND OEM ONLY



Aeotec

Trisensor

3 in 1 Z-Wave Sensor. Motion, temperature and humidity.



More Info: [Page](#) • [Tech. Specs.](#) • [User guide](#)
SKU: ZWA005
Availability: EOL
MOQ: 1000 pcs
Product Box: 70 x 84 x 63 mm
Z-Wave Regions: EU (868.4 MHz), US (908.4MHz), AU (921.4 MHz)
Certifications: CE FCC RCM
EAN Code: EU: 1220000016132 AU: 1220000016187
UPC-A Code: 810667024093



Aeotec

Bypass for Nano Dimmer

Stops dimmed lights flickering in connection with Nano Dimmer.

More Info: [Page](#) • [User guide](#)
SKU: ZW150
Availability: EOL
MOQ: 1000 pcs
Product Box: 37 x 70 x 18 mm
Z-Wave Regions: Available for same countries as Nano Dimmer.
Certifications: Not required. Fully available for same countries as Nano Dimmer.
EAN Code: 1220000015791
UPC-A Code: 810667024598



Aeotec

MultiSensor 6™

6-in-1 room sensor: motion, light, temperature, humidity, vibration, UV. Ships without batteries. Alternative 5V USB power sources.



More Info: [Page](#) • [Tech. Specs.](#) • [User guide](#)
SKU: ZW100
Availability: EOL
MOQ: 1000 pcs
Product Box: 75 x 90 x 50 mm
Z-Wave Regions: EU (868.4 MHz), US (908.4MHz), AU (921.4 MHz)
Certifications: CE FCC RCM
EAN Code: EU: 1220000013100 AU: 1220000013094
JP: 1220000016064
UPC-A Code: 810667023201

SPECIAL ORDER AND OEM ONLY



Aeotec

Door / Window Sensor 7™

3-in-1 safety and security sensor with dry contact input.



More Info:

[Tech. Specs.](#) · [User guide](#)

SKU:

ZWA008

Availability:

EOL

MOQ:

1000 pcs

Product Box:

72 x 32 x 120 mm

Z-Wave Regions:

EU (868.4 MHz), US (908.4MHz), AU (921.4 MHz)

Certifications:

CE FCC RCM

EAN Code:

EU: 1220000016408 AU: 1220000016507

UPC-A Code:

810667024215



POPP

Flow Stop 2

Retrofittable valve controller for automatic gas and water pipe flow regulation, for all usual pipe standards.



More Info:

[Tech. Specs.](#) · [User guide](#)

SKU:

POPE701479

Availability:

EOL

MOQ:

1000 pcs

Product Box:

300 x 147 x 72 mm

Z-Wave Regions:

EU (868.4 MHz)

Certifications:

CE



POPP

Mold Detector

Z-Wave 3 in 1 sensor: Temperature, humidity and potential mold detection.



More Info:

[Tech. Specs.](#) · [User guide](#)

SKU:

POPE701202

Availability:

On Sale

MOQ:

1000 pcs

Product Box:

102 x 102 x 55 mm

Z-Wave Regions:

EU (868.4 MHz)

Certifications:

CE



POPP

Solar Outdoor Siren 2

Energy-self-sufficient solar outdoor siren with loud acoustic alarm sound (105 dB) and Optic strobe light.



More Info:

[Page](#) · [Tech. Specs.](#) · [User guide](#)

SKU:

POPE700854

Availability:

On Sale

MOQ:

1000 pcs

Product Box:

198 x 322 x 77 mm

Z-Wave Regions:

EU (868.4 MHz)

Certifications:

CE

Z-WAVE FREQUENCIES.

Country	Abbrev	Frequency	Country	Abbrev	Frequency
Algeria	DZ	919.8MHz	Kuwait	KW	868.40MHz,869.85MHz
Argentina	AR	908.40MHz,916.00MHz	Lebanon	LB	868.40MHz,869.85MHz
Armenia	AM	868.40MHz,869.85MHz	Libya	LY	868.40MHz,869.85MHz
Australia	AU	921.4MHz,919.8MHz	Macau	MO	920.90MHz,921.70MHz,923.10MHz
Bahamas	BS	908.4MHz,916MHz	Malaysia	MY	919.80mHz,921.40MHz
Bahrain	BH	868.40MHz,869.85MHz	Maldives	MV	868.40MHz,869.85MHz
Barbados	BB	908.4MHz,916MHz	Mauritius	MU	868.40MHz,869.85MHz
Bermuda	BM	908.4MHz,916MHz	Mexico	MX	908.4MHz,916MHz
Bolivia	BO	908.4MHz,916MHz	Morocco	MA	868.40MHz
Brazil	BR	921.4MHz,919.8MHz	New Zealand	NZ	921.4MHz,919.8MHz
British Virgin Islands	BVI	908.4MHz,916MHz	Nicaragua	NI	908.4MHz,916MHz
Canada	CA	908.4MHz,916MHz	Nigeria	NG	868.40MHz,869.85MHz
Cayman Islands	KY	908.4MHz,916MHz	Oman	OM	868.40MHz,869.85MHz
CEPT*	CEPT	868.4MHz,869.85MHz	Panama	PA	908.4MHz,916MHz
Chile	CL	919.80mHz,921.40MHz	Paraguay	PY	919.80MHz,921.40MHz
China	CN	868.4MHz	Peru	PE	921.4MHz,919.8MHz
Colombia	CO	908.4MHz,916MHz	Philippines	PH	868.40MHz,869.85MHz
Costa Rica	CR	922.5MHz,926.3MHz,923.90MHz	Qatar	QA	868.40MHz,869.85MHz
Dominican Republic	DO	919.8MHz,921.4MHz	Russia	RU	869.0MHz
Ecuador	EC	919.8MHz,921.4MHz	Saudi Arabia	SA	868.40MHz,869.85MHz
Egypt	EG	868.40MHz,869.85MHz	Singapore	SG	920.9MHz,921.70MHz,923.10MHz
El Salvador	SV	919.8MHz,921.4MHz	South Africa	ZA	868.40MHz,869.85MHz
French Guiana	GF	868.4MHz,869.85MHz	South Korea	KR	920.9MHz,921.7MHz,923.1MHz
Gerogia	GA	868.4MHz,869.85MHz	St Kitts & Nevis	KN	908.4MHz,916MHz
Guatemala	GT	908.4MHz,916MHz	Suriname	SR	908.4MHz,916MHz
Haiti	HT	908.40MHz,916.00MHz	Taiwan	TW	920.90MHz,921.70MHz,923.10MHz
Honduras	HN	908.4MHz,916MHz	Thailand	TH	920.90MHz,921.70MHz,923.10MHz
Hong Kong	HK	919.8MHz	Trinidad & Tabago	TT	908.4MHz,916MHz
India	IN	865.2MHz	Turkmenistan	TM	868.4MHz,869.85MHz
Indonesia	ID	919.8MHz,921.4MHz	Turks & CaicosIslands	TC	908.4MHz,916MHz
Iraq	IQ	868.40MHz,869.85MHz	UAE	UAE	868.4MHzand869.85MHz
Israel	IL	916MHz	Uruguay	UY	919.8MHz,921.4MHz
Jamaica	JM	908.4MHz,916MHz	USA	US	908.4MHz,916MHz
Japan	JP	922.5MHz,923.9MHz,926.3MHz	Uzbekistan	UZ	868.4MHz,869.85MHz
Jordan	JO	868.40MHz,869.85MHz	Vietnam	VN	919.8MHz,921.4MHz
Kazakhstan	KZ	868.40MHz,869.85MHz	Yemen	YE	868.40MHz,869.85MHz



 partners@aeotec.com

 www.aeotec.com

 [@aeotec](https://twitter.com/aeotec)

 [@Aeotec_Official](https://www.aeotec.com)

Aeotec's trademarks, service marks, trade names, and trade dress are valuable assets. Use of Aeotec's logos for commercial purposes without the prior written consent of Aeotec Group GmbH may constitute trademark infringement and unfair competition in violation of laws. Use of Aeotec trademarks may be prohibited, unless expressly authorised. In following our guidelines of use, you help Aeotec protect its valuable trademark rights and strengthen its corporate and brand identities. By using an Aeotec trademark, in whole or in part, you are acknowledging that Aeotec is the sole owner of the trademark and promising that you will not interfere with Aeotec's rights in the trademark, including challenging Aeotec's use, registration of, or application to register such trademark, alone or in combination with other words, anywhere in the world, and that you will not harm, misuse, or bring into disrepute any Aeotec trademark. The goodwill derived from using any part of an Aeotec trademark exclusively inures to the benefit of and belongs to Aeotec. No other rights of any kind are granted hereunder, by implication or otherwise. This applies to all partners and parties wishing to use Aeotec's trademarks, service marks or images anywhere including, but not limited to, promotional, advertising, instructional, or reference materials, or on their web sites, products, labels, or packaging.

This is a non-exhaustive list of Aeotec's trademarks and service marks and is subject to change. The trademarks can only be used for the promotion of Aeotec Group GmbH products and solely those branded Aeotec or POPP as detailed in our Visual Identity guidelines.

aërQ, aërQ logo, Aeotec, Aeotec logo, A.I.Pilot, AutoPilot, AutoPilot logo, Doorbell 6, Door / Window Sensor 6, Door / Window Sensor 7, Dual Nano Switch, Gen5, Gen7, illumino, Moments managed, MultiSensor 6, MultiSensor 7, NanoMote, Nano Dimmer, Nano Shutter, Nano Switch, POPP Home, POPP Hub, POPP logo, Range Extender 6, S2 logo, Siren 6, Smart Boost Timer Switch, Smart Home Hub, Smart Switch 6, Smart Switch 7, Spatial Intrusion Algorithm, TriSensor, WallMote, WallSwipe, Water Sensor 6, Z-Pi, Z-Pi 7, Z-Rain, Z-Stick, Z-Wave, Z-Wave Selection, Z-Weather