QUICK REFERENCE GUIDE > DD60DCX9

# Series 7, Contemporary Double DishDrawer Dishwasher

Series 7 | Contemporary




Wash one drawer while you load the other, with minimal bending and room in each drawer for full-size dinner plates.

- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options
- Flexible racking allows you to customise internal shelves to suit your needs

# **DIMENSIONS**

Height 820 - 880 mm

Width 599 mm
Depth 573 mm



## **FEATURES & BENEFITS**

### Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

#### Independent Wash

With the ability to use both drawers independently and select different wash programs the DishDrawer $^{\text{TM}}$  Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

#### True Half Load

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can operate simultaneously to accommodate a variety of loads.

### **Seamless Integration**

DishDrawer™ Dishwashers are designed to match the Fisher & Paykel family of kitchen appliances, with matching handles, premium styling and quality materials for a stylish finish in your kitchen.

## Quick, Sanitise And Extra Dry Options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

#### **Quiet Performer**

Running at a very low decibel rating, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

#### **SPECIFICATIONS**

## Accessories (included)

Cutlery basket

Kickstrip

Knife clip and multipurpose clip

•

## Capacity and loading

Accommodates round plates up to	280mm
Adjustable height, foldable cupracks	•
Fold down tines	•
Pitch adjustable tines	•



QUICK REFERENCE GUIDE > DD60DCX9

573 mm 54 mm

599 mm

3

6

30kPa - 1000 kPa

3/4" BSP (20mm)

**Connector Water** 

Inlet Hose

820 - 880 mm

Place settings	14	Product dimensions	
Place settings	14	Depth	
Place settings per drawer	7	Depth of toe kick recess	
Place settings per drawer	7	Height	
		Width	
Controls			
Electronic fault/Diagnostic indicator	•	Wash Program Modifiers	
End of cycle beeps	•	Extra Dry	
Energy saving delay start option of up to 12 hours	•	Quick	
Keylock	•	Sanitise	
Rinse aid indicator light	•	Wash modifiers	
Features		Wash Programs	
Fan assisted drying	•	Delicate	
Flood protection	•	Eco	
Flow through detergent dispenser	•	Fast	
Motor type	BLDC	Heavy	
Quiet operation	•	Medium	
SmartDrive™ technology	•	Rinse	
		Wash programs	
Performance		Water connection	
Noise on standard cycle top drawer	42 dBA	water connection	
		Water pressure	
Power requirements		Water supply	:
Amperage	10A		
Supply frequency	50Hz		
Supply voltage	220 - 240V		

SKU 81624

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

#### Other product downloads available at fisherpaykel.com

2D-DWG Double DishDrawer™ Dishwasher
 2D-DXF Double DishDrawer™ Dishwasher
 Data Sheet Double DishDrawer™ Dishwasher
 Installation Guide Double DishDrawer™ Dishwasher
 Revit Double DishDrawer™ Dishwasher
 Rhino Double DishDrawer™ Dishwasher
 Sketchup Double DishDrawer™ Dishwasher

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

QUICK REFERENCE GUIDE > DD60DCX9



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T +65 6741 0777 Wwww.fisherpaykel.com