




Use a 7/16" open end wrench to hold nut and then tighten bolt with Quadrex Driver.



Hardware


5 x 6.4mm x 19 mm (1/4 x 3/4") (LN1)

Other Parts

1 x

59

Tighten all slide bolts before the clamp rings go on in the next step.




Other Parts

6 x 54902200



6 x 53453202 1/4" x 12.7mm





Warning. Do not over tighten the clamp rings.



After the clamp rings are attached to the elbows, fasten them end to end with two pan bolts and lock nuts



Note: For ease of assembly bottom set of clamp rings can be rotated 90 degrees to install bolts.





Hardware



10 x (PB6) 6.4mm x 25.4 mm (1/4 x 1") (LN1)

Other Parts

10 x 9300130



Remove PB1 (1/4 x 3/4" Pan Bolt),
The bolt (PB1) will no longer be
needed, but keep the lock nut (LN1)



Note: Flat end down

Install PB6 (1/4 x 1" Pan Bolt
with flat washer (FW1)




Hardware

1 x (PB6) 6.4mm x 25.4 mm (1/4 x 1") (FW1)

Other Parts

1 x 9200168

62




Hardware

1 x  #12 x 25.4mm (#12 x 1")

63

Assemble T-Nuts first with hammer!

**Wood Parts**

- 1 x 31.8 x 76.2 x 514.4 mm (1-1/4" x 3" x 20-1/4")
 1 x 31.8 x 76.2 x 857.3 mm (1-1/4" x 3" x 33-3/4")

Hardware





- 1 x 6.4mm x 108mm (1/4 x 4-1/4")(FW1, LW1, TN1)
 1 x #8 x 64mm (#8 x 2-1/2")



KidKraft®
 MADE FOR MAKE BELIEVE™

parts.kidkraft.com

customerservice@kidkraft.com
 1.800.933.0771
 972.385.0100




Hardware


- 1 x (S37) #7 x 15.87mm (#7 x 5/8")
 2 x (S6) #12 x 25.4mm (#12 x 1")
 2 x (S3) #8 x 64mm (#8 x 2-1/2")

Other Parts

- 1 x (54902200) 2 x (9200157)
 1 x (9200156) 1 x (53452209) 1/4 x 14.5mm



**MOVE FORT TO FINAL LOCATION PRIOR TO STAKING
FINAL LOCATION MUST BE LEVEL GROUND**




Warning! To prevent tipping and avoid potential injury, stakes must be driven 13"(330mm) into ground. Digging or driving stakes can be dangerous if you do not check first for underground wiring, cables or gas lines.

Hardware


1 x (S7) #12 x 50.8mm (#12 x 2")

Other Parts

1 x 9290318



Assemble T-Nuts first with hammer!





Hardware

1 x  7.9mm x 60.3 mm (5/16 x 2-3/8") (FW2, TN2)

Other Parts

1 x 





Hardware

2 x  #8 x 35mm (#8 x 1-3/8")

Other Parts

1 x  3320161





Wood Parts

1 x 9721 31.8 x 31.8 x 1064.8 mm (1-1/4" x 1-1/4" x 41-15/16")

Hardware

4 x S11 #8 x 50.8mm (#8 x 2")





Wood Parts

1 x **10591** 15.9 x 85.7 x 440.0 mm (5/8" x 3 3/8" x 17 5/16")

Hardware

16 x **S20** #8 x 35mm (#8 x 1-3/8")




Wood Parts



2 x  31.8 x 50.8 x 101.6 mm (1 1/4" x 2" x 4")

Hardware

4 x  #8 x 76.2mm (#8 x 3")



Note: Pre-drill all holes using a 1/8" drill bit before installing the S7 screws.




Hardware


6 x #12 x 50.8mm (#12 x 2")

Other Parts

2 x 7310149



Pre-drill each
hole using a
3/16" drill bit.




Hardware



4 x 6.4mm x 35mm (1/4 x 1-3/8") (FW1)

Other Parts

2 x



Notice Angle
Orientation



Wood Parts


1 x 2614 76.2 x 133.4 x 2235.2 mm (3" x 5-1/4" x 88")

Hardware




12 x G7 7.9mm x 139.7 mm (5/16 x 5-1/2") (LN2, 2 x FW2)

Other Parts

6 x 9201950



IT IS IMPORTANT THAT
THIS BOLT IS ATTACHED.
IT WILL MINIMIZE
CHECKING OF WOOD.





Caution: The Spring Loaded Quick Link
must be attached to the Heavy Duty Swing
Hanger in the closed position.

Hardware

1 x 7.9mm x 76.2mm (5/16 x 3") (FW2 , TN2)

Other Parts

6 x




Hardware

- 2 x 7.9mm x 95 mm (5/16 x 3-3/4") (LN2, 2 x FW2)
 4 x #6 x 25.4mm (#6 x 1")

Other Parts

- 2 x 9200145
 1 x 3320353

Assemble T-Nuts first with hammer!



Wood Parts

- 2 x **9720** 50.8 x 76.2 x 2063.9 mm (2" x 3" x 81-1/4")
 1 x **2615** 76.2 x 76.2 x 1294.3 mm (3" x 3" x 50-15/16")


Hardware

- 2 x **G7** 7.9mm x 139.7 mm (5/16 x 5-1/2") (LW2,FW2,TN2)



IT IS IMPORTANT THAT THESE BOLTS ARE ATTACHED. THEY WILL MINIMIZE CHECKING OF WOOD.

Assemble T-Nuts first with hammer!





Wood Parts

1 x **2616** 23.8 x 82.6 x 1181.1mm (15/16" x 3-1/4" x 46-1/2")

Hardware

3 x **G4** 7.9mm x 101.6mm (5/16 x 4") (LW2, FW2, TN2)

2 x **WB7** 7.9mm x 76.2mm (5/16 x 3") (LW2, FW2, TN2)






Hardware

5 x  7.9mm x 95 mm (5/16 x 3-3/4") (LN2, 2 x FW2)

Other Parts



1 x  9200143

1 x  9200144




Hardware

4 x  7.9mm x 50.8 mm (5/16 x 2") (LN2, 2 x FW2)






Caution: Threaded Quick Links must be installed with the gate completely down covering the threads and tighten as instructed.




Other Parts

4 x 9200020 2 x 9320130
4 x 9200172



Caution: Threaded Quick Links must be installed with the gate completely down covering the threads and tighten as instructed.



Quick Link
Threaded Quick Links attach to seat or acro bar

Tighten Threaded Quick Link using adjustable wrench


Autres pièces

2 x 9200174 2 x 9320231
2 x 9200020 1 x 9200231

SEE FRONT COVER FOR
SAFETY CLEARANCE



Warning! To prevent tipping and avoid potential injury, stakes must be driven 13" (330mm) into ground. Digging or driving stakes can be dangerous if you do not check first for under-ground wiring, cables or gas lines.



Hardware

- 5 x  #12 x 50.8 mm (#12 x 2")
1 x  #12 x 25.4mm (#12 x 1")

Other Parts

- 6 x 



ATTACH THIS WARNING & I.D. PLAQUE TO THIS LOCATION ON YOUR PLAY EQUIPMENT!

This provides warnings concerning safety and important contact information. A Tracking Number is provided to allow you to get critical information or order replacement parts for this specific model.

⚠ WARNING
⚠ AVERTISSEMENT

CONTINUOUS ADULT
SUPERVISION REQUIRED!

STRANGULATION HAZARDS
Never allow children to play with ropes, clotheslines, pet leashes, cables, chains or cord-like items when using this playset or to attach these items to play-set.
Never allow children to wear loose fitting clothing, ponchos, hoods, scarves, capes, necklaces, or items with draw-strings, cords or ties when using this play-set.
Never allow children to wear bike or sport helmets when using this play-set.
 Failure to prohibit these items increases the risk of serious injury and death to children from entanglement and strangulation.

SERIOUS HEAD INJURY HAZARD
 Maintain shock absorbing material under and around play-set as recommended in the Installation & Operating Instructions. Installation over concrete, asphalt, dirt, grass, carpet and other hard surfaces creates a risk of serious injury or death from falls to the ground.


SURVEILLANCE CONSTANTE
D'ADULTES EST REQUIS!

Risques D'étranglement
Ne jamais laisser les enfants jouer avec des cordes, cordes à linge, laisses pour animaux, des câbles, des chaînes ou ces type articles pendant l'utilisation de cet portique de jeu ou à l'attaché de ces éléments à la portique de jeu.
Ne jamais laissez les enfants de porter des vêtements amples, des ponchos, des hottes, des foulards, capes, des colliers ou des articles avec cordes attient ou les cordons pendant l'utilisation de cet portique de jeu.
Ne jamais laissez les enfants porter un casque de vélo ou de sport quand ils utilisent ce portique de jeu.
 Défaut d'interdire ces éléments augmente le risque de blessures graves et de décès des enfants de enchevêtrement et d'étranglement.


RISQUE DE BLESSURES GRAVES DU TÊTE
 Maintenir le matériau absorbant les chocs sous et autour de la portique de jeu comme recommandé dans les instructions d'installation. Installation sur béton, de l'asphalte, sol, de l'herbe, tapis et autres surfaces dure crée un risque de blessure à la tête graves ou la mort causé par tomber à la sol.

THIS PRODUCT IS INTENDED FOR USE BY CHILDREN FROM AGES 3 TO 10; weight limit of 110 lbs. per child. Maximum number of users, Installation & Operating Instructions, other information is available at:
 POUR LES ENFANTS DE 3 À 10 ANS D'ÂGE; limite de 110 Livres par enfant. Nombre maximum d'utilisateurs, installation et d'utilisation; d'autres informations sont disponibles sur:
www.KidKraft.com
 Contact us at: KidKraft
 Dallas, TX 75244 USA
 1-800-933-0771

Tracking Number:
Numéro de Suivi:



9320374



Hardware

4 x S37 #7 x 16 mm (#7 x 5/8")

Other Parts

1 x 9320374



KidKraft®
MADE FOR MAKE BELIEVE™

parts.kidkraft.com

customerservice@kidkraft.com
1.800.933.0771
972.385.0100

[illegible]

[illegible]

3 EASY WAYS TO REGISTER YOUR PRODUCT 24/7

- 1) Scan this QR Code with your smart phone to complete your product registration directly from your phone:
- 2) Complete the registration online at: https://www.kidkraft.com/us_en/warranty/
- 3) Mail this completed form to: KidKraft Inc., 4630 Olin Road, Dallas, Tx 75244 USA
Make sure to include a copy of your proof of purchase



KIDKRAFT

Consumer Registration Card

First Name

Initial

Last Name

Street

Apt. No.

City

State/Province ZIP/Postal Code

--	--	--

Country

Telephone Number

E-Mail Address

Model Number

Model Name

A horizontal number line with 20 tick marks, labeled from 0 to 19. The line is used for plotting data points.

Model Number & Name example F24145 AINSLEY PLAY SYSTEM

Purchased From

Date Purchase

MM / DD / YY

Serial Number (on ID Plaque)



ID Plaque example

Box #: _____ 1 of _____

Box #: _____ 4 of _____

Box # (Ex: B29410 1 of 6)

Box #: _____ 2 of _____

Box #: _____ 5 of _____

Box #: _____ 3 of _____

Box #: _____ 6 of _____

1 OF 6

ITEM #
ARTICLE N°
N.º DE ARTÍCULO
B29410

For common questions or for information on ordering replacement parts:



Help Center: <https://kidkraft.zendesk.com/hc/en-us/>