

## Quick start guide

| No. | Name                    | Quantity |
|-----|-------------------------|----------|
| 1   | P1000 POS terminal      | 1        |
| 2   | P1000 quick start guide | 1        |
| 3   | DC Charging line        | 1        |
| 4   | Power adapter           | 1        |
| 5   | Battery                 | 1        |
| 6   | Printing paper          | 1        |
| 7   | Cable                   | 1        |

**Battery :** Insert the upper end of the battery into the battery compartment, and then press the lower end of the battery.

**Note :** Before installing the battery, please check the battery

### 3 Product operation

**Close :** Press the power button on the side of the machine, the screen will display "shutdown", "restart", select shutdown and

**Charging :** After installing the battery and battery cover, connect the power cord to the R1000 DC interface and the other end to the

Please scan the QR code below for detailed instructions and analysis of common faults



#### 4. Matters needing attention

are damaged. If so, they cannot be used any more.

4.4 Do not insert any foreign object into any interface of the device.

4.3.1f equipment failure, please contact specialized POS maintenance personnel. Users shall not repair the equipment without authorization.

The above operation is for reference only:

[illegible]

---

#### FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.

- Increase the separation between the equipment and receiver.

- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

#### SAR

Specific Absorption Rate (SAR) information:

POS Terminal meets the government's requirements for exposure to radio waves. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons regardless of age or health. FCC RF Exposure Information and Statement the SAR limit of USA (FCC) is 1.6 W/kg averaged over one gram of tissue. Device types: tablet has also been tested against this SAR limit. This device was tested for typical body-worn operations with the back of the phone kept 10mm from the body. To maintain compliance with FCC RF exposure requirements, use accessories that maintain an 10mm separation distance between the user's body and the back of the phone. The use of belt clips, holsters and similar accessories should not contain metallic components in its assembly. The use of accessories that do not satisfy these requirements may not comply with FCC RF exposure requirements, and should be avoided.