



427 West 12800 South
Draper, UT 84020

Test Report Attachment

FCC ID	SWX-UX7
ISED ID	6545A-UX7
Equipment Under Test	UX7
Test Report Serial Number	TR9579_02
Date of Test	19 November 2024
Report Issue Date	2 December 2024

Test Personnel

Testing performed by	Trina Noor
-----------------------------	------------

Test Location

Testing was performed at the Unified Compliance Laboratory located at 427 West 12800 South, Draper, UT 84020. Unified Compliance Laboratory is accredited by National Voluntary Laboratory Accreditation Program (NVLAP); NVLAP Code 600241-0 which is effective until 30 June 2025. This site has also been registered with Innovations, Science and Economic Development (ISED) department as was accepted under Appendix B, Phase 1 procedures of the APEC Tel MRA for Canadian recognition. ISED No.: 25346, effective until 30 June 2025. Unified Compliance Laboratory has been assigned Conformity Assessment Number US0223 by ISED and MRA US5037.



1 UNII-6

Summary

Test	Frequency (MHz)	Nominal Power (dBm)	Nominal Bandwidth (MHz)	Result
Emission Bandwidth 26 dB	6435.000	24.0	20.000000	PASS
RF output power	6435.000	24.0	20.000000	PASS
In-Band Emissions	6435.000	24.0	20.000000	PASS
Occupied Channel Bandwidth 99%	6435.000	24.0	20.000000	PASS
Frequency Stability	6435.000	24.0	20.000000	PASS
Emission Bandwidth 26 dB	6475.000	24.0	20.000000	PASS
In-Band Emissions	6475.000	24.0	20.000000	PASS
Occupied Channel Bandwidth 99%	6475.000	24.0	20.000000	PASS
Emission Bandwidth 26 dB	6515.000	24.0	20.000000	PASS
In-Band Emissions	6515.000	24.0	20.000000	PASS
Occupied Channel Bandwidth 99%	6515.000	24.0	20.000000	PASS
Emission Bandwidth 26 dB	6445.000	24.0	40.000000	PASS
In-Band Emissions	6445.000	24.0	40.000000	PASS
Occupied Channel Bandwidth 99%	6445.000	24.0	40.000000	PASS
Emission Bandwidth 26 dB	6485.000	24.0	40.000000	PASS
In-Band Emissions	6485.000	24.0	40.000000	PASS
Occupied Channel Bandwidth 99%	6485.000	24.0	40.000000	PASS
Emission Bandwidth 26 dB	6465.000	24.0	80.000000	PASS
In-Band Emissions	6465.000	24.0	80.000000	PASS
Occupied Channel Bandwidth 99%	6465.000	24.0	80.000000	PASS
Emission Bandwidth 26 dB	6505.000	24.0	160.000000	PASS
In-Band Emissions	6505.000	24.0	160.000000	PASS
Occupied Channel Bandwidth 99%	6505.000	24.0	160.000000	PASS
Tx Spurious Emission	6505.000	24.0	160.000000	PASS
Emissions in restricted frequency bands (Average)	6505.000	24.0	160.000000	PASS
Emissions in restricted frequency bands (Peak)	6505.000	24.0	160.000000	PASS

Emission Bandwidth 26 dB (6435 MHz; 24.000 dBm; 20 MHz)

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6435.000000	22.100000	---	320.000000	6424.050000	---


(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6435.000000	6446.150000	---	-2.9	PASS

26 dB Bandwidth



Bandwidth



Date: 18.NOV.2024 22:48:39

Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.41500 GHz	6.41500 GHz
Stop Frequency	6.45500 GHz	6.45500 GHz
Span	40.000 MHz	40.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	>= 600.000 kHz
SweepPoints	400	~ 400
SweepTime	28.477 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

RF output power (6435 MHz; 24.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Gated EIRP (dBm)	Limit Max (dBm)	Gated RMS (dBm)	DutyCycle (%)	Result
6435.000000	12.0	24.0	12.0	99.730	PASS

OSP PowerMeter settings

Setting	Instrument Value	Target Value
Measurement Time	1.000 s	1.000 s
Points	1000000	1000000
Time resolution	1.000 μ s	1.000 μ s

In-Band Emissions (6435 MHz; 24.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6435.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6426.250000	-4.9


Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6426.250000	-4.9	0.0	-4.9	PASS
6428.950000	-5.0	0.1	-4.9	PASS
6432.350000	-5.1	0.2	-4.9	PASS
6429.150000	-5.1	0.2	-4.9	PASS
6428.850000	-5.1	0.2	-4.9	PASS
6426.550000	-5.1	0.2	-4.9	PASS
6427.550000	-5.2	0.3	-4.9	PASS
6428.550000	-5.2	0.3	-4.9	PASS
6426.150000	-5.2	0.3	-4.9	PASS
6432.250000	-5.2	0.3	-4.9	PASS
6427.650000	-5.2	0.3	-4.9	PASS
6442.150000	-5.2	0.3	-4.9	PASS
6425.850000	-5.2	0.3	-4.9	PASS
6429.050000	-5.2	0.3	-4.9	PASS
6428.650000	-5.3	0.4	-4.9	PASS

In Band



Gain





Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.48500 GHz	6.48500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	1.000 MHz	~ 800.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.050 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

Occupied Channel Bandwidth 99% (6435 MHz; 24.000 dBm; 20 MHz)

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6435.000000	19.250000	---	320.000000	6425.375000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6435.000000	6444.625000	7125.000000	PASS

99 % Bandwidth



Bandwidth



Date: 18.NOV.2024 22:49:29

Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.41500 GHz	6.41500 GHz
Stop Frequency	6.45500 GHz	6.45500 GHz
Span	40.000 MHz	40.000 MHz
RBW	500.000 kHz	≥ 500.000 kHz
VBW	2.000 MHz	≥ 1.500 MHz
SweepPoints	160	~ 160
Sweptime	11.344 μ s	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off


Frequency Stability (6435 MHz; 24.000 dBm; 20 MHz)

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	Difference (ppm)	Frequency Difference (kHz)	Limit Min (MHz)	Limit Max (MHz)	Result
6435.000000	6435.002200	0.342	2.200000	---	---	PASS

Frequency stability Pre



Frequency stability



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42400 GHz	6.42400 GHz
Stop Frequency	6.44600 GHz	6.44600 GHz
Span	22.000 MHz	22.000 MHz
RBW	20.000 kHz	<= 22.000 kHz
VBW	100.000 kHz	>= 60.000 kHz
SweepPoints	10001	~ 10001
SweepTime	473.902 μ s	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	50	50
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emission Bandwidth 26 dB (6475 MHz; 24.000 dBm; 20 MHz)

Customized settings.


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6475.000000	22.600000	---	320.000000	6463.750000	---


(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6475.000000	6486.350000	---	-3.4	PASS

26 dB Bandwidth



Bandwidth



Date: 18.NOV.2024 22:50:13

In-Band Emissions (6475 MHz; 24.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6475.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6481.250000	-4.5


Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6483.350000	-4.8	0.3	-4.5	PASS
6478.650000	-4.9	0.4	-4.5	PASS
6479.250000	-5.0	0.4	-4.5	PASS
6480.450000	-5.0	0.4	-4.5	PASS
6470.550000	-5.1	0.6	-4.5	PASS
6470.250000	-5.2	0.6	-4.5	PASS
6479.350000	-5.2	0.6	-4.5	PASS
6472.550000	-5.2	0.7	-4.5	PASS
6480.350000	-5.2	0.7	-4.5	PASS
6477.650000	-5.2	0.7	-4.5	PASS
6483.650000	-5.2	0.7	-4.5	PASS
6470.650000	-5.2	0.7	-4.5	PASS
6483.250000	-5.2	0.7	-4.5	PASS
6465.950000	-5.3	0.7	-4.5	PASS
6472.250000	-5.3	0.7	-4.5	PASS

In Band




Gain



Connector1

Attenuation



Connector1

Occupied Channel Bandwidth 99% (6475 MHz; 24.000 dBm; 20 MHz)

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6475.000000	19.500000	---	320.000000	6465.375000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6475.000000	6484.875000	7125.000000	PASS

99 % Bandwidth



Bandwidth



Date: 18.NOV.2024 22:51:05

Emission Bandwidth 26 dB (6515 MHz; 24.000 dBm; 20 MHz)


Customized settings.

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6515.000000	23.200000	---	320.000000	6503.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6515.000000	6526.450000	---	-4.2	PASS



Bandwidth



Date: 18.NOV.2024 22:51:19

In-Band Emissions (6515 MHz; 24.000 dBm; 20 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6515.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6520.450000	-4.5


Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6520.450000	-4.5	0.0	-4.5	PASS
6521.850000	-4.9	0.3	-4.5	PASS
6516.250000	-4.9	0.3	-4.5	PASS
6520.550000	-4.9	0.4	-4.5	PASS
6511.050000	-4.9	0.4	-4.5	PASS
6517.950000	-4.9	0.4	-4.5	PASS
6510.550000	-4.9	0.4	-4.5	PASS
6519.750000	-5.0	0.4	-4.5	PASS
6520.050000	-5.0	0.5	-4.5	PASS
6516.350000	-5.0	0.5	-4.5	PASS
6518.550000	-5.0	0.5	-4.5	PASS
6510.450000	-5.0	0.5	-4.5	PASS
6518.950000	-5.0	0.5	-4.5	PASS
6519.450000	-5.0	0.5	-4.5	PASS
6510.650000	-5.1	0.5	-4.5	PASS

In Band




Gain



Connector1

Attenuation



Connector1

Occupied Channel Bandwidth 99% (6515 MHz; 24.000 dBm; 20 MHz)

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6515.000000	19.250000	---	320.000000	6505.375000	5925.000000


(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6515.000000	6524.625000	7125.000000	PASS

99 % Bandwidth



Bandwidth



Date: 18.NOV.2024 22:52:09

Emission Bandwidth 26 dB (6445 MHz; 24.000 dBm; 40 MHz)


Customized settings.

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6445.000000	42.176361	---	320.000000	6423.536585	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6445.000000	6465.712946	---	-1.2	PASS



Bandwidth



Date: 18.NOV.2024 22:52:32

In-Band Emissions (6445 MHz; 24.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6445.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6435.547637	-3.3


Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6435.547637	-3.3	0.0	-3.3	PASS
6432.246812	-3.3	0.0	-3.3	PASS
6432.996999	-3.4	0.1	-3.3	PASS
6428.195799	-3.4	0.1	-3.3	PASS
6438.698425	-3.5	0.2	-3.3	PASS
6432.096774	-3.5	0.2	-3.3	PASS
6429.846212	-3.5	0.3	-3.3	PASS
6428.045761	-3.5	0.3	-3.3	PASS
6428.645911	-3.6	0.3	-3.3	PASS
6432.396849	-3.6	0.3	-3.3	PASS
6439.148537	-3.6	0.3	-3.3	PASS
6433.897224	-3.6	0.3	-3.3	PASS
6430.596399	-3.6	0.3	-3.3	PASS
6429.096024	-3.6	0.3	-3.3	PASS
6433.147037	-3.6	0.3	-3.3	PASS

In Band




Gain



Connector1

Attenuation



Connector1

Occupied Channel Bandwidth 99% (6445 MHz; 24.000 dBm; 40 MHz)

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6445.000000	38.500000	---	320.000000	6425.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6445.000000	6464.250000	7125.000000	PASS

99 % Bandwidth



Bandwidth



Date: 18.NOV.2024 22:53:24

Emission Bandwidth 26 dB (6485 MHz; 24.000 dBm; 40 MHz)


Customized settings.

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6485.000000	41.575985	---	320.000000	6464.287054	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6485.000000	6505.863039	---	-0.9	PASS



Bandwidth



Date: 18.NOV.2024 22:53:46

In-Band Emissions (6485 MHz; 24.000 dBm; 40 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6485.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6480.798950	-2.7


Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6480.798950	-2.7	0.0	-2.7	PASS
6477.198050	-2.9	0.2	-2.7	PASS
6476.897974	-2.9	0.2	-2.7	PASS
6472.246812	-3.0	0.3	-2.7	PASS
6478.698425	-3.0	0.3	-2.7	PASS
6477.048012	-3.1	0.4	-2.7	PASS
6474.047262	-3.1	0.4	-2.7	PASS
6478.548387	-3.1	0.4	-2.7	PASS
6471.046512	-3.1	0.4	-2.7	PASS
6468.945986	-3.1	0.4	-2.7	PASS
6488.150788	-3.1	0.4	-2.7	PASS
6472.096774	-3.1	0.4	-2.7	PASS
6468.345836	-3.1	0.4	-2.7	PASS
6480.648912	-3.2	0.5	-2.7	PASS
6468.195799	-3.2	0.5	-2.7	PASS

In Band




Gain



Connector1

Attenuation



Connector1

Occupied Channel Bandwidth 99% (6485 MHz; 24.000 dBm; 40 MHz)

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6485.000000	38.500000	---	320.000000	6465.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6485.000000	6504.250000	7125.000000	PASS

99 % Bandwidth



Bandwidth



Date: 18.NOV.2024 22:54:37

Emission Bandwidth 26 dB (6465 MHz; 24.000 dBm; 80 MHz)


Customized settings.

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6465.000000	87.500000	---	320.000000	6420.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6465.000000	6508.250000	---	5.5	PASS



Bandwidth



Date: 18.NOV.2024 22:55:27

In-Band Emissions (6465 MHz; 24.000 dBm; 80 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6465.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6434.750000	1.8


Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6434.750000	1.8	0.0	1.8	PASS
6427.250000	1.8	0.0	1.8	PASS
6429.250000	1.8	0.0	1.8	PASS
6430.750000	1.8	0.0	1.8	PASS
6435.750000	1.8	0.1	1.8	PASS
6476.750000	1.7	0.1	1.8	PASS
6432.750000	1.7	0.1	1.8	PASS
6436.250000	1.7	0.1	1.8	PASS
6433.250000	1.7	0.1	1.8	PASS
6472.750000	1.6	0.2	1.8	PASS
6473.750000	1.6	0.2	1.8	PASS
6439.750000	1.6	0.2	1.8	PASS
6471.750000	1.6	0.2	1.8	PASS
6470.250000	1.6	0.2	1.8	PASS
6472.250000	1.6	0.2	1.8	PASS

In Band




Gain



Connector1

Attenuation



Connector1

Occupied Channel Bandwidth 99% (6465 MHz; 24.000 dBm; 80 MHz)

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6465.000000	79.000000	---	320.000000	6425.500000	5925.000000


(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6465.000000	6504.500000	7125.000000	PASS

99 % Bandwidth



Bandwidth



Date: 18.NOV.2024 22:56:22

Emission Bandwidth 26 dB (6505 MHz; 24.000 dBm; 160 MHz)


Customized settings.

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6505.000000	167.000000	103.500000	63.500000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6505.000000	6421.500000	---	6588.500000	---	7.6	PASS



Bandwidth



Date: 18.NOV.2024 22:56:54

In-Band Emissions (6505 MHz; 24.000 dBm; 160 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6505.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6430.500000	5.2


Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6430.500000	5.2	0.0	5.2	PASS
6431.500000	5.1	0.1	5.2	PASS
6511.500000	5.1	0.1	5.2	PASS
6470.500000	5.1	0.1	5.2	PASS
6514.500000	5.0	0.2	5.2	PASS
6435.500000	5.0	0.2	5.2	PASS
6474.500000	5.0	0.2	5.2	PASS
6479.500000	5.0	0.2	5.2	PASS
6433.500000	5.0	0.2	5.2	PASS
6528.500000	4.9	0.3	5.2	PASS
6472.500000	4.8	0.3	5.2	PASS
6513.500000	4.8	0.4	5.2	PASS
6573.500000	4.8	0.4	5.2	PASS
6580.500000	4.8	0.4	5.2	PASS
6522.500000	4.8	0.4	5.2	PASS

In Band




Gain



Connector1

Attenuation



Connector1

Occupied Channel Bandwidth 99% (6505 MHz; 24.000 dBm; 160 MHz)

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6505.000000	159.248826	99.624413	59.624413	---	320.000000


(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6505.000000	6425.375587	5925.000000	6584.624413	7125.000000	PASS

99 % Bandwidth



Bandwidth



Date: 18.NOV.2024 22:57:45

Tx Spurious Emission (6505 MHz; 24.000 dBm; 160 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6505.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39947.750000	-33.2	6.2	-27.0
39746.250000	-33.4	6.4	-27.0
39961.250000	-33.6	6.6	-27.0
39942.250000	-33.7	6.7	-27.0
39181.750000	-33.7	6.7	-27.0
39182.250000	-33.7	6.7	-27.0
39171.250000	-33.7	6.7	-27.0
39948.250000	-33.8	6.8	-27.0
39965.750000	-33.8	6.8	-27.0
39927.750000	-33.9	6.9	-27.0
39318.250000	-33.9	6.9	-27.0
39947.250000	-34.0	7.0	-27.0
39939.250000	-34.0	7.0	-27.0
39962.250000	-34.0	7.0	-27.0
39984.750000	-34.0	7.0	-27.0


Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	2	2
5925.000000	7125.000000	2	2
7125.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2


Spurious



Gain



Attenuation



Emissions in restricted frequency bands (Average) (6505 MHz; 24.000 dBm; 160 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6505.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36498.328177	-49.1	7.9	-41.2
36492.828349	-49.1	7.9	-41.2
36490.078435	-49.1	7.9	-41.2
36486.641042	-49.1	7.9	-41.2
36453.642074	-49.2	8.0	-41.2
36492.140871	-49.2	8.0	-41.2
36483.891128	-49.2	8.0	-41.2
36496.265742	-49.2	8.0	-41.2
36450.204681	-49.2	8.0	-41.2
36485.266085	-49.2	8.0	-41.2
36484.578607	-49.2	8.0	-41.2
36441.267460	-49.2	8.0	-41.2
36499.703134	-49.3	8.1	-41.2
36469.454080	-49.3	8.1	-41.2
36444.017374	-49.3	8.1	-41.2


Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	1


Restricted Band



Gain



Attenuation



Emissions in restricted frequency bands (Peak) (6505 MHz; 24.000 dBm; 160 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6505.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36475.641386	-41.1	19.9	-21.2
36481.141214	-41.2	20.0	-21.2
36448.829724	-41.5	20.3	-21.2
36467.391644	-41.6	20.4	-21.2
36497.640699	-41.9	20.7	-21.2
36464.641730	-42.0	20.8	-21.2
36459.829380	-42.1	20.9	-21.2
36459.141902	-42.2	21.0	-21.2
36452.267117	-42.4	21.2	-21.2
36455.704509	-42.4	21.2	-21.2
36499.015656	-42.6	21.4	-21.2
36484.578607	-42.6	21.4	-21.2
36494.890785	-42.7	21.5	-21.2
36437.830068	-42.7	21.5	-21.2
36449.517203	-42.8	21.6	-21.2


Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	2


Restricted Band



Gain



Attenuation



2 PSD

Summary

Test	Frequency (MHz)	Nominal Power (dBm)	Nominal Bandwidth (MHz)	Result
Power Spectral Density (SA-2)	6435.000	24.0	20.000000	PASS
Power Spectral Density (SA-2)	6475.000	24.0	20.000000	PASS
Power Spectral Density (SA-2)	6515.000	24.0	20.000000	PASS
Power Spectral Density (SA-2)	6445.000	24.0	40.000000	PASS
Power Spectral Density (SA-2)	6485.000	24.0	40.000000	PASS
Power Spectral Density (SA-2)	6465.000	24.0	80.000000	PASS
Power Spectral Density (SA-2)	6505.000	24.0	160.000000	PASS

Power Spectral Density (SA-2) (6435 MHz; 24.000 dBm; 20 MHz)

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6435.000000	6429.059406	-1.465	-0.8	PASS

Ports

Port	State
1	used
2	used

Power Spectral Density (SA-2)



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.44500 GHz	6.44500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

Power Spectral Density (SA-2) (6475 MHz; 24.000 dBm; 20 MHz)

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6475.000000	6483.118812	-1.224	-0.8	PASS

Ports

Port	State
1	used
2	used

Power Spectral Density (SA-2)



Power Spectral Density (SA-2) (6515 MHz; 24.000 dBm; 20 MHz)


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6515.000000	6523.118812	-1.329	-0.8	PASS

Ports

Port	State
1	used
2	used



Power Spectral Density (SA-2) (6445 MHz; 24.000 dBm; 40 MHz)


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6445.000000	6439.455446	-1.472	-0.8	PASS

Ports

Port	State
1	used
2	used



Power Spectral Density (SA-2) (6485 MHz; 24.000 dBm; 40 MHz)


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6485.000000	6478.267327	-1.060	-0.8	PASS

Ports

Port	State
1	used
2	used



Power Spectral Density (SA-2) (6465 MHz; 24.000 dBm; 80 MHz)


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6465.000000	6435.750000	-1.159	-0.8	PASS

Ports

Port	State
1	used
2	used



Power Spectral Density (SA-2) (6505 MHz; 24.000 dBm; 160 MHz)

Customized settings.


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6505.000000	6438.750000	-1.016	-0.8	PASS

Ports

Port	State
1	used
2	used

Power Spectral Density (SA-2)



-- End of Report --