# **CLRv3-**Select Commercial Recessed LED Downlight









# **CLRv3-Select**

Commercial Recessed LED Downlight

Designed for both new construction and retrofit applications, the CLR Select series can be installed directly into drywall, a ceiling grid, or an existing 4", 6", or 8" mounting frame using spring loaded retention tabs. The CCT and output selectable design allows for easy adjustment to 3000K, 3500K, 4000K, or 5000K and standard, medium, or high output. With accessory trims in black and offering a full range of dimming via 1-10 volts, the CLR Select is adaptable to most any environment. The versatility is perfect for commercial applications, such as educational, governmental, retail and grocery, office, or hospitality lighting.

#### Dimensions















# **FEATURES**

# **Easy Installation**


Adjustable, spring loaded retention tabs ensure fixture retention on ceilings up to 1.5" thick

#### **Finish**

Matte white powder coat finish with optional black faceplate available

## **Optical**

Precision engineered polystyrene diffuser provides high uniformity and reduced glare




### **Selectable CCT**

4 CCT selection (3000K, 3500K, 4000K, or 5000K) switch located on the backside

## **Selectable Lumen Output**

3 Wattage selection (Standard, Medium, High) switch located on the backside to control lumen output







806-3692







Ordering Information Example: CLR63SUS9W							
Series	Diameter	Version	Wattage	Voltage	CCT	CRI	Color
CLR	<b>4</b> (4 inch)	<b>3</b> (v3.0)	<b>S</b> (Selectable)	<b>U</b> (120-277V)	<b>S</b> (Selectable)	<b>9</b> (90 CRI)	WH (White)
	<b>6</b> (6 inch)						
	<b>8</b> (8 inch)						

Specifications and dimensions subject to change without notice.

Recommended Dimmers*				
Lutron NTSTV-DV-WH	Cooper SF10P			
Lutron DVSTV	Legrand RH4FBL3PW			

<sup>\*</sup>Not a complete list. Check compatibility before installation

Accessories	Accessories sold separately
Black 4"Trim	CLR43-TR-BK
Black 6"Trim	CLR63-TR-BK
Black 8"Trim	CLR83-TR-BK
3", 4", 6" Rough-in Flat Template	ROUGHIN-TEMPLATE-346
8" Rough-in Template	ROUGHIN-TEMPLATE-8
4" Rough-in Frame	DLE4-ROUGHIN-FRAME
6" Rough-in Frame	DLE6-ROUGHIN-FRAME
3", 4", 6" Rough-in Frame	MULTIFRAME-346-1
Emergency Battery Backup	EMI200-1-UNV
Bluetooth Wireless Controls	NLCDOWN1

Additional trim finishes available based on MOQ of 300 units, subject to 90+ day lead time.



