

'TEKA



2020 Vol. 1

PRODUCT CATALOG

The iOven

Best results with just **one touch**

The ultimate technology in ovens. An exclusive design with **all the latest features**:



iOVEN
RRP **RM11,800**



Cooking assistant:
50 recipes



Full touch control



MeatProbe



HydroClean



The Steam Box



Full extension telescopic guides for a 100% extraction



HLF 940 *_Maestro* **NEW**



- 9 cooking functions
- 91/77 litres
- Triple glazed door
- Double lateral light

RRP **RM 9,200**



HLB 860



- 12 cooking functions + 20 recipes
- 71/70 litres
- True color TFT 4
- Triple glazed door
- Soft close system

RRP **RM 8,300**



HLB 840 W *_Maestro*



- 9 cooking functions
- 71/70 litres
- A+ energy class; up to 20% less consumption
- Dynamic ventilation

RRP **RM 6,500**



HLB 838



- 9 cooking functions
- 71/70 litres
- A+ energy class; up to 20% less consumption
- Triple glazed door
- Soft close system

RRP **RM 6,290**
NOW PRICE RM 5,300



HBB 635



- 8 cooking functions
- 71/70 litres
- Double glazed door
- Minute Minder

RRP **RM 3,800**



HBB 605



- 6 cooking functions
- 71/70 litres
- Minute Minder

RRP **RM 2,860**



MCL 32 BIS

- 32 litres
- Triple glazed door
- 6 cooking functions

RRP **RM 6,750**



ML 822 BIS W *_Maestro*

- 22 litres
- 9 auto cook menu + 3 cooking functions
- Ceramic base

RRP **RM 5,900**



ML 825 TFL

- 25 litres
- Quartz grill
- 8 auto cook menu + 3 cooking functions

RRP **RM 4,800**



ML 822 BIS *_Maestro*

- 22 litres
- 9 auto cook menu + 3 cooking functions
- Ceramic base

RRP **RM 4,200**



MWE 255 FI

- 25 litres
- 10 auto cook menu + 3 cooking functions

RRP **RM 3,350**



MWE 201 FI

- 20 litres
- 8 auto cook menu + 3 cooking functions

RRP **RM 2,440**

■ COMPACTS



HLC 847 SC *_Maestro* **NEW**



- Multifunction + Steam oven
- 15 cooking functions + 20 pre-programmed recipes
- Triple glazed door
- Meatprobe

RRP RM 9,600



HLC 847 C *_Maestro* **NEW**



- Multifunction + oven
- 16 cooking functions + 20 pre-programmed recipes
- Triple glazed door

RRP RM 8,800



HLC 847 S *_Maestro* **NEW**



- Steam oven
- 20 pre-programmed recipes
- Triple glazed door
- Meatprobe

RRP RM 8,200



HSC 644 S



- 49/48 litres
- Steam cooking 30-100°C
- 1 litre water tank
- Sterilization and regeneration functions

RRP RM 6,800



MLC 844 *_Maestro*

- 45 Litres
- MWO, Grill, MWO + Grill

RRP RM 5,600



CLC 855 GM *_Maestro*

- 3 functions(coffee, steam & hot water)
- 30 automatic programs

RRP RM 14,800



CLC 835 MC

- Multi capsules and Ground coffee
- 5 capsule adaptors (Nespresso®, Lavazza®, Caffitaly®, E.S.E. pod (Easy Serving Espresso), Coffee powder.

RRP RM 8,900



CP-15 GS *_Maestro*

- Telescopic plate warmer
- Glass front with fingerprint proof stainless steel frame
- 6 serving plates

RRP RM 3,900


WHAT OVEN TRAY TO USE IN EACH RECIPE?



NON- STICK ALUMINUM TRAY
Cakes or pastries, traditional cookies, cookies, muffins and bread.



MULTICOOK KIT FOR STEAM COOKING
Meat, fish, mollusks, vegetables and rice.



VOLCANIC STONE AND CHROMED GRILL
Meat on the stone.



CERAMIC OR MUD TRAY
All kinds of salty and sweet recipes.



STAINLESS MOLDS
Sweet or salty cakes.



GLASS TRAY
All kinds of salty and sweet recipes.



NEW
STEAKMASTER
RRP **RM9,900**

STEAKMASTER

RESTAURANT QUALITY STEAK

Introducing SteakMaster
The first & unique oven for preparing
the Perfect Steak



ZWILLING
J.A.HENCKELS

OVEN + MICROWAVE **or** BUILT-IN STEAMER **or** COFFEE MACHINE

3 ZWILLING BASE COOKWARE
pc STAINLESS STEEL worth RM1,499

* While stocks last



The perfect Steak
at home



Ready in 5 minutes
of cooking time




Ultra-powerful grill
that reach up to 700°



DualClean. Double
cleaning system:
Pyrolysis + HydroClean

Discover the new **iKnob**
Feel the precision in your hands



IT 6350 iKnob *Maestro*

- 3 cooking zone
- D: 605(W) x 515(D)
- BID: 560(W) x 490(D)
- Maximum nominal power 7.4 kW

RRP RM 5,900

IT 6450 iKnob *Maestro*

- 4 cooking zone
- D: 605(W) x 515(D)
- BID: 560(W) x 490(D)
- Maximum nominal power 7.4 kW

RRP RM 5,500

iKNOB Touch Control
The heart of the hob, a completely removable magnetic knob that controls every function with incredible precision. When it is removed it blocks the hob and facilitates cleaning.



IRS 631 W *Maestro*

- D: 600(W) x 510(D)
- BID: 560(W) x 490(D)
- Maximum nominal power: 6.7 kW

RRP RM 5,500

CGW LUX 60 3G AI AL TR CI *Maestro*

- Electrical auto-ignition (LPG/NG)
- D: 610(W) x 512(D)
- BID: 570(W) x 480(D)
- Triple brass burners: 4.0 kW

RRP RM 3,460

IR 6031 SR

- D: 590(W) x 520 (D)
- BID: 560(W) x 490 (D)
- Maximum nominal power: 7.1 kW

RRP RM 5,390

IR 721 SR

- D: 730(W) x 430 (D)
- BID: 695(W) x 395 (D)
- Maximum nominal power: 5.2 kW

RRP RM 4,550

IB 702

- D: 730(W) x 430(D)
- BID: 695(W) x 410(D)
- Maximum nominal power: 3.2 kW

RRP RM 3,800

IR 321.1

- D: 290(W) x 510 (D)
- BID: 270(W) x 490 (D)
- Maximum nominal power: 3.0 kW

RRP RM 3,120

VTTC 60.1

- D: 590(W) x 520 (D)
- BID: 570(W) x 500 (D)
- Maximum nominal power: 4.8 kW

RRP RM 3,300

VTCM 700.3

- D: 730 (W) x 430 (D)
- BID: 695 (W) x 410 (D)
- Maximum nominal power: 3.2kW

RRP RM 2,800

VTCM 722

- D: 700(W) x 430 (D)
- BID: 675(W) x 395 (D)
- Maximum nominal power: 4.4 kW

RRP RM 2,750

VE 2

- D: 290 (W) x 520(D)
- BID: 270 (W) x 500 (D)
- Maximum nominal power: 3.0kW

RRP RM 2,230

■ HOBBS

GVI 86 3G AI AL 2TR

- Battery auto-ignition (LPG/NG)
- D: 860 (W) x 480 (D)
- BID: 685 (W) x 400 (D)
- Triple brass burners: 3.4kW
- 1 Burner: 1.2kW

RRP RM 2,200

GVI 82 3G AI AL 3TR

- Battery auto-ignition (LPG/NG)
- D: 820 (W) x 480 (D)
- BID: 685 (W) x 400 (D)
- Triple brass burners: 3.4kW
- 1 Burner: 1.2kW

RRP RM 2,000

GVI 78 2G AI AL 2TR

- Battery auto-ignition (LPG/NG)
- D: 780 (W) x 450 (D)
- BID: 685 (W) x 400 (D)
- Triple brass burners: 3.4kW

RRP RM 1,800

GVI 75 2G AI AL 2TR

- Battery auto-ignition (LPG/NG)
- D: 750 (W) x 450 (D)
- BID: 685 (W) x 400 (D)
- Triple brass burners: 3.4kW

RRP RM 1,700

G 82 3G AI AL

- Battery auto-ignition (LPG/NG)
- D: 820(w) x 480 (D)
- BID: 680 (w) X 380 (D)
- Triple brass burners : 5.0kW
- 1 burner: 1.0kW

RRP RM 1,500

G 78 2G AI AL

- Battery auto-ignition (LPG/NG)
- D: 780(w) x 420 (D)
- BID: 650 (w) X 350 (D)
- Triple brass burners : 5.0kW

RRP RM 1,200

GK LUX 30.1 1G AI AL TR

- Battery auto-ignition (LPG/NG)
- D: 300(W) x 510 (D)
- BID: 265(W) x 475 (D)
- Triple brass burners: 5.0 kW

RRP RM 1,060


Teka FlexiCut bottom extend to cover different needs of glass sizes

Hi-power efficiency brass burner resistant 800 degree with 5.2kW 600 degree coating surface

High quality metal knob

Fully sealed bottom air burner system prevent water spillages inside.

Bottom structural engineering design ensure strong basement to support life-time reliability performance.



GSQ 823 AI AL NEW

- Battery auto-ignition (LPG)
- D: 820(w) x 480 (D)
- BID: 680-740 (w) X 380-410 (D)
- Triple brass burners : 5.2kW
- 1 burner: 1.3kW

RRP RM 2,200

GSQ 782 AI AL NEW

- Battery auto-ignition (LPG)
- D: 780(w) x 450 (D)
- BID: 680-740 (w) X 380-410 (D)
- Triple brass burners : 5.2kW

RRP RM 1,900

HOODS



Island hood
CC 485 _Maestro



- Exhaust capacity: Free Outlet, m³/h: 771
- Optional recirculating or ducting system

RRP RM 7,800



Chimney hood
DLH-985T _Maestro



- Exhaust capacity: Free outlet, m³/h: 740
- Optional recirculating or ducting system

RRP RM 5,900



Chimney hood
DLV 998 BK _Maestro



- Exhaust capacity: Free outlet, m³/h: 815
- Optional recirculating or ducting system

RRP RM 5,900



Chimney hood
DVT 985W _Maestro



- Exhaust capacity: Free outlet, m³/h: 786
- Optional recirculating or ducting system

RRP RM 5,900

What hood does my kitchen need?

Just calculate your kitchen's volume. For example 12m² with 2.5m height. That's how we get the total volume: **12m² x 2.5m = 30m³**

Furniture to be taken into consideration. Approx. 40%. Final total volume: 18m³ On the basis of the air is renovated 12 times per hour. **18m³ x 12 renovations = 216m³/h**

In a 12m² kitchen we need a hood with 216m³/h for an effective extraction



Telescopic hood
TLR2 62

- Exhaust capacity: 440m³/h
- Optional recirculating or ducting system

RRP RM 1,100



Telescopic hood
TLR2 92

- Exhaust capacity: 440m³/h
- Optional recirculating or ducting system

RRP RM 1,680



Telescopic hood
TL1 920 VR 01

- Exhaust capacity: 500m³/h
- Optional recirculating or ducting system

RRP RM 1,330



Telescopic hood
TL1 620 VR 01

- Exhaust capacity: 500m³/h
- Optional recirculating or ducting system

RRP RM 910

HOODS

KRAFTVOLL
TECHNOLOGY

up to **1,800m³ /hour**
of smoke extraction for an amazing ventilation



Smoke protection
for fresher air



- Less vibration
- Increased stability
- More durable



- To remove odour



- For easy cleaning
- 5 layer hygienic filtration process



Island hood
DH2 90.1 AD



- Exhaust capacity: 1,500m³/h
- Optional recirculating or ducting system

RRP RM 6,250



Chimney hood
DVS 90 AD



- Exhaust capacity: 1,500m³/h
- Ducting system

RRP RM 4,200



Chimney hood
DZ 90 AD



- Exhaust capacity: 1,500m³/h
- Optional recirculating or ducting system

RRP RM 3,300



Chimney hood
DSI 90 AD



- Exhaust capacity: 1,500m³/h
- Optional recirculating or ducting system

RRP RM 3,100




Chimney hood
DHW 90 TO



- Exhaust capacity: 1,800m³/h
- Buffer filters
- Optional recirculating or ducting system

RRP RM 4,100

Choose
design.
Choose
wellness.



■ Your fridge guardian.

The **TempGuard Radar** The TempGuard Radar system controls and keeps the temperature thanks to sensors located inside. Any change is automatically fixed. Your fridge always at the real temperature your food needs.



Keep your food perfect: goal achieved.

LongLife No Frost technology keeps every compartment at the perfect moisture level thanks to **the three independent cooling circuits**. Your food remains fresh for longer.



Mmm... smells good!

IonClean technology create negative ions that neutralise bad smell particles. Air inside the fridge will be superb this way and always fresh and free of odours.

From farm to table.

VitaCareBox drawer has a personalised moisture control to keep your fruit and vegetables always fresh, preserving all their vitamins and nutrients for longer.

Precision is to keep food at perfect temperature.

Gourmet Box, a soft close telescopic drawer allows you to choose the right temperature between -2 and 3°C through a touching display at the top.



RFD 77820 GBK

• Total gross capacity: 537 litres

RRP RM 10,990



RLF 74911 SS

• Total gross capacity: 661 litres

RRP RM 6,190



NFM 680 X

• Total gross capacity: 585 litres

RRP RM 8,590



NFM 420 S

• Total gross capacity: 414 litres

RRP RM 4,800



TGF 300 NF

• Total gross capacity: 261 litres

RRP RM 7,200



TSL 400 NF

• Total gross capacity: 355 litres

RRP RM 5,890



CI4 330WH

• Total gross capacity: 241 litres

RRP RM 7,900



RV 46 D

• Dual temperature
• High E glass door
• Capacity: 46 bottles

RRP RM 6,490

■ LAUNDRY



Washer dryer
TKD 1610 WD

• (10kg/7kg)

RRP RM 5,300



Washer
TKD 1490

• (9kg)

RRP RM 4,200



Washer
TKD 1480

• (8kg)

RRP RM 3,600



Dryer
TKS 890H

• (8kg, Heat pump condenser)

RRP RM 4,250

Dryer
TKS 850 C

• (8kg, Condenser)

RRP RM 2,950



LAUNDRY
**SET &
SAVE**

**TKD 1480
+
TKS 850C**

Package Price
RM 5,250
RRP RM 6,550

**TKD 1490
+
TKS 850C**

Package Price
RM 5,750
RRP RM 7,150


**TKD 1480
+
TKS 890H**

Package Price
RM 6,280
RRP RM 7,850

**TKD 1490
+
TKS 890H**

Package Price
RM 6,780
RRP RM 8,450

■ DISHWASHERS



Third cutlery tray

With an exclusive third tray to get extra flexibility. You can put it in different positions to load anything you may need, so you can get better cleaning results.




BeamOnFloor

Our dishwashers are so quiet you don't even realize when they are working. We have added a blue light to our integrated dishwasher, where the front panel is hidden, so you can know when they are washing or drying without interrupt the cycle. Smart solutions for your daily life.

Sliding door

You can install doors up to **800 mm length** without any problem with the kitchen plinth thanks to our innovating system. When the dishwasher is open, the new sliding door system lift the door without hitting the plinth. Perfect integration and harmony in your kitchen.



14 place settings

Suitable for families with up to 7 members. One place setting consists of a dinner plate, dessert plate, single glass, soup bowl, tea cup with saucer, knife, spoons and fork.



Fully integrated
DW9 70 FI

• Place Settings : 14

RRP RM 4,290



Partial integrated
DW 605 S

• Place Settings : 12

RRP RM 5,400



Free standing
LP9 850

• Place Settings : 14

RRP RM 4,800



Waste disposal
TR 3400

• 0.75 HP

RRP RM 1,750

PureLine Zenit RS15, multifunction workstation

The new Zenit RS15 sinks are distinguished by their versatility, and, above all, because they bring order in your kitchen.



ZENIT RS 1B

- Inset installation
- 18/10 Stainless steel
- 60 cm base unit

RRP RM 3,290



ZENIT RS 2B 86

- Inset installation
- 18/10 Stainless steel
- 90 cm base unit

RRP RM 4,280

Complimentary accessories


Teka has developed an exclusive accessories set that include its elegant bamboo chopping board that allow baking or serving meals directly to the table. The new square-designed inox soap dispenser, the inox colander that stands on the bowl rim, a level below chopping board, and the pop-up waste match perfectly with Teka sinks and help you to get things well organized.

Pureline, pure design and style.




PureLine FlexLinea RS15, a new range with multiple possibilities

The new FlexLinea RS15 sinks offer distinction and versatility at all levels.



Undermount



Top mount



Flash mount



3 in 1 installation
FLEXLINEA RS15 71.40

- D: 760 X 430 X 220
- BID: 710 X 380

RRP RM 3,050



3 in 1 installation
FLEXLINEA RS15 50.40

- D: 760 X 430 X 220
- BID: 710 X 380

RRP RM 2,790



3 in 1 installation
FLEXLINEA RS15 45.40

- D: 760 X 430 X 220
- BID: 710 X 380

RRP RM 1,990

SINKS



Undermount
BE LINEA R10 72 40

- D: 760 x 440 x 184
- BID: 717 x 397

RRP RM 3,050



Undermount
BE LINEA R10 40 40

- D: 440 x 440 x 184
- BID: 420 x 420

RRP RM 1,990



Undermount
BE 2B 845 RHD

- D: 845 x 470 x 250
- BID: 793 x 418

RRP RM 2,190



Undermount
BE 2B 880 R

- D: 879 x 470 x 250
- BID: 853 x 418

RRP RM 2,050



Undermount
ARQ 2B 840

- D: 840 x 430 x 220
- BID: 790 x 380

RRP RM 2,090



Undermount
ARQ 2B 760

- D: 760 X 430 X 220
- BID: 710 X 380

RRP RM 2,020



Undermount
ARQ 70 45

- D: 700 x 450 x 220
- BID: 650 x 400

RRP RM 1,390



Undermount
ARQ 54 41

- D: 542 x 413 x 220
- BID: 500 x 371

RRP RM 1,190



Undermount
ARQ 43 43

- D: 430 x 430 x 220
- BID: 400 x 400

RRP RM 1,090



Undermount
BE 50 40

- D: 522 X 422 X 155
- BID: 496 X 396

RRP RM 560



Undermount
BE 40 40.18

- D: 433 x 433 x 180
- BID: 401 x 401

RRP RM 570



Undermount
BE 34 37

- D: 365 x 395 x 155
- BID: 335 x 365

RRP RM 460



Undermount
BE 39

- D: Ø390 x 180
- BID: Ø385

RRP RM 650



Top mount
INOXTEEL JUMBO

- D: 800 x 500 x 230
- BID: 780 x 480

RRP RM 1,190



Top mount
INOXTEEL 2B

- D: 890 x 500 x 220
- BID: 866 x 476

RRP RM 1,490



Top mount
EBRO 1B

- D: 640 x 480 x 250
- BID: 608 x 448

RRP RM 790



Top mount
INTRO 82

- D: 820 x 500 x 200
- BID: 790 x 470

RRP RM 1,790



Top mount
INTRO 60

- D: 600 x 500 x 200
- BID: 570 x 470

RRP RM 1,490

GRANITE SINKS



Scratch-proof Surface

High resistance surface to impacts, thermal shocks and high temperatures.



Colour Intensity

Excellent UV resistance, long colour durability. Its specific method in colouring granite-particles provides higher resistance against decolouring.



Hygiene

The material's ultra-fine, non-porous finish makes it impossible for foods and liquids to stick to the surface, eliminating bacteria and food contaminants.



Food Safe

Additionally to its non-porous surface, Tegrante+ have an anti-bacterial protection enriched by Silver ions which reject bacterial microorganisms.



Easy to Clean

Tegrante+ features an odorless, stain-resistant and non-porous finish so the rigors of everyday use vanish without a trace.



Inset
STONE 90 B-TG 2B

- D: 860 X 510
- BID: 840 X 480

RRP RM 2,500



Inset
FORSSQUARE 72.40 TG

- ED: 790 x 500
- B: 720 x 400 x 200
- BID: 770 x 480

RRP RM 2,390



Inset
FORSSQUARE 50.40 TG

- ED: 570 X 500
- D: 500 X 400 X 200
- BID: 550 X 480

RRP RM 1,990



Undermount
SQUARE 2B 760 TG

- ED: 760 x 435
- B: 343 x 395 x 200
- BID: 715 x 390

RRP RM 2,490



Undermount
SQUARE 72.40 TG

- ED: 760 x 440
- B: 720 x 400 x 200
- BID: 715 x 395

RRP RM 2,190



Undermount
SQUARE 50.40 TG

- ED: 540 x 440
- B: 500 x 400 x 200
- BID: 495 x 395

RRP RM 1,990

TAPS



EBRO
(Cold Tap)

• Code: 16.119.02.00

RRP RM 290



EBRO (WALL-MOUNTED)
(Cold Tap)

• Code: 16.120.02.00

RRP RM 270



TAGUS
(Cold Tap)

• Code: 16.137.02.00

RRP RM 480



TAGUS (WALL MOUNTED)
(Cold Tap)

• Code: 16.136.02.00

RRP RM 450



FINO PLUS
(Cold Tap)

• Code: 74995TM00

RRP RM 620



FINO
(Cold Tap)

• Code: K-8405

RRP RM 480



LUXE
(Cold Tap)

• Code: 16.143.02.00

RRP RM 480



LUXE (WALL MOUNTED)
(Cold Tap)

• Code: 16.144.02.00

RRP RM 440



AQUA
(Cold Tap)

• Code: 16.141.02.00

RRP RM 540



AQUA (WALL MOUNTED)
(Cold Tap)

• Code: 16.140.02.00

RRP RM 530



ARIA
(Cold Tap)

• Code: 16.142.02.00

RRP RM 560



TEK
(Mixer)

• Code: 75.902.04.00

RRP RM 5,670



CUADRO PRO
(Mixer)

• Code: 38.9319.02

RRP RM 2,790



CUADRO PRO COMPACT
(Mixer)

• Code: 38.9317.02

RRP RM 2,690



ARK PRO
(Mixer)

• Code: 23.939.12.10

RRP RM 1,790



IC BLACK
(Mixer)

• Code: 33.915.02.0N

RRP RM 2,490



IC
(Mixer)

• Code: 33.915.02.10

RRP RM 1,990



COSMO
(Mixer)

• Code: 18.1512.02

RRP RM 1,040



MC 10 PLUS
(PULL-OUT) (Mixer)

• Code: 97.9318.02

RRP RM 1,590



ARK (PULL-OUT)
(Mixer)

• Code: 23.938.12.10

RRP RM 1,190



ARES (HIGH SPOUT)
(Mixer)

• Code: 23.915.02.10

RRP RM 890



ALAIOR (HIGH SPOUT)
(Mixer)

• Code: 55.995.02.10

RRP RM 790



INCA (HIGH SPOUT)
(Mixer)

• Code: 53.912.12.10

RRP RM 590



ML (LOW SPOUT)
(Mixer)

• Code: 81.9113.62

RRP RM 490



FOXTER (Mixer)
(STAINLESS STEEL)

• Code: 74998TM00

RRP RM 1,590

TAPS



RONDELLA (Mixer)
(STAINLESS STEEL)

Code: 74938TM00

RRP RM 1,390



OCEANO (Mixer)
(STAINLESS STEEL)

• Code: 74915TM00

RRP RM 650



MILANO (Mixer)
(STAINLESS STEEL)

• Code: 74914TM00

RRP RM 590



OS 201 (Mixer)

• Code: 182010210


RRP RM 2,790

Enjoy drinking water with the new TekaPure® sink mixers.

Remove unpleasant taste, odour and organic impurities thanks to it's andvanced water filter systems.

- Improves in 95% water taste and odour
- Removes chlorine taste and organic impurities
- Filter operative capacity: 5800 litres or 1 year
Average water consumption per family of 4 people = 4.380 l/year (3 l/day per person).
- Quick and easy replacement of the cartridge system
- The filter system takes up very little space under the sink making it suitable to be installed in the very reduced spaces
- Filter cartridge replacement available
- Filter with NSF sanitary certification
System Tested and Certified by NSF International according to ANSI/NSF Standard 42 for reduction of Chlorine Class I, taste and odour

- 1 Left handle to operate the filtered water.
- 2 Right handle to operate unfiltered tap water.
- 3 Two independent waterways, one for unfiltered tap water and one for filtered water.



* While stocks last



COLOUR YOUR LIFE



BRIGHT AND
ZESTY

COOL AND
CLEAN



A SURGE OF
SUNSHINE

CHIC AND
CHEERFUL



PURE AND
SIMPLE



FORMENTERA 997



RRP RM 1,590



ARK 938



RRP RM 1,290




IN 995




RRP RM 790


iOVEN / HBB 635 / HBB 650 / HLB 860 / HLB 838




HLB 940




HLB 840




MCL 32 BIS




ML 822 BIS / ML 822 BIS W




ML 825 TFL




MWE 255 FI




MWE 201 FI




HLC 847 SC / HLC 847 C / HLC 847 S / HSC 644 S / MLC 844




CLC 855 GM



CLC 835 MC




CP 15 GS




■ TECHNICAL DRAWINGS


STEAKMASTER




IT 6350 iknob / IT 6450 iknob




CGW LUX 60 3G AI AL TR CI




IRS 631 W




IR 6031 SR




IR 721 SR




IB 702




IR 3211




VTTC 60.1




VTM 700.3



VTM 722




VE 2




■ TECHNICAL DRAWINGS


GVI 86 3G AI AL 2TR / GVI 82 3G AI AL 3TR / GVI 78 2G AI AL 2TR / GVI 75 2G AI AL 2TR




G 82 3G AI AL




G 78 2G AI AL




GK LUX 30.1 1G AI AL TR




GSQ 82 3G AI AL




GSQ 78 2G AI AL




CC 485




DLH-985T




DLV 998 BK




DVT 985 W




TLR2 62 / TLR2 92




TL1 920 VR 01 / TL1 620 VR 01




DH2 90.1 AD



DVS 90 AD




DZ 90 AD




■ TECHNICAL DRAWINGS


DSI 90 AD




DHW 90 TO




RFD 77820 GBK




RLF 74911 S5




NFM 680 X




NFM 420 S




TGF 300 NF




TSL 400 NF




CI4 330WH




RV 46 D



TKD 1610 WD / TKD 1490 / TKD 1480




TKS 890 H




[D- Dimension (mm)] [BID - Built-in Dimension (mm)- (Length x Width x Depth)] [ED- External Dimension (mm)] [B- Bowl Dimension (mm)]

■ TECHNICAL DRAWINGS


TKS 850 C




DW9 70 FI




DW 605 S




LP9 850




ZENIT R5 2B 86




ZENIT R1 1B




FLEXLINEA R15 71.40



TOP




UNDERMOUNT




FLUSH

FLEXLINEA R15 50.40



TOP




UNDERMOUNT




FLUSH

FLEXLINEA R15 45.40



TOP



UNDERMOUNT




FLUSH


[D- Dimension (mm)] [BID - Built-in Dimension (mm)- (Length x Width x Depth)] [ED- External Dimension (mm)] [B- Bowl Dimension (mm)]

■ TECHNICAL DRAWINGS


BE LINEA R10 72 40




BE LINEA R10 40 40




BE 2B 845 RHD




BE 2B 880 R




ARQ 2B 840




ARQ 2B 760




ARQ 70 45




ARQ 54 41




ARQ 43 43




BE 50 40



BE 40 40.18




BE 34 37




■ TECHNICAL DRAWINGS


BE 39




EBRO 1B




STONE 90 B-TG 2B




SQUARE 2B 760 TG




INOXTEEL JUMBO




INTRO 82




FORSQUARE 72.40 TG




SQUARE 72.40 TG




INOXTEEL 2B




INTRO 60



FORSQUARE 50.40 TG




SQUARE 50.40 TG




■ TECHNICAL DRAWINGS


EBRO




EBRO (WALL-MOUNTED)




TAGUS




TAGUS (WALL MOUNTED)




FINO PLUS




FINO




CUADRO PRO




CUADRO PRO COMPACT




ARK PRO




LUXE




LUXE (WALL MOUNTED)




AQUA




MC 10 PLUS (PULL-OUT)




ARK (PULL-OUT)




ARES (HIGH SPOUT)




AQUA (WALL MOUNTED)




ARIA




TEK




ALAIOR (HIGH SPOUT)



INCA (HIGH SPOUT)




ML (LOW SPOUT)




■ TECHNICAL DRAWINGS

■ TECHNICAL DRAWINGS


FOXTER (S/S)




RONDELLA (S/S)




OCEANO (S/S)




MILANO (S/S)




OS 201




FORMENTERA 997



ARK 938



IN 995



TEKA

Authorized Dealer:



teka.com.my



tekamalaysia

TEKA KÜCHENTECHNIK (MALAYSIA) SDN. BHD. HEAD OFFICE & SHOWROOM
10, Jalan Kartunis U1/47, Temasya Industrial Park, 40150 Shah Alam, Selangor, Malaysia
Tel : 03-76201600 Fax : 03-76201626