

# 24" Series 11 Integrated Column Refrigerator

Series 9 | Integrated



<p>Install it separately or pair with another Column for seamless integration - this model is left hinge with stainless steel interior.</p>

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones: each with Fridge, Pantry or Chill
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

## DIMENSIONS

Height	84 "
Width	23 3/4 "
Depth	24 "



## FEATURES & BENEFITS

### Variable Temperature Zones

Food is stored in two separate zones. You have the choice of three food modes: Fridge 32°F to 44°F, Pantry 52°F to 56°F and Chill 29°F to 32°F.

### Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.

### Clever Energy

Our Energy Star certified ActiveSmart™ Foodcare Fridges & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

### Appealing Illumination

Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

### Design Quality

The premium design and quality finish includes a steel interior lining as well as soft-close, full extension metal shelf runners for easy access and robust glass shelving.

### Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

### Perfect Fit

These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

## SPECIFICATIONS

### Accessories (sold separately)

Door panel stainless steel Left hinge 84"	RD2484L4D
Door panel stainless steel Right hinge 84"	RD2484R4D
Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF



Handle kit Contemporary square fine, aluminium	AHD5RDSF	Features		Product dimensions
Handle kit Contemporary square fine, black	AHD5RDSFB	Adjustable door shelves	4	Depth24 "
Handle kit Professional round flush	AHP3RDSF	Adjustable glass cantilevered shelves	•	Height84 "
Handle kit Professional round flush, Brass off-stands	AHP3RDSFBA	Covered door shelves	1	Width23 3/4 "
Handle kit Professional round flush, Dark Copper off-stands	AHP3RDSFDC	Door alarm	•	
Joiner Kit	AJ-RS84LR	Fruit and vegetable bins	4	Product information
Stainless steel door panel	24" Left hinge RD2484L4D	Gallon door shelves	1	Packaged weight275 lbs
Toe kick stainless steel 24"	AKRS2404	LED bin lighting	•	Unpackaged weight258 lbs
Toe kick stainless steel 42"	AKRS4204	LED ceiling lighting	•	
Toe kick stainless steel 48"	AKRS4804	LED lighting	•	
Toe kick stainless steel 54"	AKRS5404	LED side lighting	•	
Toe kick stainless steel 60"	AKRS6004	SmartTouch interface at counter height	•	SKU26120
Toe kick stainless steel 66"	AKRS6604	Soft-close fruit and vegetable bins	•	
Toe kick stainless steel 72"	AKRS7204	Stackable bottle holders	4	
Toe kick stainless steel 78"	AKRS7804			The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020
Toe kick stainless steel 84"	AKRS8404			
		Performance		Other product downloads available at fisherpaykel.com
Capacity		ActiveSmart™ Foodcare	•	<a href="#">↓</a> 2D-DWG Integrated Refrigeration - K05 Hinge
Total gross capacity	12.4 cu ft	Dual evaporator	•	<a href="#">↓</a> 2D-DWG Integrated Column Refrigerator
Volume	12.4 cu ft	Frost free	•	<a href="#">↓</a> 2D-DXF Integrated Refrigeration - K05 Hinge
Volume refrigerator	12.4 cu ft	Humidity control system	•	<a href="#">↓</a> 2D-DXF Integrated Column Refrigerator
		Inverter controlled compressor	•	<a href="#">↓</a> Data Sheet Integrated Column Refrigerator
		Sabbath mode	•	<a href="#">↓</a> Data Sheet Integrated Column Refrigerator Dual Install (18" + 24")
		Variable food modes	Pantry; Fridge; Chill	<a href="#">↓</a> Data Sheet Integrated Column Refrigerator Dual Install (24" + 24")
		Variable temperature zones	2	<a href="#">↓</a> Data Sheet Integrated Column Refrigerator Dual Install (24" + 30")
Consumption		Power requirements		
Energy rating	Energy star	Rated current	10 A	
Energy usage	232kWh/year	Supply frequency	60 Hz	
In-use energy carbon emissions estimate	26.7kgCO2e/year	Supply voltage	115 V	

- [↓](#) Energy Label
- [↓](#) Installation Guide EN
- [↓](#) Installation Guide - Toe Kick (English)
- [↓](#) Water Filter Replacement Instructions - Parts 847200 and 847201 - FR
- [↓](#) Installation Guide FR
- [↓](#) Guide d'installation FR
- [↓](#) Installation Guide
- [↓](#) Key Purchase Decisions Integrated Columns
- [↓](#) Planning Guide Professional Style Dial/Handle Accessories
- [↓](#) Planning Guide Integrated Columns
- [↓](#) Revit Refrigerator
- [↓](#) Rhino Refrigerator
- [↓](#) Rhino Refrigerator
- [↓](#) Rhino Refrigerator
- [↓](#) Rhino Refrigerator
- [↓](#) Rhino Refrigerator
- [↓](#) SketchUp Refrigerator
- [↓](#) SketchUp Refrigerator
- [↓](#) SketchUp Refrigerator
- [↓](#) SketchUp Refrigerator
- [↓](#) SketchUp Refrigerator
- [↓](#) User Guide EN
- [↓](#) Guide d'utilisation FR
- [↓](#) User Guide FR
- [↓](#) User Guide

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



**A PEACE OF MIND SALE**  
**24 Hours 7 Days a Week Customer Support**  
T 1.888.936.7872 W [www.fisherpaykel.com](http://www.fisherpaykel.com)

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.