



# ***Operator's Manual Supplement***

## ***Deutz TD 2.2 Cold Start***

***S<sup>®</sup>-65 XC<sup>™</sup>***

***S<sup>®</sup>-65 XC<sup>™</sup> TraX<sup>™</sup>***

CE

Original Instructions  
First Edition  
First Printing  
Part No. 1310433GT

---

# Introduction

---

## Important

Read, understand and obey these safety rules and operating instructions before operating this machine. Only trained and authorized personnel shall be permitted to operate this machine. This manual should be considered a permanent part of your machine and should remain with the machine at all times. If you have any questions, contact us.

---

## Contact Us:

Internet: [www.genielift.com](http://www.genielift.com)

E-mail: [awp.techpub@terex.com](mailto:awp.techpub@terex.com)

---

## Approved Model

S®-65 XC™ CE Models

S®-65 XC™ Trax™ CE Models



Do not install the Deutz TD 2.2 Cold Start on any Genie product other than the approved models.

---

Copyright © 2021 by Terex Corporation

First Edition: First Printing, May 2021

Genie and "S" are registered trademarks of Terex South Dakota, Inc. in the U.S.A. and many other countries.

"XC" and "TraX" are trademarks of Terex South Dakota, Inc.

These machines comply with



Complies with EC Directive 2006/42/EC  
See EC Declaration of Conformity

---

## Introduction



---

### Danger

Failure to obey the instructions and safety rules in this manual and in the operator's manual for this machine will result in death or serious injury.

### Observe and Obey:

#### Normal Usage:

- Do not exceed the normal usage of 3 hours a day for DEFA engine heaters.
- Maximum usage of heater under normal usage should not exceed 5 month a year.

#### Professional Usage:

- Need to register for yearly function control, if necessary install a new heater with extended service on emergency vehicles or power suppliers.
- Heater under professional usage can be connected whole day.
- The yearly service cost will not be covered by DEFA AS.

# Introduction

## Contents of Kit 1310424

Item	Part No.	Decal Description	Qty
(1)	1258783	Cable, Connection, Mains	1
(2)	1258789	Cable, Extension, 3 meter	1
(3)	1261879	Cable, Extension, 1 meter	1
(4)	1294422	Charger, Battery (Multi-Charger)	1
(5)	1309694	Heater Element, Oil Pan, Deutz TD 2.2, 230V	1

## Pre-operation Inspection

Verify the operator's manual, safety manual, responsibilities manual and any necessary supplements are complete, legible and in the storage container located in the platform.

Verify all decals are legible and in place.

Check the Cold start installation for damage, improperly installed or missing parts and unauthorized modifications.

Nuts, bolts and other fasteners

Cables, caps and plugs

If the Deutz TD 2.2 Cold Start option is installed in an emergency vehicle or power supplies, where the heater is continuously connected or when the vehicle is not in use, the following annual service must be performed:

Check the engine heater for proper operation. Replace the heater if it is not functioning correctly or defective.

