

semelife



SLPAC103W - SLPAC81 - SLPAC83W - SLPAC101 SLPACHT102 - SLPACHT82 - SLPACHT85W - SLPACHTW105W

Portable Air Conditioner

USER GUIDE



PLEASE KEEP THIS MANUAL CAREFULLY FOR FUTURE REFERENCE. FOR HOUSEHOLD USE ONLY.

TABLE OF CONTENTS

FEATURES AND TECHNICAL SPECS	3
BEFORE YOU BEGIN	6
SAFETY GUIDELINES	6
OPERATIONAL PRECAUTIONS	7
SAFETY PRECAUTIONS DURING SERVICING	7
PRODUCT OVERVIEW	9
INSTALLATION	10
OPERATION	14
SETTINGS · · · · · · · · · · · · · · · · · · ·	15
WI-FI FUNCTION	17
CLEANING AND CARE2	22
TROUBLESHOOTING2	23
DECOMMISSIONING	24
REGISTER PRODUCT	25

- The design and specifications are subject to change without prior notice for product improvement. Consult with the sales agency or manufacturer for details.
- The shape and position of buttons and indicators may vary according to the model, but their functions are the same.

Features:

- Efficient & Powerful Cooling
- Metal Control Box for Fire & Explosion Prevention
- Rotary Compressor
- Built-in WiFi Capability (SLPAC103W, SLPAC83W, SLPACHT85W, SLPACHTW105W)
- Universal castors for easy movement
- Front temperature display
- Compact, freestanding design
- 3-in-1 operation: Cooling / Dehumidifier / Fan (some models include Heating)
- Hassle-free setup with plug-in operation
- Wide-area climate control coverage
- Time, temperature & fan speed adjustments
- Includes universal window mount AC exhaust kit
- Removable & washable air filter screen
- Modern matte body housing
- Energy efficient with low power consumption
- Low noise level motor
- Rolling wheels for portability
- Suitable for home, office, school, and business use

Technical Specifications

Model	Cooling Capacity (ASHRAE)	Cooling Capacity (DOE)	Heating Capacity (ASHRAE)	Coverage Area	Power Output	Air Flow (Cubic Meters/Hour)	Moisture Removal (L/H)	Noise Level	Dimensions (L x W x H)
SLPAC103W	10000 BTU/h	6000 BTU/h	N/A	330 sq. ft.	902W	350	1.2	55 dBA	11.9" x 11.4" x 27.3"
SLPAC83W	8000 BTU/h	5000 BTU/h	N/A	300 sq. ft.	770W	300	1.0	54 dBA	11.9" x 11.4" x 27.3"
SLPACHT85W	8000 BTU/h	5000 BTU/h	6500 BTU/h	300 sq. ft.	770W	300	1.0	54 dBA	11.9" x 11.4" x 27.3"
SLPACHTW105W	10000 BTU/h	6000 BTU/h	8000 BTU/h	330 sq. ft.	902W	350	1.2	55 dBA	11.9" x 11.4" x 27.3"
SLPAC81	8000 BTU/h	5000 BTU/h	N/A	300 sq. ft.	770W	300	1.0	54 dBA	11.9" x 11.4" x 27.3"
SLPAC101	10000 BTU/h	6000 BTU/h	N/A	330 sq. ft.	902W	350	1.2	55 dBA	11.9" x 11.4" x 27.3"
SLPACHT102	10000 BTU/h	6000 BTU/h	8000 BTU/h	330 sq. ft.	902W	350	1.2	55 dBA	11.9" x 11.4" x 27.3"
SLPACHT82	8000 BTU/h	5000 BTU/h	6500 BTU/h	300 sq. ft.	770W	300	1.0	54 dBA	11.9" x 11.4" x 27.3"

