

1、Remote control key diagram



Model: H158 Power: 3V DC

2、Description of remote control function

Key label	Feature
1	Back motor extended, release to stop
2	Foot motor extended, release to stop
3	Back motor retracts, release to stop



4	One-button reset, all motors retracted to the minimum stroke position, power-on reset
5	Foot motor retracts, release to stop
6	The motor runs to SNORE position with one click . Reuse function: Press FLAT+ SNORE for about 3 seconds, the backlight will flash and the buzzer will sound, and the current motor position will be recorded to SNORE
7	The motor runs to ZG position with one click . Reuse function: Press FLAT+ ZG for about 3 seconds, the backlight will flash and the buzzer will sound, and the current motor position will be recorded to ZG
8	Press the flashlight to turn on, release the flashlight to turn off
9	The motor runs to Lounge position with one click . Reuse function: Press FLAT+ Lounge for about 3 seconds, the backlight will flash and the buzzer will sound, and the current motor position will be recorded to Lounge
Coding method: [Remote control head down + foot rise + control box code key] Buzzer sounds, indicating successful code * The control box has a reset function for the code key * The control box is powered on and reset, all motors are reset at the same time, and the reset process cannot be interrupted by any key	

Caution:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency

energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

IC statement:

This device complies with Industry Canada Licence-exempt RSSs. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

(1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

RF Exposure statement :

the device has been evaluated to meet general RF exposure requirement