





Relay Controller




2 A

1 ~ / 3 ~

CH-CH ≤ 300 V ~ (UL) / 400 V ~ (CE)

Installation example
Exemple d'installation
Installationsbeispiel
Ejemplo de instalación
Esempio di installazione
Installatievoorbeeld
設置例
安装示例
مثال التركيب




2 B

3 ~

CH-CH = 277/480 V ~ Δ

Installation example
Exemple d'installation
Installationsbeispiel
Ejemplo de instalación
Esempio di installazione
Installatievoorbeeld
設置例
安装示例
مثال التركيب




2 C

3 ~

CH-CH = 277/480 V ~ Δ

Installation example
Exemple d'installation
Installationsbeispiel
Ejemplo de instalación
Esempio di installazione
Installatievoorbeeld
設置例
安装示例
مثال التركيب



3

Output Ratings/Channel (CH)


Load Type	CH1-CH12
General Use	16 A, 277 V ~ (UL)
Incandescent	20 A, 240 V ~ (CE)
Standard Ballast	
Electronic Ballast	16 A, 277 V ~
Motor	16 FLA (1 HP), 120 V ~ 14.5 FLA (2 ½ HP), 240 V ~ 14.1 FLA (3 HP), 277 V ~
Inrush Current	500 A

Output Ratings/Group

CH-CH ≤ 300 V ~ (UL) / 400 V ~ (CE)


DDRC1220FR-GL ≤ 180 A





4



IEC Overvoltage Category III

5





Federal Communications Commission (FCC) Compliance Notice: Radio Frequency Notice – This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: Reorient or relocate the receiving antenna. Increase the separation between the equipment and receiver. Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. Consult the dealer or an experienced radio/TV technician for help. Any modifications not approved by the manufacturer of this device could void the user's authority to operate this device.

This Class B digital apparatus complies with Canadian ICES-003: CAN ICES-3(B)/NMB-3(B). Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada: CAN ICES-3(B)/NMB-3(B).

Installation of a home and building automation and control system shall comply with IEC 60364 (all parts). The temperature limits and current-carrying capacities for the communication wires specified in IEC 60364-5-52 shall not be exceeded.