


# SHIMBOL

Wireless VideoTransmission System

ITEM MODEL:TP Mini TX



Instruction Manual  
Shenzhen ZO Video TechnologyCo.Ltd.

# 01 /Features

---



Transmit Range



Built-inAntenna



Latency



Ultra-low-Power



Multiple Power Supply



LED Display  
Status Light

# 02/Packinglist

---


**1** Transmitter\*1

**2** USB Power Cable\*1

**3** User Manual\*1

**4** Sticker

# 03/Product Description



- |                             |                    |
|-----------------------------|--------------------|
| 1. LED Display Status Light | 5. HDMI Output(TX) |
| 2. Electric Quantity Button | 6. HDMI input(TX)  |
| 3. Pairing Button           | 7. USB Port        |
| 4. Power Switch             | 8. Battery Plate   |

A. Press the 2 button to check the battery level, 4 green lights indicate the battery level. When connected to USB, the green light is on.

B. The pairing button is production mode, and the client does not need to pair.

# 04/Technical Parameters

|                             |  |
|-----------------------------|--|
|                             | Transmitter  |
| Interface                   | HDMI Input /HDMI Output                            |
| Power Supply Method         | USB 5V/NP-F Battery                                |
| Power Consumption           | (2.5W)   |
| HDMI Input                  | 720P@50/60Hz<br>1080P@24/25/30/50/60Hz             |
| HDMIOutput                  | 720P@50/60Hz<br>1080P@24/25/30/50/60Hz             |
| Weight                      | 113g   |
| Size                        | 103*63.5*16mm                                      |
| Transmission Frequency Band | U-NII-1:5180MHz-5240MHz<br>U-NII-3:5745MHz-5825MHz |
| Transmit Power              | 7mW/MHz  |
| Transmission Delay          | 70ms   |
| Receiving Sensitivity       | -85dBm   |

The TP Mini TX 's WIFI module working as A WIFI AP . When startup, The AP will waiting for the TP Mini RX WIFI module [has been paired with TP Mini TX in factory ]connecting.  
When the connection established ,the TP Mini TX will send the video stream to the TP Mini RX.

# SHIMBOL



**Tel: +860755-21004986**

URL: [www.zeroone-video.com](http://www.zeroone-video.com)

Address: 2C, 2nd Floor, Building 6, Longbi Industrial Park  
No. 27 Dafa Road, Bantian Street, Longgang District, Shenzhen  
Shenzhen ZO Video Technology Co., Ltd.

# FCC STATEMENT

1. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and

(2) This device must accept any interference received, including interference that may cause undesired operation.

2. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

—Reorient or relocate the receiving antenna.

—Increase the separation between the equipment and receiver.

—Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

—Consult the dealer or an experienced radio/ TV technician for help.

## FCC Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. In order to avoid the possibility of exceeding the FCC radio frequency exposure limits, Human proximity to the antenna shall not be less than 20cm (8 inches) during normal operation.