

Series 9, Integrated Double DishDrawer Dishwasher

Series 9 | Integrated

Panel Ready




Customize with your cabinetry for a seamless look. Each drawer washes independently so you can run one while you load the other.

- Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitize and Extra Dry options
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

- American Disabilities Act (ADA) compliant, this Double DishDrawer® sits at an accessible height

DIMENSIONS

Height	32 5/16 - 34 5/8 "
Width	23 9/16 "
Depth	21 3/4 "



FEATURES & BENEFITS

SEAMLESS INTEGRATION

Slide your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry, for a seamless look whilst delivering superior dish care.

Ease of use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

Independent Wash

With the ability to use both drawers independently and select different wash programs the DishDrawer™ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

TRUE HALF LOAD

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can run simultaneously to accommodate a variety of loads.

Quick, Sanitize and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitize option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock to pause

Instead of needing a remote control, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Quiet performer

Running at a very low decibel rating, these DishDrawer™ dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket	•	Water usage (per wash cycle)	3.28 gal running both tubs	Rated current	15 A
Kickstrip	true			Supply frequency	60Hz
Knife clip and multipurpose clip	•			Supply voltage	100 - 120V
Accessories (sold separately)		Controls		Product Dimensions	
Door panel stainless steel	ADDD24DPX	Electronic fault/Diagnostic indicator	•	Depth	21 3/4 "
Handle kit Classic	AHCL-DDDW-24X	End of cycle beeps	•	Height	32 5/16 - 34 5/8 "
Handle kit Contemporary round, aluminium	AHS-OBDD-60S	Energy saving delay start option of up to 12 hours	•	Width	23 9/16 "
Handle kit Contemporary square fine, aluminium	AHD5-OBDD-60SX	Internal wash selector	•		
Handle kit Contemporary square fine, black	AHD5-OBDD-60SB	Keylock	•	Safety and compliance	
Handle kit Contemporary square, aluminium	AHD3-OBDD-60S	Knock to pause	•	ADA compliant	•
Handle kit Professional round flush	AHP3-DWDD-SX	Rinse aid indicator light	•		
Handle kit Professional round flush, Brass off-stands	AHP3DDDW24BA	Smart appliance	•	Warranty	
Handle kit Professional round flush, Dark Copper off-stands	AHP3DDDW24DC	Wi-Fi connectivity	•	Parts and labor	Limited 2 years
		Features			
Capacity and loading		Fan assisted drying	•	Wash Program Modifiers	
Accommodates round plates up to	11" (top drawer) 11" (bottom drawer)	Flood protection	•	Extra Dry	•
Adjustable height, foldable cupracks	•	Flow through detergent dispenser	•	Quick	•
Fold down tines	•	Quiet operation	•	Sanitise	•
Pitch adjustable tines	•	SmartDrive™ technology	•	Wash modifiers	3
Place settings	14				
		Performance		Wash Programs	
Consumption		Noise on standard cycle top drawer	43 dBA	Delicate	•
Energy usage	265kWh/year			Eco	•
In-use energy carbon emissions estimate	97.1kgCO2e/year	Power Requirements		Fast	•
		Amperage	10A	Heavy	•
		Electric circuit	3 wire		

Medium	•
Rinse	•
Wash programs	6

Water connection

Inlet water temperature	Max 140 °F
Supplied hose to suit 3/8" (9mm) male compression fitting	•
Water pressure	30kPa - 1000 kPa
Water supply	3/8" to suit Male Compression Fitting

SKU	82339
-----	-------

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- ↓ 2D-DWG Integrated Double DishDrawer™ Dishwasher
- ↓ 2D-DXF Integrated Double DishDrawer™ Dishwasher
- ↓ Data Sheet Integrated Double DishDrawer™ Dishwasher
- ↓ Energy Label Double DishDrawer™ Dishwasher
- ↓ Service & Warranty
- ↓ Planning Guide Integrated Double DishDrawer™
- ↓ Planning Guide Professional Style Dial/Handle Accessories

- ↓ Quick Start Guide
- ↓ Revit Double DishDrawer™ Dishwasher
- ↓ Rhino Double DishDrawer™ Dishwasher
- ↓ Rhino Double DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- ↓ Sketchup Double DishDrawer™ Dishwasher
- ↓ Sketchup Double DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- ↓ Specification Guide DoubleDishDrawer™ Dishwasher
- ↓ User Guide DishDrawer™ Dishwasher EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com