## Reolink

## **Reolink Home Hub Pro**

Wi-Fi 6 Security Center with 2TB HDD and Andvanced Privacy Encryption, Supporting Up to 16TB HDD, 512GB microSD Card, 16 Reolink Cameras, 16MP Live Streaming & Playback, and 24/7 Local Recording.

- · Built-In 2TB HDD
- · Wi-Fi 6 Ready
- Up to 24 Reolink Cams Supported
- Encrypted Local Storage Without Fees



## **Specifications**

Device Management		
Camera	Up to 24 Cameras (up to 12 wired cameras)	
Device Compatibility	All Reolink battery Wi-Fi cameras, Plug-in Wi-Fi cameras, and PoE cameras (Battery cameras require a firmware upgrade)	
Safety Protection	Account access and sharing options for individual devices are only available through Home Hub Pro	
Input/Output		
НДМІ	YES	
USB	YES	
Reset Button	YES	
Power	DC 12V/2A	


Speaker	Max.120dB	
Ethernet	1 x RJ-45 10/100 Mbps self-adaptive (for WAN),1 x RJ-45, 10/100 Mbps self-adaptive (for IP cameras)	
Storage		
SATA	YES (1 x 2TB HDD included)	
microSD Card Slot	Up to 512GB*1	
Storage Encryption	AES-128 encryption algorithm	
Preview & Playback		
Live View	App, PC Client	
Playback	Smart playback/event history	
Wi-Fi		
Wireless Standard	IEEE 802.11 a/b/g/n/ac/ax	
Operating Frequency	2.4/5 GHz	
Wireless Security	WPA/WPA2/WPA3	
Sub-1 GHz		
Operating Frequency	868/915MHz	
System		
Network Protocols	TCP/IP, UDP, DHCP, P2P, UPNP, RTSP,RTMP, SMTP, SSL/TLS, DNS, DDNS, NTP, FTP	
OS Supported	PC: Windows, Mac OS; Smartphone: iOS, Android	
Max. User Access	11 users (1 admin account & 10 shared accounts)	
Smart Home	Google Assistant	
Working Environment		
Operating Temperature	-10°C~+45°C	
Operating Humidity	10%~90%	
Mechanical		

Dimensions	185*133*222mm	
Weight	1096g	
Warranty		

## **Gallery & Specs**



- 1. Indicator LED
- 2. Power Button



- 1. Ventilation Holes
- 2. Speaker
- 3. DC Input Port
- 4. HDMI Port
- 5. microSD Card Slot
- 6. Reset Button
- 7. USB Port
- 8. Hard Drive Bay
- 9. Silicone Pads

www.reolink.com