



- HOME
- PRODUCTS
- NEWS
- CUSTOMER SUPPORT
- CONTACT US
- WHERE TO BUY
- MANUFACTURING

HAF 922

RC-922M-KKN1-GP



Disclaimer: Displayed parts and accessories may not be included in the actual product package.

REVIEWS

VIDEOS

SUPPORT

AVAILABLE AT

RELATED PRODUCTS



Elite 335U
The new Elite 335U series builds upon Cooler Master's expertise and delivers high-en...



Elite 335
...



Elite 431 Plus
The new Elite 431 Plus builds upon Cooler Master expertise and delivers high-end fea...



NEWSLETTER

FORUM



DESCRIPTION




Following the overwhelming success of the full tower HAF 932, Cooler Master extends the HAF (High Air Flow) line to a mid tower in the HAF 922. This beastly chassis comes with rugged looks, massive air flow, and Cooler Master's trademark intelligently designed interior. Building the mean, dream machine is now well within reach.





Front panel **LED ON/OFF** switch for front 200x30mm fan



Tool Free 5.25" Devices, Tool Free 3.5" Devices, and 7+1 PCI Expansion slots for increased expandability.



SPACIOUS INTERIOR to accommodate radiator and all **HIGH END COMPONENTS**



EXTREME AIRFLOW
Uncompromising, cooling performance. Ruggedly strong outlook.



Includes **CABLE MANAGEMENT** and CPU retaining hole for **EASY CUSTOMIZATION**



SUPPORTS 200 X 30MM SIDE FAN (NOT INCLUDED)



Supports **THREE 200 X 30MM** fans. Front, top, and side.

*Top fan does not include LED. 200mm Side fan not included.

SPECS

Model	RC-922M-KKN1-GP
Available Color	Black
Material	Steel + Plastic and Mesh Bezel
Dimension (W / H / D)	Main Unit: 253 x 502 x 563 mm / 10.0 x 19.7 x 22.2 inches Box: 285 x 550 x 605 mm / 11.2 x 21.7 x 23.8 inches
Weight	8.7 / 10.9 kg ; 19.2 / 24.0 lbs
M/B Type	ATX / Micro-ATX
5.25" Drive Bay	5 Exposed (one could convert to 3.5" drive bay)
3.5" Drive Bay	5 Hidden, 1 Exposed (converted from one 5.25" drive bay)
I / O Panel	USB 2.0 x 2, MIC x 1, eSATA x 1, Audio x 1 (support HD / AC97 Audio)
Expansion Slots	7 + 1
Cooling System	Front: 200 mm fan x 1 Red LED on / off fan x 1 / 700 RPM / 19 dBA (can be swap for 120 / 140 mm fan x 1) Top: 200 mm fan x 1 / 700 RPM / 19 dBA (can be swap to 120 mm fan x 2) Rear: 120 mm fan x 1 / 1200 RPM / 17 dBA Bottom: 120 / 140 mm fan x 1 (optional) Side: 200 mm fan x 1 (optional) (can be swap for 120 mm fan x 2)

Power Supply	ATX PS2 / EPS 12V (optional)
Warranty	2 years

COMPANY INFO	MANUFACTURING BUSINESS	CUSTOMER SERVICE	SOCIAL MEDIA	MARKETING
About Us News Careers 20th Anniversary	About Us OEM Contact Form Request a Quote	Contact Us Forum FAQ Downloads	CMHD.tv Video CMHD Blog CMHD Facebook CMUSA Twitter	Sponsorship Request Review Request Print Ads Gallery Wallpapers Download