


Installation guide Si45x...

- Eng Installation guide
- DK Installations guide
- FIN Asennusohje
- SE Istallationsguide

For Scandinavian modular lock For Skandinaviske modul låsekasse

Si 450 m 00 ff t x h r series
Si 451 m 05 ff t x h r
Si 454 m 05 ff t x h r
Si 455 m 05 ff t x h r
Si 456 m 00 ff t x h r
Si 457 m 05 ff t x h r



- Eng SALTO recommends the use of a mortise lock with a maximum 4° pre-turn
- DK Salto anbefaler ved brugen af indstukne lås at der max er 4° forskydning.



- Eng * Required only for doors that exceed 60mm thickness
- FIN *Oville jotka vahvempia kuin 60 mm
- DK * Skal kun anvendes på døre hvor tykkelse er mere end 60mm
- SE *Behövs endast för dörrar som är tjockare än 60mm

DK Overensstemmelses erklæring
I henhold til Salto Systems S.L. (Pol. Lanbarren C/Arkotz, 9 - 20180 Oiartzun - Spain - CIF B20708517) erklæres at dette produkt opfylder de nødvendige krav vedrørende Direktiv 1999/5/CE eller Direktiv 89/336/EEC. Det er muligt at finde en kopi af den originale erklæring på følgende internet adresse : <http://www.saltosystems.com>

Alle proximity modeller er "Receiver class 3".


Eng Declaration of conformity
By means of the present Salto Systems S.L. (Pol. Lanbarren C/Arkotz, 9 - 20180 Oiartzun - Spain - CIF B20708517), declares that this equipment fulfills the essential requirements and any other applicable or indispensable dispositions of the Directive 1999/5/CE or the Directive 89/336/EEC. You will be able to find a copy of the original declaration of conformity at the following Internet address: <http://www.saltosystems.com>

All proximity models are "Receiver class 3".












Eng SELECT HANDING


- DK** -VÆLG RETNING FOR GREB
FIN -VALITSE KÄTISYYS
SE -VÄLJ HÖGER / VÄNSTER



Installation guide Si45x...



Eng -TO FIX COUNTER-CLOCKWISE
DK -SKAL DREJES VENSTRE OM (mod uret)
FOR MONTERING AF COVER
FIN -KÄÄNNÄ! KIINNITYS VASTAPÄIVÄÄN
SE -BAKVÄND! FÖR ATT LÄSA - SKRUVA
MOTSOLS.




Eng AT THIS POINT DO NOT
CLOSE THE DOOR
PROGRAM THE LOCK FIRST
Follow user manual

DK LUK IKKE DØREN
FØR LÅSEN ER TESTET
Følg burger manual


FIN TESTAA TASSA VAIHEESSA LUKKO
ENNEN KUIN SULJET OVEN.
Seuraa käyttöohjetta

SE STÄNG INTE DÖRREN,
TESTA LÅSET FÖRST
Följ användarmanualen

For Scandinavian modular lock




For Skandinaviske
modul låsekasse



Turn spline set .
(NOT INCLUDED).

Medbringer sæt .
(IKKE INKLUDERET).




Single cylinder with thumb turn

Enkelt cylinder med vrider

Si451 m 00 ff t x h r

Si455 m dd ff t x h r




Eng HOTEL GUEST ROOM LOCK

DK LÅS FOR HOTEL VÆRELSE

FIN HOTELLIN VIERASHUONE

SE HOTELL ENHET



Thumb turn for the inside

Vrider på indvendig side

