

CRESSI

SINCE 1946



DOWNLOAD THE COMPLETE
CRESSI INSTRUCTION MANUAL
at: www.cressi.com/manuals

MICHELANGELO DONATELLO QUICK [] GUIDE

LONG LIFE



BATTERY

HIGH CONTRAST



DISPLAY

HIGH POWER



BACKLIGHT

EASY ACCESS




MENU

MULTI MODE

AIR
EAN
GAGE
FREE

Cressi reserves the right to make changes to the instrument without notice, based on the incessant technological upgrade of its components.

OPERATING BUTTONS



-  Short \ **NEXT (ONE STEP)**
-  Long (1 Sec.) \ **ENTER \ ESC**
-  Long (3 Sec.) \ **RETURN**

SWITCH ON

PUSH  TO SWITCH ON THE COMPUTER

PRE DIVE





PRE DIVE (DESAT)*



THE SCREEN SCROLLS AUTOMATICALLY
EVERY TWO SECONDS

* In case of desat time, in mode AIR, FREE, GAGE the computer will alternate the pre dive screen to that of desat screen. In case of desat time in mode NITROX the computer will alternate the pre dive screen to that of GAS screen (DONATELLO) or GAS1/2 (MICHELANGELO).






MAIN SURFACE MENU

PRE DIVE




TIME



ENTER RETURN

MODE SET




ENTER RETURN

AIR (AIR MODE)
EAN (NITROX MODE)
FREE (APNEA MODE)
GAUGE (GAUGE MODE)

Scroll the Mode
and confirm

LOGBOOK




ENTER



RETURN



DIVE-SET



ENTER

AIR (AIR MODE)

- Deep stop ON /OFF
- Safety Factor SF 0/1/2
- Altitude ALT 0/1/2/3
- Depth ON/OFF
- PPO₂ 1.2 - 1.6

EAN (NITROX MODE)

- Deep stop ON /OFF
- Safety Factor SF 0/1/2
- Altitude ALT 0/1/2/3
- Depth OFF 50-10 m. (164-30 FT)
- % O₂ 21 - 50% GAS 1
- PPO₂ 1.2 - 1.6 GAS 1
- * % O₂ 21 - 99% GAS 2
- * PPO₂ GAS 2


FREE (APNEA MODE)

- Surf Time Alarm SURF-T F1-F5 (surf time factor) /1':00"-10':00"/OFF
- Depth Alarm DEPTH 1 - 50 m. (3-164 FT)/OFF
- Step Depth Alarm STEP 2 - 25 m. (6-82 FT)/OFF
- Dive Time Alarm DIVE-T 0':10"-6':00"/OFF

○ Scroll the Mode and confirm

RETURN

TIME SET



ENTER



- SLEEP ALARM ON/OFF
- SET HOUR
- SET MINUTE
- SET H. 12/24
- SET HOUR
- SET MINUTE
- SET D-M/M-D
- SET DAY or MONTH
- SET MONTH or DAY
- SET YEAR

Scroll the Mode

and confirm

ENTER

Scroll +/-

and confirm

ENTER

RETURN


- SET 2nd TIME ON/OFF

○ Scroll +/- 30 Min.

and confirm

ENTER


PLANNING



ENTER

PO2

% O₂



DEPTH

NO DECO
TIME

○ SCROLL FOR INCREASE
THE DEPTH

RETURN


Not available in
FREE MODE / GAGE MODE

* ONLY FOR MICHELANGELO

MAIN SURFACE MENU

PC LINK

SETTING & INFO SYSTEM



CONNECT THE INTERFACE
AND DOWNLOAD LATEST
SOFTWARE
UPDATES




ENTER

see
page 8/9

SYSTEM MENU

CHANGE UNITS

HISTORY



ENTER



SCROLL TO
CHANGE UNITS

SCROLL FOR
INCREASE THE DEPTH



RETURN

MAX
DEPTH
HISTORY

HOURS
IN USE
COUNTER

INFO**HIGH SPEED ASCENT ALARM**

An ascent at too high speed increases the risk of decompression sickness! This function is strictly reserved for instructors who take full responsibility for the deactivation of the high speed ascent alarm (AL.SP). In any event, when activating this function the computer will show a barred speaker icon during the entire dive.


TISSUE ERASE

If you decide to erase the tissue nitrogen saturation using the T.ERASE function, the computer will not be able to calculate any successive dives in relation to nitrogen saturation! In any event, do not use this function if 48 hours have not passed since the last dive.

LOGBOOK MENU

AIR (AIR MODE)

SAFETY FACTOR (Page 1) DIVE TIME



MAX DEPTH AVG DEPTH TEMP.

SCROLL

PP0₂ (Page 2) MODE



EAN (NITROX MODE)


SAFETY FACTOR (Page 1) DIVE TIME



MAX DEPTH AVG DEPTH TEMP.


SCROLL

PP0₂ (Page 2) 02%



SCROLL

(Page 3)



FREE (APNEA MODE)

(Page 1) SESSION TIME



MAX SESS. DEPTH N° DIP TEMP.

SCROLL

(Page 2)

SURF TIME DIVE TIME



BEST SESS. DIP TIME

SCROLL

(Page 3)

MAX DEPTH SEL. DIP DIVE TIME SEL. DIP



NUMBER SEL. DIP FREE TEMP SEL. DIP

GAGE (GAGE MODE)

(Page 1) DIVE TIME



MAX DEPTH AVG DEPTH TEMP.

SCROLL

(Page 2)




TIME

PRE DIVE MENU


AIR




NITROX



FREE




GAGE



THE SCREEN SCROLL AUTOMATICALLY EVERY SECOND


(Page 2)



ONLY FOR MICHELANGELO

DIVE MENU

AIR




SCROLL

(Page 2)

PPO₂ MAX /
PPO₂ DEPTH MAX MODE




NITROX




SCROLL

(Page 2)




NITROX GAS SWITCH



ENTER


(Page 2)



ONLY FOR MICHELANGELO


FREE

MAX DEPTH DIVE TIME (MIN.)



**SCROLL**

(Page 2)


SESSION TIME

**GAGE**


MAX DEPTH DIVE TIME (MIN.)

**SCROLL****POST DIVE****AIR**

SURF TIME DESAT TIME COUNTDOWN

**NITROX**


SURF TIME DESAT TIME COUNTDOWN

SWITCH OFF
AUTOMATICALLY IN 10 MIN.

SURFACE

FREE

MAX DEPTH DIVE TIME (MIN.)



SCROLL TWO TIMES

TO END THE SESSION
(SURFACE)



SCROLL



YES / NO

and confirm

BATTERY



LOW BATTERY
(YOU SHOULD CHANGE THE BATTERY
SOON)



YOU MUST CHANGE THE
BATTERY
(DIVE FUNCTION IS DISABLED)

Note: _____

CRESSI
SINCE 1946

Via G. Adamoli, 501 - 16165 GENOVA - ITALY
TEL. +39 010 830.79.1 - FAX +39 010 830.79.220
info@cressi.com - www.cressi.com

CE FC

REV. 04_2023_P.P:1975