


# Quick Start Guide

This quick start guide shows you the basic steps for dispensing 240ml of hot water for a single cup of tea or coffee. This quick start guide does not detail the steps to use the BRITA Filtration System.


For more detailed information on using your new Hot Water Dispenser or BRITA Filtration System, please read this instruction manual.




- 1 Remove the Water Tank (7) from the Main Unit (23). Remove the BRITA MAXTRA Cartridge (19) and BRITA Hopper (21) from the Water Tank.



- 2 Fill the Water Tank with cold water and return to your Hot Water Dispenser. Plug your Hot Water Dispenser into the electrical socket.



- 3 Place a vessel underneath the Dispense Nozzles (6) and press the Dispense Button (5) to reset the system. This takes approx. 25 seconds. Any water dispensed during resetting should be discarded.



- 4 Using the Water Volume Dial (2), adjust the Dispense Volume (15) to 240ml. Place a cup on the Drip Tray (8) under the Dispense Nozzles (6).



- 5 Press the Start/Stop Button (1), the Hot Water Dispenser will pump 240ml of water into the heating chamber and start to heat.



- 6 When heated the water will automatically dispense from the Dispense Nozzels (6) into your cup.

# Resetting The System

Before using your Hot Water Dispenser for the first time, or after it has been unplugged from the mains. You must perform the following steps to reset your Hot Water Dispensers' heating chamber.


Your Hot Water Dispenser will not function if the system has not been reset.




- 1 Plug your Hot Water Dispenser into the mains outlet and switch on at the socket.



- 2 If the Water Tank (7) is empty, the Empty Tank Icon (12) will illuminate and flash.




- 3 Remove the Water Tank and fill with cold water. Replace ensuring it is returned correctly into the Main Unit (23). If using the BRITA Filtration System refer to the set up guide on page 5.



- 4 The Dispense Button (5) will flash and the 'Dispense Icon' (13) will appear on the screen.



- 5 Place an empty vessel, such as a measuring jug or saucepan underneath the Dispense Nozzles (6).



- 6 Press the Dispense Button to reset the system. Any remaining water will be dispensed from the system into the vessel below. This takes approximately 25 seconds. It is now ready for use.

# BRITA filtration

Filtering your water improves the taste and appearance of beverages by reducing limescale, lead, chlorine and other impurities.

The BRITA MAXTRA Filter Cartridge offers improved filtration due to MAXTRA Technology. The natural MicroporeFilter in combination with the powerful Protect Filter reduces chlorine and limescale for a great natural taste and further reduces metals such as lead and copper. Unique flow control ensures the perfect filtration time for best results.

For maximum filter performance and for optimum taste, it is important to change your BRITA MAXTRA Filter Cartridge regularly. BRITA recommends that you replace the cartridge every 4 weeks.

Using the BRITA filtration system is optional. If you do not wish to use the filtration system, simply remove the BRITA Hopper (21) and MAXTRA Filter Cartridge (19) from the Water Tank (7).

Filtering water through the BRITA Filtration System takes roughly 4 minutes to filter 1.5L of water. You can use the system while filtering, providing enough water has filtered into the Water Tank.

## Installing a BRITA MAXTRA Cartridge

1 Unwrap the BRITA MAXTRA Cartridge (19) and immerse in water, gently shake to loosen any bubbles.




2 Push the BRITA MAXTRA Cartridge into place in the BRITA Hopper.

3 Place the BRITA Hopper into the Water Tank. **Before** returning the Water Tank to the Main Unit, fill the BRITA Hopper with Cold Water and allow the water to filter through the BRITA MAXTRA Cartridge. Discard the filtered water. Repeat this step twice.

4

Fill the BRITA Hopper with fresh water and return the Water Tank to the main unit. Your BRITA Cartridge is ready for use with your Hot Water Dispenser.

## BRITA Memo



The BRITA Memo (20) measures the recommended time of use of your MAXTRA Filter Cartridge (19). The BRITA Memo is located in the top of the BRITA Hopper (21).

To reset the BRITA Memo, please press and hold down the Start Button on the Memo until all four bars appear in the display and flash twice. The Cartridge Active Indicator Light in the bottom right corner of the BRITA Memo indicates that it is working. After four weeks, all four bars will disappear and a flashing arrow will indicate that the cartridge should now be changed. After changing the cartridge, reset the Memo.

## Replacing the BRITA Memo

The BRITA Memo (20) has a life of approximately 5 years. To remove the exhausted BRITA Memo, place a screwdriver in the notch next to the BRITA Memo and push it out. Please note that BRITA Memo should not be removed for any other reason than to dispose of it.

More information on the use of BRITA filter cartridges and the BRITA Memo can be found in the BRITA information guide supplied with your hot water dispenser.

Telephone our replacement parts helpline (0844 873 0726) for your new BRITA Memo. If you require assistance on using your BRITA MAXTRA filter cartridge or BRITA Memo, please call BRITA Customer Care team on 0844 742 4800.

smart ideas for your home

# Using the Hot Water Dispenser

The following instructions detail the steps to follow to use your Hot Water Dispenser. For Installation of the BRITA Filtration system see the previous page.


Before using your Hot Water Dispenser, or if it has not been used for over a week, follow these instructions to boil the maximum amount of water, then discard to ensure the system is flushed through.

Filtering water through the BRITA Maxtra Cartridge takes around 4 minutes for 1.5L. Ensure enough water has been filtered and is ready for use in the water tank before heating.



**1** If required, follow steps of 1-6 of 'Resetting the system' (see page 4) to reset the system and then discard the water. If the Hot Water Dispenser is in standby mode, press any button to wake.

**2** Pull out the Drip Tray (8) from the Main Unit (23) (if needed).



**3** Place the required vessel (cup, pan, pot etc.) under the Dispense Nozzles (6). One or two vessels can be filled at the same time during each dispense cycle, provided they are the same size.




**4** Adjust the temperature of the water by pressing the Temperature Button (4) to cycle through the options (85, 95 & 100°C). The water temperature will be displayed on the screen (17).



- 5** Turn the Water Volume Dial (2) to adjust the Dispense Volume (1.5). Your Hot Water Dispenser can heat between 150ml to 1.5L of water per cycle.




- 6** You can automatically dispense volumes of water at 600ml and below. To turn this feature on or off, press the Dispense Button (5). This function cannot be selected for volumes over 600ml. These must be dispensed manually.




- 7** Press the Start / Stop Button (1) to begin heating. Your Hot Water Dispenser will sound and the heat cycle will begin. Once started, the volume and temperature can only be changed during the first few seconds of the heating cycle.



- 8** Once ready your Hot Water Dispenser will sound. The hot water will be dispensed automatically. If the manual dispense function has been selected, press the Dispense Button (5) to begin dispensing.



- 9** To pause the water flow whilst dispensing, press either the Start/Stop or the Dispense Button.



- 10** To resume the water flow, press the Dispense Button again.  
**NOTE: You must dispense all water heated before you can start the heating cycle again.**



# Drinks Temperature

Getting the correct water temperature is essential if you are to enjoy your favourite hot drinks with maximum flavour and taste. E.g. If you're a green tea drinker then water that is brewed too hot will scorch the leaves creating a bitter taste.

Press the Temperature Button (4) to cycle through the options (85,95 & 100°C). The water temperature will be displayed on the screen (17).

The guide (below) includes some of the most popular drinks, to help you get the most from your Hot Water Dispenser.

Your Hot Water Dispenser has been pre-programmed with 3 of the most popular temperatures for drinks; 85, 95 and 100 degrees.

By choosing the correct temperature for your drink, not only will you create better tasting drinks, you will also save time and energy too.

## 85°C

Green, white and herbal teas, powder based cold and flu remedies, black instant coffee.


## 95°C

French press/cafetiere coffee, instant coffee with milk, hot toddies, malted milk, hot chocolate.

## 100°C

Black teas e.g. darjeeling, assam, ceylon, english breakfast and earl grey, noodle / pasta snacks, instant soup type drinks.

# Auto / Manual Dispense



The auto dispense feature allows you to automatically dispense volumes of water below 600ml. For safety reasons it is not possible to automatically dispense volumes above 600ml.

Before heating, press the Dispense Button (5) to switch the auto dispense feature on or off. The Icon (14) will appear on the LCD Screen (3) when the feature is enabled. After heating, if the volume is above 600ml, or if the auto dispense is turned off, your Hot Water Dispenser will sound and the Dispense Button will illuminate. Press the Dispense Button to begin dispensing water from the Dispense Nozzles (6).

NOTE: All water must be dispensed before you can start the heating cycle again.

## Multiple Cups

Multiple cups can be filled quickly and easily by starting and stopping the dispense cycle and exchanging vessels.

1  
Set your Hot Water Dispenser unit to heat a desired amount of water with the Auto Dispense feature switched off. Place two cups under the Dispense Nozzles (6) and dispense the water by pressing the Dispense Button (5).


2  
When the cups are filled press the Dispense Button again to stop the flow.

3  
Place another two empty cups under the Dispense Nozzles and repeat the process until all remaining water has been dispensed.

## Dispense Nozzles



There are two Dispense Nozzles (6) on your Hot Water Dispenser. These can be used to fill one or two cups at one time.



If dispensing into two vessels try to ensure they are of equal size and heat double the amount of water required for one. Place your cups on the Drip Tray (underneath the Dispense Nozzles). Your Hot Water Dispenser will dispense an equal amount from each Nozzle.

## Cancel the heating cycle

To cancel the heating cycle at any time, press the Start / Stop Button (1). Press either the Start / Stop Button again to continue the current cycle or press the Dispense Button (5) to empty the water.

Once a heating cycle has begun, the volume and temperature of the water can only be changed during the first few seconds of the heating cycle.

The Water in the heating chamber must be dispensed before a new volume can be selected.

## Reheating Water

Any water remaining in the heating chamber that has cooled down by 5 degrees can be reheated.

The Start / Stop Button (1) will illuminate and the Heat Icon (11) will extinguish indicating the reheat function can be activated. Press the Start / Stop Button to reheat.

## Sound

The audible signals from your Hot Water Dispenser can be turned on or off. Press and hold the Temperature Button (4) for 2 seconds to switch the sounds on or off.

## Standby

Your Hot Water Dispenser will enter Standby Mode to save power 60 seconds after the end of the heating and dispense cycle. The unit enters standby mode after 5 minutes of inactivity if a heat and dispense cycle hasn't been completed. To wake the unit, press any button or rotate the Water Volume Dial (2).

The Hot Water Dispenser can be placed in standby mode by pressing the Start/Stop Button (1) for 2 seconds.

Any water remaining in the Heating Chamber when your Hot Water Dispenser enters stand by will need to be dispensed upon exiting standby, or reheated and dispensed before a new volume or temperature can be selected.


smart ideas for your home

# Drip Tray



The Drip Tray Indicator (10) indicates that the Drip Tray (8) is full and must be emptied. To empty, pull the drip tray outwards until it is free from the runners and discard the contents. **CAUTION! The contents of the drip tray may be hot.** Replace the Drip Tray once emptied ensuring the Drip Tray Cover (9) is replaced correctly.

# Descale



This product is fitted with a concealed element that must be descaled when the Descale Icon (16) illuminates. Excessive scale can cause the product to switch off before the end of the heating cycle and may damage the element invalidating the warranty. Remove hard scale using a proprietary descaling product. We recommend Oust Descaler (please follow the instructions carefully) which may be purchased from our Helpline or from your local retailer.

## To descale the unit:

1 Remove the BRITA Hopper (21) and MAXTRA cartridge (19) from the Water Tank (7).

2 Fill the Water Tank to the MAX line with cold water add the Oust Descaler as per manufacturers instructions.

3

When the crystals have dissolved, set the unit to heat 1.5 litres of water to **85 degrees**.

**Do not boil to 100 degrees**

4

Leave the Hot Water Dispenser for 10 minutes.

**Do not dispense the water!**

5

After 10 minutes, dispense the water from the Heating Chamber into a vessel and discard.

6

Empty the water tank and rinse thoroughly with cold water.

7

Fill the water tank to the MAX line with cold water, set the unit to boil 1.5 litres to 100 degrees and dispense the water. Discard the water and repeat the cycle 3 times

8

Replace the BRITA Hopper and MAXTRA cartridge into the Water Tank. Fill with fresh water.

9

Press and hold the Start / Stop Button (1) for 5 seconds to reset the descale timer. The descale icon will extinguish. The Hot Water Dispenser will reset and the unit will return to ready mode.

10

After 60 seconds of inactivity the Hot Water Dispenser will enter standby.

# Cleaning

Wipe the outside with a damp cloth.

**WARNING:** Always disconnect the plug from the mains and allow the appliance to cool before cleaning.

**IMPORTANT:** Do not use abrasive cleaners on the outside of the appliance, as they may scratch the surface.













# Volume Guide

Mugs and cups vary by size. The measurement table (below) is a guide to volumes for different vessels. These will vary dependant upon your vessel size and requirements.

We recommend measuring the volume of your vessels and noting it down for future use.

Vessel	Capacity	Vessel	Capacity
1 cup 	150ml - 180ml	Cafetière 	750ml - 1L
2 cups 	300ml - 360ml	Teapot 	1.1L - 1.4L
1 mug 	180ml - 380ml	Noodle pot 	230ml - 300ml
2 mugs 	360ml - 660ml	Pan 	750ml - 1.5ml


smart ideas for your home



# Contact Us

## Helpline

If you are having a problem with your appliance, please call our Helpline, as we are more likely to be able to help than the store you purchased the item from. Please have the product name, model number and serial number to hand when you call to help us deal with your enquiry quicker.

**UK Helpline** 0844 871 0960

**EIRE Helpline** 1800 409 119

**Spares** 0844 873 0726

If you require assistance on using your BRITA MAXTRA filter cartridge or BRITA Memo, please call BRITA Customer Care team on the telephone number below.

**BRITA Helpline** 0844 742 4800

## Talk To Us

If you have any questions or comments, or want some great tips or recipe ideas to help you get the most out of your products, join us online:

**Blog** [www.morphyrichards.co.uk/blog](http://www.morphyrichards.co.uk/blog)

**Facebook** [facebook.com/morphyrichardsuk](https://facebook.com/morphyrichardsuk)

**Twitter** @loveyourmorphy

**Website** [www.morphyrichards.com](http://www.morphyrichards.com)

## Registering your 2 year guarantee

Your standard one year guarantee is extended for an additional 12 months when you register the product within 28 days of purchase with Morphy Richards. If you do not register the product with Morphy Richards within 28 days, your product is guaranteed for 1 year. To validate your 2 year guarantee register with us online at

[www.morphyrichards.co.uk](http://www.morphyrichards.co.uk)

Or call our customer registration line

**UK 0844 871 0962**

**IRE 1800 409 119**

N.B. Each qualifying product needs to be registered with Morphy Richards individually. Please note that the 2 year guarantee is only available in the UK and Ireland. Please refer to the one year guarantee for more information.

## Your 1 year guarantee

It is important to retain the retailer's receipt as proof of purchase. Staple your receipt to this back cover for future reference.

Please quote the following information if the product develops a fault. These numbers can be found on the base of the product.

Model no, Serial no.

All Morphy Richards products are individually tested before leaving the factory. In the unlikely event of any appliance proving to be faulty within 28 days of purchase, it should be returned to the place of purchase for it to be replaced.

If the fault develops after 28 days and within 12 months of original purchase, you should contact the Helpline number quoting Model number and Serial number on the product, or write to Morphy Richards at the address shown.

You may be asked to return a copy of proof of purchase.

Subject to the exclusions set out below (see Exclusions), the faulty appliance will then be repaired or replaced as appropriate and dispatched usually within 7 working days of receipt.

If, for any reason, this item is replaced or repaired during the 1 year guarantee period, the guarantee on the new item will be calculated from original purchase date.

Therefore it is vital to retain your original retailers receipt or invoice to indicate the date of initial purchase. To qualify for the 1 year guarantee, the appliance must have been used according to the instructions supplied. For example, crumb trays should have been emptied regularly.

## Exclusions

Morphy Richards shall not be liable to replace or repair the goods under the terms of the guarantee where:

- 1 The fault has been caused or is attributable to accidental use, misuse, negligent use or used contrary to the manufacturer's recommendations or where the fault has been caused by power surges or damage caused in transit.
- 2 The appliance has been used on a voltage supply other than that stamped on the products.
- 3 Repairs have been attempted by persons other than our service staff (or authorised dealer).
- 4 The appliance has been used for hire purposes or non domestic use.
- 5 The appliance is second hand.
- 6 Morphy Richards reserves the right not to carry out any type of servicing under the guarantee at its discretion.

7 Plastic filters for all Morphy Richards kettles and coffee makers are not covered by the guarantee.

8 Batteries and damage from leakage are not covered by the guarantee.

This guarantee does not confer any rights other than those expressly set out above and does not cover any claims for consequential loss or damage. This guarantee is offered as an additional benefit and does not affect your statutory rights as a consumer. Morphy Richards products are intended for household use only. See usage limitations within the location safety instructions.

## Disclaimer

Morphy Richards has a policy of continuous improvement in product quality and design. The company, therefore reserves the right to change the specification of it's models at any time.

For electrical products sold within the European



Community. At the end of the electrical products useful life, it should not be disposed of with household waste.

Please recycle where facilities exist. Check with your Local Authority or retailer for recycling advice in your country.


**IF YOU ARE HAVING A PROBLEM  
WITH ONE OF OUR PRODUCTS,  
CALL OUR HELPLINE:**

**UK: 0844 871 0960  
EIRE: 1800 409 119  
SPARES: 0844 873 0726**

smart ideas for your home

# LCD Display Glossary


Below are some of the icons that may highlight during use, and their meaning. Refer to the instruction book for more information on the settings.



## Reset

After the Hot Water Dispenser has been switched on, The Dispense Icon (13) and the Dispense Button (5) are flashing.

The system needs to be reset before use. Follow the instructions under 'Resetting the System' (page 4).



## Water Tank

The Water Tank Icon (12) is flashing.

The Water Tank (7) is either empty or not properly fitted. Fill the Water Tank and ensure the Water Tank is securely fitted to the Main Unit (23).



## Auto Dispense

The Auto Dispense (14) Icon is lit after heating.


Volumes between 150-600ml will be automatically dispensed unless deselected by pressing the Dispense Button (5). Volumes above 600ml cannot automatically be dispensed.



## Heat Icon

In manual dispense mode, after heating the water the Heat Icon (11) remains lit.

The Boil Icon remains lit while the water is within 5°C of the desired temperature. If the water drops more than 5°C then the icon will extinguish, the Start Stop Button will illuminate and the water can be reheated by pressing the Start/Stop Button (1).



## Water Still to Dispense

After heating or being woken from standby, the Dispense Icon (13) is flashing.

There is still water remaining in the heating chamber. Either reheat or dispense water before next use.



## Descale

The Descale Icon (16) is lit.

Your Hot water Dispenser needs descaling. Follow the instructions under 'Descaling' to descale the heating chamber (page 10).