




Recommended ICY DOCK Storage Kits for HP Z820 Workstation

Choose the category to see product selections

FOR EXTERNAL 5.25" DRIVE BAY



2.5" SSD/HDD CAGES

Ideal for High IOPS Setup

- Fits up to 8x 2.5" SSD/HDD
- Uses only 1x 5.25" drive bay
- Selection from 3 bays to 8 bays

[VIEW ITEMS](#)




3.5" HDD MOBILE RACK

Ideal for SMB Backup or Forensic

- Fits 1x 3.5" HDD
- Supports both SAS & SATA
- Available in tray & tray-less

[VIEW ITEMS](#)



3.5" HDD CAGES

Ideal for High Capacity RAID Setup

- Fits up to 3x 3.5" HDD
- Supports both SAS & SATA
- Available in tray & tray-less

[VIEW ITEMS](#)



5.25" CONVERSION KITS

Ideal for Multimedia Applications

- Converts your external 5.25" drive bay into 2.5" or 3.5" slots
- Hot-swap version is available

[VIEW ITEMS](#)

FOR EXTERNAL 3.5" DRIVE BAY



2.5" SSD MOBILE RACK

Ideal for Hybrid Storage Config

- Fits up to 3x 2.5" SSD/HDD
- Heavy duty full metal design
- Selection from 1 bay to 3 bays

[VIEW ITEMS](#)

FOR INTERNAL 3.5" HARD DRIVE BAY



2.5" SSD/HDD CONVERTERS

Ideal for System Drive Upgrades

- Compatible with HP HDD sled
- Fits 1x 2.5" SSD/HDD
- Tool-less drive installation
- RAID version is available

[VIEW ITEMS](#)

Highest Storage Density



ICY DOCK ToughArmor MB998SP-B

- Fits up to 8x 2.5" drive in 1x 5.25" bay
- Heavy duty full metal construction
- Fits 2.5" SATA SSD/HDD from 5 - 7mm height
- Dual 40mm cooling fans keep drives cool
- ICY DOCK 3-year limited warranty

5.25" Bay x1	2.5" x8	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
MORE INFO	DATA SHEET		

Best Price-Performance Ratio



ICY DOCK ToughArmor MB996SP-6SB

- Fits up to 6x 2.5" drive in 1x 5.25" bay
- Heavy duty full metal construction
- Fits 2.5" SATA SSD/HDD from 5 - 9.5mm height
- Fan speed control (high, low & auto)
- ICY DOCK 3-year limited warranty

5.25" Bay x1	2.5" x6	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
MORE INFO	DATA SHEET		

Best Drive Compatibility



ICY DOCK ToughArmor MB994SP-4S

- Fits up to 4x 2.5" drive in 1x 5.25" bay
- Heavy duty full metal construction
- Fits 2.5" SATA/SAS SSD/HDD from 5 - 15mm height
- Dual 40mm cooling fans keep drives cool
- UL listed & HP approved
- ICY DOCK 3-year limited warranty

5.25" Bay x1	2.5" x4	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
MORE INFO	DATA SHEET		

Power Efficient Design



ICY DOCK ToughArmor MB994SP-4SB-1

- Fits up to 4x 2.5" drive in 1x 5.25" bay
- Heavy duty full metal construction
- Fits 2.5" SATA/SAS SSD/HDD from 5 - 15mm height
- Fan On / Off control
- ICY DOCK 3-year limited warranty

5.25" Bay x1	2.5" x4	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
MORE INFO	DATA SHEET		

Max Drive Security



ICY DOCK ToughArmor MB994SK-1B

- Fits up to 4x 2.5" drive in 1x 5.25" bay
- Heavy duty full metal construction
- Fits 2.5" SATA/SAS SSD/HDD from 5 - 15mm height
- Dual 40mm cooling fans keep drives cool
- Key lock for each tray keeps drives secure
- ICY DOCK 3-year limited warranty

5.25" Bay x1	2.5" x4	Cooling Efficiency Drive Protection Accessibility Functionality Value
MORE INFO	DATA SHEET	

Best for Multimedia Computing



ICY DOCK ToughArmor MB994IPO-3SB

- Fits up to 2x 2.5" drive + 1 x12.7mm height slim ODD in 1 x 5.25" bay
- Heavy duty full metal construction
- Fits 2.5" SATA/SAS SSD/HDD from 5 - 15mm height
- UL listed & HP approved
- ICY DOCK 3-year limited warranty

5.25" Bay x1	2.5" x2 ODD x1	Cooling Efficiency Drive Protection Accessibility Functionality Value
MORE INFO	DATA SHEET	

Best Value



ICY DOCK ExpressCage MB324SP-B

- Fits up to 4x 2.5" drive in 1x 5.25" bay
- Unique tool-less drive installation design
- Fits 2.5" SATA/SAS SSD/HDD from 5 - 12.5mm height
- Fan speed control (high, low & auto)
- ICY DOCK 3-year limited warranty

5.25" Bay x1	2.5" x4	Cooling Efficiency Drive Protection Accessibility Functionality Value
MORE INFO	DATA SHEET	

Best Value with Density



ICY DOCK ExpressCage MB326SP-B

- Fits up to 6x 2.5" drive in 1x 5.25" bay
- Unique tool-less drive installation design
- Fits 2.5" SATA/SAS SSD/HDD from 5 - 9.5mm height
- Fan speed control (high, low & auto)
- ICY DOCK 3-year limited warranty

5.25" Bay x1	2.5" x6	Cooling Efficiency Drive Protection Accessibility Functionality Value
MORE INFO	DATA SHEET	

High Speed Data Storage



ICY DOCK ToughArmor MB699VP-B

- Fits 4x 2.5" NVMe U.2 SSD in 1x 5.25" bay
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Dual 40mm cooling fan w/ fan speed control
- ICY DOCK 3-year limited warranty

5.25" Bay x1	2.5" x4	Cooling Efficiency Drive Protection Accessibility Functionality Value	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
MORE INFO	DATA SHEET		

Ideal For High IOPS System



ICY DOCK ToughArmor MB516SP-B

- Fits 16x 2.5" drive in 2x 5.25" bay
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Large 80mm cooling fan w/ fan speed control
- Full metal design with 3-year limited warranty

5.25" Bay x2	2.5" x16	Cooling Efficiency Drive Protection Accessibility Functionality Value	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
MORE INFO	DATA SHEET		

Complete Tray-less Design



ICY DOCK flexiDOCK MB524SP-B

- Fits 4x 2.5" SSD/HDD from 5 - 9.5mm height
- Supports both SAS and SATA drives
- Door-less design for quick drive swapping
- Individual power & eject buttons
- ICY DOCK 3-year limited warranty

5.25" Bay x1	2.5" x4	Cooling Efficiency Drive Protection Accessibility Functionality Value	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
MORE INFO	DATA SHEET		

Max Drive Stability



ICY DOCK DataCage Basic MB876SK-B

- Fits 1x 3.5" drive in 1x 5.25" bay
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Interchangeable drive tray with FatCage series
- ICY DOCK 3-year limited warranty

5.25" Bay x1	3.5" x1	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
MORE INFO	DATA SHEET		

Maximum Cooling



ICY DOCK TurboSwap MB171SP-B

- Fits 1x 3.5" drive in 1x 5.25" bay
- Supports both SAS and SATA HDDs
- Tray-less drive installation, design for hot-swap
- Slim 80mm cooling fan w/ fan speed control
- Full metal design with 3-year limited warranty

5.25" Bay x1	3.5" x1	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
MORE INFO	DATA SHEET		

Multi-Funtion 3.5" Bay & ODD



ICY DOCK DuoSwap MB971SPO

- Fits 1x 3.5" drive and 1 x ODD in 1x 5.25" bay
- Supports SATA HDDs & Ultra Slim ODD
- Tray-less drive installation, design for hot-swap
- On/off slide switch & drive ejection button
- ICY DOCK 3-year limited warranty

5.25" Bay x1	3.5" x1 ODD x1	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
MORE INFO	DATA SHEET		

Fits both 2.5" & 3.5" Drives



ICY DOCK DuoSwap MB971SP-B

- Fits 1x 2.5" and 1x 3.5" drives in 1x 5.25" bay
- Supports both SAS and SATA HDDs
- Tray-less drive installation, design for hot-swap
- Individual drive power & drive ejection button
- ICY DOCK 3-year limited warranty

5.25" Bay x1	3.5" x1 2.5" x1	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
MORE INFO	DATA SHEET		

Best Drive Stability



ICY DOCK FatCage MB153SP-B

- Fits up to 3x 3.5" drive in 2x 5.25" bay
- Supports both SAS and SATA HDDs
- User replaceable 80mm cooling fan
- Hot swappable drive tray design
- ICY DOCK 3-year limited warranty

5.25" Bay

x2

MORE INFO

3.5"

x3

DATA SHEET

Cooling Efficiency

Drive Protection

Accessibility

Functionality

Value

Made for Hot Swap



ICY DOCK FlexCage MB973SP-1B

- Fits up to 3x 3.5" drive in 2x 5.25" bay
- Tray-less drive installation, design for hot-swap
- User replaceable 80mm cooling fan
- Fan speed control (high, low & auto)
- Simple version of MB973SP-2B

5.25" Bay

x2

MORE INFO

3.5"

x3

DATA SHEET

Cooling Efficiency

Drive Protection

Accessibility

Functionality

Value

5.25" BAY CONVERSION KITS

↑ 3.5" HDD CAGES

High Storage Density Design



ICY DOCK FLEX-FIT MB343SP

- Converts 5.25" bay to external 3.5" drive bay
- Fits 2x 2.5" SSD/HDD from 5 - 9.5mm height
- Fits 1x 3.5" hard drive or 1x 3.5" device

5.25" Bay x1	3.5" X1 2.5" X2	Cooling Efficiency Drive Protection Accessibility Functionality Value	
MORE INFO	DATA SHEET		

Made Easy for Drive Swapping



ICY DOCK ExpressCage MB322SP-B

- Converts 5.25" bay to external 3.5" drive bay
- Fits 2x 2.5" SSD/HDD from 5 - 9.5mm height
- Fits 1x 3.5" hard drive or 1x 3.5" device
- Hot-swappable 2.5" drive tray design

5.25" Bay x1	3.5" X1 2.5" X2	Cooling Efficiency Drive Protection Accessibility Functionality Value	
MORE INFO	DATA SHEET		

Cost Effective Bracket



ICY DOCK Quattro MB344SP

- Mounts up to 4x 2.5" drive in 1x 5.25" bay
- Unique tool-less drive installation design
- Fits 2.5" SSD/HDD from 7 - 9.5mm height
- Cost-effective solution for drive upgrades
- Can be used as stackable organizing storage rack

5.25" Bay x1	2.5" X4	Cooling Efficiency Drive Protection Accessibility Functionality Value	
MORE INFO	DATA SHEET		

Multifunctional Bracket



ICY DOCK Flex-Fit Trio MB343SPO

- Fits 1x 3.5" drive + Ultra Slim ODD in 1x 5.25" bay
- Fits 2.5" SSD/HDD from 7 - 9.5mm height
- Fits 1x 3.5" hard drive or 1x 3.5" device
- Cost-effective solution for drive upgrades

5.25" Bay x1	2.5" X2 ODD x1	Cooling Efficiency Drive Protection Accessibility Functionality Value	
MORE INFO	DATA SHEET		



2.5" SSD MOBILE RACKS



BACK TO HOME

Best Drive Compatibility



FLEX-FIT 5.25" to 3.5"
Drive Bay Conversion Kit

ICY DOCK ToughArmor MB991SK-B / MB991SK-B

- Fits 1x 2.5" drive from 5 - 15mm height
- Supports both SAS and SATA HDDs
- Supports SAS dual channel (MB991IK-B)
- Interchangeable drive tray with MB991 & MB994
- Full metal design with 3-year warranty

3.5" Bay x1	2.5" x1	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
MORE INFO	DATA SHEET		

Dual Drives



FLEX-FIT 5.25" to 3.5"
Drive Bay Conversion Kit

ICY DOCK ToughArmor MB992SK-B

- Fits 2x 2.5" drive from 5 - 9.5mm height
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Interchangeable drive tray with MB992 & MB996
- Full metal design with 3-year warranty

3.5" Bay x1	2.5" x2	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
MORE INFO	DATA SHEET		

Data Redundancy Ready



FLEX-FIT 5.25" to 3.5"
Drive Bay Conversion Kit

ICY DOCK ToughArmor MB992SKR-B

- Fits 2x 2.5" drive from 5 - 9.5mm height
- Built-in RAID 0, RAID 1, JBOD & BIG modes
- Rebuild status light with monitoring software
- Interchangeable drive tray with MB992 & MB996
- Full metal design with 3-year warranty

3.5" Bay x1	2.5" x2	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
MORE INFO	DATA SHEET		

Max Storage Density



FLEX-FIT 5.25" to 3.5"
Drive Bay Conversion Kit

ICY DOCK ToughArmor MB993SK-B

- Fits 3x 2.5" drive from 5 - 7mm
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Interchangeable drive tray with MB993
- Full metal design with 3-year warranty

3.5" Bay x1	2.5" x3	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
MORE INFO	DATA SHEET		

Dock for Quick Swap



ICY DOCK FlexiDOCK MB521SP-B

- Fits 1x 2.5" SSD/HDD from 5 - 15mm height
- Supports both SAS and SATA drives
- Door-less design for quick drive swapping
- Flush in design for full drive protection
- ICY DOCK 3-year limited warranty

3.5" Bay x1	2.5" x1	Cooling Efficiency Drive Protection Accessibility Functionality Value	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
MORE INFO	DATA SHEET		

Dual Docking Design



ICY DOCK FlexiDOCK MB522SP-B

- Fits 2x 2.5" SSD/HDD from 5 - 9.5mm height
- Supports both SAS and SATA drives
- Door-less design for quick drive swapping
- Flush in design for full drive protection
- ICY DOCK 3-year limited warranty

3.5" Bay x1	2.5" x2	Cooling Efficiency Drive Protection Accessibility Functionality Value	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
MORE INFO	DATA SHEET		

Thumb Screw Lock Design



ICY DOCK ToughArmor EX MB491SKL-B

- Fits 1x 2.5" SSD/HDD from 5 - 15mm height
- Supports both SAS and SATA drives
- Dual lock design - metal key lock & thumb screw
- Heavy duty full metal construction
- ICY DOCK 3-year limited warranty

3.5" Bay x1	2.5" x1	Cooling Efficiency Drive Protection Accessibility Functionality Value	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
MORE INFO	DATA SHEET		

Thumb Screw Lock Design



ICY DOCK ToughArmor EX MB492SKL-B

- Fits 2x 2.5" SSD/HDD from 5 - 9.5mm height
- Supports both SAS and SATA drives
- Dual lock design - metal key lock & thumb screw
- Heavy duty full metal construction
- ICY DOCK 3-year limited warranty

3.5" Bay x1	2.5" x2	Cooling Efficiency Drive Protection Accessibility Functionality Value	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■
MORE INFO	DATA SHEET		

High Speed Compact Storage

nvm
EXPRESS



ICY DOCK ToughArmor MB601VK-B

- Fits 1x 2.5" NVMe U.2 SSD from 5-15mm height
- Supports U.2 NVMe / SAS / SATA SSD
- Hot swappable drive tray design
- Extra drive protection - 2 segment key lock
- ICY DOCK 3-year limited warranty

3.5" Bay

x1

[MORE INFO](#)



2.5"

x1

[DATA SHEET](#)

Cooling Efficiency



Drive Protection



Accessibility



Functionality



Value



[2.5" TO 3.5" SSD CONVERTERS](#)



[BACK TO HOME](#)

Best Compatibility



ICY DOCK EZConvert MB882SP-1S-3B

- Compatible with HP 3.5" drive sled
- Fits 1x 2.5" SSD/HDD from 7 - 15mm height
- Supports both SAS and SATA drives
- Exact 3.5" SATA hard drive form factor
- Tool-less drive installation design

3.5" HDD Bay x1	2.5" x1	Cooling Efficiency	■ ■ ■ ■
		Drive Protection	■ ■ ■ ■
		Accessibility	■ ■ ■ ■
		Functionality	■ ■ ■ ■
		Value	■ ■ ■ ■
MORE INFO	DATA SHEET		

Max Air Flow



ICY DOCK EZConvert Air MB482SP-3B

- Compatible with HP 3.5" drive sled
- Fits 1x 2.5" SSD/HDD from 5 - 15mm height
- Supports both SAS and SATA drives
- Exact 3.5" SATA hard drive form factor
- Heavy duty full metal construction

3.5" HDD Bay x1	2.5" x1	Cooling Efficiency	■ ■ ■ ■
		Drive Protection	■ ■ ■ ■
		Accessibility	■ ■ ■ ■
		Functionality	■ ■ ■ ■
		Value	■ ■ ■ ■
MORE INFO	DATA SHEET		

Full Metal Protection



ICY DOCK EZConvert Pro MB982IP-1S-1 / MB982SP-1S

- Compatible with HP 3.5" drive sled
- Fits 1x 2.5" SSD/HDD from 7-15mm height
- Supports both SAS and SATA HDDs
- Supports SAS 3.0 Dual Channel(MB982IP-1S-1)
- Heavy duty full metal construction

3.5" Bay x1	2.5" x1	Cooling Efficiency	■ ■ ■ ■
		Drive Protection	■ ■ ■ ■
		Accessibility	■ ■ ■ ■
		Functionality	■ ■ ■ ■
		Value	■ ■ ■ ■
MORE INFO	DATA SHEET		

Data Redundancy Ready



**BUILT-IN
BIG / JBOD
RAID 0 / RAID 1
MODES**

ICY DOCK EZConvert Pro MB982SPR-2S R1

- Compatible with HP 3.5" drive sled
- Fits 2x 2.5" SATA SSD/HDD from 7 - 9.5mm height
- Built-in RAID 0, RAID 1, JBOD and BIG modes
- Exact 3.5" SATA hard drive form factor
- Heavy duty full metal construction

3.5" HDD Bay x1	2.5" x2	Cooling Efficiency	■ ■ ■ ■
		Drive Protection	■ ■ ■ ■
		Accessibility	■ ■ ■ ■
		Functionality	■ ■ ■ ■
		Value	■ ■ ■ ■
MORE INFO	DATA SHEET		