QUICK REFERENCE GUIDE > OR36SCG6B1

Dual Fuel Range, 36", 5 Burners, Self-cleaning

Series 9 | Classic

Black




Get the best of both worlds with dual fuel. A gas cooktop is paired with a large, nine function convection oven.

- Five burner gas cooktop, including one dual ring and two triple ring wok burners
- Convection oven with 4.9 cu.ft total capacity, nine oven functions including Roast, Aero Pastry™ with pizza mode and rapid proof for baking bread
- Non-tip full-extension shelves for safe removal of hot dishes
- High-temperature self-cleaning function breaks down food residue for an easy clean

DIMENSIONS

Height	35 3/4 - 37 1/4"
Width	35 7/8"
Depth	25 1/4"



FEATURES & BENEFITS

Multi-shelf cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.

Quality and durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop grates and glowing halo dials all add up to an exceptional, premium range.

Easy to clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The self-clean function breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Burner power & control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Large capacity oven

The generous 4.9 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once, with enough room to fit a 32 lb turkey.

Precise control

Accurate electronically-controlled oven heat gives you better results in the kitchen.

SPECIFICATIONS

Accessories

2-pc grill system (Broil pan and	
Broil pan	
Broil rack	
Full Extension Telescopic	2 sets (part 578744
Kick strip, black (optional)	Part 8176
Kick strip, stainless steel	Part 8165
Small pot support	1 (part 533981 cast

Burner ratings

Dual wok burner inner/outer	1000 - 18000BTU
Dual wok burner inner/outer	1000 - 18000BTL
Maximum burner power	18000 BTU



QUICK REFERENCE GUIDE > OR36SCG6B1 Date: 14.07.2022 > 2

Semi-rapid burner (LPG)	7600BTU	Turned stainless steel clock	•	Roast	•
Semi-rapid burner (natural	8000BTU	Turned stainless steel clock	•	Self-clean function	•
Total cooktop power	62000 BTU			True Aero	•
Triple ring wok burner (LPG)	6100 - 12000BTU	Gas Requirements		True convection	•
Triple ring wok burner (natural	6100 - 14000BTU	Supply Pressure (LPG)	11" W.C.P		
		Supply Pressure (natural gas)	4" W.C.P	Oven performance	
Capacity				Broil	4300 BTU
Shelf positions	7	Oven features		Combined warming/Storage	220W
		AeroTech™ technology	•	CoolTouch door	Quadruple glazed
Cleaning		Auto re-ignition system	•	Warming drawer power	220W
Acid resistant graphite enamel	•	Automatic rapid pre-heat	•		
Drop down broil element	•	Bright chromed, cast zinc dials	•	Power requirements	
Drop down grill element	•	Concealed element	•	Amperage	30A
Flat easy clean glass surface	•	Electronic oven control	•	Supply frequency	60Hz
Pyrolytic proof shelf runners	•	Full extension telescopic	•		
1 yrolytic proof shell runners		i dii exterisiori telescopic			
Pyrolytic self-clean	•	Internal light	4 x 25W halogen (2 side & 2	Product dimensions	
			4 x 25W halogen (2 side & 2	Product dimensions Depth	25 1/4"
Pyrolytic self-clean	•	Internal light	4 x 25W halogen (2 side & 2 .		25 1/4" 35 3/4 - 37 1/4"
Pyrolytic self-clean Removable oven door	•	Internal light Soft open/close door	4 x 25W halogen (2 side & 2 • •	Depth	
Pyrolytic self-clean Removable oven door	•	Internal light Soft open/close door True convection	4 x 25W halogen (2 side & 2	Depth Height	35 3/4 - 37 1/4"
Pyrolytic self-clean Removable oven door Removable shelf runners	•	Internal light Soft open/close door True convection Turned stainless steel clock	4 x 25W halogen (2 side & 2	Depth Height	35 3/4 - 37 1/4"
Pyrolytic self-clean Removable oven door Removable shelf runners Controls	•	Internal light Soft open/close door True convection Turned stainless steel clock Twin cavity fans	4 x 25W halogen (2 side & 2	Depth Height Width	35 3/4 - 37 1/4"
Pyrolytic self-clean Removable oven door Removable shelf runners Controls Audio feedback	•	Internal light Soft open/close door True convection Turned stainless steel clock Twin cavity fans	4 x 25W halogen (2 side & 2	Depth Height Width Rangetop features	35 3/4 - 37 1/4"
Pyrolytic self-clean Removable oven door Removable shelf runners Controls Audio feedback Automatic cooking/minute	· · · · · · · · ·	Internal light Soft open/close door True convection Turned stainless steel clock Twin cavity fans Warming drawer	4 x 25W halogen (2 side & 2	Depth Height Width Rangetop features Brass burner spreader (power	35 3/4 - 37 1/4"
Pyrolytic self-clean Removable oven door Removable shelf runners Controls Audio feedback Automatic cooking/minute Automatic pre-set	· · · · · · · · · · · · ·	Internal light Soft open/close door True convection Turned stainless steel clock Twin cavity fans Warming drawer Oven functions	4 x 25W halogen (2 side & 2	Depth Height Width Rangetop features Brass burner spreader (power Embossed brass burner cap	35 3/4 - 37 1/4"
Pyrolytic self-clean Removable oven door Removable shelf runners Controls Audio feedback Automatic cooking/minute Automatic pre-set Celsius/Fahrenheit	· · · · · · · · · · · · · · · · · · ·	Internal light Soft open/close door True convection Turned stainless steel clock Twin cavity fans Warming drawer Oven functions Aero Bake	4 x 25W halogen (2 side & 2	Depth Height Width Rangetop features Brass burner spreader (power Embossed brass burner cap Hob rail	35 3/4 - 37 1/4"
Pyrolytic self-clean Removable oven door Removable shelf runners Controls Audio feedback Automatic cooking/minute Automatic pre-set Celsius/Fahrenheit Electronic capacitive touch	· · · · · · · · · · · · · · · · · · ·	Internal light Soft open/close door True convection Turned stainless steel clock Twin cavity fans Warming drawer Oven functions Aero Bake Aero Broil	4 x 25W halogen (2 side & 2	Depth Height Width Rangetop features Brass burner spreader (power Embossed brass burner cap Hob rail LPG/Natural gas compatible	35 3/4 - 37 1/4"
Pyrolytic self-clean Removable oven door Removable shelf runners Controls Audio feedback Automatic cooking/minute Automatic pre-set Celsius/Fahrenheit Electronic capacitive touch Electronic clock	· · · · · · · · · · · · · · · · · · ·	Internal light Soft open/close door True convection Turned stainless steel clock Twin cavity fans Warming drawer Oven functions Aero Bake Aero Broil Aero™ Pastry with Pizza mode	4 x 25W halogen (2 side & 2	Depth Height Width Rangetop features Brass burner spreader (power Embossed brass burner cap Hob rail LPG/Natural gas compatible	35 3/4 - 37 1/4"
Pyrolytic self-clean Removable oven door Removable shelf runners Controls Audio feedback Automatic cooking/minute Automatic pre-set Celsius/Fahrenheit Electronic capacitive touch Electronic clock High resolution display	· · · · · · · · · · · · · · · · · · ·	Internal light Soft open/close door True convection Turned stainless steel clock Twin cavity fans Warming drawer Oven functions Aero Bake Aero Broil Aero™ Pastry with Pizza mode Bake	4 x 25W halogen (2 side & 2	Depth Height Width Rangetop features Brass burner spreader (power Embossed brass burner cap Hob rail LPG/Natural gas compatible Sealed range top	35 3/4 - 37 1/4"

QUICK REFERENCE GUIDE > OR36SCG6B1 Date: 14.07.2022 > 3

Safety ADA compliant Advanced cooling system Anti-tilt bracket Balanced oven door Catalytic venting system Full extension telescopic Full extension telescopic Non-tip shelves Spill containment • 5/8 gallon

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

SKU

Other product downloads available at fisherpaykel.com



User Guide



Service & Warranty



81707

Installation Guide



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W**www.fisherpaykel.com