


iQ500, Induction hob, 80 cm
ED851FWB5E



The modern CombiInduction cooktop - for more cooking possibilities

- ✓ combiZone enables you to cook with large pots and roasting pans, benefiting from even heat distribution.
- ✓ Automatic simmer function for convenient cooking thanks to preset power levels.
- ✓ The touchSlider allows the hob temperature to be controlled by entering it directly or by moving the slider with a single finger.
- ✓ Shorter heating times with up to 50% more power thanks to the powerBoost function.

Features

Technical Data

Product name/family : Cooking zone ceramic
Construction type : Built-in
Source of energy : Electric
Total number of positions that can be used at the same time : 5
Required niche size for installation (HxWxD) : 51 x 750-750 x 490-500
Dimensions : 802
Dimensions of the product (mm) : 51 x 802 x 522
Dimensions of the packed product (HxWxD) (mm) : 126 x 953 x 608
Net weight (kg) : 15.003
Gross weight (kg) : 16.5
Residual heat indicator : Separate
Control panel : Front
Basic surface material : Ceramic
Color of surface : Black
Approval certificates : AENOR, CE
Length of electrical supply cord (cm) : 110
EAN code : 4242003828090
Electrical connection rating (W) : 7400
Nominal power (kW) : 220-240
Frequency (Hz) : 50; 60

Optional accessories

HZ390042 set of 3 pots and 1 pan



iQ500, Induction hob, 80 cm ED851FWB5E

Features

Control:

- touchSlider control

Special features

- combiZone
- 5 induction cooking zones
- powerMove, 2-steps
- reStart function
- Timer for all zones
- Acoustic signal
- 17 power levels
- Power boost setting
- Energy Consumption Display

Safety Features

- Automatic pan recognition
- Automatic safety switch off
- Control panel lock
- Control panel pause
- 2 stage residual heat indicators
- Main on/off switch
- Power and size:
- Cooking zones: 1 x Ø 180 mm, 1.8 KW (max. Power levels 3.1 KW) Induction; 1 x Ø 145 mm, 1.4 KW (max. Power levels 2.2 KW) Induction; 1 x Ø 240 mm, 2.2 KW (max. Power levels 3.7 KW) Induction; 1 x Ø 190 mm, 2.2 KW (max. Power levels 3.7 KW) Induction; 1 x Ø 210 mm, 2.2 KW (max. Power levels 3.7 KW) Induction

Technical information

- Installation measurements: 750 mmx490 mm
- Min. worktop thickness: 30 mm
- Connected load: 7.4 kW
- Connection cable 110 cm
- Cable included in packaging

Dimensioned drawings

