

USER QUICK GUIDE

BSC300 BIKE SMART COMPUTER

www.igpsport.com

EN/JP/KR



WUHAN QIWU TECHNOLOGY CO., LTD.

1. INTRODUCTION

1.1 Initial Setups

Long press the  button for 2 seconds to start the device.

After turning on the BSC300 for the first time, use the  button to browse to the desired option and press the key  to confirm your selection. Use the  keys to adjust the value and press  to confirm each selection. On any page, if you want to go back and change a setting, please press  until you reach the settings that you want to change.



①



②

1. Select a language:

press  to select your language; press  to save the setting and view the next setting option.

2. Select the time zone:

Press the  button to select the hour portion of the time zone.
Press the  button to save the setting and select the minutes part of the time zone.
Press the  button to select the minutes portion of the time zone.
Press the  button to save the setting and view the next setting option, and press the  button to view the previous setting option.

3. Mobile phone pairing tips:

Use your smartphone to download the iGPSPORT APP and pair the device in the iGPSPORT APP. Press the  button to view the next setting option, and press the  button to view the previous setting option.

4. Select the unit:

Press  to switch the unit to metric or imperial.
Press the  button to save the setting and view the next setting option, press the  button to view the previous setting option.

Please note that only the time zone can be set here, the time and date of the BSC300 will be automatically calibrated after satellite positioning.

After completing the setting, you can enter the main page of the BSC300 and use the function of the BSC300. Note that the firmware of the BSC300 can only be updated through the iGPSPORT APP. To ensure that you can enjoy the best performance of the BSC300 and the latest device features, please be sure to connect your BSC300 to your smartphone later. For the specific connection method, please refer to Mobile Phone Pairing.



③



④

1.2 Charging

The device has a built-in rechargeable lithium battery, so you can charge using the AC power adapter or the USB port on your BSC300.

1. Open the protective rubber stopper on the USB port on the back of the device.
2. Connect the USB charging cable.
3. Wait for the device to be fully charged.

After charging is complete, please cover the USB plug after unplugging the charging cable.

Note:

- 1) Please use DC5V adapter to charge. It is not recommended to use the fast charging adapter to charge the computer, it may cause damage to the battery of the product.
- 2) When the battery power is low, it will be displayed  in the upper right corner of the BSC300 homepage, indicating that the battery power is low. It is recommended to charge the computer.
- 3) Do not stretch the USB plug excessively to keep the waterproof and dust proof effect.

1.3 Button Function

The BSC300 has six buttons, which have different functions according to the usage scenarios. Check the table below to see what each key does in different situations.



Button	Function
① 	Power function button - short press to power on / long press to power off Enter the status page shortcut button/return button in the navigation page is the zoom function key
② 	Cycling lap button/setting shortcut button
③ 	Enter the cycling page shortcut button/start activity/pause activity
④ 	Confirm button/menu shortcut button
⑤ 	Upward
⑥ 	Downward

1.4 Icon Instruction

				
Weak Satellite Signal	GPS Medium Signal	Strong GPS Signal	No GPS Signal	Battery
				
Start Recording	Recording	Stop Recording	Bluetooth Disconnected	Bluetooth Connected
				
Data Sync	Speed Sensor	Cadence Sensor	Speed and Cadence Sensor	Heart Rate Sensor
				
Power Meter	Trainer	Electronic shifters	Di2	

1.5 Phone Pairing

Pairing a mobile phone will help you to use the BSC300 more conveniently. You can experience richer functions of the BSC300 on the iGPSPORT APP, including automatic data synchronization, computer configuration, warning reminders, sensor management, real-time tracking, firmware update, etc.

Please note that you must pair according to the instructions in the iGPSPORT APP, not in the Bluetooth settings of your smartphone. Make sure your smartphone is connected to the Internet and Bluetooth is turned on when pairing.

Please download the iGPSPORT app from AppStore or GooglePlay.

Android users:

Make sure positioning is enabled for the iGPSPORT APP in your phone's APP settings.

Pairing the phone for the first time:

1. On your smartphone, open the iGPSPORT app and log in with your iGPSPORT account.
 2. Move the BSC300 close to the phone, enter "My Status" on the home page of the iGPSPORT application or enter "Device Management", then click "Add Device", select the computer, the mobile phone will automatically search for the computer "BSC300", select it and click "Connect" and the device starts pairing.
 3. When the system pop-up window of "Bluetooth pairing request" is displayed on your mobile device, please click Pair to accept the bluetooth pairing request.
 4. After the pairing is completed, the BSC300 will display the device list, and the pairing is complete.
 5. After the BSC300 is successfully paired and connected, the iGPSPORT application will prompt you to set the BSC300 on the mobile device. After completing the settings, click "Save and Sync" and your settings will be synced to the computer.
- After the phone is paired successfully, the device and the phone will automatically connect via Bluetooth. If the pairing fails in the middle, you can try to restart the mobile phone Bluetooth, APP or BSC300 to re-pair.

Delete pairing:

If you want to pair the BSC300 with another smartphone, delete the current pairing first:

1. Go to Settings > Unbind, click Unpair, and press the  button to confirm the unbind.
2. After completion, the computer will restart automatically, and the status bar will display the Bluetooth unpaired status icon.

Note:

Do not perform pairing and unbinding operations frequently.

Update Firmware:

To keep your BSC300 up-to-date and perform at its best situation, it is important to ensure that the firmware is updated as new versions become available. Performing a firmware update can improve your computer experience, including the new features, enhancements to existing features, or bug fixes. You will not lose any data due to firmware updates.

- Before starting the updation, please ensure that the activity data of the BSC300 has been synchronized to the iGPSPORT account to avoid the risk of data loss, and at the same time ensure that the computer has sufficient power, and the Bluetooth and data network are stable;
- Open iGPSPORT APP > Device > Firmware Update, you can check if there is the latest version available and guide you how to update it;
- Depending on the Bluetooth signal connection, the firmware update may take up to 20 minutes, please be patient.

Install the BSC300 base:

Secure it to the handlebar with the included rubber ring.

- 1) Install the rubber pad on the back of the BSC300 base.
- 2) Choose a suitable position on the handlebar to place the rubber pad and the base of the BSC300.
- 3) Use 2 rubber rings to go around the handle respectively, hook the buckle of the base of the computer, and fix it on the handlebar.
- 4) Align the protruding position of the buckle on the back of the computer with the slot on the base of the BSC300.
- 5) Place the BSC300 on the base of the BSC300 and rotate it 90 degrees.



Note:

You can also use the iGPSPORT M80 extension bracket to install the BSC300. It is recommended that you use the iGPSPORT official bike computer base or extension bracket to avoid damaging the bike computer buckle. Do not perform pairing and unbinding operations frequently.

2. START RIDING

2.1 Riding Preparation

Before riding, you need to wait for the BSC300 to detect your GPS satellite signal to ensure that your riding track data is accurate. To receive GPS satellite signals, please go outdoors and away from tall buildings and tall trees. Keep the BSC300 still with the display facing up and avoid touching the BSC300 while searching for a GPS signal. If you have paired the optional sensor with the BSC300, you can wake up the corresponding sensor, then the sensors will be paired with the BSC300 automatically, and the BSC300 will automatically start searching for sensor signals. The BSC300 automatically uses connected sensors to measure your heart rate, cadence, power, and more during your ride.

When the number of satellites required for GPS positioning reaches the minimum, the GPS icon changes to . At this point you can start riding, but for better GPS accuracy, wait for the GPS icon to change to  or . The GPS icon changes to  when enough satellites have been found for good accuracy.

After all signals are detected, press the  button to enter the riding data page.

Press the  button on the cycling data page to start a cycling activity record.

Press the  button to start a new lap record, and the current lap data will be displayed on the device for 10 seconds.

Press any button to manually exit the lap data pop-up window.

During cycling, you can press the  button to pause cycling activity and stop recording the time.

Press  to view menu options, select 'Save', press  again to save the ride record.

After the cycling record is successfully saved, the device displays a summary of the cycling data.

Press the  button to view the ride data summary up or down.

2.2 During Riding

Browse the data view:

During training you can switch between cycling views with the  button. Please note that the ride data views and information depend on the riding mode you have selected and your edits to the page content for the selected mode.

On the BSC300 and in the iGPSPORT app, you can make specific page settings for different riding modes. You can set custom data fields for each activity mode and choose the data you want to see during your ride.

Status page view:

While riding, you can access the status page by using the  buttons. On the status page, there are basic information such as battery power, sunrise and sunset times, altitude, etc., and you can view functional status information such as sensors, brightness, smart notification and other functional status information.

Function shortcut menu:

During the riding process, you can open the function menu by using the button , and in the function menu, you can quickly enter functions such as settings, navigation, training courses, etc.

Lap

Press  to manually lap. You can also turn on the automatic lap function in the APP. In the bike computer setting function of the iGPSPORT APP, turn on the automatic lap function and set it to count laps by distance, location, or time.

Pause/Stop

Press  to pause your ride recording.

To continue training, press the  key again.

To stop the ride record, press the  key, and select Save from the pop-up menu to end the cycling activity. Once you save a ride, you'll get an activity summary for that ride right from your bike computer.

2.3 After riding

Activity Summary:

You'll get a summary of your activity on your bike computer right after your ride. You can get more detailed data and graph analysis on the iGPSPORT APP or on the iGPSPORT website.

The information displayed in the cycling activity summary depends on the data collected during cycling.

On the bike computer homepage, press the  to move to the history, and press the  to view the list of recent cycling activities and the summary information of the activities. You can view an activity summary of historical activity stored on the bike computer. Use the  to select the activity you want to view and press the  button to open the activity summary.

View cycling data in the APP:

After you complete the cycling activity, if your mobile phone is within the Bluetooth range, the bike computer will automatically connect and synchronize with the iGPSPORT APP (need to enable the automatic synchronization function on the APP). In the APP, you can view the analysis data at a glance after each ride recording is over. Using the iGPSPORT APP, you can quickly browse the detailed data of each cycling activity, and you can also

share your cycling activities with your friends through the iGPSPORT APP.
For more information on your cycling activity data, you can also use the iGPSPORT website to analyze every detail of your exercise records, see your performance in greater detail, track progress towards your monthly training goals, and share your best rides with others Record.
Check iGPSPORT APP for more information.

3. STATUS PAGE

On the cycling page/home page, press the  to view the status page, which displays GPS, battery, sunrise/sunset time, current altitude and other information.



Backlight brightness

Display the backlight brightness of the current bike computer, press the  to quickly enter the brightness adjustment page.

sensor status

The currently connected sensor will be lit, move to the sensor status bar, and press the  to quickly view the sensor options.

smart notification

You can view the incoming call and message reminders of the paired mobile phone on the device. The device can simultaneously display the information and notifications on the mobile phone.

You receive incoming calls, messages and APP notifications through the bike computer. The notifications you receive on your bike computer are real-time to those you receive on your phone. When receiving a notification, the bike computer will prompt and display a prompt window at the bottom of the screen; when receiving a call, the bike computer will also display the caller.

Mobile notifications are available for iOS and Android phones. To use mobile phone notifications, you need to install the iGPSPORT APP on your mobile phone, and also need to pair it with the bike computer. See Pair your mobile device with your bike computer for instructions.

Please note that when Smart Notification is set to On, the battery of the bike computer and mobile phone will drain faster due to the continuous activation of Bluetooth.

4. iGPSPORT APP

In the iGPSPORT APP, you can manage your device, view instant visual interpretation of exercise data, and also be able to plan training, navigate routes and communicate with other cyclist in the app.

Personal setting

It is important to set your physical settings accurately, especially when setting your weight, height, date of birth and gender, as these factors can affect the accuracy of measurements such as heart rate zone limits and calorie burn.

You will be able to set weight, height, date of birth, gender, monthly training activity

goal, maximum heart rate, resting heart rate, FTP, etc. in the user settings.
If you know the current maximum heart rate value, set your maximum heart rate.
When you set this value for the first time, the predicted maximum heart rate value based on age (220 - age) will be displayed as the default setting.

Training data

With the iGPSPORT app, you can easily access data from past and planned cycling activities, as well as create new training goals.

Get a quick overview of your cycling activity and instantly analyze detailed summary data, graphical records, and individual detailed data on your performance. View your cycling activity logs and statistical analysis in Activity. You can also keep statistics of your activity data in different time cycles.

Device setting

You can set up various functions on the device in the iGPSPORT APP, including adding, editing, enabling data page view, setting automatic options and alert functions.

Share with others

With the image sharing feature of the iGPSPORT app, you can share images with your training data on the most popular social media channels such as Facebook and Instagram. You can share existing photos, or take new ones and customize them with your training data. If you have GPS logs during your training sessions, you can also share snapshots of your training routes.

5. STANDARD PACKAGE

- BSC300×1
- Quick Manual×1
- Standard base×1

6.CONTACT US

🌐 www.igpsport.com

🏢 Wuhan Qiwi Technology Co., Ltd.

📍 3/F Creative Workshop, No.04 District D Creative World, No.16 West Yezhihu Road, Hongshan District, Wuhan, Hubei, China.

☎ (86)027-87835568

✉ service@igpsport.com

Disclaimer:

This user manual is for the user's reference only. If the content or steps are different from the functions of the device itself, the device shall prevail, and Wuhan Qiwi Technology Co., Ltd. will not give any notice.
Copyright belongs to Wuhan Qiwi Technology Co., Ltd.

USER MANUAL

Please log in to the official website to view the details of the manual.

Website and QR code: <https://www.igpsport.com/user-manual>



1. 製品概要

1.1 初期設定

➤ を2秒間長押し、起動します。

起動後、⬆ ボタンを押して項目を選択、⬇️ ボタンを押して決定します。⬆ を押して数値を選択変更し、変更後 ⬇️ を押して決定します。

すでに設定した項目を変更する場合は、元のページまで ➤ を押して戻ります。

1.言語選択:

⬆ ボタンを押して言語を選択してください。

⬇️ ボタンを押して保存し、次の設定を表示します。

2.タイムゾーンの選択:

⬆ を押して、タイムゾーンを選択します。

⬇️ を押すと設定が保存され、次の設定項目が表示します。➤ を押すと、前の設定項目が表示します。

注意:タイムゾーンの設定後にGPS測位が完了すると時刻と日付が自動的に調整されます。また、すべての初期設定完了後にホーム画面に移り、デバイスが使用できるようになります。

3.スマートフォンとのペアリング:

iGPSPORTアプリケーションをダウンロードし、アプリケーションでデバイスとペアリングします。⬇️ を押して保存し次の設定項目を表示します、➤ を押して前の設定項目を表示します。

4.単位表示選択:

⬆ を押して、単位を設定します。

⬇️ を押して保存し次の設定項目を表示します、➤ を押して前の設定項目を表示します。

デバイスのファームウェア更新は、iGPSPORTアプリケーションでのみ行えます。最高のパフォーマンスと最新機能をご使用いただくため、デバイスをスマートフォンに接続してください。

詳細な接続方法については、スマートフォンとのペアリングを参照してください。



1.2 充電について

このデバイスには充電式リチウムイオン電池が内蔵されています。
DC電源アダプターもしくはコンピューターのUSBポートを使用して充電してください。

1.裏側のUSB防水プラグを開けます。
2.USBケーブルを差し込みます。
3.充電完了までお待ちください。
充電後、充電ケーブルを抜き、USB防水プラグを閉じます。

注意:
1)DC5V標準電源アダプターを使用してください。
バッテリーを損壊する可能性があるため、急速充電アダプターは使用しないでください。
2)電池残量が少ない場合、右上に  と表示されます。デバイスを充電してください。
3)防水・防塵性能を維持するため、USBプラグを外すときに無理な力がかからないように注意してください。

1.3 ボタン機能

デバイスには6つのボタンがあり、使用内容に応じて機能が異なります。
以下の表をご覧ください、各ボタンの機能を確認してください。



操作ボタン	機能
① 	電源:押すオン/長押しオフ ステータスページに入るショートカットキー/戻る。 地図ページではズームアウト
② 	ラップ/設定に入るショートカットキー
③ 	ライドページに入るショートカットキー/ アクティビティ開始/アクティビティ一時停止
④ 	決定。メニューページのショートカットキー
⑤ 	スクロール 上
⑥ 	スクロール 下

1.4 アイコン説明

				
GPS信号弱	GPS信号中	GPS信号強	GPS信号なし	バッテリー
				
記録開始	記録中	記録停止	Bluetooth切断	Bluetooth接続
				
データアップロード	スピードセンサー	ケイデンスセンサー	スピード/ケイデンスセンサー	心拍センサー
				
パワーメーター	トレイナー	電動変速	DI2	

1.5 スマートフォンとのペアリング

スマートフォンとペアリングすることで、iGPSPORTアプリケーションでの自動データ同期、デバイス設定、アラートリマインダー、センサー接続管理、リアルタイムトラッキング、ファームウェア更新など、様々な機能を使用できます。

注意:

iGPSPORT アプリケーションの指示に従ってペアリングしてください。ペアリングの際はスマートフォンをインターネットに接続し、Bluetooth機能をオンにしたことを確認してください。AppStoreまたはGoogle PlayからiGPSPORT アプリケーションをダウンロードしてください。

Android端末をお使いの方へ：iGPSPORTアプリでの位置情報サービスへのアクセスを許可してください。

初回ペアリング:

- iGPSPORT アプリケーションで登録アカウントにてログインしてください。
- デバイスをスマートフォンの近くに置き、アプリのホームページで「ユーザーステータス」もしくは「デバイス」>「デバイス管理」>「デバイス追加」を選択し、接続するデバイスを決定します。スマートフォンは自動的に「BSC200」を検索します。選択後「ペアリング」をクリックしてください。
- 「Bluetoothペアリングリクエスト」が表示され、「ペアリング」をクリックしてリクエストを許可してください。
- ペアリング完了後、デバイスは「デバイス管理」に表示されます。
- 「スマートフォンで設定してください」と表示されます。設定完了後、「保存して同期する」をクリックすると、設定がデバイスに同期されます。一度ペアリングが完了している場合、デバイスはBluetooth経由で自動的にスマートフォンに接続されます。接続に失敗した場合は、スマートフォンのBluetooth、iGPSPORT アプリケーション、もしくはモバイルデバイスを再起動して、再度ペアリングをお試しください。

ペアリング削除:

デバイスを他のスマートフォンとペアリングする場合は、以前のペアリングを先に削除してください。

1. 「設定」> 「接続設定」の順に選択して、ペアリングリストを表示します。
2. 削除するモバイルデバイスを選択し「接続解除」を選択して、を押して決定します。
3. 削除完了後、デバイスにBluetooth切断アイコンが表示されます。

注意:

ペアリングおよびペアリング解除操作を頻繁に行わないでください。


ファームウェアのアップデート:

デバイスのパフォーマンスを維持するために、新しいバージョンのファームウェアに更新してください。ファームウェアの更新によって、新しい機能、機能の拡張、バグ修正などが実行されます。ファームウェアの更新によりデータが失われることはありません。

- 更新する前に、データの紛失を防ぐために、アクティビティデータがiGPSPORTアカウントでクラウドに同期されていることを確認してください。
- iGPSPORTアプリで「デバイス」> 「ファームウェアアップデート」の順に選択して、利用可能な最新バージョンを確認、更新します。
- 接続状況により、ファームウェアの更新には最大20分かかる場合があります。更新完了までお待ちください。

標準バイクマウントの取り付け:

1. ゴム製パッドをハンドルの上にセットします。マウントからはみ出さないようにゴム製パッドをピッタリ合わせてください。
 2. 安全運転の妨げとならない適切な位置でマウントを取り付けてください。
 3. 固定用 ゴムリングバンド2本使用して、クロスするようにマウントの爪にバンドをかけ、自転車ハンドル/ステムにしっかり固定します。
 4. マウントの凹部に、デバイスの裏側にある凸部を合わせます。
- デバイスを軽く押しながら、ロックされるまで90度回し、マウントにしっかりと固定します。



注意:

別売りアウトフロントバイクマウントiGPSPORT M80を使用して取り付けができます。

デバイス裏側の固定ノックを壊さないように、付属の標準バイクマウントまたはアウトフロントバイクマウントM80を使用してください。

2. ライド

2.1 ライド前

ライドデータを取得するために、ライド前にデバイスがGPS信号を受信している必要があります。屋外でGPS信号を受信してください。高い建物や樹木の近くでのGPS信号の受信は避けてください。GPS 信号を検索している検索中、デバイスを静止させ、触れないでください。センサーがすでにデバイスにペアリングされている場合、センサーを起動するとデバイスはセンサーを自動的に検索して接続します。ライド中にセンサーを使用して、心拍数、ケイデンス、パワー、その他のデータを自動的に測定可能となります。位置測定可能な衛星が最小の場合、GPS信号アイコンが  と表示され、この時点でライドを開始できます。より正確なデータを取得するために、GPS信号アイコンが  または  と表示されるまでお待ちください。精度を十分に確保できる状態になるとGPS信号アイコンは  と表示されます。GPS受信後、 を押してライドデータページに入ります。再び  を押して、アクティビティ記録スタートします。 を押してラップ記録を開始します。前ラップのデータが10秒間ほど表示されます。いずれのボタンを押すと表示を閉じることができます。ライド記録中  を押してアクティビティ記録一時停止します。 を押してメニュー表示し、「保存」を選択して、もう一度  を押してデータ保存します。保存完了後、ライドデータの概要を表示します。 を押して、ライドデータの概要を選択して表示します。

2.2 ライド中

データページ:

ライド中は、 を押してページを切り替えることができます。表示可能なライドデータページとデータ表示項目は、ライドモードによって異なりますのでご注意ください。デバイスとIGSPORTアプリケーションでは、さまざまなライドモードに合わせてページ設定を行うことができます。ライドモードでデータ項目をカスタマイズ設定可能です。ライド中に表示するデータを選択できます。

ステータスページ:

 ボタンでステータスページを表示します。ステータスページには、バッテリー残量、日の出・日の入り時刻、高度などの情報、センサーや明るさ、モードなどの状態も確認することができます。

ショートカットメニュー:

ライド中に押すと  メニュー表示します。 を押すと設定、ナビゲーション、ワークアウトなどの項目を確認することができます。

ラップ:

 を押すと手動でラップ計算できます。IGSPORT アプリケーションでオートラップ機能が設定できます。

距離、位置、または時間によってラップを設定できます。
距離で記録する場合は、各ラップの距離を設定する必要があります。
設定した距離を走行した後、自動的に1ラップとしてカウントされます。
位置で記録する場合は、記録の開始点をマークし、再度到達すると自動的に1ラップとしてカウントします。時間で記録する場合は、設定した時間を走行後に、再びその時間に達すると、自動的に1ラップとしてカウントされます。

一時停止/終了:

1. ▶II を押して、記録を一時停止します。
 2. ▶II もう一度押すと再開します。
 3. ≡ を押すと記録を終了します。「保存」を選択して、アクティビティを終了します。
- アクティビティを保存すると、アクティビティの詳細がすぐに表示されます。

2.3 ライド終了

アクティビティ概要:

アクティビティ終了後、デバイスでアクティビティの詳細がすぐに表示されます。
より詳細なデータと概略分析は、iGPSPORT アプリケーションまたはiGPSPORT 公式ウェブサイト
で見ることができます。
アクティビティの概要の情報は、ライド中に記録されたデータによります。
ホームページで、◆ を押して「履歴」を表示します。
≡ を押して最近のアクティビティと概要を表示します。
デバイスに保存されているアクティビティ履歴の概要を表示できます。
◆ を押して表示するアクティビティを選択し、≡ を押して概要を開きます。

iGPSPORT アプリケーションでのアクティビティデータ表示:

ライド終了後、スマートフォンがBluetooth接続の範囲内にある場合、デバイスは自動的に
iGPSPORT アプリケーションに接続、同期されます。(自動同期機能をアプリで有効にしている場
合)
アプリケーションでは、各アクティビティの詳細を表示し、iGPSPORT アプリケーションで友人とア
クティビティを共有することもできます。
iGPSPORT 公式ウェブサイトではアクティビティの詳細を分析でき、パフォーマンスをより詳細に
みることができます。毎月のトレーニング目標に向けた進捗状況を追跡し、ライドを他のライダー
と共有できます。
詳細については、iGPSPORT アプリケーションをご覧ください。

3. ステータスページ

ライドページ/ホーム画面から ☰ を押すと、GPS、バッテリー
残量、日の出/日の入り時刻、現在の高度などをステータス
ページで表示されます。

バックライト輝度:

バックライトの明るさを表示します。≡ を押すと、バックライト
の明るさを設定することができます。

センサー:

現在接続されているセンサーが点灯します。センサーのステ
ータス表示バーに移動し、≡ ボタンを押すと、センサーオプショ
ンが表示されます。

メッセージ:

デバイスでペアリングされたスマートフォンからの着信とメッ
セージの通知を表示します。iGPSPORT アプリケーションでメッ
セージのオプションを設定できます。



通話やメッセージおよび他のアプリケーションの通知はスマートフォンと同期され、デバイスにリアルタイムで表示されます。

通知を受信すると、デバイスの画面の下側に提示バーで通知します。

着信がある場合、デバイスに発信者を表示します。

コンピューターを使用して、着信に応答または拒否できます。

スマートフォンの通知はiOSとAndroidに適用されます。

通知機能をオンにする場合、iGPSPORT アプリケーションをスマートフォンにインストールしてデバイスに接続する必要があります。

詳細については、スマートフォンのペアリングをご覧ください。

注意：スマートフォン通知をオンにすると、Bluetooth接続を常にオンにする必要があるため、デバイスとスマートフォンのバッテリー消費が早くなります。

4. iGPSPORT アプリケーション

iGPSPORT アプリケーションでは、デバイスの管理、アクティビティデータの確認ができます。またトレーニングの計画、ルートのナビゲート、他のライダーとのコミュニケーションを行うことができます。

ユーザープロフィール:

ユーザープロフィールでは特に体重、身長、生年月日、性別を設定することが重要です。これらの設定項目は、心拍数ゾーンやカロリー消費などの測定精度に影響を与える可能性があります。

ユーザープロフィールでは、体重、身長、生年月日、性別、毎月のトレーニング目標、最大心拍数、安静時心拍数、FTPなどの情報を設定できます。最大心拍数がわかっている場合は設定してください。最大心拍数を初めて設定する場合は年齢で予測される最大心拍数 (220 - 年齢) がデフォルト設定として表示されます。

トレーニングデータ:

iGPSPORT アプリケーションでは、過去および計画したアクティビティデータに簡単にアクセスし、新しいトレーニングターゲットを設定、アクティビティの概要をすぐに見ることができ、詳細なデータ、チャートレコード、およびパフォーマンスのさまざまな詳細データをリアルタイムで分析できます。

また、アクティビティ記録とアクティビティ中のデータの統計分析を表示したり、さまざまな期間のアクティビティデータの統計を作成したりできます。

デバイス設定:

データページの追加、編集、使用、自動オプションやアラートの設定など、iGPSPORT アプリケーションでデバイスのさまざまな機能を設定できます。詳細については、iGPSPORT アプリケーションのアクティビティコンテンツを参照してください。

アクティビティ共有:

iGPSPORT アプリケーションの画像共有機能を使用すると、FacebookやInstagramなどの人気ソーシャルメディアで画像やトレーニングデータを共有できます。

既存の写真を共有することも、新しい写真を撮ってトレーニングデータでカスタマイズすることもできます。トレーニング中にGPSで記録していた場合は、トレーニングルートのスナップショットを共有することもできます。

5. 標準付属品

- BSC300×1
- クイックマニュアル×1
- 標準マウントベース×1

6. お問い合わせ

🌐 www.igpsport.com

🏢 Wuhan Qiwi Technology Co., Ltd.

📍 3/F Creative Workshop, No.04 District D Creative World, No.16 West Yezhihu Road,
Hongshan District, Wuhan, Hubei, China.

☎ (86)027-87835568

✉ service@igpsport.com

免責:

本取扱説明書は、お客様の参考のために作成されたものです。本取扱説明書と機器との間に相違がある場合は、機器の表示・機能に従ってください。

当社は、製品の変更や改良を行う権利を有しておりこのような変更や改良について、いかなる個人や組織にも通知する義務を負うことなく、このマニュアルの内容を変更することができます。すべての著作権はWuhan Qiwi Technology Co., Ltd.に帰属します。

ユーザーマニュアル

詳細のマニュアルは
公式サイトまでログインしてご覧ください。

ウェブサイトとQRコード: <https://www.igpsport.com/user-manual>



1. 제품 소개

1.1 초기 설정

장치를 열고 2초 동안 길게 **↵** 누릅니다.

장치를 처음 부팅하게 되면 **⬆** 버튼을 눌러 알맞은 값을 선택 한 뒤, **↵** 키를 눌러 저장합니다. 대부분의 페이지에서 **↵** 키를 눌러 이전 페이지로 이동, 설정을 변경할 수 있습니다.



①



②

1.언어 선택:

⬆ 를 눌러 언어를 선택하고, **↵** 를 눌러 저장합니다.

2. 표준 시간대 선택:

시간을 선택하려면 **⬆** 를 누릅니다.

설정을 저장하고 시간대의 분 부분을 선택하려면 **↵** 를 누릅니다.

시간대의 분 부분을 선택하려면 **⬆** 를 누릅니다.

저장하고 다음 설정을 보려면 **↵** 를 누르고, 이전 설정 옵션을 보려면 **↶** 를 누릅니다.

메모: 표준 시간대만 설정하면 GPS가 준비된 후에 시간과 날짜가 자동으로 보정됩니다.

3.스마트 폰 페어링 알림:

iGPSPORT 앱을 다운로드하고 이 응용 프로그램에서 장치와,스마트 폰을 페어링하기 위해 스마트폰을 사용합니다.

다음 설정을 보려면 **↵** 를 누르고, 이전 설정으로 돌아가려면 **↶** 를 누릅니다.

4.단위 선택:

⬆ 를 눌러 미터법, 영국제에 대한 단위를 선택 합니다.

저장하고 다음 설정을 보려면 **↵** 를 누르고, 이전 설정 옵션을 보려면 **↶** 를 누릅니다.

설정을 완료한 후에 홈 페이지로 돌아갈 수 있습니다. 펌웨어는 iGPSPORT 앱을 통해서만 업데이트 할 수 있습니다.최상의 성능/ 최신 기능을 유지할 수 있도록 사용 전 스마트폰과 페어링하시기 바랍니다.



③



④

1.2 충전

장치 내부에 충전식 리튬 이온 배터리가 있어 DC 전원 어댑터를 사용하거나 USB 케이블로 충전 할 수 있습니다.

- 1. 뒷면에서 USB 방수 플러그의 캡을 뗍습니다.
 - 2. USB 케이블을 연결합니다.
 - 3. 충전이 완료될 때까지 기다립니다.
- 충전 완료 후 충전 케이블을 분리하고 USB 방수플러그를 끼워넣으세요.

메모:

- 1) 1)DC5V표준 전원 어댑터를 사용하십시오. 빠른 충전 어댑터는 배터리를 손상시킬 수 있으므로 권장되지 않습니다.
- 2) 배터리가 부족하면 오른쪽 상단 모서리에 충전이 필요하다는  , 표시가 보이게 됩니다.
- 3) 방수 및 방진 성능을 유지하기 위해 USB 방수 플러그를 과도하게 당기지 마십시오.

1.3 버튼 기능

BSC300 사이클링 컴퓨터는 각각의 기능을 가진 총6개의 버튼이있습니다.
이 버튼의 특정 기능을 알아보려면 아래 표를 참조하십시오.



버튼	기능
① 	전원 기능 키- 짧게 누르면 켜짐/ 길게 누르면 꺼짐 상태 페이지 바로 가기 키/뒤로 가기 키, 네비 페이지에서는 줌 기능 키
② 	랩 계산/설정 단축키
③ 	라이딩 페이지의 바로 가기 키;활동 시작/일시 중지
④ 	확인키;메뉴페이지로 빠르게 갈 수 있는 키
⑤ 	올림
⑥ 	내림

1.4 아이콘설명

				
약한 신호	중간 신호	강한 신호	신호 없음	배터리
				
시작	기록 중	중지	블루투스 연결이 끊긴	블루투스 연결됨
				
데이터 업로드	속도 센서	케이던스 센서	속도 및 케이던스 센서	심박수 센서
				
파워 미터	트레이너	전자 변속기	DI2	

1.5 스마트폰 페어링

스마트폰 페어링을 사용하면 사이클링 컴퓨터를 보다 편리하게 사용할 수 있습니다. 활동 데이터 자동 동기화, 사이클링 컴퓨터 구성, 경고 알람, 센서 관리, 실시간 추적, 펌웨어 업데이트 등 iGPSPORT APP에서 해당 기능에 대해 풍부하게 경험 할 수 있습니다.

스마트폰의 블루투스 설정이 아닌 iGPSPORT 앱에서 스마트폰을 페어링하라는 순서대로 따라야 합니다. 스마트폰이 네트워크에 연결되고 블루투스가 켜져 있는지 확인하십시오.

안드로이드 사용자: 휴대폰의 APP 설정에서 iGPSPORT APP에 대한 포지셔닝이 활성화되어 있는지 확인하십시오.

첫번째 페어링:

- 1.스마트폰에서 iGPSPORT 앱을 열고 iGPSPORT 계정을 사용하여 로그인합니다.
 - 2.스마트폰 근처에 사이클링 컴퓨터를 놓고, APP의 홈 페이지에 "내 상태"로 들어가거나 기기의 "장치 관리"로 들어갑니다. "기기 추가"를 클릭하면 스마트폰이 자동으로 "BSC200"을 검색합니다. 그 다음에 자전거 컴퓨터를 선택하여 "연결"을 클릭하면 페어링이 시작됩니다.
 - 3.스마트폰에서 "Bluetooth연결 요청"이 보이면 "연결"을 클릭하여 요청을 수락합니다.
 - 4.페어링이 성공한 후 사이클링 컴퓨터가 장치목록에 표시됩니다.
 - 5.페어링이 성공되면 iGPSPORT 어플리케이션에서 기기 설정을 요청하게 되고, 앞서 설명한 과정으로 기기 설정이 완료되면 "저장 및 동기화"를 클릭하고, 그 다음 설정이 기기에 동기화됩니다.
- 그 이후 장치와 스마트폰은 블루투스를 통해 자동으로 연결됩니다. 실패하면 스마트폰 블루투스, iGPSPORT APP 또는 기기를 다시 시작해 블루투스 연결을 다시 시도합니다.

페어링해제:

- 사이클링 컴퓨터를 다른 스마트폰과 페어링하려면, 현재 페어링을 먼저 해제하십시오.
- 1.설정>페어링 해제'로 이동하여, '페어링 해제'를 선택하여, 페어링 해제하려면 를 누릅니다.
 - 2.페어링 해제되면 기기가 자동 재부팅하여 Bluetooth연결이 끊긴 아이콘이 기기에 표시됩니다.

참고:

페어링 해제를 자주 하지 마십시오.

펌웨어 업데이트:

기기의 최상의 성능을 유지하려면 새 버전을 사용할 수 있을 때 펌웨어를 적시에 업데이트 하십시오. 펌웨어 업데이트는 새로운 기능, 기존 기능 개선 또는 오류 복구를 포함하여 사용자 환경을 개선할 수 있습니다. 펌웨어 업데이트로 인해 데이터가 손실되지 않습니다.

- 업데이트 전에 데이터 손실을 방지하기 위해 활동 데이터가 iGPSPORT 계정에 동기화되었는 지 확인하십시오.
- iGPSPORT 앱>기기>펌웨어 업데이트' 로 이동하십시오. 사용 가능한 최신 버전이 있는 지 확인 하고 업데이트 방법 안내도 있습니다.
- 필요한 시간은 블루투스 신호의 강도에 따라 달라집니다. 대부분 빠르게 진행 되지만 최대 20분까 지 거릴 수 있습니다.

자전거 마운트 설치:

포함된 고무 밴드를 사용하여 자전거 마운트를 자전거 스템이나 핸들바에 부착합니다.

- 1)자전거 마운트의 뒷면에 고무 패드를 놓습니다.
- 2) 고무 패드와 표준 자전거 마운트를 배치하는 자전거 스템 또는 핸들바등 적합한 위치를 선택합니다.
- 3) 두 개의 고무 밴드를 사용하여 각각 자전거 핸들바에 마운트의 버클을 걸어 핸들에 고정합니다.
- 4) 기기 뒷면의 버클 돌출 위치를 마운트의 카드 슬롯에 맞춥니다.
- 5) 자전거 컴퓨터를 마운트 베이스에 놓고 90도 회전합니다.

메모:

또한 아웃-프론트 자전거 마운트(iGPSPORTM80)를 사용하여 사이클링 컴퓨터를 설치할 수도 있습니다. iGPSPORT의 공식 표준 자전거 마운트 또는 아웃-프론트 자전거 마운트를 사용하여 사이클링 컴퓨터의 버클을 손상시키지 않도록 하는 것이 좋습니다.



2. 라이딩의 시작

2.1 라이딩 하기 전

정확한 라이딩 데이터를 보장하려면 라이딩 전에 기기가 GPS신호를 감지할 때까지 기다려야 합니다. GPS 신호가 필요한 경우에, 밖으로 나가서 고층 건물과 나무에서 멀리하시기 바랍니다. 기기를 가만히 유지하고 화면을 위로 유지하고 GPS 신호를 검색 할 때 기기를 만지지 마십시오. 센서가 이전에 기기에 연결되어 있던 경우, 일단 깨어나면 자동으로 기기에 연결되며 기기는 센서를 자동으로 검색합니다. 라이딩 하는 동안 센서를 사용하여 기기가 심박수, 케이던스 및 파워미터등 데이터를 자동으로 측정합니다.

위치 지정을 위한 위성이 4개(최소)인 경우 GPS 아이콘이 ■■■ 표시되며 이 때 라이딩을 시작 할 수 있습니다. 보다 정확한 데이터를 보려면 아이콘■■■/■■■이 표시될 때까지 기다리십시오. 좋은 정확도를 보장하기 위해 충분한 위성이 발견될 때■■■ 표시됩니다.

모든 신호가 감지된 후 ■■■ 를 눌러 사이클링 데이터 페이지로 이동합니다.

■■■ 눌러 라이딩 데이터 페이지에서 활동 기록을 시작합니다.

새 랩 레코드를 시작하려면  를 누릅니다.

임의의 버튼을 누르면 이번 랩 데이터 팝업창을 수동으로 종료할 수 있습니다.

라이딩 데이터 기록을 일시 중지하려면  를 누릅니다.

메뉴를 보려면  를 눌러 "저장"을 선택하고  를 다시 눌러 라이딩 기록을 저장합니다.

저장이 완료되면 라이딩 데이터 요약이 표시됩니다.

 를 누르고 선택하여 라이딩 데이터 요약을 볼 수 있습니다.

2.2 라이딩 중

데이터 페이지 보기:

라이딩 중에  를 눌러 라이딩 데이터 페이지를 전환할 수 있습니다. 표시 가능한 라이딩 데이터 보기 및 정보는 선택한 라이딩 모드와 선택한 모드의 페이지 설정에 따라 달라집니다.

기기 및 iGPSPORT APP에서 다양한 라이딩 모드에 대한 특정 페이지를 설정할 수 있습니다. 각 활동 모드에 대한 사용자 지정 데이터 필드를 만들고 라이딩 중에 표시되는 데이터를 선택할 수 있습니다.

상태 페이지 보기:

라이딩 하는 동안,  를 눌러 상태페이지를 볼 수 있습니다. 상태 페이지에서는 센서, 날씨 및 스마트 알림이 표시되며, 동시에 다른 기능알림 등을 확인 할 수 있습니다.

바로 가기 메뉴:

라이딩 하는 동안  를 눌러 메뉴를 열 수 있으며 기능 메뉴에서 설정, 내비게이션, 트레이닝 등의 기능을 빠르게 진입할 수 있다.

랩:

 를 누르면 수동으로 설정할 수 있습니다. iGPSPORT APP의 기기 설정에서 자동 랩 기능을 활성화하며 거리, 위치 또는 시간별로 랩을 설정할 수 있습니다. 거리에 따라 각 랩의 거리를 설정해야 합니다. 설정된 거리를 주행하면 자동으로 한 랩으로 계산됩니다. 위치에 따라 기록의 시작점이 마크 포인트 이동한 뒤, 다시 설정된 거리에 도달하면 자동으로 한 랩으로 계산됩니다. 시간이 지나면 지정된 시간에 따라 시간을 기록합니다. 해당 시간에 도달하면 자동으로 한 랩으로 계산됩니다.

일시중지/중지:

1.기록을 일시 중지하려면  를 누릅니다.

2.계속하려면 다시  를 누릅니다.

3.기록을 중지하려면  를 누릅니다. 팝업에서 "저장"을 선택하여 활동을 중지합니다. 활동을 저장한 후 기기에서 활동 세부 정보를 즉시 확인할 수 있습니다.

2.3 라이딩 후

활동 요약:

활동을 마친 후 기기에서 활동 세부 정보를 즉시 얻을 수 있습니다. 자세한 데이터와 그래프 분석은 iGPSPORT APP또는 공식 웹 사이트에서 얻을 수 있습니다.

활동 요약의 정보는 활동 중에 수집된 데이터에 따라 다릅니다.

홈페이지에서  를 눌러 기록을 선택하고  를 눌러 최근활동 목록과 요약을 확인할 수 있습니다. 장치에 저장된 기록 활동 요약을 볼 수 있습니다.  를 눌러 보고 싶은 활동을 선택하고  를 눌러 요약을 엽니다.

IGPSPORT 앱에서 라이딩 데이터 보기:

라이딩이 완료되면, 스마트폰이 블루투스 범위 내에 있는 경우, 기기[가 자동으로 iGPSPORT APP에 연결되고 동기화됩니다. (앱에서 자동 동기화 기능을 사용하도록 설정해야 함). APP에서 각 라이딩의 세부 정보를 신속하게 스캔하고 iGPSPORT 앱을 통해 친구에게 활동을 공유할 수 있습니다.

iGPSPORT 웹사이트를 사용하여 라이딩 기록의 모든 세부 사항을 활용하여 성과를 더 잘 분석하고, 월간 훈련목표 진행 상황을 한눈에 알 수 있으며, 개인기록을 다른 사람들에게 공유할 수 있습니다.

자세한 내용은 iGPSPORT 앱을 참조하십시오.

3. 상태 페이지

옵션을 보려면 **☰** 를 누릅니다. GPS, 전력량, 일출/일몰 시간, 현재 고도 등의 정보가 표시됩니다.

백라이트 밝기:

현재 기기의 백라이트 밝기를 표시하고 **☰** 을 누르면 밝기조절 설정으로 빠르게 이동 할 수 있습니다.

센서 상태:

현재 연결되어 있는 센서가 점등되어 센서 상태 표시줄로 이동하여 **☰** 를 누르면 센서 옵션을 빠르게 볼 수 있습니다.

스마트 알림:

장치에서 통화 및 메시지 알림을 볼 수 있으며 iGPSPORT 앱과 동기화 된 날씨 정보를 볼 수 있습니다. 상태 페이지에서 **☰** 를 눌러 "날씨"를 선택합니다. 세부정보를 보고 안내에 따라 정보를 업데이트 하려면 **☰** 를 누릅니다.

날씨 정보가 업데이트되면 온도,비 올 확률, 바람속도 및 바람 방향이 표시됩니다.

날씨 세부 사항 페이지를 종료하려면 **☰** 를 누르고, 다시 **☰** 를 눌러 상태페이지를 종료합니다.

이 기능을 다시 사용하려면 iGPSPORT APP을 스마트폰에 설치하여 장치에 연결하여야 하며, 위치 서비스(iOS) 또는 위치설정(Android)을 설정해야 합니다.



4. iGPSPORT APP

iGPSPORT APP에서는 기기를 관리하고, 활동 데이터의 실시간 시각적 해석을 보고, 훈련 및 새로운 경로를 계획하고, 다른 라이더와 통신할 수 있습니다.

사용자 정보:

체격, 특히 체중, 키, 생년월일 및 성별을 정확하게 설정하는 것은 심박수 제한 및 칼로리 소비와 같은 측정 값의 정확도에 영향을 미치기 때문에 매우 중요합니다.

사용자 정보의 체중, 키, 생년월일, 성별, 월간 훈련 목표, 최대 심박수, 휴식 심박수, FTP 및 기타 정보를 설정할 수 있습니다.

현재 최대 심박수 값을 알고 있다면 설정하십시오. 이 값을 처음으로 설정하면 연령별로 예측된 최대 심박수 값(220-나이)이 기본 설정으로 표시됩니다.

훈련 데이터:

iGPSPORT APP에서는 과거 및 계획된 사이클링 활동 데이터에 쉽게 확인하고, 새로운 훈련 목표를 설정하고, 사이클링 활동에 대한 간단한 개요를 얻고, 상세한 요약 데이터, 차트 기록 및 다양한 성능 데이터를 실시간으로 분석할 수 있습니다. 활동 중 사이클링 활동 기록 및 데이터 통계 분석을 보고 다양한 기간에 활동 데이터를 통계할 수도 있습니다.

사이클링 컴퓨터 설정:

IGPSPORT APP을 통해 데이터 페이지 보기 추가, 편집 및 활성화, 자동 옵션 및 경고 설정 등 기기에
서 다양한 기능을 간편하게 설정할 수 있습니다. 자세한 내용은 IGPSPORT 앱의 활동 콘텐
츠를 참조하십시오.

활동 공유:

IGPSPORT APP의 이미지 공유 기능을 통해 Facebook 및 Instagram과 같이 가장 일반적으로 사용
되는 소셜 미디어에 이미지와 훈련 데이터를 공유할 수 있습니다. 기존 사진을 공유하거나 새 사진을
찍어 훈련 데이터로 사용자 지정할 수 있습니다. 훈련 중에 GPS기록이 있는 경우 훈련 경로의 스냅
샷을 공유할 수도 있습니다.

5. 구성품

- BSC300×1
- 사용자 매뉴얼×1
- 밴드형 기본 마운트×1

5. 문의하기

🌐 www.igpsport.com

🏢 Wuhan Qiwi Technology Co., Ltd.

📍 3F 크리에이티브 워크샵 No.04 디스트릭트D 크리에이티브 월드,
No.16 웨스트 예저우 로드, 홍산 지구, 우한, 후베이, 중국.

☎ (86)027-87835568

✉ service@igpsport.com

면책조항:

이 사용자 설명서는 사용자의 참조용입니다. 장치와 매뉴얼 간 차이가 있는 경우 장치의
기준을 따르십시오. Wuhan Qiwi Technology Co., Ltd.는 더 이상 통지하지 않습니다.
저작권은 Wuhan Qiwi Technology Co., Ltd에 속합니다.

사용자 매뉴얼

설명서의 자세한 내용을 보려면 공식 웹
사이트를 방문하십시오.

웹 사이트 및 QR 코드: <https://www.igpsport.com/user-manual>



WARNING

This device complies with part 15 of the FCC Rules. Operation is subject to the condition that this device does not cause harmful interference (1) this device may not cause harmful

interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for Compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.

- Increase the separation between the equipment and receiver.

- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

- Consult the dealer or an experienced radio/TV technician for help.

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance between 20cm the radiator your body:

Use only the supplied antenna.

FCC ID:2AUJ4M-BSC300

SPECIFICATIONS:

Operating Temperature: -10°-50°C

To check the regulations and specifications on the electronic label, such as identification mark, software version, certification information, and other marks that comply with FCC regulations and comply with various regions, you can view it in Settings> About.