











**Hello! Please read these important attentions...**

Please put a thick carpet on the ground to protect the furniture finish and corners. During the installation process, **DON' T** fasten screws tight 100% at a time.

# ASSEMBLY INSTRUCTIONS

NUMBER	COMPONENT	QUANTITY
A	 SEAT FRAME	1PC
B	 LEG FRAME 1	1PC
C	 LEG FRAME 2	1PC
D	 SEAT CUSHION	1PC
E	 BACK CUSHION	1PC
F	 SCREW M7X60 MM	4PCS
G	 SCREW M6X40 MM	2PCS


# ASSEMBLY INSTRUCTIONS

NUMBER	COMPONENT	QUANTITY
H	 SCREW M4X20 MM	2PCS
I	 PLASTIC LID	4PCS
J	 M4	1PC


**NOTE:** The accessory pack does not include a screwdriver. Please prepare a screwdriver before you assemble.

# ASSEMBLY INSTRUCTIONS

1




Take the leg frame 1 (B), leg frame 2 (C) and seat frame (A) and connect them together.




Use the Allen M4 (J) and screws (F) to connect the leg frame to the seat frame (A).

# ASSEMBLY INSTRUCTIONS

2




Use screw (H) to connect the two leg frames (C) and (B) together. Then use the Allen M4 (J) and screws (G) to connect the leg frame 1 (B) and the leg frame 2 (C).



After tightening the screws, use the plastic lid (I). Cover the four screw heads.

# ASSEMBLY INSTRUCTIONS


3



Put the Back and Seat cushion on the Chair.

# ASSEMBLY INSTRUCTIONS

4










**Hello! Please read these important attentions...**


Please put a thick carpet on the ground to protect the furniture finish and corners. During the installation process, **DON' T** fasten screws tight 100% at a time.



# ASSEMBLY INSTRUCTIONS

NUMBER	COMPONENT	QUANTITY
A	 TABLE TOP	1PC
B	 SUPORTING FEET	2PCS
C	 CONNECTING ROD	1PC
D	 SCREW 7X90 MM	4PCS
E	 SCREW 7X70 MM	2PCS
F	 PLASTIC LID	4PCS
G	 M4	1PC

# ASSEMBLY INSTRUCTIONS




Use the Allen M4 (G) and Screws 7X90MM (D) to connect the Supporting Leg (B) with the Table Top (A)

Use the Allen M4 (G) and the Screws 7X70MM (E) to connect the Connecting Rod (C) to the Supporting Legs (B)

This process requires four operations.

# ASSEMBLY INSTRUCTIONS

2



Use the Plastic Lid (F) to cover the screw heads

# ASSEMBLY INSTRUCTIONS

3

