

PERIBOARD-335




PRODUCT FEATURES


- Mechanicle TKL-Keyboards with Kailh Low-Profile-Keys
- Compact
- Ergonomic Design
- Plug-and-Play, easy Installation
- 3 types of mechanical switches (red, blue, brown)
- Programmable Keys (with or without software)

PRODUCT SPECIFICATION


Dimension	398x202x44 mm	System requirement	Win 7 or later MacOS Big Sur 11.2.1 or later
Weight	882±50 g	Storage temperature	-40 ~ 65°C
Number of keys	91 US/ 92 EU	Operating voltage	0 ~ 45°C
Hub	-	Electrical rating	5V/100mA
Backlit	RGB	Key press life cycle	50 Mio.
Key switch technology	Mechanical	Material	ABS
Cable length	1800 mm	Layouts	US,UK,DE,ES,FR,IT
Interface	USB Typ-A	Certifications	CE, FCC
Color	black		




US Layout




UK Layout




DE Layout




ES Layout



FR Layout



IT Layout



<https://eu.perixx.com/>
Perixx Computer GmbH +49-211-569488-00
 Heerdter Landstraße 189e, 40549 Düsseldorf, Germany
株式会社 Perixx Japan +81-50-5809-9650
 〒103-0004 東京都中央区東日本橋二丁目28番4号
 日本橋 CETビル2 階
佩銳科技有限公司 (進口商) +886-2-2748-5232
 10052 台北市中正區徐州路18巷32號1樓

制 造 商：佩 銳 科 技（ 深 圳 ） 有 限 公 司
 Manufacturer : Perixx Technology (ShenZhen) Co., Ltd.
 地 址：深圳市南山区西丽街道新光路43号
 聚创金谷创意园A栋#509-510
 Address : #A509-510 Ju Chuang Jin Gu Building, Xinguang
 Road 43, Xili Street, Nanshan District, Shenzhen
 City, China
 Customer Service Email : shop@perixx.com