## **FCC** compliance information statement



**Product Name: Network Camera** 

Model Number: InSight S345/InSight S355/InSight S385/InSight S445/InSight S455/InSight S485/InSight S245/InSight S225I/InSight S245ZI/InSight S345ZI/InSight S445ZI/InSight S385PI/InSight S485PI/InSight S655I/

InSight S345S/InSight S445S

Responsible party: TP-Link Systems Inc.

Address: 10 Mauchly, Irvine, CA 92618 Website: https://www.tp-link.com/us/

Tel: +1 626 333 0234 Fax: +1 909 527 6804

E-mail: sales.usa@tp-link.com

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/ TV technician for help. This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
- 1) This device may not cause harmful interference.
- 2) This device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

We, TP-Link Systems Inc., has determined that the equipment shown as above has been shown to comply with the applicable technical standards, FCC part 15.

There is no unauthorized change is made in the equipment and the equipment is properly maintained and operated.

Issue Date: 2024-7-25

## **CE Mark Warning**



This is a class B product. In a domestic environment, this product may cause radio interference, in which case the user may be required to take adequate measures.

TP-Link hereby declares that the device is in compliance with the essential requirements and other relevant provisions of directives 2014/30/EU, 2014/35/EU, 2011/65/EU and (EU)2015/863.

The original EU Declaration of Conformity may be found at https://www.tp-link.com/en/support/ce/

#### **UKCA Mark**



## **UK Declaration of Conformity**

TP-Link hereby declares that the device is in compliance with the essential requirements and other relevant provisions of the Electromagnetic Compatibility Regulations 2016 and Electrical Equipment (Safety) Regulations 2016.

The original UK Declaration of Conformity may be found at https://www.tp-link.com/support/ukca

## **Canadian Compliance Statement**

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- (1) This device may not cause interference.
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables

aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

- 1) L'appareil ne doit pas produire de brouillage;
- 2) L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

#### Industry Canada Statement

CAN ICES-3 (B)/NMB-3(B)



#### 安全諮詢及注意事項

- 請使用原裝電源供應器或只能按照本產品注明的電源類型使用本產品。
- 清潔本產品之前請先拔掉電源線。請勿使用液體、噴霧清潔劑或濕布進行清潔。
- 注意防潮,請勿將水或其他液體潑灑到本產品上。
- 插槽與開口供通風使用,以確保本產品的操作可靠並防止過熱,請勿堵塞或覆蓋開口。
- 請勿將本產品置放於靠近熱源的地方。除非有正常的通風,否則不可放在密閉位置中。
- 不要私自拆開機殼或自行維修,如產品有故障請與原廠或代理商聯繫
- 電源供應器应使用在环境温度低於或等於 40°C的室內

## 限用物質含有情況標示聲明書

低用物具召有阴沉棕小茸明音							
				型號(型式)	:		
				Type design	Type designation (Type)		
設備名稱: Equipment name Network Camera			InSight S345/ InSight S355/InSight S385/InSight S445/InSight S455/InSight S485/InSight S245/InSight S225I/InSight S245ZI/InSight S345ZI/InSight S445ZI/InSight S485PI/				
			InSight S655I/InSight S345S/InSight S445S				
	限用物質及其化學符號						
	Restricted substances and its chemical symbols						
單元 Unit	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr+6)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)	
PCB	0	0	0	0	(. 55)	0	

外殼	0	0	0	0	0	0
電源供應器	_	0	0	0	0	0
其他與配件	0	0	0	0	0	0

備考1. <sup>\*</sup>超出0.1 wt % \* 及 <sup>\*</sup>超出0.01 wt % \* 係指限用物質之百分比含量超出百分比含量基準值

Note 1: "Exceeding 0.1 wt %" and "exceeding 0.01 wt %" indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.

備考2. ℃ 係指該項限用物質之百分比含量未超出百分比含量基準值。

Note 2: "O" indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

備考3. \*一\* 係指該項限用物質為排除項目。

Note 3: The "-" indicates that the restricted substance corresponds to the exemption.



Продукт сертифіковано згідно с правилами системи УкрСЕПРО на відповідність вимогам нормативних документів та вимогам, що передбачені чинними законодавчими актами України.

# EAC

## **Safety Information**

- Keep the device away from water, fire, humidity or hot environments. (For indoor cameras)
- Keep the device away from fire or hot environments. DO NOT immerse in water or any other liquid. (For outdoor cameras)
- Do not attempt to disassemble, repair, or modify the device. If you need service, please contact us.
- This product can be powered only by power supplies that comply with Power Source Class 2 ( PS2) or Limited Power Source (LPS) of IEC 62368-1.(For PoE cameras)
- Do not use damaged charger or USB cable to charge the device.
- Do not use any other chargers than those recommended
- Adapter shall be installed near the equipment and shall be easily accessible.
- Use only power supplies which are provided by manufacturer and in the original packing of this product. If you have any questions, please don't hesitate to contact us.
- Operating Temperature: -30 °C -60 °C

Please read and follow the above safety information when operating the device. We cannot guarantee that no accidents or damage will occur due to improper use of the device. Please use this product with care and operate at your own risk.

# Explanations of the symbols on the product label

Note: The product label can be found at the bottom of the product and its I.T.E.

power supply. Symbols may vary from products.

Symbol	Explanation
	Class II equipment
Ė	Class II equipment with functional earthing
$\sim$	Alternating current
	Direct current
♦⊕♦	Polarity of d.c. power connector
	For indoor use only
4	Dangerous voltage
1	Caution, risk of electric shock
$\overline{\text{vi}}$	Energy efficiency Marking
	Protective earth
<u></u>	Earth
<i></i>	Frame or chassis
$\stackrel{\triangle}{=}$	Functional earthing
<u></u>	Caution, hot surface

-	
$\triangle$	Caution
$\bigcap_{\mathbf{i}}$	Operator's manual
	Stand-by
	"ON"/"OFF" (push-push)
	Fuse
$\blacksquare$ N	Fuse is used in neutral N
	RECYCLING  This product bears the selective sorting symbol for Waste electrical and electronic equipment (WEEE). This means that this product must be handled pursuant to European directive 2012/19/EU in order to be recycled or dismantled to minimize its impact on the environment.  User has the choice to give his product to a competent recycling organization or to the retailer when he buys a new electrical or electronic equipment.
(G(t)	Caution, avoid listening at high volume levels for long periods
	Disconnection, all power plugs
m	Switch of mini-gap construction
μ	Switch of micro-gap construction (for US version) Switch of micro-gap / micro-disconnection construction (for other versions except US)
ε	Switch without contact gap (Semiconductor switching device)
	1

# Recommended Power Adapters

Product Model	Power Supply	Power Model
InSight S345	12V/1A	T120100
InSight S355	12V/1A	T120100
InSight S385	12V/1A	T120100
InSight S445	12V/1A	T120100
InSight S455	12V/1A	T120100
InSight S485	12V/1A	T120100
InSight S245	12V/1A	T120100
InSight S285	12V/1A	T120100
InSight S225I	12V/1A	T120100
InSight S245ZI	12V/1A	T120100
InSight S345ZI	12V/1A	T120100
InSight S445ZI	12V/1A	T120100
InSight S385PI	12V/1A	T120100
InSight S655I	12V/1A	T120100