Solar PanelWireFree Zigbee


Harnessing solar energy to extend the battery autonomy of Smart Shading WireFree motors by up to 5 years.



PRODUCTS MAIN FUNCTIONALITIES



COMPATIBLE END PRODUCTS [Interior applications only]



Solar PanelWireFree Zigbee

BENEFITS FOR PROFESSIONALS

Blinds

Easy Installation:

Blinds

• 2 mounting options (Adhesive or Bracket). Solar Panel bracket sold separately (9029127).

Cellular


- Patented adjustable cable system (50mm-700mm)
- Compatible with Somfy Smart Shading WireFree Motors (with USB C connector)

Reliability:

- Somfy quality and warranty
- A powerful solar panel with a USB C connector

CONFIGURATION OPTIONS

WireFree Li-ion Motors with built-in Li-ion Battery




BENEFITS FOR END USERS

Easy and low maintenance:

- Extend the battery autonomy of Somfy Smart Shading WireFree motors by up to 5 years
- No wiring; no electrician required

WireFree Motors powered by an external li-ion battery pack

Ref. 9028930 BATTERY PACK W/ USB C



MOUNTING OPTIONS

Glass face Mounted



Wall Bracket Mounted





TECHNICAL DATA

Item number	9029114			
Index Protection Rating	IP30 (for indoor use only)			
Maximum Power	1.5 W ±15%			
Temperature Working Range	-10°C to 60°C			
Temperature Storage Range	-20°C to 70°C			
Connector	USB C			
Cable length	Adjustable [50 – 700 mm]			
Compliance	RCM Compliant			
Installation considerations	 Maximum extension cable between solar panel and motor/battery pack: 3.5m Sunlight must transmit through the window opening to optimise product performance Solar panel should be mounted against window glass facing outwards A Bracket kit [9029127 - sold separately] is required for vertical & horizontal sliding and casement windows. 			
Solar Cell technology	Monocrystalline Silicon PERC Shingle			
	1 x Solar Panel with adjustable cable + USB C connector 1 x Surface cleaning wipe 1 x Adhesive double sided mounting tape			
Solar Panel Kit inclusions	WARNING: This kit includes cleaning wipes that contain isopropyl alcohol liquid, which is classified as a dangerous good. If air shipment is planned, a Dangerous Goods Appraisal Certificate needs to be obtained, and Commodity Inspection needs to be carried out for each shipment.			

DIMENSIONS

Length (L)	337mm	N		
Width (W)	55mm		1	
Thickness (T)	16.5mm		L	
Cable Length (C)	50-700mm	-		



WIREFREE MOTOR & BATTERY COMPATIBILITY

Motor with Internal Li-ion Battery	Item Number
SONESSE 28 WF ZIGBEE LI-ION 2/20 [UNIT]	1245938
SONESSE 40 WIREFREE ZIGBEE 4NM LI-ION	1245992
Motor with External Li-ion Battery	Item Number
SONESSE 28 WIREFREE ZIGBEE	1245937
TILT & LIFT 25 ZIGBEE	1241674
TILT ONLY 50 ZIGBEE	1241782
ZIGBEE EXTERNAL LI-ION BATTERY PACK	9028930

