



ProArt

ASUS IoT

Gaming

Business

Environment

ASUS

Mobile /
Handhelds

Laptops

Displays
/
DesktopsMotherboards
/
ComponentsNetworking
/ IoT /
Servers

Accessories

Support



P5E3



Product Support For

P5E3

[Find Another Model >](#)

By registering your device, you can easily manage your product warranty, get technical support and keep track of your repair status.

Upgrade Warranty: [Here](#).

* Please note that the availability of the Premium Care product lines might differ by country.

[Register Product](#)CPU / Memory
Support

Driver & Tools

FAQ

Manual &
Document

CPU SUPPORT

CPU Support

Memory / Device Support

The following table shows the supported CPUs for this motherboard [Click here to search other motherboards](#).

CPU	Validated since PCB	Validated since BIOS	Note
Celeron 420(1.60GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	0403	GO

CPU	Validated since PCB	Validated since BIOS	Note
Celeron 430(1.80GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	0403 GO	
Celeron 440(2.00GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	0403 GO	
Celeron 450(2.2GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	1104 GO	
Celeron Dual Core E1200(revM0,1.6GHz,800 FSB,L2:512K)	ALL	0808 GO	
Celeron Dual Core E1500(revM0,2.2GHz,800 FSB,L2: 512K)	ALL	0808 GO	
Celeron Dual Core E3200(revR0,2.4GHz,800 FSB,L2: 1M)	ALL	1301 GO	
Celeron Dual Core E3300(revR0,2.5GHz,800 FSB,L2: 1M)	ALL	1301 GO	
Celeron Dual Core E3400(revR0,2.6GHz,800 FSB,L2: 1M)	ALL	1404 GO	
Core 2 Duo E4300 (1.8GHz,800FSB,L2:2MB,65W,rev.L2)	ALL	0403 GO	
Core 2 Duo E4400 (2.0GHz,800FSB,L2:2MB,65W,rev.M0)	ALL	0403 GO	
Core 2 Duo E4500 (2.2GHz,800FSB,L2:2MB,65W,rev.M0)	ALL	0403 GO	
Core 2 Duo E4600 (2.4GHz,800FSB,L2:2MB,65W,rev.M0)	ALL	0403 GO	
Core 2 Duo E4700 (2.6GHz,800FSB,L2:2MB,revG0)	ALL	0808 GO	
Core 2 Duo E6300 (1.86GHz,1066FSB,L2:2MB,rev.B2)	ALL	0403 GO	

CPU	Validated since PCB	Validated since BIOS	Note
Core 2 Duo E6300 (1.86GHz,1066FSB,L2:2MB,rev.L2)	ALL	0403 GO	
Core 2 Duo E6320 (1.86GHz,1066FSB,L2:4MB,rev.B2)	ALL	0403 GO	
Core 2 Duo E6400 (2.13GHz,1066FSB,L2:2MB,rev.B2)	ALL	0403 GO	
Core 2 Duo E6400 (2.13GHz,1066FSB,L2:2MB,rev.L2)	ALL	0403 GO	
Core 2 Duo E6420 (2.13GHz,1066FSB,L2:4MB,rev.B2)	ALL	0403 GO	
Core 2 Duo E6550 (2.33GHz,1333FSB,L2:4MB,rev.G0)	ALL	0403 GO	
Core 2 Duo E6600 (2.40GHz,1066FSB,L2:4MB,rev.B2)	ALL	0403 GO	
Core 2 Duo E6700 (2.66GHz,1066FSB,L2:4MB,rev.B2)	ALL	0403 GO	
Core 2 Duo E6750 (2.66GHz,1333FSB,L2:4MB,rev.G0)	ALL	0403 GO	
Core 2 Duo E6850 (3.00GHz,1333FSB,L2:4MB,rev.G0)	ALL	0403 GO	
Core 2 Duo E7200(2.53GHz,1066FSB,L2:3MB,rev.M0)	ALL	1002 GO	
Core 2 Duo E7300(2.66GHz,1066FSB,L2:3MB,rev.M0)	ALL	1002 GO	
Core 2 Duo E7400(2.80GHz,1066FSB,L2:3MB,rev.R0)	ALL	1201 GO	
Core 2 Duo E7500(2.93GHz,1066FSB,L2:3MB,rev.R0)	ALL	1201 GO	

CPU	Validated since PCB	Validated since BIOS	Note
Core 2 Duo E7600(3.06GHz,1066FSB,L2:3MB,rev.R0)	ALL	1301 GO	
Core 2 Duo E8200 (2.66GHz,1333FSB,L2:6MB,rev.C0)	ALL	0806 GO	
Core 2 Duo E8300 (2.83GHz,1333FSB,L2:6MB,rev.C0)	ALL	1002 GO	
Core 2 Duo E8400 (3.00GHz,1333FSB,L2:6MB,65W,rev.E0)	ALL	1104 GO	
Core 2 Duo E8400 (3.00GHz,1333FSB,L2:6MB,rev.C0)	ALL	0806 GO	
Core 2 Duo E8500 (3.16GHz,1333FSB,L2:6MB,65W,rev.E0)	ALL	1104 GO	
Core 2 Duo E8500 (3.16GHz,1333FSB,L2:6MB,rev.C0)	ALL	0806 GO	
Core 2 Duo E8600 (3.33GHz,1333FSB,L2:6MB,65W,rev.E0)	ALL	1104 GO	
Core 2 Extreme QX6700(revB3,2.66GHz,1066FSB,L2:2X4MB)	ALL	0403 GO	
Core 2 Extreme QX6800 (rev.G0,2.93GHz,1066FSB,L2:2X4MB,4 cores)	ALL	0403 GO	
Core 2 Extreme QX6800(revB3,2.93GHz,1066FSB,L2:2X4MB)	ALL	0403 GO	
Core 2 Extreme QX6850(revG0,3.00GHz,1333FSB,L2:2X4MB)	ALL	0403 GO	
Core 2 Extreme QX9650 (rev.C1,3.00GHz,1333FSB,L2:2X6MB,4 cores)	ALL	1002 GO	
Core 2 Extreme QX9650(revC0,3.00GHz,1333FSB,L2:2X6MB)	ALL	0704 GO	

CPU	Validated since PCB	Validated since BIOS	Note
Core 2 Extreme QX9770(revC1,3.2GHz,1600FSB,L2:2X6MB)	ALL	1002 GO	
Core 2 Extreme X6800(2.93GHz,1066FSB,L2:4MB,revB2)	ALL	0403 GO	
Core 2 Quad Q6700 (2.66GHz,1066FSB,L2:2X4MB,rev.G0,4 cores)	ALL	0403 GO	
Core 2 Quad Q8200 (rev.M1,2.33GHz,1333FSB,L2:4MB,4 cores)	ALL	1002 GO	
Core 2 Quad Q8200 (rev.R0,2.33GHz,1333FSB,L2:4MB,4 cores)	ALL	1301 GO	
Core 2 Quad Q8200S (rev.R0,2.33GHz,1333FSB,L2:4MB,4 cores)	ALL	1201 GO	
Core 2 Quad Q8300 (rev.R0,2.50GHz,1333FSB,L2:4MB,4 cores)	ALL	1201 GO	
Core 2 Quad Q8400 (rev.R0,2.66GHz,1333FSB,L2:4MB,4 cores)	ALL	1301 GO	
Core 2 Quad Q8400S (rev.R0,2.66GHz,1333FSB,L2:4MB,4 cores)	ALL	1301 GO	
Core 2 Quad Q9300 (2.5GHz,1333FSB,L2:6MB,rev.M1,4 cores)	ALL	1002 GO	
Core 2 Quad Q9400 (rev.R0,2.66GHz,1333FSB,L2:6MB)	ALL	1104 GO	
Core 2 Quad Q9400S (rev.R0,2.66GHz,1333FSB,L2:6MB)	ALL	1201 GO	
Core 2 Quad Q9450 (2.66GHz,1333FSB,L2:12MB,rev.C1)	ALL	1002 GO	
Core 2 Quad Q9500 (2.83GHz,1333FSB,L2:6MB,rev.R0)	ALL	1503 GO	

CPU	Validated since PCB	Validated since BIOS	Note
Core 2 Quad Q9505(rev.R0,2.83GHz,1333FSB,L2:6MB)	ALL	1301 GO	
Core 2 Quad Q9550(2.83GHz,1333FSB,L2:12MB,rev.C1)	ALL	1002 GO	
Core 2 Quad Q9550(rev.E0,2.83GHz,1333FSB,L2:12MB)	ALL	1104 GO	
Core 2 Quad Q9550S(rev.E0,2.83GHz,1333FSB,L2:12MB)	ALL	1201 GO	
Core 2 Quad Q9650(rev.E0,3.00GHz,1333FSB,L2:12MB)	ALL	1104 GO	
P4-3.40GHz(FSB800, revR0)	ALL	0403 GO	
P4-3.73 GHz Extreme Ed. (1066 FSB, HT, revN0, LGA775)	ALL	0403 GO	
P4-3.80GHz(FSB800, revR0)	ALL	0403 GO	
P4-520/520J (2.8E GHz) (800 FSB) (D0)	ALL	0403 GO	
P4-520/520J (2.8E GHz) (800 FSB) (E0)	ALL	0403 GO	
P4-530/530J (3E GHz) (800 FSB) (D0,E0)	ALL	0403 GO	
P4-531 (3GHz, 800 FSB, L2 1MB)(D0,E0)	ALL	0403 GO	
P4-541 (3.2GHz, 800 FSB, L2 1MB)(E0,D0)	ALL	0403 GO	
P4-550/550J (3.4E GHz) (800 FSB) (D0.E0)	ALL	0403 GO	

CPU	Validated since PCB	Validated since BIOS	Note
P4-551 (3.4GHz, 800 FSB, L2 1MB,D0,E0)	ALL	0403 GO	
P4-560/560J (3.6 GHz) (800 FSB) (DO,E0)	ALL	0403 GO	
P4-630 (3.0E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0403 GO	
P4-631 (65nm,3.0GHz, 800 FSB, L2:2MB, revB1)	ALL	0403 GO	
P4-631 (65nm,3.0GHz, 800 FSB, L2:2MB, revC1)	ALL	0403 GO	
P4-631 (65nm,3.0GHz, 800 FSB, L2:2MB, revD0)	ALL	0403 GO	
P4-640 (3.2E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0403 GO	
P4-641 (65nm,3.2GHz, 800 FSB, L2:2MB, revB1)	ALL	0403 GO	
P4-641 (65nm,3.2GHz, 800 FSB, L2:2MB, revC1)	ALL	0403 GO	
P4-641 (65nm,3.2GHz, 800 FSB, L2:2MB, revD0)	ALL	0403 GO	
P4-650 (3.4E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0403 GO	
P4-651 (65nm,3.4GHz, 800 FSB, L2:2MB, revB1)	ALL	0403 GO	
P4-651 (65nm,3.4GHz, 800 FSB, L2:2MB, revC1)	ALL	0403 GO	
P4-651 (65nm,3.4GHz, 800 FSB, L2:2MB, revD0)	ALL	0403 GO	

CPU	Validated since PCB	Validated since BIOS	Note
P4-660 (3.6E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0403 GO	
P4-661 (65nm,3.6GHz, 800 FSB, L2:2MB, revB1)	ALL	0403 GO	
P4-661 (65nm,3.6GHz, 800 FSB, L2:2MB, revC1)	ALL	0403 GO	
P4-661 (65nm,3.6GHz, 800 FSB, L2:2MB, revD0)	ALL	0403 GO	
P4-662 (3.6 GHz, 800 FSB, L2:2MB, EM64T, HT, revR0)	ALL	0403 GO	
P4-670 (3.8 GHz, 800 FSB, L2:2MB,N0)	ALL	0403 GO	
P4-672 (3.8 GHz, 800 FSB, L2:2MB, revR0)	ALL	0403 GO	
Pentium D 820 (2.8 GHz, 800 FSB, revA0)	ALL	0403 GO	
Pentium D 820 (2.8 GHz, 800 FSB, revB0)	ALL	0403 GO	
Pentium D 830 (3.0 GHz, 800 FSB, revA0)	ALL	0403 GO	
Pentium D 830 (3.0 GHz, 800 FSB, revB0)	ALL	0403 GO	
Pentium D 840 (3.2 GHz, 800 FSB, revA0)	ALL	0403 GO	
Pentium D 840 (3.2 GHz, 800 FSB, revB0)	ALL	0403 GO	
Pentium D 915(2.8GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	0403 GO	

CPU	Validated since PCB	Validated since BIOS	Note
Pentium D 915(2.8GHz, 800 FSB, L2 4MB, revD0,without VT function)	ALL	0403 	
Pentium D 920(2.8GHz, 800 FSB, L2 4MB, revB1)	ALL	0403 	
Pentium D 925(3.0GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	0403 	
Pentium D 925(3.0GHz, 800 FSB, L2 4MB, revD0, without VT function)	ALL	0403 	
Pentium D 930(3.0GHz, 800 FSB, L2 4MB, revB1)	ALL	0403 	
Pentium D 940(3.2GHz, 800 FSB, L2 4MB, revB1)	ALL	0403 	
Pentium D 945(3.4GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	0403 	
Pentium D 945(3.4GHz, 800 FSB, L2 4MB, revD0, without VT function)	ALL	0403 	
Pentium D 950(3.4GHz, 800 FSB, L2 4MB, revB1)	ALL	0403 	
Pentium D 950(3.4GHz, 800 FSB, L2 4MB, revC1)	ALL	0403 	
Pentium D 960(3.6GHz, 800 FSB, L2 4MB, revC1)	ALL	0403 	
Pentium D 960(3.6GHz, 800 FSB, L2 4MB, revD0)	ALL	0403 	
Pentium Dual Core E2140(1.6GHz, 800FSB, L2 1MB,L2)	ALL	0403 	
Pentium Dual Core E2140(1.6GHz,800FSB,L2 1MB,M0)	ALL	0403 	

CPU	Validated since PCB	Validated since BIOS	Note
Pentium Dual Core E2160(1.8GHz, 800FSB, L2 1MB,L2)	ALL	0403 GO	
Pentium Dual Core E2160(1.8GHz,800FSB,L2 1MB,M0)	ALL	0403 GO	
Pentium Dual Core E2180(2.0GHz,800FSB,L2 1MB,M0)	ALL	0403 GO	
Pentium Dual Core E2200(2.2GHz,800FSB,L2 1MB,M0)	ALL	0703 GO	
Pentium Dual Core E2210(2.2GHz,800FSB,L2 1MB,R0)	ALL	1404 GO	
Pentium Dual Core E2220(2.4GHz,800FSB,L2 1MB,M0)	ALL	0703 GO	
Pentium Dual Core E5000 (3.4GHz,800FSB,L2:2MB,rev.R0)	ALL	1404 GO	
Pentium Dual Core E5200 (2.50GHz,800FSB,L2:2MB,rev.M0)	ALL	1104 GO	
Pentium Dual Core E5200(2.50GHz,800FSB,L2:2MB,rev.R0)	ALL	1301 GO	
Pentium Dual Core E5300 (2.60GHz,800FSB,L2:2MB,rev.R0)	ALL	1201 GO	
Pentium Dual Core E5400 (2.70GHz,800FSB,L2:2MB,rev.R0)	ALL	1201 GO	
Pentium Dual Core E5500 (2.8GHz,800FSB,L2:2MB,rev.R0)	ALL	1404 GO	
Pentium Dual Core E5700 (3.0GHz,800FSB,L2:2MB,rev.R0)	ALL	1404 GO	
Pentium Dual Core E5800 (3.2GHz,800FSB,L2:2MB,rev.R0)	ALL	1404 GO	

CPU	Validated since PCB	Validated since BIOS	Note
Pentium Dual Core E6300 (2.8GHz,1066FSB,L2:2MB,rev.R0)	ALL	1301 GO	
Pentium Dual Core E6500 (2.93GHz,1066FSB,L2:2MB,rev.R0)	ALL	1301 GO	
Pentium Dual Core E6500K (2.93GHz,1066FSB,L2:2MB,rev.R0)	ALL	1301 GO	
Pentium Dual Core E6600 (3.06GHz,1066FSB,L2:2MB,rev.R0)	ALL	1301 GO	
Pentium Dual Core E6700 (3.2GHz,1066FSB,L2:2MB,rev.R0)	ALL	1404 GO	
Pentium Dual Core E6800 (3.3GHz,1066FSB,L2:2MB,rev.R0)	ALL	1404 GO	
Pentium Extreme Ed-840 (3.2 GHz, 800 FSB, revA0)	ALL	0403 GO	
Pentium Extreme Ed-840 (3.2 GHz, 800 FSB, revB0)	ALL	0403 GO	
Pentium Extreme ED-955(3.46GHz, rev A0,B1)	ALL	0403 GO	
Pentium Extreme ED-965(3.73GHz, rev C1)	ALL	0403 GO	

NEED HELP?

 [Email Us](#)  [Find service locations](#)

- Products certified by the Federal Communications Commission and Industry Canada will be distributed in the United States and Canada. Please visit the ASUS USA and ASUS Canada websites for information about locally available products.
- All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.
- Specifications and features vary by model, and all images are illustrative. Please refer to specification pages for full details.
- PCB color and bundled software versions are subject to change without notice.
- Brand and product names mentioned are trademarks of their respective companies.
- The terms HDMI and HDMI High-Definition Multimedia Interface, HDMI trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. in the United States and other countries.

Shop and Learn			About Us	Support	Sustainability
Mobile / Handhelds	Gaming Tower PCs	External Graphics Docks	About ASUS	Check Repair Status	ESG
	Phones	NUCs	News	Find Service Locations	Environment
	Accessories	Mini PCs	Investor Relations	Product Registration	
Laptops	Workstations	WiFi 7	Press Room	Email Us	
For Home	Accessories	WiFi 6	ASUSTOR Inc.	Call Us	
For Work	Motherboards / Components	WiFi Routers	ASUS Cloud Corporation	Security Advisory	
For Creators		Whole Home Mesh WiFi System	UniMax Electronics Inc.	ASUS Support Videos	
For Students		Business Network Solutions	Learn More	MyASUS	
For Gaming	Graphics Cards	Wired Networking			
Accessories	Cases	Intelligent Robots	AI PC		
Displays / Desktops	Cooling	AIoT & Industrial Solutions	Advanced AI PCs		
	Power Supply Units	Servers	Asus Design Center		
	Sound Cards	Smart Home	ASUSPRO		
Monitors	Optical Drives		Automotive Solutions		
Projectors	Data Storage				
All-in-One PCs					
Tower PCs					
Accessories					

Keyboards	Streaming Kits	Adapters and Chargers	ASUS Gaming Notice
Mice and Mouse Pads	Apparel Bags and Gear	Docks Dongles and Cable	Gimbal ASUS Blog
Headsets and Audio	Cases and Protection	Power Banks	Armoury Crate Aura

Get the latest deals and more

