



HIGHLIGHTS VEHICLE TECHNOLOGY 2023

FOR MOTORHOMES, VANS & CARAVANS

- Innovative technologies at the cutting edge
- High-quality workmanship guarantees reliability and durability
- Tested and recommended by professionals for years
- Attractive price-performance ratio with 3-year warranty

CARBEST

QUALITY & RELIABILITY FOR OVER 20 YEARS.

Since 2000 Carbest stands for high quality technology products for motorhomes and campers. What began with inverters and cab accessories for retrofitting is now a global brand with an extensive range. Carbest's RV chargers, LED lights, lithium batteries and camping satellite systems are now also used by many brands as original equipment.

In order to offer the Carbest range with a particularly attractive price/performance ratio, the products are manufactured directly in specialized factories and sourced without any other intermediaries. This allows a high quality at great prices, without compromising the quality of the products to save.

Carbest products are specially designed with the aim of being used in high quality motorhomes, campers or caravans. For example, Carbest 12 V chargers are equipped with temperature-controlled fans, because nobody likes to sleep near a noisy fan. On the other hand, the fan's volume is usually irrelevant for chargers used in cars or workshops. For this reason, this important function in camping can be saved here. Extensive testing in the development department in Germany by engineers, technicians and experienced camping professionals ensure that the quality of the Carbest products and their radio-tions are ideally suited for mobile use in vehicles. Now 40 years of experience in the development and manufacture of camper vans from the Reimo team flow into the development of the products. Special attention is paid to the quality and functions of all products to ensure that they are not only fun for camping, but also meet the high standards of the components used in RV manufacturing.

Carbest 12 V camping TV units are equipped, for example, with special mainboards, which are reinforced against shock and vibration when driving.

Conventional household TVs that come with a 12V plug would be much cheaper to manufacture, but don't offer the longevity that true camping TVs do.

Carbest's sine wave inverters are specifically designed to power air conditioners and capsule coffee makers in RVs.

And because we know that for the use not only that product, but also the installation is crucial are included Carbest inverters already have the cables to connect to the 12V battery included, of course with professional ones cable cross-sections and 2 m length

Warranty:

The warranty period is 36 months. Reimo reserves the right to rectify eventual defaults. The guarantee is excluded for all damages caused by faulty use or improper handling.

Liability limitations:

In no case Reimo will be reliable for collateral-, secondary- or indirect damages, costs, expenditure, missed benefits or missed earnings. The indicated sales price of the product is representing the equivalent value of Reimo's liability limitations.

© Copyright by Reimo GmbH Egelsbach: All information in this catalog without guarantee. All rights, errors and changes reserved. Images partly show extras and decorations that are not included. Reprinting and use in electronic media, including excerpts, only with the express permission of Reimo GmbH, Boschring 10, 63329 Egelsbach. Status: June 2023.

www.carbest.de



CONTENTS

Flexible solar modules	4 – 5	Thermal mats	66 – 69
Flexible solar module complete sets	6	Exterior insulation	70
Rigid solar modules	7	Mosquito nets	71 – 73
Rigid solar module complete sets	8 – 9	Autolift leveling system	74
Foldable solar panels/solar accessories	10 – 13	Air suspension system	75
Multifunctional power stations	14 – 15	12/24 V modules	76 – 77
Lithium (LiFePO4) batteries	16 – 17	Vehicle insulation/vehicle protection	78 – 79
AGM Batteries / Energy Station /		Vehicle mats / floor mats	80 – 81
Battery Pole Accessories	18 – 19	Slipcovers/storage compartments	82
Battery charger / booster	20 – 21	Extra beds / lift bed	83
Sine Power Inverter	22 – 23	Shunting systems/trailer electrics	84 – 85
Sinusoidal inverter	24	Caravan accessories	86 – 89
Smart TVs	26	CEE plugs, cables, cable drums	90 – 91
TV wall mounts	27	Schuko accessories for 230 V	92
Satellite systems / antenna masts	28 – 33	Gas detector/level indicator	93
Rear view mirror cameras	34	Line lights	94
Brake light cameras/		Awning lights/area lights	95
Radio rear view camera system	35	Surface mounted luminaires	96 – 97
Compressor coolers	37 – 41	Recessed lights/cockpit lights	98 – 99
Pull-out rails for coolers	42	LED strips/aluminum profiles	100 – 101
Compressor built-in refrigerators	43 – 45	SMD/COB light source	102
Roof air conditioners	46	Outdoor lights	102 – 103
Diesel parking heaters	47	Camping accessories	104 – 105
Gas hobs / sinks	48 – 50	Exhaust hood/rolling doors/ Lifting	
Water pumps	51	table frame/assembly picnic table	106
Vehicle windows made of safety glass	52 – 58		
Acrylic car window	58 – 63		
Roof hoods	64 – 65		



POWER PANEL SFX135 SOLAR MODULE

EXTREMELY ROBUST WITH ETFE SHEATHING

135
WATTEXTREME
ROBUSTFIBER-
GLASS
CARRIER-
PLATESUN
POWER
CELLSETFE-
SHEA-
THED6 m
CABLE
2x
2,5 mm²

- Very resistant thanks to ETFE front and back foil with welded outer edges
- SUNPOWER high performance cells
- Walkable with full surface bonding
- Compact connection box
- 6 m cable (2 x 2.5 mm²) pre-installed

The 135 W Power Panel SFX135 is a semi-flexible solar module with a new material composition.

The SUNPOWER high-performance cells are mounted on a stable, black fiberglass carrier plate, which is encased in an extremely resistant ETFE layer.

This ETFE film is on both the front and back of the module and is welded together at the edge.

This design ensures optimum protection of the internal cells and makes the SFX135 power panel extremely robust against scratches, heat, high humidity and sea and salt water.

Power / Sunpower cell count	135 W/36 cells
Material top layer front and back	ETFE
Material carrier plate	Fiberglass (black)
Cell efficiency	24,40 %
Short circuit current (Isc)	6,42 A
Open circuit voltage (Voc)	26.2 Volt
Rated voltage (Vmp)	22,3 Volt
Rated current (Imp)	6,06 A
Size mm LxWxH	1235 x 540 x 4
(height connection box)	(ca. 22)
Cable (2 x 2.5 mm ²)	6 m
Weight incl. cable	ca. 4.7 kg
Item no.	84031
Price	489,-



Fiberglass Sheet, ETFE Jacketed



SUNPOWER cells




Compact junction box (H: 22 mm)



6 m connection cable pre-assembled



Structure of the Power Panel SFX135



POWER PANEL SFX135 COMPLETE SET

135
WATTINCL.
MPPT
CHARGE-CON-
TROLLER6 m
CABLE
2x
2,5 mm²

- Set includes solar module SFX135 with pre-installed cable (length 6 m), high-quality MPPT charge controller, roof bushing
- MPPT solar controller for charging GEL, lead-acid, AGM and LiFePO4 batteries (battery type adjustable)

Solar panel	1 x 84031
Size mm LxWxH (Box H)	1235x540x4 (ca. 22)
Cable (2 x 2.5 mm ²)	6 m preinstalled
MPPT solar charge controller	851005
Controller power	165 W
Cable gland	85258
Item no.	85279
Price	549,-

Expected to be available Q3/2023

*Bluetooth module for MPPT solar charge controller 851005

Display of relevant solar data on the smartphone via Bluetooth. Cable length: 3 m

851007 34,90

NEW
2023MPPT SOLAR-
LADEREGLER
INCLUSIVEBluetooth module*
(optional)

POWER PANEL FLEX SOLAR MODULES

ETFE
TOP-
AREA

FIBERGLASS
OR TPT
CARRIER
PLATE

SUN
POWER
CELLS

INCL.
CABLE
2x
2,5 mm²

ONLY
3 mm
DICK

- Sunpower cells: Significant increase in power output even at a less than optimal angle to the sun
- Ca. 5 x lighter than conventional modules
- Can be walked on when glued to the surface
- Compact connector with pre-installed cable (2 x 2.5 mm²)
- Compatible with solar controllers from Carbest or Votronic
- Ideal also for maritime use

The solar modules provide more power than conventional PV modules of the same size. Thanks to the high-quality ETFE surface with honeycomb structure, there is a significant increase in performance in twilight and cloudy conditions.

Especially at high temperatures, the performance is significantly higher than comparable modules. This means maximum efficiency without any loss of performance.

Material top layer:


ETFE: Very hard and thin (ca. 0.025 mm) material with high light transmission of ca. 95%. Heat resistant up to ca. 150°C. Very high weather resistance, also suitable for salt water.

Material carrier plate:

TPT: Material with high bending capacity. More flexible than fiberglass.

Fiberglass: Very strong, hard material for the best possible protection of the solar cells.

Structure of the Carbest Power Panel Flex solar modules



At 85333 the junction box on the back of the panel!

TOTAL
7 MODULE
FOR SELECTION



REIMO
TOP PRICE
from 219,-

	Power Panel Flex 80 white*	Power Panel Flex 110 Pro black	Power Panel Flex 110 white	Power Panel Flex 125 Pro Square black	Power Panel Flex 135 Square white*	Power Panel Flex 150 Pro black*	Power Panel Flex 160 white* rear connection box
Power / Number of cells	80 W/56 cells	110 W/32 cells	110 W/32 cells	125 W/36 cells	135 W/36 cells	150 W/44 cells	160 W/44 cells
Material top layer	ETFE	ETFE	ETFE	ETFE	ETFE	ETFE	ETFE
Material carrier plate	TPT	Fiberglass	TPT	Fiberglass	TPT	Fiberglass	TPT
Cell efficiency	20,8 %	22,5 %	22,6 %	22,5 %	24,4 %	24,4 %	23,7 %
Short circuit current (Isc)	2,8 A	6,88 A	6,32 A	6,94 A	6,41 A	6,41 A	6,18 A
Open circuit voltage (Voc)	36,5 Volt	20,77 Volt	21,9 Volt	23,36 Volt	26,2 Volt	29,2 Volt	32,2 Volt
Rated voltage (Vmp)	30,8 Volt	17,6 Volt	18,6 Volt	19,8 Volt	22,3 Volt	24,8 Volt	27,3 Volt
Rated current (Imp)	2,6 A	6,25 A	5,97 A	6,31 A	6,05 A	6,05 A	5,83 A
Size mm LxWxH (Box H)	980 x 550 x 3 (22)	1100 x 540 x 2,5 (22)	1095x540x3 (22)	840x800x2,5 (22)	860 x 800 x 3 (22)	1360 x 540 x 3 (22)	1460 x 540 x 3 (22)
Cable (2 x 2.5 mm ²)	8 m	6 m	8 m	8 m	8 m	8 m	8 m
Weight incl. cable	ca. 2.1 kg	ca. 4.0 kg	ca. 3,2 kg	ca. 4,3 kg	ca. 3.9 kg	ca. 5 kg	ca. 4.8 kg
Item no.	85319	853180	853170	853173	853175	853176	85333
Price	219,-	435,-	289,-	349,-	399,-	533,-	419,-

*We recommend an MPPT charge controller (e.g. 851005 or 851006)

POWER PANEL FLEX COMPLETE SETS

POWER
PANEL
MODULESUN
POWER
CELLSINCL.
MPPT
CHARGE-
CONTROLLERINCL.
CABLE
2x
2,5 mm²ALL SETS INCLUDING SOLAR
CONTROLLER, ROOF THROUGH-
GUIDE AND SOLAR CABLE

- Sets include solar panel with pre-installed cable, high quality MPPT solar controller and roof bushing
- MPPT solar controller for charging GEL, lead-acid, AGM and LiFePO4 batteries (battery type adjustable)
- Power from 80 to 160 watts

Complete set Power Panel Flex 80 white

Optimal for low power requirements. e.g. for light and water pump or for charging smartphones/tablet, battery packs or cameras. Suitable also for battery conservation and compensation of silent consumers.

Complete set Power Panel Flex 110-135 white or black

Set with the Carbest solar panel 110W or 125W or 135 W e.g. for light, water pump, compressor cooler, occasional heating.

Complete set Power Panel Flex 150/160 white or black

Set with the Carbest 150/160 W solar panel. e. g. E.g. for light, pump, TV/Sat, heating and compressor fridge.

TOTAL
7 SETS
FOR SELECTION

REIMO
TOP PRICE

from **299,-**

MPPT SOLAR-
CHARGE-
CONTROLLER
INCLUDED

Bluetooth module*
(optional)



Ideal for vans and motorhomes. Ensures consistent driving behavior.

	Complete set Power Panel Flex 80 white	Complete set Power Panel Flex 110 Pro black	Complete set Power Panel Flex 110 white	Complete set Power Panel Flex 125 Per Square black	Complete set Power Panel Flex 135 Square white	Complete set Power Panel Flex 150 Pro black	Complete set Power Panel Flex 160 white (back side Connection box)
Solar panel power	80 W	110 W	110 W	125 W	135 W	150 W	160 W
Solar panel	1 x 85319	1 x 853180	1 x 853170	1 x 853173	1 x 853175	1x 853176	1x 85333
Size mm LxWxH (Box H)	980 x 550 x 3 (22)	1100 x 540 x 2,5 (22)	1095x540x3 (22)	840x800x2,5 (22)	860 x 800 x 3 (22)	1475 x 540 x 3 (22)	1460 x 540 x 3 (22)
Cable (2 x 2.5 mm ²)	8 m preinstalled	6 m preinstalled	8 m preinstalled	8 m preinstalled	8 m preinstalled	8m preinstalled	8m preinstalled
MPPT solar charge controller	851005	851005	851005	851005	851005	851005	851006
Controller power	165 W	165 W	165 W	165 W	165 W	165 W	350 W
Cable gland	85201	85201	85201	85201	85201	85201	85201
Item no.	85270	85269	85272	85273	85277	85278	85276
Price	299,-	519,-	369,-	439,-	469,-	599,-	529,-

*Bluetooth module for MPPT solar charge controller 851005/851006

Display of relevant solar data on the smartphone via Bluetooth. Cable length: 3 m

851007 34,90

CB + ALL-BLACK SOLAR MODULES

ALU
FRAME

SAFETY
GLASS

MONO
CELLS

INCL.
CABLE
2x
2,5 mm²

TOTAL
8 MODULE
FOR SELECTION

- All solar modules with solid aluminum frame (CB series color silver, All-Black series color black)
- Monocrystalline cells under annealed glass
- Protected cable connection (2x 2.5mm²)
- Power: 115 to 190 watts
- 25 years performance warranty (After 25 years still 80% power)



	CB-115 Slim (slim design)	CB-115	NEW 2023 CB-155	NEW 2023 CB-170	115W All-Black	NEW 2023 155W All-Black	NEW 2023 170W All-Black	NEW 2023 190W All-Black
Power	115 W	115 W	155 W	170 W	115 W	155 W	170 W	190 W
Cell count	32 cells	36 cells	36 cells	36 cells	36 cells	36 cells	36 cells	35 cells
Efficiency d. cell	22,2%	22,0%	22,2%	22,2%	22,4%	22,4%	22,4%	22,4%
Short circuit current (Isc)	6,92 A	6,16 A	8,3 A	9,02 A	6,27 A	8,45 A	9,03 A	10,46 A
Open circuit voltage (Voc)	21,33 Volt	23,96 Volt	23,96 Volt	24,18 Volt	23,52 Volt	23,52 Volt	24,16 Volt	23,31 Volt
Rated voltage (Vmp)	17,62 Volt	19,80 Volt	19,8 Volt	19,85 Volt	19,43 Volt	19,43 Volt	19,80 Volt	19,26 Volt
Rated current (Imp)	6,53 A	5,81 A	7,83 A	8,56 A	5,92 A	7,98 A	8,59 A	9,87 A
Size in mm LxWxH	1580x410x35	1200x545x35	1640x545x35	1755x545x35	1200x545x35	1640x545x35	1755x545x35	1175x840x35
Cable preinstalled	6 m	1 m	6 m	6 m	1 m	6 m	6 m	6 m
Weight ca.	7,5 kg	7,5 kg	10,5 kg	11,3 kg	7,5 kg	10,5 kg	11,3 kg	11,8 kg
Art. No.	852387	852380	852389	852391	852381	852390	852392	852393
Price	229,-	219,-	329,-	349,-	253,-	369,-	379,-	429,-

All new solar modules on this page are expected to be available from Q3/2023.

CB SOLAR MODULE-COMplete SETS

ALU
FRAME
SILVERSAFETY
GLASSMONO
CELLSINCL.
CABLE
2x
2,5 mm²ALL SETS INCL. MOUNTING
BRACKET, CHARGE
CONTROLLER, ROOF THROUGH-
GUIDE AND SOLAR CABLE

- Sets include solar module(s) with mounting bracket, roof feedthrough, MPPT solar charge controller and solar cable (All sets with MPPT solar charge controller except starter set)
- MPPT solar controller for charging GEL, lead-acid, AGM and LiFePO4 batteries (battery type adjustable)
- Monocrystalline cells, silver solid aluminum frame
- Tempered glass
- With pre-installed connection cable (2x 2.5mm²)
- Power: 115 to 310 watts
- 25 years performance guarantee (After 25 years still 80% performance)

**MPPT SOLAR-
CHARGE-
CONTROLLER
INCLUDED**
(Except for Starter Set)



851005/851006

Bluetooth module*
(optional)85135
(in starter set)

85049

850491

NEW
2023NEW
2023NEW
2023

	Complete set CB-115 Slim	Starter complete set CB-115B (without MPPT solar charge controller)	Complete set CB-115	Complete set CB-155	Complete set CB-170	Complete set CB-230	Complete set CB-310
Solar panel power	1x 115 W	1x 115 W	1x 115 W	1x 155 W	1x 170 W	2x 115 W	2x 155 W
Solar panel	1x 852387	1x 852380	1x 852380	1x 852389	1x 852391	2x 852380	2x 852389
Size in mm LxWxH	1580x410x35	1200x545x35	1200x545x35	1640x545x35	1755x545x35	2x 1200x545x35	2x 1400x545x35
Charge controller	851005	85135	851005	851005	851006	851006	851006
Controller power	165 W	180 W	165 W	165 W	350 W	350 W	350 W
Cable (2x 2,5mm ²)	6 m	10 m	10 m	6 m	6 m	10 m	6 m
Cable gland (white)	85049	85049	85049	85049	85049	850491	850491
Mounting spoiler (white)	850900	850906	850906	850906	850906	2x 850906	2x 850906
Art. No.	851080	851095	851096	851100	851101	851077	851102
Price	345,-	249,-	289,-	429,-	479,-	519,-	779,-

*Bluetooth module for MPPT solar charge controller 851005/851006
Display of relevant solar data on the smartphone via Bluetooth.
Cable length: 3 m **851007 34,90**

All new solar module complete sets on this page
are expected to be available from Q3/2023.

ALL-BLACK SOLAR MODULE- COMPLETE SETS

ALU
FRAME
BLACK

SAFETY
GLASS

MONO
CELLS

INCL.
CABLE
2x
2,5 mm²

ALL SETS INCL. MOUNTING
BRACKET, CHARGE
CONTROLLER, ROOF THROUGH-
GUIDE AND SOLAR CABLE

- Sets include solar module with mounting spoiler, roof feedthrough, MPPT solar charge controller, and solar cable
- MPPT solar controller for charging GEL, lead-acid, AGM and LiFePO4 batteries (battery type adjustable)
- Monocrystalline cells, black coated aluminum frame
- With pre-installed connection cable (2x 2.5 mm²)
- Power: 115 to 190 watts
- 25 years performance guarantee
(After 25 years still 80% performance)



851005 / 851006

Bluetooth module*
(optional)



MPPT SOLAR-
CHARGE-
CONTROLLER
INCLUDED



COMPLETE SET
190W
ALL-BLACK
Suitable for many
vehicle roofs.
Size: LxW
1175x840 mm

NEW
2023

NEW
2023

NEW
2023

	Complete set 115W All-Black	Complete set 135W All-Black	Complete set 155W All-Black	Complete set 170W All-Black	Complete set 190W All-Black
Solar panel power	1x 115 W	1x 135 W	1x 155 W	1x 170 W	1x 190 W
Solar panel	1x 852381	1x 852384	1x 852390	1x 852392	1x 852393
Size in mm LxWxH	1200x545x35	1400x545x35	1640x545x35	1755x545x35	1175x840x35
MPPT solar charge controller	851005	851005	851005	851006	851006
Controller power	165 W	165 W	165 W	350 W	350 W
Cable (2x 2,5mm ²)	10 m	10 m	6 m	6 m	6 m
Cable grommet (black)	850493	850493	850493	850493	850493
Mounting spoiler (black)	850909	850909	850909	850909	850911
Art. No.	851103	840314	851104	851105	851106
Price	389,-	399,-	469,-	499,-	549,-

*Bluetooth module for MPPT solar charge controller 851005/851006
Display of relevant solar data on the smartphone via Bluetooth.
Cable length: 3 m
851007 34,90

All new solar module complete sets on this page
are expected to be available from Q3/2023.

MOBILE, FOLDABLE SOLAR SYSTEMS

NEW
2023


Foldable Power Solar Panel SC100

100 WATT	SHINGLE PERC CELLS	MONO-CRISTAL-LINE CELLS	ETFE SURFACE	3x USB	PROTECTION-POCKET
----------	--------------------	-------------------------	--------------	--------	-------------------

- High performance solar panel with shingle technology for more Performance on the same area and less loss with partial shading
- ETFE surface: Very robust with high light transmission
- Suitable for standing or hanging
- Integrated case with cable connector and 3x USB
 - 1x USB-A (5V/3A max.)
 - 1x USB-QC 3.0 (5V/3A, 9V/2A, 12V/1.5A max.)
 - 1x USB-C PD 3.0 (5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3A max.)
- Includes 2 cables for connection to mobile power systems*:
 - 1x 5m extension cable (2x 2.5mm²) with Anderson Mini on both sides
 - 1x 1m adapter cable (2x 2.5mm²) with Anderson Mini / Anderson 50 A
- Additional protective bag with attached pocket for storage of the connection cables

Power	100 watt
Cell type	Monocrystalline cells
Rated voltage (Vmp)/rated current (Imp)	19.4 V / 5.16 A
Open circuit voltage (Voc)	22,9 V
Short circuit current (Isc)	5,46 A
Max. System voltage (V)	100 VDC
Cell efficiency	22 %
Size open in mm	1100x615x16
Size closed in mm	615x550x32
Weight incl. accessories ca.	4,5 kg
Item no.	82510
Price	329,--

*Prerequisite: Solar controller already pre-installed in the device. When connecting to a car battery or a power system without an integrated solar controller, it is mandatory to connect a separate solar controller and fuse.

NEW
2023


Foldable Power Solar Panel SC200

200 WATT	SHINGLE PERC CELLS	MONO-CRISTAL-LINE CELLS	ETFE SURFACE	3x USB	PROTECTION-POCKET
----------	--------------------	-------------------------	--------------	--------	-------------------

- High performance solar panel with shingle technology for more Performance on the same area and less loss with partial shading
- ETFE surface: Very robust with high light transmission
- Suitable for standing or hanging
- Integrated case with cable connector and 3x USB
 - 1x USB-A (5V/3A max.)
 - 1x USB-QC 3.0 (5V/3A, 9V/2A, 12V/1.5A max.)
 - 1x USB-C PD 3.0 (5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3A max.)
- Includes 2 cables for connection to mobile power systems*:
 - 1x 5m extension cable (2x 4mm²) with Anderson Mini on both sides
 - 1x 1m adapter cable (2x 4mm²) with Anderson Mini / Anderson 50 A
- Additional protective bag with attached pocket for storage of the connection cables

Power	200 watt
Cell type	Monocrystalline cells
Rated voltage (Vmp)/rated current (Imp)	19.4 V / 10.31 A
Open circuit voltage (Voc)	22,9 V
Short circuit current (Isc)	10,93 A
Max. System voltage (V)	100 VDC
Cell efficiency	22 %
Size open in mm	2040x615x16
Size closed in mm	615x550x32
Weight incl. accessories ca.	7,5 kg
Item no.	82509
Price	649,--

*Prerequisite: Solar controller already pre-installed in the device. When connecting to a car battery or a power system without an integrated solar controller, it is mandatory to connect a separate solar controller and fuse.

Expected to be available Q3/2023

NEW
2023

Magnetic closure in
carrying handle



Included
Extension cable
(5m)



Included
Adapter cable (1m)



Foldable Power Solar Panel HC130

**130
WATT**

**MONO-
CRYSTAL-
LINE
CELLS**

**ETFE
SURFACE**

**BLACK
DESIGN**

**PROTEC-
TION-
POCKET**

- High quality monocrystalline cells
- Narrow aluminum frame with edge protection corners
- ETFE surface: Very robust with high light transmission
- All black design
- Fold out feet for standing
- Includes 2 cables for connection to mobile power systems*:
 - 1x 5m extension cable (2x 2.5mm²) with Anderson Mini on both sides
 - 1x 1m adapter cable (2x 2.5mm²) with Anderson Mini / Anderson 50 A
- Additional protective bag with attached pocket for storage of the connection cables

Power	130 watt
Cell type	Monocrystalline cells
Rated voltage (Vmp)/rated current (Imp)	20.5 V /6.35 A
Open circuit voltage (Voc)	24 V
Short circuit current (Isc)	6,66 A
Max. System voltage (V)	100 V DC
Cell efficiency	22,70 %
Size open in mm	1193x635x25
Size closed in mm	595x635x50
Color	Black
Weight ca.	7,5 kg
Item no.	82508
Price	449,---

*Prerequisite: Solar controller already pre-installed in the device. When connecting to a car battery or a power system without an integrated solar controller, it is mandatory to connect a separate solar controller and fuse.

Expected to be available Q3/2023

OPTIONAL ACCESSORIES FOR ALL SOLAR SYSTEMS ON THIS DOUBLE PAGE

① Connection cable XT60

Adapter cable for connection to a lithium energy system with XT60 connection (e.g. Ecoflow).


Anderson Mini / XT60.

Cable length: 1m, (2x 2.5mm²).

850923 19,90

Adapter cable
Ecoflow

①



Pre-assembled cable sets for connection of a solar charge controller

(Solar charge controller not included)

② Cable set with battery terminals

Cable 1: Battery terminals with fuse / open cable end.


Cable length: 1m, (2x 2.5mm²).

Cable 2: Anderson Mini / open cable end.

Cable length: 40 cm, (2x 2.5mm²).

850924 33,90

②



Open cable ends for
connection to a solar
charge controller

③ Cable set with cigarette lighter plug

Cable 1: Cigarette lighter plug with integrated fuse / open cable end.

Cable length: 1m, (2x 2.5mm²).

Cable 2: Anderson Mini / open cable end.

Cable length: 40 cm, (2x 2.5mm²).

850925 25,90

③



Open cable ends for
connection to a solar
charge controller

**MPPT
CONT-
ROLLER**



Matching MPPT solar charge controller

For the solar systems on this double page
Reimo recommends a MPPT solar charge controller.

MPPT solar charge controller, 12V, 12A, max. 165W
(suitable for solar system 82510 and 82508)

851005 69,90

MPPT solar charge controller, 12V, 25A, max. 350W
(suitable for solar system 82509)

851006 99,90

Detail view of the different connectors:

Fig. similar to



Anderson Mini



Anderson 50 A



XT60

MOBILE, FOLDABLE SOLAR SYSTEMS



**135
WATT**
**ETFE
TOP-
AREA**
**MONO-
CRISTAL-
LINE
CELLS**

Rear mounted PWM
solar controller with
USB output



Adapter cable included

4 m connection
cable (from solar
case)



Foldable solar panel set with 135 W power

- 36 powerful Sunpower cells
- PWM solar regulator (12 V, 10 A) for charging GEL, lead-acid, AGM batteries
- Solar controller with USB output (5 V, 1.2 A)
- Including 3 adapter cables: alligator clips, cigarette lighter cable, power plug (each 1m long)
- High quality ETFE surface

Includes 3 connection adapters with alligator clips, plug for cigarette lighter socket and 12 V power supply plug (e.g. for EFOY GO). Adapter cables can be stowed in the attached pocket.

Power	135 watt
Rated voltage (Vmp)/rated current (Imp)	22.32 V / 6.05 A
Solar cells	Sunpower cells
Efficiency	24,40%
USB charging output	5 V / 1.2 A
Connection cable	4 + 1m
Size open in mm	1462 x 560 x 20
Size closed in mm	560 x 440 x 40
Color	Black/Blue
Weight	3,8 kg
Item no.	82507
Price	395,-

Accessories for foldable solar panel 82507

Connection cable 50 cm

For direct connection of the Carbest solar case to the Carbest battery box Energy-Station 813740. Cable length 50 cm, 1x solar connector (only suitable for Carbest folding panel 82507), 1x Anderson 50 A.

850921
29,90


SOLAR CHARGE CONTROLLER / CABLE BUSHINGS / SPOILER PROFILES / PLUG-IN CONNECTIONS



① Bluetooth-enabled MPPT charge controller - data display via app or separate monitor

- Bluetooth function only in conjunction with the 851007 Bluetooth module (free app for Android and iOS)
- Battery type adjustable: GEL, lead-acid, AGM, LiFePO4 batteries
- Two battery outputs
- Max. Input voltage is 50V
- Size LxWxH: 15x8x4 cm

Charge controller 12V/12A/max. 165W	851005	69,90
Charge controller 12V/25A/max. 350W	851006	99,90

② Bluetooth module with 3m cable	851007	34,90
③ Separate solar monitor, consisting of mounting frame and 5m cable with connector.	851008	69,95
Temperature sensor with 3m cable (without picture)	851004	8,20

④ MPPT charge controller 12V (max. 40V), 16A, 270W

For solar systems up to 270 watts charging power. Input voltage 16 A/40 V. Battery type adjustable. For gel, AGM, acid, LiFePO4 batteries. 2 solar modules connectable, 4-stage charging curve, integrated desulfator. Outputs for 2 batteries, with LED charge indicator lights. Size: LxWxH 103x86x50 mm.

851320 84,95

⑤ PWM solar controller

12V (max. 30V) / 24V (max. 48V), 15 A, 360W

Reliable and inexpensive charge controller with charge status display for solar systems up to 360 watts charging power. 85135 34,90

⑥ SR 243 Duo Digital 12V (max. 28V), 15A, 243W

For solar systems up to 243 watts charging power. Input voltage 15 A/28 V. 2. Output for starter battery, charging programs for all battery types (also LiFePO4), operation display with LEDs, temperature sensor connectable, all controllers connectable to solar computer. Charging current max. (Batt.1/2): 14.7 A/ 0.8 A, connection to EBL optional with 851304, Size (W x D x H) 131x77x40 mm, weight ca.155 g.

85138 86,-



⑦ 50 A high current battery connector set

2-pole unisex (genderless) connector that can be used as both male and female. Current max. 50A, 6 receptacles for cable cross sections from 8mm² to 16mm² included. Size: LxWxH 48x35x15,9 mm. Scope of delivery: 2 x connectors (set), 4 x crimp contacts.

850920 7,95

⑧ Protective cover incl. cap for 50 A connectors

Suitable for no. ⑦. Protects the connector from dust, dirt and splash water.

811215 2,90

⑨ Protective cap for 50 A plug


Suitable for no. ⑦. Material: plastic.

811216 1,99

⑩ MC4 solar connector set

Special plug set for single-core cables 2.5 - 6mm². With snap-in locking. Set consisting of 1 x plug and 1 x socket. Protection class: unplugged IP2X, plugged IP67. Temperature range -40° to 90° C. Voltage up to max. 1000 V. Current up to max. 30 A.

84052 4,95



Cable bushings

For safe cable routing through roofs or walls. Small, compact, waterproof.

For gluing on with Sikaflex incl. PG 13.5 cable gland for cable Ø 6-12 mm.

⑨ White, 1-fold (L12.0 x W6.5 x H3.8 cm)	85049	10,95
⑩ Black, 1-fold (L12.0 x W6.5 x H3.8 cm)	850493	10,95
⑪ White, 2-fold (L12.4 x W9.3 x H3.8 cm)	850491	12,95
⑫ Black, 2-fold (L12.4 x W9.3 x H3.8 cm)	850494	12,95

⑬ Aluminum spoiler profile set

2-piece, can be shortened as required, fastening by gluing and / or screws. Suitable for Carbest solar modules. Scope of delivery: extruded profile, plastic caps, assembly instructions

With 550 mm long aluminum profile bars, 2 pieces (suitable for Carbest modules 85226, 85227, 85229, 85239, 85240, 85250)

Color white	850906	56,90
Color black	850909	56,90

With 410 mm long aluminum profile bars, 2 pieces (suitable for Carbest module 85285)

Color white	850900	49,95
Color black	850911	69,90

With 840 mm long aluminum profile bars, 2 pieces (suitable for Carbest module 852393)

Color black	850911	69,90
-------------	--------	-------

⑭ Corner profile set of 4

Made of ABS plastic, 4 pieces in a set. Size: LxW 150x150 mm

85162 35,-

⑮ Connecting profile set of 2

Made of ABS plastic, 2 pieces in a set. Size: L 180 mm

85163 21,-

LITHPOWERUNIT 48

LiFePO4
BATTERYCAPACITY
614 WH48 Ah
(12,8V)SINE WAVE
INVERTER
500 WMPPT-
SOLAR-
CON-
TROLLERBATTERY
MANAGE-
MENT
SYSTEMLCD-
DISPLAYPOR-
TABLEROBUST
HOUSING

- Rechargeable via different sources
- Wide range of connection options for various end users
- Small, handy, mobile use
- Perfect for outdoor activities of all kinds



12V cigarette lighter connector



2x 230V sockets




USB-C port



3x USB port

LiFePO4 Battery capacity	48 Ah / 614 Wh
Integrated sine wave inverter	230 V, 500 W (max. 1000 W short-term)
Integrated MPPT solar charge controller	120 W / 26 V max.
Connection options	1 Charging input for solar modules 2 Cigarette lighter socket (12 V, 120 W max.) 3 2x 12 V, 5.5 mm (5 A/60 W max.) 4 LCD display 5 2x USB-A (5 V/3.1 A) 6 1x USB-A QC (5-12 V/18 W max.) 7 1x USB-C (5-20 V/60 W max.) 8 2x socket (pure sine wave, 230 V)
Rechargeable via	230 V mains via charger 12 V cigarette lighter connection solar (120 W/25 V max.)
Size LxWxH ca.	324x198x186/254 mm
Weight	ca. 8 kg
Art.No.	814135
Price	639,-

Rechargeable via



Scope of delivery


230 V cable with Schuko plug

Solar cable with Anderson 50 A plug

Solar module voltage max. 25 V

12 V cable with cigarette lighter connector

Size



LITHPOWERUNIT 80

LiFePO4 BATTERY	CAPACITY 1024 WH	80 Ah (12,8V)	SINE WAVE INVERTER 1000 W	MPPT-SOLAR-CONTROLLER	BATTERY-MANAGEMENT-SYSTEM	BATTERY-DISCONNECT SWITCH
AC/DC/USB OUTPUTS	LCD-DISPLAY	ABS-HOUSING	POR-TABLE			



LiFePO4 battery with BMS	80 Ah (12.8 V), 1024 Wh
Integrated sine wave inverter	1000 W (max. 2000 W short-term)
Integrated MPPT solar charge controller	15 A (max. 200 W)
Connection options	1 1x 230 V socket 2 2x 12V cigarette lighter connector 3 2x USB port (5 V/3.1 A) 4 4x Anderson connection (50 A) 5 1x Anderson connection (175 A)
Rechargeable via	- 230 V mains via charger - solar module (solar module voltage max. 120 W / 50 V / 15 A)
Size LxWxH / Weight	455x250x330 mm / ca. 15 kg
Art.No. Price	814136 1199,-



Scope of delivery:

1 LithPowerUnit 80, **2** Mains charger (Input: 200-240 V / Output: 14.6 V, 20 A), **3** Jumper cable (2 m, cable Ø 16 mm) with 1 x 175 A Anderson plug and battery crocodile clips, **4** Solar cable (1.5 m, cable Ø 6 mm) with 2 x 50 A Anderson plugs, **5** Universal cable (1.5 m, cable Ø 6 mm) with 1 x 50 A Anderson plug and 1x open cable end, **6** 50 A Anderson plug incl. 2x crimp contacts (for cable Ø 6 mm), **7** Various cover caps for the Anderson connectors, **8** Fastening material (incl. 2 x lashing eyes and 1 x tension strap), Operating instructions (not shown)

LITHPOWERUNIT 120

LiFePO4 BATTERY	CAPACITY 1536 WH	120 Ah (12,8V)	SINE WAVE INVERTER 2500 W	MPPT-SOLAR-CONTROLLER	CHARGING BOOSTER (30 A)	BATTERY-MANAGEMENT-SYSTEM
FI PROTECTION-SWITCH	BATTERY-DISCONNECT SWITCH	AC/DC/USB OUTPUTS	LCD-DISPLAY	METAL-HOUSING	INCL. MOUNTING BRACKET	POR-TABLE



LiFePO4 battery with BMS	120 Ah (12.8 V), 1536 Wh
Integrated sine wave inverter	2500 W (max. 5000 W short-term)
Integrated MPPT solar charge controller	30 A (max. 400 W)
Connection options	1 2x 230 V socket 2 2x 12 V cigarette lighter socket 3 2x USB port (5 V/3.1 A) 4 4x Anderson connection (50 A) 5 1x Anderson connection (175 A)
Rechargeable via	- 230 V mains via charger - Solar module (solar module voltage max. 400 W / 25 V / 30 A) - Integrated charge booster
Size LxWxH / Weight	420x250x330 mm / ca. 25 kg
Art.No. Price	814137 1999,-



Scope of delivery:

1 LithPowerUnit 120, **2** Mains charger (Input: 200-240 V/Output: 14.6 V, 20 A), **3** Jumper cable (2 m, cable Ø 16 mm) with 1 x 175 A Anderson connector and battery crocodile clips, **4** Solar cable (1.5 m, cable Ø 6 mm) with 1 x 50 A Anderson connector and 1 x open cable end, **5** Connection cable for the D+ signal (ING cable, ca. 6 m), **6** 4 x 50 A Anderson plugs incl. crimp contacts (for cable Ø 6 mm), **7** Various caps for the Anderson connections, **8** Mounting material (incl. 2 x mounting brackets, 2 x lashing eyes and 1 x tensioning strap), Operating instructions (not shown)

LiFePO₄ BATTERIES FOR TRAVELLING



LiFePO₄ batteries with 60 Ah or 100 Ah

12V

BMS

COMPACT
DESIGNVERY
DURABLEINSTALLA-
TION
LYING
POSSIBLEM8
WIN

- Reliable and powerful battery technology
- Battery protection through integrated battery management
- Up to 90% current drain (short term)
- 3 times less weight - thus more payload possible
- 5 to 10 times longer service life (ca. 2000 to 5000 cycles)
- 3 to 10 times faster charging
- Horizontal installation possible

Batteries cannot be connected in parallel or in series!

Type	Volt (V)	Ah*	Max. Discharge current short term	Size LxWxH mm	Weight kg	Art.No.	Price
60	12	60	80 A	195x165x180	7,2	81208	449,-
100	12	100	160 A	305x170x210	13,5	81209	849,-
100 BT	12	100	160 A	305x170x210	13,5	81410	899,-

*Power 90% available

BATTERY, CHARGE STATUS AND MORE RETRIEVABLE VIA SMARTPHONE OR TABLET



100 Ah lithium batteries with Bluetooth technology

12,8V

100Ah
1280 WhBLUE
TOOTH

BMS

VERY
DURABLEINSTALLA-
TION
LYING
POSSIBLEM8
WINFREE
CARBEST
APP

- Battery status readable via smartphone/tablet
- Series connection possible: up to 4 batteries
- Parallel connection possible: up to 2 batteries
- Battery protection through integrated battery management
- 5 to 10 times longer life, 10 times faster charging
- Only ca. 1/3 of the weight of a conventional lead-acid battery
- Li100BT-H lithium battery (814131) with integrated heating function for effective charging even at minus temperatures
- Integrated display with charge level indicator

Reliable and powerful lithium technology for tough continuous use. The integrated BMS (Battery Management System) monitors the battery internally for optimum protection. The charging status and battery capacity are always under control via smartphone and free app. Horizontal installation possible.

Functioning of the heating function on Li100BT-H/Li100BH6/Li200BHD: The internal BMS continuously monitors the ambient temperature of the battery and controls the integrated heating function fully automatically. If a temperature $\leq 0^{\circ}\text{C}$ is measured during the charging process, the BMS immediately stops the battery charging and simultaneously activates the heating function of the battery. After reaching $+5^{\circ}\text{C}$, the charging process continues automatically. If the temperature rises above 10°C , the heating function is deactivated again.

Battery	Volt (V)	Ah	Max. Discharge current short term	Size LxWxH mm	Weight kg	Art.No.	Price
Li100BT	12	100	150 A (<4min.)	330x170x195	ca. 14	81413	949,-
Li100BT-H	12	100	150 A (<4min.)	330x170x195	ca. 14	814131	999,-



HEAT-FUNCTION

The Li100BT-H has an integrated fully automatic heating function. It selectively heats the battery from a temperature of $\leq 0^{\circ}\text{C}$ to avoid charging problems.



Integrated LED display on the top of the battery with charge level indicator.



Download the free Carbest app for smartphone & tablet now!

Thanks to the Bluetooth function in the Carbest Lithium Battery, you can see the state of your battery at any time and access many parameters via smartphone or tablet.



LiFePO4 BATTERIES OPTIMIZED FOR CAMPERVANS AND MOTORHOMES

NEW
2023

5
YEARS
WARRANTY


- Reliable and powerful battery technology, for the hard continuous use!
- Battery protection through integrated battery management
- Low self-discharge when not in use, since after 24 h without charge/discharge automatically on Sleep mode is activated

- Ideal replacement for heavy AGM batteries
- 3 times less weight - thus more payload possible
- 5-10 times longer service life (ca. 2000-5000 cycles)
- Horizontal installation possible
- 5 years warranty

12,8V **100Ah** **M8** **2 CARRY HANDLES**
1280 Wh

- Strong price-performance ratio
- Series connection possible with up to 4 batteries
- Parallel connection possible with up to 2 batteries
- Housing with 2 integrated carrying handles

Battery	Volt (V)	Ah	Max. Unloading-charge current electricity	Max. Dis-charge current short term	Weight kg	Art. No.	Price
Li100	12	100	100 A	200 A (< 5s.)	12,5	81451	899,-





REIMO
TOP PRICE
899,-

12,8V **100Ah** **STANDARD BATTERY-POLE** **BLUE TOOTH** **HEAT-FUNCTION** **DIN H6 HOUSING** **FREE CARBEST APP**
1280 Wh

- DIN H6 housing, specially designed for mounting under the driver's seat at VW T6.1/T6/T5
- Standard car battery terminals
- Bluetooth function enables the reading of the Battery status via the smartphone/tablet
- Free Carbest App (Download QR code see left)
- Series connection possible with up to 4 batteries
- Parallel connection possible with up to 2 batteries

Battery	Volt (V)	Ah	Max. Unloading-charge current electricity	Max. Dis-charge current short term	Weight kg	Art. No.	Price
Li100BH6	12	100	100 A	350 A (3s.)	12,5	81452	999,-



100
Ah


Under-seat battery:
Especially for mounting
under the seat in the
VW T6.1/T6/T5



12,8V **200Ah** **M8 CONNECTION** **BLUE TOOTH** **HEAT-FUNCTION** **METAL-HOUSING** **FREE CARBEST APP**
2560 Wh

- Metal housing with special Size, suitable for under seat mounting Fiat Ducato
- M8 screw thread on the front of the battery
- Bluetooth function enables the reading of the Battery status via the smartphone/tablet
- Free Carbest App (Download QR code see left)
- Series connection possible with up to 4 batteries
- Parallel connection possible with up to 4 batteries

Battery	Volt (V)	Ah	Max. Unloading-charge current electricity	Max. Dis-charge current short term	Weight kg	Art. No.	Price
Li200BHD	12	200	150A	350 A (< 3s.)	25	81453	1890,-



200
Ah

M8

Under-seat battery:
Especially for mounting
under the seat in the
Fiat Ducato



LONG LIFE DEEP-CYCLE AGM BATTERIES

12V

LONG LIFE
DEEP-
CYCLEMAINTENANCE-
FREECOMPACT
DESIGN

①
NEW
2023

60
Ah

②

80
Ah

③

NEW
2023

90
Ah

④

100
Ah

⑤

100
Ah

With car
battery
pole

The AGM T100 battery
can be installed
under the front seat of the VW
T5 / T6

⑥

120
Ah

NEW
2023

⑦

NEW
2023

134
Ah

- Maintenance-free service battery for campervans and motorhomes
- High vibration resistance and leak proof
- Position-independent installation possible
- High cycle stability, also ideal for use in combination with a solar system
- Low self discharge

Carbest AGM batteries have been specially developed for use in motorhomes. Thanks to AGM technology (Absorbent Glass Mat), the batteries are absolutely maintenance-free and allow installation in any position, upright or lying on its side (do not install upside down, with the battery terminals facing down). The T100 battery can be installed under the front seat in Volkswagen T5/T6 and Fiat Ducato.

The high vibration resistance, very good cycle stability and low self-discharge make the batteries the perfect energy storage for campervans and motorhomes. Thanks to their compact size, they fit into common battery fixtures or storage compartments. AGM batteries are frost-proof up to a temperature of -40°C.

Battery	Volt (V)	Ah	Size LxWxH (mm)	Battery terminal Thread	Weight (kg)	Art.No.	Price
① AGM 60	12	60	258x167x213 °	M6	23,5	850534	245,-
② AGM 80	12	80	350x167x179 °	M6	22,5	850529	219,-
③ AGM 90	12	90	306x168x216 °	M6	29	850535	295,-
④ AGM 100	12	100	330x171x220 °	M8	29,0	850531	239,-
⑤ AGM T100	12	100	353x175x190	---	26,3	850530	259,-
⑥ AGM 120	12	120	330x173x218 °	M8	33,5	850536	339,-
⑦ AGM 134	12	134	340x174x285 °	M8	42,5	850537	387,-

° plus height of battery terminal screws

Included in delivery:

(except for AGM battery 850530)

Battery pole adapter set

For conversion from M6 or M8 female pole threads to a standard SAE conical pole (+/-). Scope of delivery: Set of terminals (+/- pole) including screws.



Which battery for which application? Normal starter batteries are not designed for cyclic loads and are not recommended as on-board batteries recommended as an on-board battery. Cycle-resistant batteries are suitable for the loads that occur during discharge/charge operation. A distinction is made between batteries with bound electrolyte in gel or AGM design, classic liquid/acid batteries and LiFePO₄.

Gel, AGM and LiFePO₄ batteries are leak-proof and absolutely maintenance-free over the complete service life. All battery types achieve high cycle stability under the required charging conditions.

Gel batteries can also be discharged very deeply for a short time, always provided that they are immediately recharged.

AGM batteries have a slightly higher performance for the same box size and can also cope with very high charge/discharge currents in the short term.

Batteries in LiFePO₄ design (see previous pages) are the lightest energy storage devices with the highest energy density. The price is far higher, but this is somewhat offset by the longer service life that can be expected with the existing infrastructure.

The service life of a battery is measured in charge cycles. One charge cycle means: 1 x discharge, 1 x charge. In this case, the smaller the amount of energy extracted (in percentage terms), the longer the service life. At a maximum discharge of 30% ca. 1200 charging cycles. If it is always discharged by 50%, the life is reduced to about 500 cycles. With classic starter batteries (lead / acid), this difference is much greater. (After installation or before winter storage min. 24 h load).

ENERGY STATION

Turns a standard battery into a multifunctional power station

- Digital voltmeter for battery monitoring
- 2x USB (2,4 A), 2x 12V socket, 2x Anderson 50 A connector
- For batteries up to size LxWxH 330x180x220 mm

① **The Energy Station** is made of robust plastic and offers a wide range of connection options. Integrated in the cover are: External terminals (+/-), 1x USB double socket (2x 2.4A), 2x 12V sockets, 1x battery voltmeter, 2x Anderson 50 A for connecting solar panels and other accessories. Fuses are pre-installed. Suitable Carbest LiFePO4 batteries: 81208, 81410, 81209, 81413, 814131, 81451, 81452. Suitable Carbest AGM batteries: 850535, 850531, 850536. Scope of delivery incl. tensioning strap to fix the lid and tensioning strap eyelets. Supplied without battery. **813740 79,90**



② Solar adapter cable, length 50 cm

For direct connection of the Carbest Folding Panel 82507 (p. 12) to the Carbest Energy Station for charging the battery. Cable length 50 cm, 1x solar connector, 1x Anderson 50 A **850921 29,90**

③ Universal adapter cable, length 3 m

For connection to Energy-Station for charging the battery or for connecting various consumers. Cable length 3m, cable cross section red/black 10mm², 1x open cable ends, 1x Anderson 50 A. **850922 34,90**



BATTERY POLE ACCESSORIES

Battery pole adapter set For converting batteries with M6 or M8 internal pole thread to standard SAE conical pole (+/-). Scope of delivery: Set of terminals (+/- pole) incl. screws.

- | | | |
|-------------|---------------|-------------|
| ① M6 thread | 812761 | 4,50 |
| ② M8 thread | 812762 | 4,50 |

Battery pole cover set

- | | | |
|--|---------------|-------------|
| ③ pole cover for car batteries. Material plastic. | | |
| Black/Red | 81276 | 0,80 |
| ④ Pole cover for lithium batteries with M8 threaded screws | | |
| Material plastic. Black/Red | 812760 | 0,80 |



Notes on battery disposal:

You are required by law to return old batteries and accumulators. You can do this free of charge at your local retail store or other collection point other collection point near you. Addresses of suitable collection points can be obtained from your city or local government. The symbol of the crossed-out trash can on batteries or accumulators indicates that they must not be disposed of with household waste. The respective chemical symbol (Hg, Cd or Pb) below the symbol of the crossed-out trash can, indicating that batteries or accumulators contain mercury, cadmium or lead. Further information can also be found on the Internet at <https://www.batteriegesetz.de/>



INTELLIGENT 12 V BATTERY CHARGERS



12V

10 A
15 A
20 A

AGM
GEL
WET
LITHIUM

7
LOADING
LEVELS

LCD
DISPLAY

- For charging GEL / AGM / lead-acid / lithium batteries
- 2 charging outputs 12V
- Automatic 7-stage charging algorithm delivers a much faster, more efficient and complete charge, without voltage drops
- This intelligent battery charger can be used as a constant power supply for accessories that need a stable and clean DC voltage
- Device cooling via integrated fan

Product	Size mm	Weight ca.	Recommended . Battery capacity	Art. No.	Price
① 10 A	176 x 175 x 95	1,3 kg	50-100 Ah	80286	129,-
② 15 A	176 x 175 x 95	1,3 kg	50-150 Ah	80287	189,-
③ 20 A	176 x 175 x 95	1,3 kg	100-200 Ah	80288	219,-



PROFESSIONAL CHARGERS WITH 10 A OR 20 A

3-step charging, battery type selectable, suitable for gel, AGM, lead acid & lithium batteries. Input voltage: 180-240 V AC, Output voltage: Max. 14.6 V DC. Incl. Connection cable and battery terminals.

Charger 10 A, Weight ca. 1,4kg, Size: 130 x 150 x 50 mm
80280 89,90

Charger 20 A, Weight ca. 2,0kg, Size: 160 x 150 x 70 mm
80281 129,90

THE INTELLIGENT CHARGER WITH 4 A

- LCD display
- Diagnostic & Resuscitation Function
- For all 6/12V batteries (AGM, Gel, Wet)
- 5 stage charging program

Microprocessor controlled, 4.0 A charging power. Technical data: protection class IP65, battery capacity: max. 120 Ah. Input voltage: 220-240 V AC/50 Hz, max. 70 W. Output voltage: max. 14.7 V DC/4.0 A. Size: (LxWxH) 18 x 8 x 5 cm. Weight: 0.5 kg. **819010 35,95**

BATTERY CHARGE BOOSTER 25 A RESP. 40 A WITH INTEGRATED 18 A REFRIGERATOR OUTPUT

12V

25 A
40 A

18 A
REFRIGERATOR-
OUTPUT

LEAD ACID
AGM
GEL
LITHIUM

IUOU
LOADING
LINE

EURO
5/6

ECE R10



- Charging characteristic: IUoU
- For vehicles with intelligent alternator (Euro 6 suitable)
- Operation with / without D+ signal
- Built-in fuses (B1, B2 and refrigerator)
- Uncomplicated plug & play installation

The battery charge boosters from Carbest with 25A or 40A power charge your on-board or secondary battery quickly and reliably while driving.

The IUoU charging characteristic supplies the battery with constant current and voltage matched to it. After reaching the charging end voltage, the changeover to float charge takes place. This compensates for the self-discharge of the battery.

Via the special, integrated 18A refrigerator output, an absorber or compressor refrigerator can directly supplied with power from the charge booster.

When the engine is running and/or the starter battery B1 is relatively charged, the output of the refrigerator is fed directly from B1.

When the engine is at standstill and/or the starter battery B1 is relatively low charged, the output of the refrigerator is switched off or fed by B2, depending on the setting of DIP switch No. 3.

Operating temperature range: +10°C to +50°C. Integrated undervoltage and overvoltage protection as well as reverse polarity protection.

Size: L x W x H 200 x 142 x 72.5 mm, Weight: 1.1 kg

DC-DC Booster 25 A


821820

199,-


DC-DC Booster 40 A

821821

299,-



Connection diagram



SINUS POWER INVERTER WITH PURE SINUSOIDAL VOLTAGE FOR SENSITIVE 230V DEVICES



**12V
INPUT**

**230V
OUTPUT**

**USB
2.1A**

**INCL.
CONNECTION-
CABLE**



From 1000 watts:
Tested with the Dometic
FreshJet 2200
air conditioner
(1500W + 2000W + 3000W)
Watch video here




From 2000 watts:



Tested with
Nespresso®
Capsule machine
(2000W)
Watch video here

Connection cable
included in
delivery contain
(2x 2m + 1x 0,4m)



Matching cable remote controls

For ① with 4,5 m cable

81949 **24,90**

For ② ③ ④ ⑤ ⑥ with 5 m cable

81947 **24,90**



- **Extremely high starting current, up to 3 times the power output**
- **Convert 12 volt battery power to 230 volt**
- **No restriction in operation, suitable for measuring computer or microwave device**
- **Switch-mode technology: Almost noiseless - light & compact**
- **Battery protection due to undervoltage cutoff**
- **Overtemperature shutdown (ca. 60° C)**
- **Reverse polarity protected**
- **Integrated overload protection**

Automatic load detection - The inverter switches to a power saving mode if no power is drawn for one minute. Fan - If the temperature is too high, the built-in temperature-controlled fan switches on automatically for cooling. Aluminum housing - Suitable for floor & wall mounting.

NOTE: Required fuse

To install the inverters of this page recommend we have a 12V fuse.

300W=50A / 700W+1000W=100A / 1500W=150A / 2000W=200A / 3000W=300A.

Figure	①	②	③	④	⑤	⑥
Type	PS300U	PS700U	PS1000U	PS1500U	PS2000U	PS3000U
Input voltage DC	12 V	12 V	12 V	12 V	12 V	12 V
Output voltage (±5%)	230 V	230 V	230 V	230 V	230 V	230 V
Continuous power	300 W	700 W	1.000 W	1.500 W	2.000 W	3.000 W
Nominal power	300 W	700 W	1.000 W	1.500 W	2.000 W	3.000 W
Peak power shortz.	600 W	2.100 W	3.000 W	4.500 W	6.000 W	9.000 W
Shutdown threshold/undervoltage.	10,0±0,5 V	10,0±0,5 V	10,0±0,5 V	10,0±0,5 V	10,0±0,5 V	10,0±0,5 V
Quiescent current	≤0,6 A	≤0,3 A	≤0,4 A	≤0,5 A	≤0,6 A	≤0,8 A
Efficiency	≥90%	≥90%	≥90%	≥90%	≥90%	≥90%
Connection remote control	yes	yes	yes	yes	yes	yes
USB port/ampere	yes/2.1A	yes/2.1 A	yes/2.1 A	yes/2.1 A	yes/2.1 A	yes/2.1 A
Sockets	1	1	1	2 (1x Schuko, 1x Universal)*		
3 connection cables included	2x 2m & 1x 0,4m (4mm²)	2x 2m & 1x 0,4m (16mm²)	2x 2m & 1x 0,4m (25mm²)	2x 2m & 1x 0,4m (50mm²)	2x 2m & 1x 0,4m (50mm²)	2x 2m & 1x 0,4m (50mm²)
Dimension (LxWxH) mm	260x150x60	255x186x90	317x186x90	320x152x105	320x152x105	475x250x110
Weight	1,6 kg	2,4 kg	3,0 kg	4,7 kg	4,8 kg	6,5 kg
Art. No.	82281	82285	82282	82286	82283	82284
Price	129,-	249,-	349,-	499,-	679,-	849,-

*Not approved for simultaneous operation!

SINUS POWER INVERTER WITH INTEGRATED MAINS PRIORITY CIRCUIT






Figure	①	②	③
Type	Sine Power Inverter 1000 W	Sine Power Inverter 1500 W	Sine Power Inverter 2000 W
Input voltage DC	12 V	12 V	12 V
Output voltage (±5%)	230 V	230 V	230 V
Continuous power	1000 W / 80 A	1500 W	2000 W / 160 A
Nominal power	1000 W	1500 W	2000 W
Peak power shortz.	2000 W	3000 W	4000 W
Shutdown threshold/undervoltage.	10,5±0,5 V	DC 10,5±0,5 V	DC 10,5±0,5 V
Quiescent current	≤0,45 A	≤0,75 A	≤0,75 A
Efficiency	>90%	>90%	>90%
Switchover time 230 V to 12 V (ca.)	≤ 8 ms	≤ 10 ms	≤ 10 ms
Sockets	1x Schuko, 1x Universal*	1x Schuko, 1x Universal*	1x Schuko, 1x Universal*
3 connection cables included	2x 2m & 1x 0,4m (25mm²)	2x 2m & 1x 0,4m (50mm²)	2x 2m & 1x 0,4m (50mm²)
Battery charger (Gel/AGM)	10 A	15 A	15 A
Dimension LxWxH in mm (ca.)	330 x 230 x 110 mm	400 x 230 x 110 mm	400 x 230 x 110 mm
Weight	ca. 3.6 kg	ca. 5.3 kg	ca. 5.7 kg
Art. No.	82277	82278	82279
Price	399,-	589,-	699,-

*Not approved for simultaneous operation!

- **Integrated 230 volt mains priority circuit:**
As soon as 230 volt shore power (e.g. from the camping site) is available, the inverter operation is automatically interrupted. The inverter operation is immediately resumed as soon as no more external power is available.
- **Conversion from 12 V to 230 V sine voltage**
- **Very high starting current possible**
- **3-Stage Battery Charger for Gel & AGM Batteries**
- **Battery protection due to undervoltage cutoff**
- **Reverse polarity protected**
- **Integrated overload protection**
- **Temperature controlled fan**
- **Aluminum housing, lightweight yet strong**
- **With USB connection**
- **Connection cable and cable remote control included**

Spare/extension cable

Pre-assembled with 2 ring eyelets.		
± 25 mm², 2 x 200 cm	81940	46,90
± 50 mm², 2 x 200 cm	81941	76,90
Cable remote control (as spare part)		
81946		24,90

SINUSOIDAL INVERTER - 230 VOLT DEVICES OPERATE WITH 12 VOLT

SINUS
SIMILAR12V
INPUT230V
OUTPUTUSB
2.1A200 W
TO
1000 WINCL.
CONNECTION-
CABLEE
ECE R10

①

200
WATT

②

400
WATT

③

600
WATT

④

1000
WATT

- Use of many common household appliances
- USB port 5 V ~ 2.1 A
- Battery protection through undervoltage and overvoltage shutdown
- Reverse polarity protected
- Integrated overload protection
- Overtemperature shutdown (> 75° C)



Figure	①	②	③	④
Type	Power Inverter 200 W	Power Inverter 400 W	Power Inverter 600 W	Power Inverter 1000 W
Input voltage DC	12 V	12 V	12 V	12 V
Input voltage range	10,5 V-16 V	10,5 V-16 V	10,5 V-16 V	10,5 V-16 V
Nominal power	200 W	400 W	600 W	1000 W
Peak power short term (2S)	400 W	800 W	1200 W	2000 W
Output voltage (±5%)	220 - 240 V	220 - 240 V	220 - 240 V	220 - 240 V
Shutdown threshold/undervoltage	10,0±0,5 V	10,0±0,5 V	10,0±0,5 V	10,0±0,5 V
Quiescent current	<0,17 A	<0,21 A	<0,3 A	<0,33 A
Efficiency	>90%	>90%	>90%	>90%
Cooling	Fan	Fan	Fan	Fan
Fuse	yes	yes	yes	yes
Connection for remote control	no	no	no	no
USB 5 V ~ 2.1 A	yes	yes	yes	yes
Socket	1	1	1	1
Dimension (W x D x H) in mm	120 x 100 x 50	120 x 100 x 50	150 x 100 x 50	210 x 150 x 70
Weight	ca. 0.6 kg	ca. 0.7 kg	ca. 1 kg	ca. 2 kg
Art. No.	82291	82292	82293	82294
Price	39,90	46,90	74,90	99,90

MULTI-MEDIA ON BOARD






SMART TV - SAT TV & INTERNET

12~30 VOLT	100~240 VOLT	DVB-T2 DVB-S2 DVB-C	H.265 DVB-T2
HDMI	USB 2.0	CI+ SLOT	MPEG4
WLAN	SCART VGA	VIDEO TEXT	HEVC 10 bit

- For a well-rounded multimedia experience
- WiFi, DVB-S2 (SAT), DVB-C (Cable), DVB-T2 with HD (Terrestrial)
- Wide viewing angle
- Extra narrow housing
- Android system



Devices type	18.5" HD READY	21.5" FULL HD	23.6" FULL HD	27" FULL HD
Screen format	16:9 widescreen format			
Viewing angle	178 / 178	176 / 176	178 / 178	178 / 178
Operating voltage	12V DC / 24V DC / 230V AC			
TV connections IN	1x HDMI, 2x USB 2.0, 1x VGA, 1x PC audio, 1x CI+ slot, 1x AV, 1x RJ45			
TV connections OUT	1x coaxial, 1x headphone			
Power consumption operation/standby	<36 W / <0.5 W			<48 W / <0.5 W
Resolution (pixels)	1366 x 768	1920 x 1080		
Contrast	3000:1	4000:1	3000:1	3000:1
Brightness (cd/m2)	200	200	200	240
Energy efficiency	F	F	F	F
Size (mm): Without base, WxHxD	436 x 259 x 43	502 x 297 x 45	551 x 327 x 43	638x379x45/62
Size (mm): With base, WxHxD	436 x 304 x 160	502 x 342 x 160	551 x 369 x 180	638x416x187
Weight (without foot)	1,9 kg	2,3 kg	2,8 kg	3,8 kg
Scope of delivery	LED TV, stand/feet, power supply 100-240V, car adapter 12-30V with cigarette lighter plug, remote control, manual			
Item no. / Price	49881 369,-	49883 369,-	49885 419,-	49886 499,-

We reserve the right to make technical improvements or changes, as well as to supply a qualitatively comparable product from another manufacturer or supplier in each case. The images are similar to the delivered products. Size without guarantee.

TV WALL MOUNT SIMON LUXUS WITH LOCK SUITABLE FOR MANY TVS

- Knurled screws for quick fixation
- For screens from 13" to 30"
- Perforated rim 75 and 100 mm (VESA)

① TV Holder Simon Luxury

Secure locking while driving. Arm length 175 mm each. Length folded out 430 mm. Load capacity: Max. 10 kg. Weight: ca. 1 kg. Material: Aluminum

Silver	493960	69,95
Black glossy	493983	69,95

② TV Holder Simon Luxury XL

Like TV- Holder Simon luxury, but arm length 285 mm each. Length folded out 650 mm. Load capacity: Max. 10 kg. Weight: ca. 1.4 kg. Material: Aluminum

Silver	493970	79,95
Black glossy	493984	79,95



Also available in silver



Black glossy

Ideal for 15" - 20" TVs



Ideal for 21" - 22" TVs



Also available in silver



Black glossy

TV WALL HOLDERS WALL MOUNT

- Knurled screws for quick fixation
- For screens from 13" to 30"
- Perforated rim 75 and 100 mm (VESA)

① Wall Mount TV Holder S

load capacity: Max. 10 kg
Size: 114 x 114 x 98 mm
Weight: 0.6 kg, Material: aluminum

Silver	493962	29,95
Black matte	493980	29,95

② Wall Mount TV Holder M


load capacity: Max. 10 kg
Size: 116 x 152 x 81 - 235 mm Weight: 0.8 kg, Material: aluminum

Silver	493961	47,95
Black matte	493981	47,95

③ Wall Mount TV Holder XL

Load capacity: MAX. 10 kg.
Size: 116 x 152 x 81 - 390 mm
Weight: 1 kg, Material: aluminum

Silver	49396	49,95
Black matte	493982	49,95



Black matte


Ideal for 13" - 30" TVs



Also available in silver



Also available in silver




Ideal for 13" - 30" TVs



Also available in silver

TRAVELSAT 68 II AND 80 II

PREMIUM SAT SYSTEMS
WITH BLUETOOTH CONTROL
CONVENIENT VIA SMARTPHONE



Proven Travelsat quality now with Bluetooth technology!

- All antennas with Bluetooth technology
- Convenient operation via smartphone Simply perform software updates yourself via app, eliminating the need for inconvenient workshop appointments
- Powerful LNBs for excellent
- TV reception even in outlying areas
- Powerful rotating mechanism and sturdy metal and aluminum components for a long lifetime and quiet operation

Technology: The Travelsat II series with state-of-the-art hardware and software technologies. Easy to update and future-proof: HD and DVB-T2.

Control unit: The system is compatible with all decoders (including Sky HD). Reprogrammable software connection without opening the box.

Positioning: Quick search of the satellite position. Thanks to GPS, the search time is about 30-60 sec, 5-10 seconds when changing satellites. Automatic satellite alignment at the touch of a button. 1, 7 or 15 preset satellites. Storage of the last detected position. Acoustic signal warns when vehicle is started if antenna is open (plus).

Details: Aluminum mounting plate for secure and easy attachment to the vehicle. High precision steel & bronze gearbox: longlife with minimal maintenance.

Technical data:

12 volts/27 watts (max. 48 watts when retracting and extending), -15°C to +50°C. With CI slot (Common Interface), OSD.

Scope of delivery:

Outdoor antenna, control unit without receiver, cable, roof bushing, mounting material, mounting plate and instructions.

Travelsat II Ø 68 cm with Bluetooth Control. Conveniently perform software updates via the app with immediate effect

Travelsat II Ø 68 cm, ASTRA Single system (for 1 receiver)
All other satellites can be selected via app or control panel.

Color anthracite 496380 1399,-
Color white 49638 1399,-

Travelsat II Ø 68 cm, ASTRA Twin system (for 2 receivers)
All other satellites can be selected via app or control panel.

Color white 49639 1519,-



● HOT BIRD ● ASTRA 1 ● ASTRA2 EU BEAM
● ATLANTIC BIRD 3 ● ASTRA3 ● HISPSAT IC



SINGLE FACILITY
BLUETOOTH



TWIN SYSTEM
BLUETOOTH

Travelsat II 80 with Bluetooth

ASTRA system with Bluetooth. All other
Satellites selectable via app or control panel.

Single system (for 1 receiver) with Bluetooth
49640 1569,-

Single system (for 1 receiver) with Bluetooth + Skew
49641 1999,-

Twin system (for 2 receivers) with Bluetooth
49642 1699,-

Twin system (for 2 receivers) with Bluetooth + Skew
49643 2199,-



● HOT BIRD ● ASTRA 1 ● ASTRA2 EU BEAM
● ATLANTIC BIRD 3 ● ASTRA3 ● HISPSAT IC

SINGLE FACILITY
BLUETOOTH

SINGLE FACILITY
BLUETOOTH + SKEW

TWIN SYSTEM
BLUETOOTH

TWIN SYSTEM
BLUETOOTH + SKEW

Ø 68: L 79 cm / Ø 80: L 90 cm



TWIN system: The twin system has a second SAT connection for another digital or HD receiver, e.g. for a TV in the sleeping area. This allows independent program selection on both Connections (receiver not included).

Service: The comprehensive SR-Mecatronic service network ensures fast repair or replacement in case of service. This means that the Travelsat is quickly ready for use again.

Optional control panels: As an alternative to Bluetooth control, there are 2 control panels to choose from: The LED control panel with 7 pre-programmed satellites and the Comfort "Plus" LCD control panel with 15 pre-programmed satellites.



LED control panel 7 pre-programmed satellites:

Hotbird 13E, Astra 19, Thor, Sirius,
Atlantic Bird, Hispasat, Astra 28.

49724 149,-



Comfort "Plus" LCD control panel. 15 pre-programmed satellites and additional functions:

Hotbird 13E, Astra 19E, Astra 28E, Eurobird 16E, Thor 1W, Sirius 5E, Atlantic Bird 5W, Hispasat 30W, Eurobird 9E, Eutelsat 7E, Eutelsat 10E, Amos 3W, Atlantic Bird 8W, Atlantic Bird 12W, Astra 23.5E.

49725 179,-




MULTISAT

X65 / X85 SINGLE AND X85 TWIN + SKEW

Quality at top price

- Automatic folding on engine start
- Extremely robust, maintenance-free metal actuator
- Super-easy operation, receive the desired satellite at the touch of a button

Specifications: 10 satellites pre-prommed,
 Input frequency: 10.7 ~ 12.75 GHz,
 Output frequency: 950 ~ 2,150 MHz,
 Polarization: vertical and horizontal, angle range elevation:
 0° ~ 145°, angle range azimuth: 390°,
 Power supply: DC 12 volt,
 Operating temperature: -20° C to +60° C.
 Scope of delivery: multi-sat antenna, controller, roof gland,
 mounting plate LNB protective film, connection cable, screws,
 operating instructions.



Satellite Antenna Multi-Sat X65 Single


10 satellites pre-programmed

SAT system Multisat 65 cm Single LNB, pre-installed satellites: **Turksat, Astra 2, Astra 3, Astra 1, Hotbird, Eutelsat 9, Astra 4, Thor, Eutelsat 5W, Hispasat**, compact and yet great reception power, satellite search time max 180 seconds, software update via USB, Size retracted: 88.5 x 66 x 18.4 cm, weight: ca. 12 kg

49631

999,-

12V	Ø 65 CM	SINGLE LNB	10 SATELLITES PREPROGRAMMED	AUTOMATIC RETRACTION AT VEHICLE START	SATELLITE SEARCH RUN: CA. 180 SEC.	DiSEqC 1.0/1.1	COLOR: WHITE
-----	---------	------------	-----------------------------	---------------------------------------	------------------------------------	----------------	--------------



Satellite Antenna Multi-Sat X85 Single


10 satellites pre-programmed

SAT system Multisat 85 cm Single LNB, pre-installed satellites: **Turksat, Astra 2, Astra 3, Astra 1, Hotbird, Eutelsat 9, Astra 4, Thor, Eutelsat 5W, Hispasat**, compact and yet great reception power, satellite search time max 180 seconds, software update via USB, Size retracted: 110.5 x 86 x 18.4 cm, weight: about 14 kg

49632

1199,-

12V	Ø 85 CM	SINGLE LNB	10 SATELLITES PREPROGRAMMED	AUTOMATIC RETRACTION AT VEHICLE START	SATELLITE SEARCH RUN: CA. 180 SEC.	DiSEqC 1.0/1.1	COLOR: WHITE
-----	---------	------------	-----------------------------	---------------------------------------	------------------------------------	----------------	--------------



Satellite Antenna Multi-Sat X85 Twin +


Skew 10 satellites pre-programmed

SAT system Multisat 85 cm Twin LNB + AUTO SKEW, pre-installed satellites: **Turksat, Astra 2, Astra 3, Astra 1, Hotbird, Eutelsat 9, Astra 4, Thor, Eutelsat 5W, Hispasat**, compact and yet great reception power, satellite search time max 180 seconds, software update via USB, Size retracted: 110.5 x 86 x 18.4 cm, weight: ca. 14 kg

49633

1499,-

12V	Ø 85 CM	SINGLE LNB	AUTO SKEW	GPS RECEIVER	10 SATELLITES PREPROGRAMMED	AUTOMATIC RETRACTION AT VEHICLE START	SATELLITE SEARCH RUN: CA. 180 SEC.	DiSEqC 1.0/1.1	COLOR: WHITE
-----	---------	------------	-----------	--------------	-----------------------------	---------------------------------------	------------------------------------	----------------	--------------



SNIPE

PRO AND PRO MAX

SNIPE PRO HIGHLIGHTS

- Active GPS receiver for short search times
- Automatic SKEW function
- Extremely flat, robust aluminum housing (only 22.2cm high)
- 10 satellites pre-programmed, selectable on external control panel
- Extra reinforcement for high wind loads

SNIPE PRO MAX HIGHLIGHTS:

- Identical to SNIPE PRO, but with extremely high reception power (47dBW) and range

Comfort functions of the Snipe PRO and Snipe PRO MAX:

Auto-Skew function, automatically compensates polarization shifts by rotating the receiving antenna. This ensures the best possible reception at all European locations. In addition, an active GPS receiver is integrated, which is kept in standby via built-in backup batteries without vehicle power. Search time to the satellite only 1 - 2 minutes. Wide angle for reception in Southern and Northern Europe (5° - 90°). Automatic retraction when the vehicle is started. Auto-update of transponder data via satellite keeps the Snipe always up to date. With DVB-S2 also ideally suited for HD television. Subject to technical changes.

Technical data for SNIPE PRO and SNIPE PRO MAX:

1-participant universal LNB. Frequency range: 10.7 - 12.75 GHz, frequency band: Ku Band, polarization: linear (horizontal/vertical), received power: 50 dBW, antenna gain: 33.7 dBi (Snipe Pro) u. 36.1 dBi (Snipe Pro Max), angular ranges: Azimuth: 360°, Elevation: 5° ~ 90°, Skew: -60°/+60°. Temperature range: -20 to +60°C. Voltage range 12 to 24 volts. Power consumption: max. 75 W (search process)

10 satellites pre-programmed:

Astra 1, Astra 2, Astra 3, Astra 4, Hotbird, Thor, Eutelsat 5 West A, Türksat, Hispasat, Eutelsat 9A.

Scope of delivery:


Antenna, control unit, bracket for control unit, 12 V connection cable, 12 m coaxial cable for receiver and control unit, roof feed-through, mounting plate and operating instructions.

Snipe PRO: Space requirement with maximum rotation range of the antenna: ca. 640 mm. (LxWxH): 49.1 x 51.1 x 22.2 cm, Antenna closed: H: 22.2 cm, weight: 13.5 kg **48295** **1299,-**


Snipe PRO MAX: Space requirement with maximum rotation range of the antenna: ca. 640 mm. (LxWxH): 51.1 x 63.8 x 24.6 cm, antenna closed: H: 24.6 cm. Weight: 16,5 kg **48296** **1599,-**



Illumination zones Snipe PRO



Illumination zones Snipe PRO MAX



SNIPEHANDY **PORTABLE SAT SYSTEM** **THEFT INCLUDED-SECURITY**

12V
24V

SINGLE
LNB

4
SATELLITE
PREPRO-
GRAMMED

1-CABLE
CONNECTION


ANTI-
THEFT
SECURITY

- Small, lightweight, portable, no fixed mounting required
- Perfect for mobile use: the antenna can be placed anywhere with a clear view of the satellite
- Single LNB, 4 satellites pre-programmed (Astra1, Astra2, Hotbird, Eutelsat 5W)
- Integrated theft protection (optical and acoustic)

The robust plastic hood provides the best possible protection against weather influences. The carrying handle facilitates transport. 1-cable connection: connection of the antenna to the controller incl. power transmission via coaxial cable. Incl. Radio remote control. Satellite search time: ca. 180 sec., power consumption: 30W. Signal gain: 31 dBi, reception power: 51 dBW, search angle: 15° - 90°/360°, Metal eyelet for fixing a steel cable against theft. In addition, acoustic warning signal in case of non-permitted removal of the coaxial cable. Ca. size: Ø 450mm, H 390 mm. (Delivery without steel cable)

49796

779,-



ACTIVE DVB-T2 CIRCULAR ANTENNAS **FOR OUTDOOR, CAR OR CAMPER**

- Reception of regional digital programs
- Integrated amplifier
- Concealed cable routing (through antenna base)

Antenna with the latest SMD technology. Excellent reception of digital terrestrial TV (DVB-T) and radio programs (DAB Radio). Reception of local/regional FM radio signals. With built-in amplifier. Extremely wide frequency range. Weatherproof, rustproof, design with aluminum base.

Technical data:

Frequency ranges: FM 87.5-108 MHz, VHF 174-230 MHz, UHF 470-862 MHz.

Opening angle: vertical 90°/horizontal 360. Output level: Max. 108 dB, Gain: 35 dB, Input voltage: DC12/24 V, operating voltage: 5 V DC, connector: F-connector.

Size: Ø foot: 13 cm, Ø antenna: 30 cm, total height: 20 cm

49410

109,90

DVB-
T2

12V
24V

Experts
Tip



TELESCOPIC ANTENNA MASTS

- Allows easy adjustment of the antenna without leaving the vehicle
- Suitable for motorhomes and caravans
- Reliably protected from water ingress
- Made of anodized corrosion resistant aluminum

① Antenna mast 50 cm

Total length: 50 cm, Ø 30 mm. Double O-ring system reliably protects against water ingress. Weight: ca. 0.5 kg.

492410 53,90

② Antenna mast 150 cm

Total length: 150 cm, Ø 30 mm. Double O-ring system reliably protects against water ingress. Weight: ca. 1.1 kg.

492411 79,90



BACKMIRROR WITH INTEGRATED MONITOR

For safe parking
and shunting.

Compatible with all
cameras on the right
side




Fiat Ducato mirror base



Included
Connection cable



Universal holding clips



Included
Connection cable



12
VOLT

TOUCH
SCREEN

4.3"
LCD

DVB-
T2

480x272
PIXEL

2x
VIDEO
INPUT

PAL/
NTSC



Rear view mirror with integrated 4.3" monitor suitable for Fiat Ducato mirror base

Rear view mirror with integrated 4.3 inch monitor suitable for Fiat Ducato mirror base, automatic activation with reverse, auxiliary lines adjustable, 2 x video input, resolution: 480 x 272, control via touch screen, remote control, video system: PAL/AUTO/NTSC, Emark certified, Size: ca. 27 x 7.5 cm

47820

149,-

Rear view mirror with integrated 4.3" monitor, universal clip-on bracket

Universal rear view mirror with integrated 4.3 inch monitor, clip-on version, automatic activation with reverse, auxiliary lines adjustable, 2 x video input, resolution: 480 x 272, control via touch screen, remote control, video system: PAL/AUTO/NTSC, Emark certified. Size: ca. 27x7,5cm

47821

149,-


HIGH QUALITY BRAKE LIGHT CAMERAS

- High resolution cameras
- Plug & Play Installation
- Night mode with night vision IR LEDs (except 47811 + 47813)
- 10 m connection cable included
- All brake light cameras are ECE R10 certified
- Compatible with the rear view mirrors on the left side



Compatible with the rear view mirrors on the left side

Connection cable included with all brake light cameras



Model	① Fiat Ducato / Peugeot Boxer / Citroen Jumper and similar from 2006	② VW Caddy	③ VW Crafter from 2017	④ VW T6 from 2016 with large tailgate	⑤ Renault Traffic / Opel Vivaro 2014
Camera system	1/3 CMOS	1/3 CMOS	1/3 CMOS	1/3 CMOS	1/3 CMOS
Resolution (HxV)	720x480 Pixel	960x576 Pixel	960x576 Pixel	960x576 Pixel	960x576 Pixel
TV system	PAL	PAL	PAL	PAL	PAL
Protection class	IP68	IP69	IP69	IP69	IP69
Viewpoint	160°	170°	170°	170°	170°
Horizontal resolution	600 TVL	700 TVL	700 TVL	700 TVL	700 TVL
IR LEDs	6 LEDs	-	9 LEDs	-	9 LEDs
Power supply	DC 12V	DC 12V	DC 12V	DC 12V	DC 12V
Operating temperature	-20°C - +70°C	-30°C - +70°C	-30°C - +70°C	-30°C - +70°C	-30°C - +70°C
Energy consumption	< 3 W	< 3 W	< 3 W	< 3 W	< 3 W
Built in lens	2,6 mm	2,8 mm	2,8 mm	2,8 mm	2,8 mm
Connection cable, length	10 m	10 m	10 m	10 m	10 m
Housing Size	ca. 26 x 5,5 cm	ca. 17,5 x 4 cm	ca. 53 x 17,5 cm	ca. 33.5 x 2.5 cm	ca. 23,5 x 7,5 cm
Item number	47800	47811	47812	47813	47814
Price	179,-	69,-	179,-	129,-	139,-

RADIO REAR VIEW CAMERA SYSTEM FOR MOTORHOMES AND CARAVANS

12/24 V

RADIO-SYSTEM

WIRELESS MOUNTING

SHORT INSTALLATION-TIME



The rear view camera system transmits the rear view camera image wirelessly via radio to a monitor in the driver's cab (radio range max. 10 m). Radio range also suitable for larger motorhomes and caravans. The wireless installation thus reduces the installation time in the vehicle.

Operation via 12 V or 24 V possible. Digital 2.4 GHz radio transmission.

Scope of delivery: 1 receiver, 1 transmitter, incl. adapter for reversing systems.



47439 119,-



COMPRESSOR COOLER + REFRIGERATORS

FOR CAMPER VANS, MOTORHOMES
AND CARAVANS.

CABCOOLER 8 + 14

COMPRESSOR COOLERS FOR THE CAB



Storage compartment with inductive charging station



Capacity for bottles with a height of max. 260 mm



Included Click-On Mounting plate



Fits perfectly between the cab seats in the VW T6/T5

CabCooler 8

Fits perfectly between the driver seats in VW T6/T5



VW T6/T5	12V 24V	8 LITER	INDUCTIVE CHARGING STATION	3x USB PORT	LED DISPLAY	INCL. ASSEMBLY-PLATE	INCL. 12/24 V CABLE
----------	---------	---------	----------------------------	-------------	-------------	----------------------	---------------------

Total useful capacity (liters)	8 L
Ø Current consumption	12V: 4.0A / 24V: 2.0A
Ø Power consumption	45 W
Temperature range	+20 °C to -15 °C
Operating volume	< 45 dB
Size (L x W x H) mm / Weight	538 x 190 x 390 / ca. 8.6 kg
Item no. / Price	713543 349,-

100-240 V adapter cable

Allows operation with 230 V voltage.

714499 24,90



Integrated cup holder



Capacity for bottles with a height of max. 320 mm



Click-On included Mounting plate



Fits perfectly between the cab seats in the Fiat Ducato

CabCooler 14

Fits perfectly between the driver's seats in Fiat Ducato

FIAT DUCATO	12V 24V	ACCU OPERATION POSSIBLE	14 LITER	2 DRINKS-HOLDER	3x USB PORT
-------------	---------	-------------------------	----------	-----------------	-------------

LED DISPLAY	INCL. ASSEMBLY-PLATE	INCL. 12/24 V CABLE
-------------	----------------------	---------------------

Total useful capacity (liters)	14 L
Ø Current consumption	12V: 4.0A / 24V: 2.0A
Ø Power consumption	45 W
Temperature range	+20 °C to -15 °C
Operating volume	< 45 dB
Size (L x W x H) mm / Weight	591 x 230 x 453 / ca. 9.3 kg
Item no. / Price	713544 379,-

Rechargeable 15.6 Ah battery with LED battery status indicator



Running time up to 20 hours (depending on setting and cooler version)

714690 169,-

100-240 V adapter cable

Allows operation with 230 V voltage.

714499 24,90



15.6 Ah battery optionally available. Allows food to be cooled even with the ignition off or parked vehicle.

Battery not included


FREECOOLER 8 + 13

MOBILE COMPRESSOR COOLERS - COOLING WITH 12/24 V OR LITHIUM BATTERY




- Portable compressor coolers
- Operates via 12/24V or via optional battery pack
- Perfect when no power connection is available
- Operation via LED display
- Including removable cooling battery in the lid
- Integrated USB port
- Three-stage battery protection to protect the vehicle battery
- Robust plastic housing with sturdy bow handle
- 12/24V connection cable included

Delivery of the coolers without battery and without 100-240 V adapter cable.



① FreeCooler 8


Total useful capacity (liters)	8 L
Ø Current consumption	12V: 4.0A / 24V: 2.0A
Ø Power consumption	45 W
Temperature range	+20 °C to -20 °C
Size (L x W x H) mm	393 x 251 x 443
Weight	ca. 7.8 kg
Item no.	713551
Price	299,-



Optional accessories on page 39.

② FreeCooler 13

Total useful capacity (liters)	13 L
Ø Current consumption	12V: 4.0A / 24V: 2.0A
Ø Power consumption	45 W
Temperature range	+20 °C to -20 °C
Size (L x W x H) mm	433 x 306 x 467
Weight	ca. 10.2 kg
Item no.	713552
Price	339,-



Optional accessories on page 39.



Battery compartment cover inclusive



Battery compartment cover included (2 pieces)

DUALCOOLER 45 + 72

COMPRESSOR COOLERS WITH 2-ZONE COOLING COMPARTMENT

12V 24V	ACCU OPERATION OPTIONAL	DUAL ZONE	COVER COMPLETE REMOVE- ABLE	LED TOUCH- DISPLAY	ECO/ MAX MODE	INCL. BATTERY- PRO- TECTION	USB PORT	INCL. 12/24 V CABLE	INTE- GRATED BOTTLE OPENER	ROBUST HOUSING
------------	-------------------------------	--------------	--------------------------------------	--------------------------	---------------------	--------------------------------------	-------------	---------------------------	-------------------------------------	-------------------

- **DUAL-ZONE:** The temperature of both cooling compartments can be regulated independently
- With 2 removable basket inserts
- Drain plug in the bottom of the main compartment
- 12/24V connection cable included

Delivery of the coolers without battery and without 100-240 V adapter cable.



Removable battery (optional)



LED touch display & USB port



Basket inserts removable



Lid completely removable



Lid can be opened on both sides




Integrated bottle opener



① DualCooler 45

- Robust housing with integrated bottle opener
- Cutting board and drink holder in lid

Total useful capacity	45 L
2 interior compartments	1x 32 L, 1x 13 L
Ø Current consumption	12 V: 5.0 A / 24 V: 2.5 A
Ø Power consumption	60 W
Temperature range	+20 °C to -20 °C
Size (L x W x H) mm	600 x 400 x 506
Weight	ca. 17 kg
Item no.	71469
Price	549,-




45L
VOLUME

1x ACCU
TRAY

② DualCooler 72

- 2 separate cooling compartments with own lid
- The telescopic handle and the large wheels allow comfortable transport of the cooler box

Total useful capacity	72 L
2 interior compartments	1x 27,5 L, 1x 44,5 L
Ø Current consumption	12V: 6.0A / 24V: 3.0A
Ø Power consumption	80 W
Temperature range	+20 °C to -20 °C
Size (L x W x H) mm	937 x 535 x 465
Weight	ca. 25.7 kg
Item no.	71455
Price	749,-



72L
VOLUME

1x ACCU
TRAY




Transport handle extendable



Robust processing

- ① 100-240 V adapter cable, allows operation with 230V voltage. **714499 24,90**
- ② Lithium PowerPack - Rechargeable 15.6 Ah battery with LED battery status indicator
Running time up to 20 hours (depending on outside temperature, cooler and cooler setting)
714690 169,-
- ③ Solar connection cable 60 cm with 50 A high current connector
to charge the battery via a portable solar panel. For Carbest solar module 82507 (s.12)
adapter cable 850921 is required. For solar module complete sets of other
Manufacturer is additionally required e.g. adapter cable 850922 is required.
Not for FreeCooler13 (713552). **714691 12,99**



CAMPCOOLER

FOR EVERY USE

12V
24VLED
DISPLAYECO/
MAX
MODEINCL.
BATTERY-
PRO-
TECTIONINCL.
12/24V
CABLEROBUST
HOUSING




- Ready for any use due to the robust design
- Easy cleaning thanks to removable basket insert
- Integrated cup holders in the lid
- 12/24 V connection cable included



Model	① 30 liters	② 40 liters	③ 50 liters
Useful capacity	30 L	40 L	50 L
Ø Current consumption	12 V: 5.0 A / 24 V: 2.5 A		
Ø Power consumption	60 W		
Temperature range	+10 °C to -20 °C		
Operating volume	< 45 dB		
Size (L x W x H) mm	693x345x381	693x345x456	693x345x531
Weight (ca.)	12,5 kg	13,0 kg	14,0 kg
Item no.	71456	71457	71458
Price	399,-	449,-	499,-

100-240 V adapter cable, allows operation with 230 V voltage.

714499 24,90



**REISE
MOBIL**
INTERNATIONAL
KAUFTIPP
6/2022

45L
VOLUME

POWERCOOLER

THE ALLROUNDER

12V
24VLED
DISPLAYINCL.
BATTERY-
PRO-
TECTIONINCL.
12/24V
CABLE


- Easy cleaning thanks to removable basket insert
- Integrated lashing eyes for fastening a lashing strap
- 12/24 V connection cable included



Product	① PowerCooler 35	② PowerCooler 45
Useful capacity (liters)	Refrigerator/freezer compartment 4.5/30.5	Refrigerator/freezer compartment 7.0/38
Ø Current consumption	12 V: 4.6 A / 24V: 2.3 A	12 V: 5.4 A / 24V: 2.7 A
Ø Power consumption	55 W	65 W
Temperature range	+10 °C to -18 °C	
Operating volume	45 dB	
Size (L x W x H) mm	650 x 400 x 395	650 x 400 x 465
Weight (ca.)	17,1 kg	18,5 kg
Item no. / Price	714102 499,-	714103 579,-

100-240 V adapter cable, allows operation with 230 V voltage.

714101 34,90



Delivery in each case without content

MAXIFREEZER

THE ROBUST

LED
DISPLAY

COVER
REMOVE-
ABLE

INCL.
12/24V
CABLE

INTERIOR
LIGHTING

ROBUST
HOUSING

EDGE-
PRO-
TECTION

- 2 sturdy carrying handles (loadable up to 140 kg)
- Removable lid, can be opened from both sides
- Easy cleaning thanks to removable basket insert
- Electric thermostat with digital temperature display
- Battery monitor to protect the vehicle battery
- All boxes including 12/24 V and 220-240 V connection cable
- Thermal bag optionally available (except 71375)



①
28L
VOLUME

12V
24V
230V

E A
↑
G



②
40L
VOLUME

12V
24V
230V

E A
↑
G




③
50L
VOLUME


12V
24V
230V

E A
↑
G


①



②



③



Model	① MaxiFreezer 28	② MaxiFreezer 40	③ MaxiFreezer 50
Useful capacity (liters)	Refrigerator/freezer 4/22	Refrigerator/freezer 7/33	Refrigerator/freezer 9/41
Ø Current consumption	DC 12 V/3.2 A DC 24 V/1.6 A	12 V/4.2 A 24 V/2.2 A 220-240 V/0.4 A	12 V/4.2 A 24 V/2.2 A 220-240 V/0.4 A
Supply voltage	12/24 Volt DC, 220-240 Volt AC		
Temperature range	+10 °C to -16 °C	+10 °C to -20 °C	
Size (L x W x H)	594 x 381 x 373 mm	712 x 452 x 440 mm	714 x 447 x 467 mm
Weight (ca.)	13 kg	20 kg	22 kg
Color	Matte Black / Matte Blue		
Item no.	71375	71371	71372
Price	549,-	649,-	729,-

Thermal bag for MaxiFreezer 40 and 50

Item no.	-	713710	713720
Price	-	49,90	54,95

Connection cable UK for MaxiFreezer 40 + 50.

713711 6,90

Delivery in each case without content



The robust thermal protection bag additionally insulates the cooler and protects it from dust, dirt and splash water. Optionally available for MaxiFreezer 40 and 50.

COMFORTSLIDER M + L

MOUNTING PULLOUTS FOR COOLERS

- Solid powder coated metal frame
- Safety lock
- Includes 4 lashing straps and mounting hardware
- ComfortSlider M, extension ca. 760 mm.
For coolers with a size of max. LxW 740x410 mm. Ideal for the following Carbest coolers: 71469/71456/71457/71458/714102/714103/71375
- ComfortSlider L, extension ca. 900 mm.
For coolers with a size of max. LxW 910x530 mm. Ideally suited for the following Carbest coolers: 71371/71372/71373

Thanks to the universal pull-out rails, your cooler can be pulled out of the vehicle for convenient loading and unloading. A safety lock ensures that the rail is firmly anchored in the pushed-together position during travel.


Scope of delivery: Fastening pull-out, 4 lashing straps with which the cooler can be secured (on lashing eyes) to the pull-out frame, mounting material. Without cooler.

① ComfortSlider M - loadable up to 120 kg

Size (LxWxH) Outside: 790x480x65 mm, Inside: 740x410 mm
Weight: ca. 12.8 kg **71498 199,-**

② ComfortSlider L - loadable up to 120 kg

Size (LxWxH) outside: 960x600x65 mm, inside: 910x530 mm
Weight: ca. 16 kg **71499 219,-**



Application example
Supplied without cooler.



DRAWER SLIDES

Rollout Slider Giant

The Heavy Duty full-extension runners with mechanical locking device


Material: steel.

Loadable up to max. 227 kg. Not detachable.

559 mm, pair	533000	99,95
711 mm, pair	533001	139,95
965 mm pair	533002	179,90

Angle for mounting full extension:

559 mm, 2 pieces	533004	23,95
711 mm, 2 pieces	533005	29,95
305 mm, piece	533003	12,95



① Full extension up to max. 110 kg

Soft-roll pull-out, loadable up to a maximum of 110 kg. Not detachable. 2 pieces in a set.

Material: steel. Length: 700 mm.

2 pieces	533006	69,90
----------	---------------	--------------


② Full extension up to max. 400 kg

Extendable in both directions and extremely loadable up to a maximum of 400 kg. 2 pieces in a set. Material: steel. Length: 930 mm.

2 pieces	533803	299,90
----------	---------------	---------------



Image similar



CV40L + CV50L


COMPRESSOR REFRIGERATORS FOR CAMPER VANS

12V 24V	40 LITER	COM- PRESSOR REMOVE- ABLE	DOOR STOP RIGHT	STAIN- LESS STEEL FRONT	LED DISPLAY OUTSIDE
------------	-------------	------------------------------------	-----------------------	----------------------------------	---------------------------

CV40L

- High quality stainless steel front
- The compressor unit can be installed offset to the refrigerator due to 180 cm long supply line
- Door stop right (not changeable)

Usable capacity total	40 l
Refrigerator/freezer	34 l / 6 l
Ø Current consumption	12 V: 3.95 A / 24 V: 1.98 A
Ø Power consumption	45 W
Temperature range	
Refrigerator/freezer	+10 °C to 0 °C / -12 °C
Weight	ca. 15 kg
Item no.	71357
Price	749,-



WxHxD Freezer compartment:
ca. 270x120x200 mm



LED operating display on refrigerator door




Removable compressor (ca. 180 cm)

12V 24V	46,5 LITER	DOOR STOP RIGHT	PLASTIC FRONT	LED DISPLAY INSIDE	ECE R10
------------	---------------	-----------------------	------------------	--------------------------	---------

CV50L

- Door stop right (not changeable)

Usable capacity total	46,5 l
Refrigerator/freezer	42 l / 4,5 l
Ø Current consumption	12 V: 5.0 A / 24 V: 2.6 A
Ø Power consumption	40 W
Temperature range	
Refrigerator/freezer	+15 °C to +5 °C / -18 °C
Weight	ca. 17 kg
Item no.	713572
Price	679,-



WxHxD Freezer compartment:
ca. 280x110x120 mm



LED display in the refrigerator



Compressor integrated in housing



Order right away

Suitable mounting frame
Material: aluminum, color silver metallic.

7135720 52,-

These refrigerators are designed for installation in vehicles only.

Delivery without content

www.carbest.de

43



V90L + V140L

COMPRESSOR REFRIGERATORS WITH INNOVATIVE COLD STORAGE TECHNOLOGY FOR MOTORHOMES



12V

COLD-MEMORY

DOOR STOP
LEFT/
RIGHTLED
TOUCH
DISPLAYBOOST
RADIO-
TIONNIGHT
MODEVENT-
POSITIONVERY
SMALL
DESIGN
(419 cm)E
ECE R10

- Thanks to the innovative cold storage technology, the generated cold is stored highly efficiently during operation. This keeps the refrigerator compartment cool for longer, even if the 12V power supply is interrupted or the compressor is switched off for a short time, e.g. during the night.
- Economical operation in night mode
- Fast cooling down thanks to boost function
- Door hinge left or right freely selectable

87
LITER136
LITERCOM-
PRESSOR
REMOVE-
ABLE

V90L

The narrow design with a width of 419 mm is specially adapted to the shape of box carts.



ca. 472 mm ca. 419 mm



Gross volume	87 l
Refrigerator/freezer	76,5 l / 10,5 l
Ø Current consumption	12 V / 6 A
Ø Power consumption	45 W
Temperature range Refrigerator/freezer	0°C to +10°C / max. -15°C
Color	Black matte
Size (WxHxD) mm	419 x 976 x 485
Weight ca.	24 kg
Item no.	713501
Price	899,-

MH140L

Large compressor refrigerator with a total volume of 136 liters. Through a 150 cm long supply line between compressor unit and refrigerator the compressor unit can be installed in an offset position in the cabinet. This reduces the installation depth.



ca. 565 mm ca. 419 mm



Gross volume	136 l
Refrigerator/freezer	120,8 l / 15 l
Ø Current consumption	12 V / 8 A
Ø Power consumption	60 W
Temperature range Refrigerator/freezer	0°C to +10°C / max. -15°C
Color	Black matte
Size (WxHxD) mm	419 x 1515 x 565
Weight ca.	36 kg
Item no.	713502
Price	1199,-



Relocatable compressor unit


These refrigerators are designed for installation in vehicles only.



LR40L + LR50L + LR90L

COMPRESSOR REFRIGERATORS

FOR CAMPER VANS



- Front design: black brushed
- Door hinge mountable left or right
- LED display
- Night Mode: Lower noise level, reduced power consumption and unlit display during the night for better sleep
- Integrated "Vent-Position-System" prevents bad odors and mold growth when not in use
- Brand compressor from LG
- Due to 200 cm long supply line, the compressor unit can be installed offset to the refrigerator for model LR40L (713505)
- Front panel for the refrigerator door in brushed silver optionally available (to replace yourself)

Model	① LR40L	② LR50L	③ LR90L
Usable capacity total	35,8 l	43,7 l	91,4 l
Refrigerator/freezer	31,7 l / 4,1 l	40,6 l / 3,1 l	82 l / 9,4 l
Ø Current consumption	12 V: 5.0 A / 24 V: 2.5 A	12 V: 5.0 A / 24 V: 2.5 A	12 V: 6.0 A / 24 V: 3.0 A
Ø Power consumption	60 W	60 W	80 W
Temperature range Refrigerator/freezer	+8° to 0°C / -20°C	+8° to 0°C / -20°C	+8° to 0°C / -20°C
Control panel	LED display	LED display	LED display
Door stop	Left or right	Left or right	Left or right
Relocatable compressor unit	Yes (supply cable 1.5 m)	No	No
Size WxHxD in mm	380x532x369/550	380x532x482	419x976x482
Weight	18 kg	18 kg	26 kg
Color Black Item no.	713505	713506	713507
Price	579,-	629,-	849,-

Accessories: front panel for refrigerator door in brushed silver to replace yourself

Color brushed silver Item no.	7135051	7135061	7135071
Price	22,90	22,90	22,90


Expected to be available Q3/2023

Fig. shows LR40L with optional front panel in silver brushed



COOLSKY 2600W + 3300W

AIR CONDITIONING SYSTEMS




- Cooling and heating in one unit
- Air distribution unit included
- Easy control via remote control or LED display on the air distribution unit
- Aerodynamic due to very flat design
- Powerful yet very quiet in operation
- Type approval according to UN ECE R10

With the new roof air conditioners from Carbest you cool not only on hot days the living space in the motorhome or caravan, but thanks to the heating function can also enjoy a cozy warmth in your vehicle on cold days.

The 2600 watt air conditioner is suitable for vehicles up to 7m in length. The system with 3300 watts of power is suitable for vehicles from 7m in length.

The air conditioners consist of a white or black outdoor unit and a white air distribution unit (Size: LxW 540x490 mm). The air distributor can be controlled via the LED display or conveniently by remote control.

Technical data	2600 watt	3300 watt
Cooling capacity	2600 W / 9000 Btu/h	3300 W / 12000 Btu/h
Heating capacity	2800 W / 9500 Btu/h	3400 W / 12500 Btu/h
Input voltage	220-240 V/50 Hz	220-240 V/50 Hz
Current consumption cooling/heating mode (max.)	5.5 A/4.9 A	7.6 A/7.0 A
Size outdoor unit (L x W x H)	1056x736x253 mm	1056x736x253 mm
Size air distributor (L x W x H)	540x490x72 mm	540x490x72 mm
Roof cutout	400x400 mm	
Roof thickness	26-100 mm	
Weight incl. air distribution unit	ca. 53 kg	ca. 57 kg
Color white matte	495003 1729,-	495004 1799,-
Color black matte	4950031 1729,-	4950041 1799,-



VANHEAT 2.0-DH + 4.0-DH

POWERFUL 12 V DIESEL PARKING HEATERS

12V



INCL.
LCD
DISPLAY

HEIGHTS
KIT BIS
5.000 m



APPROVAL
BY
KBA

ECE
APPROVAL





Example photo

Scope of delivery: Diesel parking heater, LCD control panel, fuel pump, fuel tank extraction set and extensive installation material.

- Integrated altitude adjustment up to 5,000 m
- Control via supplied LCD control panel
- Type approval according to UN ECE R122
- Approval by the Federal Motor Transport Authority according to UN ECE R10
- Extensive mounting material included

The 2 kW diesel parking heater is ideally suited for vans, camper vans and smaller motorhomes, the 4 kW heater for larger camper vans and motorhomes. The control takes place via a digital operating element. The altitude adjustment (Alpine Kit) is already integrated in the housing and enables smooth operation in high mountains up to 5,000 m.

VanHeat	① 2.0-DH (2 kW)	② 4.0-DH (4 kW)
Heating cable	2000 W	4000 W
Rated voltage	12 Volt DC	12 Volt DC
Ø Power consumption (ca.)	10 – 29 W	8 – 34 W
Fuel consumption (ca.)	0.12 - 0.24 l/h	0.11 - 0.51 l/h
Size (LxWxH)	323x120x121 mm	371x140x150 mm
Weight heater (ca.)	2,6 kg	4,5 kg
Item no. / Price	48182 649,-	48183 699,-



Optional accessories:



① **External temperature sensor**
Compatible with all VanHeat heaters.
Cable length: 4m.
48187 29,95




② **Exhaust silencer For VanHeat 2.0-DH:**
Ø Connection: 22 mm
481870 31,60
For VanHeat 4.0-DH:
Ø connection: 24 mm
481871 31,60



③ **12V radio remote control**
Range up to 1,000 m.
Frequency range: 868 MHz.
Scope of delivery: handheld transmitter (IP68), receiver and external antenna.
48014 279,-

MAX.
1.000
METER
RANGE



④ **Mounting bracket for VW T5/T6, especially for VanHeat 2.0-DH**
For mounting the VanHeat 2.0-DH under the passenger seat in the VW T5/T6. High accuracy of fit and quick assembly. Material: aluminum black coated
481821 49,95



⑤ **Underfloor installation box especially for VanHeat 2.0-DH**
Provides optimum protection against weather influences for underfloor installation. Material: aluminum black coated
481822 199,-

NEW
2023

GAS HOBS


WITH
IGNITION
PRO-
TECTION

STAIN-
LESS
STEEL

30
mbar

CE

①




① Surface mounted gas hob - 2-burner stainless steel

- 2 flame, with ignition fuse
- Stainless steel surface
- 1x 1,8 kW, 1x 1,0 kW

Control element at the bottom, 2-flame, manual ignition, power: 1x 1.8 kW, 1x 1.0 kW, gas consumption 204 g/h, 30 mbar, Size: W440 x D290 x H95 mm. Weight: 2.5 kg. Scope of delivery: Carbest gas hob incl. mounting accessories

70563 219,-

②




② Surface mounted gas hob - 2-burner stainless steel

- 2 flame, with ignition fuse
- Stainless steel surface
- 1x 1,8 kW, 1x 1,0 kW

Control element at the bottom, 2-flame, manual ignition, power: 1x 1.8 kW, 1x 1.0 kW, gas consumption 204 g/h, 30 mbar, Size: B290 x D440 x H95 mm. Weight: 2.5 kg. Scope of delivery: Carbest gas hob incl. mounting accessories

70562 219,-

③




③ Built-in gas hob - 2-burner stainless steel

- 2 flame, with ignition fuse
- Stainless steel surface
- 1x 1,8 kW, 1x 1,0 kW

Control element at the bottom, 2-flame, manual ignition, power: 1x 1.8 kW, 1x 1.0 kW, gas consumption 204 g/h, 30 mbar, installation dimension: W330 x D300 mm, Size: W350 x D320 x H65 mm Weight: 2.5 kg. Scope of delivery: Carbest gas hob incl. mounting accessories

70561 239,-

①



① Built-in gas hob - 1-burner glass


- 1 flame, with ignition fuse
- High quality safety glass
- 1x 1,8 kW

Safety glass, controls at the bottom, 1-flame, manual ignition, power: 1x 1.8 kW, gas consumption 131 g/h, 30 mbar, installation dimension: B270 x D305 mm, Size: B290 x D325 x H65 mm. Weight: 3.0 kg.

Scope of delivery: Carbest gas hob incl. mounting accessories

70557 209,-

②



② Built-in gas hob - 2-burner glass


- 2 flame, with ignition fuse
- High quality safety glass
- 1x 1,8 kW, 1x 1,0 kW

Safety glass, controls at the bottom, 2-flame, manual ignition, power: 1x 1.8 kW, 1x 1.0 kW, gas consumption 204 g/h, 30 mbar, installation dimension: B280 x D480 mm, Size: W300 x D500 x H65 mm. Weight: 4.3 kg.

Scope of delivery: Carbest gas hob incl. mounting accessories

70559 342,-

③



③ Built-in gas hob - 2-burner glass

- 2 flame, with ignition fuse
- High quality safety glass
- 1x 1,8 kW, 1x 1,0 kW

Safety glass, controls at the bottom, 2-flame, manual ignition, power: 1x 1.8 kW, 1x 1.0 kW, gas consumption 204 g/h, 30 mbar, installation dimension: W360 x D260 mm, Size: W380 x D280 x H65 mm. Weight: 3.5 kg. Scope of delivery: Carbest gas hob incl. mounting accessories

70558 279,-

GAS HOBS WITH GLASS COVER

WITH
IGNITION
PRO-
TECTION

SAFETY-
GLASS

STAIN-
LESS
STEEL

30
mbar

CE

NEW
2023

① Gas stove - 1 burner with glass cover

1 flame, with ignition fuse
1x 1,8 kW

Stainless steel, control element on the right,
1 flame, with manual ignition.

Power: 1x 1,8 kW, gas consumption 131 g/h, 30 mbar, installation dimension: W338 x D238 mm,
Size: W357 x D250 x H119 mm. Weight: 3.0 kg.

Scope of delivery: Carbest gas stove incl. mounting accessories.

70568

222,-

② Gas stove - 1 burner with glass cover

1 flame, with ignition fuse
1x 1,8 kW

Stainless steel, control element at the bottom,
1 flame, with manual ignition.

Power: 1x 1,8 kW, gas consumption 131 g/h, 30 mbar, installation dimension: W310 x D342 mm,
Size: W322 x D352 x H119 mm. Weight: 3.5 kg.

Can be combined with sink 70566. Scope of delivery:
Carbest gas stove incl. mounting accessories.

70569

232,-

③ Gas stove - 2 flame with glass cover

2 flame, with ignition fuse
1x 1,8 kW, 1x 1,0 kW




Stainless steel, control element at the bottom,
2 flame, with manual ignition.

Power: 1x 1,8 kW, 1x 1,0 kW, gas consumption 204 g/h, 30 mbar, installation dimension: W505 x D305 mm,
Size: W530 x D326 x H119 mm. Weight: 5.5 kg.

Scope of delivery: Carbest gas stove incl. mounting accessories

70567

259,-



GAS HOBS AND SINKS

WITH
IGNITION
PRO-
TECTION

STAIN-
LESS
STEEL

30
mbar

CE

NEW
2023

① Cooker-sink combination with 2-piece glass cover

• 2-flame, burner power: 1x 1.8 kW, 1x 1.0 kW, gas consumption 204 g/h

Hole for faucet: 39 mm (faucet is not included).

Outer diameter of the siphon hose connection: ca. 20mm.

Size: W900 x D360 x H190 mm, installation dimension: W885 x D315 mm. Weight: 7 kg

Scope of delivery: 2 flame cooker-sink combination with 2-piece glass cover, siphon, rubber seals and mounting accessories.

Sink left

70176

369,-

② Gas stove - 2 flame with glass cover

• Burner power: 1x 1.8 kW, 1x 1.0 kW, gas consumption 204 g/h

Size: W470 x D370 x H125 mm, installation dimension: W450 x D358 mm.

Weight: 4 kg. Scope of delivery: gas stove with glass cover, rubber seals and mounting accessories.

70142

299,-

③ Gas stove - 3 flame with glass cover

• Burner power: 2x 1.8 kW, 1x 1.0 kW, gas consumption 305 g/h

Size: W570 x D450 x H115 mm, installation dimension: W554 x D438 mm.

Weight: 6 kg. Scope of delivery: gas stove with glass cover, rubber seals and mounting accessories.

70143

349,-



④ Cover cap, 8 pieces

Suitable for the following Carbest stoves/sinks: 70142/70143/70144/70176/70177

and all common stoves / sinks with 8 mm hole drilling. Material: rubber, color black.

70149

7,99





STAINLESS STEEL SINKS

① Sink with glass cover

- Easy to clean
- Glass cover included
- High quality design

Carbest stainless steel sink with glass cover. Ø faucet: ca. 35 mm. Ø drain: ca. 41 mm. Ø hose connection: ca. 20 mm. Installation dimension: W398 x D325 mm, dimension: W415 x D365 x H156 mm. Weight: 2.8 kg.

Scope of delivery: Carbest sink, siphon, plug, instruction manual.

70144

189,-



② Sink with glass cover and faucet

- Easy to clean
- Glass cover included
- High quality design

Carbest stainless steel sink, with glass cover and faucet. Suitable drain set: type E (e.g. 705065). Can be combined with stove 70569.

Installation dimension: W310 x D342 mm, Dimension:

W322 x D352 x H150 mm Scope of delivery: Carbest sink and faucet

70566

249,-

③ Cylindrical sink in stainless steel, mirror finish

- Easy to clean
- High quality design

Carbest sink made of stainless steel. Suitable drain set: type E (e.g. 705065).

Installation dimension: Ø300 mm, dimension: Ø330 x H180 mm.

Weight: 1.4 kg.

Scope of delivery: Carbest sink

70565

91,95

④ Stainless steel sink, mirror finish

- Easy to clean
- High quality design

Carbest sink made of stainless steel. Suitable drain set: type E (e.g. 705065).

Installation dimension: Ø300 mm, dimension: Ø290 x H120 mm.

Weight: 0.8 kg. Scope of delivery: Carbest sink

70564

59,95

STAINLESS STEEL BASIN

① Stainless steel washbasin, round Ø 265 mm

- Stainless steel high gloss
- Easy care
- Chic look

External Size: Ø 265 mm, installation Size: Ø 225 mm, depth: 120 mm.

Suitable drain: Type E (Ø 50 mm)

64031

38,95

② Stainless steel washbasin, oval 340x270 mm

- Stainless steel high gloss
- Easy care
- Chic look

External Size: 340x270 mm, installation Size: 280x210 mm, depth: 120 mm. Suitable drain: Type A (Ø 37 mm) Type F (Ø 35 mm)

64032

40,95


③ Stainless steel washbasin, oval 432x305 mm

- Stainless steel high gloss
- Easy care
- Chic look

External Size: 432x305 mm, installation Size: 375x245 mm, depth: 130 mm. Suitable drain: Type A (Ø 37 mm) Type F (Ø 35 mm)

64033

49,95



PRESSURIZED WATER AND SUBMERSIBLE PUMPS

① 2-chamber pressure water pump - 3.8 l/min, 2.8 bar

Self-priming. Connection via 3/8" (10 mm) hose bolt incl. filter and hose adapter. Ca. Size: L 62 x W 154 x H 98 mm, 12 V, 3.5 A (max. 7.5 A).
620550 49,90

② 3-chamber pressure water pump - 7 l/min, 1.4 bar

Self-priming. Connection via 1/2" external thread incl. filter and hose adapter. Ca. Size: L 203 x W 130 x H 123 mm, 12 V, 3.0 A (max. 6.0 A).
62055 89,90

③ 3-chamber pressure water pump - 10 l/min, 2.8 bar

Self-priming. Connection via 1/2" external thread incl. filter and hose adapter. Ca. Size: L 203 x W 130 x H 123 mm, 12 V, 3.5 A (max. 7.5 A).
62056 94,90

④ 4-chamber pressure water pump - 11.3 l/min, 3.8 bar

Self-priming. Connection via 1/2" external thread incl. filter and Hose adapter. Ca. Size: L 203 x W 130 x H 111 mm, 12 V, 3.5 A (max. 7.5 A).
620560 109,-

⑤ 5-chamber pressure water pump - 18.9 l/min, 4.2 bar

Self-priming. Connection via 1/2" external thread incl. filter and Hose adapter. Ca. Size: L 203 x W 130 x H 111 mm, 12 V, 3.5 A (max. 7.5 A).
620561 139,-

Submersible pumps

- Pipe socket connection for hoses with Ø 10-12 mm
- Connection with hose clamp to any hose with suitable diameter possible
- Suitable for short dry run
- Small diameter - Suitable for small canister openings

⑥ Submersible pump 10 l

10 liters/min, 1.5 bar, 40 W, Ø pump ca. 38 mm, weight 140g.
62130 16,95

⑦ Submersible pump 15 l

15 liters/min, 1.5 bar, 50 W, Ø pump ca. 49 mm, weight 168g.
62131 17,95

⑧ Submersible pump 16 l

- Fully immersible
- Silent and vibration-free operation
- Permanently lubricated

12 V, 0.6 bar, 5.0 A, operating time for 30 min, delivery head up to 6 m, dry seal with permanent lubrication, hose connection: Ø 12 mm / 1/2", weight: 0.24 kg, Size: H106 x W48 mm.
620001 11,95



A woman with curly hair is looking out of a vehicle window. The window is partially open, and she is holding the frame. The background shows a desert landscape with yellow flowers.

VEHICLE-WINDOWS

TO REFRESH OR AS
REPLACEMENT WINDOW

Good views with the Carbest real glass windows for camper vans, Vans and motorhomes.

The retrofittable vehicle windows give your vehicle a noble character, increase the living atmosphere in the vehicle and visually turn a panel van into a station wagon model.

Dark tinted glazing keeps your privacy at its best. Many window models are available as sliding windows and thus provide not only a lot of light but also fresh air in the vehicle at the same time.

Available for many different manufacturer and vehicle types. Increase the value of your vehicle and upgrade your motorhome now!

TINTED SAFETY GLASS WINDOWS

VW CADDY



SAFETY
GLASS

LIGHT
TRANSMIS-
SION
18%

E
ECE R43

VW Caddy Maxi from Bj. 2021
Ford Tourneo Connect (long) from Bj. 2022

Installation position	Outer size W x H (mm)	Weight (kg)	Item no.	Price
	970x493	6,0	316027	269,-
	970x493	6,0	316026	269,-
	830x470	5,5	316034	289,-
	830x470	5,5	316033	289,-

Expected to be available Q4/2023

Installation position	Outer size W x H (mm)	Weight (kg)	Item no.	Price
	714x538	3,7	316021	88,50
	714x538	3,7	316020	88,50
	1044x545	5,5	31605	119,-
	1044x545	5,5	31604	119,-
	591x504	3,0	316023	189,-
	750x596	4,3	316022	189,-

Installation position	Outer dimension W x H (mm)	Weight (kg)	Item no.	Price
	1377x588	9,0	316025	279,-

Installation position	Outer dimension W x H (mm)	Weight (kg)	Item no.	Price
	1257x591	9,0	316024	269,-

Sliding window



NEW
2023

Rigid window



Windows rear doors



Window tailgate

CITROËN JUMPY 3 / SPACETOURER
PEUGEOT EXPERT 3 / TRAVELLER
TOYOTA PROACE 2 / PROACE VERSO
OPEL VIVARO / ZAFIRA LIFE (AS OF 2017)
FIAT SCUDO / ULYSSE (AS OF 2022)



SAFETY
GLASS

LIGHT
TRANSMIS-
SION
18%

E
ECE R43

Installation position	Wheelbase	Outer size W x H (mm)	Weight (kg)	Item no.	Price
	short + long	1100x541	—	—	—
	short + long	1100x541	—	—	—
	long	1175x534	6,0	31705	129,-
	long	1175x534	6,0	31704	129,-
	short + long	675x495	3,5	31707	189,-
	short + long	735x495	3,5	31706	189,-



Sliding window



For the installation of safety glass windows we recommend:

① **Activator 205, for cleaning the bonding surface**

Solvent-based, colorless adhesive cleaner for cleaning adhesive surfaces in combination with Sika adhesives/sealants. 30 ml 294100 12.95

Danger: H225, H319, H336

② **SikaTack Pro bonding set, for bonding the window**

Pane adhesive set for bonding safety glass panes. 1-2 sets are needed for the installation of a vehicle window. Set contents: 1x SikaTack PRO 300 ml cartridge, 1x windscreen adhesive nozzle, 1x SikaPrimer-207 (30ml), 2x sponge

Danger: H334

294841

39,40



When installing the windows, please ensure that the bonding surfaces are load-bearing and free of dust, adhesives and grease.

TINTED SAFETY GLASS VENT WINDOWS



NEW
2023

VW T6.1/T6/T5

SAFETY GLASS

LIGHT TRANSMISSION 18%

2 STEPLESS ERECTORS

WITH 2 CONCLUSIONS-RAILS

WITH VENTILATION POSITION

ECE R43

VW T6.1 / T6 / T5 > from 2004 hinged window

Installation position	Wheelbase	Outer size W x H (mm)	Weight (kg)	Item no.	Price
	short + long	1135x585	12,0	315916	505,-
	short + long	1135x585	12,0	315915	505,-

Expected to be available Q4/2023

Optional blackout system

Outer dimension W x H: 800x450 mm	Item no.	Price
	3181008	119,-

A suitable substructure must be created before installing the blackout system!



OPTIONAL

Blackout system with Privacy and Mosquito protection pleated blind with magnetic closure

TINTED SAFETY GLASS WINDOWS



VW T6.1/T6/T5/T4

SAFETY GLASS

LIGHT TRANSMISSION: 18%

ECE R43



Sliding window



Rigid window



Windows rear doors



Window tailgate

VW T4 from 1990-2004

Installation position	Wheelbase	Outer size W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	short + long	1126x523	—	—	—	7,5	31503	223,-
	short + long	1126x523	—	—	—	7,5	31504	223,-
	briefly	967x522	5,0	31505	102,-	—	—	—
	briefly	967x522	5,0	31506	107,-	—	—	—

VW T5/T6 from 2004

Installation position	Wheelbase	Outer size W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	short + long	1135x585	6,5	315910	103,50	8,0	31591	207,-
	short + long	1135x585	—	—	—	8,0	31590	207,-
	briefly	922x572	5,0	31599	94,-	6,5	315911	207,50
	briefly	922x572	5,0	31598	94,-	6,5	315900	208,-
	lang	1257x570	6,8	315990	104,-	8,3	315912	207,50
	lang	1257x570	6,8	315980	104,-	8,3	315901	208,-
	short + long	729x579	4,0	316004	108,-	—	—	—
	short + long	729x579	4,0	316003	108,-	—	—	—

VW T5 from 2004-2016

Installation position	Wheelbase	Outer size W x H (mm)	Weight (kg)	Item no.	Price
	short + long	1445x575	8,0	316005	199,-

VW T6/T6.1 > from 2016

Installation position	Wheelbase	Outer size W x H (mm)	Weight (kg)	Item no.	Price
	short + long	1544x562	8,0	31600	224,-

TINTED SAFETY GLASS WINDOWS

MERCEDES BENZ VITO



SAFETY
GLASS

LIGHT
TRANSMISSION
18%

E
ECE R43

Mercedes Benz Vito from 2004-2014

Installation position	Wheelbase	Outer size W x H (mm)	Rigid windows			Sliding window		
			Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	short/medium/long	1096x565	6,0	31511	107,-	7,5	31521	220,-
	short/medium/long	1096x565	6,0	31510	119,-	7,5	31520	220,-
	briefly	1169x521	7,5	31523	107,-	—	—	—
	briefly	1169x521	7,5	31522	107,-	—	—	—
	lang	1296x521	6,5	31513	119,-	—	—	—
	lang	1296x521	6,5	31512	119,-	—	—	—



Sliding window

Mercedes Benz Vito from 2015

Installation position	Wheelbase	Outer size W x H (mm)	Rigid windows			Sliding window		
			Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	short/medium/long	1100x570	6,0	315962	107,-	7,5	31597	220,-
	short/medium/long	1100x570	6,0	315961	107,-	7,5	31596	220,-
	medium	1195x531	6,0	315970	107,50	—	—	—
	medium	1195x531	6,0	315960	107,50	—	—	—
	lang	1300x529	6,6	315966	107,50	8,1	315964	253,-
	lang	1300x529	6,6	315965	107,50	8,1	315963	253,-



Rigid window



RENAULT TRAFIC NISSAN NV300/PRIMASTAR FORD TRANSIT CUSTOM

SAFETY
GLASS

LIGHT
TRANSMISSION
18%

E
ECE R43

Renault Traffic from 2002-2015

Installation position	Wheelbase	Outer size W x H (mm)	Rigid windows			Sliding window		
			Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	short + long	1193x665	—	—	—	9,0	316012	247,-
	short + long	1193x665	—	—	—	9,0	316011	247,-
	short + long	670x623	4,0	315913	112,50	—	—	—
	short + long	670x623	4,0	315914	112,50	—	—	—



Sliding window

R. Traffic/Nissan NV300 from 2015 Nissan Primastar from 2022

Installation position	Wheelbase	Outer size W x H (mm)	Rigid windows			Sliding window		
			Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	short + long	1116x598	6,5	316010	105,50	9,0	31593	212,-
	short + long	1116x598	—	—	—	9,0	31592	212,-
	briefly	919x571	5,0	31602	99,-	—	—	—
	briefly	919x571	5,0	31601	99,-	—	—	—
	lang	1319x579	7,5	316014	112,50	—	—	—
	lang	1319x579	7,5	316013	112,50	—	—	—
	short + long	670x623	4,0	315914	112,50	—	—	—
	short + long	670x623	4,0	315913	112,50	—	—	—



Rigid window

Ford Transit Custom from 7/2013-2022

Installation position	Wheelbase	Outer size W x H (mm)	Rigid windows			Sliding window		
			Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	short + long	1199x566	—	—	—	8,0	31595	362,-
	short + long	1208x566	—	—	—	8,0	31594	362,-



Windows rear doors

ATTENTION: **Does not fit vehicles with sliding door on the left.

TINTED SAFETY GLASS WINDOWS

MAXIVANS

SAFETY GLASS

LIGHT TRANSMISSION 18%

ECE R43



F. Ducato/P. Boxer/C. Jumper > Bj 2007

Installation position	Vehicle lengths (mm)	Outer dimension WxH (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	5413/5998/6363	1400x665	9,0	316190	159,-	10,5	31619	257,-
**	5413/5998/6363	1434x665	9,0	316200	159,-	10,5	31620	257,-
	5998/6363	1360x585	8,5	316220	145,-	9,5	31622	243,-
	5998/6363	1360x585	8,5	316210	159,-	9,5	31621	251,-
	6363	1128x665	7,3	316230	149,-	8,5	31623	244,-
	6363	1128x665	7,3	316240	149,-	8,5	31624	244,-
	4963/5413/5998/6363	826x665	5,3	31625	98,-	—	—	—
	4963/5413/5998/6363	826x665	5,3	31626	98,-	—	—	—
270°	4963/5413/5998/6363 (For 270° door hinges)	826x670	5,3	31627	108,-	—	—	—
270°	4963/5413/5998/6363 (For 270° door hinges)	826x670	5,3	31628	108,-	—	—	—

MB Sprinter from 2007

Installation position	Vehicle lengths (mm)	Outer dimension W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	5910/6945/7345	1405x766	—	—	—	12,0	315002	326,-
**	5910/6945/7345	1408x766	—	—	—	12,0	315003	326,-
	6945/7345	1416x706	10,5	315001	170,-	—	—	—
	6945/7345	1422x766	10,5	315000	170,-	—	—	—

MB Sprinter Bj. 2007-2018

	5910/6945/7345	818x800	6,3	315004	179,-	—	—	—
	5910/6945/7345	818x800	6,3	315005	179,-	—	—	—

MB Sprinter from 2019

	5932/6977/7367	775x775	6,0	315006	193,-	—	—	—
	5932/6977/7367	775x775	6,0	315007	193,-	—	—	—

VW Crafter Bj. 2007-2018

Installation position	Vehicle lengths (mm)	Outer dimension W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	5910/6945/7345	1405x766	—	—	—	12,0	315002	326,-
**	5910/6945/7345	1408x766	—	—	—	12,0	315003	326,-
	6945/7345	1416x706	10,5	315001	170,-	—	—	—
	6945/7345	1422x766	10,5	315000	170,-	—	—	—
	5910/6945/7345	818x800	6,3	315004	179,-	—	—	—
	5910/6945/7345	818x800	6,3	315005	179,-	—	—	—

VW Crafter > Bj 2018

	5986/6836/7391	1488x713	—	—	—	11,5	31710	369,-
**	5986/6836/7391	1492x713	—	—	—	11,5	31711	369,-
	6836/7391	1455x637	—	—	—	11,0	31712	369,-
	6836/7391	1455x702	—	—	—	11,5	31713	369,-
	6836/7391	883x682	—	—	—	7,5	31714	349,-
	6836/7391	883x682	—	—	—	7,5	31715	349,-
	5986/6836/7391	776x649	5,0	31716	155,-	—	—	—
	5986/6836/7391	776x649	5,0	31717	155,-	—	—	—

NEW: Ford Transit V 363 > Bj. 2014

Installation position	Vehicle lengths (mm)	Outer dimension W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	5981	1369x754	—	—	—	11,0	31730	349,-
**	5981	1369x754	—	—	—	11,0	31731	349,-
	5981	972x723	8,0	31732	205,-	—	—	—
	5981	977x729	8,0	31733	205,-	—	—	—
	5981	672x718	5,5	31734	185,-	—	—	—
	5981	672x718	5,5	31735	185,-	—	—	—

ATTENTION:

**Does not fit vehicles with sliding door on the left.

TINTED SAFETY GLASS WINDOWS RW ECO



OPTIONAL
Blackout system with privacy and Mosquito protection pleated blind with magnetic closure



SAFETY GLASS

LIGHT TRANSMISSION: 20%

WITH VENTILATION-POSITION

MATERIAL FRAME: ALU

FOR WALL THICKNESS FROM 30-32 mm

CORNER RADIUS WINDOW-FRAMEWORK: 75 mm

ECE R43

OPTIONAL AVAILABLE

DARKENING PLISSEE

MOSKITO-PROTECTION PLISSEE

MATERIAL FRAME: ALU

Window RW Eco

Cutout WxH (mm)	Outer size WxH (mm)	Viewing ca. W x H (mm)	Max. Opening (degree)	Exhibitor	Weight (kg)	Item no.	Price	Outer size W x H (mm)	Item no.	Price
350x500	397x554	245x435	54°	1 x stainless steel . stepless	2,8	31880	138,-	381x546	318801	93,-
500x300	547x354	395x250	26°	2 x Plastic. 3 level	2,6	31881	131,-	531x346	318811	91,-
500x350	547x404	395x300	27°	1 x stainless steel . stepless	2,8	31889	134,-	531x396	318891	89,-
500x450	547x504	395x400	47°	1 x stainless steel . stepless	3,3	31882	161,-	531x496	318821	96,-
600x450	647x504	495x400	47°	2 x stainless steel . stepless	4,5	31870	174,-	631x496	318701	97,-
700x300	747x354	595x250	26°	2 x Plastic 3 level	3,4	31883	160,-	731x346	318831	105,-
700 x 400	747x454	595x350	50°	2 x stainless steel . stepless	4,5	31871	182,-	731x446	318711	102,-
700 x 450	747x504	595x400	47°	2 x stainless steel . stepless	4,7	31872	189,-	731x496	318721	106,-
800 x 450	847x504	695x400	47°	2 x stainless steel . stepless	5,2	31884	238,-	831x496	318841	119,90
900 x 450	947x504	795x400	47°	2 x stainless steel . stepless	5,6	31885	241,-	931x496	318851	123,-
900 x 500	947x554	795x450	54°	2 x stainless steel . stepless	6,3	31886	242,-	931x546	318861	127,-
1000x500	1047x554	895x450	54°	2 x stainless steel . stepless	6,8	31887	254,-	1031x546	318871	133,-

TINTED SAFETY GLASS WINDOWS RW MOTION



OPTIONAL
Blackout system with privacy and Mosquito protection pleated blind with magnetic closure



SAFETY GLASS

DOUBLE GLAZED

LIGHT TRANSMISSION: 20%

LEFT AND RIGHT MOUNTABLE

MATERIAL FRAME: ALU

FOR WALL THICKNESS FROM 30 mm

CORNER RADIUS WINDOW-FRAMEWORK: 87 mm

ECE R43

OPTIONAL AVAILABLE

DARKENING PLISSEE

MOSKITO-PROTECTION PLISSEE

MATERIAL FRAME: PVC

Window RW Motion

Cutout WxH (mm)	Outer size WxH (mm)	Viewing ca. W x H (mm)	Weight (kg)	Item no.	Price
500x300	528x328	380x225	4,8	31657	148,-
500x350	528x378	380x275	6,5	31650	172,-
500x450	528x478	380x375	6,6	31654	199,-
600x350	628x378	480x275	6,2	31653	182,-
600x450	628x478	480x375	7,7	31658	193,-
700 x 300	728x328	580x225	6,4	31659	187,-
700 x 400	728x428	580x325	8,0	31660	211,-
700x450	728x478	580x375	8,7	31661	226,-
800x340	828x368	680x265	7,8	31656	207,-
800x400	828x428	680x325	8,9	31651	222,-
800x450	828x478	680x375	9,9	31655	245,-
900x450	928x478	780x375	10,8	31662	239,-
900x500	928x528	780x425	11,8	31663	379,-
960x450	988x478	840x375	11,4	31652	262,-
1000x500	1028x528	880x425	12,9	31664	309,-

Blackout system

Outer size W x H (mm)	Item no.	Price
567x407	316571	78,-
567x457	316501	93,90
567x557	316541	89,-
667x457	316531	87,-
667x557	316581	112,-
767x407	316591	89,-
767x507	316601	97,-
767x557	316611	89,-
867x447	316561	112,-
867x507	316511	116,-
867x557	316551	99,-
967x557	316621	99,-
967x607	316631	111,-
1027x557	316521	116,-
1067x607	316641	118,-

TINTED UNIVERSAL SAFETY GLASS WINDOWS



SAFETY GLASS

LIGHT TRANSMISSION 18%

LEFT AND RIGHT MOUNTABLE

CORNER RADIUS WINDOW-FRAMEWORK 50 mm

ECE R43

Outer size WxH (mm)	Weight (kg)	Item no.	Price
460x280	1,3	31720	139,-
500x350	1,7	31721	161,-
500x450	2,2	31722	169,-
600x350	2,1	31723	173,-
800x340	2,6	31724	176,-
800x450	3,5	31725	195,-
900x450	3,9	31726	199,-

ACRYLIC SLIDING NESTS RW STYLE SLIDE



RW Style Slide and RW Style can be combined well with each other on the vehicle, as they have the same optics.



OPTIONAL
Blackout system with privacy and Mosquito protection pleated blind with magnetic closure

ACRYL-GLASS

DOUBLE GLAZED

LIGHT TRANSMISSION 10%

UV CONSISTENT

LEFT AND RIGHT MOUNTABLE

MATERIAL FRAME: ALU

FOR WALL THICKNESS FROM 30-45 mm

ECE R43

OPTIONAL AVAILABLE

DARKENING PLISSEE

MOSQUITO-PROTECTION PLISSEE

MATERIAL FRAME: ALU

Window RW Style Slide

Cutout WxH (mm)	Outer size WxH (mm)	Viewing ca. W x H (mm)	Window opening W x H (mm)	Weight (kg)	Item no.	Price
500x450	527x477	330x330	120x373	2,7	318022	249,-
700x300	727x327	520x180	220x223	2,6	318023	269,-
700x400	727x427	520x280	220x323	4,0	318024	289,-
900x450	927x477	720x330	320x373	4,8	318025	373,-
1000x500	1027x527	820x380	370x423	5,9	318026	429,-

Blackout system

Outer size W x H (mm)	Item no.	Price
528x478	3180010	93,-
728x328	31800130	97,-
728x428	3180020	103,-
928x478	3180030	118,-
1028x528	31800170	128,-

ACRYLIC DISPLAY WINDOW RW STYLE

RW Style and RW Style Slide can be combined well with each other on the vehicle, as they have the same optics.



ACRYL-GLASS

DOUBLE GLAZED

LIGHT TRANSMISSION 10%

DISK TO INSIDE WOODED

UV CONSISTENT

WITH VENTILATION-POSITION

MATERIAL FRAME: ALU

FOR WALL THICKNESS FROM 30-35 mm

ECE R43



OPTIONAL

Blackout system with privacy and Mosquito protection pleated blind with magnetic closure



OPTIONAL AVAILABLE

DARKENING PLISSEE

MOSKITO-PROTECTION PLISSEE

MATERIAL FRAME: ALU

Window RW Style

Cutout WxH (mm)	Outer size WxH (mm)	Viewing ca. W x H (mm)	Max. Opening (degree)	Exhibitor (2 pcs.)	Weight (kg)	Item no.	Price
350x500	377x527	295x425	70°	Stainless steel . stepless	2,9	318009	166,-
460x220	487x247	405x145	37°	Plastic 3 level	2,3	318010	154,-
500x300	527x327	445x225	37°	Plastic 3 level	2,6	318011	159,-
500x350	527x377	445x275	60°	Stainless steel . stepless	3,1	318000	167,-
500x450	527x477	445x375	70°	Stainless steel . stepless	3,4	318001	186,-
600x450	627x477	545x375	57°	Stainless steel . stepless	3,9	318012	215,-
700x300	727x327	645x225	37°	Plastic 3 level	3,4	318013	197,-
700x400	727x427	645x325	68°	Stainless steel . stepless	4,1	318002	205,-
700x450	727x477	645x375	70°	Stainless steel . stepless	4,4	318014	252,-
800x450	827x477	745x375	70°	Stainless steel . stepless	4,9	318015	275,-
900 x 450	927x477	845x375	70°	Stainless steel . stepless	5,4	318003	282,-
900x500	927x527	845x425	70°	Stainless steel . stepless	5,8	318016	318,-
1000x500	1027x527	945x425	70°	Stainless steel . stepless	6,3	318017	343,-
1000x800	1027x827	945x725	51°	Stainless steel . stepless	8,8	318004	436,-
1100x450	1127x477	1045x375	70°	Stainless steel . stepless	6,4	318005	328,-
1200x300	1227x327	1145x225	37°	Stainless steel . stepless	5,4	318006	296,-
1200x500	1227x527	1145x425	57°	Stainless steel . stepless	7,3	318007	368,-
1450x550	1477x577	1395x475	50°	Stainless steel . stepless	9,2	318008	419,-

Blackout system

Outer size W x H (mm)	Item no.	Price
378x528	3180090	84,-
688x248	31800100	79,-
528x328	31800110	79,-
528x378	31800000	88,-
528x478	3180010	93,-
628x478	31800120	96,-
728x328	31800130	97,-
728x428	3180020	103,-
728x478	31800140	105,-
828x478	31800150	112,-
928x478	3180030	118,-
928x528	31800160	125,-
1028x528	31800170	128,-
1028x828	3180040	143,-
1128x478	3180050	130,-
1228x328	3180060	109,-
1228x528	3180070	135,-
1478x578	3180080	139,-

For the installation of acrylic windows we recommend:

DEKAseal 8936

Can be used without primer. Dab-on sealant for window frames, open exterior surfaces, drains, roof hatches, hoses and cable penetrations. Application on paints, aluminum, ABS, PMMA or wood.

Danger: H315, H412

310 ml Anthracite 50030

GP* 60,97/ 1 liter

18,90

310 ml Black 500314

GP* 60,97 1 liter

18,90



Please pay attention when installing the window that the Adhesive surfaces stable, dust-, are non-sticky and grease-free.



Danger



ACRYLIC DISPLAY WINDOW COMFORT



Window closes outside
flush with the frame

ACRYL-
GLASS

DOUBLE
GLAZED

LIGHT
TRANSMIS-
SION
40%

DISK TO
INSIDE
WOODED

UV
CONSIS-
TENT

WITH
VENTILATI-
ON-
POSITION

MATERIAL
FRAME:
ALU


FOR WALL
THICKNESS
FROM 28-32
mm

CORNER RADI-
US WINDOW-
FRAMEWORK:
75 mm

E
ECE R43

OPTIONAL

Blackout system with
privacy and Mosquito
protection pleated blind
with magnetic closure



OPTIONAL
AVAILABLE

DARKENING
PLISSEE

MOSKITO-
PROTEC-
TION
PLISSEE

MATERIAL
FRAME:
ALU

Window Comfort

Cutout WxH (mm)	Outer size WxH (mm)	Viewing ca. W x H (mm)	Max. Opening (degree)	Exhibitor (2 pcs.)	Weight (kg)	Item no.	Price
350x500	380x530	295x425	70°	Stainless steel . stepless	1,9	318100	161,-
500x300	530x330	445x225	2/17/30°	Plastic 3 level	1,9	318101	148,-
500x350	530x380	445x275	2/17/30°	Plastic 3 level	2,0	318102	162,-
500x450	530x480	445x375	70°	Stainless steel . stepless	2,1	318103	190,-
600x450	630x480	545x375	70°	Stainless steel . stepless	2,4	318104	217,-
700x300	730x330	645x225	2/17/30°	Plastic 3 level	2,5	318105	191,-
700 x 400	730x430	645x325	70°	Stainless steel . stepless	2,6	318106	226,-
700 x 450	730x480	645x375	70°	Stainless steel . stepless	2,7	318107	248,-
800 x 450	830x480	745x375	70°	Stainless steel . stepless	3,0	318108	277,-
900 x 450	930x480	845x375	70°	Stainless steel . stepless	3,2	318109	301,-
900 x 500	930x530	845x425	70°	Stainless steel . stepless	3,4	318110	325,-
1000x500	1030x530	945x425	70°	Stainless steel . stepless	3,6	318111	354,-

Blackout system

Outer size W x H (mm)	Item no.	Price
392x542	3181000	79,-
542x342	3181001	71,-
542x392	3181002	79,-
542x492	3181003	94,-
642x492	3181004	107,-
742x342	3181005	94,-
742x442	3181006	111,-
742x492	3181007	103,-
842x492	3181008	119,-
942x492	3181009	130,-
942x542	3181010	139,-
1042x542	3181011	139,-

ACRYLIC DISPLAY WINDOW RW COMPACT

RW Compact and RW Van can be easily combine with each other on the vehicle, as they have the same optics.



Window closes outside
flush with the frame

OPTIONAL

Blackout system with
privacy and Mosquito
protection pleated blind
with magnetic closure



ACRYL-
GLASS

DOUBLE
GLAZED

LIGHT
TRANSMIS-
SION
10%

DISK TO
INSIDE
WOODED

UV
CONSIS-
TENT

WITH
VENTILATI-
ON-
POSITION

MATERIAL
FRAME:
ALU

FOR WALL
THICKNESS
FROM 30-32
mm

CORNER RADI-
US WINDOW-
FRAMEWORK
75mm

ECE R43

OPTIONAL
AVAILABLE

DARKENING
PLISSEE

MOSKITO-
PROTEC-
TION
PLISSEE

MATERIAL
FRAME:
ALU

Window RW Compact

Cutout WxH (mm)	Outer size WxH (mm)	Viewing ca. W x H (mm)	Max. Opening (degree)	Exhibitor (2 pcs.)	Weight (kg)	Item no.	Price
350x500	378x528	290x430	62°	Stainless steel . stepless	2,2	31890	184,-
500x300	528x328	440x260	37°	Plastic 3 level	2,1	31891	163,-
500x350	528x378	440x290	40°	Stainless steel . stepless	2,2	31901	182,-
500x450	528x478	440x390	55°	Stainless steel . stepless	2,8	31892	213,-
600x450	628x478	540x390	55°	Stainless steel . stepless	3,4	31899	220,-
700x300	728x328	640x240	37°	Plastic 3 level	2,9	31893	213,-
700 x 400	728x428	640x340	48°	Stainless steel . stepless	3,5	31900	233,-
700 x 450	728x478	640x390	55°	Stainless steel . stepless	3,6	31902	263,-
800 x 450	828x478	740x390	55°	Stainless steel . stepless	4,2	31894	310,-
900 x 450	928x478	840x390	55°	Stainless steel . stepless	4,7	31895	318,-
900 x 500	928x528	840x440	65°	Stainless steel . stepless	5,0	31896	321,-
1000x500	1028x528	940x440	62°	Stainless steel . stepless	5,4	31897	336,-

Blackout system

Outer size W x H (mm)	Item no.	Price
377x544	318901	105,-
527x344	318911	104,-
527x394	319011	103,-
527x494	318921	109,-
627x494	318991	121,-
727x344	318931	119,-
727x444	319001	125,-
727x494	319021	118,-
827x494	318941	136,-
927x494	318951	139,-
927x544	318961	145,-
1027x544	318971	151,-

ACRYLIC DISPLAY WINDOW RW VAN

RW Compact and RW Van can be easily combine with each other on the vehicle, as they have the same optics.

The curved aluminum frame (Radius: 5000 mm) adapts perfectly to the contour of the vehicle.

Window closes outside flush with the frame



OPTIONAL

Blackout system with privacy and Mosquito protection pleated blind with magnetic closure



ACRYL-GLASS

DOUBLE-GLAZED

LIGHT TRANSMISSION 10%

DISK TO INSIDE WOODED

UV CONSISTENT

WITH VENTILATION-POSITION

MATERIAL FRAME: ALU

FOR WALL THICKNESS FROM 32-34 mm

CORNER RADIUS WINDOW-FRAMEWORK: 75 mm

ECE R43

OPTIONAL AVAILABLE

DARKENING PLISSEE

MOSKITO-PROTECTION PLISSEE

MATERIAL FRAME: ALU

Windows RW Van

Cutout WxH (mm)	Outer size WxH (mm)	Viewing ca. W x H (mm)	Max. Opening (degree)	Exhibitor (2 pcs.)	Weight (kg)	Item no.	Price
280x380	308x407	225x325	33°	Stainless steel . stepless	1,7	31911	215,-
350x500	377x527	295x445	62°	Stainless steel . stepless	2,6	31929	275,-
490x500	518x527	435x445	62°	Stainless steel . stepless	3,0	31912	294,-
500x300	528x327	445x245	37°	Plastic 3 level	3,1	31924	254,-
500x500	528x527	445x445	62°	Stainless steel . stepless	3,0	31919	295,-
600x450	628x477	545x395	55°	Stainless steel . stepless	3,3	31917	321,-
600x600	628x627	545x545	45°	Stainless steel . stepless	4,0	31925	356,-
750x455	778x477	695x400	54°	Stainless steel . stepless	3,9	31913	346,-
800x500	828x527	745x445	65°	Stainless steel . stepless	4,5	31927	365,-
818x315	846x342	763x260	37°	Plastic 3 level	3,3	31914	299,-
900 x 400	928x427	845x345	55°	Stainless steel . stepless	4,2	31918	391,-
900x450	928x477	845x395	55°	Stainless steel . stepless	4,4	31916	403,-
900x500	928x527	845x445	65°	Stainless steel . stepless	4,9	31928	404,-
960x450	988x477	905x395	55°	Stainless steel . stepless	4,8	31910	419,-
985x465	1013x482	930x410	52°	Stainless steel . stepless	5,1	31915	442,-
1100x600	1128x627	1045x545	58°	Stainless steel . stepless	6,7	31926	492,-

Blackout system

Outer size W x H (mm)	Item no.	Price
307x420	319111	117,-
377x540	319291	142,-
517x540	319121	151,-
527x340	319241	137,-
527x540	319191	152,-
627x490	319171	132,-
627x640	319251	172,-
777x495	319131	177,-
827x540	319271	153,-
845x355	319141	153,-
927x440	319181	166,-
927x490	319161	172,-
927x540	319281	176,-
987x490	319101	162,-
1012x505	319151	188,-
1127x640	319261	209,-

ACRYLIC DISPLAY WINDOW CLASSIC



ACRYL-
GLASS

DOUBLE
GLAZED

LIGHT
TRANSMIS-
SION
40%

DISK TO
OUTSIDE
WOODED

UV
CONSIS-
TENT

EXHIBITOR
WITH
FIXED-
SCREW

MATERIAL
FRAME:
ASA


FOR WALL
THICKNESS
FROM
28-32 mm

CORNER RADI-
US WINDOW-
FRAMEWORK:
12 mm

E
ECE R43

INCLUSIVE

Blackout system with
privacy and Mosquito
protection pleated blind
with magnetic closure



IN SUPPLY-
SCOPE
INCLUDED

DARKENING
PLISSEE

MOSKITO-
PROTEC-
TION
PLISSEE

MATERIAL
FRAME:
PLASTIC

Cutout WxH (mm)	Outer size WxH (mm)	Viewing ca. W x H (mm)	Max. Opening (degree)	Weight (kg)	Item no.	Price
500 x 300	529 x 329	375x175	32°	2	318581	274,-
500 x 350	529 x 379	375x225	60°	3,7	318580	279,-
500 x 450	529 x 479	375x325	70°	4,2	31858	313,-
700 x 400	729x429	575x275	70°	5,5	31859	366,-
900x450	929x479	775x325	70°	7,0	31857	377,-
900x550	929x579	775x425	70°	8,0	318582	405,-
1100x450	1129x479	975x325	70°	8,5	31855	399,-
1200x500	1229x529	1075x375	78°	9,5	31868	467,-
1450x550	1479x579	1375x425	70°	13,0	31869	589,-

ACRYLIC DISPLAY WINDOW ELEGANCE



ACRYL-
GLASS

DOUBLE
GLAZED

LIGHT
TRANSMIS-
SION
40%

DISK TO
INSIDE
WOODED

UV
CONSIS-
TENT

WITH
VENTILATI-
ON-
POSITION

EXHIBITOR
WITH
FIXED-
SCREW

MATERIAL
FRAME:
ASA

FOR WALL
THICKNESS
FROM
28-32 mm

CORNER RADI-
US WINDOW-
FRAMEWORK:
12 mm

E
ECE R43

Window closes outside
flush with the frame

INCLUSIVE

Blackout system with
privacy and Mosquito
protection pleated blind
with magnetic closure



IN SUPPLY-
SCOPE
INCLUDED

DARKENING
PLISSEE

MOSKITO-
PROTEC-
TION
PLISSEE

MATERIAL
FRAME:
PLASTIC

Cutout WxH (mm)	Outer size WxH (mm)	Viewing ca. W x H (mm)	Max. Opening (degree)	Weight (kg)	Item no.	Price
500 x 350	529 x 379	400x265	45°	3,2	318500	279,-
500 x 450	529 x 479	400x365	45°	3,75	318501	299,-
900x350	929x379	800x265	45°	6,32	318507	365,-
900x450	929x479	800x365	45°	5,93	318502	388,-
1000x800	1029x829	900x715	50°	12,4	318506	575,-
1100x450	1129x479	1000x365	45°	7,05	318503	415,-
1200x300	1229x329	1100x215	12°	7,67	318504	382,-
1200x500	1229x529	1100x415	45°	8,09	318505	485,-

ROOF HOOVES



When mounting a roof hood, we additionally recommend the installation of a front spoiler

Indirect 12V LED-Ambient lighting in the Inner frame (318021 only)

Roof hoods for wet rooms

28x28
cm



- Ideal for wet cells and sanitary areas
- Mosquito protection included
- With inner frame, without forced ventilation

Cutout size: 280x280 mm

Overall dimension: 365x365 mm

Mounting height: 85 mm

For roof thicknesses from 25-80 mm

Power Vent with 12 V fan

Fan can rotate in both directions: For ventilation or for air extraction. Technical data fan: Power: 9.6W, Capacity 9 m³/h, noise level ≤ 50dB, Ø 175 mm, 5 fan blades, hood: white (opaque), inner frame: White.

Weight: ca. 2,3kg **31853 87,95**

Power Vent without 12 V fan

Hood: frosted glass look, interior frame: White.

Weight: ca. 2.1 kg **318530 69,95**

Aerodynamic roof hood

40x40
cm

DOUBLE
GLAST



- UV resistant dark tinted acrylic glass
- Pleated blackout and mosquito protection
- With night lock
- With inner frame, without forced ventilation

Cutout size: 400x400 mm

Overall dimension: 500x500 mm

Mounting height: 106 mm

For roof thicknesses of 30-50 mm Weight: ca. 4.3 kg

Color of inner frame: Traffic white (RAL 9016)

31888 124,90

Roof hoods with or without LED ambient lighting

40x40
cm

DOUBLE
GLAST



- UV resistant tinted acrylic glass
- Interior frame with pleated darkening, mosquito protection and magnetic closure
- 2 openers for safe opening

Cutout Size: 400x400 mm

Overall dimension: 530x490 mm

Overall dimension of inner frame: ca. 540x520 mm

Opening angle up to 50

Mounting height: ca. 120 mm

Roof thickness: 28 - 50 mm

Weight: ca. 3.5 kg

Color inner frame: Signal white (RAL 9003)

Roof hood without LED lighting without forced ventilation

318020 124,90

Roof hood without LED lighting with forced ventilation (ventilation opening ca. 100 cm²)

318027 124,90

Roof hood with LED lighting (warm white) without forced ventilation

318021 149,-

ROOF HOOVES



High quality design roof hoods with white acrylic frame

- Tinted acrylic
- 4 integrated LED lights with switch
- Double glazed dome
- Interior frame with pleated darkening and mosquito protection

For roof thicknesses of 25-60 mm, installation height: ca. 98 mm
Color inner frame: Traffic white (RAL 9016)

Design roof hoods 45x40 cm

Cut-out size: 452x402 mm

Overall Size: 577x577 mm. Weight: 5.8 kg

Without forced ventilation and LED lighting

31877 299,-

With forced ventilation and LED lighting

(ventilation opening: ca. 182cm²)

318770 315,-

Design roof hoods 70x50 cm

Cutout size: 702x502 mm

Overall dimension: 818x617 mm. Weight: 8.3 kg

Without forced ventilation with LED lighting

31878 444,-

With forced ventilation with LED lighting

(ventilation opening: ca. 300 cm²)

318780 470,-



Roof hoods including inner frame with blackout system, mosquito net and 4 integrated LED lights with ON/OFF switch.

Panorama roof hoods

- Tinted acrylic
- 4 integrated LED lights with switch
- Double glazed dome
- Interior frame with pleated darkening and mosquito protection

For roof thicknesses of 25-60 mm, installation height: ca. 98 mm
Color inner frame: Traffic white (RAL 9016)

Panorama roof hoods 45x40 cm

Cut-out size: 452x402 mm

Overall dimension: 577x577 mm

Panorama roof hood without forced ventilation

Weight: ca. 5.5 kg 31851 279,-

Panorama roof hood with forced ventilation,

Weight: ca. 5.5 kg, (ventilation opening: ca. 182 cm²)

318510 292,-

Panorama roof hoods 70x50 cm

Cut-out size: 702x502 mm

Overall dimension: 833x633 mm

Panorama roof hood without forced ventilation

Weight: ca. 8,0 kg 31854 469,-

Panorama roof hood with forced ventilation

Weight: ca. 8.0 kg, (ventilation opening: ca. 300cm²)

318540 472,-



Roof hoods including inner frame with blackout system, mosquito net and 4 integrated LED lights with ON/OFF switch.

Solar fans - air exchange by solar energy

- The integrated solar panel supplies the fan with electricity, this creates an air exchange in the vehicle

① Stainless steel solar fan

Technical data: Air flow: 19 m³/h in full sunshine. Power: 1.2 W, 0.6 A at full sunshine, Ø 215 mm, height above roof 36 mm, interior depth 40 mm, Cut-out dimension Ø 120 mm

35231 75,50

② Solar fan plastic white, with switch

Technical data: Air flow: 19 m³/h in full sunshine. Power: 1.2 W, 0.6 A at full sunshine, Ø 215 mm, height above roof 50 mm, interior depth 40 mm.

Cut-out dimension Ø 120 mm.

35230 74,95



MAGNETIC THERMO MATS




Magnetic thermal mats

- 7-layer Isoflex material (PVC)
- Black inside, reflective outside
- Insulation against heat and cold
- The ideal privacy screen

Cab, 3-piece set

Vehicle type	Year of manufacture	Item no.	Price
VW Caddy	>2021	372364	99,-
VW T6.1/T6/T5	>2003	372366	99,-
Renault Trafic/Opel Vivaro	>2015	372374	99,-
Mercedes Vito/V-Class	>2015	372373	99,-
Ford Transit	>2015	372376	99,-
Citroën Spacetourer Pössl Campster/Vanster	>2017	372359	99,-
Mercedes Sprinter	2006-2018	372393	99,-
VW Crafter	>2017	372389	99,-
Fiat Ducato	>2015	372390	99,-



PREMIUM THERMAL MATS BLACKLINE




Premium thermal mats Blackline

- 9-layer Isoflex material (PVC)
- Black inside, reflective outside
- Insulation against heat and cold
- The ideal privacy screen

Fastening: With screw suction cups.


Cab, 3-piece set

Vehicle type	Year	Item no.	Price	Vehicle type	Year	Item no.	Price
Citroën Spacetourer/Opel Vivaro/Peugeot Expert/Toyota Proace	>2017	372340	75,-	Mercedes Sprinter	2006-2018	372348	75,-
Fiat Ducato/Citroën Jumper/Peugeot Boxer	1994-2001	372341	75,-	Mercedes Sprinter	>2018	372349	75,-
Fiat Ducato/Citroën Jumper/Peugeot Boxer	2002-2005	372342	75,-	Mercedes Vito/Viano	>2015	372350	75,-
Fiat Ducato/Citroën Jumper/Peugeot Boxer	2006-2014	372343	75,-	Pössl Campster/Vanster	>2017	372340	75,-
Fiat Ducato/Citroën Jumper/Peugeot Boxer	>2015	372344	75,-	Renault Trafic/Opel Vivaro	2002-2014	372351	75,-
Ford Transit	2006-2014	372345	75,-	Renault Trafic/Opel Vivaro	>2015	372352	75,-
Ford Transit	>2015	372346	75,-	VW Caddy	2004-2020	372353	75,-
Mercedes Sprinter	1995-2006	372347	75,-	VW Caddy	>2021	372354	75,-
				VW Crafter	>2017	372355	75,-
				VW T4	>1990	372356	75,-
				VW 6.1/T6/T5 KR + LR	>2003	372357	75,-




Living room, 4 piece set

Vehicle type	Year	Item no.	Price	Vehicle type	Year	Item no.	Price
Citroën Spacetourer/Opel Vivaro/Peugeot Expert/Toyota Proace	>2017	372386	89,-	VW Caddy	2004-2020	372400	89,-
Ford Transit	2006-2014	372391	89,-	VW Caddy	>2021	372401	89,-
Ford Transit	>2015	372392	89,-	VW Caddy Maxi	2004-2020	372379	89,-
Mercedes Vito/Viano	>2015	372397	89,-	VW Caddy Maxi	>2021	372381	89,-
Pössl Campster/Vanster	>2017	372386	89,-	VW T4	>1990	372402	89,-
Renault Trafic/Opel Vivaro	2002-2014	372398	89,-	VW 6.1/T6/T5 KR ¹	>2003	372403	89,-
Renault Trafic/Opel Vivaro	>2015	372399	89,-	VW 6.1/T6/T5 KR ²	>2003	372404	89,-



Tailgate/door

Vehicle type	Year	Parts	Item no.	Price	Vehicle type	Year	Parts	Item no.	Price
Citroën Spacetourer/Opel Vivaro/Peugeot Expert/Toyota Proace	>2017	1	372358	29,95	Mercedes Vito/Viano	>2015	1	372372	29,95
Fiat Ducato/Citroën Jumper/Peugeot Boxer	1994-2001	2	372360	29,95	Pössl Campster/Vanster	>2017	1	372358	29,95
Fiat Ducato/Citroën Jumper/Peugeot Boxer	2002-2005	2	372361	29,95	Renault Trafic/Opel Vivaro	2002-2014	2	372375	29,95
Fiat Ducato/Citroën Jumper/Peugeot Boxer	2006-2014	2	372362	29,95	Renault Trafic/Opel Vivaro	>2015	2	372377	29,95
Fiat Ducato/Citroën Jumper/Peugeot Boxer	>2015	2	372363	29,95	VW Caddy	2004-2020	1	372378	29,95
Ford Transit	2006-2014	2	372365	29,95	VW Caddy	>2021	1	372380	29,95
Ford Transit	>2015	2	372367	29,95	VW T4	>1990	1	372382	29,95
					VW 6.1/T6/T5 KR ¹	>2003	1	372384	29,95
					VW 6.1/T6/T5 ²	>2003	2	372385	29,95
							1	372383	29,95




¹ Panel van, Multivan Star, California Beach >06/2010 w. Hardboard paneling

² Panel van, Multivan, California with comfort trim)


THERMO MATS FOR THE INTERIOR

- 9-layer Isoflex material (PVC)
- Reflection of solar radiation
- Insulation against heat and cold
- The ideal privacy screen



Cab, 3-piece set

Vehicle type	Feature	Year	Item no.	Price					
Citroën Berlingo		2008 - 2018	37364	59,95	Mercedes Sprinter		2006 - 2018	372421	59,95
Citroën Campster/Vanster	from Pössl	from 2017	37346	59,95	Mercedes Sprinter		as of 2018	37213	59,95
Citroën Spacetourer					Mercedes Viano/Vito/V-Class		as of 2015	372693	59,95
Fiat Ducato/Citroën Jumper/Peugeot Boxer	Series 1	1990 - 1993	37245	59,95	Nissan NV200 5-piece.	5-layer material	2009 - 2021	37320	63,60
Fiat Ducato 230/Citroën Jumper/Peugeot Boxer	Series 1	1994 - 2001	37246	59,95	Renault Master		2005 - 2010	37274	59,95
Fiat Ducato 244/Citroën Jumper/Peugeot Boxer	Series 2	2002 - 2005	37270	59,95	Renault Master		as of 2011	37349	59,95
Fiat Ducato 250/Citroën Jumper/Peugeot Boxer	Series 3	2006 - 2014	37315	59,95	Renault Trafic		as of 2001	372732	59,95
Fiat Ducato 290/Citroën Jumper/Peugeot Boxer		as of 2015	37313	59,95	Renault Trafic II/Nissan NV300/Opel Vivaro A		2002 - 2014	37273	59,95
Ford Transit		2000 - 2006	37269	59,95	Renault Trafic III/Nissan NV300/Opel Vivaro B		as of 2015	372731	59,95
Ford Transit		2006 - 2014	372691	59,95	VW Caddy		2004 - 2020	37226	59,95
Ford Transit		as of 2015	372692	59,95	VW Caddy 5		as of 2020	372261	59,95
Ford Custom		as of 2012	372690	59,95	VW Crafter		2006 - 2016	372421	59,95
Iveco Daily		2000 - 2006	37361	59,95	VW Crafter		from 2017	372422	59,95
Iveco Daily		2006 - 2014	37362	59,95	VW LT		until 1996	37238	59,95
Iveco Daily		as of 2014	37363	59,95	VW T2/T3		1979 - 1990	37230	59,95
Mercedes Sprinter		1995 - 2006	37242	59,95	VW T4		as of 1990	37232	59,95
					VW T6.1/T6/T5		as of 2003	37281	59,95
					VW T7		as of 2021	372423	59,95



Living room, 4 piece set

Vehicle type	Feature	Year	Item no.	Price					
Citroën Campster	from Pössl	from 2017	37347	89,95	VW T5/T6 panel van, Multivan Startline,				
Citroën Vanster					California Beach until 6/2010 with hard fiber paneling:				
VW T2/T3		1979 - 1990	37237	79,95	VW T5/T6	5)+ 1)	as of 2003	37296	59,95
					VW T5/T6	6)+ 2)	as of 2003	37297	59,95
VW T4	5)	as of 1990	37235	79,95	VW T5/T6 Caravelle, Multivan,				
VW T4	6)	as of 1990	37236	79,95	California with comfort interior trim:				
VW T4	5) with climate headliner	as of 1990	37252	79,95	VW T5/T6	5)+ 3)	as of 2003	37311	79,95
					VW T5/T6	6)+ 4)	as of 2003	37312	79,95
					VW T7	5)	as of 2021	372424	79,95

1) without VW comfort trim (hard fiber), station wagon, Multivan Startline until 6/2010 T5 California until 6/2010

2) without VW comfort trim (hard fiber), station wagon

3) with comfort trim, Caravelle, Multivan from 2003, Multivan Startline from 7/2010, California from 2003, California Beach from 7/2010


4) with comfort trim, Caravelle from 2003

5) short wheelbase


6) long wheelbase

THERMO MATS FOR THE INTERIOR

Rear window 1-piece



Tailgate 2-piece set



Vehicle type	Feature	Year	Item no.	Price
Fiat Ducato 230	2-piece	1994 - 2001	372462	21,95
Citroën Jumper/ Peugeot Boxer				
Fiat Ducato 244	2-piece	2002 - 2005	372701	21,95
Citroën Jumper/ Peugeot Boxer				
Fiat Ducato 250	2-piece	2006 - 2014	373151	21,95
Citroën Jumper/ Peugeot Boxer				
Fiat Ducato 290	2-piece	as of 2015	373131	21,95
Citroën Jumper/ Peugeot Boxer				
Ford Transit	1-piece	1986 - 1989	37233	21,95
Ford Transit	1-piece	2000 - 2006	372330	21,95
Ford Transit	2-piece	2006 - 2014	372331	21,95

Ford Transit	2-piece	as of 2015	372332	21,95
Renault Master	2-piece	2005 - 2010	372333	21,95
Renault Master	2-piece	as of 2011	372334	21,95
Renault Trafic II	2-piece	2002 - 2014	372335	21,95
Renault Trafic III	2-piece	as of 2015	372336	21,95
VW T3	1-piece	9/79 - 7/90	37231	21,95
VW T4	1-piece	as of 1990	37233	21,95
VW T4 low doors	2-piece	as of 1990	37234	21,95
VW T5/T6¹				
VW T5/T6 KR + LR2	1-piece	as of 2003	37283	21,95
VW T5/T6 KR + LR3	2-piece	as of 2003	37282	21,95
VW T5/T6⁴				
VW T5/T6 KR + LR4	1-piece	as of 2003	37306	27,95
VW T7	1-piece	as of 2021	372425	21,95

¹ Panel van, Multivan Startline, California Beach up to 6/2010 with hard fiber paneling: | ² without VW comfort paneling (hard fiber), station wagon, Multivan Startline until 6/2010, California Beach until 6/2010 | ³ without comfort trim, station wagon | ⁴ with VW comfort trim, Caravelle from 2003, Multivan from 2003, Multivan Startline from 7/2010, California from 2003, California Beach from 7/2010



Complete set, 8-piece (with rear window) / 9-piece (with rear door) / 12-piece

Vehicle type	Feature	Year.	Item no.	Price
Citroën Campster	from Pössl	from 2017	373000	142,95
Citroën Vanster	from Pössl	from 2017	372813	157,95
Ford Tourneo Custom	8-piece	2012 - 2018	37123	157,95
Ford Tourneo Custom	9-piece	2012 - 2018	37124	157,95
Ford Tourneo Custom	Maxi, 8 pieces	2012 - 2018	37125	157,95
Ford Tourneo Custom	Maxi, 9-piece	2012 - 2018	37126	157,95
Mercedes Vito	8-piece	1996 - 2003	37366	157,95
Mercedes Vito	9-piece	1996 - 2003	37367	157,95
Mercedes Vito/Viano	KR, 8-piece	2004 - 2014	37368	157,95
Mercedes Vito/Viano	KR, 9-piece	2004 - 2014	37369	157,95
Mercedes Vito/Viano	LR, 8-piece	2004 - 2014	37114	157,95
Mercedes Vito/Viano	LR, 9-piece	2004 - 2014	37115	157,95
Mercedes Vito/Viano	ExLR, 8-piece	2004 - 2014	37116	157,95
Mercedes Vito/Viano	ExLR, 9-piece	2004 - 2014	37117	157,95
Mercedes Vito Tourer/ V-Class	8-piece	as of 2015	37118	157,95
Mercedes Vito Tourer/ V-Class	LR, 8-piece	as of 2015	37121	157,95
Nissan NV200	12 pieces	2009 - 2021	373202	196,60
Renault Kangoo	8-piece	1997 - 2007	37229	157,95

Renault Kangoo II	8-piece	2008 - 2021	372291	146,95
Renault Kangoo II	9-piece	2008 - 2021	372290	157,95
Renault Trafic II	8-piece	2002 - 2014	37215	157,95
Renault Trafic II	9-piece	2002 - 2014	37216	157,95
Renault Trafic II long	8-piece	2002 - 2014	37219	157,95
Renault Trafic II long	9-piece	2002 - 2014	37221	157,95
Renault Trafic III	8-piece	as of 2015	37222	157,95
Renault Trafic III	9-piece	as of 2015	37223	157,95
Renault Trafic III long	8-piece	as of 2015	372000	157,95
Renault Trafic III long	9-piece	as of 2015	372001	157,95
VW Caddy	KR, 8-piece	2004 - 2020	37228	157,95
VW Caddy Maxi	LR, 8-piece	2004 - 2020	37227	157,95
VW Caddy 5	KR, 8-piece	as of 2020	372281	157,95
VW Caddy 5 Maxi	LR, 8-piece	as of 2020	372271	157,95
VW T3	8-piece	1979-1990	372426	157,95
VW T4	8-piece	as of 1990	372427	157,95
VW T6.1/T6/T5¹	KR, 8-piece	as of 2003	372428	157,95
VW T6.1/T6/T5²	KR, 8-piece	as of 2003	372429	157,95
VW T7	KR, 8-piece	as of 2021	372430	157,95

¹ panel van, Multivan Startline, California Beach up to 6/2010 with hard fiber cladding: | ² with VW comfort paneling, Caravelle from 2003, Multivan from 2003, Multivan Startline from 7/2010, California from 2003, California Beach from 7/2010

SUCTION CUPS FOR THERMO MATS

10 pieces in set

With screw function

Ø suction cup 55 mm

Quick + easy screw on

With tab for easy removal from the disc

For eyelets up to max. 15 mm diameter

pack of 10 37335 8,95



CAB INSULATION FROM THE OUTSIDE



X-Trem comfort - external insulation for Fiat Ducato, Peugeot Boxer, Citroën Jumper

Window/door insulation

to insulate the windows, side doors and vents viewing window on the windshield can be folded down (so you can enjoy the sun sometimes).

Attachable hood cover

Can be additionally attached. Protects the engine compartment from cold penetration and additionally insulates the interior.

2-piece set consisting of windshield/door insulation and snap-on hood cover

Bj. 2007-2014
from Bj. 2014

90796

907961

439,-

439,-



Outdoor insulation mat with X-Trem insulation

- 3-layer insulated PVC material
- Additional 7 mm thick insulation foam
- Connection of both mats through Velcro

from 109,-

Vehicle type	Bj.	Item no. Driving house windows	Price	Item no. Hood & Doors	Price
Citroën Jumper	94-01	37371	109,-	373710	114,-
Citroën Jumper	02-05	37435	150,-	374350	114,-
Citroën Jumper	05-14	37372	109,-	373720	114,-
Citroën Jumper	> 14	373700	109,-	3737000	114,-
Fiat Ducato	94-01	37371	109,-	373710	114,-
Fiat Ducato	02-05	37435	150,-	374350	114,-
Fiat Ducato	05-14	37372	109,-	373720	114,-
Fiat Ducato	> 14	373700	109,-	3737000	114,-
Ford Transit		374420	109,-	3744200	114,-
Tourneo Custom					
Ford Transit	86-94	374432	109,-	3744320	114,-
Ford Transit	95-99	374433	109,-	3744320	114,-
Ford Transit	00-06	37442	150,-	374422	114,-
Ford Transit	06-14	37443	150,-	3744300	114,-
Ford Transit	> 14	374430	109,-	3744301	114,-
Iveco Daily	00-06	372300	109,-	3723000	114,-
Iveco Daily	06-14	372301	109,-	3723010	114,-
Iveco Daily	> 14	372302	109,-	3723020	114,-
MB Sprinter	96-06	37268	109,-	372682	114,-
MB Sprinter	06-14	372680	109,-	3726800	114,-
MB Sprinter	> 14	372681	109,-	3726810	114,-
Peugeot Boxer	94-01	37371	109,-	373710	114,-
Peugeot Boxer	02-05	37435	150,-	374350	114,-
Peugeot Boxer	05-14	37372	109,-	373720	114,-
Peugeot Boxer	> 14	373700	109,-	3737000	114,-
Renault Master	05-10	374430	109,-	3744301	114,-
Renault Master	> 10	374431	109,-	3744310	114,-
VW T4	> 90	37449	150,-	374490	114,-
VW T5	06-14	37450	149,70	374500	114,-
VW T6	> 15	37451	150,-	374510	114,-

X-Trem Jacket exterior insulation for Fiat Ducato, Peugeot Boxer, Citroën Jumper

- Excellent insulating properties
- Easy to roll up and store
- With transport bag
- Optimal fixation due to elastic straps
- The cover is hung on the doors
- Front ventilation slots are covered with
- Incorporated magnets provide additional support
- Thermal insulation insensitive to moisture

① All-Year All Season

All year cover with excellent insulation

Bj. 2007-2014

from Bj. 2014

90797

907971

275,-

279,-

② Lahti winter

Extra thick padded outer insulation... Tested in Scandinavia and Lapland. Ideal thermal insulation for the winter vacations.

Bj. 2007-2014

from Bj. 2014

90798

907981

329,-

329,-

MOSKITONETS FOR MINI CAMPER / VW VAN



Now also
available for
VW Caddy 5
from Bj. 2021

Mosquito nets for VW Caddy and Citroën Spacetourer

- Easy attachment with elastic band or magnets
- Fine mesh flexible insect screen net
- No modification to the vehicle necessary
- Center door opening
- Zipper opening operable from inside and outside

The net can be used for the right and left sliding door. Due to the integrated elastic band or magnets, the attachment is simple and reliable (no Velcro, no push button). The tailgate net with 2 zippers can be rolled up and fixed. The net closes reliably at the bottom of the sill with a lead tape.

Sliding door mosquito nets for VW Caddy

For right or left sliding door with and without glazing.

Short wheelbase from 2003-2020, long wheelbase from 2008-2020

Fastening with rubber **46283 169,-**

Caddy Maxi 5 from Bj. 2021 (also suitable for Ford Connect 3)

Mounting with magnets **461336 169,-**

Tailgate mosquito nets for VW Caddy

Short wheelbase from 2003-2020, long wheelbase from 2008-2020

Fastening with rubber **46284 169,-**

Caddy 5 from 2021 (also suitable for Ford Connect 3)

461335 169,-

Tailgate mosquito nets for Citroen Spactourer/ Jumper and identical vehicle types

Suitable for Peugeot Traveller/Expert, Toyota Proace Verso (all from 2016), Opel Zafira Life/Vivaro C (from 2019).

Fastening with rubber **461333 169,-**

Sliding door

Mounting with magnets **461334 175,-**



Fig. shows VW Caddy



Fig. shows Citroën Spacetourer



Mosquito nets for tailgate VW T5/6

- Easy attachment with elastic band
- With blackout curtain

The mosquito net is stretched around the tailgate seal by means of a rubber cord and lies tightly at the bottom with lead tape. A large door with two-way zipper allows passage from the inside and outside without removing the net. The tailgate can be closed without any problems. For the ride we recommend to remove the net

461331

184,95



Insect screen for sliding doors and rear doors for Volkswagen Transporter

- Fastening with Velcro and snaps, of UV-resistant polyester fabric
- for best hold
- Flexible and soft falling
- Close-meshed mosquito net made
- With zipper and lead tape

Mosquito nets sliding doors

For VW T5/T6 Station wagon box, Startline until Bj. 2010 and California Beach without comfort trim

461351 169,95

For Multivan, Caravelle and Startline with comfort trim from Bj. 2010

461350 173,95

For California and California Beach with comfort trim from Bj. 2010

461353 184,95

VW T4 until Bj. 2003

46132 144,95

VW T3 from Bj. 1980-1989

46130 149,95

Mosquito nets rear doors/flaps

For VW T5/T6 Bj. from 03 with liftgate Station wagon, panel van, Multivan, California/California Beach, Caravelle with and without pop-up roof.

46135 149,95

For VW T4 with rear door Station wagon and panel van

46133 154,95

MOSQUITO NETS FOR VANS

Insect screen for sliding and rear doors

- Best hold through velcro and snaps / magnets or elastic band
- UV resistant polyester fabric
- Fine mesh, flexible and soft falling
- Center zipper and lead tape at the bottom
- Mounting material included with all nets

Thus, they effectively protect themselves against the little pests. Continue to enjoy the view. Good visibility is guaranteed. Comfortable is also the central zipper, which can be opened and closed from the inside and outside. Fastening is done on the side and top with Velcro. Additional support is provided by the upper press studs.

The weighting at the bottom is made by lead tape. The high quality gauze is black.



Mercedes Vito and Viano

Mercedes Vito Year . < 2003

Sliding door opening (with Velcro)	46139	159,95
Rear door (with Velcro)	46142	149,95

Mercedes Vito/Viano Year . 2004 - 2014

Sliding door opening (with Velcro)	46140	159,95
Rear door (with Velcro)	461401	159,95

Mercedes Vito/Viano Year . > 2014

Sliding door opening (with Velcro)	461402	159,95
Rear door (with Velcro)	461403	159,95
Rear door, with blackout (with elastic)	461332	179,90

Renault Trafic, Opel Vivaro, Nissan NV300

Fastening with Velcro tape.

Sliding door opening Bj. 2007-2013	461411	169,95
Sliding door opening Year . > 2014	461412	159,95
Rear door Year . > 2014	461413	169,95



Ford Transit

Fastening with Velcro tape.

2000-6/2012

Sliding door	46451	169,95
Tailgate	46136	149,95

>7/2012

Sliding door	461404	159,95
Tailgate	461405	159,95



MB Sprinter / VW Crafter

Fine mesh insect screen net with 2-way zipper. Reliable fastening with elastic, magnet or Velcro tape on car body panel, sealing at the bottom by lead tape. Rear doors can be closed with net. For the ride we recommend to remove the net.

1996-2006* Sliding door opening (fastening with Velcro)

46143	159,95
-------	--------

>2007* not for short wheelbase (3250 mm) or vehicle length 5261 mm

Sliding door right (fastening with Velcro)	46450	179,95
Sliding door right (mounting with magnet)	464523	202,-
Rear door (fastening with velcro tape)	464501	179,95
Rear door (fastening with elastic band)	464502	208,-

For MB Sprinter with standard high roof, from 2006 and VW Crafter with standard high roof from 2006 to 2016:

Sliding door right (mounting with magnet)	464524	202,-
Rear doors (fastening with elastic)	461736	199,-

*Not suitable for series high roof

MOSQUITO NETS FOR FIAT DUCATO AND IDENTICAL BOX VANS

Sliding door mosquito nets for Fiat Ducato, Peugeot Boxer, Citroën Jumper

- Fastening with Velcro tape on the side and top, additional support with snaps
- Tight mosquito net against even the smallest insects
- UV stable and flexible polyester fabric
- Flame retardant
- Durable and high quality
- Good visibility and air circulation
- Zippers to operate from inside and outside
- Lead tape for weighting at the bottom
- Soft fall and dark color
- High quality, no snagging with the velcro tape

Mosquito net for the sliding door or rear wing door with convenient zipper entrance

Scope of delivery: Black mosquito net and mounting hardware (snaps, velcro)

For years of construction from 2007

**Suitable for roof height H2 and H3 (standard high roof),
Vehicle length 541 cm, 599 cm and 636 cm and
Sliding door Size: H 1755 x W 1250 mm**

Adapted for vehicles with kitchen parts protruding into the sliding door cutout. With practical J-shape zipper.

① Front entry **464522** **179,-**

Suitable for example for large capacity box or Adria Twin 640 SHX.

② Rear entry **464520** **174,-**

Mosquito net for rear door, Series high roof from Bj. 2007

(not shown) Center entry, door height: 1760 mm,

46452 **174,-**

**Suitable for roof height H 1 (flat roof), vehicle length: 496 cm
and sliding door Size: H 1480 mm x W 1075 mm**

③ Front entrance **46240** **162,-**

For rear wing doors: H 1790 mm (without fig.)

suitable for roof height H2 (high roof)

Entry centered **464521** **174,-**

For years of construction 1994 - 2006

Suitable for roof height H2 and H3 (high roof)

Mosquito net for sliding door opening.

With center zipper

④ Center entry **46435** **162,-**



Rear door mosquito nets for Fiat Ducato, Peugeot Boxer, Citroën Jumper from 2007

Fine mesh insect screen net with 2-way zipper allows passage from inside and outside without removing the net. In addition, it is possible to open only the upper part of the mesh. Reliable attachment with Velcro tape on body panel, sealing at the bottom by lead tape.

Rear doors can be closed with net. For the ride we recommend to remove the net.

For sliding door: W 1185 x H 1449 mm

Flat roof (type H1)



461730 **199,-**



AUTOLIFT

FULLY AUTOMATIC LEVELING SYSTEM PERFECT ALIGNMENT OF THE VEHICLE FOR UNEVEN TERRAIN

12V

MAX. 5 t
SUPPORT
LOADINCL.
REMOTE
CONTROLCockpit control
panelRadio remote
control

New adapter kits for
Ducato and
Mercedes



- Fully automatic leveling of the vehicle
- For vehicles up to 5 tons
- 12 V power supply via the on-board network
- Operation via the cockpit control panel or by radio remote control
- Support base length 300 mm, extendable up to 420 mm
- Load capacity per support 2000 kg
- Emergency operation in case of power failure
- Waterproof motors and connections

Technical data:

Load capacity per support 2000 kg, total support load 5000 kg, support base length 300 mm - can be extended up to 420 mm, ground clearance must be ensured. Consumption in operation ca. 16/18 A.

Car lift with 4 lifting supports 465100 2489,-

Adapter complete set for Fiat Ducato and identical vehicles

Fiat Ducato X244 Bj. 2000-2006	465104	259,-
Fiat Ducato X244 Alko Bj. 2000-2006	465105	259,-
Fiat Ducato X250/290 Bj. 2007-2014	465102	259,-
Fiat Ducato X250/290 Alko Bj. 2007-2014	465103	259,-
Fiat Ducato X290 from 2015	465113	259,-
Fiat Ducato X290 Alko from 2015	465112	259,-
Fiat Ducato X290 from 2015 (with spare tire below and tank in front of the rear axle)	465116	255,-

Adapter complete set for Ford

Ford Transit from 2014 465107 259,-

Adapter complete set for Mercedes Benz/Iveco/Renault

Mercedes Sprinter from 2018	465110	259,-
Iveco Daily from 2000	465108	259,-
Renault Master 3 from 2011	465109	259,-

Universal adapter rear 465111 146,-

AIR SUSPENSION SYSTEMS FOR FIAT DUCATO/ PEUGEOT BOXER/CITROËN JUMPER/OPEL MOVANO

CARBEST by ESI
INNOVATIONS FOR MOBILE LIFE

- Air suspension system Basic and Premium for Fiat Ducato and Fiat Ducato 8, Peugeot Boxer, Citroën Jumper from 2014 and Opel Movano from 2021
- 2-circuit system with separately fillable air bellows
- Significant increase in ride comfort
- Increased lateral stability and better roadholding
- Customized Ducato controls
- Including ballast report
- Mounting takes place on the rear axle

Air spring system with 2-circuit system with separately fillable air bellows. The air pressure is individually adjustable per side. This allows wheel load differences to be quickly detected and compensated for. With the help of the two pressure gauges in the interior, the air pressure can be monitored. This not only increases your driving comfort, but also significantly increases your safety while driving. Even with a heavier load, your motorhome can be steered safely and comfortably - thanks to higher suspension travel and less side tilt. The air pressure is controlled via the special Ducato control unit.

The system is only suitable for models without electronic handbrake.

Scope of delivery: Auxiliary air springs left and right with vehicle specific connectors, vehicle specific control panel with safety valves, 2 pressure gauges and switches, 12V compressor kit, Rilsan pipes, small hardware set for installation, specific and detailed installation instructions with illustrations for each step.

NEW
2023



Air suspension system Basic 6"

2-circuit system with single filling of the air with subsequent independent left-right adjustment.

Recommended for vans or motorhomes with wheelbase up to 3800 mm, with short overhang and without motorcycle carrier.

467631

665,-

NEW
2023



Air suspension system Basic 8"

2-circuit system with single filling of the air with subsequent independent left-right adjustment.

Recommended for motorhomes with wheelbase up to 3800 mm, with and without rear garages or rear carriers, especially for heavier loads.

467632

815,-



Air suspension system Premium 7.3"

2-circuit system with independent filling of the air with subsequent independent adjustment left-right.

Recommended for motorhomes with and without rear garages or rear racks.

Suitable for medium and long wheelbase.

467630

1146,-

Load survey report included




Fig. shows 467632



Pressure gauge Adjust

We recommend installation by a specialist workshop.




Fig. shows 467630

12 V CHARGING SOCKET / USB CHARGING PLUG



NEW
2023

REIMO
TOP PRICE
18,99



Mounting plate with 12 V socket and Anderson 50 A

Very low profile recessed panel with 12V/24V power outlet and recessed Anderson 50 A connector. Incl. 6 receptacles for the following cable cross sections: 2x 4-6mm², 2x 5-10mm², 2x 8-16 mm². Size (L x W x H): 75 x 60 x 6 mm

811214 18,99



NEW
2023

Aluminum housing

USB charging plug

- With cigarette lighter plug
- High quality aluminum housing
- USB-A and USB-C output

USB 3.0 and USB-C input for fast charging of up to two devices. Blue status LED indicates operational readiness.

Technical data: Input: DC 12/24V. Output USB-A/QC 3.0: 5V/3A, 9V/2A, 12V/1.5A (max. 18 W). Output USB-C/PD: 5V/3A, 9V/2A, 12V/1.5A (max. 18 W) Size: L 64.5 x Ø 26.5 mm. Weight: 25g **813032 7,50**

12/24 V MULTIPLE DISTRIBUTOR



12 V multiple distributor

Each with 2 USB ports. 5 V, Max. 5 A, 2.1 A. 20 cm spiral cable, extendable up to ca. 1 m. With fuse and red LED power indicator.

2-fold distributor
3-fold distributor

81323 8,50
81317 8,50



12/24 V twin clutch

12/24 V, for cigarette lighter socket. 2 gr. Couplings and cover caps, cable length 2 x 1.4 m, max. 5 A, with fuse and operation indicator.

81320 2,99



Universal distributor

To be placed in the cupholder. 2 x USB port, 5 V, 500 mA, 2 x universal socket. 20 cm spiral cable, max. 5 A, with fuse. 4-fold LED operation indicator

81315 4,50

CELL PHONE / TABLET HOLDER



Universal tablet / cell phone holder For device widths of ca. 10 - 17.7 cm, 360° rotatable, for headrest, bicycle, etc.

462381 29,95



Tested in the 10.000 km endurance test

Universal navi and cell phone holder

With suction cup attachment, rotatable 360°, Retaining clips open up to 105 mm wide. Material: ABS+PU, black, Size: 12x10x7,5cm. (Delivery without smartphone).

46238 7,95

12/24 V MODULES TO COMBINE FREELY



12V
24V



Application example



Surface mount housing

Surface-mounted enclosure for mounting sockets or indicators. Individually configurable with all Carbest power sockets / USB sockets / voltmeters. Hole diameter: Ø 29 mm

1-fold: Size (L x W x H): 80 x 55 x 50 mm	811223	2,60
2-fold: Size (L x W x H): 80 x 100 x 50 mm	811224	4,50
3-fold: Size (L x W x H): 80 x 150 x 50 mm	811225	5,90



Mounting frame

Front panels to accommodate sockets or indicators. Individually configurable with all Carbest power sockets / USB sockets / voltmeters, hole diameter: Ø 29 mm. Size (L x W x H)

1-fold	60 x 42,5 x 5,5 mm	811221	1,50
2-fold	105 x 42,5 x 5,5 mm	811222	1,90
3-fold	150 x 42,5 x 5,5 mm	811213	2,30
4-fold	195 x 42,5 x 5,5 mm	811226	2,90
4-fold (square)	100 x 110 x 8 mm	811227	3,20



Rocker switch (ON/OFF) with control lighting

With red LED control light, rocker switch for switching on and off with red control light.

Load capacity: 12V - 10A/24V - 6A
Diameter hole: Ø 29 mm

811217 2,90



Temperature display with probe

3-digit digital display, Tempmeter incl. temperature sensor. Reliable indication of the ambient temperature.

Temperature range: -40 - 125°C
Diameter hole: Ø 29 mm

811220 13,90



LED voltmeter

3-digit digital display, voltmeter (6 - 28V) for digital display of the applied voltage in volts. Diameter hole: Ø 29 mm

811218 14,60



Dual LED voltmeter for Vehicle and on-board battery

3-digit digital display, dual LED voltmeter (10 - 60V) to display the applied voltage in volts, Ideal for monitoring the vehicle and auxiliary battery.

Diameter hole: Ø 29 mm

811219 19,90



Power socket

For operating 12V or 24V devices, universal socket incl. protective cap. Also suitable as a charging input.

Load capacity: 12V-20A/24V-10A.
Diameter hole: Ø 29 mm

811210 4,20



Dual USB charging socket 1x USB-A / 1x USB-C

USB built-in socket incl. protective cap. Input: 12V / 24V, Output USB-A: QC 3.0 (3.6V - 12V, max. 32W), Output USB-C: QC 4.0 (5V - 20V, max. 60W), Diameter hole: Ø 29 mm

811211 19,90



LED voltmeter with integrated USB charging socket


LED voltage indicator incl. USB charging possibility, LED voltmeter with integrated USB charging socket. The display can be switched on or off via an ON/OFF touch switch. Includes protective rubber cap with, cutout for reading the voltage, Input: 12V / 24V, Output USB-A: QC 3.0 (3.6V - 12V, max. 18W), Diameter hole: Ø 29 mm

811212 18,50

VEHICLE REFINEMENT AND VEHICLE INSULATION

X-Trem® Stretch Carpet Felt

- 4-way / superstretch (4-way superstretch)
- Due to the special stretching ability, even curves such as wheel arches are no problem
- Suitable for all surfaces (wood, plastic, metal and also on insulation)
- Thickness ca. 4.6 mm
- Weight ca. 390 g/sqm
- In 5 different colors
- Material: 100% polyester



Color	Cut to size W 2 x L 2 m (4 m²)			Blank W 2 x L 5 m (10 m²)			Roll W 2 x L 30 m (60 m²)		
Beige	500891	79,-	GP* 19,75/sqm	500890	145,-	GP* 14,50/sqm	50089	579,-	GP* 9,65/sqm
Silver gray	500831	75,60	GP* 18,90/sqm	500830	139,-	GP* 13,90sqm	50083	612,-	GP* 10,20/sqm
Dark gray	500841	75,60	GP* 18,90/sqm	500840	139,-	GP* 13,90/sqm	50084	612,-	GP* 10,20/sqm
Slate	500851	79,-	GP* 19,75/sqm	500850	145,-	GP* 14,50/sqm	50085	579,-	GP* 9,65/sqm
Anthracite	500881	75,60	GP* 18,90/sqm	500880	139,-	GP* 13,90/sqm	50088	612,-	GP* 10,20/sqm

Quilted interior trim for VW T5/T6 buses without windows



- Homely ambience in VW T6 without windows
- Chic imitation leather look with quilting
- Mounting material included

Easy to attach with dowels in the existing holes on VW T5/T6 (without glazing) or with Velcro. Mounting material included in delivery. The material is color coordinated with the VW interior colors.

① 1x panels for sliding door	32000	159,-
② 1x panels for side opposite sliding door	32001	165,-
③ 1x panel for rear right side window	32002	165,-
④ 1x panels for rear left side window	32003	165,-

FIT:

Imitation leather, grained, for other interior trim (e.g. spars)		
Light gray, laminated with 3 mm foam	510211	44,95
Light gray, unlaminated	510211-1	30,95



X-Trem® Noise Regulator

Self-adhesive noise & sound insulation

- Excellent noise insulation and soundproofing
- Self-adhesive, with strong surface adhesion
- Aluminum butyl, 2 mm thick, aluminum coated, odorless
- Without bitumen, not mixed with petroleum or asphalt
- Heat reflective

Temperature resistant from -30°C to +80°C
Adhesive layer covered with protective film.

100 x 50 cm	GP 25,80/1 sqm	50098	14,50
500 x 40 cm	GP 16,50/1 sqm	50099	49,90

Please wear gloves to protect against the sharp-edged film when processing.



PROTECT YOUR VEHICLE FROM DAMAGE



Bumper protection made of high quality stainless steel



① For Citroën Spacetourer 2017, Citroën Jumpy >2017, Toyota Verso III >2017, Toyota Proace III >2017, Opel Zafira Life >2019, Opel Vivaro >2019, Peugeot Expert >2017, Peugeot Traveller >2017

Brushed stainless steel, short wheelbase 45830 75,90

Stainless steel black brushed, short wheelbase 45831 89,90

Brushed stainless steel, long wheelbase 45832 75,90

For VW Caddy/Caddy Maxi >2020

Stainless steel brushed 45847 65,90

For VW T6/T6.1 Transporter, Caravelle & Multivan >2015

② Brushed stainless steel (single door) 45841 56,90

③ Brushed black stainless steel (single door) 45842 67,90

For VW T5 Transporter, Caravelle & Multivan 2003-2015 Van, VW T6/T6.1 Transporter >2015 Van

Stainless steel brushed 45843 49,90

④ Stainless steel Black 45844 59,90

⑤ Stainless Steel & Carbon Foil 45845 41,90

For MB Vito W447 2014

Stainless steel brushed 45833 52,90

Stainless steel black brushed 45834 64,90

For Fiat Talento >2016, Opel Vivaro III 2014-2019,

Renault Trafic III >2014

Stainless steel brushed 45839 56,90

Stainless Steel Black 45840 67,90

For VW Crafter from 2017 Van

Stainless steel brushed 45846 79,90

For MB Sprinter 2006-2018, VW Crafter 2006-2017 Van

Stainless steel brushed 45835 52,90

Stainless steel black 45836 82,90

⑥ For MB Sprinter>2018

Stainless steel brushed 45837 59,90

Stainless steel black 45838 75,90




Mirror protectors set (left & right)

- For Fiat Ducato / Citroën Jumper /
- Peugeot Boxer from Bj. 2006 (X250 and X290)
- Material plastic, high gloss lacquered

Protects the mirror from damage or hides existing damage. Long version for semi-integrated and alcoves, short version for campers. Available in white, chrome and black.

① White:	Short version	45815	69,95
	Long version	45816	69,95
② Chrome:	Short version	45811	79,95
	Long version	45812	79,95
③ Black:	Short version	45813	69,95
	Long version	45814	69,95



Mirror caps

For Citroen Jumpy from 2017, Citroen Spacetourer 2017, Citroen Berlingo III Panel Van from 2019, Citroen Berlingo III Passenger Van from 2019, Opel Vivaro from 2019, Peugeot Expert from 2017, Peugeot Traveller from 2017, Toyota Proace III from 2017

ABS Chrome 45850 59,95

ENTRANCE MATS



For further Vehicles available!



- Premium quality
- Top made of gray needlefelt
- Edges bordered
- 2 adhesive strips on the bottom for optimal fixation

- Classic quality
- Black courier top
- Edges bordered

Vehicle type	① Color anthracite	② color black striped
VW Caddy/Caddy Maxi from 2020	516024 (set of 2) 69,95	51812 (set of 2) 15,10
VW T4	516040 (set of 2) 69,95	51801 (set of 2) 15,10
VW T5 / T6.0	516010 (set of 3) 63,95	51802 (set of 2) 15,10
VW T6.1	516010 (set of 3) 63,95	51803 (set of 2) 15,10
VW T7	516023 (set of 3) 56,95	51804 (set of 2) 15,10
Mercedes Vito/Viano > 2014	516013 (set of 3) 70,95	51813 (set of 2) 15,10
Citroën Spacetourer > 2016	516012 (set of 4) 78,95	51814 (set of 2) 15,10
Fiat Ducato > 2006	516016 (set of 2) 53,95	51806 (set of 2) 15,10
Fiat Ducato > 2014	516016 (set of 2) 53,95	51808 (set of 2) 15,10
VW Crafter > 2018	516011 (set of 2) 41,95	51800 (set of 2) 15,10
Mercedes Sprinter 2014 -18		51811 (set of 2) 15,10
Mercedes Sprinter > 2018	516014 (set of 2) 53,95	51800 (set of 2) 15,10
Ford Transit > 2014	516041 (set of 2) 69,95	51809 (set of 2) 15,10
Ford Transit Custom > 2016	516015 (set of 2) 53,95	51810 (set of 2) 15,10

DOOR SILL TRIMS



VW T5/T6 from Bj. 2014

- Protective strips in black ABS
- Effectively protect the sills and the paint in the heavily used entry area of the vehicle from scratches

set of 2 sill plates **45860 45,95**



Fiat Ducato from Bj. 2014 and Fiat Ducato 8 from Bj. 09/21

- Protective strips in black ABS
- Effectively protect the sills and the paint in the heavily used entry area of the vehicle from scratches

set of 2 sill plates **45861 39,95**

FOOTMATS



Floor mats/carpet for Campster/Vanster/Campstar/Vanstar from Pössl, Citroën Spacetourer, Peugeot Traveller, Mercedes Vito and identical in construction

Mats for the footwell under the dashboard, entry, trunk u. Wohnraum. Material: synthetic fiber 1900g/m² in gray and anthracite, each with black stripes.

	For Pössl Campster			For Pössl Vanster			For Pössl Campstar			For Pössl Vanstar		
Carpet for	Color gray	Color anthracite	Price	Color gray	Color anthracite	Price	Color gray	Color anthracite	Price	Color gray	Color anthracite	Price
① Cab	51686	51687	52,90	51032	51033	51,80	51700	51701	52,90	51714	51715	52,90
② Cab entry (2 pcs.)	51688	51689	15,10	51688	51689	15,10	51702	51703	15,10	51702	51703	15,10
③ Living space entry	51698	51699	19,40	51698	51699	19,40	51704	51705	19,40	51704	51705	19,40
Living space o. Rails	51690	51691	52,90	516000	516001	51,80	51706	51707	52,90	51720	51721	52,90
④ Living space w. rails	51692	51693	61,50	516002	516003	59,30	51708	51709	61,50	51722	51723	61,50
Trunk o. Rails	51694	51695	46,40	516004	516005	45,30	51710	51711	46,40	51724	51725	46,40
⑤ Trunk w. rails	51696	51697	56,-	516006	516007	55,-	51712	51713	56,-	51726	51727	56,-

CAB FLOOR MATS

RUBBER FLOOR MATS Solid rubber	BASIC FLOOR MATS Needlefelt carpet	PREMIUM-FOOTMATS Soft PVC	PLUS FLOOR MATS Needlefelt velour carpet	EXQUISITE FLOOR MATS Velour carpet
				
Top side / bottom side	Top side / bottom side	Top side / bottom side	Top side / bottom side	Top side / bottom side
• Top with grid structure • Perfectly protects the interior from moisture • Nubbed underside prevents slipping • Color: Black	• Needle fleece top • Edges hemmed - no fraying • Back with non-slip plastic structure • Color: Anthracite	• 10 mm thickness • Hygienic • Easy to clean • 100% PVC, recyclable • Anti-slip back • Antistatic • Color: Black	• Top made of dense needlefelt velour • Back with non-slip rubber granules • Edges bordered - no fraying possible • Color: anthracite mottled	• High quality top made of soft velour with noble look • High quality edging • Non-slip rubber back • PU back coating for even more insulation • Color: Black

Vehicle type	Year	Rubber mats (solid rubber)		BASIC Floor mats		Premium floor mats		PLUS Floor mats		EXQUISIT Floor mats	
Fiat Ducato/PeugeotBoxer/Citr�onJumper	1994 - 2002	---	---	---	---	515803	39,95	51561	77,95	516018	137,-
Fiat Ducato/PeugeotBoxer/Citr�onJumper	2002 - 2006	51680	44,95	51622	32,95	515802	39,95	51567	77,95	516017	137,-
Fiat Ducato/PeugeotBoxer/Citr�onJumper	2006 - 2014	51681	45,95	51673	39,95	515801	39,95	515711	77,95	516051	137,-
Fiat Ducato/PeugeotBoxer/Citr�onJumper	> 2014	51681	45,95	51674	39,95	515800	39,95	515711	77,95	516051	137,-
Opel Movano	> 2021										
VW Caddy/ VW Caddy Maxi	2008 - 2020	516802	33,95	---	---	---	---	515712	59,95	516052	109,-
VW Caddy/ VW Caddy Maxi	> 2020	516814	29,95	---	---	---	---	516019	71,95	516020	131,-
VW T4	> 9/1995	516803	38,95	51625	40,95	---	---	51557	77,95	516022	137,-
VW T5	> 2003	516804	44,95	51626	40,95	515804	43,95	51579	77,95	516025	137,-
VW T6.1/T6	> 2015	516805	44,95	51578	29,95	515805	43,95	51579	77,95	516025	137,-
VW T7 Multivan	> 2021	516816	42,95	516357	39,95	---	---	515713	64,95	516053	114,-
VW Crafter/MAN TGE	> 2018	516811	45,95	---	---	---	---	516026	77,95	516027	137,-
MB Sprinter/ VW Crafter	2006 - 2018	51683	49,95	51634	40,95	515806	45,95	516030	83,95	51606	137,-
MB Sprinter/VW LT	1996 - 2006	51683	49,95	---	---	---	---	516031	83,95	51602	137,-
MB Sprinter	> 2018	516812	49,95	516039	39,95	---	---	516028	77,95	516029	137,-
Iveco Daily	> 2014	516806	36,95	---	---	---	---	---	---	---	---
Renault Trafic / Nissan NV 300 / Fiat Talento	> 2014	516801	43,95	---	---	---	---	51581	77,95	516032	137,-
Opel Vivaro B	2014-2019										
Mercedes Vito / Viano	2003-2014	516809	34,95	---	---	---	---	---	---	---	---
Mercedes Vito / V-Class/P�ssl Campstar /Vanstar	> 2014	516810	34,95	516341	35,95	---	---	516033	77,95	516021	137,-
Ford Transit	2000-2013	516808	26,95	51627	40,95	---	---	---	---	---	---
Ford Transit (handbrake left)	2004 - 2006	---	---	51629	40,95	---	---	---	---	---	---
Ford Transit (handbrake left)	2006 - 2013	---	---	516351	39,95	---	---	515731	77,95	516034	137,-
Ford Transit Custom	> 2014	78098	38,95	516352	39,95	---	---	516035	77,95	516036	137,-
Citr�enSpacetourer/Jumpy/Peugeot Traveller/Expert/Toyota Proace Verso/P�ssl Campster/Vanster	> 2016	516800	33,95	516353	39,95	---	---	516037	77,95	516038	137,-
Opel Vivaro C/Zafira Life	> 2020					---	---				
Fiat Scudo/Ulyssee	> 2022					---	---				

NOTE: Size are adjusted for 2 single seats in the cab, not suitable for double bench seats.

Cab carpet for VW T6 Multivan

- 1-piece carpet for driver's cab
- Quality: Premium TPO Tuftvelour
- With binding
- Luxury finish (Tuftvelour 920g/m) color black 515821 229,-



CAB COVERS FOR FIAT DUCATO



Premium quality slipcover

- High quality imitation leather, color anthracite
- For driver and passenger seat

Fiat Ducato from Bj. 2007 with foam headrest cap

943562 99,95

Fiat Ducato from Bj. 2014 without headrest cap

943563 99,95

Armrest cover from Bj. 2007, 1 pair

943564 29,95

Integral slipcover Easyfit

- Cover imitation leather and microfiber
- For driver and passenger seat
- Zipper on the back pad

Fiat Ducato from Bj. 2007

- ① imitation leather beige and gray microfiber, with headrest cap made of foam, 1 pair 943560 235,-


Microfiber gray, with foam headrest cap, 1 piece (o. Fig.)

94355 91,50

- ② Fiat Ducato ab Bj 2014, incl. 4x armrest protectors

Imitation leather black / microfiber gray without headrest cap, incl. protectors for backrests 1 pair 943561 207,-

UTENSILOS / STORAGE NETS / STORAGE COMPARTMENTS



Storage nets in 4 sizes

- Wide range of applications
- Elastic mesh
- Quickly and easily attached

Scope of delivery: storage net, profile frame and mounting material. Black color.

- ① Storage net S, W 20 x H 26.5 cm 461945 12,95
- ② Storage net M, W 27 x H 26.5 cm 461946 14,95
- ③ Storage net L, W 35 x H 26.5 cm 461947 16,95
- ④ Storage net XL, W 45 x H 26.5 cm 461948 18,95



Aluminum storage compartments

- Stable aluminum frame and elastic mesh
- The shelves are pre-assembled and can be attached directly
- 6 holes in the aluminum profile for easy wall mounting

(mounting material not included in delivery)

Color aluminum frame and net: black.

- ① Storage tray S, W 32.5 x H 12 x D 8 cm 461942 29,95
- ② Storage tray M, W 39 x H 20 x D 8 cm 461943 34,95
- ③ Storage tray L, W 44 x H 22.5 x D 8 cm 461944 39,95

Utensilo with 3 pockets

- Fastening of the retaining mat with metal eyelets on the back of the passenger seat
- Pockets are firmly connected with holding mat and can be opened via Velcro fastener

Consists of: 1 x bag (Size: 36 x 20 x 5 cm) and 2 x Bags (Size: 45 x 25 x 6 cm) 919165 199,-

CAB ADDITIONAL BEDS

- Total height: 8 cm
(7 cm thick cold foam mattress and 1 cm thick MDF board)
- Cover (100% polyester fabric) removable and washable
- 2-fold foldable (weight ca. 11 kg)
- Color: Grey

Fiat Ducato (also Ducato 8), Peugeot Boxer,
Citroën Jumper > 2002

VW T6.1, T6, T5, T4

VW Crafter, MAN TGE > 2017

Mercedes Benz V-Class, Vito Tourer > 2014

Mercedes Benz Sprinter > 2018

Renault Trafic, Fiat Talento, Nissan NV300,

Opel Vivaro > 2002

Ford Transit Custom > 2013

Citroën Spacetourer/Jumpy, Peugeot Expert/Traveller,

Toyota Proace, Opel Zafira, Fiat Scudo > 2015

421742 219,-

421743 219,-

421744 219,-

421745 219,-

421746 219,-

421747 219,-

421748 219,-

421749 219,-

Optional carrying bag

421750 49,95



Fig. shows Mercedes Benz V-Class

NEW
2023

ELECTRIC LIFTING BED

NEW
2023



- Extra light aluminum profiles (weight ca. 35 kg)
- Loadable up to max. 400 kg
- No adjustment necessary, lengths compensate themselves independently
- 2 sizes available: 1760x1325 mm and 1853/1761x1400 mm
- Infinitely height adjustable
- Includes comfort mattress with air-permeable covers for good air circulation and restful sleep
- Mechanism under the slatted frame integrated into the frame
- Slatted frame with slat caps, minimizes noise while driving

The new Carbest electric lift bed is characterized by its high-quality workmanship and intuitive assembly. It is available in 2 sizes and is continuously adjustable in height. The extra light weight (ca. 35 kg) is implemented by stable aluminum profiles. The static load capacity is 400 kg. The operating speed is 33mm/second, with a consumption of only 7A, input 12 V.

The product is maintenance-free. Each component is finished to a high standard, right down to the slat caps for the slatted base for optimum noise reduction during the ride. The complete set includes the electrical component (motor), the mechanical component (frame, traction rope, etc.), as well as mattress with air-permeable covers and pillows. For more info www.reimo.com



- ① Lifting bed with pulley 1760x1325 mm 93957 1869,-
- ② Lifting bed with rails 1853/1761x1400 mm 93958 1919,-



CARAMOVE

CARAVAN MANEUVERING SYSTEMS

Cara-Move II - fully automatic caravan shunting system



7 years
Parts warranty

- Automatic engagement drive
- Move the caravan effortlessly up to 2250 kg
- Lightweight due to plastic cover
- Easy and stress-free maneuvering with the Smart Handset
- Suitable for single and double axle caravans with two axles 4 motors are required for all-wheel drive (2x 920209)

With the automatic maneuvering system you move your caravan effortlessly up to 2250 kg. Smart remote control allows easy and stress-free maneuvering. Suitable for single and double axle caravans.

Smart Handset & Control System

Simple and intuitive operation. Precise maneuvering due to the unique roller-ball design. Variable speed control and 360° fluid movement. So you really effortlessly control your caravan.

Speed: 12 cm/sec, Operating voltage: 12 V DC Weight (2 motors): 23 kg, Combined weight (incl. installation kit etc.): ca. 34 kg

Max. Climbing capacity according to total weight:
15% - 2500 kg / 20% - 2250 kg / 25% - 2000 kg

Scope of delivery: 2 motors, mounting bracket, remote control, battery disconnect switch (100 A), rocker arm, mounting hardware, operating instructions
920209 1750,-



Cara-Move - powerful, semi-automatic shunting system



7 years
Parts warranty

- Soft start precision control
- Compact, stable, reliable
- Suitable for single and double-axle caravans with two axles, 4 motors are required for all-wheel drive (2x 920208)
- Convenient control with remote control

The manual caravan maneuvering aid moves single and double axles up to a maximum total weight of 2250 kg. The aluminum drive roller is swiveled on and off manually. Current consumption on level ground: ca. 25 A. Max.

Current consumption (1100 kg caravan single-axle, slope 25%): 80 A, Weight: 35 kg

Max. Climbing capacity according to total weight:
15% - 2500 kg
20% - 2250 kg
25% - 2000 kg

Scope of delivery: 2 motors, mounting bracket, remote control, battery disconnect switch (100 A), rocker arm, mounting hardware, operating instructions
920208 1150,-



1150,-


In some countries, the installation must be checked by a professional technician to comply with local regulations.

Optional fitting adapters

Low profile housing adapter plates

If your chassis frame height is less than 140 mm, these plates must be installed to lower the assembly to the correct height of 185 mm.

Pair E6205 36,-



16 mm spacers


Use spacers to lower the maneuvering aid assembly if your chassis has a frame height between 140 and 185 mm.

Pair E6204 34,-

Narrow gauge chassis adapter

These plates must be used if you have an AL-KO Vario III/AV chassis that has a frame thickness of less than 2.8 mm.

Pair E6206 36,-



Set of 8 screws M 10 x 100

Set of 8 extended clamping bolts for use with 16 mm spacers (E6204).

E6207 12,95



TRAILER ELECTRICS



Mini short adapter

From 13 to 7 poles. Very compact version for cars with 13-pin socket and trailers with 7-pin plug.

82137 9,95



Plug 7 pin

Plastic housing

To towing vehicle.

82100 3,95



Plug 7 pin

Steel housing

82132 3,95



Plug 13 pin

With locking device.

Contacts nickel plated

82106 8,95



Short adapter

From 7-pin or Multicon socket on the towing vehicle to 13-pin plug on the trailer.

82107 9,95



Trailer socket

7-pole

Steel housing

821321 4,95



Trailer socket

7-pole

Plastic housing

821022 3,95



Trailer socket

13-pole

With switching off the rear fog light on the car.

82105 8,95



Short adapter

From 13-pin socket on the towing vehicle to 7-pin Plug on the trailer.

82108 7,95



Coupling

13-pole

For extension cable with 13 connection poles

82113 9,95



Adapter cable

Socket to plug

Cable 30cm long:

7-pin socket to 13-pin plug 821324 14,95



Assignment of 7- and 13-pin connectors

13-pin 12 V plug-in system for cars and trailers.

Vehicles with towing device are equipped with a 13-pin socket equipped. Rear fog light has been mandatory for trailers since 1.1.1991.

The last free pole of the previous 7-pin connector is occupied.

(Continuous current in the vehicle is no longer possible.).

Additional connection options of the 13-pin plug connection: reversing lights, continuous power for caravan, charging line for an additional battery or for lights in the trailer, etc.

Adaptations: allow any combination between 7- and 13-pin equipped vehicles and trailers. The fixing points are identical for 7-pin and 13-pin connectors.

Safe in function by:

High-quality contacts with surface finish, bayonet locking, Long service life, as temperature resistant from +100° to -40°C. Dust and waterproof.

Standard 7-pin.



Standard 13-pin . (Hunter system)



13-pin . Multicon (WeSt)



no longer usual

7-pin.

No.	DIN	No.	DIN	Consumer	Color	Cable Ø
1	L	1	L	Turn signal left	Yellow	1,5
2	54G	2	54G	Nebelschlusl.	Blue	1,5
3*	31	3*	31	Ground (7 pin) Ground 1-8 (13 pin)	White	2,5
4	R	4	R	Turn signal right	Green	1,5
5	58R	5	58R	Taillight re.	Brown	1,5
6	54	6	54	Brake light	Red	1,5
7	58L	7	58L	Taillight li.	Black	1,5
		8	ZR	Reversing light	Gray	1,5
		9	30	Continuous positive (+)	Brown/Blue	2,5
		10		Charging line (+)	Brown/Red	2,5
		11		not allocated		1,5
		12		not allocated		1,5
		13*	31	Ground Pole 9-12	Black/White	2,5

*The ground lines must not be connected conductively.

*The 13-pin Multicon world plug (WeSt) also fits into 7-pin junction boxes, but not in today's, 13-pin sockets (Jäger system).

CARAVAN ACCESSORIES



Caravan mirror, rectangular

With variable gripper arm and blind spot mirror.
Mirror glass: L 23 x H 15 cm, Projection: 40 cm,
Weight: ca. 450 g. **473004 31,95**



Caravan mirror, oval

With very sturdy bracket and dead-Angle mirror.
Mirror glass: L 18xH 12.5 cm, Projection: 25-45 cm,
Weight: ca. 250 g **47346 36,95**



Caravan clip-on mirror

Variable gripper arm
Mirror glass: L:15xH: 11 cm, projection:
35.7 cm, weight: 284 g **473002 19,95**



Wide angle lens for better rear view

- Increases the field of view
- People and obstacles behind the vehicle better visible
- Risk of collision when reversing decreases
- Easy to install



Moisten the smooth side of the lens, press it onto the cleaned back window. Holds very well, can be easily removed again.

Vehicle length up to 3 m 15 x 20 cm **47105 9,95**
Vehicle length up to 5 m 20 x 25 cm **47106 9,95**
Vehicle length from 5m 27 x 35 cm **47107 17,50**




Round wide angle mirror

- Improves visibility in blind spots
- To stick on the rear view mirror

Back self-adhesive, is simply glued to the rear view mirror. Ø 75 mm

47102 4,99



Box fuses

① Box lock for the caravan/trailer

Secures coupled and uncoupled caravans or trailers against theft. Sturdy sheet steel housing with discus safety lock and 2 keys

913611 19,95

② Box fuses for the uncoupled caravan/trailer.

Sturdy sheet steel housing with discus safety lock and 2 keys

91361 19,99



Reflector, angular, clear

2 pieces, Clear. Size: ca.95 x 38 mm
468612 2,95



Reflector, angular, red

2 pieces, Red. Self-adhesive.
Size: 95 x 38 mm
468611 2,94



Reflector, round, clear

2 pieces, White, Ø 60 mm
468520 2,95



Reflector, round, red

2 pieces, Red, Ø 72 mm
468530 2,95




Triangle reflector

2 pieces, Size: 156 x 136 mm
468460 3,95



Reflector, round, red

1 piece, red, self-adhesive, Ø 72 mm
46861 2,95



For caravan and trailer

Drawbar impeller Ø 48 mm

Telescopic. Sturdy design with steel rim. Loadable up to 200 kg.

① With solid rubber wheel 200 x 50 mm
927741 25,95

② With pneumatic tires 260 x 85 mm
92774 33,95



Clamp for the support wheel

48 mm **92778 7,90**



Breakaway rope For caravans and braked
Trailer, mandatory.

91367 4,40

PLASTIC STEPS



Step Medium + Large
with travelmobile and Caravan approval.

- ① Size: 500 x 345 x 230 mm, black.
912389 9,95
- ② Size: 580 x 395 x 245 mm, black.
912380 13,95



Step Practic
Size: 410 x 260 x 220 mm. TÜV tested.
Color: gray. 91218 10,95



Step Primus
Size: 470 x 350 x 250 mm. TÜV tested.
Weight: 2.4 kg.
Color: gray. 912189 26,95



Double step XL
Size: L 700 x D 600 x H 370 mm.
Weight 4 kg. 912040 32,95

FOLDABLE STEPS



Foldable step with small pack size

With large step surface (37 x 31 cm) and non-slip surface.
Height: 24 cm. Folded height: 5 cm. Pack size 38 x 37 x 5 cm.
Polypropylene. Weight ca. 2.1 kg. 91185 18,90



Step aluminum

Loadable up to 150 kg. Dimension open: 60 x 48 x 22 cm.
Dimension closed: 48 x 37 x 7.5 cm. Weight: ca. 3.1 kg.
91190 69,95



Foldable step, loadable up to 150 kg
Size: 42 x 28 x 26 cm. 91194 19,95



Steel step

Loadable up to 130 kg. Dimension opened: 62 x 40 x 23 cm.
Dimension closed: 48 x 30 x 8 cm. Weight: ca. 4.6 kg.
91184 34,90

SINGLE AND DOUBLE METAL STEPS

- Very sturdy design made of steel
- Slip resistant due to rubber pads

- ① **Single steps** Size: W 380 x H 250 x D 390 mm. Weight: ca. 2.3 kg
Color black 912051 29,95
Color silver 912031 27,95
- ② **Double step** Size: W 380 x H 381 x D 634 mm. Weight: ca. 4,3kg
Color black 912050 39,95
Color silver 91203 42,95
- ③ **Single step with handrail** Size: W 360 x H 255 x D 440 mm.
912025 29,95
- ④ **Double step with handrail** Size: W 640 x H 375 x D 430 mm
912026 37,95
- ⑤ **Supports for steps** Size: W 350 x D 230 mm.
Weight: ca. 0.16 kg 912033 3,95
- ⑥ **Sink-in protection 4 pcs.**
prevents sinking in on soft ground 912039 9,95
- ⑦ **Spare cap 4 pcs.**
Protects the steel frame and the floor 912036 2,20



Step mat


- For manual and electric treads
- from Motorhomes or caravans
- Quick assembly, easy cleaning, durable

Suitable for treads from 38 x 40 cm to 45 x 40 cm. Reliably protects your interior from dust and dirt. Includes 2 springs for mounting. Color: Black, Weight: 0.18 kg 516100 14,99



SHIMS AND COMPENSATING WEDGES

4
PCS.




Shims with handle

for height compensation, as base for trestles or support feet, load capacity: 2.5 tons per set, material: PP (plastic), Size: 225 x 165 x 22 mm, weight: 0.9 kg. 4 pieces.

91186

17,90

4
PCS.



Universal shims

- 4 plates for height compensation
- Snap in anchor model

For height compensation under support trestles or support feet. Size: 21 x 21 x 3.3 cm, weight 1.3 kg 4 pieces.

91187

15,95



4
PCS.

Plastic support plates set

- for crank supports
- is firmly connected to the supports

The set consists of 4 support plates. These prevent the crank supports from sinking in when the ground is soft. Weight: 1.2 kg.

912322

12,90



4
PCS.

Plastic support plates set

set of 4 for crank supports, can be excellently combined with caravan pads 911951. Sturdy plastic with metal pin. Weight: 1.1 kg.

91195

13,95




4
PCS.

Plastic support plates set - Caravan Pads

Stackable. Base for support feet, perfect height compensation 40-150 mm. Ideal for uneven terrain. Fits perfectly with support legs 91195. Weight: 0.6 kg.

911951

7,95



2
PCS.

Tire protector, set of 2

reduces the deformation of the wheels during long standing times. Suitable for wheels from 10" to 20". Size: 44 x 20 x 4 cm, Weight: 0.9 kg.

91528

17,95

2
PCS.




Fig. shows ①+②



Balancing wedges and matching blocking wedges

① Made of HDPE plastic, loading capacity: 5 t, Size: L 43 x W 19 x H 9 cm set of 2. Weight: 0.6 kg. Color: Yellow.

93125

18,95


② Matching blocking wedges, Size: 13 x 8.5 x 9 cm

set of 2. Weight: 0.3 kg. Color: Yellow.

93126

5,95

2
PCS.



Load capacity:
1250 kg per wheel

Plastic compensating wedges

The plastic step wedges are ideal for leveling caravans or mobile homes on uneven ground.


Load capacity: 1250 kg per wheel. Material: plastic, color gray.

Size: 52 x 17 x 11 cm, weight: 1.8 kg/pc.

914000

30,95

2
PCS.



For large vehicles

Balancing wedges XL for large vehicles

The XL leveling wedges are ideal for leveling large caravans or motor homes with wide tires. Loadable up to 5 t per axle. Size: 61x21,5x12 cm, weight: 2,4 kg/pc. Material: PP. Color: gray.

912554

29,99

2
PCS.



Wheel brake wedges

Wheel brake wedge set incl. Wall holder, black, lightweight, made of sturdy plastic, 2 wedges in set, length: 22 cm; Height: 9,5 cm; width 9 cm. Weight: 0.5 kg.

925521

5,95

①




NEW
2023

②



NEW
2023

Maximum wedge
size:



Carrying bag for drive up wedges

① With long carrying handle and Velcro closure. Suitable for drive-up wedges with a size of max. 61x21,5x12 cm. (Matching ramp wedges: 914000, 912554, 93106). Material: polyester, color black.

912555

7,99

Wall bag for ramp wedges

② With 4 eyelets for hanging 2 drive-up wedges, e.g. in the rear garage. Suitable for drive-up wedges with a size of max. 61x21,5x12 cm. (Matching ramp wedges: 914000, 912554, 93106).

Material: polyester, color black.

912556

12,95

SUPPORT TRESTLES / SCALES



Support trestles for motorhomes and caravans

① Support trestle set 8-piece plastic, black

Set consisting of 4 support trestles and 4 shims (plastic). Height 30-42 cm, load capacity: 750 kg per trestle. With metal spindle. Stackable.

Weight: 0.5 kg.

912064 42,95

② Support frame set 2-piece aluminum

Secure stand of your caravan, motor home or trailer. Height: 28-43 cm, load capacity: 1000 kg per trestle. With metal spindle. Stackable.

Weight: 0.8 kg.


912060 24,90

③ Support frame set 4-piece aluminum

Secure stand of your caravan, motor home or trailer. Height: 28.5-42 cm, Load capacity: 1000 kg per trestle. With metal spindle. Stackable.

WxH ca. 16x23 cm. Weight 3,2kg

912061 49,95



Galvanized universal crank support

- Static load capacity 600 kg per support

Unscrewing length: 497 mm, Weight: 3.5 kg.

912323 47,90



Wheel claw steel -

Anti-theft protection for cars and trailers

Steel wheel claw for wheels up to 26.5 cm wide. Scope of delivery incl. 2 keys. Size: ca. 23 x 50 cm, weight: ca. 2.3 kg.


913401 37,95



Universal U-lock

For securing couplings with 2 keys. Weight ca. 2 kg

92763 25,95



① Aluminum support load scale

Material: aluminum, plastic base.

Weighing range 50 to 100 kg.



912250 15,95

② Digital support load scale

Digital, easy-to-read display. Continuous measurement acquisition during charging. Remains precise even after long use.

Measuring range up to 150 kg.

912258 29,95



① Spirit level

With magnetic strip and 3 vials, material: PP+TPR.

912000 4,95

② Caravan scale

with 2 vials, magnetic.

912271 3,95

③ Double spirit level with 2 spirit levels, magnetic.

Size: 100 x 20 x 45 mm.

912181 5,95

④ Circular spirit level

1 spirit level round Ø 30 mm.

91217 6,95

⑤ Spirit level level

Assorted colors in orange and black

Size: 100 x 35 x 12 mm.

912185 9,95

Support load scale

for all trailers with Ball hitch.

Weighing range 50 to 100 kg.

91225 11,95



Thermal cover for gas cylinders

- Protection from cold and direct sunlight
- 3-ply
- with Velcro

① For 5 kg gas bottle

75480 25,90

② For 11 kg gas bottle

75481 27,90



Tire cover

- 3-layer insulating material
- Complete cover
- 2 eyelets for mounting

Color: silver. Weight: 0.4 kg.

90494 11,95



PROFI CEE CABLE DRUM / CEE CABLE



Our accessories tip:
Cable transport bag **820292**
Cable tie with handle **820091**
Hand cable reel **82009**

① **CEE cable drum 3 pole**
CEE plug (on the drum) and
CEE coupler (on the short end).
Campsite approval up to 25 m.
16 A, H07 RN-F 3 x 2.5 mm².
25 m **820481** **99,-**

② **CEE cable drum**
H07 RN-F 3 x 2.5 mm².
2 Schuko/ 1 CEE socket,
thermal protection switch.
25 m **82027** **119,-**

③ **CEE cable drum 3 pole**
CEE plug (on the drum) and
CEE angle coupling and Schuko
coupling (on the short end).
Campsite approval up to 25 m.
16 A, H07 RN-F 3 x 2.5 mm².
25 m **820483** **109,-**



CEE extension cable

Neoprene rubber cable. Incl.
Transport bag. Suitable for
outdoor use. Incl. Carrier bag
H07RN-F, 3 x 2.5 mm²
10 m **82018** **59,95**
25 m **820181** **89,95**
H07RN-F, 3 x 1.5 mm²
(for export only)
10 m **82024** **29,95**
25 m **820242** **57,95**
40 m (without bag)
820244 **69,90**



Adapter Schuko/CEE

Schuko plug/CEE coupling,
H07RN-F 3 x 2,5 mm², incl. carrying bag
0,4 m* **820211** **12,95**
1,5 m* **82021** **16,95**
4,0 m* **820212** **19,95**
25 m* **820213** **79,95**
5H07 RN-F 3 x 1.5 mm² (for export only)
0,4 m **8202110** **7,90**
*also suitable for France



Adapter CEE/Schuko

CEE plug/Schuko rubber coupling
H07RN-F 3 x 2.5 mm²
incl. Carrier bag
1,5 m **82022** **12,95**
0,4 m **820221** **9,95**
H07 RN-F 3 x 1.5 mm², 0.4 m
(for export only) **820261** **8,95**



3-fold socket strip

With three Schuko sockets and cover
caps, 10 m connection cable + CEE
plug, automatic circuit breaker fused
with 25 A. In plastic housing with
suspension device.
2 clamps Ø 21 mm for attaching-
clips to tent poles.
3 x 1.5 mm² (for export only)
10 m **82210** **59,95**

Fig. shows
1.5 m cable



Adapter Schuko / Angle

Schuko plug/CEE angle coupling
with additional Schuko socket.
Prevents kinking of the cable. H07
RN-F 3 x 2.5 mm².
1,5 m **82020** **15,50**
25 m **820201** **84,95**
H07 RN-F 3 x 1.5 mm²
(for export only) **82025** **12,99**



CEE plug/ angle coupling

With additional . Schuko socket.
3 x 2,5 mm²
1,5 m **82036** **21,95**
15 m **820362** **54,95**
25 m **820361** **85,95**
With additional . Schuko socket.
3 x 1.5 mm² (for export only)
20 m **82204** **39,95**
30 m **822041** **44,90**



CEE connection cable

CEE plug/coupling,
3 x 2.5 mm, length: 1.5 m.
82035 **16,95**



3-fold socket strip

With three Schuko sockets and cover
caps, 10 m connection cable with CEE
plug. Plastic housing. H07 RN-F 3 x
2.5 mm².
10 m **82208** **34,90**
As 82208 but with 3 x 1.5 mm²
(for export only)
1,5 m **82209** **15,95**
5 m **822091** **17,95**

CEE PLUGS AND CABLES FOR PROFESSIONAL USE



CEE angle plug

For a kink-free connection to the power column or socket.

820302 6,95



CEE coupling

Suitable for connection to CEE input sockets.

82032 4,95



CEE plug

Suitable for CEE junction box on campsites and CEE couplings

82031 5,20



Adapter CEE/Schuko

CEE coupling with cover

82007 9,50



CEE angle coupling

CEE 17 European coupling with integrated Schuko socket and hinged cover, suitable for CEE input sockets.

82030 7,95



2-fold distributor

CEE plug/2-way CEE distribution socket with hinged cover

82301 13,95



Adapter CEE/Schuko

CEE plug / earthed coupling with cover.

82044 15,95



Plug GB

to CEE coupling, H=7RN-F Cable 3 x 2.5 mm². Ca. 20 A.

0,4 m 821543 8,30
1,5 m 821546 8,90



CEE surface-mounted power plug

Ideal for concealed installation in engine compartment (e.g. on T5) with cover 3-pole 230 V / 16 A.

82008 13,90



CEE socket

for fixed mounting. With hinged lid, plastic. For power collection at campsites, garages, Carports etc.

82091 8,80



CEE Safebox

To protect against moisture. With lock, L 365 mm, Ø 100 mm. Supplied without cable.

820432 9,95

①



CEE input socket rectangular

① CEE input socket

rectangular with seal and hinged cover, plastic. Size: 70 x 135 x 65 mm.

White 82140 16,95
Black 821400 16,95

②

③




② Rubber seal for CEE socket

rectangular. Size: 70 x 135 x 65 mm.

White 821401 2,50
Black 821404 2,50

③ Replacement lid rectangular

Black 821402 7,50
White 821403 7,50



CEE input sockets + spare cover square

① CEE input socket

square with seal and hinged cover. (Built-in pot round) Size: 105 x 105 mm.

CEE socket, White 82149 12,95
Replacement lid for 82149, White 821493 6,-
CEE socket, Black 821490 12,95
Replacement lid for 821490, Black 821492 6,-
CEE socket, Beige 820116 16,70
Replacement lid for 820116, Beige 820146 10,10
CEE socket, Anthracite 82011 21,50
Replacement lid for 82011, only available in black 820146 10,10

② Rubber seal for CEE socket square. Size: 105 x 105 mm.

White 821491 2,50
Black 821494 2,50

PROFESSIONAL SCHUKO ACCESSORIES FOR 230 VOLT



Cable drum with 4 sockets

Rubber cable with Schuko plug and 4 Schuko sockets with cover. For indoor use. Self-service package, splash-proof. H05 RR-F 3 x 1.5 mm² (for export only)

25 m **820451** **69,95**



Cable drum with 4 sockets

Rubber cable with Schuko plug and 4 Schuko sockets with cover. For indoor use. Self-service package, splash-proof. H05 RR-F 3 x 1.5 mm² (for export only)


7,5 m **82153** **17,95**



Power strip

Schuko plug to Schuko socket strip with hinged covers. For indoor use. With 2.5 m cable, H05 RR-F 3 x 1.5 mm².

5-fold **82151** **14,90**
4-fold **82152** **13,95**



Schuko distributor plug

- ① **2-fold socket with cover flaps**
82201 **6,40**
- ② **3-way socket with 1.5m cable**
With cover flaps.
H07 RN-F 3 x 2.5 mm²
82202 **10,95**



Plug / Coupling

- ① **Schuko rubber plug**
SB-Pack. **82033** **2,95**
- ② **Schuko rubber coupling**
SB Pack. **82034** **4,30**



1.5 m cable

Schuko distributor

Extension distributor Schuko/Schuko

Schuko plug to double Schuko socket. With 1.5 m cable and 2 lids. H07 RN-F 3 x 2.5 mm².

82006 **7,95**



Schuko safebox

to protect against moisture. Box without lock, L 210 x Ø 70 mm.

820431 **3,95**



Hand cable drum

for rolling up the extension cable of max. 35 m, cable 2.5 mm²

82009 **11,95**



Cable transport bag

Convenient transport of cables. Suitable e.g. for hand cable drum (Art.-No.: 82009). Size: Ø 40 cm, Width: 14 cm.

820292 **9,95**



Cable tie with handle

for bundling, carrying and stowing. Can be used again and again. Suitable e.g. for 25 m cable (H07 RN-F 3G 2.5) or for 40 m cable (H07 RN-F 3G 1.5).

820091 **4,95**

RELIABLE GAS DETECTORS

① GasStick -USB gas detector

- Warns of propane/butane gas (LPG) and narcotic gases
- Easy installation via USB port in the vehicle
- Can also be operated e.g. via a powerbank and thus be used mobile

The extra-compact GasStick is powered via a USB port (USB 2.0) in the vehicle and, thanks to extremely high-quality and small MEMS technology (Micro-Electro-Mechanical Systems), reliably warns of propane, butane gas (LPG) and narcotic gas. An integrated LED indicates the device status. The minimalist design and uncomplicated installation make the GasStick a mobile gas detector for any energy source with a USB connection. Insensitive to temperature fluctuations and humidity.

Size: LxW ca. 70 x 28 mm.

Available: Quarter Q3/2022

80267

74,95

GasCube -gas detector in noble design

- Warns of propane/butane gas (LPG) and narcotic gases
- Visual and audible indication or warning

Fixed connection to 12 V on-board power supply. Pressure switch. Ready for operation after ca. 3 minutes. With high sensitivity sensor and 80 dB loud siren. Temperature-controlled sensor that works reliably even above 25°C. Power consumption in standby: 100 mA, power consumption in alarm: 180 mA. Mounting: about 100 cm above the ground. Size: 55.6 x 86.7 x 24 mm.

② GasCubeColor: Matte White

802482

64,95

③ Counter display with 10x GasCube Matte White

802480

633,-

④ GasCubeTwin

Equipment identical to above mentioned GasCube, but with connection possibilities for two optional additional sensors. Cable length is 2.7 m. There are 3 possible combinations of the additional sensors:

1. 2x sensor for detection of CO gas (carbon monoxide)
2. 2x Sensor for the detection of LPG gas/Narcotic gas
3. 1x Sensor CO gas + 1x sensor LPG gas/Anesthetic gas

Color: Matt anthracite

802483

69,95

⑤ Additional sensor CO gas (Carbon monoxide)

802484

29,90

⑥ Additional sensor Propane/Butane Gas (LPG)

802485

29,95

⑦ LPG gas detector at a top price

Reliably warns of gas leaks, acoustic alarm 85 dB, mounting height for butane/propane gas detection ca. 20 to 40 cm above the floor. 12 volts, current consumption 100 mA. Temperature range -10/+50°C. Size 115 x 70 x 60 mm. Scope of delivery: LPG gas detector, mounting material

80216

29,95

⑧ 2 in 1 combi gas detector

- Detects various fuel gases, natural gas, LPG and carbon monoxide
- Self-test function, audible and visual alarm

Operating voltage: DC 12 Volt, temperature range: 0°C ~ +50°C

Alarm sound signal: 85 dB/3 m, LPG gas alarm: sound continuous

Size: 118.5 x 82 x 43 mm

80218

36,95

⑨ Smoke detector with battery operation

Alarm as sound and light signal, volume >85 dB/3 m, sensitivity 2.06 %/ft.

Monitoring area 20 sqm. Size Ø 128 x 38 mm. Standard DIN EN14604, UL217.

Incl. 9V block. Battery life ca. 1 year.

80299

14,95

GAS CYLINDER LEVEL INDICATOR

- Measurement of one or two gas cylinders
- Bluetooth transmission to smartphone/tablet or display module
- Free app

1-bottle system for smartphones/tablet

Determine the fill level of your gas bottle conveniently via your smartphone. You can download the free app to your mobile device via QR code. The included sensor displays the level of your gas bottle wirelessly via Bluetooth on your smartphone. Includes 1 sensor.

(Smartphone required)

75302

72,-

2-bottle system including display module The Carbest level gauge including display module determines the level of two gas cylinders simultaneously. The display module informs you in good time about the upcoming gas cylinder change. Includes 2 sensors.


(no smartphone necessary)

75303


166,50



12V LED LINE LIGHTS WITH ALUMINUM HOUSING



	①	②	③	④	⑤	⑥	⑦	⑧	⑨	⑩
Volt	12 V	12 V	12 V	12 V	12/24 V	12/24 V	12/24 V	12/24 V	12 V	12 V
Watt	3,3 W	5 W	7 W	2,8 W	2 W	6 W	3,6 W	7,2 W	5 W	4 W
LEDs	18	27	42	18	10	30	18	36		72
Lumen	185	360	470	288	180	520	340	570	400	432
Kelvin	3.000 K	3.000 K	3.000 K	3.000 K	3.000 K	3.000 K	3000 K	3000 K	3000 K	3.000 K
Switch	Yes (Touch)	Yes (Touch)	Yes (Touch)	Yes	Yes	Yes	Yes	Yes	-	Yes
Length	20 cm	40 cm	60 cm	34,7 cm	22,5 cm	47,0 cm	26,6 cm	46,8 cm	40,3 cm	37 cm
Wide	3 cm	1,9 cm	1,9 cm	2,5 cm	3,3 cm	3,3 cm	2,8 cm	2,8 cm	1,75 cm	4,5 cm
Height	1 cm	-	-	2,0 cm	3,5 cm	3,5 cm	1,35 cm	1,35 cm	0,68 cm	1 cm
Item no.	83671	83674	83675	835571	83241	83242	83243	83244	830340	83992
Price	16,90	21,95	29,90	33,90	18,90	39,90	19,90	33,90	26,95	42,90



LED surface mounted luminaire Dual Colour

- Warm white light (3000K) for cozy ambient lighting
- Red light to not attract insects
- Sturdy aluminum housing
- Easy assembly: screw or glue

The 12/24V Dual Color LED light is equipped with 12 warm white SMD LEDs and additional 12 red SMD LEDs. Color change takes place via switch. Size: 270 mm long, connection cable ca. 30 cm.

83589

36,95

Fewer insects
in the vehicle
by red light



LED surface mounted luminaires

- Shapely aluminum housing
- Frosted glass pane

Noble appearance due to aluminum housing. 12/24V, with on/off switch. 3000K, IP65.

Length: 170mm, width: 65 mm

18 LEDs, 4 Watt, 348 Lumen

Length: 370mm, width: 65 mm

54 LEDs, 11 Watt, 979 Lumen

83245

16,90

83246

39,95

12/24V LED AWNING LIGHTS / LED AWNING LIGHT




For box van

12/24 V, color: black, length: 231 mm, IP67, 3000 K, 2 W, 9 SMD LEDs, 222 lumen, ABS housing.

833771

21,90




For motorhomes

12/24 V, color: white, length: 480 mm, IP67, 3000 K, 4 W, 18 SMD LEDs, 388 lumen, ABS housing.

83377

27,90



SMD LED awning light


- With motion detector
- For low energy costs
- Waterproof (IP66)

Plastic silver, polycarbonate glass, waterproof.

Size: L 325 x H 100 x D 35 mm with 36 LEDs, 6 watts, 576 lumens.

830170

69,95




LED clip awning-luminaire

In aluminum housing incl. retaining clips and 12 V cable (3 m), 2.4 watts with universal plug, 18 SMD LEDs, Length: 500 mm, Ø 16 mm.

83236

18,95

12V LED SURFACE LIGHTS



Super flat LED panel

- Only 5 mm thickness
- Chic silver frame
- Warm white light with 3,000 K
- 2 m connection cable

① 12V/4 W, 300 lumen, Size: 100 x 200 mm

833691

33,95

② 12V/3 W, 184 lumen, Size: 100 x 100 mm

83369

21,90




LED surface mounted luminaires

- Extremely flat aluminum housing
- With diffusing lens for glare-free light
- W 90 x H 15 mm, available in 2 lengths

Aluminum with silver-gray plastic end caps.

With embossed plastic glass.

Length: 200 mm, 3 W, 288 lumens




83539

36,90

Length: 300 mm, 7.6 W, 672 lumens

83546

59,90




LED wall and ceiling lamp square

- Square shape
- Very flat and inconspicuous
- Design: opal white

Square LED wall and ceiling luminaire for surface mounting. Not dimmable. Size (LxWxH): 70x70x10 mm, 12 V / 3 W / 3000 K / 199 lumens.

833732

12,95



LED area light

Available in 2 sizes. For wall and ceiling, made of plastic in white, color temperature 3000 K, beam angle 180°.

Size: 70 x 70 x 14.5 mm, 24 SMD LEDs, 3 W, 210 lumens.

830341

17,95

Size: 130 x 130 x 14.5 mm, 33 SMD LEDs, 5W, 350 lumens.

830342

26,95

12V LED SURFACE MOUNTED LIGHTS



LED wall and ceiling lamp round (50 mm)

- Touch switch center
- Design: chrome

Round LED wall and ceiling light for surface mounting. Not dimmable. Shiny chrome, material: aluminum. Diameter: 50 mm, height: 8 mm, protection class: IP60, 1.5 W, 3000 K, 72 lumens.

833733 16,90



LED wall and ceiling lamp round (70 mm)

- Touch switch center, dimmable by touch switch
- Design: chrome

Round LED wall and ceiling light for surface mounting. Glossy chrome, diameter: 70 mm, height: 8 mm, protection class: IP60, 12 V / 3 W / 3000 K / 170 lumens.

833734 19,90




LED wall and ceiling light round (75 mm) with switch

- ON/OFF switch integrated
- Design: opal white

Round LED wall and ceiling luminaire for surface mounting. Not dimmable. Diameter: 75 mm. Height: 10 mm. 12 V / 3 W / 3000 K / 190 lumens.

833731 12,95



LED wall and ceiling lamp round (150 mm) with switch

With 3 level switch, night light, level 1: on, level 2: off, level 3: 50%. 18 SMD LEDs, 3 W, 288 lumens. Ø 150 mm. Color: silver gray

832381 32,95




LED wall and ceiling lamp round (175 mm)

- Touch switch center
- 3-stage switching (weak, medium, bright)
- Design: silver

Round LED ceiling light, silver glossy. Not dimmable. Diameter: 175 mm, height: 18 mm, IP44, 12 V / 7 W / 3000 K / 447 lumens.

835721 39,95

12V LED SURFACE MOUNTED LIGHTS WITH NIGHT LIGHT



Round LED Light Slim Down Light

- Touch switch
- Very flat plastic housing
- Light white/blue switchable

Light Round ceiling light with 2 luminous colors. 36 white LEDs (576 lumens) or 6 blue LEDs as night light. Power 5.7 W. Size: 129 x H 9 mm.

835490 49,95



Surface mounted LED spotlight

- 6 x blue night light LEDs
- 12 white LEDs

1.9 W, 192 lumens, with switch. Size: 84 x 10 mm.

83996 27,95




LED ceiling light

- Light white/blue switchable

Ceiling light with 36 white LEDs and 12 blue night light LEDs. Silver with switch.

Size: 156 x 124 x 13.5 mm, 450 lumens, 7 watts.

83536 49,95



Round LED Light Mini Slim Down Light

- Touch switch
- Light white/blue switchable

LED Light Mini Slim Down Light 12 white LEDs, 1.9 W, (192 lumens) & 6 blue LEDs as night light. Power 2.8 W. IP66. Size: Ø 69 x H 10 mm.

835491 24,90



LED light SlimLite

- Flat surface mounted light
- With push button switch (On/White/Blue)
- Aluminum colored plastic housing

Ceiling lamp with 2 switchable light colors. Either 36 white LEDs (576 lumens) or 12 blue LEDs as night light. Power 5.7 W.

Size: L 185 x W 110 x H 12 mm. **835492 54,90**


12V LED SURFACE MOUNTED SPOTLIGHTS



LED spot with touch switch and glass shade

12V, incl. night light function, material: brushed nickel, 3000 K, 2 W, 1x COB LED, 180 lumen, dimmable via touch switch, Weight: ca. 230g.

83187 18,99



LED spot with touch switch and USB port in base

12 V, incl. night light function, glass shade, material: brushed nickel, 3000 K, 2 W, 1x COB LED, 180 lumen, dimmable via touch-Switch, weight: ca. 190g.

83189 29,90



Mini LED Spot

12 V, material: metal, 3000 K, 2 W, 1x COB LED, 110 lumens. Length connection cable: 90 cm. incl. Mounting screws.

Size: LxWxH 5x1,8x5,8 cm. **83399 17,90**



LED spot with touch switch and lampshade in white

12V, incl. night light function, elegant lampshade in white, material: chrome, 3000 K, 2 W, 1x COB LED, 180 lumen, dimmable via touch-Switch, weight: ca. 170 g.

83188 27,99

12V / 24V LED RECESSED LIGHTS



LED recessed spotlight

- Square shape
 - Spot swivels
 - Material: brushed aluminum
- Adjustable LED recessed spotlight (square) made of brushed aluminum. Not dimmable. 65 x 65 mm, 108 lumens, 2 W, 3,000K

831582 16,90



Stainless steel LED spot

LED spot, 12 V, 1.7 W, brushed stainless steel, 3,000 K, 165 lumens, 9 LEDs.

Size: ca. Ø 65 x 12 mm.

83676 9,99



Stainless steel LED spot

LED spot, 12 V, 1.7 W, brushed stainless steel, 3,000 K, 180 lumens, 24 LEDs. Size: ca. Ø 65 x 12 mm


83670 9,99



LED spotlight, silver

LED spot, 12V, 2.2W, 3,000K, 200 lumens. Size: Ø 90 mm, H 11.5 mm. Color silver.

83673 9,99



Mini downlight 1,5 W

- 24 LEDs
- 24 SMD LEDs, 1.9 W, 168 lumens, Ø 63.2 mm, mounting hole Ø 45 mm.

83231 24,99



LED Spotlight

Color: white, 3000K, 2 W, 12 SMD LEDs, 190 lumens, ABS housing. Size: Ø 75x18mm. IP67.

83373 9,99



Ceiling spot Wave

3 white LEDs with switch. Ø 105 x H 24 mm. Plastic/metal, silver, swiveling. 3 x 1 W, 80 lumens.

83533 46,95



LED mini recessed spot stainless steel

- Very small and compact
- Clamp mount
- Stainless steel housing

Round stainless steel LED mini recessed spotlight with clamp mount. Not dimmable. Bore: 13 mm, IP65, 53 lumens, 1 W, 3000 K.

837080 12,90



LED mini recessed spotlight plastic

- Very small and compact
- Flat design (adds only 4 mm)

Round LED mini recessed spotlight made of plastic with mounting thread. Not dimmable. Bore: 15 mm, 69 lumens, 1 W, 3000 K.

837081 12,90

12V LED COCKPIT LIGHTS/GOOSENECK LIGHTS



LED spot with flexible arm

- Noble design in black matt
- Flexible arm
- ON/OFF switch


LED spot with flexible arm and integrated glass shade. Not dimmable. Ideal for seating area or bedroom. Material: aluminum / plastic, total length: 150 mm / flex arm length: 90 mm, ON / OFF switch, 3000 K, 1.8 W, 99 lumens, 6 x SMD LEDs. **830346 26,90**



LED spot with flexible arm and USB charging socket

- Noble design in white matt
- Flexible arm
- ON/OFF switch
- USB port in the socket (1x2 A)

LED spot with flexible arm and integrated glass shade. Not dimmable. Ideal for seating area or bedroom. Material: aluminum / plastic, total length: 150 mm / flex arm length: 90 mm, USB port in base (1x2 A). ON/OFF switch, 1.8 W, 80 lumens, 3000 K, 6 x SMD LEDs. **830345 29,99**



ON/OFF switch integrated in the luminaire head

Brushed nickel reading lamp in two lengths

LED reading light, dimmable if additional dimmer is available. Ø 35 mm, 12 V, 1.2 W, warm white (3,000 K), 100 lm, beam angle 120°. Lifetime ca. 20,000 hours.
Total height 160.5 mm **830343 35,90**
Total height 300.5 mm **830344 39,90**




38,90



Flexible LED Spot

Power LED Spot with 2 W LED 110 lumens. Flexible arm, length 200 mm. With switch, color black. **83394 29,90**



Flexible LED Spot

COB LED Spot with 2 W LED. 100 lumens. Flexible arm, total length 300 mm. 3000 K. **83398 21,90**



LED battery light with radio switch

- Ideal for the Reimo CampingBox
- Up to ca. 56 hours of lighting time with only one set of batteries
- Radio switch with up to ca. 35 meters range (free area)
- Extremely bright

6 white LEDs, 55 lumens. Touch switch on the luminaire. Additional radio switch (range ca. 35 m) for on and off. Mounting possible by screws or adhesive strips. Size radio switch: 85x85x20 mm, Size lamp: 300x50x20 mm. 3 x AAA battery for the switch and 4x AA battery for the light (not included). Mounting hardware included. **83154 25,90**

LED FLEX TAPES WITH WARM WHITE LIGHT

12 V LED flex strip Topview for indoor & outdoor use

30 LEDs/m, 2.4 W/m, 190 Lumen/m, 3,000 K, warm white, IP66,, 5 m roll, tape width: 7 mm **83174 24,90**

12 V LED flex strip Topview for indoor & outdoor use

60LEDs/m, 4.8 W/m, 320 Lumen/m, 3,000 K, warm white, IP67, 5 m roll, tape width: 7 mm

83171 44,90

12 V LED flex strip Topview for indoor & outdoor use

120 LEDs/m, 7.2 W/m, 480 lumens/m, 3,000 K, ideal as awning lighting, incl. 1 m connection cable (waterproof), warm white, IP67, 5 m roll, Strip width: 10 mm

83170 69,90

12 V LED flex ribbon Topview for indoor use

60 LEDs/m, 4.8 W/m, 290 Lumen/m, 3,000 K, warm white, IP20, 5 m roll, tape width: 5 mm **83172 34,90**

- Atmospheric lighting indoors / outdoors
- All LED flex ribbons are dimmable with optional dimmer
- Self adhesive back
- Can be shortened after every 3rd LED



Fig. shows Flexband Topview



12V
LED

LED FLEX TAPES WITH RGBW OR BLUE LIGHT

- All LED flex ribbons are dimmable with optional dimmer
- Self-adhesive, can be shortened after every 3rd or 6th LED

① **12 V LED flex ribbon RGB and warm white in one (RGBW)** 72 LEDs/m, can be shortened after every 6th LED, 10 W/m (all LEDs), 4.5 W/m (warm white LEDs), 280 Lumen/m (warm white LEDs), warm white 3,000 K, IP65, 5 m roll, strip width: 10 mm **83175 74,90**

② RGBW control unit with remote control

Especially for RGBW LED flex ribbon 83175. For the control of Light effects and light color. **83179 22,90**

③ **12 V LED flex ribbon blue for indoor & outdoor use** 60 LEDs/m, 5W/m, 16 Lumen/m, IP68, 5 m roll **831020 49,95**

④ 12 V dimmer with remote control

For LED strips or dimmable luminaires. Functions: Lighter/Darker, On/Off. Ideal for retrofitting awning lighting, as there is no need to install an additional switch. Max up to 96 watts, quiescent current ca. 30 mA.

Size: L 90 x W 60 x H 37 mm. **831003 19,90**



12V
LED



Flexible LED light tube for indoor and outdoor use

Length of light tube: 5m, width and height: 10.5mm, 10.8W, 150 LEDs/m, 620 lumens, 3000K. Dimmable and shortenable. IP67.

83178 89,90

End cap set for LED light scarf 83178, consisting of 2 pieces.

831781 2,50



12V
LED

A
↑
G
F



STYLE ALUMINUM PROFILES FOR ALL LED FLEXBANDS WITH 10 mm WIDTH

- Individual luminaire construction for atmospheric lighting
- Suitable for Carbest LED flexstrips with 10 mm width
- Profile length: 1.5 m
- Perfect combination with furniture panels and furniture parts

The aluminum profiles are a professional solution for laying LED strips. With the profiles and LED strips on page 100, you can easily create your own lighting. The profiles are also ideal for use in furniture construction, e.g. to conceal the overhang of different wooden panels or to provide stylish lighting. This creates effective lighting accents that can be perfectly integrated into the furniture. This specifically illuminates corners and areas under cabinets and shelves. For light diffusion, you can choose between the semi-transparent, satin cover or the, white appearing, opal version. Each set comes with 2 end caps, which you can expand with additional end caps. Strip width: 10 mm
All aluminum profiles are supplied WITHOUT LED flex bands.

- ① Set aluminum profile flat, including 2 end caps.

To build up or let in a groove. Length: 1.5 m

82999 9,98

- ② End caps (2 pieces) for 82999

82980 1,99

- ③ Set of angle aluminum profile, including cover and 2 end caps.

For mounting in corners and under cabinets. Length: 1.5 m

829991 15,99

- ④ End caps (2 pieces) for 829991

82981 1,99

Mounting clips (2 pcs.) for 829991 (not shown)

829810 1,99

- ⑤ Set aluminum profile semicircular, including 2 end caps. For screwing on and covering at transitions of e.g. furniture panels.

Length: 1.5 m

829992 15,99

- ⑥ End caps (2 pieces) for 829992

82982 1,99

- ⑦ Cover for 82999 / 829992 satin (semi-transparent)

Length: 1.5 m

82983 6,99


- ⑧ Cover for 82999 / 829992 opal (white).

Length: 1.5 m

82984 6,99



12V SMD LED TECHNOLOGY



Flat boards S, M, L- angle 120°, socket G4

Pins rear

- ① Type S, 6 x SMD, 1.5 Watt, 120 lm, Ø 26 x 8 mm, **830323 5,90**
- ② Type M, 12 x SMD, 2 Watt, 170 lm, Ø 30 x 8 mm, **830324 5,90**
- ③ Type L, 15 x SMD, 3 Watt, 200 lm, Ø 35 x 8 mm, **830325 5,90**
- ④ Type S, 9 x SMD, 1.5 Watt, 120 lm, Ø 25 x 8 mm **830326 5,90**

Pins lateral

- ⑤ Type S, 9 x SMD, 1.5 Watt, 120 lm, Ø 25 x 8 mm. **830326 5,90**
- ⑥ Type M, 9 x SMD, 1.5 Watt, 150 lm, Ø 27 x 8 mm. **830327 7,90**
- ⑦ Type L, 21 x SMD, 3.0 Watt, 270 lm, Ø 35 x 8 mm. **830328 7,90**


Pin-base LEDs

- ① 4 x SMD, 1.5 Watt, 60 lm, angle 120°, base G4, Ø 11,2 x H 23,5 mm. **830320 5,95**
- ② 6 x SMD, 1.2 Watt, 90 lm, angle 120°, W 18 x H 27.5 mm, base G4. **830321 5,90**
- ③ 15 x SMD, 1 Watt, 82 lm, angle 120°, Ø 12 x H 22 mm, base G4. **830322 5,90**

LED cold mirror

- ④ **MR 11-9** x SMD, 1.5 Watt, 120 lm, aluminum, angle 120°, Ø 34,5 x H 39 mm, base GU4 **830336 8,90**
- ⑤ **MR 16-4** x SMD, 5 Watt, 290 lm, aluminum, angle 120°, Ø 50 x H 54 mm, base GU5.3 **830337 8,90**

12V COB LED TECHNOLOGY OF THE LATEST GENERATION



G4 COB bulb

- Socket G4
- Light color 3000 Kelvin

- ① 1 x COB-LED, 12 V, silicone, 90-100 lm, not dimmable, IP20, angle 220°, Size: Ø10 x 22 mm. **1,5 Watt 830329 7,90**

- ② 1 x COB-LED, 12 V, silicone, 200 lm, not dimmable, IP20, angle 360°, Ø 10 x 30 mm. **2 Watt 830331 9,95**

- ③ 5 x COB LED, 12 V, COB light source, aluminum, 400 lm, not dimmable, IP20, angle 120°, Size: W 15.3 x H 33 mm. **5 watt 830332 8,90**

OUTDOOR LIGHTS

- All lights with integrated rechargeable battery via USB
- All lights for standing or hanging in tents
- Cold white light



① Large light with mosquito protection

2000 mAh rechargeable battery, 3.2 W 16 SMD LEDs, integrated mosquito protection light and power bank function. 4-stage switching: 100% light output / 50% light output / signal flashing / off.

Size: Ø 98 x height: 135/190 mm **930614 24,95**

② Foldable light with mosquito protection

1000 mAh battery, 2 W 4 SMD LEDs, integrated mosquito protection light. Compact foldable, 4-stage switching: 20% light output / 50% light output / 100% light output / Off.

Size: Ø 94 x 52 mm **930615 16,95**

③ Battery camping light with mosquito protection

2000 mAh battery, 1 W, integrated mosquito repellent light. With charge indicator. 4-stage switching: 20% light output / 50% light output / 100% light output / Off. Size: Ø 88 x 129 mm.

83494 24,95

④ Small ball light

1000 mAh battery, 1.5 W 3 SMD LEDs, lighting time max. 14 hours. 4-stage switching: 100% light output / 50% light output, 20%

Light output / Off. IPX7, Size: Ø 80 x 102 mm **930613 11,95**

STRONG LED/COB LED LUMINAIRES

LED Torch Lights

- LED light with atmospheric realistic flame effect
- Rechargeable via micro USB

① LED table lamp with integrated Bluetooth speaker

Uncomplicated pairing with the smartphone. Transmission range >10 m. Volume >90 dB. Power supply: 5 V 1 A. Output power: 5 W. 2000 mAh Li-polymer battery. Material: ABS. Size: Ø 98 x H165 mm

83184 27,95

② LED rod torch with flame effect

Authentic flame effect with 96 LEDs. 2 W, 100-200 lumens. Integrated 2200 mAh battery. Rechargeable via solar panel in the lid or via micro USB cable. Size: Ø 95 mm, with 4 bar elements, max. height 830 mm

83588 24,95



③ Solar light chain

Atmospheric party light chain with 10 LED lanterns

With solar panel (2 V, 10 mA) and rechargeable batteries. Burn time about 8 hours, cable length 4 meters.

83183 9,50

④ Solar/230V/12V camping light

Battery LED camping light with integrated solar panel in the lid. Charging via solar, 230 V or 12 V adapter. With USB port 5 V / 1 A for charging cell phone & Co, 500 lumens. 4.000 mAh battery for very long lighting time. 3 light settings: very bright (ca. 4 h) and flashing mode (ca. 8 h). With silicone protective cap over the connections. Size: D: 82 x W: 82 x H:82 mm.

834871 44,99

⑤ COB multi function pen light

Battery operation (3 x AAA). Temple clip, ultra bright LED, with loop

83528 7,99

⑥ COB clamp light

3 W COB + 1 SMD LED, 120 lumens + 30, lumens, 3 x AAA batteries (not included), 2 strong magnets on the back, clamp function, with joint for optimal adjustment possibilities

83490 9,90



PRACTICAL CAMPING ACCESSORIES



EN 131-6
added-
let



Escali - Multifunctional ladder with max. 3.2 m length

- 11-stage, extended height max. 3.2 m
- Ideal for loading the roof box or cleaning the caravan and motorhome
- Compactly foldable, fits comfortably in the trunk or in the rear garage
- Loadable up to max. 150 kg, weight ca. 9.1 kg
- Working height ca. 4.2 m
- Approved according to EN 131-6

Safety note: The Escali Multifunctional Ladder must be according to TÜV regulations, protrude 70 cm above the stop edge!

Packing size: H ca 77 cm, W ca 44/46 cm

440130 169,-



① Safety - Transportable safety cassette

Safety can be quickly inserted or removed at any time thanks to the supplied, firmly screwed mount. The cassette is firmly connected to the holder by means of a lock tongue. Size: holder ca. W16 x D22 x H7 cm, cassette ca. W15 x D21.5 x H6 cm.

Weight: 1.7 kg. Scope of delivery: safebox, holder, 2 keys, 6 screws.

47132 24,95

② Rex - Versatile furniture safe

For installation in cabinet or bookcase, in caravan, motorhome, yacht or office. Weight: 6.8 kg. External Size: ca. W31 x D20 x H20 cm.

Scope of delivery: safe, 2 keys, fixing material.

47136 49,95



Reserved sign

To be placed on the campsite. For motorhomes and caravans. Material: plastic. Size: 61.5 x 30 cm.

47085 24,90



Compact aluminum folding ladder with max. 2,10 m length

Lightweight aluminum and yet loadable up to max. 150 kg.

With 6 levels.

Size opened: 210x45x6 cm, Size closed: 210x6x6 cm. Weight ca. 3.8 kg.

44005 89,90



Maik - Battery Insect Killer

Insects are attracted by the light and electrocuted when they touch the grid. With 4 watt fluorescent tube and 230 V charger. Battery charging time 9 hours / Battery running time 7 hours.

Size 19 x 9 x 27 cm. Weight 2.2 kg.

903911 19,95

Anti-mosquito spiral

Smell of the glowing scent spiral drives away insects. Glow time per spiral 5-6 h. Scope of delivery: 10spirals and 2 holders. To be used outdoors only.

90390 3,50



12V Compressed Air Compressor

Premium metal compressor for car tires, floats and inflatable boats. Also suitable for larger RV tires. 12V compressor with 360 W, pressure 10 bar/150PSI power and 72 l delivery volume per min. Integrated thermal protection switch and robust metal housing. With transport bag and valve attachments. With battery terminals for direct connection to the battery.

474081 99,90



**Noble
Optics**

Fan heater with chic design

With 2 power levels: 750/1500W, 230V. 12h timer and LED display. Automatic tilt protection - immediately switches off the power supply if it falls over. Temperature controller and overheating protection.

Size: W220 x H290 x D120 mm, weight ca.: 1.8 kg.

811527 52,95



Ceramic heater Ivalo

With 2 power levels: 750/1500W, 230 V. Self-rotating (oscillating). With overheating protection and automatic tilt protection - immediately switches off the power supply if it falls over. Size: H260 x W200 x T130 mm

811522 32,95



**Compact
Design**

Ceramic fan heater Mika

- **2 functions: Heating / Ventilation**
- **Double overheating protection**
- **Low noise operation**

With 2 power levels: 750/1500W, 230 V. Choice - the heating or ventilation can be switched on and off. Adjustable thermostat for temperature control and adjustment. Automatic tilt protection - immediately switches off the power supply if it falls over. With operation indicator. Safety ceramic heating element. CE approved. Ca. Size: B215 x H220 x D223 mm, Weight ca.: 2 kg

811525 37,95



**700
WATT**

230 volt hair dryer

- **With foldable handle, compact to store away**
- **With eyelet for hanging**
- **Slot attachment included**

230V - hair dryer with 700 W power, which can be regulated in 2 steps. Size: L16 x W 7 x H 16 cm, pack size: 19 x 11 x 7 cm. Weight 0,35 kg

804199 12,95



2 in 1 -

Battery Vacuum Cleaner Power Deluxe

- **Slim handy design, small pack size**
- **Strong suction power (200W)**
- **Bagless stainless steel filter (capacity 200 ml)**
- **Can be used as a wand or hand vacuum cleaner**
- **Perfect for home and on the road**

2 suction levels adjustable (runtime ECO max. 30 min, MAX max. 15 min), charging time: 4-5 hrs.

Scope of delivery: Battery vacuum cleaner, 12 V adapter, 230 V charging station, wand 60 cm, upholstery nozzle, floor nozzle, crevice nozzle, fold-out dust brush.


Size: L 45.5 x W 6.5 x H 10.5 cm, Weight: Suction cup ca. 0.8 kg, incl. accessories: ca. 1.6 kg.

804274 95,95

12V fan

Cable length 2.5 m, with Clamp holder
Ø fan: 18 cm, mounting with clamp. Ca.
Size H 25cm, D 20 cm. Material: PP / metal.
Weight 0.7 kg.

462880 20,95



12V

Camping washing machine Fay 230 V/140 W

- **Replaces the hand wash**
- **1.8 kg capacity**
- **Compact and easy to store**

The time controller is used to select the washing time depending on the material and soiling. Filling hose included in the scope of delivery.

The washing process can be controlled through transparent housing. Lid spring system facilitates filling and emptying of the machine.

Drum and housing made of polypropylene. Practical carrying handle on the back. Weight ca. 5 kg.

230V



91913 89,95



12V vacuum cleaner/cyclone system

No dust bag necessary. 12V/150 Watt. Incl. Power supply, telescopic tube and 4 attachments: 360° round brush, upholstery nozzle, crevice nozzle and carpet brush. GS and CE approved. Weight ca. 1.7 kg.

804272 39,95

12V STAINLESS STEEL EXHAUST HOOD



12V

Stainless steel housing, with lighting 2 x 1.5 W LED (2 x 80 lumens), Warm white (3000 Kelvin), suction power 98m³/h, 12 V, only for Motorhomes and caravans. Size: W 46 x D 28 x H 5 cm. Weight 1,8 kg

31852

169,-

ROLLING DOOR SETS

Rolling door complete set

- For the construction of a roller shutter door opening upwards
- For maximum door size of 100 cm height and 60 cm width
- Enables opening even in confined spaces
- Complete with cut to size roller shutter, rails and screen

The guide rails, roller shutter mat and retractable panel can be cut to the desired door dimension and cabinet depth. Material: plastic.

Roller shutter door set consisting of:

1 x Roller shutter mat with handle, H 100 x W 60 cm, 4 x Guide rails for screwing on, L 100 cm, 4 x guide bends 90° for screwing on 1 x retractable screen, L 100 cm

Color black matte

53047

89,90

Color silver


53044

90,50

Color beige, textured

53045

96,20



Rolling door for bathroom and WC rooms

Silver color plastic shutter door with handle on both ends.

Height max. 200 cm, width max. 120 cm, each can be shortened.

Slat width ca. 32 mm.

Scope of delivery:

Slatted door, floor glides, 2 x 90° guide rails (100/20 cm) each for top and bottom, 2 m magnetic tape, assembly instructions

Rollerdoor H200 x W120 cm,

53046

282,-



LIFT TABLE FRAME



Lifting table frame in black

- Folding mechanism
- Simple height adjustment
- Fixation to the floor possible
- Length 60 cm, foot width 59.3 cm
- Loadable up to max. 100 kg

Lifting table frame in black, with folding mechanism by operating lever. Allows easy height adjustment from table to bed frame.

Can also be fixed to the floor. Length: 60 cm, foot width 59.3 cm, height: 30.3 cm / 70.3 cm, weight 8.5 kg.

Scope of delivery: lifting table frame (without table top), incl. floor fixation

57011 135,-

STRUCTURE PICNIC TABLE



For mounting on the vehicle exterior wall of motorhome or caravan

- Mounting frame with fold out picnic table
- Size table top: 715x365 mm
- Loadable up to max. 30 kg

The mounting frame with fold-out picnic table is mounted on the vehicle exterior wall of motorhome or caravan. Size table top: LxW 715x365 mm, Overall Size incl. mounting frame: LxWxD 800x450x25 mm. Table top made of anodized aluminum (color black), material mounting frame: Plastic (color white) Scope of delivery: picnic table with mounting frame, mounting material. Weight: ca. 5kg.

30009

199,99

ALLGEMEINE GESCHÄFTSBEDINGUNGEN

1. Geltungsbereich

1.1 Für die Lieferungen und Leistungen der Reimo Reisemobil-Center GmbH gelten die nachstehenden Allgemeinen Geschäftsbedingungen (im Folgenden AGB). Unsere Geschäftsbedingungen gelten ausschließlich. Von unseren Geschäftsbedingungen abweichende, entgegenstehende oder ergänzende Allgemeine Geschäftsbedingungen des Kunden finden keine Anwendung, es sei denn, wir hätten ihrer Geltung ausdrücklich zugestimmt. Dies gilt auch dann, wenn wir in Kenntnis der Allgemeinen Geschäftsbedingungen des Kunden die Lieferung oder Leistung vorbehaltlos ausführen.

1.2 Diese AGB gelten, soweit in den nachfolgenden Klauseln nicht ausdrücklich abweichend angegeben, sowohl gegenüber Unternehmern im Sinne von § 14 BGB, juristischen Personen des öffentlichen Rechts oder öffentlich-rechtlichen Sondervermögen als auch gegenüber Verbrauchern im Sinne von § 13 BGB. Verbraucher sind natürliche Personen, die den Vertrag zu einem Zweck schließen, der überwiegend weder ihrer gewerblichen noch ihrer selbständigen beruflichen Tätigkeit zugerechnet werden kann. Unternehmer ist, wer bei Abschluss des Vertrages in Ausübung seiner gewerblichen oder selbständigen beruflichen Tätigkeit handelt.

2. Vertragsschluss

2.1 Unsere Angebote sind freibleibend. Gibt der Kunde durch seine Bestellung ein Angebot ab, so kommt der Vertrag erst zustande, wenn wir das Angebot annehmen.

2.2 Im Falle einer Bestellung über unsere Webseite www.reimo.de gelten für den Vertragsschluss in Ergänzung zu Ziff. 2.1 folgende Bestimmungen: Die Darstellung der Artikel auf unserer Webseite stellt kein verbindliches Angebot dar. Der Kunde kann Waren auf der Webseite auswählen und durch Anklicken des Warenkorbsymbols in den virtuellen Warenkorb legen. Über den Button „Jetzt kaufen“ gibt der Kunde ein verbindliches Angebot zum Kauf der im Warenkorb befindlichen Waren ab. Vor dem Absenden der Bestellung kann der Kunde die Daten jederzeit einsehen und ändern.

Der Kunden erhält von uns eine automatische Empfangsbestätigung per E-Mail. Die automatische Empfangsbestätigung dokumentiert lediglich, dass die Bestellung des Kunden bei uns eingegangen ist und stellt keine Annahme des Angebots dar. Der Vertrag kommt erst durch die Abgabe der Annahmeerklärung durch uns zustande, die mit einer gesonderten E-Mail als Auftragsbestätigung versandt wird. Der Vertragsschluss über unsere Webseite erfolgt in deutscher Sprache.

2.3 Sämtliche zwischen uns und dem Kunden bei Vertragsschluss getroffenen Vereinbarungen sind in dem Vertrag einschließlich dieser Allgemeinen Geschäftsbedingungen vollständig schriftlich niedergelegt. Unsere Mitarbeiter sind nicht befugt, mündlich von diesem Vertrag abweichende oder darüber hinausgehende Vereinbarungen zu treffen.

2.4 Unwesentliche Änderungen von Bauteilen, des Designs, des Farbtons oder sonstiger Details im Rahmen der technischen Weiterentwicklung behalten wir uns vor, soweit diese unter Berücksichtigung der beiderseitigen Interessen für den Kunden zumutbar sind. Dies setzt insbesondere voraus, dass diese nicht zu einer Wertminderung oder Nutzungsbeeinträchtigung führen.

2.5 Gewichtsangaben bewegen sich durch die Verwendung natürlicher Rohstoffe innerhalb üblicher Toleranzen von +/- 5 %.

3. Preise und Zahlungsbedingungen

3.1 Preise und Zahlungsbedingungen bei Verträgen mit Verbrauchern

(a) Die in unserem Online-Shop für Verbraucher angegebenen oder anderweitig gegenüber Verbrauchern angebotenen Preise verstehen sich als Bruttopreise in EURO ab Werk zzgl. etwaiger daneben angegebener Versandkosten. Bei Bestellungen über unsere Webseite sind die jeweiligen Versandkosten in unserem Online-Shop angegeben. (b) Bei Bestellungen über unseren Online-Shop für Verbraucher ist die Zahlung per PayPal, Kreditkarte (MasterCard oder Visa) oder per Sofortüberweisung möglich. Bei Vertragsschlüssen mit Verbrauchern im stationären Handel ist der Kaufpreis in Bar oder per EC-Karte bei Übergabe zu entrichten.

3.2 Preise und Zahlungsbedingungen bei Verträgen mit Unternehmern

(a) Unterbreiten wir gegenüber Unternehmern ein Angebot, so verstehen sich die angebotenen Preise vorbehaltlich abweichender Angabe als Nettopreise in EURO ab Werk. Die gesetzliche Umsatzsteuer wird in der jeweils geltenden Höhe in der Rechnung gesondert ausgewiesen, soweit diese anfällt.

(b) Bei Verträgen mit Unternehmern gelten folgende Zahlungsbedingungen: Unsere Rechnungen sind innerhalb von 30 Tagen nach Rechnungszugang ohne Abzug zahlbar. Bei Zahlungseingang innerhalb von 8 Tagen nach Rechnungsstellung gewähren wir 2 % Skonto. Bei Barzahlung, Vorauszahlung sowie bei erfolgreichem Zahlungs-einzug aufgrund eines erteilten SEPA Lastschriftmandats gewähren wir 3 % Skonto.

3.3 Allgemeine Zahlungsbedingungen für Verbraucher und Unternehmer

Unabhängig davon, ob es sich bei dem Kunden um einen Verbraucher oder Unternehmer handelt, gelten folgende Zahlungsbedingungen:

(a) Kommt der Kunde in Zahlungsverzug so ist sind wir berechtigt, Verzugszinsen in der jeweils geltenden gesetzlichen Höhe zu fordern. Weitergehende Ansprüche wegen Verzuges bleiben unberührt.

(b) Zur Aufrechnung mit Gegenforderungen oder zur Geltendmachung von Zurückbehaltungsrechten ist der Kunde berechtigt, wenn seine Gegenansprüche rechtskräftig festgestellt, unbestritten oder von uns anerkannt sind. Diese Einschränkung gilt nicht für Gegenforderungen des Kunden wegen Mängeln oder teilweise Nichterfüllung des Vertrages, soweit diese Ansprüche auf demselben Vertragsverhältnis beruhen, wie unsere Forderungen. Das Recht zur Aufrechnung mit Ansprüchen, die sich aus einer Ausübung des Verbraucherrücktrittsrechts gemäß Ziffer 13 ergeben, bleibt ebenfalls unberührt.

(c) Wird nach Abschluss des Vertrags erkennbar, dass unser Anspruch auf den Kaufpreis durch mangelnde Leistungsfähigkeit des Kunden gefährdet wird, so sind wir nach den gesetzlichen Vorschriften zur Leistungsverweigerung und sofern der Kunden innerhalb einer von uns gesetzten angemessenen Frist weder den Kaufpreis zahlt noch eine Sicherheit leistet, zum Rücktritt vom Vertrag berechtigt (§ 321 BGB). (d) Bei Verträgen über die Lieferung von Komplettfahrzeugen gilt ergänzend folgende Regelung: Ist ein Liefertermin mehr als vier Monate nach Vertragsschluss vereinbart und kommt es innerhalb dieses Zeitraums nach Vertragsschluss zu von uns nicht zu vertretenden Preiserhöhungen seitens unserer Zulieferer, so sind wir berechtigt, diese Kostenerhöhungen an den Kunden weiterzugeben und den Preis entsprechend anzupassen. Wir werden den Kunden hierüber unverzüglich unterrichten.

4. Liefer- und Leistungsfristen

4.1 Die Einhaltung der Liefer- und Leistungsfristen setzt die rechtzeitige und ordnungsgemäße Erfüllung der Verpflichtungen des Kunden voraus.

4.2 Durch uns nicht zu vertretende Ereignisse, die uns an der Leistungserbringung hindern, wie Streiks, rechtmäßige Aussparungen, behördliche Anordnungen, Naturkatastrophen und andere Ereignisse höherer Gewalt entbinden uns von der Erfüllung der übernommenen vertraglichen Verpflichtungen, solange die Behinderung andauert. Wir verpflichten uns, den Kunden unverzüglich über den Eintritt und die voraussichtliche Dauer eines solchen Ereignisses zu unterrichten. Dauert eine solche Behinderung länger als drei Monate an, ist jede Partei berechtigt, vom Vertrag zurückzutreten. Eine etwaige bereits erbrachte Gegenleistung wird in diesem Fall unverzüglich zurückerstattet.

4.3 Geräten wir aufgrund leichter Fahrlässigkeit in Verzug mit der Lieferung oder Leistung, so ist unsere Verpflichtung zum Ersatz von Verzögerungsschäden (Schadensersatz neben der Leistung) auf maximal 5 % des Nettokaufpreises der verspäteten Lieferung begrenzt. Die Haftung wegen schuldhafter Verletzung des Lebens, des Körpers oder der Gesundheit bleibt unberührt. Für die Haftung auf Schadensersatz statt der Leistung gelten die Haftungsregelungen gemäß Ziff. 5 dieser AGB.

4.4 Für Warenlieferungen gelten ergänzend die Bestimmungen unter Abschn. II Ziff.8.

5. Haftung

5.1 Wir haften nach den gesetzlichen Bestimmungen, sofern der Kunde Schadensersatzansprüche geltend macht, die auf Vorsatz oder grober Fahrlässigkeit, einschließlich von Vorsatz oder grober Fahrlässigkeit der gesetzlichen Vertreter, Mitarbeiter oder sonstigen Erfüllungsgehilfen oder einer schuldhaften Verletzung einer wesentlichen Vertragspflicht beruhen. Wesentliche Vertragspflichten sind solche, deren Erfüllung zur Erreichung des Vertragszwecks erforderlich ist und auf deren Erfüllung der Kunde regelmäßig vertraut und vertrauen darf. Soweit uns weder Vorsatz noch grobe Fahrlässigkeit zur Last zu legen ist, ist die Schadensersatzhaftung in den vorgenannten Fällen auf den vorhersehbaren, typischerweise eintretenden Schaden begrenzt.

5.2 Die Haftung wegen schuldhafter Verletzung des Lebens, des Körpers oder der Gesundheit bleibt unberührt; dies gilt auch für die zwingende Haftung nach dem Produkthaftungsgesetz.

5.3 Soweit nicht vorstehend abweichend geregelt, ist die Haftung auf Schadensersatz ohne Rücksicht auf Rechtsnatur des geltend gemachten Anspruchs ausgeschlossen. Für die Haftung wegen Verzuges gilt ergänzend die Haftungsbeschränkung nach Ziff. 4.3.

5.4 Die vorstehenden Bestimmungen gelten entsprechend, soweit der Kunde anstelle eines Anspruchs auf Ersatz des Schadens statt der Leistung Ersatz vergeblicher Aufwendungen verlangt.

5.5 Soweit die Schadensersatzhaftung uns gegenüber ausgeschlossen oder eingeschränkt ist, gilt dies auch im Hinblick auf die persönliche Schadensersatzhaftung unserer gesetzlichen Vertreter, Mitarbeiter und Erfüllungsgehilfen.

6. Telefonische Auskünfte

Telefonische Auskünfte sind grundsätzlich unverbindlich und ohne Gewähr, sofern der beurteilte Sachverhalt auf telefonischer, mündlicher oder schriftlicher Darstellung beruhte und keine Gelegenheit bestand, den Gegenstand, auf den sich die Auskünfte beziehen, ausführlich zu besichtigen.

II. Abschnitt: Besondere Bestimmungen für Lieferungen von Fahrzeugen, Zubehör und Ersatzteilen

7. Sonderbestellungen und Maßanfertigungen von Fahrzeugen

Bei Sonderbestellungen von Fahrzeugen ist eine Anzahlung in Höhe von 25% und bei Maßanfertigungen in Höhe von 40% des Kaufpreises bei Vertragsabschluss fällig. Maßanfertigungen werden nach dem vom Kunden vorgelegten Plan und Maßen hergestellt. Der Kunde ist für die Richtigkeit der Maßangaben ausschließlich verantwortlich.

8. Lieferung und Gefahrübergang

8.1 Die Lieferungen erfolgen ab Werk. Die Gefahr des zufälligen Untergangs oder der zufälligen Verschlechterung der Ware geht spätestens mit der Übergabe an den Kunden auf diesen über. Sofern wir auf Wunsch des Kunden die Ware versenden, geht die Gefahr mit Übergabe an den Frachtführer bzw. eine anderweitig beauftragte Transportperson auf den Kunden über. Der gesetzliche Gefahrübergang im Falle des Annahmeverzuges bleibt unberührt. Handelt es sich bei dem Kunden um einen Verbraucher, so geht die Gefahr in den in Satz 3 genannten Fällen nur dann bereits mit Übergabe an den Frachtführer bzw. eine anderweitige Transportperson auf den Kunden über, wenn der Kunde den Frachtführer oder die sonst zur Ausführung der Versendung bestimmte Person mit der Ausführung beauftragt hat und wir dem Kunden die Transportperson nicht zuvor benannt haben.

8.2 Bei Bestellungen von Teilen über unsere Webseite beträgt die Lieferfrist 5 Werktage, soweit nicht abweichend angegeben.

8.3 Teillieferungen sind zulässig, soweit dies für den Kunden zumutbar ist.

8.4 Wird vor der Ablieferung vom Kunden eine andere Ausführung des Kaufgegenstandes gefordert, so wird der Lauf der Lieferfrist bis zum Tage der Verständigung über die Ausführung unterbrochen und ggf. um die für die andersartige Ausführung erforderliche Zeit verlängert.

8.5 Wird bei einem Vertragsschluss über die Lieferung von Fahrzeugen ein vereinbarter unverbindlicher Liefertermin um mehr als 6 Wochen überschritten, so hat der Kunde das Recht, eine angemessene Nachfrist zu setzen. Wird der Kaufgegenstand von uns auch dann nicht bis zum Ablauf der Nachfrist geliefert, so kann der Kunde durch schriftliche Erklärung vom Vertrag zurücktreten und/oder unter den gesetzlichen Voraussetzungen Schadensersatz statt der Leistung verlangen.

9. Übernahmebedingungen für die Lieferung von Fahrzeugen

9.1 Erfolgt die Übernahme des Kaufgegenstandes durch den Kunden nicht binnen 14 Tagen nach der Anzeige der Bereitstellung oder verweigert er die Abnahme der Lieferung, so sind wir nach Ablauf einer von uns gesetzten angemessenen Nachfrist berechtigt, vom Vertrag zurückzutreten und/oder Schadensersatz wegen Nichterfüllung zu verlangen.

9.2 In letzterem Fall sind wir berechtigt, unbeschadet der Möglichkeit, einen höheren tatsächlichen Schaden geltend zu machen, 15 % des Kaufpreises als Schadensersatz zu fordern. Dem Kunden bleibt vorbehalten, nachzuweisen, dass uns kein oder nur ein wesentlich geringerer Schaden entstanden ist.

10. Eigentumsvorbehalt

10.1 Die Ware bleibt bis zur vollen Bezahlung des Kaufpreises unser Eigentum. Handelt es sich bei dem Kunden um einen Unternehmer, so gilt abweichend von Satz 1, folgende Regelung: Die Ware bleibt bis zur vollen Bezahlung sämtlicher Forderungen einschließlich Nebenforderungen aus der Geschäftsbeziehung zwischen uns und dem Kunden unser Eigentum. Der Eigentumsvorbehalt bleibt auch dann bestehen, wenn einzelne unserer Forderungen in eine laufende Rechnung aufgenommen werden und der Saldo gezogen und anerkannt ist.

10.2 Veränderungen oder Sicherungsübereignungen der Vorbehaltsware durch den Kunden sind unzulässig. Von Pfändungen oder sonstigen Eingriffen Dritter sind wir sofort zu benachrichtigen. Soweit der Dritte nicht in der Lage ist, uns die gerichtlichen und außergerichtlichen Kosten zur Abwendung des Eingriffs zu erstatten, haftet der Kunde für den uns entstandenen Ausfall.

10.3 Der Kunde verwahrt die Vorbehaltsware unentgeltlich für uns. Er hat sie gegen übliche Gefahren wie Feuer, Diebstahl und Wasser im üblichen Umfang zu versichern. Der Kunde tritt hiernächst seine Entschädigungsansprüche, die ihm aus Schäden der o.a. genannten Art gegen Versicherungsgesellschaften oder sonstige Ersatzverpflichtete zustehen, an uns in Höhe seiner Forderungen ab.

10.4 Kommt der Kunde seinen Zahlungspflichten nicht nach, so sind wir unter den gesetzlichen Voraussetzungen berechtigt, vom Vertrag zurückzutreten und die Vorbehaltsware heraus zu verlangen.

10.5 Handelt es sich bei dem Kunden um einen Unternehmer, so gelten ergänzend folgende Bestimmungen:

(a) Der Kunde ist verpflichtet, die Unter Eigentumsvorbehalt stehende Ware weiterzubearbeiten und zu veräußern unter Berücksichtigung der nachfolgenden Bestimmungen: (b) Der Kunde tritt hiernächst die Forderung aus dem Weiterverkauf der Vorbehaltsware in Höhe des Rechnungsbetrags (einschließlich Umsatzsteuer) unserer Forderung an uns ab und zwar anteilig auch insoweit, als die Ware verarbeitet, vermischert oder vermengt ist und wir hieran in Höhe seines Fakturenwertes Miteigentum erlangt haben. Im letzteren Fall steht uns an dieser Zession ein im Verhältnis zum Fakturenwert unserer Vorbehaltsware zum Fakturenwert des Gegenstandes entsprechender Bruchteil der jeweiligen Kaufpreiserforderung aus der Weiterverkauf vor. Hat der Kunde die Forderung im Rahmen des echten Factorings verkauft, so tritt er die an ihre Stelle tretende Forderung gegen den Factor an uns ab. Wir nehmen diese Abtretung an.

(c) Wir werden die abgetretenen Forderungen, solange der Kunde seinen Zahlungsverpflichtungen nachkommt, nicht einziehen. Der Kunde ist berechtigt, die Forderungen weiterhin einzuziehen. Die Einziehungsermächtigung erlischt jedoch bei Zahlungsverzug des Kunden oder wenn ein Antrag auf Eröffnung des Insolvenzverfahrens über das Vermögen des Kunden gestellt wird. In diesem Fall können wir verlangen, dass der Kunde uns die abgetretenen Forderungen und deren Schuldner bekannt gibt, alle zum Einzug erforderlichen Angaben macht, die dazugehörigen Unterlagen aushändigt und den Schuldner gegenüber die Abtretung offenlegt.

(d) Durch Verarbeitung der Vorbehaltsware erwirbt der Kunde nicht das Eigentum gemäß § 950 BGB an der neuen Sache. Die Verarbeitung wird für uns vorgenommen, ohne dass uns daraus Verbindlichkeiten entstehen. Wird die Vorbehaltsware mit anderen Gegenständen verarbeitet, vermischert oder vermengt, erwerben wir das Miteigentum an der neuen Sache im Verhältnis des Wertes seiner Eigentumsvorbehaltsware zum Gesamtwert. Die Befugnisse des Kunden, im ordnungsgemäßen Geschäftsverkehr Vorbehaltsware zu verarbeiten, enden mit der Zahlungseinstellung des Kunden oder mit der Beantragung der Eröffnung eines Insolvenzverfahrens über sein Vermögen.

(e) Wir verpflichten uns, die uns zustehenden Sicherungen insoweit freizugeben, als ihr Wert die zu sichernden Forderungen um mehr als 20 % übersteigt. Die Wahl der freizugebenden Sicherheit obliegt uns.

11. Gewährleistung bei Kaufverträgen

11.1 Im Falle von Mängeln stehen dem Kunden die gesetzlichen Gewährleistungsrechte nach §§ 434 ff. BGB mit der Maßgabe zu, dass Schadensersatzansprüche nur in dem in Abschnitt Ziffer 5 bestimmten Umfang bestehen.

11.2 Handelt es sich bei dem Kunden um einen Unternehmer, gelten folgende ergänzende Bestimmungen:

(a) Die Geltendmachung von Gewährleistungsansprüchen setzt voraus, dass der Kunde seinen Untersuchungs- und Rügeobliegenheiten nach § 377 HGB nachkommen ist. Der Kunde hat die Pflicht, den Kaufgegenstand unverzüglich nach der Übernahme zu prüfen. Etwaige Mängel sind unverzüglich zu rügen. Andernfalls gilt die Ware als in einwandfreiem Zustand übernommen, es sei denn, dass der Mangel bei der Prüfung nicht erkennbar war. Der Umtausch oder die Reparatur von eingetauchten Teilen wird nicht durchgeführt, wenn Schäden vor dem Einbau bei sorgfältiger Prüfung erkennbar waren. Verdeckte Mängel, die im Rahmen ordnungsgemäßer Untersuchung nicht erkennbar waren, sind unverzüglich nach Entdeckung zu rügen. Jede Mängelrüge hat stets schriftlich zu erfolgen.

(b) Liegt ein Mangel der Kaufsache vor, der von dem Kunden ordnungsgemäß gerügt wurde, so steht das Wahlrecht zwischen Nachlieferung oder Nachbesserung uns zu. Ersatzteile gehen in unser Eigentum über. Der Ort der Nachlieferung ist unser Sitz. Der Kunde ist zur Zurückbehaltung von Zahlungen wegen eines Mangels nur in einem dem Mangel und den Kosten der Beseitigung angemessenen Verhältnis berechtigt.

(c) Gewährleistungsansprüche bestehen nur, wenn der Kunde nachweist, dass ein Mangel bei Gefahrübergang vorlag. Wir haften insbesondere nicht für Schäden aufgrund unsachgemäßen Gebrauchs, nicht bestimmungsgemäßer Verwendung, fehler-

hafter Montage, mangelnder oder fehlerhafter Wartung oder Schäden, die durch natürlichen Verschleiß oder eigenmächtige Veränderungen des Kaufgegenstandes (z.B. Selbstbau, Einbau von Einrichtungen und Zubehörs) hervorgerufen wurden.

(d) Die Gewährleistungsfrist für Mängelansprüche beträgt 12 Monate, gerechnet ab Ablieferung der Sache. Abweichend hiervon gilt die gesetzliche Gewährleistungsfrist von zwei Jahren für Schadensersatzansprüche aufgrund vorsätzlicher oder grob fahrlässiger Pflichtverletzungen oder schuldhafter Verletzungen des Lebens, des Körpers oder der Gesundheit. Die gesetzliche Verjährungsfrist im Fall eines Lieferantenregresses (Rückgriff des Unternehmers) bleibt unberührt.

11.3 Garantien bestehen nur, sofern und soweit dies für das gewählte Produkt ausdrücklich angegeben ist. Einzelheiten zu den Garantien ergeben sich aus den jeweiligen Garantiebedingungen. Etwaige Garantien bestehen neben den gesetzlichen Gewährleistungsrechten.

12. Vereinbarungen über Rücksendungen gegenüber Unternehmern

Handelt es sich bei dem Kunden um einen Unternehmer, gilt im Hinblick auf Rücksendungen folgende Regelung: Soweit kein Gewährleistungsfall vorliegt, sind Rücksendungen der Ware nur mit unserer vorherigen, schriftlichen Zustimmung und unter Beilage einer Rechnungskopie der retournierten Waren zulässig. Die Kosten der Rücksendung sind in diesem Fall vom Kunden zu tragen. Darüber hinaus ist der Kunde in einem solchen Fall vorbehaltlich abweichender Vereinbarung verpflichtet, 15 % des Kaufpreises zu zahlen.

13. Widerrufsrecht für Verbraucher

Handelt es sich bei dem Kunden um einen Verbraucher, so steht ihm bei einem Vertragsschluss über unsere Webseite ein Widerrufsrecht zu, das unter den nachstehenden Voraussetzungen ausgeübt werden kann.

Widerrufsbelehrung

Der Kunde hat das Recht, binnen vierzehn Tagen ohne Angaben von Gründen den Vertrag zu widerrufen. Die Widerrufsfrist beträgt vierzehn Tage ab dem Tag, an dem der Kunde oder ein von ihm benannter Dritter, der nicht Beförderer ist, die Waren in Besitz genommen hat. Im Falle eines Vertrages über mehrere Waren, die der Kunde im Rahmen einer einheitlichen Bestellung bestellt hat und die getrennt geliefert werden, beträgt die Frist vierzehn Tage ab dem Tag, an dem der Kunde oder ein von ihm benannter Dritter, der nicht Beförderer ist, die letzte Ware in Besitz genommen hat. Um sein Widerrufsrecht auszuüben, muss der Kunde uns, der Reimo Reisemobil-Center GmbH, Lieferzentrum, Abt. Retouren, Am Rotbühl 17-19, 64331 Weiterstadt, Fax: 06150 8662-329, Telefon: 06150 8662367; E-Mail: shop@reimo.com mittels einer eindeutigen Erklärung (z.B. ein mit der Post versandter Brief, Telefax oder E-Mail) über seinen Entschluss, den Vertrag zu widerrufen, informieren. Der Kunde kann dafür das beigefügte Muster-Widerrufsformular verwenden, das jedoch nicht vorgeschrieben ist.

Zur Wahrung der Widerrufsfrist reicht es aus, dass der Kunde die Mitteilung über die Ausübung des Widerrufsrechts vor Ablauf der Widerrufsfrist absendet.

Folgen des Widerrufs:

Wenn der Kunde den Vertrag widerruft, haben wir ihm alle Zahlungen, die wir von ihm erhalten haben, einschließlich der Lieferkosten (mit Ausnahme der zusätzlichen Kosten, die sich daraus ergeben, dass der Kunde eine andere Art der Lieferung als die von uns angebotene, günstige Standardlieferung gewählt hat) unverzüglich und spätestens binnen vierzehn Tagen ab dem Tag zurückzahlen, an dem die Mitteilung über seinen Widerruf des Vertrages bei uns eingegangen ist. Für diese Rückzahlung verwenden wir dasselbe Zahlungsmittel, das der Kunde bei der ursprünglichen Transaktion eingesetzt hat, es sei denn, mit dem Kunden wurde ausdrücklich etwas anderes vereinbart; in keinem Fall werden dem Kunden wegen dieser Rückzahlung Entgelte berechnet.

Wir können die Rückzahlung verweigern, bis wir die Ware wieder zurückerhalten haben oder bis der Kunde den Nachweis erbracht haben, dass er die Waren zurückge-sandt hat, je nachdem, welches der frühere Zeitpunkt ist.

Der Kunde hat die Waren unverzüglich und in jedem Fall spätestens binnen vierzehn Tagen ab dem Tag, an dem er uns über den Widerruf des Vertrages unterrichtet, an uns zurückzusenden oder zu übergeben. Die Frist ist gewahrt, wenn der Kunde die Waren vor Ablauf der Frist von vierzehn Tagen absendet.

Der Kunde trägt die unmittelbaren Kosten der Rücksendung der Waren. Bei nicht paketversandfähiger Ware, die nicht normal mit der Post zurückgesandt werden kann, bieten wir an, die Ware auf unsere Kosten bei dem Kunden abzuholen. Der Kunde muss für einen etwaigen Wertverlust der Waren nur aufkommen, wenn dieser Wertverlust auf einen zur Prüfung der Beschaffenheit, Eigenschaften und Funktionsweise der Waren nicht notwendigen Umgang mit ihnen zurückzuführen ist.

III. Abschnitt: Besondere Bedingungen für Werkleistungen

14. Mitwirkungspflichten des Kunden

14.1 Bei Aufträgen über die Erbringung von Werkleistungen hat uns der Kunde das Fahrzeug zu dem vereinbarten Zeitpunkt in einem zur Durchführung der Arbeiten geeigneten Zustand zur Verfügung zu stellen.

14.2 Soweit zur Durchführung der in Auftrag gegebenen Arbeiten vorab eine Säuberung des Fahrzeuges erforderlich ist und diese von uns vorgenommen wird, sind wir berechtigt, dem Kunden diesen Aufwand in Rechnung zu stellen.

14.3 Bei Montageaufträgen muss sich der Wagen in works- bzw. serienmäßigen Zustand befinden und völlig leer angeliefert werden. Eine Haftung für alle entgegen dieser Vereinbarung im Fahrzeug befindlichen beweglichen Teile ist ausgeschlossen, es sei denn, der Kunde weist nach, dass uns Vorsatz oder grobe Fahrlässigkeit zur Last zu legen ist. Alle Arbeiten, die erforderlich sind, um diesen Zustand herzustellen oder auszugleichen (z.B. Unfallwagen) werden zusätzlich berechnet.

14.4 Bei Montage- und Reparaturaufträgen kann der Kostenvoranschlag um bis zu 15% überschritten werden, wenn sich während der Arbeiten unvorhergesehene Umstände ergeben und eine Rücksprache mit dem Kunden kurzfristig nicht möglich ist. Die Rechte des Kunden gemäß § 649 BGB bleiben im Übrigen unberührt.

14.5 Vorbehaltlich abweichender Vereinbarungen werden ausgebaut Teile vom Auftragnehmer gegen Gebühr sofort entsorgt.

15. Abholung und Abnahme

15.1 Der Kunde ist verpflichtet, den Auftragsgegenstand spätestens innerhalb von einer Woche ab Zugang der Fertigstellungsanzeige abzuholen. Der Kunde ist verpflichtet, die vertragsgemäß erbrachten Werkleistungen abzunehmen. Die Abnahme des Auftragsgegenstandes durch den Kunden erfolgt an unserem Sitz, soweit nichts anderes vereinbart ist. Wegen unwesentlicher Mängel darf die Abnahme nicht verweigert werden.

15.2 Im Falle der Nichtabnahme stehen uns unsere gesetzlichen Rechte uneingeschränkt zu. Insbesondere sind wir berechtigt, die ortsüblichen Kosten für die Aufbewahrung zu verlangen. Die Gefahr geht mit Eintritt des Annahmeverzuges auf den Kunden über.

16. Gewährleistung bei Werkleistungen

Sollte sich die Werkleistung als mangelhaft erweisen, stehen dem Kunden die gesetzlichen Gewährleistungsrechte mit der Maßgabe zu, dass Schadensersatzansprüche nur in dem unter Ziffer 5 genannten Umfang bestehen. Die Gewährleistungsfrist beträgt ein Jahr ab Abnahme. Abweichend hiervon gilt für Schadensersatzansprüche wegen Vorsatzes, grober Fahrlässigkeit oder wegen der schuldhaften Verletzung des Körpers, des Lebens oder der Gesundheit die gesetzliche Gewährleistungsfrist.

IV. Abschnitt: Schlussbestimmungen

17. Gerichtsstand und anwendbares Recht

17.1 Handelt es sich bei dem Kunden um einen Kaufmann, eine juristische Person des öffentlichen Rechts oder öffentlich-rechtliches Sondervermögen, so sind die Gerichte an unserem Sitz für sämtliche Streitigkeiten aus und im Zusammenhang mit dem Vertrag zuständig. Für den Kunden gilt diese Gerichtsstandsvereinbarung ausschließlich, Wir sind alternativ dazu berechtigt, Klage gegen den Kunden an dessen allgemeinem Gerichtsstand zu erheben.

17.2 Es gilt das Recht der Bundesrepublik Deutschland unter Ausschluss des UN-Kaufrechts. Handelt es sich bei dem Kunden um einen Verbraucher und hat dieser zum Zeitpunkt seiner Bestellung seinen gewöhnlichen Aufenthalt in einem anderen Land als Deutschland, bleibt jedoch die Anwendung der zwingenden Rechtsvorschriften des betreffenden Landes von der in Satz 1 getroffenen Rechtswahl unberührt.

18. Streitbeilegung bei Verbraucherverträgen

18.1 Die Europäische Kommission hat eine Plattform zur Online-Streitbeilegung geschaffen, die als Anlaufstelle zur außergerichtlichen Beilegung von Streitigkeiten mit Verbrauchern in Bezug auf vertragliche Verpflichtungen, die aus Online-Verträgen erwachsen, dient. Diese ist unter <http://ec.europa.eu/consumers/odr/> verfügbar.

18.2 Wir werden nicht an einem Streitbeilegungsverfahren vor einer Verbraucherschlichtungsstelle im Sinne des Verbraucherstreitbeilegungsgesetzes teilnehmen und sind hierzu auch nicht verpflichtet.

19. Teilunwirksamkeit

Soweit einzelne Bestimmungen dieser AGB unwirksam sein sollten, berühren sie nicht die Wirksamkeit der übrigen Bestimmungen. Anstelle der unwirksamen Bestimmung gelten die gesetzlichen Regelungen.



REIMO REISEMOBIL-CENTER GMBH
BOSCHRING 10 - 63329 EGELSBACH - GERMANY - www.reimo.com

CARBEST IS A REGISTERED TRADEMARK OF THE COMPANY REIMO REISEMOBIL-CENTER GMBH.
Copyright: Reimo Reisemobil-Center GmbH. Delivery subject to change. All products without decoration. Misprints, errors and subject to technical modifications/developments. All data without guarantee. The permissible tolerance for technical Specifications is +/- 5%. Fig. partly show extras and decorations that are not included. All rights reserved. Reprinting and use in electronic media, including excerpts, only with express permission of the company Reimo Reisemobil-Center GmbH, Egelsbach. **Status June 2023.**