


BEAUTIFUL LIFE
HAPPY BATH



Got across ISO 9001: 2000 mass management setup international.



Doozoler



Enjoy nature SPA













Water Pressure 0.3-1.0MPa

Models: HST16401


INSTALLATION CONSIDERATIONS

1. Please read over these instructions thoroughly before beginning installation.
Make sure that you have all tools and supplies needed to complete the installation.
2. For best results, we recommends that this unit be installed by a licensed, professional plumber.
3. Make sure inlet pipes and supply valves have been installed and cleaned, also ensure no impurities in pipeline.
4. After installation, check all joints for leakages.

TOOLS REQUIRED


			
Safety helmet	Folding stair	Ruler	Horizontal rule
			
Pincer pliers	Junior hacksaw	Hammer	Spanner
			
knife	Screwdriver	Electric drill	Blocking tape

PRODUCT LIST




①	Shower head	x1	⑧	Corrugated pipe	x2
②	Shower valve knob	x5	⑨	Shower hose	x2
③	Shower valve panel	x1	⑩	Decoration cover	x6
④	Brass valve body	x1	⑪	Body jet	x6
⑤	Handheld shower	x1	⑫	Power line	x1
⑥	Handheld shower holder	x1	⑬	Remote control	x1
⑦	Spout	x1	⑭	Hardware packets	x4

SHOWER PARTS IDENTIFICATION DIAGRAM




INSTALL SHOWER HEAD

STEP 1: Layout shower head power / water pipe




STEP 2: Measure shower head holes on ceiling




Shower hole inside size 385*385MM.

STEP 3: Install fix frame

Shower installation fixed frame A




Shower installation fixed frame B




There are two methods to install the fix frame.
A: Use screws to fix directly.
B: Use expansion bolts 150-500mm to fix.


STEP 4: Layout water pipe




STEP 5: Install shower head




STEP 6: Connect water inlet pipe




STEP 7: Connect LED & audio power line




STEP 8: Testing the water




STEP 9: Shower installation



INSTALL BODY JET



USA: 1/2" - 14 NPT
Canada: 1/2" - 14 NPT
Europe: G1/2"




The product is equipped with G1/2 specifications connectors or interfaces, and it is recommended that users use G1/2 specifications connectors or interfaces.

The G1/2 connector or interface is compatible with the NPT1/2 connector or interface. If you use the NPT1/2 connector or interface, please wrap enough blocking tape on the connector or interface.

Cut off excess part with a saw.

Put on the decoration cover, then screw the body jet in.

INSTALL HANDHELD SHOWER



Screw the thread into the water pipe inside the wall.
Screw the handheld shower holder into the thread.
Fix the handheld shower holder with the allen key.
Connect handheld shower and the hose.

BLUETOOTH MUSIC PLAYING



Bluetooth Name: Music Shower System

1. Put the power on the shower and the speaker will automatically enter pairing mode, then continue to step 2.

📶 The speaker will try to establish a connection with the last connected Bluetooth device. If the device is nearby, a Bluetooth connection is automatically established and two beeps will be heard.

2. Run the pairing program on the Bluetooth device to detect the speaker. When the Bluetooth device displays the list of detected devices, select [Music Shower System].


3. If a password is required on the Bluetooth device display, enter "0000".

📶 A password can be called a "code", "PIN", "PIN number" or "password".

4. Once the Bluetooth connection has been successfully established, you will hear two beeps.

5. If the Bluetooth connection is not established, repeat from step 1.

REMOTE CONTROL



- ① Turn ON / OFF
- ⑤ Mode Switch
- ② Color Touch Ring
- ③ ⑥ Color Temperature Adjusting
- ④ ⑧ Dynamic Speed Adjusting
- ⑦ ⑨ Dynamic Brightness Adjusting

CARE AND MAINTENANCE

1. Modern faucets and shower products utilize a combination of materials to comply with the needs of the market with regard to design and functionality.
2. To avoid damage, it is necessary to use some caution when cleaning. Damage caused by improper treatment is not covered under the warranty.
3. To remove lime scale, use only products made specifically for that purpose. Always follow the manufacturer's instructions when using.
4. Do not use cleaners that contain hydrochloric, formic, acetic, or phosphoric acids, as these will cause considerable damage to finishes and to plastic components.
5. Never use cleaners containing abrasives. Do not use abrasive cleaning cloths, pads, or sponges.
6. Clean your faucets and shower products as and when required. Regular cleaning will prevent scale buildup and water spotting.
7. When using spray cleaners, spray first onto a sponge or cloth, do not spray directly onto the product.
8. After cleaning, rinse thoroughly with clear water to remove any cleaner residue.
9. Soap and shampoo residue can also cause damage to the product. Rinse well with clean water after use.
10. If the surface is already damaged, harsh cleaning materials will cause further damage.